

Form 3860-10
(February 1987)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Mineral Survey Number

4866

State

Arizona

Land District

Arizona

FIELD NOTES

Of the Survey of the Mining Claim of (name and address of claimant)

Paul C. Helmick & Dave McGee
P. O. Box 332
Oracle, AZ 85623

Known as the (name of group, if any)

NAME OF CLAIM(S)

NAME OF LOCATION	DATE			BLM MINING CLAIM SERIAL NUMBER
	LOCATED AND AMENDED	RECORDED WITH COUNTY	RECORDED WITH BLM	
Prospector #1	7/11/83	7/15/83	7/28/83	201594
Prospector #2	7/11/83	7/15/83	7/28/83	201595
Hope #7	12/31/80	1/16/81	2/11/81	121758
Hope #8	12/31/80	1/16/81	2/11/81	121759
Hope #4	12/31/80	1/16/81	2/11/81	121755
Hope #3	12/31/80	1/16/81	2/11/81	121754
LITTLE HILL #16	12/31/80	1/16/81	2/11/81	121777
Prospector #12	7/11/83	7/15/83	7/28/83	201605
	Amended	11/23/87	12/9/87	12/21/87
Prospector #13	7/11/83	7/15/83	7/28/83	201606
	Amended	11/23/87	12/9/87	12/21/87
Little Hill #1	12/31/80	1/16/81	2/11/81	121762
Little Hill #2	12/31/80	1/16/81	2/11/81	121763
Little Hill #3	12/31/80	1/16/81	2/11/81	121764
LITTLE HILL 4	12/31/80	1/16/81	2/11/81	121765
Prospector #14	7/11/83	7/15/83	7/28/83	201607
	Amended	11/23/87	12/9/87	12/21/87
Moly #31	1/14/80	1/15/80	1/28/80	94627
	Amended	11/23/87	12/9/87	12/21/87
Moly #32	1/14/80	1/15/80	1/28/80	94628
	Amended	11/23/87	12/9/87	12/21/87

LOCATION OF CLAIM(S)

Mining district			County	
Old Hat			Pinal	
Section	Township	Range	Meridian	Survey under order dated
4-9 & 16-17	10 South	15 East	Gila and Salt River	5/4/87 1/8 & 4/14/88
Survey commenced		Survey completed	Name of Mineral Surveyor	
5/7/87		1/11/88	Harvey W. Smith	

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Mineral Survey number

4866

Page 2 of 2

FIELD NOTES

NAME OF CLAIM(S)				
NAME OF LOCATION	DATE			BLM MINING CLAIM SERIAL NUMBER
	LOCATED AND AMENDED	RECORDED WITH COUNTY	RECORDED WITH BLM	
Moly #25	1/14/80	1/15/80	1/28/80	94621
Moly #26	1/14/80	1/15/80	1/28/80	94622
Moly #33	1/14/80	1/15/80	1/28/80	94629
	Amended	11/23/87	12/9/87	12/21/87
Moly #34	1/14/80	1/15/80	1/28/80	94630
	Amended	11/23/87	12/9/87	12/21/87
Moly #27	1/14/80	1/15/80	1/28/80	94623
Moly #28	1/14/80	1/15/80	1/28/80	94624
Moly #21	1/14/80	1/15/80	1/28/80	94617
Moly #22	1/14/80	1/15/80	1/28/80	94618
Moly #3	1/14/80	1/15/80	1/28/80	94599
Moly #4	1/14/80	1/15/80	1/28/80	94600
Moly #7	1/14/80	1/15/80	1/28/80	94603
Moly #8	1/14/80	1/15/80	1/28/80	94604
Moly #9	1/14/80	1/15/80	1/28/80	94605
Moly #35	1/14/80	1/15/80	1/28/80	94631
	Amended	11/23/87	12/9/87	12/21/87
Moly #29	1/14/80	1/15/80	1/28/80	94625
Moly #23	1/14/80	1/15/80	1/28/80	94619
Moly #5	1/14/80	1/15/80	1/28/80	94601
Moly #10	1/14/80	1/15/80	1/28/80	94606
LITTLE HILL 18	12/31/80	1/16/81	2/11/81	121779

Mineral Survey No. 4866

Form 9600-20
(September 1986)

FEET	<p>This survey was made with a Swiss Kern theodolite, Model DKM 1, No. 77769, having horizontal and vertical circles, 50 mm. in diam. The circles are graduated in degrees and 20-minute increments. An optical micrometer, adjustable to the vertical and horizontal circles, permits the reading of angles direct to ten-second accuracy and estimating to one-second accuracy. The instrument was in good condition at the time of the survey and all adjustments were in good order.</p> <p>All azimuths in this record were determined by the method of horizontal-angles-right referred to the meridian determined by the following observation:</p> <p>May 7, 1987, at Cor. No. 2 of the Prospector #2 lode, identical with Cor. No. 4 of the Hope #8 lode of this survey, in latitude 32°35.4'N. and longitude 110°50.3'W., elevation 3,920 ft. above sea level, and temperature 70°F., make a series of six altitude observations on the sun for azimuth at approximately equal time intervals, three each with the telescope in direct and reversed positions, observing opposite limbs of the sun, and reading the horizontal angle right from a reference point about 1,500 ft. eastward to the sun.</p> <p>Mean time of observation, 105th meridian standard time = 7^h26^m30^s a.m.</p> <p>Declination of sun at mean time of observation = 16°46'30.9"N.</p> <p>Mean observed vertical angle to sun's center = 22°45'55"</p> <p>Mean horizontal angle from reference point clockwise to sun's center = 62°47'22"</p> <p>True bearing to reference point = N.21°16'05"E.</p> <p>The lines were measured with a Lufkin steel tape, 300 ft. in length, graduated every foot for 299 ft. and the remaining foot graduated to tenths and hundredths; the tape was compared to an Invar standard tape at the beginning of the survey and found to be correct. In addition to the steel tape, a Nikon ND 21 infrared</p>
------	--

Mineral Survey No. 4866

<p>FEET</p>	<p>distance measuring unit was used to measure some of the lines. Its accuracy was checked against a line measured with the foregoing steel tape and found to be correct.</p> <p>All lines and connections of this survey were run by direct methods.</p> <p>The magnetic declination observed at each corner of the survey gave a uniform value of $13^{\circ}30'E$.</p> <hr/> <p style="text-align: center;">Mineral Survey No. 4866</p> <hr/> <p style="text-align: center;">PROSPECTOR #1 LODE</p> <p>At Cor. No. 1 of the Prospector #1 lode, identical with Cor. No. 1 of the Hope #7 lode, Cor. No. 1 of the Hope #8 lode and Cor. No. 1 of the Prospector #2 lode, all of this survey.</p> <p>Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X P.1 1 H.7 1 H.8 1 P.2 1 U.S.M.S. 4866; from which</p> <p style="padding-left: 40px;">The sec. cor. of secs. 5, 6, 7 & 8, T.10 S., R.15E., G.& S.R.M. bears $S.36^{\circ}52'48"W.$, 2,487.04 ft. dist., monumented with a granite stone, 6 x 8 ins. in size, 5 ins. above ground, firmly set and properly mkd. as described in the official record.</p> <p style="padding-left: 40px;">A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence $N.71^{\circ}49'56"W.$</p> <p>1,120. Power line bears $N.8^{\circ}W.$ and $S.8^{\circ}E.$</p> <p>1,499.46 Cor. No. 2, identical with Cor. No. 4 of the Prospector #2 lode of this survey.</p> <p>Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X P.1 2 P.2 4 U.S.M.S. 4866; from which</p>
-------------	--

Mineral Survey No. 4866

FEET	<p>A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p>
	<p>No local bearing objects or bearing trees available.</p>
	<p>Thence N.21°16'05"E.</p>
194.23	<p>Intersect the E-W center line of sec. 5 at a point from which the 1/4 section corner of secs. 5 and 6 bears N.89°55'48"W., 134.30 ft. dist. Enter patented land.</p>
299.75	<p>Lode line; discovery point bears S.71°49'56"E., 1,489.46 ft. dist.</p>
599.50	<p>Cor. No. 3.</p>
	<p>Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X P.1 3 U.S.M.S. 4866; from which</p>
	<p>A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p>
	<p>No local bearing objects or bearing trees available.</p>
	<p>Thence S.71°49'56"E.</p>
50.	<p>Power line bears N.8°W. and S.8°E.</p>
1,216.34	<p>Intersect the E-W center line of sec. 5 at a point from which the 1/4 section corner of secs. 5 and 6 bears N.89°55'48"W., 1437.00 ft. dist. Leave patented land.</p>
1,499.46	<p>Cor. No. 4, identical with Cor. No. 2 of the Hope #7 lode of this survey.</p>
	<p>Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X P.1 4 H.7 2 U.S.M.S. 4866; from which</p>
	<p>A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p>
	<p>No local bearing objects or bearing trees available.</p>
	<p>Thence S.21°16'05"W.</p>

Mineral Survey No. 4866

FEET		
299.75	Lode line; discovery point bears N.71°49'56"W., 10. ft. dist.	
599.50	Cor. No. 1, and place of beginning	
PROSPECTOR #2 LODE		
Beginning at Cor. No. 1 of the Prospector #2 lode, identical with Cor. No. 1 of the Prospector #1 lode, Cor. No. 1 of the Hope #7 lode and Cor. No. 1 of the Hope #8 lode, all of this survey.		
Thence S.21°16'05"W.		
280.	Left bank of local drainage, 15. ft. wide, course East.	
299.75	Lode line; discovery point bears N.71°49'56"W., 10.00 ft. dist.	
385.	Center of improved dirt road, 30. ft. wide, bears N.85°W. and S.85°E.	
589.53	Intersect line 2-3, M.S. No. 3977 Virginia lode, at a point from which Cor. No. 3, identical with Cor. No. 4, M.S. No. 3977 Francis lode, bears N.71°48'27"W., 267.64 ft. dist.	
599.50	<p>Cor. No. 2, identical with Cor. No. 4 of the Hope #8 lode of this survey.</p> <p>Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X P.2 2 H.8 4 U.S.M.S. 4866; from which</p> <p style="padding-left: 40px;">Cor. No. 3, M.S. No. 3977 Virginia lode, identical with Cor. No. 4, Francis lode of the same survey, bears N.69°40'19"W., 267.29 ft. dist.</p> <p style="padding-left: 40px;">A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence N.71°49'56"W.</p>	

Mineral Survey No. 4866

FEET		
267.81	Intersect line 3-4, M.S. No. 3977 Virginia lode, common with line 3-4, M.S. No. 3977 Francis lode, at a point from which Cor. No. 3 of the Virginia lode, identical with Cor. No. 4 of the Francis lode, bears N.22°11'49"E., 10.10 ft. dist.	
675.	Center of improved dirt road, 30. ft. wide, bears N.59°E. and S.59°W.	
785.	Power line bears N.9°W. and S.9°E.	
1,339.06	Intersect the line bet. secs. 5 and 6 at a point from which the 1/4 section corner of secs. 5 and 6 bears N.0°05'15"E., 789.86 ft. dist.	
1,499.46	<p>Cor. No. 3.</p> <p>Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X P.2 3 U.S.M.S. 4866; from which</p> <p>Cor. No. 1, M.S. No. 3977 Francis lode, identical with Cor. No. 1, M.S. No. 3977 Martha Belle lode, bears N.69°44'58"W., 267.76 ft. dist.</p> <p>A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence N.21°16'05"E.</p>	
9.81	Intersect line 4-1, M.S. No. 3977 Francis lode, at a point from which Cor. No. 4, identical with Cor. No. 3, M.S. No. 3977 Virginia lode, bears S.71°50'44"E., 1,231.82 ft. dist. Enter patented land.	
299.75	Lode line; discovery point bears S.71°49'56"E., 1,489.46 ft. dist.	
422.03	Intersect the line bet. secs. 5 and 6 at a point from which the 1/4 section corner of secs. 5 and 6 bears N.0°05'15"E., 346.56 ft. dist. Leave patented land.	
599.50	<p>Cor. No. 4, identical with Cor. No. 2 of the Prospector #1 lode of this survey.</p> <p>Thence S.71°49'56"E.</p>	

Mineral Survey No. 4866

FEET		
379.46	Power line bears N.8°W. and S.8°E.	
1,499.46	Cor. No. 1, and place of beginning.	
HOPE #7 LODE		
Beginning at Cor. No. 1 of the Hope #7 lode, identical with Cor. No. 1 of the Hope #8 lode, Cor. No. 1 of the Prospector #2 lode and Cor. No. 1 of the Prospector #1 lode, all of this survey.		
Thence N.21°16'05"E.		
299.75	Lode line; discovery point bears S.70°34'01"E.,	
	1,489.49 ft. dist.	
599.50	Cor. No. 2, identical with Cor. No. 4 of the Pros-	
	pector #1 lode of this survey.	
Thence S.70°34'01"E.		
250.	Right bank of local drainage, 100. ft. wide, course	
	South.	
1,465.	Power line bears N.31°E. and S.31°W.	
1,499.49	Cor. No. 3, identical with Cor. No. 3 of the Hope #4	
	lode of this survey.	
Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X H.7 3 H.4 3 U.S.M.S. 4866; from which		
A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.		
No local bearing objects or bearing trees available.		
Thence S.21°16'05"W.		
299.75	Lode line; discovery point bears N.70°34'01"W.,	
	10.00 ft. dist.	
599.50	Cor. No. 4, identical with Cor. No. 2 of the Hope #4,	
	Cor. No. 4 of the Hope #3 lode and Cor. No. 2 of the	
	Hope #8 lode, all of this survey.	

Mineral Survey No. 4866

FEET	
	<p>Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X H.7 4 H.4 2 H.3 4 H.8 2 U.S.M.S. 4866; from which</p> <p>A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence N.70°34'01"W.</p>
215.	Power line bears N.38°E. and S.38°W.
700.	Left bank of local drainage, 100. ft. wide, course S.20°E.
1,499.49	Cor. No. 1, and place of beginning.
HOPE #8 LODE	
	<p>Beginning at Cor. No. 1 of the Hope #8 lode, identical with Cor. No. 1 of the Prospector #2 lode, Cor. No. 1 of the Prospector #1 lode and Cor. No. 1 of the Hope #7 lode, all of this survey.</p> <p>Thence S.70°34'01"E.</p>
700.	Right bank of local drainage, 100. ft. wide, course S.20°E.
1,284.49	Power line bears N.38°E. and S.38°W.
1,499.49	Cor. No. 2, identical with Cor. No. 4 of the Hope #7 lode, Cor. No. 2 of the Hope #4 lode and Cor. No. 4 of the Hope #3 lode, all of this survey.
	Thence S.21°16'05"W.
210.	Left bank of local drainage, 179.5 ft. wide, course S.50°E.
299.75	Lode line; discovery point bears N.70°34'01"W., 10.00 ft. dist.
575.	Center of improved dirt road, 30. ft. wide, bears N.29°W. and S.52°E.

Mineral Survey No. 4866

FEET	
589.57	Intersect line 2-3, M.S. No. 1547 Gold Hill lode at a point from which Cor. No. 3, identical with Cor. No. 2, M.S. No. 3977 Virginia lode, bears N.65°37'16"W., 301.65 ft. dist. Enter patented land.
599.50	<p>Cor. No. 3, identical with Cor. No. 3 of the Hope #3 lode of this survey.</p> <p>Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X H.8 3 H.3 3 U.S.M.S. 4866; from which</p> <p>A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence N.70°34'01"W.</p>
60.	Center of improved dirt road, 30. ft. wide, bears N.31°W. and S.31°E.
301.89	Intersect line 3-4, M.S. No. 1547 Gold Hill lode, common with line 1-2, M.S. No. 3977 Virginia lode, at a point from which Cor. No. 3, identical with Cor. No. 2, M.S. No. 3977 Virginia lode, bears N.22°06'52"E., 35.97 ft. dist.
400.	Power line bears N.38°E. and S.38°W.
1,499.49	<p>Cor. No. 4, identical with Cor. No. 2 of the Prospector #2 lode of this survey.</p> <p>Thence N.21°16'05"E.</p>
9.97	Intersect line 2-3, M.S. No. 3977 Virginia lode, at a point from which Cor. No. 2, identical with Cor. No. 3, M.S. No. 1547 Gold Hill lode, bears S.71°48'27"E., 1,197.60 ft. dist.
214.5	Center of improved dirt road, 30. ft. wide, bears N.85°W. and S.85°E.
299.75	Lode line; discovery point bears S.70°34'01"E., 1,489.49 ft. dist.
305.	Right bank of local drainage, 15. ft. wide, course East.

Mineral Survey No. 4866

FEET		
599.50	<p>Cor. No. 1, and place of beginning.</p> <hr/> <p style="text-align: center;">HOPE #4 LODE</p> <p>At the point for Cor. No. 1 of the Hope #4 lode, identical with the point for Cor. No. 1 of the LITTLE HILL #16 lode and the point for Cor. No. 1 of the Hope #3 lode, both of this survey.</p> <p>This cor. falls in a local drainage where a permanent monument would be obliterated. From this point</p> <p style="padding-left: 40px;">A witness cor. bears S.21°16'05"W., 55.13 ft. dist.</p> <p style="padding-left: 40px;">The sec. cor. of secs. 5, 6, 7 & 8, T.10 S., R.15 E., G.& S.R.M. bears S.79°39'20"W., 4,291.80 ft. dist., hereinbefore described.</p> <p style="padding-left: 40px;">Thence N.61°18'40"W.</p>	
1,499.49	<p>Cor. No. 2, identical with Cor. No. 4 of the Hope #3 lode, Cor. No. 2 of the Hope #8 lode and Cor. No. 4 of the Hope #7 lode, all of this survey.</p> <p style="padding-left: 40px;">Thence N.21°16'05"E.</p>	
299.75	<p>Lode line; discovery point bears S.61°18'40"E., 10.00 ft. dist.</p>	
599.50	<p>Cor. No. 3, identical with Cor. No. 3 of the Hope #7 lode of this survey.</p> <p style="padding-left: 40px;">Thence S.61°18'40"E.</p>	
1,499.49	<p>Cor. No. 4.</p> <p>Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X H.4 4 U.S.M.S. 4866; from which</p> <p style="padding-left: 40px;">A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="padding-left: 40px;">Thence S.21°16'05"W.</p>	

Mineral Survey No. 4866

Form 9600-20
(September 1986)

299.75	Lode line; discovery point bears N.61°18'40"W., 1,489.49 ft. dist.
535.	Right bank of local drainage, 100. ft. wide, course S.87°W.
599.50	Point for Cor. No. 1, and place of beginning.
<hr/>	
HOPE #3 LODE	
Beginning at the point for Cor. No. 1 of the Hope #3 lode, identical with the point for Cor. No. 1 of the Hope #4 lode and the point for Cor. No. 1 of the LITTLE HILL #16 lode, both of this survey.	
This cor. falls in a local drainage where a permanent monument would be obliterated.	
Thence S.21°16'05"W.	
55.13	<p>Witness cor. for Cor. No. 1 of the Hope #3 lode, identical with the witness cor. for Cor. No. 1 of the Hope #4 lode and witness cor. for Cor. No. 1 of the LITTLE HILL #16 lode, both of this survey.</p> <p>Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X W.C. H.4 1 L.H.16 1 H.3 1 U.S.M.S. 4866; from which</p> <p style="padding-left: 40px;">A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p>
299.75	Lode line; discovery point bears N.61°18'40"W., 1,489.49 ft. dist.
589.21	Intersect line 3-4, M.S. No. 1547 Fraction lode, at a point from which Cor. No. 3 bears N.43°12'56"W., 321.61 ft. dist.
599.50	<p>Cor. No. 2, identical with Cor. No. 4 of the LITTLE HILL #16 lode of this survey.</p> <p>Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X H.3 2 L.H.16 4 U.S.M.S. 4866; from which</p>

Mineral Survey No. 4866

Form 9600-20
(September 1986)

FEET	<p>Cor. No. 4, M.S. No. 1547 Fraction lode, identical with Cor. No. 2, M.S. No. 1547 Rattlesnake lode bears N.21°49'27"E., 10.24 ft. dist.</p> <p>A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence N.61°18'40"W.</p>
250.	Left bank of local drainage, 140. ft. wide, course S.18°W.
293.15	Intersect line 2-3, M.S. No. 1547 Fraction lode, in part common with line 1-2, M.S. No. 1547 Gold Hill lode, at a point from which Cor. No. 2 of the Gold Hill lode, bears N.21°29'51"E., 100.70 ft. dist., from which Cor. No. 3 of the Fraction lode bears N.21°29'45"E., 10.27 ft. dist.
1,350.	Center of improved dirt road, 30. ft. wide, bears N.56°W. and S.56°E.
1,499.49	<p>Cor. No. 3, identical with Cor. No. 3 of the Hope #8 lode of this survey.</p> <p>Thence N.21°16'05"E.</p>
9.93	Intersect line 2-3, M.S. No. 1547 Gold Hill lode, at a point from which Cor. No. 2 bears S.65°37'16"E., 1,198.40 ft. dist. Leave patented land.
24.5	Center of improved dirt road, 30. ft. wide, bears N.29°W. and S.51°E.
210.	Right bank of local drainage, 180. ft. wide, course S.50°E.
299.75	Lode line; discovery point bears S.61°18'40"E., 10.00 ft. dist.
599.50	<p>Cor. No. 4, identical with Cor. No. 2 of the Hope #8 lode, Cor. No. 4 of the Hope #7 lode and Cor. No. 2 of the Hope #4 lode, all of this survey.</p> <p>Thence S.61°18'40"E.</p>
1,414.	Right bank of local drainage, 100. ft. wide, course S.87°W.

Mineral Survey No. 4866

FEET	
1,499.49	True point for Cor. No. 1, and place of beginning.
LITTLE HILL #16 LODE	
Beginning at the point for Cor. No. 1 of the LITTLE HILL #16 lode, identical with the point for Cor. No. 1 of the Hope #3 lode and the point for Cor. No. 1 of the Hope #4 lode, both of this survey.	
This cor. falls in a local drainage where a permanent monument would be obliterated.	
1,246.97	Intersect the line bet. secs. 4 and 5 at a point from which the section corner of secs. 4, 5, 8 & 9 bears S.0°04'14"E., 130.14 ft. dist. Enter patented land.
1,494.05	Intersect the line bet. secs. 4 and 9 at a point from which the section corner of secs. 4, 5, 8 & 9 bears N.89°52'W., 209.57 ft. dist. Leave patented land.
Thence S.58°05'E.	
1,499.50	Cor. No. 2, identical with Cor. No. 1 of the LITTLE HILL 18 lode of the same survey. Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X L.H.16 2 L.H.18 1 U.S.M.S. 4866; from which A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.
No local bearing objects or bearing trees available.	
Thence S.21°16'05"W.	
299.75	Lode line; discovery point bears N.58°05'W., 1,489.50 ft. dist.
588.79	Intersect line 2-3, M.S. No. 1547 Rattlesnake lode, at a point from which Cor. No. 3 bears S.58°06'E., 0.69 ft. dist.
599.50	Cor. No. 3, identical with Cor. No. 4 of the LITTLE HILL 18 lode of the same survey.

Mineral Survey No. 4866

FEET		
	<p>Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X L.H.16 3 L.H.18 4 U.S.M.S. 4866; from which</p> <p>A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>Cor. No. 3, M. S. No. 1547 Rattlesnake lode bears N.24°55'38"E., 10.60 ft. dist.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence N.58°05'W.</p>	
1,499.42	Intersect line 1-2, M.S. No. 1547 Rattlesnake lode, common with line 4-1, M.S. No. 1547 Fraction lode at a point from which Cor. No. 2, Rattlesnake lode, identical with Cor. No. 4, Fraction lode, bears N.21°24'40"E., 10.26 ft. dist.	
1,499.50	<p>Cor. No. 4, identical with Cor. No. 2 of the Hope #3 lode of this survey.</p> <p>Thence N.21°16'05"E.</p>	
10.29	Intersect line 3-4, M.S. No. 1547 Fraction lode, at a point from which Cor. No. 4 bears S.43°12'56"E., 0.11 ft. dist.	
299.75	Lode line; discovery point bears S.58°05'E., 10.00 ft. dist.	
544.37	Witness cor. for Cor. No. 1 of the LITTLE HILL #16 lode, identical the the witness cor. for Cor. No. 1 of the Hope #3 lode and witness cor. for Cor. No. 1 of the Hope #4 lode, both of this survey.	
599.50	Point for Cor. No. 1, and place of beginning.	
	<p style="text-align: center;">PROSPECTOR #12 LODE</p> <p>At Cor. No. 1 of the Prospector #12 lode, identical with Cor. No. 2 of the Little Hill #1 lode, Cor. No. 4 of the Little Hill #2 lode and Cor. No. 1 of the Prospector #13 lode, all of this survey.</p>	

Mineral Survey No. 4866

Form 9600-20
(September 1986)

	FEET	
		<p>Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X P.12 1 L.H.1 2 L.H.2 4 P.13 1 U.S.M.S. 4866; from which</p> <p>The sec. cor. of secs. 5, 6, 7 & 8, T.10 S., R.15 E., G.& S.R.M. bears S.64°06'16"W., 968.91 ft. dist., hereinbefore described.</p> <p>A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence N.75°28'24"W.</p>
	200.	Center of paved road, 24. ft. wide, bears N.21°W. and S.21°E.
	205.	Power line bears N.7°W. and S.7°E.
	899.42	<p>Intersect the line bet. secs. 5 and 6 at a point from which the 1/4 section corner of secs. 5 and 6 bears N.0°05'15"E., 1,989.31 ft. dist., and witness cor. for Cor. No. 2 of the Prospector #12 lode, identical with the witness cor. for Cor. No. 4 of the Prospector #13 lode of this survey. Enter patented land.</p> <p>Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X W.C. P.12 2 P.13 4 U.S.M.S. 4866; from which</p> <p>A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p>
	1,499.48	<p>Point for Cor. No. 2, identical with the point for Cor. No. 4 of the Prospector #13 lode of this survey.</p> <p>This cor. falls on patented land where a permanent monument cannot be established.</p> <p>Thence N.21°16'05"E.</p>
	299.75	Lode line; discovery point bears S.75°28'24"E., 1,489.48 ft. dist.

Mineral Survey No. 4866

FEET		
590.33	Intersect line 2-3, M.S. No. 3977 Francis lode at a point from which Cor. No. 3 bears S.71°51'06"E., 1,224.50 ft. dist. Leave patented land.	
599.50	<p>Cor. No. 3.</p> <p>Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X P.12 3 U.S.M.S. 4866; from which</p> <p style="padding-left: 40px;">A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence S.75°28'24"E.</p>	
376.43	Intersect the line bet. secs. 5 and 6 at a point from which the 1/4 section corner of secs. 5 and 6 bears N.0°05'15"E., 1,374.55 ft. dist.	
910.	Center of paved road, 24. ft. wide, bears N.12°W. and S.12°E.	
1,030.	Power line bears N.7°W. and S.7°E.	
1,232.62	Intersect line 3-4, M.S. No. 3977 Francis lode, common with line 3-4, M.S. No. 3977 Virginia lode, at a point from which Cor. No. 3 Francis lode, identical with Cor. No. 4 Virginia lode bears S.22°11'49"W., 87.24 ft. dist.	
1,345.	Left bank of local drainage, 10. ft. wide, course S.54°E.	
1,499.48	<p>Cor. No. 4, identical with Cor. No. 3 of the Little Hill #1 lode of this survey.</p> <p>Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X P.12 4 L.H.1 3 U.S.M.S. 4866; from which</p> <p style="padding-left: 40px;">A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p>	

Mineral Survey No. 4866

Form 9600-20
(September 1986)

FEET	<p>Cor. No. 4, M.S. No. 3977 Virginia lode, identical with Cor. No. 3, M.S. No. 3977 Francis lode, bears S.87°16'53"W., 291.62 ft. dist.</p> <p>Thence S.21°16'05"W.</p> <p>70. Left bank of local drainage, 10. ft. wide, course S.74°E.</p> <p>104.17 Intersect line 4-1, M.S. No. 3977 Virginia lode, at a point from which Cor. No. 4, identical with Cor. No. 3, M.S. No. 3977 Francis lode, bears N.71°49'13"W., 266.82 ft. dist.</p> <p>299.75 Lode line; discovery point bears N.75°28'24"W., 10. ft. dist.</p> <p>599.50 Cor. No. 1, and place of beginning.</p> <hr/> <p style="text-align: center;">PROSPECTOR #13 LODE</p> <p>Beginning at Cor. No. 1 of the Prospector #13 lode, identical with Cor. No. 1 of the Prospector #12 lode, Cor. No. 2 of the Little Hill #1 lode and Cor. No. 4 of the Little Hill #2 lode, all of this survey.</p> <p>Thence S.21°16'05"W.</p> <p>200. Center of paved road, 24. ft. wide, bears N.31°W. and S.31°E.</p> <p>299.75 Lode line; discovery point bears N.75°28'24"W., 10.00 ft. dist.</p> <p>400. Power line bears N.7°W. and S.7°E.</p> <p>599.50 Cor. No. 2, identical with Cor. No. 3 of the Little Hill #2 lode, Cor. No. 3 of the Moly #31 lode and Cor. No. 2 of the Prospector #14 lode, all of this survey.</p> <p>Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X P.13 2 L.H.2 3 M.31 3 P.14 2 U.S.M.S. 4866; from which</p> <p style="padding-left: 40px;">A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p>
------	--

Mineral Survey No. 4866

Form 9600-20
(September 1986)

FEET	Thence N.75°28'24"W.
599.50	Cor. No. 1 of the Prospector #14 lode of this survey.
675.71	Intersect the line bet. secs. 5 and 6 at a point from which section corner of secs. 5, 6, 7 & 8 bears S.0°05'15"W., 33.97 ft. dist., and witness cor. for Cor. No. 3 of the Prospector #13 lode. Enter patented land. Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X W.C. P.13 3 U.S.M.S. 4866; from which A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post. No local bearing objects or bearing trees available.
1,499.48	Point for Cor. No. 3. This cor. falls on patented land where a permanent monument cannot be established.
	Thence N.21°16'05"E.
299.75	Lode line; discovery point bears S.75°28'24"E., 1,489.48 ft. dist.
599.50	Point for Cor. No. 4, identical with the point for Cor. No. 2 of the Prospector #12 lode of this survey.
	Thence S.75°28'24"E.
600.08	Intersect the line bet. secs. 5 and 6 at a point from which the section corner of secs. 5, 6, 7 & 8 bears S.0°05'15"W., 648.75 ft. dist., and witness cor. for Cor. No. 4 of the Prospector #13 lode, identical with the witness cor. for Cor. No. 2 of the Prospector #12 lode of this survey. Leave patented land.
1,294.48	Power line bears N.7°W. and S.7°E.
1,299.48	Center of paved road, 24. ft. wide, bears N.21°W. and S.21°E.
1,499.48	Cor. No. 1, and place of beginning

Mineral Survey No. 4866

Form 9600-20
(September 1986)

FEET	LITTLE HILL #1 LODE
	<p>At Cor. No. 1 of the Little Hill #1 lode, identical with Cor. No. 1 of the Little Hill #3 lode, Cor. No. 1 of the LITTLE HILL 4 lode and Cor. No. 1 of the Little Hill #2 lode, all of this survey.</p> <p>Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X L.H. 1 1 L.H.3 1 L.H.4 1 L.H.2 1 U.S.M.S. 4866; from which</p> <p>The sec. cor. of secs. 5, 6, 7 & 8, T.10 S., R.15 E., G.& S.R.M. bears N.85°51'12"W., 2,257.60 ft. dist., hereinbefore described.</p> <p>A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence N.66°58'44"W.</p>
740.	Power line bears N.38°E. and S.38°W.
1,499.49	<p>Cor. No. 2, identical with Cor. No. 4 of the Little Hill #2 lode, Cor. No. 1 of the Prospector #13 lode and Cor. No. 1 of the Prospector #12 lode, all of this survey.</p> <p>Thence N.21°16'05"E.</p>
299.75	Lode line; discovery point bears S.66°58'44"E., 1,459.49 ft. dist.
495.33	Intersect line 4-1, M.S. No. 3977 Virginia lode, at a point from which Cor. No. 1, identical with Cor. No. 4, M.S. No. 1547 Gold Hill lode, bears S.71°49'13"E., 1,200.96 ft. dist.
519.5	Right bank of local drainage, 10. ft. wide, course S.74°E.
599.50	<p>Cor. No. 3, identical with Cor. No. 4 of the Prospector #12 lode of this survey.</p> <p>Thence S.66°58'44"E.</p>
935.	Power line bears N.38°E. and S.38°W.

Mineral Survey No. 4866

FEET	
1,199.81	Intersect line 1-2, M.S. No. 3977 Virginia lode, common with line 3-4, M.S. No. 1547 Gold Hill lode, at a point from which Cor. No. 1 of the Virginia lode, identical with Cor. No. 4 of the Gold Hill lode, bears S.22°06'52"W., 2.77 ft. dist.
1,479.	Center of improved dirt road, 20. ft. wide, bears N.20°W. and S.20°E.
1,499.49	<p>Cor. No. 4, identical with Cor. No. 2 of the Little Hill #3 lode of this survey.</p> <p>Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X L.H.1 4 L.H.3 2 U.S.M.S. 4866; from which</p> <p>A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>Cor. No. 4, M.S. No. 1547 Gold Hill lode, identical with Cor. No. 1, M.S. No. 3977 Virginia lode, bears N.67°30'29"W., 299.64 ft. dist.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence S.21°16'05"W.</p>
9.85	Intersect line 4-1, M.S. No. 1547 Gold Hill lode, at a point from which Cor. No. 4 bears N.65°37'35"W., 300.01 ft. dist.
20.	Center of unimproved dirt road, 12. ft. wide, bears N.25°W. and S.25°E.
109.5	Power line bears N.71°W. and S.71°E.
299.75	Lode line; discovery point bears N.66°58'44"W., 40.00 ft. dist.
599.50	Cor. No. 1, and place of beginning
<hr/> <p>LITTLE HILL #2 LODE</p> <p>Beginning at Cor. No. 1 of the Little Hill #2 lode, identical with Cor. No. 1 of the Little Hill #1 lode, Cor. No. 1 of the Little Hill #3 lode and Cor. No. 1 of the LITTLE HILL 4 lode, all of this survey.</p>	

Mineral Survey No. 4866

Form 9600-20
(September 1986)

FEET		
	Thence S.21°16'05"W.	
299.75	Lode line; discovery point bears N.66°58'44"W., 40.00 ft. dist.	
599.50	Cor. No. 2, identical with Cor. No. 4 of the LITTLE HILL 4 lode, Cor. No. 2 of the Moly #25 lode and Cor. No. 4 of the Moly #31 lode, all of this survey. Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X L.H. 2 2 L.H.4 4 M.25 2 M.31 4 U.S.M.S. 4866; from which A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post. No local bearing objects or bearing trees available.	
	Thence N.66°58'44"W.	
939.49	Center of paved road, 24. ft. wide, bears N.5°E. and S.5°W.	
979.49	Power line bears N.51°E. and S.51°W.	
1,385.	Power line bears N.8°W. and S.8°E.	
1,499.49	Cor. No. 3, identical with Cor. No. 3 of the Moly #31 lode, Cor. No. 2 of the Prospector #14 lode and Cor. No. 2 of the Prospector #13 lode, all of this survey.	
	Thence N.21°16'05"E.	
199.5	Power line bears N.8°W. and S.8°E.	
299.75	Lode line; discovery point bears S.66°58'44"E., 1,459.49 ft. dist.	
399.5	Center of paved road, 24. ft. wide, bears N.31°W. and S.31°E.	
599.50	Cor. No. 4, identical with Cor. No. 1 of the Prospector #13 lode, Cor. No. 1 of the Prospector #12 lode and Cor. No. 2 of the Little Hill #1 lode, all of this survey.	
	Thence S.66°58'44"E.	

Mineral Survey No. 4866

759.49	Power line bears N.38°E. and S.38°W.
1,499.49	Cor. No. 1, and place of beginning
LITTLE HILL #3 LODE	
Beginning at Cor. No. 1 of the Little Hill #3 lode, identical with Cor. No. 1 of the LITTLE HILL 4 lode, Cor. No. 1 of the Little Hill #2 lode and Cor. No. 1 of the Little Hill #1 lode, all of this survey.	
Thence N.21°16'05"E.	
299.75	Lode line; discovery point bears S.65°36'37"E., 40.00 ft. dist.
490.	Power line bears N.71°W. and S.71°E.
579.5	Center of unimproved dirt road, 12. ft. wide, bears N.25°W. and S.25°E.
589.65	Intersect line 4-1, M.S. No. 1547 Gold Hill lode, at a point from which Cor. No. 1, identical with Cor. No. 2, M. S. No. 1547 Fraction lode, bears S.65°37'35"E., 1,206.50 ft. dist.
599.50	Cor. No. 2, identical with Cor. No. 4 of the Little Hill #1 lode of this survey.
Thence S.65°36'37"E.	
50.	Power line bears N.43°E. and S.43°W.
550.	Center of improved dirt road, 20. ft. wide, bears N.15°E. and S.15°W.
1,206.55	Intersect line 1-2, M.S. No. 1547 Gold Hill lode, common with line 2-3, M.S. No. 1547 Fraction lode, at a point from which Cor. No. 1 of the Gold Hill lode, identical with Cor. No. 2 of the Fraction lode bears S.21°29'51"W., 9.51 ft. dist.
1,255.	Power line bears N.36°E. and S.36°W.
1,498.54	Intersect line 4-1, M.S. No. 1547 Fraction lode common with line 1-2, M.S. No. 1547 Rattlesnake lode, at a point from which Cor. No. 1 of the Fraction lode, identical with Cor. No. 1 of the Rattlesnake lode bears S.21°24'40"W., 125.60 ft. dist.

Mineral Survey No. 4866

Form 9600-20
(September 1986)

FEET 1,499.60	Cor. No. 3.
	<p>Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X L.H.3 3 U.S.M.S. 4866; from which</p> <p>A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>Cor. No. 1, M.S. No. 1547 Rattlesnake lode, identical with Cor. No. 1, M.S. No. 1547 Fraction lode, bears S.21°53'42"W., 125.55 ft. dist.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence S.21°16'05"W.</p>
65.	Power line bears N.67°W. and S.67°E.
80.	Left bank of local drainage, 100. ft. wide, course S.79°E.
125.80	Intersect line 4-1, M.S. No. 1547 Rattlesnake lode, at a point from which Cor. No. 1, identical with Cor. No. 1, M.S. No. 1547 Fraction lode, bears N.58°06'W., 1.40 ft. dist.
299.75	Lode line; discovery point bears N.65°36'37"W., 1,459.60 ft. dist.
599.50	<p>Cor. No. 4, identical with Cor. No. 2 of the LITTLE HILL 4 lode of this survey.</p> <p>Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X L.H.3 4 L.H.4 2 U.S.M.S. 4866; from which</p> <p>A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence N.65°36'37"W.</p>
250.	Center of improved dirt road, 20. ft. wide, bears N.8°E. and S.29°W.
1,499.60	Cor. No. 1, and place of beginning


Mineral Survey No. 4866

Form 9600-20
(September 1986)

FEET	LITTLE HILL 4 LODE
	<p>Beginning at Cor. No. 1 of the LITTLE HILL 4 lode, identical with Cor. No. 1 of the Little Hill #2 lode, Cor. No. 1 of the Little Hill #1 lode and Cor. No. 1 of the Little Hill #3 lode, all of this survey.</p> <p>Thence S.65°36'37"E.</p>
1,249.5	Center of improved dirt road, 20. ft. wide, bears N.8°E. and S.8°W.
1,499.60	<p>Cor. No. 2, identical with Cor. No. 4 of the Little Hill #3 lode of this survey.</p> <p>Thence S.21°16'05"W.</p>
299.75	Lode line; discovery point bears N.65°36'37"W., 1,459.60 ft. dist.
353.16	<p>Witness cor. for Cor. No. 3, identical with the witness cor. for Cor. No. 3 of the Moly #25 lode of this survey.</p> <p>Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X W.C. L.H.4 3 M.25 3 U.S.M.S. 4866; from which</p> <p>A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p>
599.50	<p>Point for Cor. No. 3, identical with the point for Cor. No. 3 of the Moly #25 lode of this survey.</p> <p>This cor. lies in a pit where a permanent monument would be obliterated.</p> <p>Thence N.65°36'37"W.</p>
400.	Center of improved dirt road, 20. ft. wide, bears N.55°E. and S.55°W.
1,499.60	Cor. No. 4, identical with Cor. No. 2 of the Moly #25 lode, Cor. No. 4 of the Moly #31 lode and Cor. No. 2 of the Little Hill #2 lode, all of this survey.

Mineral Survey No. 4866

Form 9600-20
(September 1986)

FEET	<p style="text-align: center;">Thence N.21°16'05"E.</p> <p>299.75 Lode line; discovery point bears S.65°36'37"E., 40.00 ft. dist.</p> <p>599.50 Cor. No. 1, and place of beginning</p> <hr/> <p style="text-align: center;">PROSPECTOR #14 LODE</p> <p>At Cor. No. 1 of the Prospector #14 lode, on line 2-3 Prospector #13 lode of this survey.</p> <p>Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X P.14 1 U.S.M.S. 4866; from which</p> <p style="padding-left: 40px;">The sec. cor. of secs. 5, 6, 7 & 8, T.10 S., R.15 E., G.& S.R.M. bears S.78°37'39"W., 75.31 ft. dist., hereinbefore described.</p> <p style="padding-left: 40px;">A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> 
------	---

Mineral Survey No. 4866

Form 9600-20
(September 1986)

	FEET	No local bearing objects or bearing trees available. Thence S.75°28'24"E.
	299.75	Lode line; discovery point bears S.21°16'05"W., 10.00 ft. dist.
	599.50	Cor. No. 2, identical with Cor. No. 2 of the Pros- pector #13 lode, Cor. No. 3 of the Little Hill #2 lode and Cor. No. 3 of the Moly #31 lode, all of this survey. Thence S.21°16'05"W.
	599.50	Cor. No. 2 of the Moly #31 lode, identical with Cor. No. 4 of the Moly #32 lode, both of this survey.
	920.	Power line bears S.51°W. and N.51°E.
	1,194.	Center of paved road, 24. ft. wide, bears N.42°E. and S.42°W.
	1,199.	Cor. No. 3 of the Moly #32 lode, identical with Cor. No. 3 of the Moly #33 lode, both of this survey.
	1,499.50	Cor. No. 3, on line 2-3 Moly #33 lode of this survey. Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X P.14 3 U.S.M.S. 4866; from which A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post. No local bearing objects or bearing trees available. Thence N.75°28'24"W.
	90.	Center of paved road, 24. ft. wide, bears N.33°E. and S.33°W.
	160.	Center of paved road, 24. ft. wide, bears N.42°E. and S.42°W.
	299.75	Lode line; discovery point bears N.21°16'05"E., 1,489.50 ft. dist.
	360.	Power line bears N.51°E. and S.51°W.

Mineral Survey No. 4866

^{FFFF} 599.50	<p>Cor. No. 4.</p> <p>Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X P.14 4 U.S.M.S. 4866; from which</p> <p>A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence N.21°16'05"E.</p>
280.	<p>Left bank of local drainage, 30 ft. wide, course East.</p>
1,499.50	<p>Cor. No. 1, and place of beginning</p> <hr/> <p style="text-align: center;">MOLY #31 LODE</p> <p>At Cor. No. 1 of the Moly #31 lode, identical with Cor. No. 1 of the Moly #25 lode, Cor. No. 1 of the Moly #26 lode and Cor. No. 1 of the Moly #32 lode, all of this survey.</p> <p>Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X M.31 1 M.25 1 M.26 1 M.32 1 U.S.M.S. 4866; from which</p> <p>The sec. cor. of secs. 5, 6, 7 & 8, T.10 S., R.15 E., G.& S.R.M. bears N.54°49'16"W., 2,222.74 ft. dist., hereinbefore described.</p> <p>A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence N.66°58'44"W.</p>
1,245.	<p>Center of paved road, 24. ft. wide, bears N.59°E. and S.59°W.</p>
1,315.	<p>Power line bears N.51°E. and S.51°W.</p>

Mineral Survey No. 4866

FEET		
1,499.49	<p>Cor. No. 2, identical with Cor. No. 4 of the Moly #32 lode and on line 2-3 Prospector #14 lode of this survey.</p> <p>Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X M.31 2 M.32 4 U.S.M.S. 4866; from which</p> <p>A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence N.21°16'05"E.</p>	
299.75	<p>Lode line; discovery point bears S.66°58'44"E., 1,489.49 ft. dist.</p>	
599.50	<p>Cor. No. 3, identical with Cor. No. 2 of the Prospector #14 lode, Cor. No. 2 of the Prospector #13 lode and Cor. No. 3 of the Little Hill #2 lode, all of this survey.</p> <p>Thence S.66°58'44"E.</p>	
115.	<p>Power line bears N.7°W. and S.7°E.</p>	
520.	<p>Power line bears N.51°E. and S.51°W.</p>	
560.	<p>Center of paved road, 24. ft. wide, bears N.5°E. and S.5°W.</p>	
1,499.49	<p>Cor. No. 4, identical with Cor. No. 2 of the Little Hill #2 lode, Cor. No. 4 of the LITTLE HILL 4 lode and Cor. No. 2 of the Moly #25 lode, all of this survey.</p> <p>Thence S.21°16'05"W.</p>	
299.75	<p>Lode line; discovery point bears N.66°58'44"W., 10.00 ft. dist.</p>	
599.50	<p>Cor. No. 1, and place of beginning</p> <hr/>	

Mineral Survey No. 4866

Form 9600-20
(September 1986)

FEET	MOLY #32 LODE
	<p>Beginning at Cor. No. 1 of the Moly #32 lode, identical with Cor. No. 1 of the Moly #31 lode, Cor. No. 1 of the Moly #25 lode and Cor. No. 1 of the Moly #26 lode, all of this survey.</p> <p>Thence S.21°16'05"W.</p>
299.75	Lode line; discovery point bears N.66°58'44"W., 10.00 ft. dist.
599.50	<p>Cor. No. 2, identical with Cor. No. 4 of the Moly #26 lode, Cor. No. 2 of the Moly #27 lode and Cor. No. 4 of the Moly #33 lode, all of this survey.</p> <p>Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X M.32 2 M.26 4 M.27 2 M.33 4 U.S.M.S. 4866; from which</p> <p>A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence N.66°58'44"W.</p>
1,499.49	<p>Cor. No. 3, identical with Cor. No. 3 of the Moly #33 lode, and on line 2-3 Prospector #14 lode of this survey.</p> <p>Set a brass cap, firmly cemented into and flush with the macadam surface of the road, mkd. X M.32 3 M.33 3 U.S.M.S. 4866; from which</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence N.21°16'05"E.</p>
5.	Center of paved road, 24. ft. wide, bears N.42°E. and S.42°W.
279.	Power line bears N.51°E. and S.51°W.
299.75	Lode line; discovery point bears S.66°58'44"E., 1,489.49 ft. dist.

Mineral Survey No. 4866

599.50	<p>Cor. No. 4, identical with Cor. No. 2 of the Moly #31 lode and on line 2-3, Prospector #14 lode, both of this survey.</p> <p style="text-align: center;">Thence S.66°58'44"E.</p>
184.49	Power line bears N.51°E. and S.51°W.
254.49	Center of paved road, 24. ft. wide, bears N.59°E. and S.49°W.
1,499.49	Cor. No. 1, and place of beginning
MOLY #25 LODE	
	<p>Beginning at Cor. No. 1 of the Moly #25 lode, identical with Cor. No. 1 of the Moly #26 lode, Cor. No. 1 of the Moly #32 lode and Cor. No. 1 of the Moly #31 lode, all of this survey.</p> <p style="text-align: center;">Thence N.21°16'05"E.</p>
299.75	Lode line; discovery point bears S.65°36'37"E., 10.00 ft. dist.
599.50	<p>Cor. No. 2, identical with Cor. No. 4 of the Moly #31 lode, Cor. No. 2 of the Little Hill #2 lode and Cor. No. 4 of the LITTLE HILL 4 lode, all of this survey.</p> <p style="text-align: center;">Thence S.65°36'37"E.</p>
1,099.60	Center of improved dirt road, 20. ft. wide, bears N.55°E. and S.55°W.
1,499.60	<p>Point for Cor. No. 3, identical with the point for Cor. No. 3 of the LITTLE HILL 4 lode of this survey.</p> <p>This cor. lies in a pit where a permanent monument would be obliterated.</p> <p style="text-align: center;">Thence S.21°16'05"W.</p>
299.75	Lode line; discovery point bears N.65°36'37"W., 1,489.60 ft. dist.
599.50	Cor. No. 4, identical with Cor. No. 2 of the Moly #26 lode of this survey.

Mineral Survey No. 4866

Form 9600-20
(September 1986)

	FEET	<p>Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X M.25 4 M.26 2 U.S.M.S. 4866; from which</p> <p style="padding-left: 40px;">A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="padding-left: 40px;">Thence N.65°36'37"W.</p>
	750.	Center of improved dirt road, 20. ft. wide, bears N.38°W. and S.38°E.
	1,499.60	Cor. No. 1, and place of beginning
<hr/> MOLY #26 LODE		
		<p>Beginning at Cor. No. 1 of the Moly #26 lode, identical with Cor. No. 1 of the Moly #32 lode, Cor. No. 1 of the Moly #31 lode and Cor. No. 1 of the Moly #25 lode, all of this survey.</p> <p style="padding-left: 40px;">Thence S.65°36'37"E.</p>
	749.6	Center of improved dirt road, 20. ft. wide, bears N.38°W. and S.38°E.
	1,499.60	Cor. No. 2, identical with Cor. No. 4 of the Moly #25 lode of this survey.
		Thence S.21°16'05"W.
	299.75	Lode line; discovery point bears N.65°36'37"W., 1,489.60 ft. dist.
	599.50	Cor. No. 3, identical with Cor. No. 3 of the Moly #21 lode and Cor. No. 3 of the Moly #27 lode, both of this survey.
		<p>Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X M.26 3 M.21 3 M.27 3 U.S.M.S. 4866; from which</p> <p style="padding-left: 40px;">A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p>

Mineral Survey No. 4866

	FEET	No local bearing objects or bearing trees available. Thence N.65°36'37"W.
	719.60	Center of improved dirt road, 20. ft. wide, bears N.2°E. and S.2°W.
	864.60	Center of improved dirt road, 20. ft. wide, bears N.24°E. and S.24°W.
	1,169.60	Center of improved dirt road, 20. ft. wide, bears N.59°E. and S.59°W.
	1,499.60	Cor. No. 4, identical with Cor. No. 2 of the Moly #27 lode, Cor. No. 4 of the Moly #33 lode and Cor. No. 2 of the Moly #32 lode, all of this survey. Thence N.21°16'05"E.
	299.75	Lode line; discovery point bears S.65°36'37"E., 10.00 ft. dist.
	599.50	Cor. No. 1, and place of beginning
MOLY #33 LODE		
At Cor. No. 1 of the Moly #33 lode, identical with Cor. No. 1 of the Moly #27 lode, Cor. No. 1 of the Moly #28 lode and Cor. No. 1 of the Moly #34 lode, all of this survey.		
Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X M.33 1 M.27 1 M.28 1 M.34 1 U.S.M.S. 4866; from which		
The sec. cor. of secs. 5, 6, 7 & 8, T.10 S., R.15 E., G.& S.R.M. bears N.29°57'13"W., 2,767.60 ft. dist., hereinbefore described.		
A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.		
No local bearing objects or bearing trees available. Thence N.66°58'44"W.		
	1,499.49	Cor. No. 2, identical with Cor. No. 4 of the Moly #34 lode of this survey.

Mineral Survey No. 4866

FFFF	<p>Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X M.33 2 M.34 4 U.S.M.S. 4866; from which</p> <p>A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence N.21°16'05"E.</p> <p>299.00 Cor. No. 3 of the Prospector #14 lode of this survey.</p> <p>299.75 Lode line; discovery point bears S.66°58'44"E., 1,489.49 ft. dist.</p> <p>599.50 Cor. No. 3, identical with Cor. No. 3 of the Moly #32 lode and on line 2-3 Prospector #14 lode, both of this survey.</p> <p>Thence S.66°58'44"E.</p> <p>1,499.49 Cor. No. 4, identical with Cor. No. 2 of the Moly #32 lode, Cor. No. 4 of the Moly #26 lode and Cor. No. 2 of the Moly #27 lode, all of this survey.</p> <p>Thence S.21°16'05"W.</p> <p>299.75 Lode line; discovery point bears N.66°58'44"W., 10.00 ft. dist.</p> <p>599.50 Cor. No. 1, and place of beginning</p>
<hr/> <p>MOLY #34 LODE</p>	
	<p>Beginning at Cor. No. 1 of the Moly #34 lode, identical with Cor. No. 1 of the Moly #33 lode, Cor. No. 1 of the Moly #27 lode and Cor. No. 1 of the Moly #28 lode, all of this survey.</p> <p>Thence S.21°16'05"W.</p> <p>299.75 Lode line; discovery point bears N.66°58'44"W., 10.00 ft. dist.</p> <p>599.50 Cor. No. 2, identical with Cor. No. 4 of the Moly #28 lode, Cor. No. 2 of the Moly #29 lode and Cor. No. 4 of the Moly #35 lode, all of this survey.</p>

Mineral Survey No. 4866

	FFFF	<p>Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X M.34 2 M.28 4 M.29 2 M.35 4 U.S.M.S. 4866; from which</p> <p style="padding-left: 40px;">A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="padding-left: 40px;">Thence N.66°58'44"W.</p> <p>1,499.49 Cor. No. 3, identical with Cor. No. 3 of the Moly #35 lode of this survey.</p> <p>Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X M.34 3 M.35 3 U.S.M.S. 4866; from which</p> <p style="padding-left: 40px;">A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="padding-left: 40px;">Thence N.21°16'05"E.</p> <p>299.75 Lode line; discovery point bears S.66°58'44"E., 1,489.49 ft. dist.</p> <p>599.50 Cor. No. 4, identical with Cor. No. 2 of the Moly #33 lode of this survey.</p> <p style="padding-left: 40px;">Thence S.66°58'44"E.</p> <p>1,499.49 Cor. No. 1, and place of beginning</p> <hr/> <p style="text-align: center;">MOLY #27 LODE</p> <p>Beginning at Cor. No. 1 of the Moly #27 lode, identical with Cor. No. 1 of the Moly #28 lode, Cor. No. 1 of the Moly #34 lode and Cor. No. 1 of the Moly #33 lode, all of this survey.</p> <p style="padding-left: 40px;">Thence N.21°16'05"E.</p> <p>299.75 Lode line; discovery point bears S.65°36'37"E., 10.00 ft. dist.</p>
--	------	--

Mineral Survey No. 4866

FEET 599.50	<p>Cor. No. 2, identical with Cor. No. 4 of the Moly #33 lode, Cor. No. 2 of the Moly #32 lode and Cor. No. 4 of the Moly #26 lode, all of this survey.</p> <p style="text-align: center;">Thence S.65°36'37"E.</p>
330.	Center of improved dirt road, 20. ft. wide, bears N.59°E. and S.59°W.
635.	Center of improved dirt road, 20. ft. wide, bears N.24°E. and S.24°W.
780.	Center of improved dirt road, 20. ft. wide, bears N.2°E. and S.2°W.
1,499.60	<p>Cor. No. 3, identical with Cor. No. 3 of the Moly #26 lode and Cor. No. 3 of the Moly #21 lode, both of this survey.</p> <p style="text-align: center;">Thence S.21°16'05"W.</p>
299.75	Lode line; discovery point bears N.65°36'37"W., 1,489.60 ft. dist.
599.50	<p>Cor. No. 4, identical with Cor. No. 2 of the Moly #21 lode, Cor. No. 4 of the Moly #22 lode and Cor. No. 2 of the Moly #28 lode, all of this survey.</p> <p>Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X M.27 4 M.21 2 M.22 4 M.28 2 U.S.M.S. 4866; from which</p> <p style="text-align: center;">A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence N.65°36'37"W.</p>
1,499.60	<p>Cor. No. 1, and place of beginning</p> <hr/> <p style="text-align: center;">MOLY #28 LODE</p> <p>Beginning at Cor. No. 1 of the Moly #28 lode, identical with Cor. No. 1 of the Moly #34 lode, Cor. No. 1 of the Moly #33 lode and Cor. No. 1 of the Moly #27 lode, all of this survey.</p>

Mineral Survey No. 4866

FEET		
1,499.60	<p style="text-align: center;">Thence S.65°36'37"E.</p> <p>Cor. No. 2, identical with Cor. No. 4 of the Moly #27 lode, Cor. No. 2 of the Moly #21 lode and Cor. No. 4 of the Moly #22 lode, all of this survey.</p>	
	<p style="text-align: center;">Thence S.21°16'05"W.</p>	
299.75	Lode line; discovery point bears N.65°36'37"W., 1,489.60 ft. dist.	
599.50	<p>Cor. No. 3, identical with Cor. No. 3 of the Moly #22 lode, Cor. No. 3 of the Moly #23 lode and Cor. No. 3 of the Moly #29 lode, all of this survey.</p> <p>Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X M.28 3 M.22 3 M.23 3 M.29 3 U.S.M.S. 4866; from which</p> <p style="text-align: center;">A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p>	
1,499.60	<p style="text-align: center;">Thence N.65°36'37"W.</p> <p>Cor. No. 4, identical with Cor. No. 2 of the Moly #29 lode, Cor. No. 4 of the Moly #35 lode and Cor. No. 2 of the Moly #34 lode, all of this survey.</p>	
	<p style="text-align: center;">Thence N.21°16'05"E.</p>	
299.75	Lode line; discovery point bears S.65°36'37"E., 10.00 ft. dist.	
599.50	Cor. No. 1, and place of beginning	
	<p style="text-align: center;">MOLY #21 LODE</p> <p>At Cor. No. 1 of the Moly #21 lode, identical with Cor. No. 1 of the Moly #3 lode, Cor. No. 1 of the Moly #4 lode and Cor. No. 1 of the Moly #22 lode, all of this survey.</p>	

Mineral Survey No. 4866

FEET		
	<p>Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X M.21 1 M.3 1 M.4 1 M.22 1 U.S.M.S. 4866; from which</p> <p>The sec. cor. of secs. 5, 6, 7 & 8, T.10 S., R.15 E., G.& S.R.M. bears N.46°19'28"W., 5,543.03 ft. dist., hereinbefore described.</p> <p>A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence N.57°16'20"W.</p>	
65.	Left bank of local drainage, 20. ft. wide, course S.35°W.	
1,499.48	<p>Cor. No. 2, identical with Cor. No. 4 of the Moly #22 lode, Cor. No. 2 of the Moly #28 lode and Cor. No. 4 of the Moly #27 lode, all of this survey.</p> <p>Thence N.21°16'05"E.</p>	
299.75	Lode line; discovery point bears S.57°16'20"E., 1,489.48 ft. dist.	
599.50	<p>Cor. No. 3, identical with Cor. No. 3 of the Moly #27 lode and Cor. No. 3 of the Moly #26 lode, both of this survey.</p> <p>Thence S.57°16'20"E.</p>	
1,499.48	<p>Cor. No. 4, identical with Cor. No. 2 of the Moly #3 lode of this survey.</p> <p>Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X M.21 4 M.3 2 U.S.M.S. 4866; from which</p> <p>A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence S.21°16'05"W.</p>	

Mineral Survey No. 4866

FEET		
30.	Right bank of local drainage, 35. ft. wide, course S.45°W.	
299.75	Lode line; discovery point bears N.57°16'20"W., 10.00 ft. dist.	
599.50	Cor. No. 1, and place of beginning	
<hr/>		
MOLY #22 LODE		
Beginning at Cor. No. 1 of the Moly #22 lode, identical with Cor. No. 1 of the Moly #21 lode, Cor. No. 1 of the Moly #3 lode and Cor. No. 1 of the Moly #4 lode, all of this survey.		
Thence S.21°16'05"W.		
299.75	Lode line; discovery point bears N.57°16'20"W., 10.00 ft. dist.	
599.50	Cor. No. 2, identical with Cor. No. 4 of the Moly #4 lode, Cor. No. 2 of the Moly #5 lode and Cor. No. 4 of the Moly #23 lode, all of this survey.	
Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X M.22 2 M.4 4 M.5 2 M.23 4 U.S.M.S. 4866; from which		
A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.		
No local bearing objects or bearing trees available.		
Thence N.57°16'20"W.		
630.	Left bank of local drainage, 40. ft. wide, course S.66°W.	
1,499.48	Cor. No. 3, identical with Cor. No. 3 of the Moly #23 lode, Cor. No. 3 of the Moly #29 lode and Cor. No. 3 of the Moly #28 lode, all of this survey.	
Thence N.21°16'05"E.		
299.75	Lode line; discovery point bears S.57°16'20"E., 1,489.48 ft. dist.	

Mineral Survey No. 4866

599.50	Cor. No. 4, identical with Cor. No. 2 of the Moly #28 lode, Cor. No. 4 of the Moly #27 lode and Cor. No. 2 of the Moly #21 lode, all of this survey. Thence S.57°16'20"E.
1,399.48	Right bank of local drainage, 20. ft. wide, course S.35°W.
1,499.48	Cor. No. 1, and place of beginning
MOLY #3 LODE	
	Beginning at Cor. No. 1 of the Moly #3 lode, identical with Cor. No. 1 of the Moly #4 lode, Cor. No. 1 of the Moly #22 lode and Cor. No. 1 of the Moly #21 lode, all of this survey. Thence N.21°16'05"E.
299.75	Lode line; discovery point bears S.69°42'20"E., 10.00 ft. dist.
534.50	Left bank of local drainage, 35. ft. wide, course S.45°W.
599.50	Cor. No. 2, identical with Cor. No. 4 of the Moly #21 lode of this survey. Thence S.69°42'20"E.
5.	Right bank of local drainage, 35. ft. wide, course S.45°W.
325.	Left bank of local drainage, 10. ft. wide, course N.7°W.
1,195.	Right bank of local drainage, 10. ft. wide, course S.71°W.
1,395.	Center of improved dirt road, 20. ft. wide, bears N.70°W. and S.70°E.
1,499.46	Cor. No. 3, identical with Cor. No. 1 of the Moly #7 lode and Cor. No. 2 of the Moly #8 lode, both of this survey.

Mineral Survey No. 4866

Form 9600-20
(September 1986)

	FFFT	<p>Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X M.3 3 M.7 1 M.8 2 U.S.M.S. 4866; from which</p> <p>The sec. cor. of secs. 5, 6, 7 & 8, T.10 S., R.15 E., G.& S.R.M. bears N.56°04'16"W., 6,788.82 ft. dist., hereinbefore described.</p> <p>A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence S.21°16'05"W.</p> <p>35. Center of improved dirt road, 20. ft. wide, bears N.70°W. and S.70°E.</p> <p>47. Right bank of local drainage, 15. ft. wide, course N.70°W.</p> <p>299.75 Lode line; discovery point bears N.69°42'20"W., 1,489.46 ft. dist.</p> <p>599.50 Cor. No. 4, identical with Cor. No. 1 of the Moly #8 lode, Cor. No. 1 of the Moly #9 lode and Cor. No. 2 of the Moly #4 lode, all of this survey.</p> <p>Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X M.3 4 M.8 1 M.9 1 M.4 2 U.S.M.S. 4866; from which</p> <p>The sec. cor. of secs. 5, 6, 7 & 8, T.10 S., R.15 E., G.& S.R.M. bears N.51°14'25"W., 6,944.84 ft. dist., hereinbefore described.</p> <p>A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence N.69°42'20"W.</p> <p>1,499.46 Cor. No. 1, and place of beginning</p>	
--	------	--	--

Mineral Survey No. 4866

FEET	MOLY #4 LODE
	Beginning at Cor. No. 1 of the Moly #4 lode, identical with Cor. No. 1 of the Moly #22 lode, Cor. No. 1 of the Moly #21 lode and Cor. No. 1 of the Moly #3 lode, all of this survey.
	Thence S.69°42'20"E.
1,499.46	Cor. No. 2, identical with Cor. No. 4 of the Moly #3 lode, Cor. No. 1 of the Moly #8 lode and Cor. No. 1 of the Moly #9 lode, all of this survey.
	Thence S.21°16'05"W.
299.75	Lode line; discovery point bears N.69°42'20"W., 1,489.46 ft. dist.
450.	Center of improved dirt road, 20. ft. wide, bears N.88°W. and S.88°E.
599.50	Cor. No. 3, identical with Cor. No. 4 of the Moly #9 lode, Cor. No. 2 of the Moly #10 lode and Cor. No. 3 of the Moly #5 lode, all of this survey.
	Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X M.4 3 M.9 4 M.10 2 M.5 3 U.S.M.S. 4866; from which
	A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.
	No local bearing objects or bearing trees available.
	Thence N.69°42'20"W.
240.	Center of improved dirt road, 20. ft. wide, bears N.55°E. and S.55°W.
505.	Center of improved dirt road, 20. ft. wide, bears N.40°W. and S.40°E.
890.	Center of improved dirt road, 20. ft. wide, bears N.67°E. and S.67°W.
1,499.46	Cor. No. 4, identical with Cor. No. 2 of the Moly #22 lode of this survey.

Mineral Survey No. 4866

Form 9600-20
(September 1986)

FEET	
	Thence N.21°16'05"E.
299.75	Lode line; discovery point bears S.69°42'20"E., 10.00 ft. dist.
599.50	Cor. No. 1, and place of beginning
	MOLY #7 LODE
	Beginning at Cor. No. 1 of the Moly #7 lode, identical with Cor. No. 2 of the Moly #8 lode and Cor. No. 3 of the Moly #3 lode, both of this survey.
	Thence N.21°16'05"E.
299.75	Lode line; discovery point bears S.73°51'58"E., 10.00 ft. dist.
599.50	Cor. No. 2.
	Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X M.7 2 U.S.M.S. 4866; from which A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.
	No local bearing objects or bearing trees available.
	Thence S.73°51'58"E.
1,499.62	Cor. No. 3.
	Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X M.7 3 U.S.M.S. 4866; from which A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.
	No local bearing objects or bearing trees available.
	Thence S.21°16'05"W.
130.	Center of improved dirt road, 20. ft. wide, bears N.79°W. and S.79°E.

Mineral Survey No. 4866

FEET	
150.	Right bank of local drainage, 10. ft. wide, course N.75°W.
299.75	Lode line; discovery point bears N.73°51'58"W., 1,489.62 ft. dist.
385.	Center of improved dirt road, 20. ft. wide, bears N.64°E. and S.64°W.
599.50	Cor. No. 4, identical with Cor. No. 3 of the Moly #8 lode of this survey.
	Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X M.7 4 M.8 3 U.S.M.S. 4866; from which
	A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.
	No local bearing objects or bearing trees available.
	Thence N.73°51'58"W.
230.	Center of improved dirt road, 20. ft. wide, bears N.80°E. and S.80°W.
1,170.	Left bank of local drainage, 20. ft. wide, course West.
1,270.	Center of improved dirt road, 20. ft. wide, bears East and West.
1,499.62	Cor. No. 1, and place of beginning
	MOLY #8 LODE
	Beginning at Cor. No. 1 of the Moly #8 lode, identical with Cor. No. 1 of the Moly #9 lode and Cor. No. 2 of the Moly #4 lode and Cor. No. 4 of the Moly #3 lode, all of this survey.
	Thence N.21°16'05"E.
299.75	Lode line; discovery point bears S.73°51'58"E., 10.00 ft. dist.
537.5	Left bank of local drainage, 15. ft. wide, course N.70°W.

Mineral Survey No. 4866

FFFF 564.5	Center of improved dirt road, 20. ft. wide, bears N.70°W. and S.70°E.
599.50	Cor. No. 2, identical with Cor. No. 3 of the Moly #3 lode and Cor. No. 1 of the Moly #7 lode, both of this survey. Thence S.73°51'58"E.
229.62	Center of improved dirt road, 20. ft. wide, bears East and West.
329.62	Right bank of local drainage, 20. ft. wide, course West.
1,269.62	Center of improved dirt road, 20. ft. wide, bears N.80°E. and S.80°W.
1,499.62	Cor. No. 3, identical with Cor. No. 4 of the Moly #7 lode of this survey. Thence S.21°16'05"W.
299.75	Lode line; discovery point bears N.73°51'58"W., 1,489.62 ft. dist.
599.50	Cor. No. 4, identical with Cor. No. 2 of the Moly #9 lode of this survey. Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X M.8 4 M.9 2 U.S.M.S. 4866; from which A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post. No local bearing objects or bearing trees available. Thence N.73°51'58"W.
784.62	Center of improved dirt road, 20. ft. wide, bears N.49°E. and S.49°W.
1,499.62	Cor. No. 1, and place of beginning

Mineral Survey No. 4866

Form 9600-20
(September 1986)

FEET	MOLY #9 LODE
	<p>Beginning at Cor. No. 1 of the Moly #9 lode, identical with Cor. No. 2 of the Moly #4 lode, Cor. No. 4 of the Moly #3 lode and Cor. No. 1 of the Moly #8 lode, all of this survey.</p> <p>Thence S.73°51'58"E.</p>
715.	Center of improved dirt road, 20. ft. wide, bears N.49°E. and S.49°W.
1,499.46	<p>Cor. No. 2, identical with Cor. No. 4 of the Moly #8 lode of this survey.</p> <p>Thence S.21°16'05"W.</p>
299.75	Lode line; discovery point bears N.73°51'58"W., 1,489.62 ft. dist.
599.50	<p>Cor. No. 3, identical with Cor. No. 3 of the Moly #10 lode of this survey.</p> <p>Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X M.9 3 M.10 3 U.S.M.S. 4866; from which</p> <p>A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence N.73°51'58"W.</p>
1,499.62	<p>Cor. No. 4, identical with Cor. No. 2 of the Moly #10 lode, Cor. No. 3 of the Moly #5 lode and Cor. No. 3 of the Moly #4 lode, all of this survey.</p> <p>Thence N.21°16'05"E.</p>
149.5	Center of improved dirt road, 20. ft. wide, bears N.88°W. and S.88°E.
299.75	Lode line; discovery point bears S.73°51'58"E., 10.00 ft. dist.
599.50	Cor. No. 1, and place of beginning

Mineral Survey No. 4866

	1111	MOLY #35 LODE	
		<p>At Cor. No. 1 of the Moly #35 lode, identical with Cor. No. 1 of the Moly #29 lode of this survey.</p> <p>Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X M.35 1 M.29 1 U.S.M.S. 4866; from which</p> <p>The sec. cor. of secs. 5, 6, 7 & 8, T.10 S., R.15 E., G.& S.R.M. bears N.15°04'35"W., 3,640.58 ft. dist., hereinbefore described.</p> <p>A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence N.66°58'44"W.</p>	
1,499.49	Cor. No. 2.	<p>Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X M.35 2 U.S.M.S. 4866; from which</p> <p>A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence N.21°16'05"E.</p>	
299.75	Lode line;	discovery point bears S.66°58'44"E., 1,489.49 ft. dist.	
599.50	Cor. No. 3,	identical with Cor. No. 3 of the Moly #34 lode of this survey.	
1,499.49	Cor. No. 4,	identical with Cor. No. 2 of the Moly #34 lode, Cor. No. 4 of the Moly #28 lode and Cor. No. 2 of the Moly #29 lode, all of this survey.	
		Thence S.21°16'05"W.	

Mineral Survey No. 4866

FEET 299.75	Lode line; discovery point bears N.66°58'44"W., 10. ft. dist.
599.50	Cor. No. 1, and place of beginning
MOLY #29 LODE	
	Beginning at Cor. No. 1 of the Moly #29 lode, identical with Cor. No. 1 of the Moly #35 lode of this survey.
	Thence N.21°16'05"E.
299.75	Lode line; discovery point bears S.65°36'37"E., 10.00 ft. dist.
599.50	Cor. No. 2, identical with Cor. No. 4 of the Moly #35 lode, Cor. No. 2 of the Moly #34 lode and Cor. No. 4 of the Moly #28 lode, all of this survey.
	Thence S.65°36'37"E.
1,499.60	Cor. No. 3, identical with Cor. No. 3 of the Moly #28 lode, Cor. No. 3 of the Moly #22 lode and Cor. No. 3 of the Moly #23 lode, all of this survey.
	Thence S.21°16'05"W.
299.75	Lode line; discovery point bears N.65°36'37"W., 1,489.60 ft. dist.
599.50	Cor. No. 4, identical with Cor. No. 2 of the Moly #23 lode of this survey.
	Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X M.29 4 M.23 2 U.S.M.S. 4866; from which
	A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.
	No local bearing objects or bearing trees available.
	Thence N.65°36'37"W.
1,499.60	Cor. No. 1, and place of beginning

Mineral Survey No. 4866

Form 9600-20
(September 1986)

FEE	MOLY #23 LODE
	<p>At Cor. No. 1 of the Moly #23 lode, identical with Cor. No. 1 of the Moly #5 lode of this survey.</p> <p>Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X M.23 1 M.5 1 U.S.M.S. 4866; from which</p> <p>The sec. cor. of secs. 5, 6, 7 & 8, T.10 S., R.15 E., G.& S.R.M. bears N.35°51'27"W., 6,101.61 ft. dist., hereinbefore described.</p> <p>A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence N.57°16'20"W.</p>
1,280.	Left bank of local drainage, 40. ft. wide, course S.43°W.
1,499.48	<p>Cor. No. 2, identical with Cor. No. 4 of the Moly #29 lode of this survey.</p> <p>Thence N.21°16'05"E.</p>
299.75	Lode line; discovery point bears S.57°16'20"E., 1,489.48 ft. dist.
599.50	<p>Cor. No. 3, identical with Cor. No. 3 of the Moly #29 lode, Cor. No. 3 of the Moly #28 lode and Cor. No. 3 of the Moly #22 lode, all of this survey.</p> <p>Thence S.57°16'20"E.</p>
830.	Right bank of local drainage, 40. ft. wide, course S.64°W.
1,499.48	<p>Cor. No. 4, identical with Cor. No. 2 of the Moly #22 lode, Cor. No. 4 of the Moly #4 lode and Cor. No. 2 of the Moly #5 lode, all of this survey.</p> <p>Thence S.21°16'05"W.</p>
299.75	Lode line; discovery point bears N.57°16'20"W., 10.00 ft. dist.

Mineral Survey No. 4866

FFFF		
599.50	Cor. No. 1, and place of beginning	
	MOLY #5 LODE	
	Beginning at Cor. No. 1 of the Moly #5 lode, identical with Cor. No. 1 of the Moly #23 lode of this survey.	
	Thence N.21°16'05"E.	
299.75	Lode line; discovery point bears S.69°42'20"E., 10.00 ft. dist.	
599.50	Cor. No. 2, identical with Cor. No. 4 of the Moly #23 lode, Cor. No. 2 of the Moly #22 lode and Cor. No. 4 of the Moly #4 lode, all of this survey.	
	Thence S.69°42'20"E.	
609.46	Center of improved dirt road, 20. ft. wide, bears N.67°E. and S.67°W.	
994.46	Center of improved dirt road, 20. ft. wide, bears N.40°W. and S.40°E.	
1,259.46	Center of improved dirt road, 20. ft. wide, bears N.55°E. and S.55°W.	
1,499.46	Cor. No. 3, identical with Cor. No. 3 of the Moly #4 lode, Cor. No. 4 of the Moly #9 lode and Cor. No. 2 of the Moly #10 lode, all of this survey.	
	Thence S.21°16'05"W.	
299.75	Lode line; discovery point bears N.69°42'20"W., 1,489.46 ft. dist.	
599.50	Cor. No. 4, identical with Cor. No. 1 of the Moly #10 lode of this survey.	
	Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X M.5 4 M.10 1 U.S.M.S. 4866; from which	
	The sec. cor. of secs. 5, 6, 7 & 8, T.10 S., R.15 E., G.& S.R.M. bears N.42°20'34"W., 7,394.25 ft. dist., hereinbefore described.	

Mineral Survey No. 4866

	FEET	<p>A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence N.69°42'20"W.</p>
1,499.46		Cor. No. 1, and place of beginning
MOLY #10 LODE		
		<p>Beginning at Cor. No. 1 of the Moly #10 lode, identical with Cor. No. 4 of the Moly #5 lode of this survey.</p> <p>Thence N.21°16'05"E.</p>
299.75		Lode line; discovery point bears S.73°51'58"E., 10.00 ft. dist.
599.50		Cor. No. 2, identical with Cor. No. 3 of the Moly #5 lode, Cor. No. 3 of the Moly #4 lode and Cor. No. 4 of the Moly #9 lode, all of this survey.
		Thence S.73°51'58"E.
1,499.62		Cor. No. 3, identical with Cor. No. 3 of the Moly #9 lode of this survey.
		Thence S.21°16'05"W.
299.75		Lode line; discovery point bears N.73°51'58"W., 1,489.62 ft. dist.
599.50		Cor. No. 4.
		<p>Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X M.10 4 U.S.M.S. 4866; from which</p> <p>A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence N.73°51'58"W.</p>
1,499.62		Cor. No. 1, and place of beginning

Mineral Survey No. 4866

FEET	LITTLE HILL 18 LODE
	<p>Beginning at Cor. No. 1 of the LITTLE HILL 18 lode, identical with Cor. No. 2 of the LITTLE HILL #16 lode of this survey.</p> <p>The sec. cor. of secs. 4, 5, 8 & 9, T.10 S., R.15 E., G.& S.R.M. bears N.85°05'58"W., 214.22 ft. dist., a granite stone, 7 x 13 ins. in size, 5 ins. above ground, firmly set and properly marked as described in the official record.</p> <p>Thence S.68°30'38"E.</p>
1,499.38	<p>Cor. No. 2.</p> <p>Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X L.H.18 2 U.S.M.S. 4866; from which</p> <p>A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence S.21°16'05"W.</p>
299.75	<p>Lode line; discovery point bears N.68°30'38"W., 1,489.38 ft. dist.</p>
561.93	<p>Intersect line 2-3, M.S. No. 1547 Copper Hill lode, at a point from which Cor. No. 2 bears N.69°44'W., 1,498.92 ft. dist.</p>
599.50	<p>Cor. No. 3.</p> <p>Set an iron post, 30 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X L.H.18 3 U.S.M.S. 4866; from which</p> <p>Cor. No. 3, M.S. No. 1547 Copper Hill lode, identical with Cor. No. 2, M.S. No. 1546 Pittsburgh lode, bears N.22°54'50"E., 37.60 ft. dist.</p> <p>A wood post, 2 x 2 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p>

Mineral Survey No. 4866

Form 9600-20
(September 1986)

FEET	No local bearing objects or bearing trees available. Thence N.68°30'38"W.
1,498.70	Intersect line 1-2, M.S. No. 1547 Copper Hill lode, in part common with line 3-4, M.S. No. 1547 Rattlesnake lode, at a point from which Cor. No. 2 of the Copper Hill lode bears N.21°15'E., 5.58 ft. dist., and Cor. No. 3 of the Rattlesnake lode at 10.58 ft. dist.
1,499.38	Cor. No. 4, identical with Cor. No. 3 of the LITTLE HILL #16 lode of this survey. Thence N.21°16'05"E.
10.71	Intersect line 2-3, M.S. No. 1547 Rattlesnake lode, at a point from which Cor. No. 3 bears S.58°06'E., 0.69 ft. dist.
299.75	Lode line; discovery point bears S.68°30'38"E., 10.00 ft. dist.
599.50	Cor. No. 1, and place of beginning.

Mineral Survey No. 4866

AREAS	Acres
Total area, Prospector #1 lode -----	20.606
Area in conflict with:	
N 1/2 sec. 5 -----	5.650
Total area, Prospector #2 lode -----	20.606
Area in conflict with:	
M.S. No. 3977 Francis lode -----	0.281
M.S. No. 3977 Virginia lode -----	0.062
Sec. 6 -----	0.776
Sec. 6, exclusive of its conflict with	
M.S. No. 3977 Francis lode -----	0.740
Total area, Hope #7 lode -----	20.626
Total area, Hope #8 lode -----	20.626
Area in conflict with:	
M.S. No. 1547 Gold Hill lode -----	0.159
M.S. No. 3977 Virginia lode -----	0.631
Total area, Hope #4 lode -----	20.464

Mineral Survey No. 4866

IIII	Total area, Hope #3 lode -----	20.464
	Area in conflict with:	
	M.S. No. 1547 Gold Hill lode -----	1.520
	M.S. No. 1547 Fraction lode -----	0.405
	Total area, LITTLE HILL #16 lode -----	20.282
	Area in conflict with:	
	M.S. No. 1547 Fraction lode -----	0.001
	M.S. No. 1547 Rattlesnake lode -----	0.355
	Sec. 4 -----	0.313
	Total area, Prospector #12 lode -----	20.494
	Area in conflict with:	
	M.S. No. 3977 Francis lode -----	1.352
	M.S. No. 3977 Virginia lode -----	0.583
	Sec. 6 -----	6.673
	Sec. 6, exclusive of its conflict with	
	M.S. No. 3977 Francis lode -----	6.488
	Total area, Prospector #13 lode -----	20.494
	Area in conflict with:	
	Sec. 6 -----	9.730
	Total area, Little Hills #1 lode -----	20.627
	Area in conflict with:	
M.S. No. 3977 Virginia lode -----	1.472	
M.S. No. 1547 Gold Hill lode -----	0.043	
Total area, Little Hill #2 lode -----	20.627	
Total area, Little Hill #3 lode -----	20.608	
Area in conflict with:		
M.S. No. 1547 Gold Hill lode -----	0.268	
M.S. No. 1547 Fraction lode -----	0.452	
M.S. No. 1547 Rattlesnake lode -----	0.004	
Total area, LITTLE HILL 4 lode -----	20.608	
Total area, Prospector #14 lode -----	20.494	
Total area, Moly #31 lode -----	20.627	
Total area, Moly #32 lode -----	20.627	
Total area, Moly #25 lode -----	20.608	
Total area, Moly #26 lode -----	20.608	
Total area, Moly #33 lode -----	20.627	

Mineral Survey No. 4866

FEET	
	Total area, Moly #34 lode ----- 20.627
	Total area, Moly #27 lode ----- 20.608
	Total area, Moly #28 lode ----- 20.608
	Total area, Moly #21 lode ----- 20.225
	Total area, Moly #22 lode ----- 20.225
	Total area, Moly #3 lode ----- 20.634
	Total area, Moly #4 lode ----- 20.634
	Total area, Moly #7 lode ----- 20.556
	Total area, Moly #8 lode ----- 20.556
	Total area, Moly #9 lode ----- 20.556
	Total area, Moly #35 lode ----- 20.627
	Total area, Moly #29 lode ----- 20.608
	Total area, Moly #23 lode ----- 20.225
	Total area, Moly #5 lode ----- 20.634
	Total area, Moly #10 lode ----- 20.556
	Total area, LITTLE HILL 18 lode ----- 20.635
	Area in conflict with:
	M.S. No. 1547 Copper Hill lode ----- 0.742
	M.S. No. 1547 Rattlesnake lode ----- 0.001
	LOCATION
	This survey is located in the SW 1/4 sec. 4, NW, SE & SW 1/4s sec. 5, Lots. Nos. 5 & 6 sec. 6, Lots Nos. 1 & 2 sec. 7, NW, NE, SW & SE 1/4s sec. 8, SW 1/4 sec. 9, NW 1/4 sec. 16 and NE 1/4 sec. 17, T.10 S., R.15 E., G.& S.R.M.
	The survey of the Prospector #s 1, 2 & 12-14; Hope #s 3, 4, 7 & 8; Little Hill #s 1-3; LITTLE HILL 4, 18 & #16, Moly #s 3-5, 7-10, 21-23, 25-29 & 31-35 lodes is identical with the location or amended location as marked on the ground.

Mineral Survey No. 4866

F111	EXPENDITURES
	<p>The improvements and the value of the labor and improvements made upon or for the benefit of each of the lode locations embraced in said mining claim by the claimant or its grantors are as follows:</p>
No. 1	<p>The discovery point of the Prospector #1 lode is on the lode line, 10. ft. from a point on line 4-1, 299.75 ft. from Cor. No. 4, a post and notice. Value, None</p>
No. 1	<p>The discovery point of the Prospector #2 lode is on the lode line, 10. ft. from a point on line 1-2, 299.75 ft. from Cor. No. 1, a post and notice. Value, None</p>
No. 1	<p>The discovery point of the Hope #7 lode is on the lode line, 10. ft. from a point on line 3-4, 299.75 ft. from Cor. No. 3, a post and notice. Value, None</p>
No. 1	<p>The discovery point of the Hope #8 lode is on the lode line, 10. ft. from a point on line 2-3, 299.75 ft. from Cor. No. 2, a post and notice. Value, None</p>
No. 1	<p>The discovery point of the Hope #4 lode is on the lode line, 10. ft. from a point on line 2-3, 299.75 ft. from Cor. No. 2, a post and notice. Value, None</p>
No. 1	<p>The discovery point of the Hope #3 lode is on the lode line, 10. ft. from a point on line 3-4, 299.75 ft. from Cor. No. 3, a post and notice. Value, None</p>
No. 2	<p>A pit, half-moon shaped, the southeasterly most point of which bears S.85°W., 360. ft. from Cor. No. 1 of the Hope #3 lode; 150. ft. maximum width, running N.51°W. 300. ft., 10. ft. average depth. Value, \$5,000</p>
No. 1	<p>The discovery point of the LITTLE HILL #16 lode is on the lode line, 10. ft. from a point on line 4-1, 299.75 ft. from Cor. No. 4, a post and notice. Value, None</p>

Mineral Survey No. 4866

FEET		
No. 1	The discovery point of the Prospector #12 lode is on the lode line, 10. ft. from a point on line 4-1, 299.75 ft. from Cor. No. 4, a post and notice. Value, None	
No. 1	The discovery point of the Prospector #13 lode is on the lode line, 10. ft. from a point on line 1-2, 299.75 ft. from Cor. No. 1, a post and notice. Value, None	
No. 1	The discovery point of the Little Hill #1 lode is on the lode line, 40. ft. from a point on line 4-1, 299.75 ft. from Cor. No. 4, a post and notice. Value, None	
No. 1	The discovery point of the Little Hill #2 lode is on the lode line, 40. ft. from a point on line 1-2, 299.75 ft. from Cor. No. 1, a post and notice. Value, None	
No. 1	The discovery point of the Little Hill #3 lode is on the lode line, 40. ft. from a point on line 1-2, 299.75 ft. from Cor. No. 1, a post and notice. Value, None	
No. 1	The discovery point of the LITTLE HILL 4 lode is on the lode line, 40. ft. from a point on line 4-1, 299.75 ft. from Cor. No. 4, a post and notice. Value, None	
No. 1	The discovery point of the Prospector #14 lode is on the lode line, 10. ft. from a point on line 1-2, 299.75 ft. from Cor. No. 1, a post and notice. Value, None	
No. 1	The discovery point of the Moly #31 lode is on the lode line, 10. ft. from a point on line 4-1, 299.75 ft. from Cor. No. 4, a post and notice. Value, None	
No. 1	The discovery point of the Moly #32 lode is on the lode line, 10. ft. from a point on line 1-2, 299.75 ft. from Cor. No. 1, a post and notice. Value, None	
No. 1	The discovery point of the Moly #25 lode is on the lode line, 10. ft. from a point on line 1-2, 299.75 ft. from Cor. No. 1, a post and notice. Value, None	

Mineral Survey No. 4866

FEET		
No. 1	The discovery point of the Moly #26 lode is on the lode line, 10. ft. from a point on line 4-1, 299.75 ft. from Cor. No. 4, a post and notice. Value, None	
No. 1	The discovery point of the Moly #33 lode is on the lode line, 10. ft. from a point on line 4-1, 299.75 ft. from Cor. No. 4, a post and notice. Value, None	
No. 1	The discovery point of the Moly #34 lode is on the lode line, 10. ft. from a point on line 1-2, 299.75 ft. from Cor. No. 1, a post and notice. Value, None	
No. 1	The discovery point of the Moly #27 lode is on the lode line, 10. ft. from a point on line 1-2, 299.75 ft. from Cor. No. 1, a post and notice. Value, None	
No. 1	The discovery point of the Moly #28 lode is on the lode line, 10. ft. from a point on line 4-1, 299.75 ft. from Cor. No. 4, a post and notice. Value, None	
No. 1	The discovery point of the Moly #21 lode is on the lode line, 10. ft. from a point on line 4-1, 299.75 ft. from Cor. No. 4, a post and notice. Value, None	
No. 1	The discovery point of the Moly #22 lode is on the lode line, 10. ft. from a point on line 1-2, 299.75 ft. from Cor. No. 1, a post and notice. Value, None	
No. 1	The discovery point of the Moly #3 lode is on the lode line, 10. ft. from a point on line 1-2, 299.75 ft. from Cor. No. 1, a post and notice. Value, None	
No. 1	The discovery point of the Moly #4 lode is on the lode line, 10. ft. from a point on line 4-1, 299.75 ft. from Cor. No. 4, a post and notice. Value, None	
No. 1	The discovery point of the Moly #7 lode is on the lode line, 10. ft. from a point on line 1-2, 299.75 ft. from Cor. No. 1, a post and notice. Value, None	

Mineral Survey No. 4866

FEET		
No. 2	An excavated area, the southwestern point of which bears N.61°W., 210. ft. from Cor. No. 4 of the Moly #7 lode; 45. ft. average width, running N.10°W., 300. ft., 2 ft. average depth. Value, \$500	
No. 1	The discovery point of the Moly #8 lode is on the lode line, 10. ft. from a point on line 1-2, 299.75 ft. from Cor. No. 1, a post and notice. Value, None	
No. 1	The discovery point of the Moly #9 lode is on the lode line, 10. ft. from a point on line 4-1, 299.75 ft. from Cor. No. 4, a post and notice. Value, None	
No. 1	The discovery point of the Moly #35 lode is on the lode line, 10. ft. from a point on line 4-1, 299.75 ft. from Cor. No. 4, a post and notice. Value, None	
No. 1	The discovery point of the Moly #29 lode is on the lode line, 10. ft. from a point on line 1-2, 299.75 ft. from Cor. No. 1, a post and notice. Value, None	
No. 1	The discovery point of the Moly #23 lode is on the lode line, 10. ft. from a point on line 4-1, 299.75 ft. from Cor. No. 4, a post and notice. Value, None	
No. 1	The discovery point of the Moly #5 lode is on the lode line, 10. ft. from a point on line 1-2, 299.75 ft. from Cor. No. 1, a post and notice. Value, None	
No. 1	The discovery point of the Moly #10 lode is on the lode line, 10. ft. from a point on line 1-2, 299.75 ft. from Cor. No. 1, a post and notice. Value, None	
No. 1	The discovery point of the LITTLE HILL 18 lode is on the lode line, 10. ft. from a point on line 4-1, 299.75 ft. from Cor. No. 4, a post and notice. Value, None	

Mineral Survey No. 4866

FEE						
No. 2	<p>A pit, irregularly shaped, the northeastern most point of which bears N.46°W., 270. ft. from Cor. No. 3 of the LITTLE HILL 18 lode; 200. ft. wide, running northwesterly 400. ft., 15 ft. average depth. Value, \$ 20,000 - Amount apportioned to the LITTLE HILL 18 lode \$1,000</p> <p>An interest in a common improvement described as follows:</p> <p>An improved dirt road that provides access to the Prospector #s 1 & 2, Hope #s 3, 4, 7 & 8 and the LITTLE HILL #16 and LITTLE HILL 18 claims of this survey enters the Prospector #2 lode at a point that bears N.71°49'56"W., 675. ft. from Cor. No. 2 of the Prospector #2 lode; thence northeasterly 150. ft. at which point the road turns southeast 600. ft. entering Hope #8 lode at a point bearing N.21°16'05"E., 215. ft. from Cor. No. 4 of the Hope #8 lode; thence continuing southeasterly 750. ft. at which point a gradual turn to the right commences, ending at a fork 550. ft. the left leg of which continues southeasterly 300. ft. entering Hope #3 lode at a point N.21°16'05"E., 25. ft. from Cor. No. 3 of the Hope #8 lode; continuing 150. ft. then exiting Hope #3 lode at a point S.61°18'40"E., 149. ft. from Cor. No. 3 of the Hope #3 lode; the right leg continues southeasterly 270. ft. exiting Hope #8 lode at a point N.70°34'01"W., 60. ft. from Cor. No. 3 of the Hope #8 lode.</p> <table data-bbox="552 1270 1096 1339"> <tr> <td>Value of Road</td> <td>\$ 5,000</td> </tr> <tr> <td>Value of 1/8 interest</td> <td>\$ 625</td> </tr> </table> <p>This road is necessary for the development of the Prospector #s 1 & 2, Hope #s 3, 4, 7 & 8 and LITTLE HILL #16 and LITTLE HILL 18 lodes of this survey. It provides the only access to the silica deposits. This road provides the most practical and economical means of developing these lodes.</p> <p>Five hundred dollars or over has been expended in these improvements in such a manner as tends to the development of each lode of this survey subsequent to their location and to the time since which common ownership and contiguity have prevailed; therefore an undivided interest in their value, as described above, is hereby credited to each of said lodes.</p>	Value of Road	\$ 5,000	Value of 1/8 interest	\$ 625	
Value of Road	\$ 5,000					
Value of 1/8 interest	\$ 625					

Mineral Survey No. 4866

FF11

No portion of or interest in these improvements has been credited heretofore as patent expenditure to any lode claim.

An interest in a common improvement described as follows:

A paved road that provides access to Prospector #s 12-14, Little Hill #s 1 & 2 and Moly #s 31-35 claims, enters the Prospector #12 lode at a point that bears S.75°28'24"E., 910. ft. from Cor. No. 3 of said lode; thence continuing southeasterly 675. ft. entering the Prospector #13 lode at a point N.75°28'24"W., 200. ft. from Cor. No. 1 of said lode; continuing southeasterly 270. ft. entering Little Hill #2 lode at a point N.21°16'05"E., 400. ft. from Cor. No. 3 of said lode; thence curving to the left still on a southeasterly bearing 400. ft. then beginning a gradual curve to the right to a southwesterly bearing for 300. ft. entering Moly #31 lode at a point S.66°58'44"E., 560. ft. from Cor. No. 3 of said lode; thence continuing in a southwesterly direction for 660. ft. entering Moly #32 lode at a point S.66°58'44"E., 254. ft. from Cor. No. 4 of said lode; thence continuing southwesterly 635. ft. entering Prospector #14 lode at a point N.21°16'05"E., 306. ft. from Cor. No. 3 of said lode; thence continuing southwest 100. ft. to a fork the left leg of which bears southwesterly 260. ft. exiting the Prospector #14 lode at a point N.75°28'24"W., 90. ft. from Cor. No. 3 of said lode; the right leg of the fork bears southwesterly 300. ft. exiting the Prospector #14 lode at a point N.75°28'24"W., 160. ft. from Cor. No. 3 of said lode.

Value of Road	\$ 25,000
Amount apportioned to these claims:	12,500
Value of 1/10 interest	1,250

This road is necessary for the development of the Prospector #s 12-14, Little Hill #s 1 & 2 and Moly #s 31-35 lodes of this survey. It provides access for construction of secondary access roads to the silica deposits. This road provides the most practical and economical means of developing these lodes.

Five hundred dollars or over has been expended in these improvements in such a manner as tends to the development of each lode of this survey subsequent to

Mineral Survey No. 4866

FEET

their location and to the time since which common ownership and contiguity have prevailed; therefore an undivided interest in their value, as described above, is hereby credited to each of said lodes.

No portion of or interest in these improvements has been credited heretofore as patent expenditure to any lode claim.

An interest in a common improvement described as follows:

An improved dirt road that provides access to Little Hill #3, LITTLE HILL 4 and Moly #s 21-23, 25-29 lodes, enters the Little Hill #3 lode at a point that bears S.65°36'37"E., 550. ft. from Cor. No. 2 of said lode; thence continuing southwesterly 250. ft. turning southeasterly 700. ft. entering Little Hill 4 lode at a point N.65°36'37"W., 250. ft. from Cor. No. 2 of said lode; thence continuing southwesterly 30 ft. to a fork, the right leg of which bears southwesterly ending at 500. ft. and the left leg of which bears southwesterly then southeasterly and again southwesterly 650. ft. (approx.) entering Moly #25 lode at a point N.65°36'37"W., 400. ft. from Cor. No. 3 of said claim; thence continuing southeasterly, southwesterly, northwesterly and again southwesterly 1,400. ft. entering Moly #26 lode at a point S.65°36'37"E., 750. ft. from Cor. No. 1 of said claim; thence continuing southwesterly 300. ft. to a fork the left leg of which bears southeast forming a loop and enters Moly #27 lode 320. ft. from the fork and at a point S.65°36'37"E., 780. ft. from Cor. No. 2 of said lode; thence continuing around the loop southwesterly and northwesterly approximately 300. ft. entering Moly #26 lode at a point S.65°36'37"E., 635. ft. from Cor. No. 4 of said claim; thence continuing northeasterly 270. ft. joining the left leg of fork; the right leg of the fork situated in Moly #26 lode continues southwesterly 400. ft. entering Moly #27 lode at a point S.65°36'37"E., 330. ft. from Cor. No. 2 of said claim; thence continuing southwesterly 30. ft.

Value of Road	\$ 15,000
Value of 1/10 interest	\$ 1,500

Mineral Survey No. 4866

Form 9600-20
(September 1986)

FEET

This road is necessary for the development of the Little Hill #3, LITTLE HILL 4, and Moly #s 21-23, 25-29 lodes of this survey. It provides access to the silica deposits on these lodes. This road provides the most practical and economical means of developing these lodes.

Five hundred dollars or over has been expended in these improvements in such a manner as tends to the development of each lode of this survey subsequent to their location and to the time since which common ownership and contiguity have prevailed; therefore an undivided interest in their value, as described above, is hereby credited to each of said lodes.

No portion of or interest in these improvements has been credited heretofore as patent expenditure to any lode claim.

An interest in a common improvement described as follows:

An improved dirt road that provides access to Moly #s 3-5 & 7-10 lodes, enters the Moly #3 lode at a point that bears S.69°42'20"E., 1,395. ft. from Cor. No. 2 of said lode; thence southeasterly 115. ft. entering the Moly #8 lode at a point that bears S.21°16'05"W., 35. ft. from Cor. No. 2 of said claim; thence continuing southeasterly 250. ft. entering Moly #7 lode at a point that bears S.73°51'58"E., 230. ft. from Cor. No. 1 of said claim; thence east northeasterly 1,400. ft. exiting Moly #7 lode at a point S.21°16'05"W., 130. ft. from Cor. No. 3 of said claim; the same road re-enters Moly #7 lode at a point N.21°16'05"E., 215. ft. from Cor. No. 4 of said claim; thence southwesterly 330. ft. entering Moly #8 lode at a point N.73°51'58"W., 230. ft. from Cor. No. 3 of said claim; thence continuing southwesterly 850. ft. entering Moly #9 lode at a point S.73°51'58"E., 715. ft. from Cor. No. 1 of said claim; thence continuing southwesterly 450. ft. entering a pit; thence northwesterly 500. ft. entering Moly #4 lode at a point S.21°16'05"W., 450. ft. from Cor. No. 2 of said claim; thence southwesterly 280. ft. entering Moly #5 lode at a point N.69°42'20"W., 240. ft. from Cor. No. 3 of said claim; thence continuing southwesterly 150. ft. turning northwesterly 150. ft. entering Moly #4 lode at a point N.69°42'20"W., 505. ft. from Cor. No. 3 of said claim; thence northwesterly 220. ft. turning

Mineral Survey No. 4866

FEET

southwesterly 180. ft. entering Moly #5 lode at a point S.69°42'20"E., 609. ft. from Cor. No. 2 of said claim; thence southwesterly 200. ft. ending at a drill pad.

Value of Road	\$ 15,000
Value of 1/7 interest	\$ 2,143

This road is necessary for the development of the Moly #s 3-5 & 7-10 lodes of this survey. It provides access to the silica deposits on these lodes. This road provides the most practical and economical means of developing these lodes.

Five hundred dollars or over has been expended in these improvements in such a manner as tends to the development of each lode of this survey subsequent to their location and to the time since which common ownership and contiguity have prevailed; therefore an undivided interest in their value, as described above, is hereby credited to each of said lodes.

No portion of or interest in these improvements has been credited heretofore as patent expenditure to any lode claim.

An interest in a common improvement described as follows:

A pit, common to the Moly #s 25 and 26 lodes, trapezoidal in shape, the northwestern most point of which bears S.67°E., 600. ft. from Cor. No. 1 of the Moly #25 lode; 250. ft. wide, running southeasterly 300. ft., average depth 4-7 ft.

Value	\$ 12,000
Value of 1/2 interest	\$ 6,000

A pit, common to the Moly #s 8 and 9 lodes, roughly oval in shape, the northeastern most point of which bears N.84°W., 630. ft. from Cor. No. 3 of the Moly #8 lode; 150. ft. wide, running southwesterly 700. ft., average depth 8 ft.

Value	\$ 25,000
Value of 1/2 interest	\$ 12,500

Mineral Survey No. 4866

FEET

A pit, common to the Moly #s 9 and 10 lodes, irregularly shaped, the northeastern most point of which bears N.80°E., 540. ft. from Cor. No. 4 of the Moly #9 lode; approximately 230. ft. wide, running southwesterly 250. ft., average depth 5 ft.

Value	\$ 10,000
Value of 1/2 interest	\$ 5,000

A pit, common to the LITTLE HILL 4 & Moly #25 lodes, irregularly shaped, the northerly most point of which bears N.77°W., 275. ft. from Cor. No. 2 of the LITTLE HILL 4 lode; 250. ft. average width, running S.30°W. 100. ft., thence S.55°E. 400. ft., average depth 5 ft.

Value	\$ 5,000
Value of 1/2 interest	\$ 2,000

These pits are necessary for the development of the Moly #s 8-10, 25-26 and LITTLE HILL 4 & Moly #25 lodes of this survey. The smelter silica flux is mined from these pits. These pits provide the most practical and economical means of developing these lodes.

Five hundred dollars or over has been expended in these improvements in such a manner as tends to the development of each lode of this survey subsequent to their location and to the time since which common ownership and contiguity have prevailed; therefore an undivided interest in their value, as described above, is hereby credited to each of said lodes.

No portion of or interest in these improvements has been credited heretofore as patent expenditure to any lode claim.

OTHER IMPROVEMENTS

Power transmission lines that traverse the Prospector #s 1, 2, 12-14, Hope #s 7 & 8, Little Hill #s 1-3 and Moly #s 31-32 lodes.

Claimant unknown

Mineral Survey No. 4866

FFET

OTHER CORNER DESCRIPTIONS
and SUPPLEMENTAL DATA

M. S. No. 1547, Copper Hill lode: Cors. Nos. 1, 2 & 3 have been lost. No acceptable monuments were found to establish the points for these corners. Lines 1-2 and 2-3 are shown as approved.

M.S. No. 1547, Fraction lode: Cor. No. 1, identical with Cor. No. 1, Rattlesnake lode of the same survey has been lost. The point for the corner was calculated by the broken boundary method using Cor. No. 4 and the calculated point for Cor. No. 2. Cor. No. 2, identical with Cor. No. 1, Gold Hill lode of the same survey, was calculated by the broken boundary method using Cor. No. 2 and the calculated point for Cor. No. 4 of the Gold Hill lode of the same survey. Cor. No. 3 has been lost. The point for the corner was calculated by the broken boundary method using Cor. No. 4 and Cor. No. 2 of the Gold Hill lode of the same survey. Cor. No. 4, identical with Cor. No. 2, Rattlesnake lode of the same survey, is a mound of stones the center of which I accept as the point for the corner. Line 1-2 was found to be N.44°21'19"W., 319.78 ft. instead of N.44°53'W., 317.50 ft. as approved. Line 2-3, that part common with line 1-2 Gold Hill lode of the same survey, was found to be N.21°29'51"E., 599.79 ft., instead of N.21°15'E., 600.00 ft. as approved. From Cor. No. 2 of the Gold Hill lode to Cor. No. 3 was found to be N.21°29'45"E., 10.27 ft. instead of N.21°15'E., 10.40 ft. as approved. Line 3-4 was found to be S.43°12'56"E., 321.72 ft. instead of S.44°53'E., 317.50 ft. as approved. Line 4-1, common with line 1-2, Rattlesnake lode of the same survey, was found to be S.21°24'40"W., 603.46 ft. instead of S.21°15'W., 610.40 ft. as approved.

M.S. No. 1547, Gold Hill lode: Cor. No. 1, identical with Cor. No. 2, Fraction lode of the same survey has been lost. The point for the corner was calculated by the broken boundary method using Cor. No. 2 and the calculated point for Cor. No. 4. Cor. No. 2, is a mound of stones the center of which I accept as the point for the corner. Cor. No. 3, identical with Cor. No. 2, M.S. No. 3977 Virginia lode, is monumented with a 3/4 in. pipe with a brass cap, 18 ins. above ground, firmly set and properly marked. Cor. No. 4, identical with Cor. No. 1, M.S. No. 3977 Virginia lode has been lost. The point for

Mineral Survey No. 4866

Form 9600-20
(September 1986)

FEET	<p>the corner was calculated by the broken boundary method using Cor. No. 3 and the calculated point for Cor. No. 4 Virginia lode of the same survey. Line 1-2, in part common with line 2-3 Fraction lode of the same survey, described above. Line 2-3 was found to be N.65°37'16"W., 1,500.05 ft. instead of N.65°38'W., 1,500.00 ft. as approved. Line 3-4, common with line 1-2, M.S. No. 3977 Virginia lode was found to be S.22°06'52"W., 599.64 ft. instead of S.22°11'W., 600.00 ft. as approved. Line 4-1 was found to be S.65°37'35"E., 1,506.51 ft. instead of S.65°38'E., 1,500.00 ft. as approved.</p> <p>M.S. No. 1547, Rattlesnake lode: Cor. No. 1, identical with Cor. No. 1, Fraction lode of the same survey, described above. Cor. No. 2, identical with Cor. No. 4, Fraction lode of the same survey, described above. Cors. Nos. 3 & 4 have been lost. No acceptable monuments were found to establish the points for these corners. Line 1-2, common with line 3-4 Fraction lode of the same survey, described above. Line 2-3 and 3-4 are shown as approved.</p> <p>M.S. No. 3977, Francis lode: Cor. No. 1, identical with Cor. No. 1, Martha Belle lode of the same survey has been lost. The point for this corner was calculated by proportion using Cor. No. 4 of the Martha Belle of the same survey, and Cor. No. 4 Francis lode. Cor. No. 2, identical with Cor. No. 2 Martha Belle lode of the same survey has been lost. The point for this corner was established by the broken boundary method using Cor. No. 3 Martha Belle lode and the calculated point for Cor. No. 1 Francis lode. Cor. No. 3, identical with Cor. No. 4, Virginia lode of the same survey has been lost. The point for the corner was calculated by the broken boundary method using Cor. No. 4 and the calculated point for Cor. No. 2. Cor. No. 4, identical with Cor. No. 3, Virginia lode of the same survey, is monumented with a 3/4 in. pipe with a brass cap, 18 ins. above ground, firmly set and properly marked. Line 1-2, common with line 1-2, Martha Belle lode of the same survey, was found to be S.22°14'15"W., 600.22 ft. instead of S.22°11'W., 600.00 ft. as approved. Line 2-3 was found to be S.71°51'06"E., 1,500.38 ft. instead of S.71°51'E., 1,500.00 ft. as approved. Line 3-4, common with line 3-4 Virginia lode of the same survey, was found to be N.22°11'44"E., 600.03 ft. instead of N.22°11'E., 600 ft. as approved. Line 4-1 was found</p>
------	---

Mineral Survey No. 4866

FEET

to be $N.71^{\circ}50'44''W.$, 1,499.94 ft. instead of $N.71^{\circ}51'W.$, 1,500.00 ft. as approved.

M.S. No. 3977, Martha Belle lode: Cor. No. 1, identical with Cor. No. 1, Francis lode of the same survey, described above. Cor. No. 2, identical with Cor. No. 2, Francis lode of the same survey, described above. Cor. No. 3 is monumented with a $\frac{3}{4}$ in. pipe with a brass cap, 18 ins. above ground, firmly set and properly marked. Cor. No. 4 is monumented with a $\frac{3}{4}$ in. pipe with a brass cap, 18 ins. above ground, firmly set and properly marked. Line 1-2, common with line 1-2, Francis lode of the same survey, described above. Line 2-3 was found to be $N.71^{\circ}52'02''W.$, 1,501.44 ft. instead of $N.71^{\circ}51'W.$, 1,500.00 ft. as approved. Line 3-4 was found to be $N.22^{\circ}22'35''E.$, 600.90 ft. instead of $N.22^{\circ}11'E.$, 600.00 ft. as approved. Line 4-1 was found to be $S.71^{\circ}50'44''E.$, 1,499.94 ft. instead of $S.71^{\circ}51'E.$, 1,500.00 ft. as approved.

M.S. No. 3977, Virginia lode: Cor. No. 1, identical with Cor. No. 4, M.S. No. 1547 Gold Hill lode, described above. Cor. No. 2, identical with Cor. No. 3, M.S. No. 1547 Gold Hill lode, described above. Cor. No. 3, identical with Cor. No. 4, Francis lode of the same survey, described above. Cor. No. 4, identical with Cor. No. 3, Francis lode of the same survey, described above. Line 1-2, common with line 3-4, M.S. No. 1547 Gold Hill lode, described above. Line 2-3 was found to be $N.71^{\circ}48'28''W.$, 1,466.89 ft. instead of $N.71^{\circ}51'W.$, 1,469.60 ft. as approved. Line 3-4, common with line 3-4 Francis lode of the same survey, described above. Line 4-1 was found to be $S.71^{\circ}49'13''E.$, 1,467.78 ft. instead of $S.71^{\circ}51'E.$, 1,469.60 ft. as approved.

The cor. of secs. 4, 5, 32 & 33, Tps. 9 & 10 S., R.15 E. is a granite stone, 7 x 9 ins. in size, 6 ins. above ground, firmly set, properly marked and witnessed as described in the official record.

The cor. of secs. 4, 5, 8 & 9, described above.

The cor. of secs. 5, 6, 7 & 8, described above.

Mineral Survey No. 4866

Form 9600-20
(September 1986)

	FEET	<p>The 1/4 sec. cor. of secs. 4 & 5 has been lost. The point for this corner was calculated by proportion between the cor. of secs. 4, 5, 32 & 33 and 4, 5, 8 & 9.</p> <p>The 1/4 sec. cor. of secs. 5 & 6 is a stone, 8 x 12 ins. in size, 14 ins. above ground, firmly set, marked 1/4.</p> <p>The line between the point for the 1/4 sec. cor. of secs. 4 & 5 and the cor. of secs. 4, 5, 8 & 9 was found to be N.0°04'14"W., 2,635.44 instead of S.0°02'E., 2,640.00 ft. as approved.</p> <p>The line between the cor. of secs. 5, 6, 7 & 8 and the 1/4 sec. cor. of secs. 5 & 6 was found to be N.0°05'15"E., 2,638.07 ft. instead of S.0°03'E., 2,640.00 ft. as approved.</p> <p>The line between the cor. of secs. 4, 5, 8 & 9 and 5, 6, 7 & 8 was found to be N.89°57'31"W., 5,281.41 ft. instead of East, 5,272.08 ft. as approved.</p> <p>The line between the 1/4 sec. cor. of secs. 5 & 6 and the point for the 1/4 sec. cor. of secs. 4 & 5 was found to be S.89°55'48"E.</p> <p>The line between secs. 4 & 9 is shown as approved.</p>
		MEMORANDUM
		None
		FIELD ASSISTANTS
	Name	Capacity
	Kent Miller	Assistant Instrumentman
	Wayne Smith	Rodman-Chainman

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

CERTIFICATE OF SURVEYOR

Name of Mineral Surveyor	Date
Harvey W. Smith	November 8, 1988


I HEREBY CERTIFY That in pursuance of an order received from the Arizona State Office, Bureau of Land Management, at Phoenix, Arizona, dated May 4, 1987 and amended January 8, 1988 and April 14, 1988, I have carefully executed the survey of the claim of Dave Mc Gee and Paul Helmick, known as the Little Hill #'s 1-4, 16 and 18, Hope #'s 3, 4, 7 and 8, Moly #'s 3-5, 7-10, 21-23, 25-29 and 31-35, and Prospector #'s 1, 2, and 12-14 lodes, situated in surveyed sections 4-9, 16 and 17, Township 10 South, Range 15 East, Gila and Salt River Meridian, in the State of Arizona.

This survey, designated as number 4866, has been executed by me and under my direction and has been made in strict conformity with said order, the Manual of Instructions for the Survey of Public Lands of the United States, and in specific manner described in the foregoing field notes.

I FURTHER CERTIFY That the labor expended and improvements made upon and for the benefit of the Little Hill #'s 1-4, 16 and 18, Hope #'s 3, 4, 7 and 8, Moly #,s 3-5, 7-10, 21-23, 25-29 and 31-35 and Prospector #'s 1, 2, and 12-14. lodes locations embraced in the said mining claim by claimant(s) or its grantors are fully stated in my report. The character, extent, location, and itemized value are specified in full detail. No portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Scottsdale, Arizona

(Location)



(Signature of Mineral Surveyor)

Title 18, U.S.C. section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious, or fraudulent statements or representations as to any matter within its jurisdiction.

CERTIFICATE OF APPROVAL

Arizona State Office
Phoenix, Arizona
January 19, 1989

The foregoing field notes of mineral survey number 4866, in surveyed sections 4-9, 16 and 17, Township 10 South, Range 15 East, Gila and Salt River Meridian, in the State of Arizona, executed by Harvey W. Smith, Mineral Surveyor, under order dated May 4, 1987 and amended January 8, 1988 and April 14, 1988, having been critically examined and the necessary corrections made prior to their certification by the surveyor, the field notes and the survey therein described are hereby approved.



(Authorized Signature)

Chief Cadastral Surveyor of Arizona

(Title)

CERTIFICATE OF TRANSCRIPT

I HEREBY CERTIFY That the foregoing transcript of field notes of the above-described mineral survey number 4866 is a true copy of the original field notes.

(Authorized Signature)

Chief Cadastral Surveyor of Arizona

(Title)