

1

1

FIELD NOTES
OF THE SURVEY OF
SUBDIVISIONS

Tp. 1 N., Rs. 1 W & 1 E., Tp.
2 N., Rs. 1, 2, 3, 4, 5, & 6 E.,
& 1 W., Tp. 3 N., Rs. 1 & 2 E.

Gila and Salt River Meridian
ARIZONA.

By Geo p. Ingalls, D. S.
Contract dated Feby. 29, 1868.

Field Notes of the Survey of the
Subdivision lines of

Township 2 N Range 2 E

of the Gila and Salt River
Meridian in the Territory
of Arizona by Geo P. Ingalls
Deputy Surveyor under his
Contract bearing date
the 29th day of February
A D 1868

Copied for Washington P. D.
Eben C. Harley

Commenced April 6, 1868

Completed April 14, 1868

To 2 N Range 2 E

Great Salt River Meridian

Obs. From the center to sec 1, 2, 35-
36 on first boundary of
Township 2 run

with bet. sec 33 36
or a 10045' E as per
East Boundary

17100 Weckenburg and Fort McDowell
Road bears N 107° 2 E

4100 Set apart for 4 sec
with mound and pits
as per instructions

8000 Set apart for center sec 25, 26,
35 36 with mound and pits
as per instructions
Land level. Fort Pt. rate
Shorewood and mesquite

To 2nd Range 2nd E

Line Salt River Meridian

Chs East as a meridian line
bet recs 25736

ra 13° 57' E as per
South Boundary

4000 Per temporary 1/4 sec post

79.84 Intersect East Body of To 19015
South of our to recs 25736.3 0731
from which cut down

A 89° 52' 20" meridian line
bet recs 25736

ra 13° 57' E

39.92 Per report for 1/4 sec corner
with mound and pits
as per instructions

79.84 The cor to recs 25, 26, 30 736
Land line. 1/4 sec rate

To 2nd Range 2nd Es

Gila & Salt River Meridian

Obs. Greasewood, mesquite
and sage brush

North between 25 & 26
ra 13040' E

4000 Set apart for 1/4 acre cor
with mound and pits
as per instructions

8000 Set apart for cor to nos 25 & 26
23 & 24 with mound and pits
as per instructions
Level level
Incl Pt. out
Greasewood, mesquite and
sage brush

CP 2 N Range 2 E

Set Salt River Meridian

Obs East man made line
bet sec 24 & 25
ra 13057 E

4000 Set a post near 1/4 sec post

79.68 Returned East Boundary of
Township 23 Ns front
of cor to sec 24, 25, 19 130
From which cor I run

289°30' W. natural line
bet sec 24 & 25 E
ra 13057 E

39.84 Set a post for 1/4 sec cor
with mound and pits
as per instructions

79.68 The cor to sec 23, 24, 25 & 26
Land level

Date No. 1

Sp 2nd Range 2 E

Gila Salt River Meridian

Obs soil pt 2nd range
Greasewood and mesquiteNorth bet sec 23 & 24
ra 13043 E4000 Scraped for 4 sec cor
with mound and pits
as per instructions800 Scraped for cor to sec 13, 14,
23 & 24 with mound and
pits as per instructions
Land level
Soil pt rate
Scattering mesquite and
sage brush

To 2nd Range & Co
Gila Salt River Meridian

As East on station line bet
secs 24 & 2
Ta 13057 E

10.00 To units of an ancient ditch
2000 ft wide course SW

4.00 Set temporary 1/4 sec post

79.48 Intended East Boundary of
Township 3000 ft south of
cor to sec 13 1st 1872
from which cor I run

89.47 "Went along line
bet secs 13 & 14
Ta 13057 E

39.74 Set a post for 1/4 sec cor
with numerous pits as
per instructions

To 2nd Range N E

Great Salt River Meridian

79148 The carto sec 13, 14, 12, 3, 7, 4
Land level
One Pt rate
Shorewood and mesquite

North bet sec 13, 7, 14
7, 13, 2, 4, 3, 8

1100 To ruins of an ancient ditch
2000 wide cross west

4400 Set apart for 4 sec
with mound and pits
as per instructions

57, 50 A Road bears NW + SE

8000 Set apart for carto sec 11, 12, 13, 7, 4
with mound and pits as per
instructions

To 2 N Range 2 E

Great Salt River Meridian

Obs. Sand level
frit Pt 2 at rates
Greewood and mesquite

East meridian line
bet sec 12 + 13
7a 130 57 E

4000 ft temporary 1/4 sec post

79.70 Intersect East Boundary of
Township 21 N Route of
cut to sec 12, 13, 4 + 18
From which a line

N 89° 54' W natural line
bet sec 12 + 13
7a 130 57' E

Bd. No. 1 134 BOOK 1
B 2ⁿ Range 2 E

Gila & Salt River Meridians

39.85 Set apart for 4th section
with mound and pits
as per instructions

79.70 The cor to sec 11, 12, 13 & 14
Land level
for 1st & 2nd rates
Greenwood and mesquite
April 6, 1868

North base of 11 & 12
Ta 130 43' E

40.00 Set apart for 4th section with
mound and pits as per
instructions

80.00 Set apart for arts sec 1, 2, 11,
12 with mound and pits as
per instructions

Sp 2 N Range 2 E

Yuta Salt River Meridian

Obs Land level
 cont 1st 2nd rates
 Sycamore and mesquite

Cont an random line
 between 1st 2nd
 Ra 13° 57' E

400 ft temporary 1/4 sec from

79.78 Intersect East Boundary of
 Township 12 N Range 2 E
 cont sec 1. 12. 6 & 7
 from center of ground

N 89° 55' W natural line
 between 1st 2nd
 Ra 13° 57' E

39.89
 No 2 N Range 2 E

Gila Salt River Mer.

39.89 Peraport for 94 acres
 with mound and pits as
 per instructions

79.78 The cor to sec 1, 2, 11 & 12
 Said land
 200 ft rate
 Sycamore and mesquite

with a random line
 bet sec 1 & 2
 at $130^{\circ} 43' E$

4000 Set temporary 1/4 sec pt

80.12 Delused North Boundary
 of Township 23 R's East of
 cor to sec 1, 2, 3 & 36
 from which cor down

To 2 N Range 2 E

Gita Salt River Meridian

Chs 200° 10' E on a true line
bet secs 1 & 2
Ta 130° 45' E

40012 Set apart for 1/4 sec cor
with mound and pits
as per instructions

50.12 The cor to secs 1, 2, 3 & 4
Sand level
Soil Pt 1 2nd rates
Greenwood and mesquite

Write bet secs 3 & 4
Ta 130° 43' E

40000 Set apart for 1/4 sec cor
with mound and pits
as per instructions

Op 2 N Range 2 E

Grat Salt River Meridian

6415 The Road from Wickenburg to Fort
Meadwell bears N 10° 15' E

8700 Acre part from cr to sec 26, 27,
34 & 35 with mound and
pits as per instructions
of and level
Incl strata
Mesquite and sage brush

East on railroad line
bet sec 26 & 35
70° 13' 57" E

4000 Per temporary 1/4 sec cr

8726 Intersect N + Shive 16 Ns S
of cr to sec 25, 26, 35 & 36
from which corner

16 139 Dr No 1
Tp 2 N Range 2 E

BOOK 1

Gila Salt River Meridian

Cbs 289033⁴W orature line
bet secs 26 183-
ra 13° 57' E

40.13 Seraport fir 14 accor
with mound and pits
as per instructions

80.26 The cur to sec 26. 27. 34 185-
Land level
Soil Pr rate
mesquite & sage brush

with bet secs 26 182 1/2
ra 13° 245' E

40.20 Seraport fir 14 accor
with mound and pits
as per instructions

Blk No. 1
Twp 2 N Range 2 E

Gettysburg River Meridian

8100 Deposition from cor to sec 22, 23
26 & 27 with mound & pits
as per instructions
Sand level
Inl Prate
Greenwood, mesquite
and sage brush

East or random line
bet sec 25 & 26
ca 1857 E

8200 Temporary 1/4 sec cor

8030 Submerged 5/8 line 19 E to S
of cor to sec 23, 24, 25 & 26
From objects cor run
#8952 2 1/2 mature line
bet sec 23 & 26
ca 1857 E

18

141

Box No. 1

BOOK I

Op 2 N Range 2 E

Gila Salt River Meridian

4015 Set apart for 1/4 sec cor
with mound and pits
as per instructions

50, 30 The cor to recs 22, 23, 26 m9
Leand leand
Inl Pralts
Mesquite and greasewood
April 7, 1888

North bet recs 22 & 23
ra 130 43 - 18

4020 Set apart for 1/4 sec cor
with mound and pits
as per instructions

500 Set apart for cor to recs 14, 15,
22 & 23 with mound and
pits as per instructions

Sp 2 N Range 2 &

Area Salt River Meridian

cls Sandhead
Dir Pr rate
Granwood Mesquite

East Navarodon line
bet secs 14 & 23
Ta 13° 57' E

40.00 Per apron for 1/4 sec post

80.50 Interest N + line 21 lks S
of cor to secs 13, 14, 23 & 24
from which cor & run

289087 W arature line
bet secs 14 & 23
Ta 13° 57' E

40.25 Per apron for 1/4 sec cor
with around and pits
as per instructions

Op 2 N Range 2 E

Data Salt River Meridian

8750 The cur to sec 14, 13 22 23
 Land level
 Soil Pt rate
 Greasewood & mesquite

North bet sec 14 & 15
 Tn 13 22 23 E

4000 Dev apt for 44 sec cur
 with mound and pits
 as per instructions

8220 Dev apt for cur to sec 10, 11,
 14 & 15 with mound & pits
 as per instructions
 Land level
 Soil Pt rate
 Greasewood & mesquite

33rd No 1
Cp 2nd Range 2^o

Gda Salt River Meridian

Chs Eastward line
per sec 11 74
ru 13° 57' E

34.60 A Road bears N 75° E

40.00 Permutation 1/4 sec pt

80.40 Sulewed N 75 line 14 N 5
per to sec 11, 12, 13 74
From which are run

2890374 45 on true line
per sec 11 74
ru 13° 57' E

40.20 @k apt for 94 sec
with armed and pits
as per instructions

To 2 R R 2 E

Dr. no. 1

Gala Salt River Meridian

8740 The cor to sec 10, 11, 14 & 15
 Land level
 Soil Pt rate
 Greasewood & mesquite

North bet sec 10 & 11
 Ta $13^{\circ} 45' E$

28.00 A Road bears NW & E

4000 Set apart for 14 sec cor
 with mound and pits
 as per instructions

8700 Set apart for cor to sec 2, 3,
 10 & 11 with mound and
 pits as per instructions
 Land level, Soil Pt rate
 Greasewood & mesquite

Op 2 N Range & E

Gila Salt River Meridian

Ob₇ E on a random line
bet sec 2 & 11
Ta 13057 E

4000 bet top & way 1/4 sec post

80.22 Dubbed N & S line 2 Blks
N of cor to sec 1, 2, 11 & 12
From which cor I run

N 89° 00' 45" on a true line
bet sec 2 & 11
Ta 13057 E

40.11 Set apart from ~~sec 2~~ 1/4
sec cor with rounded end
bits as per instructions

80.22 The cor to sec 2, 3, 10 & 11
Lead level - sub 1/4 sec & notes

To 2 N Range & E

Gets Salt River Meridian

Ch. Greasewood mesquite
and Sage brush

North on a random line
bet sec 2 & 3
7a 130 43' E

4000 Set temporary 1/4 section

79.83 - Interset North Boundary
of Township 26 E. W. West
of cor to sec 2, 3, 34 & 35
Framwork cor I run

100° 11' W natural line
bet sec 2 & 3
7a 130 45' E

39.83 Terapont for 1/4 section

Op 2ⁿ Range 2^d E

Meta & Salt River Meridian

Obs with sun and pits
as per instructions

79.83 The car to recs 2, 3, 10 & 11
Land level
Int 2nd rate
Grease wood and sage brush
mesquite and palo verde
April 8, 1868

North bet recs 3 & 4
ra 13° 45' E

4000 Serapmt for car to recs
with sun and pits
as per instructions

8000 Serapmt for car to recs 27, 28.
33 & 4 with sun and pits as
per instructions

149

2 N Range 2 E

Gila Salt River Medicine

On Sand level
Fort Lupton

Measure and measure

East on railroad line
see rec 27 134

N 130 57 E

4000 West on railroad line

49.50 Wickenburg Fort McDowell Road
see rec 27 134 E80.10 Intersect N 1/2 line at cor
to rec 26.27.34 130From which and run
west on line see
rec 27 134

N 130 57 E

Blk No 1
 Tp 2 N Range 2 E 150

Gila Salt-River Meridian

40.03 Set apart for 1/4 sec cor
 with mound and pits
 as per instructions

50.10 The cor to sec 27, 28, 33, 34
 Sand level
 Soil Profile
 Greasewood and mesquite

Mts bet sec 27 & 28
 ca 130 45' E

29.70 Road from Uddenberg to Flat
 meadow bears NW 1/2 E

40.00 Set apart for 1/4 sec cor
 with mound and pits
 as per instructions

50.00 Set apart for cor to sec 21, 22

27 22 22 22 E
 Rita Salt River Meridian

Ch 27 028 with rounded spits
 as per instructions
 Land level
 Soil pt 1 & 200 poles
 Mosquito swarms & sage
 brush

East on random line
 bet sec 22 & 27
 T_a 130° 57' E

4000 Alt temporary 1/4 sec cor

8216 Intersect N + S line 21/10 S
 of cor to sec 22, 23, 26 & 27
 From which cor & run

S 89° 51' 40" on natural line
 bet sec 22 & 27
 T_a 130° 57' E

3000 Bldg No 1
Sp 2 W Range 2 E

Green Salt-River Meridian

40.08 Set a post for 4 corners
with mound and pits
as per instructions

80.16 The cor to regd 21, 22, 27 & 28
Land level
Incl Pt 2nd sales
Guaranteed Sage brush

North bet sec 21 & 22
2 1/2 to 45' E

40.00 Set a post for 4 corners
with mound and pits
as per instructions

80.00 Set a post for corners sec 16, 17
& 22 with mound and
pits as per instructions
Land level

158

Blk No 1

Sp 2 N Range E

Get Salt River Meridian

Obs Snd 1st & 2nd rates
Grease wood & sage brush

East on a random line
bet sec 15 & 22

7a 13° 57' E

4420 Set temporary 7/4 sec cor

79.96 Intersect N & S line 22 N 20
of art to sec 14, 15, 22 & 23
from which a line

N 84° 51' W on true line
bet sec 15 & 22

7a 18° 57' E

89.98 Set apart for 7/4 sec cor
with rounded pits
as per instructions

Blk No. 1
 Op 2 N Range 2 E
 Gila Salt River Meridian

79.96 One cur to sec 15, 16, 21 & 22
 Land level
 Ont pt 2nd rate
 Greasewood Mesquite

With her sec 15 & 16
 va 13 & 13 E

4000 Set apart for 1/4 sec cur
 with mounded and pits
 as per instructions

8000 Set apart for cur to sec 9, 10,
 15, 16 with mounded and
 pits as per instructions
 Land level
 Ont pt 2nd rate
 Greasewood Mesquite

135

De no 1
 To 2 N Range 2 E
 Galt River Meridian

On East on random line
 bet sec 10 & 15
 Ra 13057 E

4000 Set temporary 4 sec cor

99.84 Intersect N + S line 201 K S
 cor to sec 10, 11, 14 & 15
 from which cor I am

89031' W on same line
 bet sec 10 & 15
 Ra 13057 E

39.92 Set apart for 4 sec cor
 with mound & pits as
 per instructions

79.84 The cor to sec 9, 10, 15 & 16
 Land level
 On pt 1 & 2 of rails

332 no. 1
 72 N Range 2 E 156

Gila Salt River Meridian

Chs Greasewood & mesquite
 April 9, 1888

North bet sec 9 & 10
 ra 130 45' E

400 Deraport fir 1/4 accor
 with mound and pits
 as per instructions

500 Deraport fir cor to sec
 3, 4, 9 & 10 with mound & pits
 as per instructions
 Sand level
 foil pt & 2nd calcs
 Greasewood & mesquite

East near mound line bet
 sec. 3 & 10
 ra 130 57' E

157 2 Range 2 E

Get Salt River Meridian

10.48 A Road bears NW 80 E

400 feet temporary 1/4 sec post

79.82 Set out N 1/4 line 2800 S
of cor to recs 2, 3, 10, 11
From which cor run

89048' W on same line
bet recs 3 & 10
at 30 87 E

39.91 Set apart for 1/4 sec cor
with mound and pits
as per instructions

79.82 The cor to recs 3, 4, 9 & 10
Land level
for 2 W 13 W rates
Greenwood & also verde Creek

634 No. 1

Op 2 N Range 2

Gata & Salt River Meridian

Obs into a random line
 per sec 3 & 4
 ra 13045' E

7.70 A Road bears NW & SE

4000 Set temporary 1/4 corner

80.24 Intersect North Boundary
 of Township 28 N & west of
 cor to sec 3, 4, 8 & 12
 from which corner

1000 10' W orature line
 bet sec 3 & 4
 ra 13043' E

4024 Set apart for 1/4 sec cor
 with ground and pits
 as per instructions

332 No. 1

76 2 N Range 2 E
159

Delta of Salt River Meridian

80.24 The cor to sec 8, 4 13 3 13 4
Land level
Incl 2w 13w rates
Greasewood and palo verde

Wm. Lee sec 22 13 2
7a 13 4 3 E

40.00 Set apart for 74 sec cor
with mound and pits
as per instructions

80.00 Set apart for cor to sec 28.29,
30 13 3 with mound and
pits as per instructions
Land level
Incl 1st rate
Greasewood & mesquite

Bluffs Range Co 160

Gila Salt River Meander
 chs East meander line
 bet sec 28 & 33
 T₁₃ 57' E

400 Retamp ramp 1/4 sec pt

79.84 Intersect N + line 16 chs N
 of cor to sec 27, 28, 33 & 34
 from which cor down

N 89° 53' W on true
 line bet sec ~~28 & 33~~ 28 & 33
 T₁₃ 57' E

39.92 Retamp for 1/4 sec cor
 with mound & pits as per
 instructions

79.84 The cor to sec 28, 29, 32 & 33
 sand level set pt rate
 Greasewood & mesquite

161

33 1/2
Top 2 N Range 2 E

Delta of Salt River Meridian

Cor North bet sec 28 & 29
T 13 N R 2 E

4000 Set apart for 4 sec cor
with mound and pits
as per instructions

741 N Road from Weckburg to Fort
McDowell bear NW 1/4 E

8000 Set apart for cor to sec 20, 26
& 29 with mound and
pits as per instructions
Land level
Oril pt 1 & 2nd rules
Guarwood & mesquite

East near Indian line
bet sec 21 & 28
T 13 N R 2 E

Op 2 N Camp 2 E

Gela Salt River Meridian

40.70 Set temporary 1/4 sec post

79.70 Intersect N Line 230 R W
of corners 21 22, 27 28
From which cor I run

289°30' W on true line
bet cor 21 + 28
201°30' 57 E

39.83 Set apart fir 1/4 sec cor
with mound and pits
as per instructions

79.70 The cor to sec 20, 21, 28 & 29
Land level
In Pt rate
Greewood & Mesquite
April 18. 1888

Top 2 N Range 2 E

Ida Salt River Meridian
 chs North bet sec 20 & 21
 7a 13° 45' E

Set apart for 1/4 sec cor
 with mound and pits
 as per instructions

Set apart for cor to sec 16, 17,
 20 & 21 with mound and
 pits as per instructions
 Land level
 Soil pt note
 Greasewood, mesquite
 and sage brush

East as random line
 bet sec 16 & 21
 7a 13° 57' E

Set temporary 1/4 sec port

Bk no. 1

Op 2 N Range 2 E

Gila Salt River Indian

79.58 Intersect N + S line 19 lks S
of cor to sec 16, 18, 21 + 22
From which cor drawn

89032' 40" natural line
bet sec 16 + 21
ra 13057 E

39.75 Cor apart for 1/4 sec cor
with mound and pits
as per instructions

79.58 The cor to sec 16, 17, 20 + 21
Land level
Drill Pt + 2nd rates
Greasewood and mesquite

North bet sec 16 + 14
ra 13043 E

To 2 N Range 2 E

165

Site Galt River Meridian

4000 Set apart for 4 sec cor with mound and pits as per instructions

8000 Set apart for cor to recs 8, 9, 16 + 17 with mound and pits as per instructions
Land level
Int Pt note
Greenwood + sagebrush

East as a random line
bet recs 9 + 16
74 13057 E

4000 Set temp runy 74 sec post

74.68 Delusect N + 8 line 14 N to 76 of cor to recs 9, 10, 15 + 16 From which cor run

77 2 1/2 Range 2 E

Gila Salt-River Meridian

Obs 289 374 W. mature pine
bet sec 9 & 16
7a 13057 E

39.84 Set apart for 74 sec cor
with mound and pits
as per instructions

79.68 The cor to sec 8, 9, 16 & 17
Land level
but 1st 2nd notes
Guano on page book

note bet sec 8 & 9
7a 13045 E

420 Set apart for 74 sec cor
with mound and pits
as per instructions

Bldg No. 1

Top 2 N Range 2 E

Gila Salt Lake Meridian

8200 Crapnot fir cut to sec 4 & 5.
 St 9 with mound and
 pits as per instructions
 Land level
 Soil Pt 12000000
 Greenwood & Sage brush

East on random line
 bet sec 4 & 9
 Ta 13057 E

4000 Cr temporary 1/4 sec cor

7990 Intersect N 8 line 26000
 N 1/4 of cor to sec 3, 4, 9 & 10
 From which cor 2000

N 89° 49' W on true line
 bet sec 4 & 9
 Ta 13057 E

Blk No. 1
Twp 2 N Range 2 E

Gila Salt River Meridian

79.95 Peraport fr 1/4 sec cor
with mound and pits
as per instructions

79.90 Then to sec 4, 5, 8 & 9
Land level
fri Pt rate
Measure with sage brush

North on random line
bet sec 4 & 5
2 1/2 1/2 7 3/4 E

4 1/2 1/2 Peraport fr 1/4 sec cor

70.50 A Road bears N 1/2 S E

79.70 Intersect North Boundary
of Township 28 lbs East
of cor to sec 4, 5, 8 & 9
From which cor run

Op 2 N Rang 2 E

169

Gila Salt River Meridian

Obs 100° 12' E on true line
bet sec 4 & 5
7 at 130 40' E

39.40 Set apart for 4 Accor
with mound and pits
as per instructions

79.70 The cor to sec 4, 5, 8 & 9.
Land level
first 1st 2nd & 3rd
Quercus & Mesquite
April 11, 1888

North bet sec 8 & 9
7 at 130 43' E

40.00 Set apart for 4 Accor
with mound and pits
as per instructions

BOOK 570
Op 2 N Range 2

Gela & Salt River Meindian

8000 Set a post for cor to sec 29, 30,
31 & 32 with mound and pits
as per instructions
Land level
Inl Pt rate
Greewood & Sage brush

East on random line
bet sec 29 & 32
7a 13° 37' E

4000 Set temporary 1/4 sec post

8000 Intersect N & S line at cor to
sec 28, 29, 32 & 33
From which cor to run

West on true line bet sec
29 & 32
7a 13° 57' E

48

BOOK 1

Blk no. 1
Twp 2 N Range 2 E

171

Get Salt River Meridian

40.09 Per apt for 1/4 sec cor
with mound and pits
as per instructions8/18 The cor to secs 29, 30 & 31 T32
Land level
Soil 1st & 2nd rates
Scattering mesquite, grass-
weed & sage brushWest on a random line
between secs 30 & 31
T32 R13057 E

4 on Set temporary 1/4 sec cor

77.65 Intersect West Boundary of
Township 16 N R. north of
cor to secs 25, 36, 30 T31
From which cor & run

Op 2 N Range 2 E

172

Gila Salt-River Meridian

Chs 289053' E on true line
bet sec 20 & 31
Ta 13057 E

37.65 Set apart for 94 accor-
with mound and pits
as per instructions

77.65 Then to sec 29, 30, 31 & 32
Land level
Soil pr rule
Mesquite and Sage brush

North bet sec 29 & 30
Ta 13045 E

40.00 Set apart for 94 accor-
with mound and pits
as per instructions

Blk No 1
T^p 2 N Range 2 E

Gila Salt River Meridian

8000 Let apart for cor to recs 19, 20
29 + 30 with mound and
pits as per instructions
Land level
One pt + 2nd roots
Guarwood and sagebrush

East on a road on line
between 20 + 29
7 + 13 + 57 E

4000 Let temporary 4 rec cor

7280 Road from Weckerling to that
in Dowell bears NW 7 + 8

7988 Intersect N + Shui 30 LKs
E of cor to recs 20 + 21, 28 + 29
From which cor down

532 no. 1

To 2nd Range 2 E

Uta & Salt River Meridian

Obs 189247' W on a true line
between 20 + 29
72 13° 57' E

39.94 ~~at~~ apart from 1/4 sec cor
with mound and pits as
per instructions

79.88 The cor to sec 19, 20, 29 130
Land level
Int Pt rate
Greenwood & ago bush

Uta on a random line
between 19 130
72 13° 57' E

4000 set temporary 1/4 sec post

52

SB No. 1

175

Sp 2 N Range 2 E

Gila Golt River Meridian

77.45 Intersect West Boundary of
Township 21 N North of cor
to sec 24, 25, 19 T30
From which cor run

N 89° 57' E mature line
bet sec 19 T30
Ta 13° 57' E

37.45 Set apart for 1/4 sec cor
with mound and pits
as per instructions

77.45 The cor to sec 19, 20, 29 T30
Land line
Dnt Pt 2nd cuts
Greensward + mesquite

North bet sec 19 T20
Ta 13° 45' E

Op 2 N Range E 176

Line & Salt River Meridian

- 41.00 Set apart for 1/4 sec cor with mound and pits as per instructions
- 40.50 Weckenburg & Fort McDowell Road bears NW & SE
- 80.00 Set apart for cor to sec 17, 18 19 & 20 with mound & pits as per instructions
 Sound level
 Int Pt calcs
 Scattering gear around

East on a random line bet
 sec 17 & 20
 Sta 13057 E

44.00 Set temporary 1/4 sec post

177

The 2nd Range E

Glad Salt-River Meanders

74.84 Entered N + S line 23rd 1866
 5 of acres 16, 17, 20 + 21
 from which cor I am

1890 50' W on same line
 between 17 + 20
 20' 13' 57" E

39.92 Set apart for 44 ac cor
 with mound and pits
 as per instructions

79.84 The cor to pces 17, 18, 19 + 20
 Land level
 Soil 1st + 2nd rules
 Scattering grass on ground
 April 13, 1868

West was random line bet

Blk No 1
Sp 2nd Range 2nd E

BOOK 1
178

At Salt River Mer.

dis Sec 18 & 19
Ta 13° 57' E

46.25 Set temporary 1/4 sec post

69.75 Road from Weckenburg to Fort
McDowell bears N 10° E

77.25 Intersect West Boundary
of Township 19 S R 20 W
of cor to sec 18 & 19
From which cor run

N 89° 52' E natural line
bet sec 18 & 19
Ta 13° 57' E

37.25 Set a post for 1/4 sec cor
with mound & pits
as per instructions

56

Block No 1

179

2 Range 2 E

Gila Salt River Meridian

77.25 There to rec 17, 18, 19 & 20
Land level
Inl pt 12w rates
Greasewood

North bet sec 14 & 18
ra 13 & 20 E

4000 Set apart for 14 sec cor
with mound and pits
as per instructions

8000 Set apart for cor to rec 7, 8,
14 & 18 with mound and pits
as per instructions
Land level
Inl pt rate
Greasewood

Op 2 N Range 2 E ^{Blk no 1} BOOK 180

Gulf Salt River Meander

Chs Eastward from line
bet secs 8 & 7
T₁₃ 057 E

4000 Detraport for temporary 4 sec cor

79.96 Lulusection + line 3300 S
of cor to secs 8, 9, 16 & 7
From which cor & run

S 8904 5' W on true line
bet secs 8 & 7
T₁₃ 057 E

39.98 Detraport for 4 sec cor
with mound and pits
as per instructions

79.96 The cor to secs 7, 8, 17 & 18
Lead level - for 1st 2nd & 3rd
Greenwood

08
181

33rd no 1

Op 2 N Range 2 E

Old Salt River Meridian

Ch West meridian line
bet sec 7 & 8
7a 130° 57' E

4600 Set temporary 1/4 corner

7698 Dubious West Boundary of
Township 28 20s south of
cor to sec 12, 13, 14 & 18
From which cor draw

89048' E on true line
bet sec 7 & 8
7a 130° 57' E

3698 Set apart for 1/4 sec cor
with mound and pits
as per instructions

76.98 The cor to sec 7, 8, 14 & 18

BOOK 1
182
33 No 1
Op 2 N Range 2 E

Alt of Salt River Meridian

Obs Land level
Incl Pt rate
Leatg ground

~~North meridian line~~ Sec
Secs 9 & 8
T² N 13° 45' E

4600 Per a spot for 4 sec
with mound and pits as
per instructions

8000 Per a spot for cor to sec 0, 6,
7 & 8 with mound and pits
as per instructions
Land level
Incl Pt rate
Ground

60
183

Blk No 1
Sp 2 N Range 2 E

Gila Salt River Meridian

Obs Eastward run
bet sec 5 & 8
ra 130 57' E

4000 Set temp rail 1/4 sec pm

8012 Dubuise N 1/2 Sec 30 1/2
of cur to sec 4, 5, 8 & 9
From which cor run

1890 47' W natural
line bet sec 5 & 8
ra 130 57' E

4006 Set apart for 4 sec cor
with mound and pits
as per instructions

8012 The cur to sec 5, 6, 7 & 8
Land level

Blk no 1
Ch 2 N Range E

Great Salt River Meridian

Obs frst pt 2nd pole
Greewood

Westward run line bet
sec 6 & 7
7a/3057' E

4000 Set temporary 74 sec post

7678 Intersect West Boundary
of Township 26 R's North
of cor to sec 1, 2, 6 & 7
from which cor down

289049' Eastward line
bet sec 6 & 7
7a/3057' E

36.78 Set apart fr 74 sec cor
with mound and pits
as per instructions

185

Tp 2 N Range 2 E

Ida Galt River Meridian

76.78 The cor to sec 5, 6, 7 & 8

Sand bed

Soil Pt 12th rates

Featuring greasewood

North on a random line
bet sec 5 & 6

ra 130° 45' E

4000 contemporary 1/4 sec post

79.88 Intersect North Boundary
of Township 33rd R. East
of cor to sec 5, 6, 8, 1, 13, 2
From which cor I run

S 70° 14' E on a true line
bet sec 5 & 6

ra 130° 45' E

Op 2 M Range Co

Getta Salt River Meridian

39.68 Per a post for 70 acres
into mound and pits
as per instructions

79.68 The cor to sec 5, 6, 7 & 8
Land level
In 2nd Pt 2nd rules
Scattering greasewood
and sage brush
April 14, 1868

General Description

The quality of the land in this
Township is about the common
average - being level & soil 1st
& 2nd rules and well adapted for
cultivation and grazing purposes

27 27 2 E of SR Meridian
187

General Description

There is some scattering mesquite
at the southern part of the Tr.
while in the northern part it is
generally greasewood & sage brush

The ruins of an ancient
ditch were discovered in Sec
18 & 24 - having been constructed
evidently for the purpose of
irrigation

The Wickenburg and Fort McDowell
Road passes through the Tr.
— entering it in sec 36 and
leaving it in sec 18

187-A

Township No. 3 N

Range No. 2 E, S. 8. 1893 Mer.

BOOK 1

6	248	5	220	4	220	3	209	2	198	1
247		245		239		219		208		187
7	245	8	228	9	218	10	207	11	196	12
243		242		227		217		206		185
18	241	17	227	16	216	15	205	14	194	13
240		239		226		215		204		193
19	238	20	225	21	214	22	203	23	192	24
237		236		224		213		202		191
30	235	29	220	28	212	27	201	26	190	25
234		232		222		211		200		189
31	232	32	221	33	210	34	199	35	188	30

211

Scale so chains to an inch
20 40 60 80

True Meridian

Op 3 N Range & Co

BOOK

188

Gila Salt River Meadion
Chs from the cor to sec 1, 2,
35 & 36 on South Boundary
of Township 2 run

North bet sec 35 & 36
ra 13042' E as per
East Boundary

4020 Set apart for 44 ac cor
with mound & pits as
per instructions

5020 Set apart for cor to sec 25, 26,
30 & 36 with mound and pits
as per instructions
Land level
ent 1st 2nd rates
Greewood & Sage brush

189

3^d N Range 2 E

Tila & Salt River Meridian

Obs East and sundown line
 bet sec 25 186
 on 130° 58' E as per
 first Boundary

40.00 Set temporary 1/4 sec post

80.16 Intersect East Boundary
 of Township 12 E S South of
 cor to sec 25, 186, 30 187
 from which cor down

189° 35' 40" orations line
 bet sec 20 186
 on 130° 58' E

40.08 Set apart for 1/4 sec cor
 with mound and pits
 as per instructions

Op 3 N Range 2 E

Grav Salt River Mendocino

80.16 The cor to sec 23, 26, 30 & 36
Land level
Int 2nd rate
Greewood & sage brush

North bearing 25 & 26
70 / 30 42' E

4000 Serapunt fir 1/4 sec cor
with mound & pits as
per instructions

8000 Serapunt fir cor to sec 23, 24
25 & 26 with mound & pits as
per instructions
Land level
Int Pt 2nd rate
Greewood, mesquite
& sage brush

Op 3 N Range 2 E

Line of Salt River Meridian

chs Cabanaran line
bet sec 24 & 25

ra 13058' E

40.10 Set temporary of Sec post

822 Dubused East Boundary of
Township 24 N Range 2 E

cor to sec 24, 25, 19 180

from volute cor Sec

84037' W natural line
bet sec 24 & 25

ra 13058' E

40.11 Set apart for 90 sec
cor with mound & pits
as per instructions

822 The cart of 23 24 25 & 26

Op 3 N Range 2 E

Gds & Gulf River Meridian

Chs Land level

at 200 rate

Greewood, mesquite palo verde and sage brush

North bet sec 23 & 24

Ta 13142 E

4000 Seraport fir 4 ac cor
with mound & pits as
per instructions

8000 Seraport fir cor to sec 23, 24
13147 with mound & pits
as per instructions

Land level

at 200 rate

Greewood, mesquite
and palo verde

877
 T37N Range 2 E

193

Site Galt River Meander

Ch East on a curved line
 between 13 & 24
 on 13'38" E

400 Set temporary receipts

P. 36 Intersub East Boundary
 of Township 16 24s 7m
 of cert to recs 13, 24, 18 & 19
 from which corner

289'33" US natural line
 between 13 & 24
 on 13'38" E

4018 Set report for Hec on
 with mound & pits as
 per instructions

8786 The cert to recs 13, 14, 28 & 24

BOOK 1
194
To 2nd Range 2 E

Great Salt River Meadows

Obs Land level

Soil 2nd rate

Greasewood, mesquite
and sage brush

North lot sec 13 14
T₁₃ 42' E

4000 Serapunt fir 1/2 acre cur
with mound spots as
per instructions

8000 Serapunt fir cuts sec 11, 12,
13 14 with mound spots
as per instructions
Land level
Soil 2nd rate
Greasewood, mesquite palo
verde & sage brush

10

195

P 3 N Range 2 E

New Galt River Meridian

Chs Eastward from line
 bet sec 12 & 13
 ca 13058' E

400 Set temporary 1/4 sec cor

80.28 Intersect East Boundary
 of Township 79 Ns South
 of cur to sec 12, 13, 14 & 18
 from which cor run

889052' 40 on a true line
 bet sec 12 & 13
 ca 13058' E

400.14 Set apart for 1/4 sec cor
 with mound and pits
 as per instructions

80.28 The cur to sec 12, 13, 14 & 18

To 3rd Range 2 E

Delta Salt River Meridian

Obs. Sand level
opt 2nd rate
Greasewood mesquite
and sage brush
April 17, 1868

North bet sec 11 & 12
Ta 13042' E

4000 Levapnt for 1/4 sec cor
with mound & pits as
per instructions

8000 Levapnt for cor to sec 11, 12,
11 & 12 with mound & pits
as per instructions
Low rolling. Soil 2nd & 3rd rates
Greasewood, sage brush, pale
verde and cactus

Op 3 N Range 2 E

497

Line Galt River Meridian

Obs East and cautious line
between 1 & 2
W 18° 58' E

25.01 To foot of mountain sloping
West

4.00 See description of tree post

89.40 Intended East Boundary of
Township 23 R 0 North
of cor to trees 1, 2, 6 & 7
From which cor runs
N 89° 30' W or there line
between 1 & 2
W 18° 58' E

40.20 See report for 4 tree cor
with around spots as
per instructions

T32 Range Q & E Into Salt River Mer.

80.40 The cor to sec 1, 2, 11 & 12
Land west 25 rods, crossing
Salt River
Remainder west slope of
mountain
Greasewood, mesquite, sage-
bush & cactus

North on a narrow line
between sec 1 & 2
T32 R42 E

4000 A temporary 1/4 section

79.80 Intersect north boundary of
Township 26 R's West of cor
to sec 1, 2, 11 & 12 35 & 36
Township at same

74
749
Twp 3 N Range 2 E

Uta Salt River Meridian

Ch. S 00° 11' 45" on a true line
bet recs 1 & 2
ra 130° 42' E

39.80 Set a post for 1/4 sec cor
with mound and pits
as per instructions

79.80 The cor to recs 1, 2, 11 & 12
Land rolling
Soil 2nd & 3rd strata
Greasewood, sage brush
palo verde and cactus

North bet sec 34 & 35
ra 130° 42' E

4000 Set a post for 1/4 sec cor
with mound & pits as
per instructions

Op 3 N Range E

Geo Salt River Meander

500 Let apart fir cut to sec 26,
27, 34-35 with mound & pits
as per instructions
Sand level
ful 2nd rate
Greewood, mesquite and
sage brush

East or a random line
bet sec 26 & 35
va 130 58' E

400 Let temp run 1/4 sec part

79,90 Duleisel N + S line at cut
to sec 25, 26, 35 & 36
From which a run
West makes line bet
sec 26 & 35
va 130 58' E

Cp 2 N Range 2 E

201

Tula & Salt River Meridian

39.95 Set apart for 1/4 acre
with mound & pits as
per instructions79.90 Recor to sec 26, 27, 34 & 35
Land here
Inl for 200 rods
Greewood & mesquiteNorth bet sec 28 & 27
7a 130 42' E40.00 Set apart for 1/4 acre
with mound & pits as
per instructions80.00 Set apart for ac to sec 22, 23,
26 & 27 with mound & pits
as per instructions

Op 3 n Range 2 E

BOOK 1
202

Gila Golt River Meridian

Obs. Land level
Lat $33^{\circ} 20'$ N
Yuccawood, mesquite
and sage brush

East near random line
bet recs 23 & 26
N $33^{\circ} 38'$ E

4000 bet temporary 1 & 2 sec post

79.84 distance N & line 1484
south of cor to recs 23, 24, 25 & 26
From which cor down

8840 54' W orature
line bet recs 23 & 26
N $33^{\circ} 38'$ E

203
 J. N. Rainger & Co

W. H. & Salt River Meridian

39.92 Per a part for 44 acc cor
 with mound & pits as
 per instructions

79.84 The cor to acc 22, 23, 28 127
 Land level
 Inl. 2nd rate
 Yucca wood, mesquite &
 sage brush
 April 18, 1888

North bet acc 22 & 23
 7a 13042' E

4000 Per a part for 44 acc cor
 with mound and pits
 as per instructions

800 Per a part for cor to acc 14, 15

Op & N Range 2 E

Gila Salt River Meridian

Chs 22 & 23 with mound & pits
as per instructions
Sound level
Int 2nd rate
Guarwood, mesquite
and sage brush

East on random line
bet sec 14 & 23
ra 13058' E

4420 bet temporary 14 sec pal

79.78 Intured Mt Shive 16 LR, W
of cor to sec 13, 14, 23 & 24
From volute cor & cur

nsq 053' 40 on native line
bet sec 14 & 23
ra 13058' E

Op 3 N Range & Co

Gila Salt River Meridian

39.89 Scrap for 4 ac cur
with mound & pits as
per instructions

79.78 The cur to sec 14, 15, 22 & 23
Sand bed
Int 2nd rate
Grease wood, mesquite and
sage brush

North bet sec 14 & 15
Ta 13° 42' E

40.00 Scrap for 4 ac cur
with mound & pits as
per instructions

50.00 Scrap for cur to sec 10, 11 & 14
45 with mound & pits as
per instructions

Op 3 N Range 2 E

BOOK
206

Gila Salt River Meridian

chs Sand hill
Lut 2nd rate

Guarwood, mesquite, palo
verde and sage brush

East meridian line
bet sec 11 & 14
ca 13° 58' E

400 bet temporary 14 sec post

79.88 Intersub N + S line 23 lks N
of cor to sec 11, 12, 13 & 14
From which cor I run

N 89° 50' W on a true line
bet sec 11 & 14
ca 13° 58' E

Sp 3 N Range 2 E

7th Salt River Meridian

39.90 Set a post for 4 sec cor
with mound & pits as
per instructions

79.88 The cor to sec 10, 11, 14 & 16
Land level
Inl 2nd rate
Grease woods, mesquite and
sage brush

North line sec 10 & 11
Ta 1302421 E

40.00 Set a post for 4 sec cor
with mound & pits as
per instructions

80.00 Set a post for cor to sec 2, 3,
10 & 11 with mound & pits

To 3rd Range 2 E

BOOK 1
208

Gala Salt River Meridian

Chs as per instructions
Land level
Incl 2nd rate
Greasewood, mesquite
and sage brush

East on main line
bet sec 2 & 11
Cra 13° 58' E

4000 bet temporary 14 sec post

79.80 Intersect N + line 2 blk N
of cor to sec 11, 2, 11 & 12
From which cor down

N 89° 29' W on main line
bet sec 2 & 11
Cra 13° 58' E

Top 3 N Range 2 E

John Salt River Meridian

39.90 Set a post for 1/4 ac cor
with mound & pits as
per instructions

79.80 The cor to sec 2, 3, 10 & 11
Land level
Ent 2nd rate
Greewood, mesquite
and palo verde

North random line
bet sec 2 & 3
Ta 18042 'E

40.00 Set temporary 1/4 ac post

80.12 Interest North Boundary of
Township 23 N, East of
cor to sec 2, 3, 24 & 25

Op 3 N Range 2 E

Sta Galt Run Meridian

Cor. Trumbull cor. Dan

200° 10' E on true line
bet. nos 2 + 3
Ta 13042' E

40.12 Set apart for 1/4 sec. cor
with mound & pits as
per instructions

40.12 The cor to nos 2, 3, 10 + 11

Secund colling

Int. 2nd 1/2 sec.

Grasswood, mesquite, palo
verde and sage brush

April 20, 1888

North bet nos 33884
Ta 13042' E

Sp 3 n Rang n E

Gula Salt River Meridian

4000 Set a post for 1/4 sec cor
with mound & pits as per
instructions

8000 Set a post for cor to sec 27, 28,
33 & 34 with mound and pits
as per instructions
Lead level
Soil sur rate
Greewood, mesquite
and sage brush

East on a random line
bet sec 27 & 30 &
ra 130° 58' E

4000 Set temporary 1/4 sec cor

8014 Released N + Shive 12 R S

Op 3 n Range 2 E

Wula Salt River Meridian

Chs of cor to ~~26~~ 26, 27, 28
From which cor I run
18903 5' W on a true
line between 27 & 28
Val 13058' 8

40.07 Set apart for 1/4 sec cor
with mound and pits
as per instructions

80.14 The cor to rods 27, 28, 29, 30, 34
Land level
In 2 W salt
Greenwood & sage brush

North line rod 27 & 28
Val 13042' E

40.20 Set apart for 1/4 sec cor
with mound & pits as
per instructions

213 p 3 n Range Co

Gila Salt River Meridian

8700 Beraport for cut to recs 21, 22,
27 & 28 with mound & pits
as per instructions
Level level
Cut dirt rate
Sycamore wood & mesquite

East as a random line
Beraport 22 & 27
70130 58' E

4000 Inter temporary 74 sec from

80118 Intersect 7th line 28 lks S
of cut to recs 22, 23, 26 & 27
From which as dump

89048' W. natural line
bet recs 22 & 27
70130 58' E

Op 3 N Range 2 E

Cuts Salt River Meridian

40.09 Set apart for 1/4 acre cur
with mound & pits as
per instructions

So. 18 One cur to sec 21, 22, 27 & 28
Land level
Salt 2nd rate
Guarwood, mesquite
& Sage brush

North base sec 21 & 22
ra 13042 E

40.00 Set apart for 1/4 acre cur
with mound & pits as
per instructions

So. 00 Set apart for cur to sec 15, 26,
21 & 22 with mound & pits
as per instructions

215

To 2nd Range & E

Gila Salt River Meridian

On Sand level

On 2nd to 3rd ratesSagebrush, mesquite
and sage brushEast meridian line
between 15 & 22

ra 130 58' E

4000 set temporary 1/4 sec point

8110 Intused N & S line 14 & 20

of cor to west 14 15 22 & 23

Crown which cor I am

N 84° 54' W on a true line
between 15 & 22

ra 130 58' E

40.05 set a point for 1/4 sec cor

3633 Range 2 E

At Salt River Meridian

Chs with mound & pits as
per instructions

80.10 The cor to recs 15, 16, 21 & 22

Land level

Soil 2nd rate

Greasewood, mesquite
and sage brush

North bet recs 15 & 16

ca 13042' E

4000 Beraport for 94 rec cor
with mound & pits as
per instructions

8000 Beraport for cor to recs 9, 10,
15 & 16 with mound & pits
as per instructions
Land level

217
 P 3 N Range 28

Line & Salt River Meridian

Obs Fort Lur rate

Greasewood, mesquite
 and sage brush

East on random line
 bearings 10 + 15

7a 13° 58' E

40.00 Set temporary 1/4 ac post

40.24 Intersect N + S line 2 1/2 N

N of cur to sec 10, 11, 14 + 15

From which cor. run

289° 57' W on same line

bearings 10 + 15

7a 13° 58' E

40.12 Set a post for 1/4 ac cor

with mound & pits as

per instructions

To 3rd Range of E

Kula Salt River Meidian

8024 The cut to road 910011546
Level level
Foil 2nd rate
Guarwood, mesquite
and sage brush
April 21, 1888

North between 9400
ca 13042' E

4000 Seraport fir 4000
with mound & pits as
per instructions

8020 Seraport fir cut to road 3.4
9400 with mound & pits
as per instructions
Level level. Foil 2nd rate
Guarwood, mesquite and
sage brush

24 ^{BOOK 1}
3 N Range 2 E

219

4- Utah Salt River Meanders

cb, East on a meander line
between 3 & 4
ca 13.58' E

40.10 Set temporary 1/4 sec post

8.32 Located at line 1900s S
of cor to sec 2, 3, 10 & 11
from which cor I run

8903 2' 40" mature
line between 3 & 4
ca 13.58' E

40.16 ~~The cor to sec 3~~ Set a post
for 1/4 sec cor with mound and
pits as per instructions

8.32 The cor to sec 3, 4, 9 & 10
land line. But 2nd rate
greenwood & sage brush

Of 3rd Range 2nd E

Meas Salt River Meridian

Obs North on random line
bet sec 3 & 4
on 130° 42' E

4000 Peraport 1/4 sec post

50.68 Intersect North Boundary
of Township 30 N & West
of cor to sec 3, 4, 8 & 9
from which a run

100° 13' W on true line
bet sec 3 & 4
on 130° 42' E

40.68 Peraport for 1/4 sec
cor with mound & pits
as per instructions

50.68 The cor to sec 3, 4, 9 & 10
Land level

86

BOOK 1

221

3 Range 2 E

W. Salt River Meade Co

400 Soil 2nd rate

Greasewood, mesquite
and sage brush

4000 bet acc 32 to 3
va 13042' E

4000 bet apt for 44 acc on
with mound pits as
per instructions

5000 bet apt for cur to acc 28,
29, 32 to 3 with mound and
pits as per instructions
Land level

Soil 2nd rate
Greasewood, mesquite
and sage brush

Op 3 1/2 Range 2 E

Ada Salt River Meridian

Ob 1 Eastward line
between 28 + 33
Ta 130 58' E

40.00 Per temporary 1/4 acc cr

88.10 Interest N + S line 16 lks S
of cr to accs 27, 28, 33 + 34
From which ar & run

S 89° 53' 40 onature line
between 32 + 33
Ta 130 58' E

40.00 Draport for 1/4 acc cr
with mound of pits as
per instructions

88.00 Over to accs 28, 29, 32 + 33
Land line
To be sur rate

38

223 3 N Range 2 E

W of Salt River Meridian

Ch Greewood, mesquite
and sage brush

North between 28029
7a 13042 E

4000 Set a post for W sec
with mound & pits as
per instructions

8000 Set a post for cor to sec 20
28029 with mound and
pits as per instructions
Land level
Int sur rate
Greewood, mesquite
and sage brush

To 3rd Range & E

224

uta Salt River Meidian

Ch En on a random line
between 21 & 28
N 130° 58' E

40.00 Set temporary 44 ac spot

80.16 Intersect N + S line 24Ks
N of cur to acc 21, 22, 27 & 28
From which cor Drun

N 89° 51' W on a true
line between 21 & 28
N 130° 58' E

XX

40.08 Set apart for 44 ac cor
with mound & pits as
per instructions

80.16 Precor to acc 20, 21, 28 & 29
Lead level
Sub date

Sp 3 N Range. 2 E

into Galt River Meridian

Chs Greasewood, mesquite
and sage brush

April 22, 1868

into Sec 20 (1)
Twp 42' E

14000 Set apart for 40 acres
with mound & pits as
per instructions

8000 Set apart for 40 acres 16.17
20 ft with mound & pits
as per instructions

Land level

Int 2000

Greasewood, mesquite
and sage brush

Top 3 N Range 2 E

Uta Salt River Meidian

Ch East on a random line
bet aces 16 + 21
In 3° 58' E

4000 bet temporary 14 sec post

79.88 Intersect N 1/2 line 2 3/4
N of cor to aces 15, 16, 20, 21
From which cor I run

N 89° 50' W a random line
bet aces 16 + 21
In 13° 58' E

39.94 cor a post for 7/4 sec cor
with mound and pits
as per instructions

79.88 The cor to aces 16, 14, 20, 21
Low level. Soil 200 ft or more
Greenwood & sage brush

Sp 3 N Range 2 E

ulu Salt River Meridian

Ch North bearing 16417
 va 130421 E

4000 level for 1/4 sec
 with ground and pits
 as per instructions

8000 level for cor to sec 8, 9,
 16417 with ground & pits
 as per instructions
 Level level
 Dist 200 to 250 rods
 Greenwood & sage brush

Eastward meridian
 bearing 9416
 va 13028' E

4000 level temporary 1/4 sec point

C 3 N Range E

Uta Salt River Meridian

79.90 Subsets N & S line 2800s N
of cor to sec 9, 10, 15 & 16
from where cor dam

N 89° 48' W native line
bet sec 9 & 16
C 130° 58' E

39.95 Section for 4 trees on
with mound and pits
as per instructions

79.90 The cor to sec 8, 9, 16 & 17
Land level
Int. Sec. 8 to
Grasswood sage brush

W. to bet sec 8 & 9
N 130° 42' E

Sp 3 N Range &

Site Salt River Meridian

400 Scrap for 4 & acc cr
 apt. mound & pits as
 per instructions

800 Scrap for cr to acc 4, 3,
 8 & 9 with mound and
 pits as per instructions
 Sand level
 Fort 2nd rate
 Greasewood & sage brush

East on a random line
 between 4 & 9
 Tra 13058 E

400 Best temporary 1/4 sec post

79.82 Delivered N & S line 12 Ns N
 of cr to acc 3, 4, 9 & 10
 From which cr & am

Op 3 N Range 9 &

W. Salt River Meridian

Chs 289°55' W on true line
between H + G
Val 13058' E

39.91 Seraport for 4 & accor
with mound and pits as
per instructions

79.82 Then to sec 4, 5, 8 + 9
Land level
In 2nd & 3rd rows
Greenwood and page book

North on true line
between H + G 5
Val 13042' E

How contemporary? Accor

80.20 Interest North Boundary

Top 2 N Range &

Latitude Salt River Meridian

Chs of Township 21 N & West
of or to sec 4, 5, 8, 9
From which cor & run

100° 09' W on true line
between 4 & 5
7a 13° 42' E

4020 Report for 4 Dec on
grte ground and pits cor
per instructions

50.20 There is sec 4, 5, 8 & 9
Sand level
Dpt 2ur rate
Greewood, mesquits
and sage brush
April 23, 1888

Op 3 N Range 2 E

Wells Salt River Meidim

Obs north bet sec 3 1882
T₁ 130742 E

40000 Set apart for 40 acres
with mound and pits
as per instructions

57120 A Road bears NW 1/8 E

8000 Set apart for acre and 29, 30
31 1882 with mound & pits
as per instructions

Land level
but 200 rods
Guarwood, mesquite
and sage brush

East across road line bet
sec 29 1882
T₁ 130758 E

Op 3rd Range E

Gila Salt River Meridian

4.00 Per temporary 1/4 sec pt

79.80 Interest N+S line at cur
to sec 28, 29, 30, 31, 32, 33
From which an Iron

Westward line bet
sec 29, 30
N 130° 58' E

39.90 Sec apart for 1/4 sec cor
with around pits
as per instructions

79.80 One cor to sec 29, 30, 31, 32
Land level
Int. Div rate
Guarwood, mesquite
and sage brush

Op 2 N Range 2 E

Old Salt River Meridian

Chs West on a random line
between 30 58 1

on 30 58 1 E

32.50 A Road bears NW 75 E

400 Set temporary 1/4 sec post

76.91 Interset West Boundary of
Parish 19 1/2 miles South of
Cairo Secs 25 26, 30 (B)
From which cor down

890 2' E on true line
between 30 58 1

on 30 58 1 E

36.91 Set apart for 1/4 sec cor
with mound and pits
as per instructions

Op 3 N Range 2 E

Gila Salt River Meridian

76.91 The cor to sec^s 29, 30, 31 1892
 Land level
 Int 2nd rate
 Greasewood, mesquite and
 sage brush

North Sec 29 1890
 7a 13042' E

4020 Sec a part for 1/4 sec cor
 with mound and pits
 as per instructions

8020 Sec a part for cor to sec 19, 20,
 29, 30 with mound & pits
 as per instructions
 Land level. Int 2nd rate
 Greasewood & mesquite

Op 3rd Range E

Great Salt River Meridian

Ch East on a random line
 between sec 20 & 29
 on 13038' E

4000 let temporary 1/4 sec part

79.76 Intersect N + S line 2300s W
 of cor to sec 20, 21, 28 & 29
 from vertex cor D and

N 89050' to on a true line
 between sec 20 & 29
 on 13058' E

39.88 Set apart for 1/4 sec cor
 with ground & pits as
 per instructions

79.76 The cor to sec 19, 20, 29 & 30
 Second level
 Cor 2nd rate

5237

3 N Range & Co

Gen Galt River Meridian

Obs Greasewood, mesquite
and sagebrush

West meridian line
between 19130
N 130 58' E

4020 Set temporary 1/4 corner

77.09 Subsect West Boundary
of Township 16 N 1/4
of sec to sec 24, 25. 19130
From corner corner

N 89 0 53' E or a true line
between 19130
N 13 0 58' E

37.09 Set apart for 1/4 corner

Op 3 N Range 2 E

Gila Salt River Meridian

cls with mound & pits
as per instructions

7709 Over to Dec 19, 20, 29 130
Sand bank
fwb 2nd rate
Greewood, mesquite
and sage brush

with her recs 19 + 20
ra 1304 2' E

4000 Res report for 4 sec cor
with mound and pits
as per instructions

8200 Res a part for art to Dec 17, 18,
19 + 20 with mound and
pits as per instructions

Op 2 n Range 2 E

Gila Galt River Meridian

Chs	Land level but 2nd row rates Greasewood, mosquito and sage brush
-----	--

East on araudan line
bet sec 17 & 20
7a 130 58' E

4000 Per temporary 1/4 sec post

79.88 2nd sec N + line 26 lks N
of cor to sec 16, 17, 20 & 21
From which cor & run

n 89° 49' W on same
line bet sec 17 & 20
7a 130 58' E

To 3rd Range N E

Gila Salt River Meridian

39.93 Sec part for 4 acres
with mound and pits
as per instructions

79.86 There is sec 17, 18, 19 & 20
Land beef
Salt Luv for rates
Greewood, mesquite
and sage brush
April 24, 1868

West meridian line
bet sec 18 & 19
ra 13058¹ E

4020 Sec temporary 1 Sec part

77.25 Dubuoch West Boundary
of Township 28 Rk North

Op 3 N Range 2 E

Inta Salt River Meridian

Chs of art to recs 13, 14, 18 & 19
 Immovable or down

N 89° 48' E on a true line
 bet recs 18 & 19
 val 3038' E

37.25 Set apart for 44 ac ar
 with surround and pits
 as per instructions

77.25 The art to recs 17, 18, 19 & 20
 Land level
 Soil 2nd rate
 Guaiwood, mesquite
 and other brush

North bet recs 17 & 18
 val 3042' E

Op 2 N Range 2¹ E

Line Salt River Meridian

4000 Set apart for 4 acres
with mound & pits as
per instructions

8000 Set apart for 8 acres
17 & 18 with mound & pits
as per instructions
Land level
Cut 2nd row rails
Greasewood, mesquite
and sage brush

East on a random line
between 8777
on 18: 58' E

4000 Set temporary 7 acres apart

8000 Set 2 acres N & S line 2 1/2 blocks N

28

243 BOOK 1

Op 3rd N Range 2 E

Gala Salt River Meridian

Chs of cor to sec 8, 9, 16 & 17
Firmly located cor & upN 84° 51' W on a true line
bet sec 8 & 17
at 13° 58' E40.02 per a part for 94 accor
with mound & pits as
per instructions87.08 The cor to sec 7, 8, 17 & 18
Land level
but 2nd rate
Greasewood, mesquite
and sage brushWest on a true line
bet sec 7 & 18
at 13° 58' E

Tp 2 N Range 2 E

Acta Galt River Meridian

4000 Per temporary report

77.38 Intersect West Boundary of
Township 28 N. out of cor
to accs 12, 13, 14 & 18
From which a run

N 89° 50' E mature line
bet accs 7 & 18
N 13° 58' E

37.38 Report for 94 accs
with mound & pits as
per instructions

77.38 The cor to accs 7, 8, 17, 18
Land level
Int 2nd 1/2000 rates
Greenwood - mesquite
and sage brush

60

245^{BOOK 1}

Op 3 N Range 2 E

Gila Salt River Meridian

Cbs North between 7 + 8
Ta 13042' E4000 Set apart for 1/4 acre
with mound and pits
as per instructions8000 Set apart for 1/4 acre
5, 6, 7 + 8 with mound and
pits as per instructions
Land levelSet 200' N
Greasewood, mesquite
and sage brushCut on a random level
between 5 + 8
Ta 13038' E

Op 3rd Range 2 E

Gila Salt River Meridian

4100 Set temporary 74 across

80.18 Intersect N + S line 16 lks
N of cor to sec 4, 5, 8 & 9
From which a dam

N 89° 33' E on a true line
bet sec 5 & 8
N 13° 38' E

40.09 Set apart for 40 across
with mound and pits
as per instructions

80.18 The cor to sec 5, 6, 7, & 8
Land level
flat 200 to 300 ft
Greensward & mesquite
and sage brush

Tp 3 N Range E

4th & Salt River Meridian

chs West narrow line
bet sec 6 & 7
" N 130° 58' E

4th Sec 1/4 sec pr

77.50 Intersect West boundary of
Township 26 N. North of
cor to sec 1, 12, 6 & 7
From which cor of sec

N 89° 49' Equating line
bet sec 6 & 7
" N 130° 58' E

37.50 ~~Sec 1/4~~ Sec 1/4 pr for 1/4
sec pr with mound & pits
as per instructions

77.50 The cor to sec 5, 6, 7 & 8

To 3rd N Range 2nd E

Gita Salt River Meridian

Chs Land level
 Lat 2nd 3rd rates
 Lacewood, mesquite
 and sage brush

North on random line
 bet sec 5 & 6
 ra 13° 42' E

4000 Per temporary 1/4 section

79.77 Intersect North Boundary
 of Township 28 N West of
 Gita sec 5 & 6. 1/4
 from which a line

S 0° 12' N on same line
 bet sec 5 & 6
 ra 13° 42' E

64249

BOOK I

Op 3 N Range 2 E

Mtn Salt Run Meridian

39.77 Separat for 4 rec cor
with mound and pits
as per instructions79.77 The cor to recs 5.6.7+8
Sand level
Inl 2nd 1st rates
Greasewood and sage
brush
April 25, 1888

Tp 3 NB 2 E

General Description

The quality of the land in this Township is about the common average. It is generally level good low rate soil, and well adapted for cultivation and grazing purposes. Water can be obtained in many places within 20 feet of the surface.

There is scattering green-wood, mesquite, palo verde and sage brush distributed over the Tp affording an excellent material for fuel.

Field notes of the survey of the
 Sub-division lines of
 Township 2 N Range 8 E
 of the Gila and Salt River
 meridians in the Territory
 of Arizona by George P.
 Suggs Deputy Surveyor
 under his contract bear-
 ing date the 29th day
 of February 1868

Commenced April 28
 Completed May 5
 P. S. Suggs

Copies in
~~the~~ P. S. S.

Township No. 2 N.

Range No. 36, S.E. R.R. Mer.

251
BOOK

6	307	5	289	4		3		2		1
					278					
305		304		288		278				
7	303	8	287	9	277	10	266	11	259	12
302		301		286		275		266		258
18	300	17	285	16	275	15	266	14	257	13
249		298		284		273		265		256
19	297	20	283	21	273	22	264	23	255	24
296		295		282		271		263		254
30	294	29	281	28	271	27	262	26	253	25
292		291		280		269		261		252
31	291	32	279	33	268	34	260	35	251	30

Scale 60 chains to an inch
30 60 90

True Meridian

Book No-1.

Index

Subdivisions

	Page
T. 2N; R. 1 E. ✓	7
" 2N; " 2 E. ✓	126
" 2N; " 3 E. ✓	251
" 2N; " 4 E. ✓	311
" 2N; " 5 E. ✓	426
" 2N; " 6 E. ✓	560
" 3N; " 1 E. ✓	62
" 3N; " 2 E. ✓	188
" 1N; " 6 E. ✓	496
and	
" 1N; " 1 W. ✓	363
" 2N; " 1 W. ✓	607

1A

[4-590.]

Township No. 2 N Range No. 16, S. 17, B. 2 Mer.

6	59	5	42	4	31	3	23	2	9	1
58		56		41		20		19		8
7	56	8	40	9	29	10	18	11	8	12
54		53		39		28		17		6
18	52	17	58	16	27	15	16	24	5	13
51		50		57		26		15		4
19	49	20	36	21	25	22	14	23	4	21
48		47		35		24		13		2'
30	46	29	34	28	23	27	13	26	2'	25
45		44		33		22		11		2
31	43	32	32	33	22	34	11	35	1	30

True Meridian

No. 1

135
34
137

lines
B. & M.

Field Notes of the Survey of the
Subdivision Lines of
Township 2ⁿ Range 1 East
of the Grand Salt River Mer-
idian in the Territory of
Arizona by Geo. S. Ingalls
Deputy Surveyor under his
Contract bearing date the
29th day of February, 1868

Commenced March 13, 1868

Completed March 21, 1868

Copied for W^m Patton C. D.
E. C. F.

To 2^d Range 1 E
 Gila Salt River Meridian
 Ch. Francisco cor to sec^s 1, 2, 35
 & 36 on the south boundary
 of Township 2 run

North bet sec^s 25 & 36
 70° 13' 42" E as per
 East Boundary

4000 Set report for 1/4 sec cor
 with mound and pits
 as per instructions

8000 Set report for cor to sec^s 25, 26,
 35 & 36 with mound and pits
 as per instructions
 Land level. Soil 10' & 20' rates

East as a random line
 bet sec^s 25 & 36
 70° 13' 42" E as per
 Solar Compass

42
Twp 2 N Range 8 E

1
T120 N 1/2 Salt River Meridian

4400 Set temporary 1/4 ac post

80.18 Intersects East Boundary of
Twp 28 N S. 1/4 Sec 25, 26, 30 & 31
from which corner run

S 89° 48' W on a true line
bet sec 25 & 26
Twp 13 N R 42 E

440.09 Set a post for 1/4 ac corner
with mound and pits
as per instructions

80.18 The cor to sec 25, 26, 30 & 36
Land level
Out pt - 1/2 ac rates
Palo verde and greasewood

To 2nd Range E

1
 Lito Salt River Meridian
 chs units bet sect 25 & 26
 T4 13042' E

4000 Set apart for 94 acres
 into enough and pits
 as per instructions

8000 Set apart for acres sect 23, 24,
 25 & 26 with enough and pits
 as per instructions
 Land level
 Soil pt & 2nd rates
 Palo verde, gacarewood
 and mesquite

East near random line
 bet sect 24 & 25
 T4 13042' E

Tp 2 N Range E

Gila Salt River Meridian

4000 Set temporary # account

8024 Intersect East Boundary of
Tp 16 E, South of Cor to
sect 24, 25, 19, 18
From which we run

18903 3' W magnetic line
bet sect 24 & 25
on 18512 E

40012 Set up post for 14 accor
with mound and pits
as per instructions

8024 The cor to sect 23, 24, 25 & 26
Land level
with 1st 2nd poles
Greasewoods, mesquites
and sage brush

To 2nd Range 1 E

La Salt River Meridian

dis Norte bet sec 2 & 24
 ra 13° 42' E

4000 set apart for 1/4 ac cor
 with mound and pits as
 per instructions

8000 set apart for cor to sec 13, 14.
 20 set with mound and
 pits as per instructions

Land level

2nd 1/2 pt rates

Guarwood, mesquite
 and sage brush

East on a random line bet
 sec 13 & 24

ra 130 42' E

4000 set temporary 1/4 ac post

5
 To 2 n range E

1
 Gila Salt River Meridian

St. 10 Interset East Boundary of
 T₂ at cor to sec 13, 14, 23, 24
 From which cor to run

West on true line bet
 sec 13 & 24
 ra 13042' E

40.03 Scrap for H recon
 with mound and pits as
 per instructions

St. 10 The cor to sec 13, 14, 23, 24
 Land level
 Int pt 12 in holes
 Guernwood and sage brush

North bet sec 13 & 24
 ra 13042' E

Tp 2 N Range 8

1

Gt W Salt River Meridian

4000 Scrap for 1/4 acre
with mound and pits
as per instructions

5325 Weckenburg East of McDowell
Road bears NW & SE

8000 Scrap for cuts rec 11, 12,
13 + 14 with mound and
pits as per instructions
Land level
Dirt 10¢ per cu yd
Greewood and sage brush

East on a random line
bear rec 12 + 13
ra 13° 42' E

4000 Scrap temporary 1/4 acre plot

772 Tp 2 N Range E

1

Ita Salt River Meridian

~~49.00 Set apart for 44~~

7780 Interest East Boundary
of Tp 2 N Ranges North of
cor to sec 12, 13, 7 & 8

From which cor I run

N 89° 55' W on true line
bet sec 12 & 13

7a 130 42' E

39.90 Set apart for 44 ac cor
with mound and pits
as per instructions

79.80 The cor to sec 11, 12, 13 & 14
Land level

Set Pt rate 1200 rods

Greensward and Sage brush

March 13, 1868

To 2nd Range 1 E

Sta Salt River Meridian
 Chs North bet sec 11 & 12
 70 1/30 42' E

4000 Set apart for 1/4 sec cor
 with mound and pits
 as per instructions

8000 Set apart for cuto sec 1, 2,
 11 & 12 with mound and pits
 as per instructions
 Land level

Oil Pt 2nd notes
 Palo verde & Greasewood

East on random line
 bet sec 1 & 12
 70 1/30 42' E

4000 Set temporary 1/4 sec post

Tp 2 N Range E

Great Salt River Meander

79.78 Interset East Boundary
of Tp 2 3 R's South of
cut to recd 1, 12, 6 + 7
From which cut run

\$89° 54' W on a line
bet recd 1 + 2
ra 130.42' E

39.89 Scrap for 14 sec cut
into mound and pits
as per instructions

79.78 The cut to recd 1, 2, 11 + 12
Land level
Ent 2 cut into
Grasswood + sage brush

North on a rounder line
bet recd 1 + 2
ra 130.42' E

To 2nd Range 1 E
 1
 Gila Salt River Meridian

4600 Set temporary 1/4 corner

50.30 Intersect North Boundary
 of Township 14 Ns East of
 Cor to sec 1, 2, 35 & 36
 from which corner run

178° 06' E on true line
 per sec 1 & 2
 to 13042' E

46030 Set a post for 1/4 corner
 with mound and pits
 as per instructions

80,30 The cor to sec 1, 2, 11 & 12
 Sand level. Soil 2nd rate
 Gacarewood and sage brush

Sp 2 N Range 1 8

Geo Galt River ¹ Mendocino

Chs North ber sec 34 183-
70 130 42 8

4000 Per report for 74 accor
with mound and pits
as per instructions

5000 Per report for arts sec 26 27,
34 185 with mound and
pits as per instructions

Land level
Dnd Mt 2nd rates
Greasewood mesquite
and sage brush

East on a sandstone line
ber sec 26 183-
70 130 42 8

To 2nd N Range 1 E

1

Sta Salt River Meridian

4000 lev company 1/4 sec pt

79.88 Intersect N + S line 19 cks
N of cor to sec 25, 26, 35 + 36
From which cor runs

N 89° 32' 40" on a true line
bet sec 26 + 33 -
70 130 42' E

39.94 Per report for 1/4 sec cor
ants mound and pits
as per instructions

79.88 The cor to sec 26, 27, 34 + 35 -
Sand level
Soil 2nd + 3rd rates
Greasewood and mesquite

13/5 2 Range T & E

Leta Galt River Meridian

Chs North bet sec 26 & 27
T₁ 13042' E

40.00 Repoint for 1/4 sec cor
with mound and pits
as per instructions

80.00 Repoint for cor to sec 22, 23,
26 & 27 with mound and pits
as per instructions
Land Area
Orl 2nd rate
Grease wood + mesquite

East on a random line
bet sec 23 & 26
T₁ 13042' E

40.00 Restemp nail & re point

No 2 N Range E

1
Gila Salt River Meridian

79.82 Dubuict N 8 line 26 R 2
of cor to sec 23, 24, 25 & 26
Pinnacled on Surr

N 89 of 9 W natural line
bet sec 23 & 26
at 30 42' E

3

79.91 Perapmt for 1/4 accor
with mound and pits
as per instructions

79.82 The cor to sec 22, 23, 26 & 27
Land level. Soil 2nd rate
Palo verde, greasewood
and mesquite
March 14, 1868

note bet sec 22 & 23
at 30 42' E

To 2nd Range 1 E

Site Salt River Meridian

4000 feet apart for 14 acres
with mound and pits
as per instructions

8000 feet apart for cuts to trees 14, 15,
22 & 23 with mound and
pits as per instructions

Land level

Soil 2nd rate

Palo verde greasewood
and mesquite

East on arroyo line

between 14 & 23

70° 42' E

4000 feet temporary 14 feet apart

79.76 distance to line 14 to 23

To 2nd Range E

Sta 1st River Meridian

Obs of cor to sec 13, 14, 23 & 24
 Immovable corner

N 89° 37' W on true line
 between 14 & 23
 at 3042' E

39.88 Scrap for 1/4 acre
 with mound and pits
 as per instructions

79.76 The cor to sec 14, 15, 22 & 23
 Sand level
 Out 2nd rate
 Greewood and mesquite.

with bearing N 89° 37' W
 at 3042' E

Sp 2 N Range 1 E
 1
 Gila Salt River Meridian

4000 Scrap for 1/4 acre
 with mound and pits
 as per instructions

800 Scrap for cut to recs 10. 11
 14 & 15 with mound and
 pits as per instructions
 Sand level
 cut Pt 2nd sites
 Guernsey & mesquite

Eastward round line
 between 1/1 & 7/4
 Va 13° 42' E

38.57 Road from Weckerly to Fort
 McDowell bears N 10° E

4000 Scrap for 1/4 acre

§ 2 N Range 1 E

1
 Letw & Salt River Meridian

79.84 Dubuque North & South line 2 & 13
 North of cor to sec 11, 12, 13 & 14
 From volute cor down

289428 W natural line
 bet sec 11 & 14
 va 130 42' E

39.92 lev apart for 1/4 sec cor
 with mound and pits
 as per instructions

79.84 The cor to sec 10, 11, 14 & 15
 Land level
 Ont 2nd rate
 Greasewood and sage brush

North bet sec 10 & 11
 va 130 42' E

Sp 2 N Range 1 E

Green Past River Meridian

17.32 Road from Weckenburg to
Mt. McDowell bears 200° 30'

4020 Set apart for 1/4 section
with mound and pits
as per instructions

8000 Set apart for arts recs 2, 3,
10 & 11 with mound and pits
as per instructions

Band level

Core 2nd 3rd rates

Guaranteed, mesquite, sage
brush & palo verde

East on a random line
bet recs 2 & 7
70° 13' 00" E

4020 Set temporary 1/4 section

Op 2 W Range 1 E
 Gila Salt River Meridian

79.68 Intersect N + S line 35' E. N
 of cor to sec^s 1, 2, 11 + 12
 From which a run

N 89° 45' W on a true line
 bet sec^s 2 + 11
 to a 130° 42' E

89.84 Scrap part for 1/4 sec cor
 with mound and pits as
 per instructions

79.68 The cor to sec^s 2, 3, 10 + 11
 Land level, but 2nd pole
 Mesquite and sage brush

North on a random line
 bet sec^s 2 + 3
 to a 130° 42' E

To 2 N Range 1 E

1

Line Salt River Meridian

440 Set temporary 1/4 sec pt
79140 Intersect with boundary
of Township 42 N East
of cor to Sec 2, 3, 4 & 5
From south corner

S 88° 18' E on a true line
bet sec 2 + 3
ra 130 42' E.

2940 Set a pt for 1/4 sec cor
with mound and pits
as per instructions

79140 The cor to sec 2, 3, 10 & 11
Land level. Soil 1st & 2nd cuts
Also verge greasewood and
mesquite
March 16, 1888

To 2ⁿ Range Co

Sta. 1st River Meander
 Chs North bet recs 33 & 34
 va 130 42' E

4400 Set apart fir 1/4 sec cor
 with mound and pits
 as per instructions

8000 Set apart fir cor to recs 27, 28,
 33 & 34 with mound and pits
 as per instructions
 Land level
 Ont Pt 12th rate
 Grass and Hogbush

East on a random line
 bet recs 27 & 34
 va 130 42' E

4400 Set temporary 1/4 sec part

26
23

Op 2 N Raigat Co
1

Great Salt River Meridian

80.12 Luted out N + S line 12 lks S
of cur to recs 26, 27, 34 + 33
From which cor & run

189055' W on a true line
bet recs 27 + 34
ra 13042' E

40.06 Set apart for 1/4 sec cor
with mound and pits
as per instructions

80.12 The cur to recs 27, 28, 33 + 34
Land level
and 1st + 2nd water
Palo verde, greasewood
and mesquite

North bet recs 27 + 28
ra 13042' E

To 2 N Range E

Gila Salt River Meridian

4000 Peraport for 1/4 sec cor
with mound and pits
as per instructions

8000 Peraport for cor to recs 21, 22
27 & 28 with mound and pits
as per instructions

Land level
2nd pt of 2nd rates
Measure and mesquite

East meridian line
between 29 & 27
Va 13042' E

4000 Peraport for temporary 1/4 sec cor

8000 Intersect N + line 19 lks South
of cor to recs 22, 23, 26 & 27
from which cor is run

Op 2 W Range E

Gto Salt River Meitran

Obs 18903 2' 40" mature tree
bet recs 22 127
ra 13' 42" E

40.10 let a post for 1/4 sec cor
with mound and pits
as per instructions

80.20 The cor to recs 21, 22, 27 128
Land level
2 1/2" sub rate
Suareswood + mesquite

North bet recs 21 122
ra 13' 04" 2' E

4020 let a post for 1/4 sec cor
with mound and pits
as per instructions

To 2 N Range / E
Gila Salt River Meridian

8000 Per a post for cor to recs 15, 16,
21 or 22 with mound and pits
as per instructions
Land level
Oyl 200 rate
Measured and mesquite

~~North~~ East as a random
line bet recs 22 + 15
7a 13° 42" E

4000 Per temporary 1/4 sec post

8032 Intended N + line 23 to S
of cor to recs 14, 15, 22 + 23
From which cor to run
1890 50' 40" natural line
bet recs 15 + 22
7a 13° 42" E

30

BOOK I

27

Sp 2nd Range 1 E

Sta Salt River Meadine

4016 Per report for 1/4 sec cor
with mound and pits as
per instructions

S. 32 The cor to read 1576-21022
Sand level
Dirt 2nd rate
Greasewood & mesquite

North bet read 1576
ra 13042' E

4020 Per report for 1/4 sec cor
with mound and pits
as per instructions

8000 Per report for cor to read 910
1576 with mound and pits
as per instructions

Sp 2 N Range 1 E
1

Grat Gold River Meridian

Obs Land level

Soil Sur rate

Greewood + Mesquite

T II

East or random line
bet sec 10 & 15

7a 130° 42' E

40.00 Serapant 1/4 sec pt

80.26 Colored N & S line 140° 30'
of cur to sec 10, 11, 14 & 15

Firm which cor I run

N 89° 05' W orature line
bet sec 10 & 15

7a 130° 42' E

40.13 Serapant fr 1/4 sec cor
with ground and pts as
per instructions

32
29
Sp 27 N Aug 1. E

Gila Salt River Meridian

80.26 The car to recs 9, 10, 15 & 16
Land level
Soil 2nd 1300' notes
Palo verde, greasewood and
mesquite

March 17, 1868

North between 9 & 10
V. 13042 E

4000 Scrapnt for 1/4 sec car
with mound and pits
as per instructions

63.00 Road from Weckenberg to Fort
Morrowell bears NW & E

8000 Scrapnt for car to recs 3, 4, 9 & 10
with mound & pits as per
instructions

To 2nd Range 1 E

Get Salt River Meridian

Chs Band level

port pt & 2nd rates

Specimen and mesquite

East near and on line
bet recs 3 & 10
va 13042' E

4100

See temporary 1/4 acc pt

8058 Luteous N & S line 2 1/2 kts S
of cor to recs 2, 3, 10 & 11 +
Fossiliferous cor. In situ

889051' N on same line
bet recs 3 & 10

va 13042' E

4029

See report for 1/4 acc cor
with mound and pits
as per instructions

31 Sp 2nd Range 1 E

Gila Salt River¹ Meridian

80.08 The carto sec 3, 4, 9 & 10
Land lease
Soil 2nd rate
Greasewood & mesquite

North on a random line
bet sec 3 & 4
70° 13' 04" 2' E

4000 Set temporary 1/4 sec post

79.50 Intersect north Boundary of
Township 33 N, west of cor
to sec 3, 4, 8 & 10
From which cor. Run

880° 14' W on a true line
bet sec 3 & 4
70° 13' 04" 2' E

To 2nd Range 1 E

Gita & Salt River Meridian

39.50 Serapat fir 74 sec cor
with mound and pits
as per instructions

79.50 The cor to sec 3, 4, 9 & 10
Land level
Incl Pt & 2nd rates
Grease wood & Mesquite

North bearing 32° 13' 3"
74° 13' 04" 2' E

400 Serapat fir 74 sec cor
with mound and pits as
per instructions

800 Serapat fir cor to sec 28.29
32° 13' 3" with mound & pits
as per instructions

B 2 N Range 1 E

1

Gata Salt River Meridian

Obs Land level
 Soil sur rate
 Greasewood & mesquite

East as random line
 bet recs 28 & 33
 N 13° 42' E

4020 per temporary 1/4 sec pt

79.78 Intersect N 1/4 Sec 12 E 1/4 N
 of cor to recs 27, 28, 33 & 34
 from which cor drawn

N 89° 55' W on a true line
 bet recs 28 & 33
 N 13° 42' E

39.89 per report for 1/4 sec cor with
 around 4 pits as per in
 structure

Sp 2ⁿ Range 1 E
 1
 Gila Salt River Meridian

79.78 The cor to sec 28, 29, 32 & 33
 Land level
 Soil 2nd rate
 Greasewood and mesquite

Wrote bearings 28 to 29
 Ra 130°42' E

4000 Set apart for 1/4 sec cor
 with mound and pits as
 per instructions

8000 Set apart for cor to sec 20, 21,
 28 & 29 with mound and
 pits as per instructions
 Land level
 Soil 2nd rate
 Greasewood & mesquite

38
35

Op 2 N Range 1 E

Lita Galt River¹ MeridianCh - East on a random line
bet recs 21 128
ra 13042' E

4000 let temporary 1/4 sec from

79.82 Gulches N of line 30 lks S
of cor to recs 20, 24, 27 128
Furnish cut & runS 89° 47' W random line
bet recs 21 128
ra 13042' E89.91 let report for 1/4 sec cor
with mound and pits
as per instructions79.82 The cor to recs 20, 21, 28 129
Land level. For 2nd rate

Sp 2 N Range E
1

Gita Salt River Meridian

Obs Greasewood & Mesquite
March 18. 1868

North bearing 20 1/2°
ra 130 42' E

4400 Set apart for 1/4 acre
with mound and pits
as per instructions

800 Set apart for 1/4 acre 16.17
20 1/2° with mound and
pits as per instructions
Land level
Incl 200 rods
Palo verde greasewood
and mesquite

48

Op 2 n Range 1 E

Gila Salt River¹ Meridian

Chs East on a random line
bet recs 16 + 21
va B^o42' E

40.00 Set a ~~post~~ temporary 1/4 corner

80.16 Intersect NTS line 16 lks south
of cor to recs 15, 16, 21 + 22
From which cor I run

to 89.33' 40' mature line
bet recs 16 + 21
va 13^o.42' E

40.08 Set a post for 1/4 corner
with mound and pits
as per instructions

80.16 The cor to recs 16, 17, 20 + 21
Land level

Sp 2ⁿ Range 7 E

Gila Salt River Meridian

cb0 Soil Pt 2ⁿ rates
Greasewood, mesquite and
sage brush

With ber acc 16 & 17
at 130' 42' E

4120 Ser apart for 1/4 acc cur
with mound and pits
as per instructions

8020 Ser apart for cur to acc 8, 9, 16
& 17 with mound and pits
as per instructions
Land level
Soil 1st & 2ⁿ rates
Palo verde, greasewood
and mesquite

Sp 2 N Range 1 &

1

Lita Holt River Meindian

Obs Enmarandouline
ber aed 9 + 16
ra 13042' &

400 Letemporary 1/4 sec cor

8024 Dubuxab N + Slime 9 Ks
+ W of cor to aed 9, 10, 15 + 16
from coludo cor Drun

89056 "Wan atimo lue
ber aed 9 + 16
ra 13042' &

40112 Derapnt fir 1/4 sec cor
with mound and pits
as per instructions

8024 The cor to aed 8, 9, 16 + 17
Land level

No 2 R Range 1

Gila Salt River Meridian

cls Soil pt 200 notes
Grease wood, mesquite and
sage brush

North bearing 87°
at 130 42' E

4000 Set a post for 1/4 sec cor
with mound and pits
as per instructions

8000 Set a post for cor to geo.
4.0, 8 & 9 with mound & pits
as per instructions
Land level
Soil 200 notes
Grease wood and
mesquite

Sp 2 N Range 1 E

1

Greenholt River Meridian

chs East meridian line
between 4 & 9
Ta 130 42' E

40.00 Set temporary 1/4 sec post

61.50 Road from Weckenburg to Port
McDowell bears N 10 W 8

81.18 Intersect of line 26 lks N
of carto sec 3, 4, 9 & 10
from which an Iron

N 89 49' W meridian line
between 4 & 9
Ta 130 42' E

40.09 Set up post for 1/4 sec cor
with mound and pits
as per instructions

No 2 N Range 1 E

Get a Salt River mention

80.18 The cor to sec 4, 5, 8 & 9
Land level

Soil 2nd rate

Greenwood, mesquite and
cage brush

North on a road on line
bet sec 4 & 5
T₁ 13042' E

80.46 Road from Beckenberg to Fort
medwell bears N 10° E

4000 feet temporary 7 Dec per

79.60 Interest North Boundary of
Township 56 N 2nd West of
cor to sec 4, 5, 8 & 9
From which cor runs

46

BOOK I

48

P. 2nd N Range ELito Salt River Mendocino¹

Ch. 200⁰⁰ + W on a true line
bet secs 4 and 8
7a 130⁰⁰ 42' E

39.60 Seraport for cor to sec 4
74 accor with mound and
pits as per instructions

39.60 The cor to sec 4, 5, 8 + 9
Land level
Zinc Pt + 2nd rates
Greasewood and mesquite
March 19, 1868

North bet sec 3, 7, 8 + 9
7a 130⁰⁰ 42' E

40.00 Seraport for 74 accor
with mound and pits
as per instructions

Op 2 N Range 1 E

1
Gila Salt River meander

8000 Peraport for cut to acc 29, 30.
 31 & 32 with mound and pits
 as per instructions
 to and level
 Soil Pt 2 no rats
 Quercus & mesquite

East on a random line
 per acc 29 & 32
 7a 130 42' E x

4000 Per temporary 1/4 acc port

8020 Intersect N + S line 12 N, S
 of acc to acc 28, 29, 32 & 33
 From which cut down
 S 89° 55' 40" on a true line,
 bet acc 29 & 32
 7a 130 42' E

Op 2 N Range 1 E

1

Gila Salt River Meridian

40.11 Set apart for ~~the~~ record with
mount and pits as
per instructions

50.22 The corner of sec 29, 30, 31 182
Land level
One 2' cut
Greewood and mesquite

West on a random line
bet sec 30 & 31

To 1.30 42' E

40.20 Set apart for a 1/4 report

77.44 Returned to Salt River Meridian
16 Ch north of cor to
sec 25, 36, 38 (B)
From col to or dam

Sp 2ⁿ Range 1 E
 Gila Trail River Meridian

Obs 289033' E on true line
 bet rec^s 30531
 ra 13042' E

3744 Report for 1/4 accor
 with mound and pits
 as per instructions

7744 The cor to rec 29, 30, 31 1892
 Land level
 Soil sub rate
 Mesquite and sage brush

with bet rec 29 1890
 ra 13042' E

4100 Report for 1/4 accor
 with mound and pits
 as per instructions

47th 2nd Range E

1

Quia Salt River Meridians

8000 per apt from to Dec 19, 20,
29 & 30 with mound and
pits as per instructions
Land level
Oil 2nd rate
Government mesquite
and sage brush

East on a random line
between 20 & 29
Ta 13042' E

see per temporary Hecor

8016 Dubred N + line 19 Mo S
of apt to Dec 20, 21, 28 & 29
From which a D run
189052' W as a true line
between 20 & 29
Ta 13042' E

Op 2nd Range E

Cule Fault River Meridian

40.08 Cor apt for 1/4 sec cor
with mound and pits
as per instructions

8.16 The cor to sec 19, 20, 29 1880
Land level
Int substrate
Grease wood and mesquite

Westward ^{random} line bet
sec 19 & 20
at 13042' E

4620 Cor temp may 1/4 sec port

77.81 Intersect Cule Fault River Me-
ridian 2600s North of
cor to sec 24, 25, 19 1880
From which cor I am

49 Op 2 N Range 1 E

1

Great Salt River Meridian

Obs N 89° 24' 9" E on a true line
between 19 1800

N 130° 42' E

37.87 Serapunt for Heccon
with mound and pits
as per instructions

77.87 The cut to see 19, 20, 29 1800
Land level
ent. Pt 2 at water
I carewood and mesquite

North between 19 + 20
N 130° 42' E

4000 Serapunt for Heccon
with mound and pits
as per instructions

Op 2 N Range 1 E

1

Gila Salt River Meridian

8000 Levaport from cor to recs 17, 18,

19120 with mound and
pits as per instructions

Lead level

2nd Pt 2nd notes

Mesquite and sage brush

East across down line bet

recs 17 & 20

ca 130 42' E

4000 Lev temporary 1/4 sec port

79.82 Intersect N + S line 30 Rps S

of cor to recs 16, 17, 20 & 21

From which cor - I run
S 89° 47' 40" on a true line
bet recs 17 & 20

ca 130 42' E

51 Op 2 n Range &

1
Gila Salt River Meridian

39.91 Set apart for 1/4 sec cor
with mound and pits
as per instructions

79.82 The cor to sec 14, 18, 19
Land level
Cpt 1st 2nd rates
Measure with mesquite
March 20, 1868

West on a random line
bet sec 18 & 19
on 130' 2' &

400 Set temporary 1/4 sec post
78.22 Intersect Gila Salt River
Meridian 21.68s north of
cor to sec 13, Mt. 18719
From objects cor & river

Op 2 N Range 1 E

Julia Salt River Meridiana

Obs 28937' E on a true line
 bet sec 18 & 19
 ra 130° 42' E

3822 Beraport fr 1/4 sec cor
 with mound and pits
 as per instructions

78.22 The cor to sec 14, 18, 19 & 20
 S and line
 Enl Pt 1200 rods
 Pine wood and mesquite

with bet sec 14 & 18
 ra 130° 42' E

4000 Beraport fr 1/4 sec cor
 with mound and pits
 as per instructions

56
53

To 2 N Range 1 E

1
New South River Meridian

8000 Set a post from car to trees 7, 8,
17, 18 with mound and
pits as per instructions
Said level
One pt to 2nd hole
Saw several mesquites

~~North to car #17, 18~~
~~rat~~

East on a random line
between 8 & 17
ca 13° 42' E

4000 Set a temporary 74 ac post

79, 70 Delineate N + S line of 9 blocks
of car to trees 8, 9, 16 & 17
From vehicle car I run
S 89° 56' W on a true line

To 2 N Range E

Green Salt River meander

Chs ber sec 8 & 17
 ca 13° 42' E

39.85 Set trap for 4 sec cor
 with mound and pits as
 per instructions

79.70 The cor to sec 7, 8, 17 & 18
 Land level
 Soil 2nd rate
 Greasewood & mesquite

West meander line
 ber sec 7 & 18
 ca 13° 42' E

44.00 Set trap for 4 sec cor
 43.50 Aquatic birds (various)
 No-dry sandy bottom.

Sp 2 N Range E

1

Leta Salt River Meridian

78.69 Leta Salt River Meridian
 Meridian 141/2 North of cor
 to accs 12, 13, 7 & 18
 From which cor down

N 89° 54' E on ature line
 between 7 & 18
 on 13° 42' E

88.69 Report for 1/4 accor
 with mound and pits
 as per instructions

78.69 The cor to accs 7, 8, 17 & 18
 Land level
 2nd pt to accs
 Palo verde, greasewood
 and mesquite

Op 2 N Range 1 E

Gila Salt River Meridian

cls north bet secs 7 & 8
T₁ 13042' E

4400 Beraput fir 1/4 sec cor
with mound and pits
as per instructions

443.75 A dry cut \$2.25 cls under sandy
bottom - course fur

5000 Beraput fir cor to sec 5 of 6.
7 & 8 with mound and pits
as per instructions
Sand level. Soil 1/2 rate.
Measure wood Ed mesquite

East meridian line
bet sec 5 & 8
T₁ 13042' E

60
57

To 2nd Range E

Heat Salt River Mendocino

24.00 A dry creek 2.50 cbs wide
sandy bottom - coarse pebbles

40.00 Per temporary 1/4 sec cor

79.80 Intersect N + S line 23 lks
to cor to sec 4 B. 8 + 9
From which cor down

89050' W on atmo line
bet sec 5 + 8
N at 3042' E

39.90 Derapmt for 1/4 sec cor
with mound and pits
as per instructions

79.80 One cor to sec 5. 6. 7 + 8
Sound level
Incl PV 2 rates

Sp 2 N Range E

Uta Salt River Meridian

Chs Palo verde, greasewood
and mesquite

West on a random line
bet secs 6 + 7
ra 180 4 1/2 E

4000 feet temporary 1/4 sec post

56.50 Aqua Finis 5.00 chs wide sandy
bottoms - course 180° E

79.14 Dubuque line Salt River me-
ridian line 19.00 chs limits of
crt to secs 112.6 + 7
From which cr. from
1840 52' E mature line
bet secs 6 + 7
ra 180 4 1/2 E

62
58

To 2 N Range E

Into Salt River Meridian

39.14 per a part for 1/4 sec cor
with mound and pits
as per instructions

79.14 The cor to secs 5, 6, 7 & 8
Land level
One 200 rate
Greewood and mesquite

with a random line
bet Secs 5 & 6

70 13° 42' E

4000 set temporary 1/4 sec cor

70.20 Road from Weckenburg to Ft.
McDonnell bears N 88° W + 880° E

To 2nd Range E
1

Gila Salt-River Meidian

80.15 Suburb West Boundary of To 35th lks
West of cor to recs 30, 31, 32
From which cor drawn

100° 75' W or true line
bet recs 5 & 6
ca 130' 42' E

40.15 Scrap for 1/4th rec cor
into around and pits
as per instructions

80.15 The cor to recs 5, 6, 7 & 8
Land rolling
Dirt 2nd rate
Grease wood and mesquite
March 2/1/88

Tp 2 N R 1 E. Latah Salt River Meridian

61

General Description ¹

The quality of the land in this Township is about the common average - being generally 1st 2nd rate and well adapted for cultivation or grazing purposes.

Mesquite and palo verde ~~afford~~ afford excellent material for fuel.

The Weckenburg and Ft. McDonald Road enters the Tp in sec 18 and runs a NW course and leaves it on North Boundary of sec 6

Copied 99
2/23/87-

Field Notes of the survey of the
 Subdivision Lines of
 Township 2 N Range 1 E
 of the Gila & Salt River
 Meridian in the Territory
 of Arizona by George
 P. Duggals Deputy
 Surveyor under his
 Contract bearing date
 29th day of February 1868

Platted C. D.

copied by
 SKT

62A

Township No. 3 N. Range No. 1 E. 22 R. 2 E. Mer.

6	123	5	106	4	95	3	83	2	72	1
122		100		105		94		82		71
7	120	8	104	9	93	10	81	11	70	12
118		117		103		91		80		69
18	116	17	102	16	90	15	79	14	68	13
115		114		101		89		78		67
19	113	20	100	21	88	22	77	23	66	24
112		101		99		87		76		65
30	110	29	98	28	86	27	75	26	64	25
109		108		97		85		74		63
31	107	32	96	33	85	34	73	35	62	30

1-211

Scale 60 chains to an inch
20 40 60 80

True Meridian

Of 2nd Range E

Alta Salt River Meridian

Obs From the arts sec 1, 2, 35
 + 36 on south boundary of
 Township 2 run

Units bet sec 35 + 36
 ra 13046' E as per
 East Boundary

4000 Serapunt fir 44 sec 35
 with mound and pits
 as per instructions

8000 Serapunt fir cur to sec 25, 26
 35 + 36 with mound & pits
 as per instructions
 Band level
 fir Pt 2nd rules
 Greasewood, mesquite
 and palo verde

Op 2 N Range E

ula Salt River Meridian

Ch East on random line
 bet recs 25736
 va 130 58' E as per
 front Boundary

4000 Set temporary 1/4 ac post

Dist 14 Intersect East Boundary
 of Township 19 Sks front
 of arts recs 25.36-35031
 from which cor run

8843 2' 40" random line
 bet recs 25736
 va 130 58' E

40.07 Set apart for 1/4 ac cor
 with mound and pits
 as per instructions

CP 3rd Range E

Gila Salt River Meridian

No. 14 The cor to secs 25, 26, 35 & 36
 Land level
 Drill pt 12th rules
 Greasewood & sage brush

North bet secs 25 & 26
 7th 12th 46' E

4400 Set apart for 44 ac cor
 with mound and pits
 as per instructions

8000 Set apart for cor to secs 23, 24,
 25 & 26 with mound and
 pits as per instructions
 Land level
 Drill pt 12th rules
 Greasewood, mesquite
 and sage brush

To E N Range &

Gila Salt River Meridian

Ch. East on landmark line
between 24 & 25
7a 130° 58' E

29.30 Road bears NW 70 E

40.20 Set temporary 74 acc from

80.22 Intersect East Boundary
of Township 26 N S South of
cor to acc 24 25 19 130
From which cor I am

89° 49' W natural line
between 24 & 25
7a 130° 38' E

40.11 Set apart for 74 acc cor
with mound and pits
as per instructions

Ch & N Range E

Gila Salt River Mendocino

88.22 Clear to sec 23. N 120 T 26
Land level
Int pt for rates
Greewood, mesquite and
palo verde

North bet sec 23 & 24
- 7u 130 T 6 E

28.75 Along beam NW & E

4000 Scrap for 4 sec cur
with mound and pits
as per instructions

8000 Scrap for cur to sec 13, 14,
23 & 24 with mound and
pits as per instructions
Land level

867 ^{Book no. 1} BOOK 1
S. T. & N. Rangit E

Geo Salt River Mendian

Chs. Soil pt 2 m water
Greenwood and mesquite

X

East meridian line
bet sec 13 & 24
Ta 13° 58' E

40.20 bet temporary 14 sec from

80.28 Interest East Boundary of
Township 14 E 20 south of
crt to sec 13, 24, 18719
Involuted and over

890 54' W meridian line
bet sec 13 & 24
Ta 13° 58' E

40.14 bet a part from 14 sec cor

Tp 3 N Range 1 E

Gila Salt-River Meridian

Chs with mound and pits
as per instructions

80.28 The cor to sec 13, 14, 23 NW
Land level
Int 2nd rate
Quercus, mesquite Palo verde
and sage brush

with sec 13 & 14
ra 13 & 14 E

40.00 Res report for 1/4 sec cor
with mound and pits
as per instructions

80.00 Res report for cor to sec 11 & 12,
13 & 14 with mound and pits
as per instructions

69

Blk. no. 1

BOOK 1

Op 3 N Range 8

Line Salt River Meridian

Ch. Sand Creek
Foil 2nd rate
Guaiacum + mesquite

East on a random line
bet sec 12 & 13
7a 13° 38' E

4000 feet temporary 1/4 sec cor

8018 Subsect East Boundary of
Township 12 R's north of
cor to sec 12, 13, 14 & 18
From which cor I run

7890 55' W on a true line
bet sec 12 & 13
7a 13° 38' E

Op 3 N Range Co

Gila Salt River Meridian

48.09 Scrap for 1/4 sec cor
with mound and pits as
per instructions.

50.18 The cor to sec 11, 12, 13 & 14
Land level

Soil 2 or 3 ft

Greewood, mesquite
Paloverde & sage brush

March 23, 1888

North bet sec 11 & 12
7a 13° 46' E

46.00 Scrap for 1/4 sec cor
with mound and pits
as per instructions

8.00 Scrap for cor to sec 1, 2,
11 & 12 with mound & pits
as per instructions

1-2
71 Op 2 N Range E
Bk No. 1 LUCK 1

Eda Salt River Meridian

Chs Land level
frit 2nd also
Greewood & Mesquite

East meridian line
bet secs 1 & 2
7a 13° 58' E

4000 Set temporary 74 across

St. 32 Intersect ~~the~~ line East
Body of Township 28 N
North of cor to sec 1 1/2, 6 & 7
From which cor I run

N 89° 48' W meridian line
bet secs 1 & 2
7a 13° 38' E

To 2nd Range 1 E

Let Salt River Meridian

40.16 Set a post for 4 sec cor with mound and pits as per instructions

80.32 The cor to sec 1, 2, 11 112
Land level
One set salt
Greasewood + mesquite

North as random line
bet sec 1 & 2
741 20 46 'E

44.00 Set temporary 1/4 sec post

47.50 A dry creek 75 W under runs SW

79.80 Subject North Boundary of Township 35 R West of cor to sec 1, 2, 30 T 36

14
73

BOOK

Log. Bk. No. 1

BOOK 1

Op 2 N Range E

Gila Salt River Meridian

Chs from which cor. D run

S 78° 15' W and two lines
bet secs 1 & 2

7a 13 24 6 E

39.80 Set apart for 4 sec cor
with mound and pits
as per instructions

79.80 The cor to secs 1, 2, 11 & 12
Land level
frit Pt 2 w rates
Greewood & mesquite

North bet sec 2 & 4 13 5
7a 13 24 6 E

40.00 Set apart for 4 sec cor
with mound and pits
as per instructions

To 2nd Range E

Gila Salt River Meridian

8000 Section for cut to sec 26, 27
 34 & 35 with mound and
 pits as per instructions
 Land level
 for pt 12 at rates
 Greasewood, mesquite
 and sage bush

East on random line
 bet sec 26 & 35
 7a 13058' E

4000 for temporary 4 sec part

8018 Intersect N + line 12 lks N
 of cut to sec 25, 26, 35 & 36
 from which a run
 N 89° 55' W on true line
 bet sec 26 & 35
 7a 13058' E

16 BOOK 1, Blk no. 1

75 Tp 2 N Range 1 E

Gravel Pit -~~Medians~~

40.09 Set apart for 1/4 acre
with mound and pits
as per instructions

Dec 18 The cor to sec 26 27, 34 35 -
Land level
Incl 2nd rate
Greewood & haybush
and mesquite

North bet sec 26 27
ra 13° 46' E

40.20 Set apart for 1/4 acre
with mound and pits
as per instructions

80.00 Set apart for cor to sec 22, 23,
26 & 27 with mound & pits as
per instructions

To B N Range &

Gila Salt River Meridian

Obs Land level
 Soil Salts
 Greasewood, mesquite
 and sage brush

East on random line
 bet sec 23 & 26
 T₁ 13038' E

Has set temporary 4 sec post

80.24 Intersect N + S line 23 & 26 S
 of cor to sec 25 & 26. 23 & 24
 From which cor to run

88935' W on same line
 bet sec 23 & 26
 T₁ 13038' E

Op 2 N Range E

Glat Salt River Meridian

40112 Scrap for 1/4 sec cor
with mound and pits
as per instructions

8024 The crest sec 22 23 26 27

Sand level

One 20 rate

Greenwood + mesquite

March 26, 1868

North lot sec 22 23

7a 13046 'E

4020 Scrap for 1/4 sec cor
with mound and pits
as per instructions

8020 Scrap for cor to sec 14 15,
22 23 with mound and pits
as per instructions

37.20 To E N Range E

Gila Salt River Meridian

Obs Sand level
 Soil 2nd rate
 Greasewood & mesquite

East on a random line
 bet sec 14 12 3
 Ta 13 5 8' E

37.20 A Road bears NW 1/4 E

4.00 A temporary 1/4 sec post

80.00 Intersect N 1/4 Sec 19 10 5
 of cor to sec 13, 14, 23, 24
 from which cor run

S 89° 52' W on true line
 bet sec 14 12 3
 Ta 13 5 8' E

W. M. Rangel &

79
Gila Salt River Meridian

4015 Set apart for 1/4 sec cor
with mound and pits
as per instructions

8000 The cor to sec 14, 15, 22 & 23
Land level
Int Pt 2nd rates
Greasewood, mesquite
and sage brush

North bet sec 14 & 15
ra 13° 46' E

2600 Road bears NW & SE

4000 Set apart for 1/4 sec cor
with mound and pits
as per instructions

Of 3rd Range E

Gila Salt River Meridian

8220 Set apart for cut to sec 10, 11,
 14 + 15 with mound + pits
 as per instructions
 Land level
 Soil pt 2 rates
 Greasewood, mesquite
 and sagebrush

East on mud run line
 bet sec 11 + 14
 7a 13° 38' E

4220 Set apart may 74 sec post

80.26 Intersect N + line 28 R 35
 of cut to sec 11, 12, 13 + 14
 from which corner
 S 89° 48' W on a true line
 bet sec 11 + 14
 7a 13° 58' E

Q 2 N Range E

Gila Salt Queen Meridian

40.13 Seraport for 1/4 acre
with mound & pits as
per instructions

80.26 The cor to sec 10, 11, 14 & 13
Land level
Soil 2nd rate
Greasewood mesquite palo
verde & sage brush

North bet sec 10 & 11
74° 13' 46" E

40 Seraport for 1/4 acre
with mound & pits as
per instructions

46.50 Dry Creek how ch arto runs S W

To 3rd Range E

Gila Salt River Meridian

8000 Set apart for cor to sec 2, 3,
10 & 11 with mound and pits
as per instructions
Land level
Incl 2nd rate
Greewood, mesquite
and palo verde

East on a random line
bet sec 2 & 11
70° 58' E

4000 Set temporary 1/4 sec post

4760 Dry Creek to Chando road SW

8016 Intersect N. line 36 R. S
of cor to sec 1, 2, 11 & 12
From which cor. I run

Op 2 N Range 3

Gila Salt River Meridian

Ch. 189045' W on a true line
bet sec 2 & 11

ra 13038' E

40.08 Set apart for 1/4 sec cor
with mound and pit
as per instructions

80.18 The cor to sec 2. 2. 10 & 11
Sand level

Out pt + 2nd rates

Greenwood, mesquite, sage
bush + palo verde

North on a true line
bet sec 2 & 3

ra 13046' E

40.00 Set temporary 1/4 sec pt

To B Range 1 E

Set Salt Line Meridian

80.25 Intersect North Boundary
of Township 23 N East
of cor to sec^s 2, 3, 4 & 5
From which a run

100° 10' Conature line
bet sec^s 2 & 3
70 130 46' E

40.25 Set apart for 1/4 section
with mound and pits
as per instructions

80.25 The cor to sec^s 2, 3, 10 & 11
Land level
On 2nd rate
Greewood, mesquite
and sage brush
March 27, 1868

To 3rd Range 1 @

Gila Salt River Meridian

Chs North between 33184
7413046 @

4000 Set apart for 1/4 sec cor
with mound and pits
as per instructions

5000 Set apart for cor to sec
27, 28, 33 134 with mound & pits
as per instructions.

Land level
but 2nd 13000 notes
Greenwood Mesquite

East on random line
between 24734
7413058 @

4000 Set temporary 1/4 sec post

Op 3rd Range 1 E

Gda Salt River Meridian

79.82 Dubuett N + Shie or
cor to sec 26, 27, 34 + 35
From which cor dam

Water on natural line bet
sec 27 + 34
Va 13° 58' E

39.91 Report for 94 sec or
with mound & pits as per
instructions

79.82 The cor to sec 27, 28, 33 + 34
Land level
Inl Dur rate
Greewood + mesquite

With bet sec 27 + 28
Va 13° 46' E

Op 3 U Range E

Gita West-Quin Meridian

Chs north bet sec 27 & 28 /
 ra 13° 46' E

4000 Set apart for 4 sec cor
 with mound and pits
 as per instructions

8000 Set apart 18+8+8 for cor to
 sec 21, 22, 27 & 28 as per
 instructions

Land level
 and Pt Quin rules

Greenland, Mesquite
 and sage brush

East on a random line
 bet sec 22 & 27
 ra 13° 08' E

4000 Set temporary 4 sec post

Op 3 N Range E

Helio & Salt River Meander

79.70 Intersect N & S line 12 lks S
of cur to recs 22, 23, 26 & 27
From colute cord camp

S 89° 33' W on a true line
bet recs 22 & 27
va 18° 58' E

89.85 Scrap for 4 rec cor
with mound and pits
as per instructions

79.70 One cur to rec 20, 22, 27 & 28
Land level
Dirt Sur rate
Grease wood & mesquite

North bet recs 21 & 22
va 13° 46' E

Op 3 N Range E

Uta Salt River Median

4020 Grapnel for 14 sec cor with mound and pits as per instructions

5020 Grapnel for cor to sec 15, 16, 21, 22 with mound and pits as per instructions
Land level
firt pt det rails
Guarwood, mesquite, palo verde & sage brush

East on a random line bet sec 15 & 22
7a 130 58' E

4000 temporary 14 sec post

79.78 Intersect N of line 28 lks S of cor to sec 14, 15, 22 & 23

200 Bk. no. 1
 Op 3 N Range 1 E

W. Salt River Member

Ch. From which our

289.48' W on true line
 set sec 15 T22
 on 30.58' E

29.89 Set apart for 4 sec cor
 with mound pits as
 per instructions

29.78 Near to sec 15, 16, 21 T22
 Land level of
 soil pt + outcrops
 Greasewood & Mesquite

North by sec 15 T16
 on 30.46' E

30.10 A dry creek bed ch
 and runs SW

Op 3 N Range 1 E

Gen Salt River Mendocino

4000 Scrap for 1/4 acre
with mound & pits as
per instructions

80.00 Scrap for car to rec 9. 10,
15716 with mound & pits as
per instructions

Sand level

Int pt of 2 rates

Greewood & mesquite

East on a random line
bet rec 10 & 15
ra 13038' E

23.30 Road bears NW 1/4 E

4000 Set temporary 1/4 acre post

43.60 Adm cut 100 lbs into course 820

Op 3 N Range 1 E

Line Salt River Meridian

79.58 Intersect N + S line 26 Rds S
of ar to sec 10, 11, 14 + 15
From which cor I run

§ 89 of 9' 4" natural line
bet sec 10 + 15
run 13° 58' E

39.84 Set apart for 4' corner
with marked pits as
per instructions

79.58 The ar to sec 9, 10, 15 + 16
Sand level
Dirt at 2 corners
Guercwood, mesquite
and sage brush
March 28, 1868

Op 3 N Range 1 E

Get Salt River Meridian

Chs North bet sec 9 & 10
7a 13 1/2 E 6' E

15.75 - A Road bears NW 1/4 E

23.40 A Dry Cuck 1.25 chs into runs SW

40.20 Set apart for 1/4 acre
with mound and pits
as per instructions

50.20 Set apart for acre to sec 3.4
9 & 10 with mound & pits
as per instructions

Land level

Out 2nd cut

Greenwood, mesquite
and sage brush

Op 3 N Range E

Let Salt River Meidian

do Eastward on line
bet sec 3 & 10
Ta 130° 58' E

31.80 Along creek 1.50 ch with course S 10° W

4000 bet camp 1/4 sec post

79.74 Dubuque N & S line 35 ch S
of cor to sec 2, 3, 10 & 11
from which cor run

S 89° 45' W on same line
bet sec 3 & 10
Ta 130° 58' E

39.89 Depost for 1/4 sec cor
with mound & pits as
per instructions

79.74 The cor to sec 3, 4, 9 & 10

Op 3 N Range E

Lea Salt River Meridian

Obs Land level
Int. Lev rate
Greenwood & mesquite

North on a random line
bet sec 3 & 4
7a 13076' E

4120 bet camp only 1/4 sec part

8748 Intersect North Boundary of
Township 42 Ns East of
cur to sec 3, 4, 33 1/2
From which cur run

Sw 1/8 E on a true line
bet sec 3 & 4
7a 13076' E

4048 bet report for 1/4 sec cur

Op 3 N Range &
 Gila Salt River Meridian

Chd with mound and pits
 as per instructions

80.48 The cor to sec 3, 4, 9 & 10
 Land level
 Corl pt 1200 rods
 Greasewood & mesquite

North bet sec 32 & 33
 7a 13026 E

4000 Set post for 14 sec cor
 with mound and pits
 as per instructions

32.25 Achry Creek 4.92 chs wide across Str. Creek next small defunct

80.00 Set apart for cor to sec 28, 29,
 32 & 33 with mound ^{and} pits as
 per instructions
 Land partly rolling 200 rods
 Greasewood & sage brush

Op 3 N Range E

Geo East River Meridian

Chs East on a random line
between 28 & 33
70 130 58' E

40.00 Set temporary 1/4 sec post

50.20 A long curb 150 Chs wide
corner South

80.30 Returned N & S line 12 Chs S
of cur to Dec 27, 28, 33 134
From which cor I am

89.55 W on a true line
between 28 & 33
70 130 58' E

40.15 Set a post for 1/4 sec cor
with mound & pits as
per instructions

Box no. 1
 Cp 27 Range 1 E

Gila Salt River Meridian

8030
~~8030~~ The cor to sec 29, 28, 32 & 33
 Land selling
 Soil 2nd 18" rats
 Greasewood & mesquite

North bet sec 28 & 29
 tra 13 & 16 'E

4000 Set a post for 74 sec cor
 with mound & pits as
 per instructions

8020 Set a post for cor to sec 20, 21,
 28 & 29 with mound & pits
 as per instructions
 Land level
 Soil 2nd rats
 Greasewood & sagebrush

997 Sp 3 U Range 1 Co

Great Salt River Meridian

Ch. East on a random line
between sec 21 & 28
T₁₄N 130°58' E

440.00 Set temporary 1/4 sec post

43.75 - Abey out 150 ft and course found

80.26 Subsect N & S line 160 ft W
of cor to sec 21, 22, 27 & 28
Involute cor & run

N 89°53' W on a true line
between sec 21 & 28
T₁₄N 130°58' E

40.10 Set apart for 1/4 sec cor
with mound & pits as
per instructions

80.26 The cor to sec 20, 21, 28 & 29

No 2n Range 8

Gila Salt River Meridian

Obs Land level

Inl Pt 2nd rates

Greewood Mesquite

March 30. 1868

with level 20721

val 3°46' 8

4700 Lev apart for 9 sec cor with mound & pits as per instructions

5700 Lev apart for cor to sect 6. 7. 20721 with mound & pits as per instructions

Land level

Inl Pt 2nd rates

Greewood Mesquite

Op 3 N Range E

Lisa Galt River Meander

cb, East on a random line
 bet sec 16 & 21
 Ra 13° 58' E

4400 Set temporary 1/4 sec post
 43.07 Any creek 100 yds wide course S 20° E
 54.30 " " " 57 " " " S 20° W

Ss. 38 Intersect N + S line 190 yds W
 of cor to sec 15, 16, 21 & 22
 from volute cor down

2189° 52' W orature line
 bet sec 16 & 21
 Ra 13° 58' E

40.19 Set apart fir 1/4 sec cor
 with mound & pits as
 per instructions

Ss. 38 Check to sec 16, 17, 20 & 21

Op 2 N Range E

Gila Galt River Meridian
 obs Land level
 Inl Pt rate
 Guerewood & mesquite

note bet sec 16 & 17
 va 130 H 6' E

4020 Serapat for sec cur
 with mound & pits as
 per instructions

8020 Serapat for cur to sec 8, 9,
 16 & 17 with mound & pits
 as per instructions
 Land leveling
 Inl Pt rate
 Guerewood and
 mesquite

Op 3 N Rauger Co

New Salt River Meridian

Obs East meridian line
 between 9 + 16
 on 130 58' E

490 Set temporary 1/4 sec post
 60.50 Along curb 100 ft wide ~~course 815° W~~
 course 815° W

80.30 Intersect N + line at cor
 to sec 9, 10, 15 + 16
 from which cor down

West meridian line bet
 sec 9 + 16
 on 130 58' E

40.15 Set a post for 1/4 sec cor
 into mound & pits as
 per instructions

80.30 The cor to sec 16, 17, 8 + 9

Blk No. 1
Cp on Range E

Gila Salt River Meindin

Land level
for Pt 2 & 3
Mesquid & mesquite

North bearing 87° 9'
ra 130° 46' E

4:20 Set apart for 4 sec cur
with mound & pits as
per instructions

8:00 Set apart for cur to sec 4, 5,
8 & 9 with mound & pits
as per instructions
Land level
for 2 & 3
Mesquid & sage brush

CP 3 N Range 1 E

Great Salt River Meridian

Obs East meridian line
between 4 + 9
74 130 58' E

9.60 A Road bears NW 70 E

4000 Set temporary 14 section

80118 Subsect N + S line 23 lks
N of cor to sec 3, 4, 9 + 10
From which cor'd run

N 89° 50' W a true line
between 4 + 9
74 130 58' E

40109 Set apart for 1/4 sec cor
with mound & pits as
per instructions

8018 The cor to sec 4, 9, 8 + 9

Op of R Range / E

Gila Salt River Meridian

Chs Land level
 one survey
 Mesquite & sage brush

North on a random line
 bet sec 4 & 5
 7a 13046' E

8.75 RR Road bears N 10° E

4.00 bet temporary & permanent

8.23 Intersect North Boundary of
 Township 28 N R. East of
 cur to sec 4, 5, 32, 33
 from which column

8000/2' E on a true line
 bet sec 4 & 5
 7a 13046' E

P. M. Rangel E

Great Salt River Meridian

40.23 Let a part for 1/4 sec cor
with mound & pits as
per instructions

8.23 The carts nos 45, 8 & 9
Land level
Dat 2nd rate.
Guarwood & mesquite
March 31, 1868

Wrote let nos 3, 18 & 2
7 & 13 of 6 E

40.23 Let a part for 1/4 sec cor
with mound & pits as
per instructions

8.23 Let a part for cor to sec 29.00
3/18/62 with mound & pits
as per instructions

To 2^d Range E

Old Salt River Meridian

Chs Land rolling
Int 2^d + 3^d rolls
Greenwood Sage bush

East on random line
bet sec 29 182
7a 13076' E

4000 Set company 14 sec post

79.90 Entered N. line 14 sec N
of cor to sec 28, 29, 32 183
From which corner

N 89° 54' W on true line
bet sec 29 182
7a 13158' E

39.95 Set apart for 44 sec cor
with mound & pits as per
instructions

Op 3 N Range E

Gen Salt River Meridian

79.90 Mer to sec 29. 30. 31 1832

Land rolling

Soil gravel

Greenwood Sage brush

West on a random line

bet sec 30 1831

to 13058' E

4000 September 14 sec 30

79.70 Intersect West Boundary

of Township 21 E. N. North

of cor to sec 25. 36. 31 1831

From which a random

to 84057' E on a true line

bet sec 30 1831

to 13058' E

Op 3 N Range E

Gula & Salt River Meridian

39.70 Serapat fir 14 sec cor
with mound & pits as
per instructions

79.70 The cor to sec 29.30-31 132
Land colling
for 3rd roll
Greewood, mesquite
and sagebrush

North bet sec 29 130
2a 130 46' E

40.00 Serapat fir 14 sec cor
with mound and pits
as per instructions

60.00 Serapat fir cor to sec 19.20.
29 130 with mound and pits
as per instructions

Op 2 N Range E

Gila Salt River Meridian

Ch. Land level

Int. 2nd rate

x Greasewood & mesquite x

East on a random line
bet sec 20 ~~21~~ + 29
Ta 13° 58' E

40.00 bet temporary 1/4 sec post

79.78 Intersect N 40 line 23 lks N
of cor to sec 20, 21, 28 + 29
from which cor. run

N 89° 55' 40" on a true line.
bet sec 20 + 29
Ta 13° 58' E

39.89 bet a post for 1/4 sec cor

Op 3rd Range 1 E

Gila Salt River Meridian

Chs with mound and pits
as per instructions

79.78 The cor to sec 20, 19, 29 1800
Land rolling
for 2nd rate
Greewood & mesquite

West on random line
bet sec 19 1800
rat 13058¹⁸

Here set temporary 74 sec post

80.23 Intersect West Boundary of
Township 26 Ns North of
Cor to sec 24, 25, 19 1800
From which cor run

Op 3 N Range 1 E

Gda Salt River Meridian

Obs 289049' E at true line
bet sec 19 & 20

va 13058' E

40.93. Set apart for 1/4 sec cor
with mound & pits as
per instructions

80.23 The cor to sec 19, 20, 29 & 30

Land level

In 2nd rate

Land now & mesquite

North bet sec 19 & 20

va 13046' E

4000. Set apart for 1/4 sec cor
with mound & pits as
per instructions

832

N 3/4 W Range E
Gila Salt River Meridian

820 200 ft apart - from to secs 17, 18,
19 & 20 with mound & pits
as per instructions
Land rolling
Soil Pt 200 ft
Greasewood, mesquite
and sage brush

East on a random line
bet secs 17 & 20
Ta 18° 58' E

400 Set temporary 4 sec post

79.84 200 feet N + S line 19 lks S
of cor to secs 16, 17, 20 & 21
From which cor run
889° 52' 40 on a true line
bet secs 17 & 20
Ta 18° 58' E

Op 3 N Range 8

Great Salt River Meridian

39.92 Beraport for 4 accor with mound pits as per instructions

79.84 The ar to recd M 18019020
Land rolling
In 2nd salt
Guaswood, mesquite
and sage brush
April 1st, 1888

Western a random line
beroes 18719
ra 130 58' E

4000 Let temporary 1/4 acc for
70.25 Enter white sand bears N & Riv - 6 or 7 ch wide
Evidently the Bed of the Agua Fria Creek
80.50 Intersect West Boundary
of Township 30 N 10 W

Op 3rd Range E

Uta Salt River Meridian

Obs of car to sec 13, 14, 18 & 19
 from vehicle on I run

N 89° 47' E mature line
 bet sec 18 & 19
 on 13° 38' E

40.50 Set point for 4th sec cor
 with mound & pits as
 per instructions

R. 50 ~~Set~~ Mer to sec 17, 18, 19 & 20
 Sand rolling
 Int 2nd rate
 Greasewood & sage brush

North based 17 & 18
 on 13° 46' E

Op 3 N Range E

Gila Salt River Meridian

4000 (See report for 14 sec cor
with mound & pits as
per instructions

8000 (See report for cuts sec 8,
17 & 18 with mound & pits
as per instructions
Land rolling
fine surr rock
Greensand & mes quite

East on a random line
See sec 8 & 17
7913058 'E

4000 See temporary 74 sec post

79158 Dubuque N & S line 1400s S
of cut to sec 8, 9, 16 & 17

Dr. No

Op 3rd Range E

Gila Salt River Meridian

Obs From which an June
1890 54' 40" latitude
true bearing 87° 17'
N 130° 58' E

39.84 Corrupt for 9 Dec cor
with mound & pits as
per instructions

79.68 The cor to rec 7. 8. 1748
Sand rolling
In the SW part of
Greewood - mesquite
and sage brush

Westwardan line
bet rec 7 & 8
N 130° 58' E

79.70 See temporary 14 Dec post
4.42 On sandy bed of Agua Fria Creek 3/4 mile wide, runs south

Op 3 N Range 1 E

Line Salt River Meridian

81.07 Intersect West boundary of
Township 35 R. S. north
of cor to recs 12, 13, 7 & 18
from which cord run

N 89° 45' E natural line
bet recs 7 & 18

N 13° 58' E

46.07 Report for 14 acc cor
with mound & pits as
per instructions

81.07 The cor to recs 7, 8, 17 & 18

Land rolling

Soil 2nd rate

Greenwood, mesquite

and sage brush

Op 3 N Range E

Yta Salt River Meridian

Obs North bet sec 4 & 8
T₁ 13° 46' E

4000 Set apart for 1/4 sec cor
with mound and pits
as per instructions

4000 Set apart for cor to sec 5 & 6,
4 & 8 with mound & pits
as per instructions
Sound rolling
Incl set for trees
Greasewood, mesquite
and sage brush

East on road on line
bet sec 5 & 8
T₁ 13° 38' E

Op 3 N Range E

Gda Salt River Meidian

- 4020 Temporary 1/4 sec pr
- 79.86 Intersect N & S line 23 lks S.
of cor to secs 4, 5, 8 & 9
From which cor I run
S 89° 55' W on a true line
bet secs 5 & 8
7a 13° 58' E
- 39.93 Set a post for 1/4 sec cor
with mound of dirt as
per instructions
- 79.86 Near to sec 5, 6, 7 & 8
Sand rolling
But low roll
Greasewood, mesquite
and sage brush

3rd Range E

Gila Salt River Meridian

Chs Westward and true
bet rec 6 + 7
va 130° 58' E

4000 Set temporary 44 sec post

73.67 Aquarius Creek 4.75 chs wide runs S 80° E
78.00 ~~dry arroyo~~ ^{dry arroyo} ~~course~~ ^{course} S 80° E

71.65 Delimit West Boundary of
Township 4 2 E N 1/2 N 1/2 of

44 P to Cor to rec 1, 12, 6 + 7 ^{Post 44 N 1/2 Cor}
From ^{Point for} ~~Volunteer~~ on Dam

N 89° 53' E on true
line bet rec 6 + 7
va 130° 58' E

44.63 Set apart for 44 sec cor
with mound & pits as
per instructions

44.63 One cor to rec 5, 6, 7 + 8

Op 2 W Range E

Area Salt River Mendocino

Chs Land calling
 Fort 2nd rate
 & reared wood & mesquite

North on a random
 line between 5 & 6
 Ra 13° 46' E

40.00 per temporary 1/4 section

79.79 Dubied North Boundary
 of Township 26 1/2 S West
 of corner 5.6.3 1832
 from which corner

S 08° 11' W on a true line
 between 5 & 6
 Ra 87° 46' E

Op 3 Range E

Gila Salt River Meidion

9.79 Serapat for 45 acres
with mound & pits as
per instructions

4.79 The cor to sec^s 5, 6, 7 & 8
Land rolling
In 1st 2nd rates
Sage wood, mesquite
and sage brush
April 21, 1868

General Description

The quality of the land in
this Township is about the
common average - being
generally rolling 1st and
2nd rate soil and well
adapted for cultivation and

PONKIE Culat Salt River Nier.

General Description

grazing purposes.
It is timbered with Grease-wood, mesquite, palo verde, and sage brush which is very evenly distributed over it - affording ample material for fuel - but is too small for fencing.

Dry creek enters the Tp at sec 3 - bears south and leaves it at sec 32. It is dry except during the rainy season.

BOOK 1

Township No. 27, Range No. 26; S.S.P.O.S. Mer.

6	185	5	164	4	158	3	147	2	136	1
184		183		167		156		146		135
7	182	8	166	9	156	10	145	11	134	12
181		180		165		155		144		133
18	179	17	164	16	154	15	143	14	132	13
179		176		163		153		142		131
19	175	20	163	21	152	22	141	23	130	24
174		173		161		151		140		129
30	172	29	161	28	150	27	139	26	128	25
171		170		160		149		138		127
31	169	32	159	33	148	34	137	35	126	30

Scale 80 chains to an inch

20 40 60 80

Q2 N Range & E

Walt Galt River Meridian

Obs from the cor to sec 1, 2, 35
136 on first Boundary
of Township I run

North bet sec 35 136
2a 130 4 2 East per
East Boundary

4000 let a post fir 44 sec cor
with mound & pits as
per instructions

5000 Marked a palo verde giudia
fir cor to sec 25, 26, 35 136
as per instructions
Sound level
Soil 2w for rates
Grease wood, mesquite
and palo verde

Op 2 N Range B E

Gravel Salt River Mendoc

Obs East on random line
between 25736
Va 13045 E

4000 Re-temporary 1/4 sec post

80.36 Intersect East Boundary of
Township 14 S R 30 E
cor to sec 25.36 30731
Gravelly and mud

18903 1/4 section line
between 25736
Va 13043 E

40.15 Set a post for 1/4 sec
with mound and pits
as per instructions

80.30 The cor to sec 25.26 30736

Op 2 N Range 3 E

Gila Salt River Mendocino

Obs Level level

Soil 2nd level

Greasewood, mesquite
and palo verde

North level rec 23 & 26
7 at 30 45' E

4000 level report for 4 acc cr
with mound and pits
as per instructions

8000 level report for acc to rec 23, 24,
25 & 26 with mound & pits
as per instructions
Level level. Soil 2nd level
Greasewood, mesquite, palo verde
and cactus

6754
 6754 2 N Range 3 E

Gate of Salt River Meidian

Chs East on a random line
 bet recs 24 & 25
 va 130 45' E

4000 let temporary 1/4 sec post

79.80 Interest East Boundary
 of Township 12 N 1/2 S 24 E
 cor to recs 24, 25, 19/30
 From which cor I run

2890 55' Monatus line
 bet recs 24 & 25
 va 130 43' E

89.90 let apart for 1/4 sec cor
 with mound and pits
 as per instructions

79.80 Check to recs 23, 24, 25 & 26

Cp 2 N Range 3 E

Gila Salt River Meridian

As Land level
 Int 2nd rate
 Greasewood, palo verde
 and mesquite

North bet accs 23 & 24
 Ta 13 of 3 E

4000 Serapat fir 4 sec cor
 with mound and pits
 as per instructions

5000 Serapat fir accs 13, 24,
 23 & 24 with mound & pits
 as per instructions
 Land level
 Int 3rd rate
 Greasewood, mesquite
 and palo verde

Op 2 N Range 3 E

Old Salt River Meidium

Obs East on a random line
between 13 & 24
ra 13045-1 E

4420 Per temporary 14 rec post

So. 16 2 miles East Broadway
1800s North of cor to road
13 13th 18th 19

Annular cor & run

N 89° 52' W on a true line
between 13 & 24
ra 13045-1 E

40.08 Cor apart for 14 hrs cor
with mound and pits
as per instructions

So. 16 The art. rec 13, 14, 23, 24

Op 2 N Range 3 E

Gila Salt Run Meadow

000 Sand level
 Feb 3rd date

Greewood mesquite palo
 verde and cactus

North bet rec 13 & 14
 ra 13° 45' E

4000 Set apart for 4 sec cor
 with mound and pits as
 per instructions

5000 Enter rolling hills

8000 Set apart in stone mound
 for cor to recs 11, 12, 13 & 14
 as per instructions
 Sand rolling
 Feb 2nd 1st date

10 T 2 N Range 3 E

Gila Salt River Meridian

Obs Guerevord palo verde, cactus
and sage brush

East on a random line
between 12 & 13
7a 130 45' E

11.00 A Ramie 100 ch wide course S

4000 set temporary 1/4 sec post
6700 A Ramie 100 ch wide course south

88.28 Intersect East Boundary of
Township 21 R's north of cor
to sec 12, 13, 7 & 8
From vertex of D run
N 89 05 1' W on a true line
between 12 & 13
7a 130 43' E

Op 2 N Range 3 E

Una Salt River Meridian

4014 Set a post for 4/4 accor
 with mound & pits as per
 instructions

828 The corner is 11/2, 13 + 14
 Land rolling hills
 Soil 3-4 ft
 Greasewood, mesquite and
 sage brush

North bearing 11/42
 or 13° 45' E

3300 Foot of mountains except for
 cultivation bears E 41

4000 Set a stone 18 + 10 + 6 for
 1/4 accor as per
 instructions

127 P 2 N Range 3 E

late Salt River Meindian

Chs Sand rolling hills

Soil 3rd rate

Guarwood, Sage brush
pale verde &c

(Land in advance mountainous & unfit for cultivation")

April 28, 1888

North bet sec 34 133 -
7a 13° 45' E.

38.50 A Road bears NW 70 E

39.60 An old ditch 30 ft wide bears NW 70 E

40.00 Set apart for 4 acres
with mounds & pits as
per instructions

49.00 A Road bears NW 70 E

Op 2 N Range 3 E

Gen Salt River Meridian

8000 Set a post for cor to sec 26, 27,
24 & 25 with mound and pits
as per instructions
Land half
Ent M & 2 W water
Guaranteed 1/2 acre land

Cart on a random line
bet sec 26 & 25
T₁ 130245' E

4000 Set temporary 1/4 sec post

79.82 Set a post 1/4 sec line 12 E's south
of cor to sec 25, 26, 35 & 36
From which cor down
189035' W on a true line
bet sec 26 & 25
T₁ 13045' E

Op 2 N Range B E

Gen Eudalt River Meridian

39.91 Set apart for 1/4 sec cor
with mound and pits
as per instructions

79.82 The cor to sec 26, 27, 34 & 35
Sand bar
Inl Pt 2 water
Greasewood and sage brush

North bet sec 26 & 27
Ran 1/2 45' E

4020 Set apart for 1/4 sec cor
with mound & pits as
per instructions

8000 Set apart for cor to sec 22, 23
26 & 27 with mound and
pits as per instructions

To 2 N Range 3 E

Quia Salt River Meridian

Ch. Land level
 Soil 1st & 2nd rates
 Greasewood to sage brush

East on arandum line
 bet sec 23 & 26
 ra 13043-1E

4400 Area temporary receipt

80.12 Subsect N of line 23 & 26 S
 of cor to sec 23, 24, 25 & 26
 from which cor same

89050' E on arandum line
 bet sec 23 & 26
 ra 13043-1E

44006 Receipt for 1/4 sec cor with
 mound and pits as per in-
 structions

Op 2 W Range 3 E

Gen Salt-River Meridian

80.12 The cor to sec 22, 23, 26, 27
Land level
Inl pt for 200 rods
Greewood and sage brush

North bet sec 22 & 23
on 13 & 3 - E

4000 Set apart for 44 acres
with mounds and pits
as per instructions

8000 Set apart for cor to sec
14, 15, 22 & 23 with mounds and
pits as per instructions
Land level
Inl pt for 200 rods
Greewood & sage brush

Op 2 N Range 1/3 E

40111 Gila Salt River Meridian

dis East on a random line
 feet rec 14 15 23
 on 13 14 15 E

40112 Set temporary 1/4 ac post

Set interest N & S line 26 lks S
 of cor to rec 13, 14, 23
 from which cor down

89049 Wounded line
 bet recs 14 15 23
 on 13 14 15 E

40112 Set apart for 1/4 rec on white
 mound spots as per instructions

89049 The cor to recs 14, 15, 22 & 23
 Sand level. Soil 14 15 & 23
 Greasewood & sage brush

Op 2 N Range 3 E

Lita Salt River Mendocino

Obs North between 14 + 15
va 13045' E4620 Serapunt for 14 sec cor
with mound and pits
as per instructions8220 Serapunt for cor to sec 10, 11,
14 + 15 with mound & pits
as per instructions
Soand gently rolling
Soil 2nd rate
Greasewood, palo verde
and sage brushEast or arandum line
between 11 + 14
va 13045' E

Op 2 N Range 3 E

Gila Salt River Meridian

4000 Per temporary 1/4 sec post

80.14 Intersect N + S line 1200 S
of cor to sec 11, 12, 13 + 14
from which cor I run8935' W on true line
per sec 11 + 14
on 13245' E40.09 Per report for 4 sec cor
with mound and pits
as per instructions80.14 Check to sec 10, 11, 14 + 15
Lead rolling
port 2nd salt
Guarewood, Palo verde, sage
bush + cactus

To 2 Range 3 E

ulu Salt River Median

4000 North lot sec 10 + 11
ra 13045-18

4000 Set a post for 1/4 sec cor
with mound & pits as
per instructions

6000 Set a post for cor to fractional
Sec 10 + 11 at foot of high
Dureau mountains with
cultivation with mound
& pits as per instructions
Land rolling hills
Soil 3 or 4
Greasewood, palo verde
sage brush & cactus
April 29, 1868

North lot sec 33 1868
ra 13045-18

Op 2 M Range 3 E

Line Salt River Meridian

4000 Set apart for 4 & accept
with mound and pits
as per instructions

57,50 A Road bears north E

8200 Set apart for cut to acco 27, 28
33 13 & with mound and pits
as per instructions
Land level
Cut 200 rate
Grease wood to age brush

East on a random line bet
Decs 27 13 &
Dec 13 24 5 E

4000 Set temporary 4 & accept

To 2nd Range & E

Gila Salt River Meridian

- 45.75 A Road bears NW S E
- 50.00 Cu. Blatch 300k wide bears NW S E
- 63.00 A Road bears N 20° W + S 20° E

79.78 Interest N + S line 160k W
 of cur to recs 26.27.34 + 35
 From which cur I run

N 89° 05' 3" W orature line
 bet recs 27 + 34
 on 13° 45' E

89.89 Scraping for 4 recs with
 mound and pits as
 per instructions

79.78 The cur to recs 27, 28, 33 + 34
 Land level
 Cont. low rate
 Guarewood + mesquite

Tp 2 N Range 8 E

Gula Salt River Meridian

Chs North bet sec 27 + 28
T₁₃ 043 E

4000 Clear apron for 4 acres
with mound and pits
as per instructions

61.70 An old ditch 20 ft wide bet sec 27 + 28

8000 Set a post for cor to sec 21, 22,
27 + 28 with mound and pits
as per instructions

Land level

Soil Pt rate

Greasewood + sage brush

East or random line
bet sec 22 + 27
T₁₃ 043 E

Op 2 N Range 3 E

Gila Salt River Meridian

4000 feet temporary 1/4 sec post

57.10 A Road bears N + S

79.84 Intersect N + S line 21 Ecs N
of cor to secs 22, 23, 26 & 27
from which a road runs

N 89° 05' 1" W orature line
bet secs 22 & 27
Ta 13045' E

39.92 Set a post for 1/4 sec cor
with mound and pits
as per instructions

79.84 The cor to secs 21, 22, 27 & 28
Sand level
Soil 20 rate
Greasewood & sage brush

Op 2 N Range 3 E

Gila & Salt River Meridian

Obs North bet sec 21 & 22
ra 130° 45' E

4:00 Aera post for 1/4 sec cor
with mound and pits
as per instructions

5:00 Aera post for art sec 16, 17,
20 & 21 with mound & pits
as per instructions
Land level
Cut PVT 2 ur rates
Grease wood & spals over

East on a random line
bet sec 15 & 22
ra 130° 45' E

5:30 A Road bears NW to J

Op 2 N Range 3 E

Area Salt River Meridian

4020 Set temporary 1/4 sec post

79.70 Dubuque N 88° E line 28 1/2 k's N
 of cor to sec 14, 15, 22 & 23
 from which cor I run

N 89° 48' W on same line
 bet sec 15 & 22
 on 13 or 15 'E

39.83 Set a post for 1/4 sec cor
 with mound and pits
 as per instructions
~~Land level~~

79.70 The cor to sec 15, 16, 21 & 22
 Land level
 Set PTH in rules
 Measure pole ends sage
 brush and cactus

Tp 2 N Range 3 E

Wata Salt River Meridian

Chs North bet secs 15 & 16
T_a 13° 45' E

9:00 a Road bears N 75° E

4:00 Set apron for 44 sec cor
with mound and pits
as per instructions

8:00 Set apron for cor to sec 9, 10,
15 & 16 with mound & pits
as per instructions
Land level
Int. Sur. rate
Greasewood, Palo verde, Sage
brush & cactus

East meridian line
bet sec 10 & 15
T_a 13° 43' E

Top 2 N Range 3 E

Gila Salt River Meridian

- 46.00 Set temporary 1/4 sec post
 57.00 Foot of west slope of ridge
 56.00 Top of ridge bears N + S - ex
 Centering south about 1/2 mile
 Describe East slope
 63.00 Foot of " "

79.78 Intersect N + S line at cor
 to sec 10, 11, 14 + 15
 From which cor I run

West on true line bet
 sec 10 + 13
 2 at 13 + 45 - 1 E

39.89 Set a post for 1/4 sec cor
 with mound and pits
 as per instructions

79.78 The cor to sec 9, 10, 15 + 16

To 2nd Range & E

Great Salt River Meridian

Ch East native line Sec
200 3 & 10
" Ra 13045 - E36.08 To foot of SW slope of mount-
ain ramp for cultivation4000 Sec apart for 14 occur with
mound and pits as per
instructionsLand rolling hills
Fert 3rd rateGreewood, palo verde
and cactus

North native line

Sec 200 3 & 14

Ra 13043 - E

To 2nd Range 2 E

Gula Salt River Meridian

21.50 A Range 1500k wide course SW

4000 Set apart for 1/4 sec cor
with mound and pits as
per instructions at foot
of high barren mountains
unsuit for cultivation
Land rolling hills
Oak & oak
Greasewood, Palo verde
Cactus &c

North bet sec 3 2 & 33
ra 1/3 45 E

4000 Set apart for 1/4 sec cor
with mound and pits
as per instructions

Op 2 N Range 3 E

Line Salt River Meridian

8200 Let appt for cov to acs 28, 29,
30 & 33 with mound and pits
as per instructions
Land level
Out Pt rate
Grease wood

East meridian line
bet acs 28 & 33
7013045' E

4600 Let temporary 4 sec post

5460 Road bears NW 1/4 E

8018 Intersect N + S line 2 Blks S
of cov to acs 27, 28, 33 & 34
From which a S run
p 89050 W meridian line
bet acs 28 & 33

Cp 2 W Range 3 E

High Salt River Meridian

Chs Va 13043 - E

40.09 Re report for 4 acres
with mound and pits
as per instructions

Sm-18 The cor to recd 28, 29, 32, 33
Land level
Inl Pt rate
Greewood and sage brush

North bet recd 28 & 29
Va 13043 - E

3870

~~3870~~ A Road bears NW 1/4 E

4020 Re report for 4 acres
with mound and pits
as per instructions

Op 2 N Range B E

Gila Salt River Meridian

500 set apart for car to recs 20, 21
28 to 29 with mound & pits
as per instructions
Land level
One Pt. rail
Greenwood to age bank

East narrow gauge line
bet recs 21 & 28
72° 13' 04.5" E

400 set temporary 1/4 sec post

60.50 An old ditch 300 ft wide course NW

80.26 2 intersect N + line 19 lks S
of car to recs 21, 22, 27 & 28
From which car I run
189° 52' W on a true line
bet recs 21 & 28

To 2nd Range 3rd E

Wen Salt River Meridian

Ch. Va 130 45 'E

40.13 Set apart for 1/4 section with mound and pits as per instructions

80.26 The cor to acres 20, 21, 28 & 29
Land level
Soil Pt rate
Greasewood & sage brush
May 1st 1868

North line sec 20 & 21
Va 130 45 'E

40.20 Set apart for 1/4 section with mound and pits as per instructions

~~80.26 The cor to acres 20, 21, 28 & 29~~

Top 2nd Range 8 E

Great Salt River Meridian

8000 Peraport fir cut to recs
16.17, 20021 with mound & pits
as per instructions
Sand level
Incl Pt rate
Greasewood & sage brush

East on a random line
between 16 & 21
Ta 130 45' E

4000 Per temporary 14 rec port

80.20 Intersect N 8 line 9 N to W
of cut to recs 15, 16, 21 & 22
From which cor down

N 84056 20 on a true line
between 16 & 21
Ta 130 45' E

To 2nd Range 3 E

Gila Salt River Meridian

40110 Set apart for 4 acres
with mound and pits
as per instructions

8020 The cor to recs 16, 17, 20 & 21
Lo and level
cut at rate
Greewood & also under

North cor recs 16 & 17
Ta 13043-1E

4020 Set apart for 4 acres
with mound and pits
as per instructions

8000 Set apart for cor to recs 8, 9, 16
& 17 with mound and pits
as per instructions

To 2 N Range & E
 West Salt River Meridian
 On Land Level
 for 1st 2nd rates
 Greasewood & Palo Verde

East on random line
 per sec 9 & 6
 Va 13045 E

25.50 A Road bears NW to S

400 Per temporary 1/4 Sec point

80.32 Intersect N & S line 1600 N
 of cor to sec 9, 10, 15 & 6
 From which cor I run

N 89° 53' W on true line
 per sec 9 & 6
 Va 13045 E

Of 2 N Range 3 E

Line Galt River Meridian

40.16 Set apart for 4 acres
with mound and pits
as per instructions

8032 The cor to secs 8, 9, 16 & 17
Land level
but 2w rate
Greewood, mesquite, palo
verde and cactus

North between 8 & 9
ra 130243 E

2860 a Road bears NW & SE

4000 Set apart for 4 acres
with mound and pits
as per instructions

Cp 2 N Range B E

Uta Salt River Meridian

8000 feet apart for cor to accs 4, 5
 & 9 with mound and pits
 as per instructions
 Sand rolling
 for 2 or 3 or 4
 Greycowd, mesquite
 and palo verde

East on random line
 bet accs 4 & 9
 7 at 30 45' E

4000 feet apart for temporary 4 acc cor

8038 Intersect N 8 line 26 R 2 1/2
 of cor to accs 3, 4, 9 & 10
 from which cor down

N 89° 49' W on a line

Of 2nd Range 3 E

Wela Salt River Meridian

Chy line between 4 & 9
7a 13° 43' E

40.19 Serapat for 4 & 9 acc
with mound and pits
as per instructions

80.38 The cor to acc 4, 5, 8 & 9
Land rolling
In 3 or 4
Greenwood, sage brush
palo verde & cactus

Northward line
bet acc 4 & 5
7a 13° 43' E

4000 Serapat temporary / Serapat

Op 2 N Range B. E

Gila Salt River Meridian

79.72 Intersect North Boundary
of Township 2 B R's West
of or to res 4: 5 3 2 3 3
From which or from

100' 10' W. natural line
bet res 4 & 3
70 130 43 18

39.72 Set a post for 1/4 sec cor
with mound & pits as
per instructions

79.72 The cor to res 4 5 8 & 9
Land rolling
cut 3/4 cut
New wood, palo verde
and cactus
May 2, 1888

To 2nd N Range 3 E

Gila Salt River Meridian

Chs North bet secs 31 & 32
T₁ 13043-1 E

4000 Per a post for 1/4 acre
with mound and pits
as per instructions

8000 Per a post for area secs 29
30, 31 & 32 with mound and
pits as per instructions
Sand level
Soil 1/4 acre
Greewood Sage brush

East on aridum line
bet secs 29 & 32
T₁ 13043-1 E

4000 bet temporary 1/4 acre post

Op 2 N Range 3 E

Wata Salt River Meadian

79.84 Interest N + S line 16 lts South
of car to rec^s 28, 29, 32 + 33
From which at 8 am

\$ 890 33' W on a true line
between 29 + 32
on 13043' E

39.92 Set apart for 4 rec on
with mound and pits
as per instructions

79.84 The car to rec^s 29, 30, 31 + 32
Sand level, Salt Meadian
Greewood to edge bank

West on a random line
between 30 + 31 E
on 13045' E

Sp 2 N Range 2 E

Area Salt Run Meridian

4.20 Bertram 1/4 sec 1/4

79.25 Subsect West Boundary of
Township 21 Ns Sect 8
or to sec 25, 36, 30 T31
From which cor run

1890 51' E on true line
bet sec 30 T31
or 13045' E

39.25 Bertram for 1/4 sec cor
with mound and pits
as per instructions

79.25 The cor to sec 29, 30, 31 T32
Land level
oil Pt rate
Greewood and sage brush

Op 2 N Range 3 E

Gila Salt River Meridian

Ch North corner 29 1880
Twp 30 N 3 E

4000 Set apart for 9 acres
with mound and pits
as per instructions

8000 Set apart for arts sec 19, 20,
29 1880 with mound & pits
as per instructions
Land level
Fort Pt rate
measured + sagebrush

East on standard line
per sec 20 1880
Twp 30 N 3 E

4000 Set temporary 9 acres per

Op 2 N Range 3 E

Wala Galt River Meridian

41.30 Road bears NW 1/4 E

79.90 Interest 7 1/2 line 28 lks S
of cor to sec 20, 21, 28, 29
Farm which cor Dub

890481 Wonaatus line
bet sec 20 + 29
on 13045 E

39.95 - Report for 4 acres
with mound and pits
as per instructions

79.90 The cor to sec 19, 20, 29, 30
Land level
Jail pr rate
Greasewood and sage brush

To 2nd N Range 3rd E

See Salt River Meridian

Chs West on a random line
between 19th & 20th
Ta 13043-1 E

400 Set temporary 4 sec post

19th 2nd future West Boundary
of Township 19 Ns South of
C.R. to sec 24, 25, 19th 20th
From which cor I run

189032' W on a true line
between 19th 20th
Ta 13045-1 E

29, 34 set a post for 4 sec cor
with mound and pits
as per instructions

19, 24 The cor to sec 19, 25, 29 19th 20th

Op 2 W Range 3 E

Mesa Salt River Meidian

Obs Land level
Soil Pt 1200 calcs
Greewood & sage brush

North bearing 19020
Ca 13043-1 E

~~32.00~~ 47.00 Road bears NW to E

46.00 Per report for 14 acres
with mound & pits as per
instructions

50.00 Per report for cut to 17.18.
19020 with mound & pits
as per instructions
Land level. Soil 1200 calcs
Greewood & sage brush

2 N Range 3 E

21a and Salt River Meridian

Chs East on arcuate line
between M 120
7a 13045' E

4000 Set temporary 4/4 sec post

79.78 Intersect N + Idw 26 lks
Sq cor to acs 16, 17, 20 + 21
From which cor Idw

89049' W on true line
between 17 + 20
7a 13045' E

39.89 Set aprs for 4/4 sec cor
with mound and pits
as per instructions

79.78 The cor to acs 18, 17, 19 + 20
Lead level

W. Salt River Meridian

Obs Soil 1st & 2nd rates
Greasewood & sage brush
- May 4, 1868

West on a random line
per sec 1849
ra 13075 E

41.20 Set temporary 1/4 sec post

76.80 A Road bears N 20° E

79.40 Intersect West Boundary
of Township 14th N 20th E
of sec to sec 13.34, 1849
From which cor'd run
N 89° 54' E on a true line
per sec 1849
ra 13040 E

Op 2 N Range 3 E

300

Gila Galt River Meridian

39.40 Set a post for 44 rec cor
with mound and pits
as per instructions

79.40 The cor to recs 17, 18, 19 & 20
Land level
Set 17 & 20 on rails
Measured & res quite

North her recs 17 & 18
70 130 45' E

4000 Set a post for 44 rec cor
with mound and pits
as per instructions

8000 Set a post for cor to recs 7, 8,
17 & 18 with mound & pits
as per instructions

Op 2 N Range 3 E .01

Wala Salt River Meridian

Chs Land level
 Soil Pt 2 w rals
 Greasewood + sage brush

East on arandan line
 bet sec 8 + 17
 T_a 13° 45' E

40.57 Set a temporary 4 sec post

79.82 Intersect N + S line 23 lbs N
 of cor to sec 8, 9, 16 + 17
 from which cor & refer

N 89° 38' W on natural line
 bet sec 8 + 17
 T_a 13° 45' E

339.91 Set a post for 4 sec cor

574
302

BOOK I

Op 2 N Range 33

Line of Salt River Meridian

Obs. with mound & pits
as per instructions

79.82 The car to sec 7, 8, 17 & 18
Land level
Soil 1st & 2nd cuts
Greensward & sage brush

West meridian line
between 7 & 18
No 100 245-12

4200 Set temporary 1/4 Sec post

79.10 Intersect West Boundary
of Township 12 lks north
of car to sec 12, 13, 17 & 18
From which corner

Op 2 N Range B E

Area Salt-Ruin 7 meridians

Chs 289035' E on a true line
between 7 & 8

On 13043' E

3910 Set apart for 4 sec cor
with mound & pits as
per instructions

79100. The cor to trees 7, 8, 17 & 18
Sand level
Int pt 2000 ft
Guarwood sage brush

With between 7 & 8
On 13043' E

4000 Set apart for 11 sec cor
with mound & pits as
per instructions

56 304 BUCK I

Tp 2 N Range 3 E

Uta L Salt River Meridian

8:00 Per a pm for carts recs 5, 6,
 7 & 8 with mound and pits
 as per instructions
 Sound level
 Soil Pt for rates
 Greasewood + sage brush

Eastward line
 bet recs 5 & 8
 to 13045 E

4:00 Per temporary 74 rec on

4:30 A Road bears 300 ft E

8:08 Intersect N + line at cor
 to recs 4, 5, 8 & 9
 From which cor I run

To 2nd Range 3 E

Went Salt River Meridian

Chs. Went on a true line between
secs 5 & 8

Val 3075-1 E

44.04 Set apart for 1/2 acre
with mound and pits
as per instructions

88.08 Theor to sec 5, 6, 7 & 8

Land level

Eye at 2000 ft

Measure with tape brush

Went on a true line
between 6 & 7

Val 3075-1 E

44.50 Set temporary 1/2 acre post

To 2nd Range 8th E

W. Salt River Meridian

78.92 Intersect West Boundary
of Township 14th S South
of cor to recs 1, 2, 6 + 7
From which cor run

S 89° 54' E on a true line
bet recs 6 + 7
to 13045' E

78.92 Set apart for 4th acre cor
with mound and pits
as per instructions

78.92 The cor to recs 5, 6, 7 + 8
Level
Soil not 2nd rates
Greewood and
sage brush

Op 2nd Range B E

Gila & Salt River Mexican

67.50 North on a random line
bet sec 5 & 6
Ta 18045¹ E

40.00 set temporary 1/4 sec post

67.50 Road bears NW & E

80.22 Intersect North Boundary
of Township 28 dks West
of cor to sec 5, 6, 3, 1 T32
From which cor I run

12' W on a true line
bet sec 5 & 6
Ta 18043¹ E

40.22 set a post for 1/4 sec cor
with mound and pits
as per instructions

Tp 2 N Range 3 E

W. of Salt River Mention

8, 22 The ar to sec 5, 6, 7 & 8

Land level

Soil 1st & 2nd rates

Grasswood & sage brush

Paloverde & cactus

May 5, 1868

General Description

The land in this Tp is about the common average. It is generally good 1st & 2nd rate soil except in sec 1, 2, 3, 11 & 12 which are mountainous and unfit for cultivation.

The arable lands can be easily irrigated by the water of Salt River.

There are ruins of an ancient

Op 2 NR & E

General Description

Ditch in secs 21, 28, 29, 34 & 35
 having been used evidently for
 the purpose of irrigation by the
 former residents of this country

There is no timber except
 a few scattering mesquite
 palo verde, greasewood and
 sage brush

2/25/11
 Boston

Field Notes of the survey of the
Sub-division lines of

Township 2 N Range 4 E

of the Gila and Salt River Meridian
in the Territory of Arizona
by George P. Ingalls Deputy
Surveyor under his Contract
bearing date the 29th day of
February AD 1868

Plotted C. B.

copied. Wm

J. K. Th.

Township No. 2 N.

Range No. 4 E. 8 R. 9 S. Mer.

30A
BOOK II

6	5	4	345	3	332	2	321	1
				343		331		330
7	8	9	342	10	330	11	319	12
359		341		340		329		318
18	17	16	359	15	328	14	317	13
358		339		338		327		316
19	20	21	357	22	326	23	315	24
356	355	349		336		325		314
30	29	28	355	27	324	26	313	25
354		348		354		323		312
353	352	347		354		323		312
31	32	33	351	34	322	35	311	30
351		346		353		322		311

Scale 40 chains to an inch.
20 40 60 80

Wm. Meredith

To 2 W Range E

Line Salt River Meridian

Chs From the center of 1, 2, 35
 & 36 on south boundary of
 Township 2 run

North bet sec 25 & 36
 on $13^{\circ}50'$ E as per
 East Boundary

4000 Lira put for $\frac{1}{4}$ acre with
 mound and pits as per
 instructions

8000 Lira stone 14 ft x 3 ft for cur to
 sec 25 & 26, 35 & 36 as per
 instructions

Land gully rolling
 Soil 2nd rate
 Greenwood & mesquite

4312

To 2nd Range 4th E

Gila Salt River Meridian

Chs East on a random line
bet recs 25 & 36
ra 13050' Casper
front Boundary

4420 Let temporary 74 rec post

79.78 Interest East Boundary of
Township 9 Ns North of
cor to rec 25, 36, 30 & 31
From which cor I run

489056' W on true line
bet rec 20 & 36
ra 13050' E

2989 Let apart for 74 rec cor
with mound and pits
as per instructions

Cp 2 W Range H E

Via Salt River Meridian

79.78 The car to rods 25, 26, 30 & 36.
 Land gently rolling
 soil 2 or 3 ft
 Greasewood, mesquite
 and cactus

North bet Rod 25 & 26
 Va 1330 'E

32.20 Road from Weckenburg to Fort
 McDowell bears E & W

4000 Peraput for 44 accor with
 mound and pits as
 per instructions

8000 Peraput for articles 23, 34
 25 & 26 with mound & pits
 as per instructions

Op 2 N Range H E

Mile East River Meridian

Chs Laid pretty rolling
 Int 2nd 1st rates
 Deciduous, mesquite
 and sage brush

East or a random line
 bet sec 24 & 25
 T₁₂ 130 37' E

4000 feet temporary 1/4 corner

79.82 increased East Boundary
 of Township 14 E 1/4 south
 of corner 24, 25, 19, 20
 From which a line

890 1/2 4' W on a true line
 bet sec 24 & 25
 T₁₂ 130 58' E

Op 2 N Range E

ulu Half-River Meridian

39.91 Report for ~~certs 23, 24~~
~~23, 24~~ 1/4 sec cor with mound
 & pits as per instructions

79.82 The cor to certs 24, 25, 23 & 26
 found guilty calling
 out 200 ft rates
 measured to mesquite

North bet sec 23 & 24
 var 3050' E

40.00 Report for 1/4 sec cor
 with mound and pits
 as per instructions

80.00 Report for certs 13, 14,
 23 & 24 with mound and pits
 as per instructions

Op 2 W Raupst E.

Mile & Salt River Meridian

40.05 - Report for 1/4 sec cor
with mound and pits
as per instructions

50.10 The cor to sec 13, 14, 23 of 1/4
Land quite rolling
but Durban rails
meadow + cactus

North bet sec 13 & 14
at 13050' E

4000 Report for 1/4 sec cor
with mound and pits
as per instructions

5000 Report for cor to sec 11, 12,
13 & 14 with mound & pits
as per instructions

Op 2nd Range & E

Gila Salt River Meridian

cls Land gently rolling
one 2nd 3rd rates
Greewood, mesquite
and cactus

East on a random line
bet recs 12 & 13
at 130° 20' E

4020 bet temporary 44 rec post

80.18 Intersect East Boundary
of Township 19 R_s North of
crt to recs 12, 13, 7 & 8
From which ~~co~~ I run

to 89052' on same line bet
recs 12 & 13
at 130° 57' E

Op 2ⁿ Range H E

Una Galt River Meridian

40009 Set apart for 1/4 section
with mound and pits
as per instructions

80.18 The corner of 1/1, 1/2, 1/3 & 1/4
Land level
In the 2nd rate
Succowood, mesquite, palo
verde and cactus
May 7, 1888

North lot of 1/1 & 1/2
N 1/2 50' E

400 Set apart for 1/4 section with
mound & pits as per in-
structions

800 Set apart for corner of 1/1, 1/2, 1/1 & 1/2
with mound & pits as per
instructions

Op 2 N Range H E

Area Salt Line Meridian

Chs Land gently rolling
 but 2 or 3 rods water
 Mesquero & mesquite

East on a random line
 bet sec 1 & 2

ca 13050' E

4000 bet temporary & 4 sec pm

8032 Internal East Boundary
 of Township 42 Ns 6th of
 carts sec 1, 2, 6 & 7
 From which cord I run

89042' W on true line
 bet sec 1 & 2

ca 13050' E

Op 2nd Range H Co

Line Salt River Meridian

40.16 Set apart for 1/4 section with
mound pits as per
instructions

8032 The cor to sec 1, 2, 11 & 12
Land partly rolling
but low prairie
Sagebrush, mesquite
and palo verde

North on a random line
bet sec 1 & 2
at 13° 57' E

40.00 Set temporary 1/4 section
80.75 Substant North Boundary of
Township 21 N West of cor
to sec 1, 2, 3 & 36
From which cor & run

Sp 2 N Range H. E.

line Salt River Meridian

Chs 50000' W on nature line
 between 1 & 2
 N 13030' E

40.75 Set a post for 1/4 section
 with mound & pits as per
 instructions.

80.75 The cor to sec 11 2, 11 & 12
 Land gently rolling
 but low to road cuts
 Greasewood, mesquite
 and palo verde

North line sec 3 4 & 5
 N 13030' E

4000 Set a post for 1/4 section with
 mound & pits as per in-
 structions

Op 2 N Range E

Line Salt River Meridian

84.00 Berapmt for cur to rec 26.27,
 34 135 with mound & pits
 as per instructions
 Sand level
 Inl 112 at 135
 Greewood and mesquite

East on random line bet
 recs 26 135
 on 13 37 'E

44.00 Ber temporary 14 rec pm

88.16 Intersect N & S line 19 135 S
 of cur to recs 25.26.35 136
 From which cor down
 89 135 2' W on same line
 bet recs 26 135
 on 13 37 'E

Cp 2 N Range & E

Great Salt River Meridian

40.08 Cerapmt for 44 accor
with mound and pits
as per instructions

St. 16 The cor to nos 26, 27, 34, 35
Sand bank
fyt 2nd pr rails
The wood & mesquite

North line of 2807
at 300' E

16.70 Road from Weckenburg to Fort
McDonnell bears E & SW

40.20 Cerapmt for 44 accor
with mound & pits as
per instructions

Op 2 N Range H Co

W. Salt River Meridian

8220 Let upon front to sec 27, 23
 26 & 27 with mound and pits
 as per instructions
 Land level
 Int. 2nd rate
 Greenwood, mesquite
 and palo verde

East on a random line
 bet sec 23 & 26
 T₁₃ 130 10' E

4400 Let temporary 1/4 sec 20

80.34 Intersect N 1/4 line 28 Ns South
 of cor to sec 23, 24, 25 & 26
 From which cor from
 89048 W on a true line
 bet sec 23 & 26
 T₁₃ 130 50' E

Sp 2 W Range ~~4~~ E

Cala Salt River Meridian

40.12 Per apt for 4 sec cor
with mound and pits
as per instructions

Sp. 24 The cor to recs 22, 23, 28, 127
Sand level
Int. 2 sec cor
Greenwood + mesquite
May 8, 1868

Int. bet recs 21 & 23
Int 130.50' E

40.20 Per apt for 4 sec cor
with mound and pits
as per instructions

Sp. 25 Per apt for cor to recs 14, 15, 22, 23
with mound & pits as per
instructions

Op 2 N Range H E

luta Salt River. Meridian

Obs Sand leaf
 Soil Pt 2 at each
 Greasewood & mesquite

East as a random line
 bet accs 14 & 23
 on 13° 57' E

44.00 bet temporary 4 acc cor

80.12 entered N. Shield 6 lks south
 of cor to accs 13, 14, 23 part
 from which a line

189° 3' W as a true line
 bet accs 14 & 23
 on 13° 30' E

40.06 bet stone 17, 11 + 3 for 14 acc cor

Cp 2 N Range H E

Latitude Salt River Meridian

Cls as per instructions

80.12 The cart to recs 14, 15, 22, 23
 Land pretty rolling
 Soil 2nd rate
 Greasewood and mesquite

North bet recs 14 & 15
 20 13000' E

4000 Des apt for the car with
 mound & pits as per
 instructions

800 Des apt for cart recs 10, 11, 14
 & 15 with mound & pits as
 per instructions
 Land rolling, soil 2nd rate
 Greasewood

To 2nd Range St E

Line Galt River Meridian

Chs East on a random line
 bet recs 11 & 14
 N 13° 30' E

4420 Set temporary 14 rec cor

79.76 Subst set NB line 23 lks S
 of cor to recs 11, 12, 13 & 14
 from which cor I run

189037' W on true line bet
 recs 11 & 14
 N 13° 30' E

39.88 Set apart fir 14 rec cor
 with mound and pits
 as per instructions

79.76 The cor to recs 10, 11, 14 & 15
 Sand gully rolling

Op 2 W Raizest E

Geo Ed Salt-River Meridian

cls Soil 2nd ~~port~~ rats
Greasewood, mesquite
and cactus

North bet sec 10 & 11
7a 13057' E

4020 Let a part for 4 sec car with
mound and pits as
per instructions

8220 Let a part for car to sec 2 & 3
10 & 11 with mound and
pits as per instructions
Land level
Soil 2nd rats
Greasewood

Op 2 N Range E

Gila Salt River Meridian

Obs East on a random line

bet sec 2 & 11
 Val 3° 50' E

420 Per temporary 44 sec cor

79.80 Returned N & S line 30 E, South
 of cor to sec 11 2, 11 & 2
 from which cor drawn

189 47' W on a true line
 bet sec 2 & 11
 Val 3° 50' E

39.90 Per a post for 44 sec cor
 with mound and pits as
 per instructions

79.80 The cor to sec 2, 3, 10 & 11
 found level. Soil 2nd rate

Op 2 N Range & E

Great Salt River Meridian

Obs Greasewood & cactus

North on a random line
 bearing 283
 Ta 13' 58' E

40.70 Set temporary 1/4 sec post

80.20 Intersect North Boundary of
 Township at cor to sec
 2.3.34.33
 From which cor I run

South on same line
 bearing 283
 Ta 13' 58' E

40.20 Set a post for 1/4 sec cor
 with mound and pits
 as per instructions

Op 2 N Range E

Geo V Salt-River Meridian

8.20 The art^{es} recs 2, 3, 10 & 11
 Sand gently rolling
 Soil 2 or 3 or 4
 Greasewood and cactus
 May 9, 1868

North between 33 & 34
 on 130' 50' E

4.20 Set a post for 4 sec on
 with mound and pits
 as per instructions

8.20 Set a post for art^{es} recs 27, 28, 33.
 30' with mound & pits as per
 instructions
 Sand gently slopes East
 Soil 2 or 3 or 4
 Greasewood, Palo verde
 and cactus

To 2nd Range H E

Side of Salt River Meidian

Clear Caston sandstone line
bet recs 27 134
on 13030 E

4000 Per temporary 1/4 section

79.80 Interest N 88 line 14 lts S
of cut to recs 26, 27, 34 135
From which cut run

§ 8905 4' W on above line
bet recs 27 134
on 1305-0 E

89.90 Perapat fir 1/4 section
with mound and pits
as per instructions

79.80 The cut to recs 27, 28, 33, 134
Said gently sloping East

To 2 M Ranch E
 No Salt River Meridian

Chs Cont 2 or 3 or 4
 Guerevord mesquite
 and palo verde

North bet sec 24 28
 T₁ 30 0' E

4100 Road from Wickburg to Flat
 Woodwell bears E 40

4120 Set apart for 4 sec
 with mound and pits
 as per instructions

8000 Set apart for cor to sec 21, 22,
 27 28 with mound & pits
 as per instructions
 Land gently sloping East
 Cont 2 or 3 or 4
 Guerevord & mesquite

Op 2 N Rangit E

Gila Salt River Meridian

Ch Eastward from line
bet sec 22 & 27
on 13057' E

4000 bet topography & sec post

79.72 Intersect N & line 2 1/2 k's South
of cor to sec 22, 23, 28 1927
from which cor I runS 89.51' 1/4 on same line bet
sec 22 & 27
on 13057' E39.88 Sec post for 4 sec cor
with mound and pits
as per instructions79.72 The cor to sec 21, 22, 27 1928
Land gently sloping East
and 2nd post dates. Measureward

To 2nd Range E

Sta 4 Salt River Meander

Obs North between 21 & 22
 was $13^{\circ} 50' E$

4000 Scraped fir 4 rec on with
 mound and pits as
 per instructions

5000 Scraped fir cut to rec 15, 16, 21
 & 22 with mound and pits
 as per instructions
 Land gradually sloping East
 Sub 3rd state
 Greasewood, Palo verde
 and cactus

East on rounded line bet
 rec 15 & 22
 was $13^{\circ} 50' E$

4000 Set temporary 4 rec on

Op 2 N Range H E

Line of Salt River Meridian

79.90 Intersect N 48 line 7 lks North
of cor to sec 14, 15, 22 23
From which cor I run

N 89° 37' W on a true line
bet sec 15 & 22
74° 35' E

39.95 - Report for 4 sec cor
with mound and pits
as per instructions

79.90 The cor to sec 15, 16, 21 & 22
is and gradually sloping East
Int 2nd 180° call
Sage wood, palm verde
and cactus

As the line bet sec 16 & 21 will
strike a mountain summit on

Op 22 Raught E
 Glen Salt River Meridian

As cultivation in less than
 8000 lbs & therefore run

West another line bet recs
 16 & 21

7a 13030' E

16.00 To East point of high rocky Butte
 unfit for cultivation

20.00 Let a part for cor to practical
 recs 16 & 21 with mound and
 pit as per instructions
 Land sloping East
 Soil & waste
 Greenwood, palo verde
 and cactus

With bet recs 15 & 16
 7a 13050' E

Cp 2 N Range H Co

Gravelly River Meridian

4020 Set apart for 10 sec cor
with rounded and pits as
per instructions

8020 Set apart for cor to recs 9, 10,
15 & 16 with rounded and pits
as per instructions

Land gradually slopes East
fore 200 ft or more
Greewood & cactus

Eastward random line
bet recs 10 & 13
7213° 57' E

4020 Set temporary 14 sec cor

8020 Intersect N & S line 120 ft North
of cor to recs 10, 11, 14 & 15
From which cor I run

Op 2nd Range Co

Gila and Salt River Meridian

Chs 28955-10 on a true line
bet sec 10 & 15

7213° 50' E

40.10 Set apart for 44 acres
with mound and pits
as per instructions

80.20 Recorder to sec 9, 10, 15 & 16
Land gradually sloping East
Soil 2nd & 3rd rates
Greasewood, Palo verde
and cactus

At the line bet sec 9 & 16 will
strike high mountains unfit
for cultivation in less than
8000 chs I therefore run
West main true line bet sec 9 & 16
7213° 50' E

To 2 N Range A & E

Gila Salt-River Meridian

4000 Let a stone 10x10 ft for 1/4
acres as per instructions

5000 To first of mountain surface
for cultivation

6000 Set apart for cor to fractional
rec 9x10 with mound and
pits as per instructions
Land rolling & broken - sloping East
Soil 2nd & 3rd rows
Greasewood, Palo verde
and cactus
May 11, 1888

North let rec 9x10
7x13050 E.

4000 Let a spot for 1/4 acres
with mound and pits
as per instructions

Op 2 N Range Co

Side of Salt River Mendocino

6000 Foot of south slope of East point
of mountain ridge

7800 Top of " " bears E & W

8000 *Desastus* 20 + 14 + 6 fir cut to
see 3, 4, 9 + 10 as per in-
structions

Land from base clear rolling
for 2nd cut

Remainder mountain ridge
unfit for cultivation

Yucca wood, pale woods
and cactus

East on random line bear
see 3 + 10

W 130 50' E

Descend NE slope of ridge

8300 Foot of ridge bears NW & E

4000 Set temporary 1/4 sec post

Op & N Range H E

Ida and Salt River Meridian

80.35 Intersect N H line 28 lks south
of cor to sec 2, 3, 10 & 11
From which cor down

1890 48' Wona tunc line
bet sec 3 & 10
ca 13050' E

40.18 Set a post for 4 corners
with corner and pits
as per instructions

80.36 The cor to sec 3, 4, 9 & 10
Sand West 33.00 chs NE
slope of ridge
Remainder rolling and
gradually sloping East
Soil 2nd & 3rd rates
Greasewood, paler weeds
and cactus

To 2nd Range & E

Gila and Salt River Meridian

On North or a random line

bet sec 3 & 4

ra 13° 50' E

Descend N E slope of ridge

3500 Foot of ridge bears N 60° E

4000 Set temporary 1/4 sec post

5000 Intersect Nrite Boundary of
Township 30 Ns West of cor
to sec 3, 4, 8 & 9
From which a random

140° 13' W on true line

bet sec 3 & 4

ra 13° 30' E

4000 Set post for 1/4 sec cor
with mound and pits as
per instructions

Op 2 N Range H E

Great Salt River Mendocino

81.35 Over to sec 2, H 9 800
 Sand pits 3500 chs N E
 slope of ridge
 Remnants rolling
 Int 2 or 3 m cuts
 Grasses, Palo verde
 and ~~one~~ ~~both~~ cactus

North between 3 200
 70 130 57 ' E

4000 Desapmt for 4 sec
 with ground and pits on
 per instructions from which
 a rocky Butte bears
 East about 1000 chs

83.00 McKeuberg East of McDowell
 Road bears N E 200

Op 2 N Range E

Great Salt River Meridian

8220 Scraping from to recs 28, 29
32 & 33 with mound and
pits as per instructions
Land rolling
Soil 200 ft & 300 ft
Greensward Sage brush
and cactus

East meridian line
bet recs 28 & 32
70 130 50' E

4020 Lettentrang 14 rec pt from
which a rocky Butte bears
south about 12 W dis.

73, 40 Wickenburg Fort McDowell
Road bears N 80° E

Op 2 N Range E

Ida and Salt River Meridian

80114 Intersect N S line 16 lks S
 of cor to recs 27, 28, 33, 34
 From which cor I run

S 89° 33' W on true line bet
 recs 28 & 33
 7213550' E

40.07 Set apart for 1/4 ac car with
 mound and pits as per
 instructions

80114 The cor to recs 28, 29, 32 & 33
 Sand rolling
 Int 2nd rate
 Greenwood to age bush

North bet recs 28 & 29
 7213550' E

Cp 2 N Range H E

Gila Salt River Meridian

4000 Seraport for 14 acc cor
with mound and pits
as per instructions

5000 Seraport for cor to acc 20, 21,
28 & 29 with mound and pits
as per instructions
Land level
Int Dist rate
Greewood & mesquite

East on road line
bet acc 21 & 28
7a 130 50' E

4000 Set temporary 74 acc port
79.82 Dubuque N & Slave 19 lks North
of cor to acc 21, 22, 27 & 28
Firmwelder cor I am

Op 2 N Range H E

Gda Salt River Meridian

Chs 289 32 10 onatus line
bet secs 21 + 28
7a 13° 50' E

39.91 Set apart for 1/4 accor
with mound and pits
as per instructions

79.82 The cor to secs 20, 21, 28 + 29
Land level
Int sur rate
Greewood mesquite and
cactus

North bet secs 20 + 21
7a 13° 30' E

30.00 Ascend South slope of
mountain

Cp 2^d Range 4 E

Go to Salt River Meridian

4000 Set apart for 14 sec cor
with mound and pits
as per instructions

5000 Set apart for or to fractional
secs 20 & 21 with mound and
pits as per instructions at
the base of a high, precipitous
mountain unfit for cul-
tivation bearing E & W
Slope sloping south
Soil 2^d rate
Greewood, palo verde
and cactus
May 12, 1868

North base sec 31 & 32
T₁₃₀₅₈ E

Op 2 N Range E

Ida Red Salt River Meridian

4000 Set apart for 4 acres
with mound and pits
as per instructions

8000 Set apart for 4 acres
= 31 & 32 with mound & pits
as per instructions
Land level
Soil 1st 2nd rates
Greenwood & sage brush

East on random line
bet secs 29 & 32
7a 13050 'E

4000 Set temporary 4 acre part
7460 Intersect N 8 line 12 lks S
of cor to secs 28, 29, 32 & 33
From which cor'd run

Op 2 M Raught E

Gila Salt River Meidair

Chs 289055 Wauature line
 her acc 29002
 21000' E

39.80 Scrap for 1/4 acre
 with mound and pits
 as per instructions

79.60 The cor to acc 29,30.31002
 Land level
 Soil 2nd Portals
 Greasewood Sage brush

Westward down line
 her acc 30001
 21000' E

4000 Set temporary 1/4 acre cor

Op 2 N Range H E

General Salt River Meridian

78.65 Interest West Boundary of
Township at cor to sec
25, 36, 30, 1, 181
From corner cor. In

East on same line bet
sec 30, 1, 181
72 130 50' E

88.65 Set apart for 1/4 sec cor
with mound and pits
as per instructions

78.65 The cor to sec 29, 30, 31, 182
Sound level
Oril 1st 2nd rails
Guaranteed trace mark

North bet sec 29, 180
72 130 50' E

Of 2nd M Raught Co

Quia Salt River Meridian

4000 Acres for 1/4 sec cor
with mound and pits
as per instructions

8000 Acres for corts and 19, 20,
29 & 30 with mound and
pits as per instructions

Land level

Soil 200 rods

Greasewood and sage brush

East on a random line
bet sec 20 & 29
70° 30' 50" E

6000 Acres temporary 1/4 sec pr
79.90 returned N & S line 1 1/2 lks S
of corts sec 20, 21, 28 & 29
From which cor I run

256
 Op 2nd Range H Co

Into Salt River Meridian

Ob 189° 54' W on a true line
 bet sec 20 & 29
 (or 13° 50' E)

39.95 Set a post for 40 sec cor
 with mound and pits
 as per instructions

79.90 Near to sec 20, 19, 24 & 30
 Land level
 Soil sur rate
 Greenwood and Sage brush

West on a random line
 bet sec 19 & 30
 (or 13° 50' E)

4000 Set temporary 4 sec post

Op 2 W Raugh E

New Salt River Meridian

78.43 Interset West Boundary of
Township 21 N, North of
Certs Nos 24, 25, 19130
From vertex corner

N 89° 57' E on true line
bet nos 19 130
Ta 130 50' E

88.43 Less stone 1744 + 3 for 14
see cert as per instructions

78.43 There is to nos 19, 20, 29 130
Land level
Cut 2nd rate
Greasewood and sage brush

North bet nos 19 130
Ta 130 50' E

Sp 2 M Raugh & Co

358

Gila Salt River Meridian

4000 Set apart for 1/4 sec cor
with mound and pits
as per instructions

7000 Set apart for cor to fractional
secs 1/9 to 20 with mound and
pits as per instructions
at the base of a high, pre-
cipitous mountain unfit
for cultivation bearing E & W
Land sloping South
Soil 2nd rate
Sagebrush, sage brush
pole woods and cactus

From the cor to sec 13 2nd 18719
on West Body of T^o I run
East or true line bet
sec 18719
ra 13050' E

Op 2 N Range H E

359

Gila Salt River Meridian

35.00 To base of high mountain
unfit for cultivation38.43 Lava stone (9+10+7) for 14
acres as per instructions
Land sloping SW
Soil 2nd best
Greasewood sage brush
pals under and ~~of~~ cactusFrom the corners 12, 13,
7+18 on West Boundary
of Township 2 andEast quarter line per
recd. 7+18
7 at 30° 58' E

2020 Lava pit for cor to fractional

30 Sp 2 Range 4 E

Gila Salt River Meridian

Cl₁ Sec 7 & 18 with mound pits
as per instructions at base
of mountain summit
for cultivation

Land broken ^{2nd} slope
soil 3rd rate

Greasewood, Sage brush
palo verde ^{and} cactus

May 13, 1868

General Description

This Township is made frac-
tional on the NW by a high
and rocky mountain summit
for cultivation

The remainder of the Tp
is generally level good 1st
and 2nd rate soil

Tp 2 n Range H E 361

General Description

Chs It is thickly timbered with mesquite, gumwood and palo verde which afford an excellent material for fuel.

The Wickenburg and Fort McDowell Road runs through the Southern part of the Tp in a South westerly direction.

Township No. 1 N. Range No. 1 N. & S. R. 20 E. Mer. BOOK 1
362

6	412	5	406	4	395	3	385	2	379	1
411		419		405		394		383		372
7	419	8	407	9	393	10	383	11	371	12
417		416		403		392		381		370
18	415	17	402	16	392	15	380	14	369	13
414		413		401		390		379		368
19	412	20	400	21	390	22	378	23	367	24
411		410		399		389		377		366
30	409	29	398	28	388	27	376	26	365	25
409		407		397		386		374		363
	408		398							
31		32		33	387	34	375	35	364	30

Scale so chains to an inch
20 40 60 80

T. W. Johnston

No 7-

BOOK 362 A B
1

Field Notes of the survey of the
sub-division lines of
fractional

Township 17 N Range 1 W

of the Gila and Salt River
Meridian in the Territory
of Arizona by Geo P. Zugels
Deputy Surveyor under
his Contract bearing date
the 29th day of February 1868

Platt (C)

Copies for Wm
A. K. T.

Op 1st Range W

Edw^d Salt River Mendocino

Obs This Township is made fractional on the south by mountains unfit for cultivation.

The South Boundary not having been established I therefore begin at cor to sec 25. 36. 30 + 31 on East Boundary of Township and run

West at true line bet
secs 25 + 36

at 30 to 'E as per
Solar Compass

also set apart for 4 sec cor
with mound and pits as
per instructions

7025 Road bears $N 80^{\circ} W + S 80^{\circ} E$

4
354

17 Raungit W

Gila Salt River Meridian

8000 Seraput fir cor to sec 25, 26.

35736 with mound and
pits as per instructions
Land levelSoil alkali
thick mesquite bushSouth bet sec 35736
N 13040 'E4000 Seraput fir cor
with mound and pits
as per instructions

5000 Enter dense arroyoed bush

76.50 On the right bank of Gila River
about 1000' chs wide, rapid
current runs west

No 142 R/W

Quia Salt River Meridian

Chs. Set apart at this point for cor
to fractional sec 25 26 with
mound & pits as per instructions

Sand soil

Soil alkali

Mesquite + arrowweed - dense

North line sec 25 26
or 13040 18

640 A Road bears NW 8 E

4000 Set apart for 1/4 sec cor
with mound and pits
as per instructions

8000 Set apart for cor to sec 23, 24,
25 26 with mound and pits
as per instructions

Op 1 N Range W

Gila Salt River Meridian

clu Sand level
Soil 5/8 to 1/2 mile alkali
Remains good 2nd site
Greewood mesquite

East on a sandow line
bet sec 24 25
7a 130 40' E

400 bet temporary 1/4 sec put

79.78 Intersect Gila Salt River M.
ridian 2 1/2 kts south of cor
to sec 24, 25, 19 20
Anoncolide cor & cur

8940 57' W on a true line
bet sec 24 25
7a 130 40' E

To 14 August W
Gila and Salt River Meridian

3989 Seraput for 1/4 sec cor
with mound and pits as
per instructions

7978 One cor to sec 23, 24, 25 & 26
Land level
Soil 2nd rate
Mesquite - dense

North bet sec 23 & 24
N 134° E

4000 Seraput for 1/4 sec cor
with mound and pits
as per instructions

8000 Seraput for cor to sec 13, 14,
23 & 24 with mound & pits
as per instructions

8 Cp 12 Range W

868

Levels at River Meridian

Chs Sand level
 fut 1st 2nd rates
 Thick 9ms quite

East on a random line
 bet sec 13 & 24
 Ra 13040' E

4000 let temporary 4 sec post

79082 Intersect Gila Salt River
 Meridian 16 1/2 miles North of
 carto sec 13, 24, 18429
 from which come

71890 53' W. on a true
 line bet sec 13 & 24
 Ra 13040' E

Op N Range W

8369

View Edsall River Meridian

39.91 Set a post for 44 ac cr
with mound and pits
as per instructions

79.82 The cor to recs 13, 14, 23 & 24
Land level
Soil 200 rate
Dense mesquite

North lot sec 13 & 14
cut 3 40' E

4000 Set a post for 44 ac cr
with mound and pits
as per instructions

5000 Set a post for cor to recs 11, 12,
13 & 14 with mound and pits
as per instructions

Co 12 Range W

370

Line Salt River Meridian

Chs Sand level
 Int 2nd rate
 Dense mesquite

East on a random line
 bet sec 12 & 13
 7013040' E

4000 ft temporary 4' section

80100 Intersect Line Salt River
 Meridian 2000' South
 of cor to sec 12, 13. 7018
 from which cor down

8890 50' W on a true line
 bet sec 12 & 13
 7013040' E

40,05 bet apart for 4' section

Op 1/4 Range W

371

New End Salt River Meridian

Obs with mound and pits as per instructions

8810 One cor to sec 11, 12, 13 & 14
to and from
End 1st 2nd rules
Greasewood mesquite and
sage brush

North bet sec 11 & 12
ra 13040'E

4000 Serapunt for 1/4 sec cor
with mound and pits as
per instructions

8020 Serapunt for cor to sec 11, 2, 11 & 12
with mound and pits as
per instructions

Sp 12 Range W

372

Old Salt River Meridian

Clear Sand level
Art. Tur rate
Mesquite
June 16, 1888

East on a random line
between 1 & 2
at 300' E

4600 Set tent on way 1/4 sec per

8074 Intersect with Salt River
Meridian 26 lks south of
art to sec 1, 12, 6 & 4
From which I am

89° 49' W on a true line
between 1 & 2
at 300' E

Sp 1 N Range 111

373

Great Salt River Meridian

44042 Set apart for 4 sections
with mound and pits
as per instructions

Set out there to sec 1, 2, 11 & 12
Land level
For 2nd rate
Mesquite

North on a random line
bet sec 1 & 2
N 134° 10' E

44020 Set temporary 4 sections

8027 Intended ~~4th~~ line North
Boundary of Township 14 N
West of and to sec 1, 2, 35 & 36
From which corner

To 1st Range W

374

Gold Salt River Meadean

40.27 100° 56' W on a true line
between 1 & 2
ca 1340 'E

40.27 Set a post for 4 sections
across mound and pits
as per instructions

80.27 The cor to recs 1, 2, 11 & 12
Land level
Ent 1st note
dense mosquito

From cor to rec 25, 26, 33 -
to 6 I run West on
a true line bet recs 26 & 35
ca 1340 'E

40.27 Set a post for 4 sections

To 1st Range W

Gala Salt River Meridian

chs with mound and pits
as per instructions

8000 Set apart for arts nos 26, 27,
34 & 35 with mound and pits
as per instructions

Land level

Int'l 2nd rate

Mesquite and arrow weed

34 x 35
Inths bet nos ~~34~~ ~~35~~
or arts 'E

4400 Set apart for 4th section
with mound and pits
as per instructions

71.60 Set apart for arts fractional
nos 34 & 35 on right bank

Sp 1 N Range W

876

Gila Salt River Meridian

Ch of Gila River about 700 ch
wide - runs west with
mound and pits as
per instructions
Land level
Fair 2nd rate
dense unwooded

North bet recs 26 & 27
var 1840 'E

26.00 A Road bears NW & SE

40.00 Set a post for 1/4 sec pin
with mound and pits
as per instructions

50.00 Set a post for cor to rec 22, 23,
26 & 27 with mound & pits
as per instructions

To 1st Range W 87877

Gila and Salt River Meridian

Chs Land level
 Int. 2nd rate
 Greasewood & mesquite

East on a random line bet
 recs 23 & 26
 N 13° 40' E

4020 set temporary 14 sec post

Jul 12 Intersect N & S line 14 lks south
 of cor to recs 23, 24, 25 & 26
 From which cor & run

89° 54' W on a true line
 bet recs 23 & 26
 N 13° 40' E

4006 set apart for 14 sec cor

Co 1st Range 1st W

378

New Salt River Meridian

also with mound and pits
as per instructions

80.12 The cor to sec 22, 23, 26 & 27
Sand level
Set 2nd rate
secure mesquite

North bet sec 22 & 23
T₁ B 24 0' E

40.00 Set apart for 4th Sec cor
with mound and pits
as per instructions

50.00 To a grove of Cottonwood trees N E & SW
52.00 Seebe " " " " " "
and to left bank of Aguadrito
Creek (which is dry) course SW

To 1st Range W

Go and Salt River Meridian

8200 Derapmt in stone mound for
cor to sec 14, 15, 22 & 23 as
per instructions

Land fronts 52.00 chs rolling
Soil 2nd rate

Remnants sandy bed of Agua
Fria Creek

Cottonwood & mesquite

East on a random line
bet sec 14 & 23
7th 13th 40th E

26-30 Left bank of Agua Fria Creek Arroyo SW

4000 per temporary 1/4 section

8218 Entered Nth line 19 lks S
of cor to sec 13, 14, 23 Tth
Involvement cor & run

W. Raugel W

Lita^{ed} Salt River Meridian

On S89° 52' W meridian line bet
secs 14 & 23
Ta 130 Hs 'E

40.09 Set apart for 40 acres
with mound and pits
as per instructions

50.18 The cor to secs 14, 15, 22 & 23
Land East 5400 chs - rolling
Soil 2nd rate
Remainder sandy bed of creek
Mesquite

North bet secs 14 & 15
Ta 130 Hs 'E

30.00 Leave sandy bed of creek and
to right bank of Aguadon's creek

Tp 17 Range 1 W 381

Gila and Salt River Meridian

40.00 Set apart for 4 sec cor
with mound and pits
as per instructions

80.00 Set apart for cor to sec 10, 11,
14 + 15 with mound and pits
as per instructions

Found North 50.00 ch level
Soil 200 rate

Remains sandy bed of creek
Grease wood and mesquite
June 17, 1888

East on a random line
bet sec 11 + 14
on 13 1/2 to 'E

35.40 To right bank of Agua Fria Creek
dry sandy bed and banks - course
South.

22
 382
 P N Range W

Gda Salt River Meridian

4000 Set temporary 4 corners

67.00 To left bank of Agua Fria Creek

79.90 Intersect N & S line at the cor
 to acs 11, 12, 13 & 14
 from which cor I run

West or true line bet
 Recs 11 & 14
 13 & 14 'E

39.95 Set apart for 4 corners
 with mound and pits
 as per instructions

79.90 One cor to acs 10, 11, 14 & 15 -
 Land level sandy
 Soil 2nd best rates
 Greenwood & mesquite

To 1st N Range W

Side and Salt River Meridian

chs North bet recs 10 & 11
va 13040 E

4600 let a post for 1/4 sec cor with mound and pits as per instructions

5000 let a post for cor to recs 2, 3, 10 & 11 with mound and pits as per instructions

Land level & sandy

soil 2nd rate

Greewood and Mesquite

East on a sandstone line
bet recs 2 & 11

va 13040 E

6000 let temporary 1/4 sec post

To 1/2 Range W

384

Gravel at River Meridian

41.60 To right bank of Agua Fria creek
63.20 " left " " " " "

79.80 Returned N+S line 23 lks South
of cor to res 1, 2, 11 & 12
From which cor I am

289° 58' W on a true line
bet res 2 & 11
70 130 40 ' E

89.93 Set apart for 44 acres
with mound and pits as
per instructions

79.80 The cor to res 2, 3, 10 & 11
Sand bank
Int 2nd rate
Greasewood and mesquite

To 1/2 Range W

Gida and Salt River Meridian

Chs North on a random line
bet acc 2 & 3

70130' E

4020 Set temporary 1/4 sec pm

8040 Intersect North Boundary of
Township 28 lks East of cor
to accs 2, 3, 34 & 35
From which cor I am

10072' E on a true line
bet accs 2 & 3

70130' E

4040 Set apart for 1/4 sec cor
with mound and pits
as per instructions

8040 The cor to accs 2, 3, 10 & 11

Tp 17 Range *W*

386

Gila Endless River Meridian

Chs Land level
 Fort DuRate
 Sycamore and mesquite

From the carto sec 26, 27, 34
 35 I run West on a true
 line bet sec 27 & 34
 part to 'E

440 Set apart for the cor with
 mound and pits as
 per instructions

45.75 An arroyo sec 30 1/2 x 1/2 wide - 5 feet
 deep curve SW

500 Set apart for cor to sec 27, 28,
 33 & 34 with mound and pits
 as per instructions

Sp 1 N Range W

Gila Salt River Meridian

Chs Land level

Soil 2nd rate

Subject to inundation

Cottonwood + arrowwood

South between 33 & 34
 24 3/4 to 'E

24 1/2 to a branch of the Gila River
 150 lks wide runs West

(Note - The main river is in ad-
 vance about 15.00 chs - the land in-
 tervening being low and swampy and
 covered with arrowwood

Set apart at this point for certain
 fractional sec 33 & 34 with mound and
 pits as per instructions

Land level. Soil 2nd rate
 Subject to inundation

Op 1 N Range W

388

Gda and Salt River Meridian

ch North West sec 24 28
T₁ 1340 ' E

.60 To left bank of Agua Fria Creek
dry sandy bed bears a barrow.

4000 Set a post on W sec cor
with mound and pits as
per instructions

800 Set a post on right bank of
Agua Fria Creek for cor to sec
21, 22, 27, 28 with mound and pits
as per instructions.
Land level sandy bed of creek
Cottonwood along its banks

East on a sandstone line bet
sec 22 & 27 along sandy bed
of Agua Fria Creek.
T₁ 1340 ' E

Sp 1 N Range W 389

Gila and Salt River Meridian

35.20 To left bank of said creek

40.20 Set temporary 4 sec post

42.50 A road bears NW to E

79.84 Intersect N + S line 16 chs N
of cor to recs 22, 23, 26 127
From which cor I run

N 89° 53' W on a true line bet
recs 22 127
26 130 40 E

39.94 Set apart for 4 sec cor with
marked and pits as per
instructions

79.88 The cor to recs 21, 22, 27 128
land East 43.00 chs rolling at rate
Remains sandy bed of creek
Greenwood and mesquite

Sp 1 N Range W

350
 Lda ^{and} Salt River Meridian

Ch North bet secs 2-10-22
 7a 1340 'E

51.50 A Road bears ~~xxx~~ E+W

40.00 Set apart for 14 sec cor with
 mound and pits as per in-
 structions

20.00 Set apart for cor to secs 15, 16, 24
 22 with mound and pits
 as per instructions
 Sand hued
 Soil 2 or 3 ft
 Greasewood & mesquite

East on a random line
 bet secs 15 & 22
 7a 1340 'E

Sp 17 Range W 391

Go and Salt River Meridian

440 Set temporary ~~4~~ 4 sec pm

56.80 On Right bank of Agua Fria Creek
sandy bank + bed down 2500W

79.70 Intersect N+S line 2000s N
of cor to sec 14, 15, 22 + 23

From which cor I run

N 89° 49' W on same line
bet sec 15 + 22

N 13° 40' E

39.85 Set up for 4 sec cor with
mound and pits as per
instructions

79.70 The cor to sec 15, 16, 21 + 22
Land pretty rolling 2nd 1/2 sec
Greasewood + mesquite
June 18, 1868

1 N Range W

392

Gila Ed Salt River Meridian

Ch North between 15 & 16
T₁₃ 1340 'E4000 Seraport fir 4 sec cor
with mound and pits as
per instructions8000 Seraport fir cor to sec 9, 10,
15 & 16 with mound and pits
as per instructions
Land gently rolling
Soil 2nd rate
Greewood, mesquite
and sage brushCut on random line bet
secs 10 & 15
T₁₃ 1340 'E

4000 let temporary 4 sec cor

To 1/4 Range W

At Salt River Meadion

79.82 Intense N+S line 2800s N
 of cor to recs 10, 11, 14 +15
 from which cor Sam

N 89° 48' W on a true line bet
 recs 10 +15
 741304 'E

3

39.91 Cor apt for 1/4 ac cor
 with mound and pits as
 per instructions

79.82 The cor to recs 9, 10, 15 +16
 Land level
 Out pt 7200 rates
 Greasewood, mesquite
 and sage brush

North bet recs 9 +16
 741304 'E

394 1/2 1 N Range CW

1/2 E Salt River Meridian

4000 Set apart for 1/2 sec cor
with mound and pits
as per instructions

8000 Set apart for cor to sec 3, 4, 9
400 with mound and pits
as per instructions

Land level

Incl 2nd rate

Greenswood, mesquite
and sage brush

Cart on a random line
bet sec 2 & 10

7/13/00 @

4000 Set temporary 1/2 sec cor

8018 Dubined N & S line 1900s W
of cor to sec 2, 3, 10 & 11

To 1st M Range & W

Line to Salt River Meridian

Chs from which cor I run

to
N 89° 52' W on a true line
between 3 & 10
at 13040' E

40.09 for a pm for 1/4 sec cor
with mound and pits
as per instructions

5028 The cor to sec 3, 4, 9 & 10
Land level
Int 2 sec rate
Sage wood and mesquite

North on a random line
between 3 & 10
at 13040' E

4020 for temporary 1/4 sec cor

Sp M Rangit W

Gila Salt River Meridian

80.20 Interest North Boundary of
Township 21 Ns East of
C&G sec 3, 4, 3 & 4
from which cor I run

100009' E on true line
between 3 & 4
at 340' E

40.20 Set apart for 4 sec cor
with mound and pits
as per instructions

80.20 The c&g sec 3, 4, 9 & 10
Land level
Soil 2nd rate
Greasewood and sage
brush

To 1st N Range 1st W

Go to Salt River Meridian

Chs From the cor to sec 27, 28.
33 34 2 run

West on true line per
sec 28 33
34 40

3rds To left bank of Agua Fria creek
dry sandy bed course SW

4th Set a post for 1st sec cor
with mound and pits as
per instructions

45, 40 Leave Creek and enter
dense arroyo

5th Set a post for cor to sec 28, 29, 32 33
with mound and pits as per
instructions
Land West 35 rods level photo

Sp 1 N Range W

Gila and Salt River Meridian

Chs Remainder sandy bed of creek
Cottonwood + arrowweed

South bet secs 32 + 33
Ta 1340 E

3.70 To right bank of Gila River - high
banks - sandy bed + some wet
Set a post for cor to fractional
secs 32 + 33 with mound + pits
as per instructions

North bet secs 28 + 29
Ta 1340 E

4.00 Set a post for 1/4 sec cor
with mound and pits
as per instructions

To NW Range W

Gila Salt River Meridian

8000 Set a post for cor to sec 20, 21,
28 or 29 with mound and pits
as per instructions

Land level

Intl 2nd rate

Subject to excavation from
one to three feet

Scattering Cottonwoods and
dense arrowweed

East on a random line
between sec 21, 28
7 at 30 to 'E

4000 Set temporary 'H' sec post

8022 Intersect N of line 12 to S
of cor to sec 21, 22, 27, 28
Arrowweeds cor & run

Sp 12 Range W

400

Great Salt River Meridian

Ch 1 S 89° 55' W on a true line
between 2198
and 1340 'E

40.11 Set apart for 1/4 acre
with mound and pits
as per instructions

St. 22 The corner is 20, 21, 28 1/2
Land level
Full 2nd rate
Mesquite sage brush

North between 2002
and 1340 'E

4000 Set apart for 1/4 acre
with mound and pits
as per instructions

Op 1st Range W401
004

Gila Salt River Meridian

4200 A Road bears N 100° E

5200 (See post for cor to recs 16, 17
20 & 21 with mound and pits
as per instructions
Land level
Tid 2nd rate
Sage & mesquite brush

Car on a random line
see recs 16 & 21
at 340° E

4400 Let temporary 74 rec post

5000 Intended N + S line 16000 W
of cor to recs 15, 16, 21 & 22
From which cor & am

2184053' W on true line. See rec 16 & 21
at 340° E

Sp 17 Ranger W

Galt Salt River Meridian

40115 Set a post for 1/4 sec cor
with mound and pits
as per instructions

8030 The cor to sec 16, 17, 20 & 21
Land level
Oil 2nd rate
Mesquite & Sage brush
June 9, 1888

North bet sec 16 & 17
on 18th to 'E

40220 Set a post for 1/4 sec cor
with mound and pits
as per instructions

8020 Set a post for cor to sec 8, 9,
16 & 17 with mound and pits
as per instructions

No 171 Range W

Ida Ed Salt River Meridian

Chs Land level
 Soil 2 or 3 ft
 Greasewood & mesquite

East on a random line
 bet secs 9 & 16
 Va 1340 ' E

40.00 Set temporary Hecprn

80.16 Intersect N & S line at cor
 to sec 9, 10, 15 & 16
 Thomas which cor I run

West on a true line bet
 secs 9 & 16
 Va 1340 ' E

40.08 Hecprn for 1/4 sec cor
 with mound and pits
 as per instructions

404

17th Range W

Go and Salt River Meridian

80.16 They cor to sec 9. 84547
 Sand level
 Soil 2nd rate
 Greasewood & mesquite

North bet sec 8 & 9
 1/2 mile E

40.00 bet about for 1/4 acre
 with mound and pits
 as per instructions

80.00 bet about for cor to sec 43,
 8 & 9 with mound and pits
 as per instructions
 Sand level
 Soil 2nd rate
 Mesquite & sage brush

Sp 1st Range W

Gold Salt River Meridian

Ch East on a random line
bet sec 4 + 9
7 + 13 + 40 + E

40.20 Set temporary 1/4 sec post

St. 24 Return to N + S line 23. 1/2 S
of car to sec 2, 4, 9 + 10
From which cor I run

A 89030' W on a true line
bet sec 4 + 9
7 + 13 + 40 + E

40.12 Re report for 1/4 sec cor
with mound and pits
as per instructions

St. 24 The car to sec 4, 5, 8 + 9
Lead level. for 2nd rate

406

Sp 1st Range W

Gda Salt River Meridian

Ch. Sycamorewood and mesquite

North on a random line
 bet sees 4 + 3 -
 val 13040 'E

4020 bet temporary 1/4 sec post

8320 Interset North Boundary of
 Township 30 Ns West of
 C.R. to sees 4, 5, 32, 33
 From which cor. I am

for 013' W on a true line
 bet sees 4 + 3 -
 val 13040 'E

4030 - bet a post for 1/4 sec cor
 with mound and pits
 as per instructions

To M Rangel W

Gila and Salt River Meridian

80.35 The cor to sec 24, 25, 28 & 29
Land level
Incl 2nd rate
Mesquite and Sage brush

From cor to sec 28, 29, 32 & 33
Incl best mature live
her sec 29 & 30
at 3000 'E

40.00 Per apron for 1/4 sec cor
with mound and pits
as per instructions

80.00 Per apron for cor to sec 29, 30,
31 & 32 with mound and pits
as per instructions
Land level
Incl 2nd rate - subject to

48

BOOK # 1

1/2 Range W

408

Gila Salt River Meridian

Ch. inundation from one
to three feet deep
Cottonwood & arrowweed

South bet secs 3 & 4
T₃ 40 'E

(10.40) To right bank of Gila River
about 8.00 Ch. wide runs
west - sandy bottoms and
rapid current.

See report at this point
for cor to fractional sec
3 1/2 with mound and
pits as per instructions
Land level. Soil substrate
Cottonwood & arrowweed

Sp 1st Range W

Gila Salt-River Meridian

Chs West native line between
secs 30 & 31
var 13040 'E

30150 To right-bank of Gila River about
1000 chs under rapid current
and ~~to~~ runs NW

Set apart at this point
for cor to fractional sec 30 & 31
with mound and pits as
per instructions

Land level

Soil 200 feet

Dense arrowweed

North between secs 29 & 30

var 13040 'E

40000 Set apart for 1/4 sec cor
with mound and pits
as per instructions

To 1st Range W

Gila and Salt River Meridians

82.20 Set a post for cut & trees 19, 20,
29 & 30 with mound and pits
as per instructions
Land level
Incl 2nd rate
Greasewood, mesquite and
cage brush

East on a random line
bet secs 20 & 29
Ra 13040'E

40.00 Set temporary 1/4 ac post

79.90 Returned to S line 1500 ft N
of cut to secs 20, 21, 28 & 29
Involuted cord run
N 89° 05' 4" W on a true line
bet secs 20 & 29
Ra 13240'E

To 1st N Range W

Get End Salt River Meridian

- 39.95 Per apron for 1/4 sec cor
with mound and pits
as per instructions
- 79.90 The cor to sec 19, 20, 29 P30
Land level
Soil 2nd rate
Mes quite to age brush

~~Look for~~ West on a random
line bet sec 19 P30
Vap 1/40 'E

4.00 Get Centronary 1/4 sec per

79.80 Dubined West Boundary of
Township 16 blks North of
cor to sec 24, 25, 29 P30
Flammable cor Sam

J. W. Baugh

Gdard Salt River Meridian

Cor^r n 89° 53' E on a true line
 bet^w sec 19 & 20
 T 13740 'E

39.80 per a part for 1/4 ac cor
 with mound and pits
 as per instructions

79.80 The cor to sec 19, 20, 29 & 30
 Land level
 Soil sur^{face}
 Greasewood, mesquite
 and sagebrush
 June 20, 1868

North bet^w sec 19 & 20
 T 13740 'E

4000 per a part for 1/4 ac cor

Sp 1st Range W BOOK II
413

Get to end Salt River Meridian

Chs with mound and pits as
per instructions

80.00 Set apart for art to sec 17, 18,
19 & 20 with mound & pits as
per instructions
Load fuel
Soil Sew rate
Mesquite & Sage brush

East on a random line
between sec 17 & 20
70 1/2 0' E

44.00 Set temporary 74 sec pm

58.75 Road bears N 15° W + S 15° E

79.82 Intersect N + S line 21 lks N
of art to sec 16, 17, 20 0 21

54

BOOK 1

To 1 W Range W

414

Gila Salt River Meridian

On Farm which on same

789° 57' W on a true line
 between 17 & 20
 7a 13° 40' E

39.91 Set apart for 7 & 8 acres
 with mound and pits
 as per instructions

79.82 The cor to acs 17, 18, 19 & 20
 Land level
 but 2 ac rate
 mesquite & sage brush

West on a random line
 between 18 & 29
 7a 13° 40' E

4020 Set temporary 7 & 8 acres per

Op 1st N Range 1 W

Gila Salt River Meridian

79.72 Located West Boundary
of Township 19 21st North
of cor to secs 13, 14, 18 + 19
From which cor I run

N 89° 32' E on a true line
bet secs 18 + 19
Ta 13 20' E

39.72 Per a part for 1/2 sec cor
with mound and pits
as per instructions

79.72 The cor to secs 17, 18, 19 + 20
Land level. Soil substrate
Sage wood, mesquite
and sage brush

North bet secs 17 + 18
Ta 13 20' E

Sp 1 N Range W

Gda Galt-River Meridian

4000 Set a post for 1/4 sec cor
with mound and pits
as per instructions

8000 Set a post for cor to sec 7 & 8
17 & 18 with mound and
pits as per instructions

Land level

Soil 2nd rate

Mesquite & sage brush

East on a random line
bet sec 8 & 7
2 at 3240' E

23,30 A Road bears N 20 W + S 20' E

4000 Set temporary 1/4 sec post

To 1st Range W

417

Go to end Salt River Meidian

79.76 2 interest - N & S line 30 lks W
of cor to sec 8, 9, 16 & 17
Annals of Co. 1890

W 89° 47' W on a true line
bet sec 8 & 17
at 130 ft E

39.88 Section for 1/4 sec
with mound & pits as
per instructions

79.76 The cor to sec 4, 8, 17 & 18
Land level. Soil substrate
Greasewood, mesquite
and sage brush

West on a random line
bet sec 4 & 18
at 130 ft E

58 Tp 1 N Range 10 W

418

Gila and Salt River Meridian

49.62 Set temporary H section

79.62 Intersect West Boundary of
Township 16 Ns North of
cor to sec 12, 13, 4 + 18
Transverse cornerN89°53' E on a true line
bet sec 4 + 18
out 3040 E39.62 Set a post for H section
with mound and pits
as per instructions79.62 The cor to sec 4, 8, 17 + 18
Sand level. Soil 2nd rate
Greewood + mesquite

Op 1st Range W

Gila Salt River Meridian

Obs North bearing sec 7 + 8
 va 13° 40' E

38.00 A Road bears N 80° E

40.00 Sec apart for 1/4 sec cor
 with mound and pits
 as per instructions

80.00 Sec apart for cor to sec 5-6,
 7 + 8 with mound and pits
 as per instructions

Land level

Soil sur rate

Greasewood, mesquite
 and sage brush

Entrada road on line
 bearing sec 5 + 8
 va 13° 40' E

68

46
420

1 N Range

Gravel Salt River Meridian

4200 set temporary 1/4 sec post

79.70 Entered N & S line 28 2 1/2
North of cor to recs 4, 5, 8 & 9
From which cor I am

N 89° 48' W on a true line
bet recs 5 & 8
at 3 1/4' E

39.85 Set a post for 1/4 sec cor
with mound and pits
as per instructions

79.70 The cor to recs 3, 6, 7 & 8
Land level
but low salt
Grease woods, mesquite
and sage brush

Geo Salt River Meridian

Cbs West on a random line
between 6 & 7
at 3040 E

32.00 Road bears N 20 W & S 20 E

4.00 Set a temporary 1/4 sec post

79.68 Interest West Boundary of
Township at the corner
secs 1, 12, 6 & 7
From which corner run

East meridian line between
secs 6 & 7
at 3040 E

39.68 Set a post for 1/4 sec corner
with mound and pits
as per instructions

Gila Salt River Meridian

79.68 The cor to secs 5. 6. 7 & 8
Land level
Soil 2nd rate
Greasewood, mesquite
and sage brush

Nth on a random line
bet secs 5 & 6
7 1/2 to 'E

44.20 Set temporary 4 sec cor

84.23 Intended North Boundary of
Township 21 Ns west of
cor to secs 5. 6. 3 / 1932
Involved cor and run

So 0° 9' W on a true line
bet secs 5 & 6
7 1/2 to 'E.

Tp 1 W Range W
 Grandall River Meridian

40.23 Acre put for 14 ac car
 with mound and pits as
 per instructions

D. 23 The car to road 57.6.4 + 8
 Land level
 Soil 2nd rate
 Greasewood, mesquite and
 Sage brush
 June 22, 1868

General Description

This Township is made frac-
 tional on the south by barren
 mountains unfit for cul-
 tivation, The Santa River runs
 west through the Tp at the
 northern base of these mount-
 ains. It is a fine stream

Tr INRIW

424

General Description

of water about 10.00 chs wide
 the right bank and bed are sandy
 and has a rapid current gen-
 erally. The quality of the land
 is about the general average good
 but poor soils. There are some
 scattering Cottonwoods on the
 banks of the Gila River. The East-
 ern part is covered with a dense
 growth of mesquite while over the
 remainder of the Tr there is a
 scattering growth of mesquite
 sage brush and greasewood

The Agua Fria Creek enters the Tr
 in Sec 2 and runs southerly through it
 and empties in the Gila River.
 It is a wide but shallow water course
 sandy banks and bed and dry
 except during times of great
 freshets

San Francisco, Cal.,

December 31st 1868.

The foregoing Field Notes of the surveys of
 Sub-division Lines of
 Tps. 2. N. R. 1. 2. 3. 4. E.
 " 1. " " 12th.
 " 3. " " 14² E.

Gila and Salt River Meridian
 in the State of California executed by

George P. Ingalls

U. S. Deputy Surveyor, under his contract dated
 29th day of February 1868
 having been critically examined, the necessary
 corrections and explanations made, the said
 Field Notes and the Surveys they describe are
 hereby approved.

Sherman Day

U. S. Surveyor General,
 For Cal. and Arizona.

Field Notes of the survey of the
Subdivision lines of
Township 2ⁿ Range 5^{-E}
of the Gila and Salt River
Meridian in the Territory
of Arizona by Geo. P. Ingalls
Deputy Surveyor under
his Contract bearing date
the 29th day of February
AD 1868

Platt C. S.
Copied for Washington
J. W. S.

Township No. 2 N. Range No. 5 E. 8 & R. B. & Mer.

BOOK

425A

6	492	5	475	4	464	3	451	2	437	1
491		490		474		463		450		436
7	489	8	473	9	462	10	449	11	435	12
488		487		472		461		448		434
18	486	17	471	16	460	15	447	14	433	13
485		484		470		459		446		432
19	483	20	469	21	458	22	445	23	431	24
482		480		468		457		444		430
30	479	29	467	28	456	27	442	26	428	25
478		477		466		454		440		427
31	476	32	465	33	453	34	438	35	426	30

Tp 2 N Range 5 E

Gda Salt River Meridian

Chs From the cor to sec 1, 2, 3, 5,
36 on Grate Boundary of
Township & run

North bet sec 25 & 36

Crn $13^{\circ} 55' E$ as per
East Boundary

4000 At apt for 14 sec cor
with mound and pits
as per instructions

8000 Per apt for cor to sec 25, 26,
35 & 36 with mound and pits
as per instructions
Land level bottom
Ful Pt 2nd rails
Greensward & sage brush

Op 2 N Range 5 E

4237

Gila Salt River Meridian

Chs East on a railroad line
bet sec 25 T36
7a 13° 55' E

4020 Set temporary 1/4 sec cor

80.14 Interest East Boundary
of Township 9 Tks South of
cor to sec 25, 36, 30 T31
From which and run

S 89° 56' W on a true line
bet sec 25 T36
7a 13° 55' E

40.07 Set apart for 1/4 sec cor
with mound and pits
as per instructions

80.14 The cor to sec 25, 26, 30 T36

Op 2 N Range to E

Get Salt River Meridian

Obs Land level bottom

Int 1st rate

Greasewood and Sage brush

North bet rec 25 26
at 3055' E

11:58 To left bank of South Channel
of Salt River 100 yds wide
rapid current - runs West

19:10 To left bank of North Channel
of Salt River rapid current - runs
West - soon turns SW

I now caused a flag to be
set on the right bank and as
the line bet rec 25 26 and
from the point on line on left bank
I run East 3.75 chs to a point

Op 2 N Range 6 E

429

Yuta Salt River Meridian

Ch 1 from which the flag on the
right bank bears N45°W
which gives for the distance
across the river on the line
bet recs 25 & 26 - 375 Chs
to which add 1900 dist south
of river makes

22.75

To flag on right bank

23.00

Leave Bottom. Enter mesa

40.00

Set apart for 1/4 sec cor
with mound and pits as
per instructions

80.00

Set apart for recs 23, 24,
25 & 26 with mound & pits as
per instructions

Land level

Low 2nd low water

Greewood & Sage brush

Op 2nd Range E 430

John Galt River Meridian

Ch East on a random line
bet sec 24 & 25
T₂ 1303-5' E

4020 Set temporary 1/4 sec post

8020 Submerged East Boundary of T₂
23 & 24 North of cor to
sec 24, 25, 19 T₃₀
From which cor drawn

N 89° 50' W on a true line
bet sec 24 & 25
T₂ 1303-5' E

4010 Set apart for 1/4 sec cor
with mound and pits
as per instructions

8020 The cor to sec 24, 25, 26 T₂₃

Cp 2 N Range E

431

Great Salt River Meridian

cls Land level
 for 2nd ~~3rd~~ rates
 Greasewood, sage brush
 and cactus

North bearing 23 ~~24~~
 at 3055' E

35798 Wickenburg East of McDowell
 Road bears E 44

4000 See a post for 1/2 section
 with mound and pits
 as per instructions

8000 See a post from the west 13, 14,
 23 ~~24~~ with mound & pits
 as per instructions
 Land rolling. Soil 2nd ~~3rd~~ rates

Op 2 N Range 3 E

432

Gila Salt River Meridian

Chs Greasewood, sage brush
and cactusEast on a random line
bet sec 13 & 24
T₁₄ 3° 55' E

4:00 W temporary 1/4 sec point

6:30 Wickenburg and Fort McDowell
Road bears N E & SWSta 24 Intersects East Boundary of
Township 19 lks north of
cor to sec 13 & 24, 1879
From which and run
N 89° 52' W on a true line
bet sec 13 & 24
T₁₄ 13° 35' E

Op 2 N Range 5 E

New Galt River Meridian

40.12 Set a post for 1/4 sec cor
with mound and pits
as per instructions

80.24 The cor to sec 13, 14, 23 & 24
Land rolling
Int 2nd Post rails
Greewood, Sage brush
and cactus

North bet sec 13 & 14
70 130 55' E

40.00 Set a post for 1/4 sec cor
with mound and pits
as per instructions

80.00 Set a post for cor to sec 11, 12, 13
& 14 with mound & pits as

Op 2 N Ranges - E

Line Salt River Meridian

Chs per instructions
Land rolling
Salt 2nd 3rd 4th
Greasewood, Sagebrush
and cactus

East on a random line
bet sec 12 & 13
ra 13° 55' E

4000 Per temporary 1/4 sec post

8018 Intersect East Boundary of Town-
ship 16 E 1/4 North of cor-
to sec 12, 13, 7 & 18
From which cor I run
N 89° 53' W on a true line
bet sec 12 & 13
ra 13° 55' E

12

BOOK I

Op 2 N Range & E

435

Gila Salt River Meridian

40.09 Seraport fir 1/4 sec cor
with mound and pits
as per instructions

80.18 The cor to sec 11 1/2, 13 & 14
Band level
Incl 2nd rate
Greenwood & sage brush
May 16, 1888

North bet sec 11 & 12
70 13 03 5' E

400 Seraport fir 1/4 sec cor with
mound and pits as per
instructions

800 Seraport fir cor to sec 12,
11 & 12 with mound & pits

Op 2 N Range 3 E

436

Gila Salt-River Meridian

Cho as per instructions

Band level

Onl 2nd cuts

Greewood, sage brush
and cactusEast as random line
per sec 1 & 2

N 130 55' E

4000 Let temporary 1/4 section

8030 Dubined East Boundary of
Township 28 N 1/2 of
cont sec 1, 12, 6 & 7From which cord run
N 89 48' W orature line
bet sec 1 & 2

N 130 55' E

Sp 2 N Range 3 - E

437

Great Salt River Meridian

- 40.15 Set a post for 1/4 sec cor
with mound and pits
as per instructions
- 50.30 The cor to sec 1, 2, 11 & 12
Sand level
Soil 2nd rate
Grease wood, mesquite, sage
bush and cactus
-
- North on a random line
cor sec 1 & 2
7a 1305-5-18
- 46.20 Set temporary 1/4 sec post
- 79.40 Located North Boundary
of Township 30 R's West of
cor to sec 1, 2, 35 & 36

Cp 2 N Range 5 E

Cuba Salt River Meridian

Cbs From which corner

100° 13' W on true line
 see rec 1 & 2

Na 13° 55' E

39,46 See apart for 1/4 sec cor
 with mound and pits
 as per instructions

79,46 The cor to recs 1, 2, 11 & 12

Land partly rolling
 but low flat rates

Greasewood, mesquite, palo
 verde and sage brush

North see recs 84 & 85

Na 13° 55' E

Op 2 N Range 5 E
439

Area Salt River Mevidence

21125 To left bank of south channel
of Salt River - sandy banks
and bed - rapid current
and runs SW

I now caused a flag
to be set on the right bank
and on the line bet acco 34135
and from the point on line
on left bank I run East
3.88 chs to a point from
which the flag on the right
bank bears N45°W. which
gives for the distance across
the river on the line bet
acco 34135 - 3.88 chs to
which add 21.25 " dist
south of river makes

25113 To flag on right bank

4000 bet a point for 1/4 sec cor

To 2 N Range S E BOOK 1 440

Ques Salt River Meridian

chs with mound and pits
as per instructions

Secs 26 apart for cuto sec 26, 27,
34 & 35 with mound and pits
as per instructions on the left
bank of north channel of
Salt River

Land with 20.00 chs level bottom 1st rate
Remainder sandy and "unfit
for cultivation" and subject
to inundation from 1 to 3 feet

East on random line Sec
Secs 26 & 35
Ta 13 5 5 5 'E

4000 Sec Temporary 1/4 Sec per

Op 2 N Range 58
441

Line of Salt River Meridian

60.72 to right bank of South channel
of Salt River sandy banks and
bed rapid current and
runs SW

I now caused a flag to be
set on the left bank and on
the line bet us 26 + 35 - and
from the point on right bank
on line I run North 3.75 chs
to a point from which the flag
on the left bank bears $545^{\circ} E$
which gives for the distance
across the river on line bet
us 26 + 35 - 3.75 chs to
which add 60.72 " ditto
West of river makes

64.47 To flag on left bank

St. 36 Subsect N + S line 21 lks South
of cur to sec 25, 26, 35 + 36
From which cord run

Op 2 N Range 5 E

Line Salt River Meridian

as 1890 51' W and true line
bet secs 26 & 35
Va 130 55' E

40.18 ^{along 25+4+5 for 1/4} set a ~~post~~ ~~rod~~ sec corner
as per instructions

St. 36 The cor to secs 26, 27, 34 & 35
land East of river soil private
Remains sandy and subject
to inundation

North bet secs 26 & 27
Va 130 55' E

I now caused a
flag to be set on the right bank
and on the line bet secs
26 & 27 and from the section
cor on left bank I run

413
Op 2 N Range E

Gila Salt River Meander

Chs East 4.25 Chs to a point
from which the flag on
right bank bears N 45 W
which gives for the distance
across the river on line bet
secs 26 27 - 4.25 Chs to
~~about~~ add

4.125 To above flag on right bank
of north channel of Salt
River - sandy banks and bed
and runs West.

Leave Bottoms and ascend
10 feet to top of mesa

4.000 Set a post for 1/4 sec cor
with mound and pits
as per instructions

3.000 Set a post for cor to secs
22, 23, 26 27 with mound and

Op 2nd Range 5th E

Gda Salt River Meridian

Ch₁ pits as per instructions
 Land gently rolling.
 Soil 2nd rate
 Greewood, Sage brush
 and cactus
 May 18, 1888

East on a random line
 bet acs 23 & 26
 N 13° 55' E

4620 bet temporary 1/4 sec post

80.74 Intersect N 48 line 16 CRs S
 of cur to acs 23, 24, 25 & 26
 From which cor I run
 S 89° 53' W on true line
 bet acs 23 & 26
 N 13° 55' E

Tp 2 N Range 5 E

Glen Salt River Meridian

40112 Set a post for 1/4 sec cor
with mound and pits
as per instructions80.24 The cor to sec 22, 23, 26 m
Land rolling
Ent 2nd 1/2 sec
Greenwood, Sage brush
and cactusNorth 1/2 sec 2 m 3
or 13° 55' E3075 Wickenburg and Fort M. J. Dorrell
Road bears E 40°4028 Set a post for 1/4 sec cor
with mound and pits
as per instructions

To 2nd Range 5th E

Line of Salt River Meridian

8220 Set a post for cor to sec 14, 15, 22 & 23 with mound and pits as per instructions
 Land gently rolling
 Soil 2nd & 3rd rates
 Greasewood, sage brush
 Palo verde and cactus

East on a random line
 bet sec 14 & 23
 Va 13° 55' E

4020 Temporary 1/4 sec post

8036 Intersect N + S line 35 lbs S
 of cor to sec 14, 13, 23 & 24
 From which a S run
 S 89° 45' W on a true line
 bet sec 14 & 23
 Va 13° 55' E

Sp 2 N Range - 8

Gila and Salt River Meidian

40.18 Ser apart fr 1/2 sec cor
with mound and pits
as per instructions

80.36 The cor to recs 14, 15, 22 & 23
Land level
Soil 2nd cut
Greewood, Palo verde
sage brush & cactus

Nth bet recs 14 & 15 -
70° 55' E

4020 Ser apart fr 1/2 sec cor
with mound and pits
as per instructions

8020 Ser apart fr cor to recs 10, 11, 14
& 15 with mound and pits
as per instructions

Op 2 N Range 5-E

New Salt River Meridian

As Land level
 Int 2nd & 3rd poles
 Greewood, palo verde
 sage bush & ~~the~~ cactus

East on a random line
 bet sec 11 & 14
 ra 130 55 'E

4020 bet temporary 7 sec post

79.90 Intersect N & S line 2 1/2 kts S
 of cor to sec 11, 12, 13 & 14
 From which cor I run

89 37' W on a true line
 bet sec 11 & 14
 ra 130 55 'E

Op 2 N Range 5 E

Auto Galt Run Meridian

39.95 Set a post for 14 sec cor with mound and pits as per instructions

79.90 The art to sec 10, 11, 14 & 15
Land level
Soil 2nd rate
Greenwood, palo verde and cactus

North line sec 10 & 11
Tn 18155 E

40.00 Set a post for 14 sec cor with mound & pits as per instructions

80.00 Set a post for cor to sec 2, 3, 10 & 11 with mound & pits as per instructions

Tb 2 N Range.

Via Galt River Meridian

Obs Land level
 Soil 2nd rate
 Greenwood, palo verde
 and cactus

East on a random line
 bet sec 2 & 11
 Ra 13° 55' E

4000 bet temporary 1/4 sec cor

79.86 Intersect N & S line 19 lbs S
 of cor to sec 1, 2, 11 & 12
 from which cor down

189° 52' W on true line
 bet sec 2 & 11
 Ra 13° 55' E

451
p 2 W Ranges & E

Line Salt River Meridian

\$9.93 Let a stone 20 + 8 + 3 for
1/4 corner with mound
& pits as per instructions

79.86 The cor to sec 2, 3, 10, 11
Land gently rolling
Soil 2nd rate
Greewood, palo verde
Sage brush & cactus

North on a random line
bet sec 2 + 3
ra 130° 55' E

4.00 Let temporary 1/4 corner

80.12 Entered North Boundary of
Township 14 E, West of
cor to sec 2, 3, 34, 35

S 72 N Range B - E

Gila Salt River Meridian

Obs from colch cor Iron

Ar 006 W on true line
her recs 2 + 3

ra 1855 E

401/2 Set apart fir 4 acc cr
with mound and pits as
per instructions

801/2 The cr to recs 2, 3, 10 + 11
Land level
Incl 2 w rate
Guercuod, palo verde
cage bush + cactus
May 19, 1888

North her recs 33834
ra 1855 E

Sp 2 N Range 5 - E

Wula Salt River Meridian

2.25 To left bank of north channel
of Salt River - rapid cur-
rent and runs SW

I now caused a flag to
be set on the right bank
and on the line be-
tween 3 & 4 and from
the point on line on left
bank I run East 275 ch
to a point from which
the flag on right bank
bears N 45° W which gives
for the distance across
the river on the line
between 3 & 4 - 275 ch
to which add 225 "
dist south of river makes

500 To flag on right bank

400 Set apart for 400

Op 2 N Ranges E

Uen Galt River Meridian

Obs with mound and pits
as per instructions

80.00 Set apart fir cor to recs 27, 28.
33034 with mound & pits as
per instructions
Land rolling
Oxide 200 1300 dots
Greenwood

Eastward random line
see recs 27 & 4
on 13055' E

4000 Set temporary 1/4 sec post

68.75 To right bank of north channel
of Galt River - rapid current
runs SW

P 2 N Range 3 - E

455

Lula Salt River Meridian

Chs 2 am found a flag to
be set on the ~~right~~ left bank
of the river and on the line
between 27 134 and from
the point on line on right
bank I am ~~North~~ 3.50 chs
to a point from which the
flag on left bank bears
S 60° E which gives for
the distance across the
river on the line between
27 134 - 6.06 chs to
which add 68.75 " dist
West of river makes
74.81 To flag on left bank

79.60 Intersect N & S line 38 lks S
of cor to sec 26, 27, 34 135
From which cor I am

Tp 2 N Range 5 E

66456

Gila Salt River Meridian

Chs S 89° 46' W on natural line
 bet sec 27 & 28
 Va 130' 55" E

39.80 Per apmt for 1/4 sec cor
 with mound and pits
 as per instructions

79.60 The cor to sec 27, 28, 33 & 34
 Level level
 On 2nd rate
 Greewood & mesquite

North bet sec 27 & 28
 Va 130' 55" E

40.00 Per apmt for 1/4 sec cor
 with mound and pits
 as per instructions

To 2 N Range 5 E

457

Line Galp River Meridian

8000 Set a post from car to recs
21, 22, 27 & 28 with ironed
Spits as per instructions
Land level
Set 2nd post rates
Green wood to age bush

East on a random line
bet recs 22 & 27
Ta 13035 E

4000 Set temporary 1/4 sec post

79.88 Intersect N & Shue 12 E, S
of car to recs 22, 23, 26 & 27
From which cord run
to 8905 5' W on a true line
bet recs 22 & 27
Ta 13055 E

Op 2 N Range

New and Salt River Meridian

39.94 Per a part for 1/4 ac cor
with mound and pits
as per instructions

79.88 The cor to acs 21, 22, 27 & 28
Land level
Soil 2nd rate
Greewood and sage brush

North bet acs 21 & 22
3a 13055' E

30.00 Wickenburg and Fort McDowell
Road bears E & W

40.00 Per a part for 1/4 ac cor
with mound and pits
as per instructions

439 *Op* 2 N Range 5 E

Latitude Salt River Meridian

8000 Set apart for cor to secs 15, 16,
 21 ~~22~~ with monadial pits
 as per instructions
 Land level
 Soil 2nd rate
 Greasewood, mesquite
 and sage brush

East on a random line
 bet secs 15 & 22
 7a 130 55' E

8000 Set temporary 1/4 sec post

8010 Intersect N & S line 9 lks N
 of cor to secs 14, 15, 22 & 23
 From which cor S run
 7890 56' 4" on true line
 bet secs 15 & 22
 7a 180 55' E

Op 2 W Range 5 E

Wagon Salt River Median

40.05 Set apart for 1/4 sec cor with mound and pits as per instructions

80.10 The cor to sec 15, 16, 21 & 22
Land level
Cut for post holes
Greenwood to age brush

North lot sec 15 & 16
T13055' E

40.00 Set apart for 1/4 sec cor with mound and pits as per instructions

80.00 Set apart for cor to sec 9, 10, 15 & 16 with mound and pits as per instructions

Op 2 N Range 5-E

Gila Salt River Meadain

Chs Land level

Dril Pt 1200 rates

Greasewood, Palo verde
and cactus

East on random line
bet sec 10 + 15

Ta 13055 'E

4000 bet temporary fence post

Fr. 18 Intersect N 1/2 line 14/15
Springs of cartages 10, 11, 14 + 15
From which cor I am

S 89054 Wona tino line
bet sec 10 + 16

Ta 13055 'E

3/2 N Range L E

Gila Salt River Meridian

40.09 Set apart for 1/4 sec cor
with mound and pits
as per instructions

80.18 The cor to sec 9, 10, 13 & 16
Level level
Soil Pt 12th rates
Guarewood, pale oxide
and sage brush
May 20, 1868

North bet sec 9 & 10
ra 13055' E

40.00 Set apart for 1/4 sec cor with
mound and pits as
per instructions

80.00 Set apart for cor to sec 2, 4, 9 & 10

Op 2 N Range 3 E

463

Uta Salt River Mendocino

chs with mound and pits
as per instructions
Land level
Soil 2nd rate
Greewood + Palo verde

Cur on a random line
bet recs 3 & 10
Ta 130° 55' E

4000 bet temporary 1/4 sec post

80. 16 Intersect N + S line 19 lks
south of cur to recs 2, 3, 10
& 11 from which cord run

589° 52' W on true line
bet recs 3 & 10
Ta 130° 55' E

of 2nd Range &

464

W. and Salt River Meridian

40.08 Per acre for 1/4 section
with mound and pits
as per instructions

80.16 There to recs 3, 4, 9 & 10
- Land lead
Soil 2nd rate
Greewood & Palo Verde

North on a random line
bet recs 3 & 4
Va 13° 55' E

40.00 Per temporary 1/4 section

79.82 Interset North Boundary of
Township 23 R. West of
cor to recs 3, 4, 13, 14
From which cor I run

Tp 2 N Range 5 E

465

Gula Salt River Meridian

On $100^{\circ}10'W$ on a true line
between 3 & 4.at $130^{\circ}55'E$ 39.82 Set a post for 1/4 sec cor
with mound and pits
as per instructions79.82 The cor to sec 3, 4, 9 & 10
Land level

Soil 2nd & 3rd rates

Greasewood, mesquite, palo
verde, sage brush & cacti

North between 3 & 4 & 3

at $130^{\circ}55'E$ 44.20 Set a post for 1/4 sec cor
with mound and pits
as per instructions

Op 2 N Range 5 E

Gila ^{and} Salt River Meadows

S. 20 Deraput from to rec 26, 29,
32 & 33 with mound & pits
as per instructions

Land gently rolling
fall 2 or 3 ft.

Greenwood & mesquite

X

East on a random line
bet rec 28 & 33

va 13' 55" E

4. 26 Per temporary 1/4 sec post

S. 26 Dubuict N & S line 16 R. South
of cur to rec 27, 28, 33 & 34

From voluct cord run
4890 53' 10" on same line
bet rec 28 & 33

va 13' 55" E

44

BOOK

I

Op 2 W Range 3 E

467

Uta Gadsalt River Meridian

4013 Set apart for 94 ac cor
with mound & pits as
per instructions

8028 Move to sec 28, 29, 32 & 33
Land level
Cut 2nd rate
Greewood & mesquite

Unit bet sec 38 & 29
ra 13035 '8

4000 Set apart for 94 ac cor
with mound and pits
as per instructions

8020 Set apart for cor to sec 20, 21,
28 & 29 with mound & pits
as per instructions

Op 2 N Range E

Gila and Salt River Meridian

Ab Land level

Int. Surr. rate

Yucca wood + mesquite

East ararandome line
 ber. accs 21 + 28
 ca 13055' E

4000 Det temporary 1/4 sec pt

80.30 Returned N. Line 28 lks S
 of cor to accs 21, 22, 27 + 28
 From which cor I run

A 84' 48" W. native line
 ber. accs 21 + 28
 ca 13055' E

40015 Det a post for 1/4 sec cor

Op 2 N Ranges E

469

Great Salt River Mendocino

Chs with mound and pits
as per instructions

W. 30 The cor to sec 20, 21, 28 + 29
Land level
Out pt to 2nd rates
Yucca wood + mesquite
May 21 1868

North line sec 20 to 1
(to 13055' E)

3. 20 Wickenburg and Ft. McDowell
Road bears N 80° E + S 80° W

4. 20 A rapun for 4 sec cor
with mound and pits
as per instructions

Op 2 N Range E

Gen Salt River Meridian

8200 Levapm for cor to ~~aces~~
 16, 17, 20 & 21 with mound & pits
 as per instructions
 Land level
 Soil Pt 2 at rates
 Sycamore, mesquite
 and oak brush

East on sandline line bet
 aces 16 & 21
 on 13055 E

4 m let temporary face post

8850 Intersect N S line 35 lks south
 of cor to aces 16, 16, 21 & 22
 from which cor I run
 489045' W on nature line
 bet aces 16 & 21
 on 13055 E

Tp 2 N Range 5 E

471

Gulf Salt River Meidian

40.25 Seraport for 4 acres
with mound and pits
as per instructions

50.50 The cr to acc 16, 17, 20 21
Land fuel
Soil pt for 2 at rates
Greewood + sage brush

with beer acc 16 + 17
val 30.55 'E)

class Seraport for 4 acres
with mound and pits
as per instructions

500 Seraport for cr to acc 8, 9,
16 + 17 with mound and pits
as per instructions

Op 2 n Range & E

15472

Uta Salt River meadow

Chs Land level

Soil Pt 1 2 w talis

Greewood, mesquite
and sage brush

East on random line
between 9 & 16

7613055 E

400 Det temporary face post

88.28 Intured N S line 2 3 lks S
of cor to recs 9, 10, 15 & 16
From which cor I run

889050' W on same line
between 9 & 16

7613055' E

of 2 Range 5 E

473

Uta Salt River Meridian

40114 Set apart for 1/4 sec cor with mound and pits as per instructions

80.28 The cor to recs 8, 9, 16 & 17
Land level

Sal 1st 2d rates

Greasewood, mesquite, palo verde & sage brush

with sec recs 8 & 9

at 13' 55" E

4020 Set apart for 1/4 sec cor with mound & pits as per instructions

8020 Set apart for cor to recs 4, 5, 8 & 9 with mound & pits as per instructions

Op 2 N Range 5 - E

Line Salt River Meridian

Obs Land level
Bar 20 rate
Greewood & Palo verde

East on random line
between 4 & 9
at 3055' E

4020 Set temporary 1/4 sec cor

80.22 Intended N & S line 19.00
South of art to recs 314, 9 & 10
From which cor & run

189052' W on true line
between 4 & 9
at 3055' E

40111 Set apart for 1/4 sec cor

Op 475 N Range 5 E

Gda Salt River Meridian

Chs with mound and pits
as per instructions

88.22 The cor to recs 4, 5, 8 + 9
Land level
Inl 2nd row rates
Greasewood, mes quite +
pale oak

North on a random line
bet recs 4 + 5
2013055-18

4120 bet temporary / fac pin

79.60 Distinct North Boundary
of Township 42 Ns West
of cor to recs 4, 5, 8 + 9
From which cor I run

To 2nd Range 5 E

Gila and Salt River Mendocino

cls 2000 18' W on true line
between 4 + 5
70 130 55 E

39.60 Per apt for 1/4 sec cor
with mound and pits
as per instructions

79.60 The cor to aces 4, 5, 8 + 9
So and level
Soil 2nd rate
Guarwood, mesquite
and palo verde
May 22, 1868

North between ~~aces 3, 4, 5, 6, 7, 8, 9~~
70 130 55 E

46.00 Per apt for 1/4 sec cor
with mound and pits
as per instructions

177
 To 2 W Ranges &

Yellow Salt River Meander

8200 Let a part for cur to sec 29, 30
 31 & 32 with mound & pits
 as per instructions
 Land level
 Soil 1/4 mile
 Greenwood & mesquite
 - very dense

East on random line
 sec 29 30 32
 7a 30 35-1/2 E

4020 Let temporary 1/4 sec part

79180 Letured N S line 1/4 sec S
 of cur to sec 28, 29, 32 & 33
 From which a line

189037 1/4 W on same line

Op 2 N Ranges E

Gda Salt River Meridian

cls between 29 & 30
 7 at 30 55' E

39.90 Let a post for 1/4 sec cor
 with mound and pits
 as per instructions

39.80 The cor to sec 29, 30, 31 & 32
 Sound quiet
 Soil 1st rate
 Sycamorewood & mesquite

West on a random line
 between 30 & 31
 7 at 30 55' E

4000 At temporary 1/4 sec post

79.32 Intersect West Boundary of

479 Tp 2 N Range 8 E

Gila Salt River Meridian

Chs Tp 21 lds north of cor
to sec 25, 36, 38, 31
From which cor run

n 89° 51' E on a true line
between 30 31
ca 130° 55' E

39, 39 Let a post for 44 sec cor
with mound and pits
as per instructions

79, 32 The cor to sec 29, 38, 31 32
Land level
Oil Pt rate
Greenwood & mosquito

North between 29 30
ca 130° 55' E

Sp, 2nd Range 3rd E

Mila Salt Run Meridian

- 4120 Scrap for 4th corner
with mound and pits
as per instructions
- 6340 Wickenburg & Ft. McDowell
Road bears N 75° E + S 75° W
- 8020 Scrap for corner 19, 20
29 830 with mound and
pits as per instructions
Land level
Out pt 2nd rate
Sage wood trees quite

East on random line
set out 20 829
at 355' E

4100 Set temporary 4th corner

To 2 N Range & E

Yea Salt River Meridian

63.46 Wickburg & Fort McDowell
Road bears $N70^{\circ}E + S70^{\circ}W$

80.18 Returned N & S line 23 P.M. S
of cor to sec 20, 21, 28 & 29
From which cor down

$S89^{\circ}51'W$ on a true line
bet sec 20 & 29
 ~~$N61^{\circ}30'55''E$~~

40.09 Per a part for 1/4 sec cor
with around & pits as
per instructions

80.18 The cor to sec 19, 20, 29 & 30
Land level
Cut out ~~the~~ rules
Sagebrush & mesquite

Sp 2 N Range 5 E

Edw Salt River Meridian

Ch West meridian line
bet sec 19 & 30
Ta 13055' E

4120 Sec apart for temporary 1/4 sec cor

79113 Latent West Boundary
of Township 16 Ns South
of cor to sec 24, 25, 19 & 30
From which cor I run

18953' E on same line
bet sec 19 & 30
Ta 13055' E

3 79113 Sec apart for 1/4 sec cor
with ground & pits as
per instructions

79113 The cor to sec 19, 20, 29 & 30

To 2 n Range 5-8

Gita Salt River Median

Chs Land level
Fuel per 2nd rate
Grease wood & mesquite

North but recs 19720
7a 130 5-5 8

4020 Rev apr for fuel & recon
with mound & pits as
per instructions

8020 Rev apr for cur to recs 17, 18,
19 & 20 with mound & pits
as per instructions
Land level
Fuel 2nd rate
Grease wood & mesquite

Op 2nd Range 3 - E

Line Salt River Meridian

Ch. East on a random line
between 17 & 20
on 13th 55' E

4400 Re-atemprom 1/4 sec pm

No. 25 - Subunit N + S line 21 Ms S
of cor to sec 16, 17, 20 & 21
From which cor down

28951' W on a true line
between 17 & 20
on 13th 55' E

44012 Re-afirm fill 1/4 sec cor
with mound and pits
as per instructions

No. 25 - The cor to sec 17, 18, 19 & 20
Land line

Ch 2 N Range 5 E

Gila Salt River Meridian

Obs Soil Sw rate
Greasewood & mesquite
May 23, 1888

West on a random line
bet sec 18 & 19
T₁₃ S₀₅ E

4020 Cor temporary 1/4 sec post

79.28 Intunct West Boundary
of Township 19 lks north
of cor to sec 13, 24, 18 & 19
From which cor Town

N 89° 52' E orature
line bet sec 18 & 19
T₁₃ S₀₅ E

Op 2 N Range 5 E

Quia Salt River Meridian

39,28 Scrap for 1/4 acre
with mound and pits
as per instructions

79,28 The cart to trees 17, 18, 19 & 20
Lena level
Ont 2nd for sales
Greenwood trees quite

North bet sec 14 & 18
N 13° 55' E

4000 Scrap for 1/4 acre
with mound & pits as
per instructions

800 Scrap for cart to trees 7, 8,
17 & 18 with mound & pits
as per instructions

Op 2 N Range to E

Gila Gualt River Meridian

Obs Land level
 Fort 2nd rate
 Greasewood & mesquite

East on a random line
 bet secs 8 & 17
 on $13^{\circ} 55' E$

40.00 Set temporary Huc post

79.76 Intersect N & S line 28 lbs N
 of cor to secs 8, 9, 16 & 17
 From volute cor to run

on 89° 48' W on true line
 bet secs 8 & 17
 on $13^{\circ} 55' E$

39.88 Set post for Huc cor with mound
 Spits as per instructions

Of 2nd Range - E

line Salt River Meridian

79.75 The cor to sec 7, 8, 17 & 18
Land level
Cut 2nd rate
Sagebrush & mesquite

West on aradon line
bet sec 7 & 18
on 13⁵⁵' E

4420 Per temporary 7 sec from

79.13 Dubuque West Boundary
of Township 26 lks north
of cor to sec 12, 13, 7 & 18
From which cor I run

N 89° 49' E on true line
bet sec 7 & 18
on 13⁵⁵' E

Op 2 N Range to E

Gila & Galt River Meridian.

3913 Set a post for 44 sec cor
with mound and pits
as per instructions

7913 The cor to secs 7, 8, 17 & 18
Land level
Soil low rate
Greewood & mesquite

North bet secs 7 & 8
on $13^{\circ}55'$ E

4000 Set a post for 1/4 sec cor
with mound and pits
as per instructions

8000 Set a post for cor to secs 5, 6,
7 & 8 with mound and pits
as per instructions

Op 2nd Range E

W. Salt River Meidian

Chs Land level

Oil low for rates

Greasewood & sage brush

East on a random line
bet accs 5 & 8
ca 13° 55' E

440 set temporary 1/4 sec cor

79.68 Intersect N 8 line 30 Rk N
of cor to accs 4, 5, 8 & 9
From which cor I run

N 89° 47' W random line
bet accs 5 & 8
ca 13° 55' E

39.84 set apart for 1/4 sec cor

Op 2 N Range E

Line Salt River Meridian.

Chs with mound and pits
as per instructions

7968 The cor to nos 5, 6, 7 & 8
Sound level
Cut low rate
Grasswood & mesquite

West on a random line
between nos 6 & 7
ra 130 55' E

4 no West temporary line for

7967 Determined West Boundary of
Township to the limits of
certain nos 1, 12, 6 & 7
From which cor D run

884055 E on a true line between nos. 6 & 7
ra 130 55' E

Op 2 N Range & E

New Salt River Meridian

79107 Separat for 4 acres
with mound & pits as
per instructions

79107 The cur to sec 5, 6, 7 & 8
Land level
Oil sur rate
Greenwood and mesquite

North on a random line
bet sec 5 & 6
N 13° 55' E

400 Separat temporary 4 Sec part

79190 Intended North Boundary
of Township 16 R. West
of cur to sec 5, 6, 7 & 8
From white cor. S. cur

Op 2nd Range & E

493

Qua Salt River Meridian

Chs 180° 07' W on natural
line between 5.46
ra 130 55' E

39.90 Let a post for Hecce
with mound pits as
per instructions

74.90 The cor to ces 5.6.7 & 8
Land level
Ent Low rate
Greewood times quite
May 25. 1868

General Description 494

This Township contains a large quantity of good arable land - mostly part of 200 acres. It is generally level. Salt Run runs through the S E part - entering it on East Boundary of Sec 25 & flowing thence through secs 26, 34 & 35. Its banks are generally low and sandy and it often shifts its bed during a very high stage of the waters. It affords many facilities for irrigating the surrounding country.

The Wickenburg and Fort McDowell Road passes through the Township near the centre and bears nearly East & West.

There is no timber except mesquite and palo verde which affords excellent material for fuel.

Field Notes of the survey of
the Sub-division Lines of
Township 1 N Range 6 E
of the Gila and Salt River
Meridian in the Territory
of Arizona by Geo. P. Suggs
Deputy Surveyor under
his contract bearing date
the 29th day of February
A.D. 1868

Plattal B

copied for Washy
JCS

Township No. 7 N.

Range No. 6 E. 22 S. R. B. E. Mer.

495A

6	556	5	539	4	528	3	517	2	506	1
558		554		538		527		516		505
7	553	8	537	9	526	10	515	11	504	12
552		531		526		525		514		503
18	550	17	535	16	524	15	513	14	502	13
549		547		534		523		512		501
19	547	20	533	21	522	22	511	23	500	24
546		545		532		521		510		499
30	544	29	532	28	520	27	509	26	498	25
543		540		530		519		508		497
31	541	32	530	33	518	34	507	35	496	36

0 1 2

Scale 80 chains to an inch
20 40 60 80

True Meridian

Tp 1 N Range 6 E

Gila + Salt River Meridian

Obs From the cor to sec 1, 2, 35-
36 on South Boundary
of Township 2 run

North bet sec 35-36
7a 130 40 'E as per
East Boundary

4000 Set apart for 1/4 sec cor
with mound and pits
as per instructions

8000 Set apart for cor to sec 25, 26,
35-36 with mound + pits
as per instructions
Land mark
Ent 2nd rate
Sage wood, mesquite, palo
verde and sage brush

Op 1 N Range to 8

Uta Salt River Meridian

Chs East on a random line
between 25 T36
at 130° 40' E as per
South Boundary

40.00 Let temporary 1/4 sec from

80.16 Intersect East Boundary
of Township at cor to
secs 25. 36. 30 T36 }
From which cor I run

West a true line between
secs 25 T36
at 130° 40' W

40.08 Let a post for 1/4 sec cor
with mound & pits as
per instructions

Op 1st Range 6 E

Gas and all River mention

8016 The cor to sec 25, 26, 35 & 36

Land level

Soil 2nd rateGreasewood, mesquite
and palo verdeNorth bet sec 25 & 26
ra 130 40 'E4020 Cor apart for 1/4 sec cor
with mound and pits
as per instructions8020 Cor apart for cor to sec 23, 24,
25 & 26 with mound & pits as
per instructionsLand level. Soil 2nd rate
Greasewood, mesquite, palo
verde and sage brush

Sp 1 N Range 6 E

Gda Salt River Meridian

cls East on a random line
bet recs 24 & 25
7a 13040' E

4000 Set temporary 1/4 sec post

80.32 Entered East Boundary of
Township 71 Ns South of
cor to recs 24, 25, 19 & 30
From which cor drawn

8840571 W on a true line
bet recs 24 & 25
7a 13040' E

40.16 Set a post for 1/4 sec cor
with mound and pits
as per instructions

80.32 The cor to recs 23, 24, 25 & 26

Op 1 Range E

Gila and Salt River Meridian

Chs Land level
 Soil ~~substrate~~
 Greasewood, mesquite
 and palo verde

Units bet sec 23 and
 24 30' 0" 0

400 Seraput for 1/4 section
 with mound and pits
 as per instructions

800 Seraput for cor to sec 13, 14,
 23 and with mound and pits
 as per instructions
 Land level - Soil substrate
 Greasewood, mesquite
 and palo verde

Op 2 N Range - E

Great Salt River Meridian

Obs East on a random line
 bet sec 13 & 24
 ran 3040' E

40.00 Set temporary 1/4 corner

80.20 Interest East boundary
 of Township 26 N, south of
 cor to sec 13, 24, 18 & 9
 from which cor A runs

S 89° 49' W on a true line
 bet sec 13 & 24
 ran 3040' E

40.00 Set apart for 1/4 corner
 with mound and pits
 as per instructions

80.20 The cor to sec 13, 14, 23 & 24,

To 1st Range & E

Line End Salt River Meridian

Chs Sand rolling
 Soil 2nd rate
 Greasewood mesquite, palo
 verde and sage brush

North bearing 13 714
 or 13° 40' E

4000 Serapunt fir 1/4 acre
 with mound and pits
 as per instructions

8000 Serapunt fir cor to sec 3 1112,
 13 714 with mound and pits
 as per instructions
 Sand rolling, Soil 2nd rate
 Greasewood, mesquite, palo
 verde and sage brush

Op 1 Range E

Gila Salt River Meridian

Ch East on a random line
bet sec 12 & 13
7a 130 48' E

4020 Set temporary 1/4 sec post

8028 Intured East Boundary
of Township 30 Ns 20th
of cor to sec 12, 13, 7 & 8
From which cor run

89047' W on same line
bet sec 12 & 13
7a 130 40' E

4811 + Set apart for 1/4 sec cor
with mound and pits
as per instructions

8028 The cor to sec 11, 12, 13 & 14

To 1st Range E

Gila Salt-River Meridian

Chs Land rolling
 Soil Low rate
 Greasewood, mesquite, palo
 verde & sage brush
 May 28, 1868

North bearing 11 1/2
 var 30 40 'E

4000 Set apart for 1/4 acre
 with mound and pits
 as per instructions

8000 Set apart for acre to res 1, 2, 11 1/2
 with mound and pits as
 per instructions

Land rolling - Soil Low rate
 Greasewood, mesquite, palo
 verde & sage brush

Up N Range E

Geta Fall River Meridian

Ch East on a random line
between 1 & 2
on 13040 'E

4020 Set temporary 1/4 section

8036 Return East Boundary
of Township 28 to south
of cor to sec 1, 2, 6 & 7
From which cor to run

S 89° 48' W on a true line
between 1 & 2
on 13040 'E

40118 Set apart for 1/4 sec cor
with mound and pits
as per instructions

8036 The cor to sec 1, 2, 11 & 12

Op 1st Range 6 E

Gen Salt River Meridian

Obs Sand rolling
fine Dur soil
Sagebrush, mosquito
and pale birds

North meridian line
bet sec 1 & 2
T₁₃ S₄₀ E

4020 Set temporary 14 sec post

88.29 Intused North Boundary of
Township 35 N₃₅ West of the
cor to sec 1, 2, 3, 5 & 6
From which cor I run

S₇₀ W₁₅ W on a true line
bet sec 1 & 2
T₁₃ S₄₀ E

Cp 12 Range E

Wto Galt River Meridian

4029 Scrapout fir & sec cor
with mound and pits
as per instructions

4029 The cor to sec 1, 2, 11 & 2
Sand rolling hills
foul Lav rate
Greewood, mosquito, pale
vade and sage brush

North lot sec 3 & 5
7a13040 '85

4030 Scrapout fir & sec cor
with mound and pits
as per instructions

4030 Scrapout fir cor to sec 2627,
34 & 3 with mound & pits
as per instructions

Op 1st Range 6 E

Gold and Salt-River Meridian

Chs Lead Lead
 Soil Limestone
 Gneiss, pale oxide
 and mesquite

East meridian line
 between 28 35
 and 30 40 'E

4000 feet temporary 74 receipt

801/2 Lateral NS line 1400 ft N
 of cur to sec 25, 26, 35, 36
 from which cord run

289084' W on true line
 between 26 35
 and 30 40 'E

Op 1 N Range 6 E

Gila Salt River Meridian

40.06 Serapmt fir 44 sec cor
with mound and pits
as per instructions80.12 The cor to sec 26, 27, 34 & 35
Sand dune
but 2nd rate
Greasewood, palo verde
and mesquiteNets bet sec 26 27
va 3040' E40.00 Serapmt fir 44 sec cor
with mound and pits
as per instructions80.00 Serapmt fir cor to sec 22, 23, 26
& 27 with mound and pits

Op 1st Range 6

1st End Salt River Meridian

Chs as per instructions
 Land level
 Soil 2nd rate
 Greenwood, Palo verde
 and mesquite

East or random line
 between 23 & 26
 N 130° 40' E

4420 Set temporary 1/4 section

79.78 Intersect N 1/2 line 23 & 26
 N 1/2 cor to sec 23, 24, 25 & 26
 From which cord run

N 89° 50' W on a true line
 between 23 & 26
 N 130° 40' E

Op & N Range Co

Green Salt River Meridian

39.89 Serapunt for 1/4 section
with mound and pits
as per instructions

79.78 The cor to sec 22, 23, 26/12
Sand hill, Int 2nd rate
Greewood, also verde
and mesquite
May 29, 1868

North bearing 22 1/2 S
at 30° E

4600 Serapunt for 1/4 section
with mound and pits
as per instructions

5000 Serapunt for cor to sec 14, 15,
22 & 23 with mound & pits
as per instructions

Op 1st N Range E

BOOK 1

512

Geo and Salt River Meridian

Obs

Land level
Soil Terrate
Greasewood, mesquite, palo
verde and sage brush

East meridian line
bet recs 14 & 13
on 13040 'E

400 Inter temporary 44 rec cor

79.84 Intersect N & S line 19 ft S
of cor to recs 13, 24, 18 & 19
from which cor I run

89032' Conatus line
bet recs 14 & 13
on 13040 'E

Op 1/2 Range E

Gda used at River Meridian

39,92 Scrap for 1/4 section
with mound and pits
as per instructions79,84 The cur to sec. 14, 15, 22 & 23
Land rolling
one 2nd rate
Grease wood, mesquite
and palo verdeNorth bet sec 14 & 15
to 13 & 40 ' E4000 Scrap for 1/4 section
with mound and pits
as per instructions8000 Scrap for cur to sec 10 & 11
14 & 15 with mound and pits

Op 1st N Range EGda ^{and} Salt River Meridian

As per instructions

Land rolling

Oil 2nd rate

Sage wood, mesquite, palo

verde and sage brush

East meridian line
between 11 & 14

at 30 40' E

4000 per temporary 1/4 section

79.68 Intersect N 1/2 line 26 lks South
of cor to sec 11, 12, 13 & 14

From which cor run

S 89° 49' W on true line
between 11 & 14

at 30 40' E

Op # W Range & E

Gen Salt River Meridian

39.84 Seraport for 1/4 sec cor
with mound and pits
as per instructions79.68 The cor to sec 10, 11, 14 & 5
Land rolling
Cut two 1/2 sec rates
Beechwood, Palo verde
and mesquiteNorth bet sec 10 & 11
ran 3/4 to 'E400 Seraport for 1/4 sec cor
with mound and pits as
per instructions800 Seraport for cor to sec 2, 3, 10 & 11
with mound and pits as
per instructions

To 1st Range E

Go to Salt River Meidian

Chs Land colling
 Soil 2nd ~~3rd~~ ~~4th~~
 Greasewood - Palo verde
 and mesquite

East on a random line
 bet sec 2 & 11
 at 30 40' E

40.00 Set temporary 4 sec post

79.74 Interset N + S line 21st S
 of cor to sec 11 2 + 11 + 12
 From which cor run

S 89° 51' W on true line
 bet sec 2 & 11
 at 30 40' E

To Range 6th &

Gila Salt River Meridian

34.87 Set apart for 4 accor
ants mound and pits
as per instructions

79.94 The corner sec 2, 3, 10 & 11
Land rolling
Incl 2 or 3 or 4 rates
Greasewood, mesquite, palo
verde and sage brush

North on a random line
bet sec 2 & 3
To 13th to 6th &

4000 Set temporary 4 acc per

80.37 Intersect North Boundary
of Township 19 R's West
of cor to sec 2, 3, 34 & 35

Op 1 N Range E

Ida and Salt River Meridian

Chs From which column

From 0.8' W on a true line
between 2 & 3
was 3048' E

40.37 Serapis for 4' across
with mound and pits
as per instructions

38.37 The cor to rec 2.3.10 41
Sound rolling
Sub 3rd rail
Greewood, mesquite and
palo verde
May 30, 1868

North between 33304
was 3048' E

Sp 1 N Range E

Gila ^{and} Salt River Meridian

4000 Serapunt fir 1/4 sec cor
with mound and pits
as per instructions

5000 Serapunt fir cor to acc 27, 28,
33 & 34 with mound and
pits as per instructions
Land level
Soil 1st & 2nd rates
Greasewoods, mesquite
and palo verde

East on random line
bet acc 27 & 34
at 3 1/2 E

4000 Serapunt 1/4 sec cor
79.82 Julinet N + S line at cor

Cp 1st Range E

Green & Salt River Meridian

Obs to sec 26, 27, 34 T35
from which ord run

West on same line bet
secs 27 & 34
Tas 30 40 60

39191 Lev apart for 44 sec cor
with rimmed and pits
as per instructions

79182 On cor to sec 27, 28, 33, 34
Sound level
Int pt bet sec 27 & 28
Greenwood: mesquite and
palo verde

North bet sec 27 & 28

~~Op~~ Range C E

New Galet River Meridian

4000 Set apart for 44 sec cor
with mound and pits
as per instructions

8000 Set apart for cor sec 21, 22
27 & 28 with mound & pits
as per instructions
Sound hole
Int Pt 2nd rule
Galet river, mesquite and
palo verde

East on random line
between 22 & 27
N 130° 40' E

4000 Set ~~compr~~ 44 sec cor

79.90 Intumet N 1/2 line 21 & 22

To 1st Range E

Auto and Salt Licks Meridian

Chs of carts nos 22, 23, 26 & 27
From which co. I run

289037' W on same line
bet nos 22 & 27
2013040' E

39.95 Scrap for 9 Decem
with mound and pits
as per instructions

74.95 One cart nos 21, 22, 27 & 28
Lead level
End of 1st 2nd rates
Greenwood mesquite and
palo verde

North bet nos 21 & 22
2013040' E

Op 1 1/2 Range E

Gila Galt River Meridian

4000 Set apart on 1/4 sec cor
with mound and pits
as per instructions

8000 Set apart for cor to sec 21 22
15 & 16 with mound and pits
as per instructions
Land level -
Set pt for 200 rods
Greasewood, mesquite
and palo verde

East on a random line
between 15 & 22
7000 1/2 E

4000 Set temporary 1/4 sec post

8018 Intersect N + S line 30 R 20

To 1st Range E

Great Salt River Meridian

Chs of car to acs 14, 15, 22 & 23
From which cor I am

289° 47' W on a true line
bet acs 15 & 22
241° 30' 40" E

40.09 Scrap for 1/4 acre
with mound and pits
as per instructions

80.18 The ar to acs. 15, 16, 21 & 22
Sand level
Out 1st & 2nd rates
Mesquite and palo verde

North bet acs 15 & 16
241° 30' 40" E

To 1st N Range E

Go to Salt River Meridian

40.00 Set apart for 1/4 acre corner
with mound and pits
as per instructions

80.00 Set apart for 1/2 acre 9.10.15 & 16
with mound and pits
as per instructions
Land level
Out 2nd rate
Mesquite & Palo verde

East on a random line
between 10 & 15
On 130 40' E

40.00 Set temporary 1/4 acre corner

80.26 Intersect N & S line 19 E of
of corner 10.11.14 & 15

Op 1st Range E

Line Salt River Meridian

Ch. from which co. down

N 89° 52' 45" on true line
between 10 & 15

at 30° 40' E

40.13. ~~See~~ report for 4 acres on
with mound and pits
as per instructions

80.28 The cor to acc 9, 10, 15 & 16
Land quantity rolling
Line 2nd rate
Mesquite and poles acc'd
June 1st, 1868

with between 9 & 10
at 30° 40' E

Op 1 N Range 6 E

Great Salt River Meridian

4000 Acrapmt for 1/4 sec cor
with mound and pits
as per instructions

8000 Acrapmt for cor to sec 3, 4
9 1/2 ac with mound and pit
as per instructions
Land genly rolling
Soil 2 or 3 ft
Greewood, mesquite
and palo verde

Estuarandom line
between 3 & 4

at 130 1/2 E

4000 Ac temporary 1/4 sec cor

W. 3 + future 1/4 sec line 23 1/2 E

Op 1 N Range E

Line and Salt River Meridian

Chs of cor to rec 2, 3, 10 + M
From which cor down

284030' on a true line
bet recs 3 + 10
on 13040' E

40.17. Level put for 1/4 sec cor
with mound and pits
as per instructions

80.34 The cor to rec 3, 4, 9 + 10
Level gently rolling
Soil sub soil
Mesquite and palo verde

North on a true line
bet recs 3 + 4
on 13040' E

Op 1st Range E

Lead Salt River Meridian

400 At temporary 74 sec cor

80.18 Located north Boundary
of Township 26 Ns West
of cor to sec 3, 4, 33 & 34
From which cor & run

Sec 11th W on a true line
between sec 3 & 4
on 13040' E

40.18 Sec a part for 74 sec cor
with removed and pits
as per instructions

80.18 One cor to sec 3, 4, 9 & 10
Land gently rolling
and low auto
Greasewood, mesquite and
palo verde

Op 1 W Range E

Gila Salt River Meridian

Chs North bet sec 32 & 33
 ca 130 40' E

4000 Set apart for 14 sec cor
 with mound and pits
 as per instructions

8000 Set apart for cor to sec 28, 29,
 32 & 33 with mound and pits
 as per instructions
 Land level

Soil 2nd rate
 Greasewood, mesquite, palo
 verde and Sage brush

East on a random line
 bet sec 28 & 33
 ca 130 40' E

Op 12 Range E

Eda Salt River Meridian

44.22 set temporary 74 sec post

79.88 Latent N+S line 16 lks
 of cor to sec 27, 28, 33 & 34
 from colch cor & run

289° 53' W on same line
 bet sec 28 & 33
 on 30° 0' E

39.94 set aprt for 74 sec cor
 with mound and pits
 as per instructions

79.88 Me cor to sec 28, 29, 32 & 33
 Land line
 Int 2nd rate
 Greasewood, mesquite, palo
 verde & sage brush

Op 14 Range E 1

Geo & Salt River Meridian

Ch North bet secs 28 & 29
Ta 1340 'E

4000 Set apart for 1/4 sec cor
with mound and pits
as per instructions

8000 Set apart for cuts sec 20, 21,
28 & 29 with mound and pits
as per instructions
Land level
Inl 2nd 1300' rails
Sagebrush, mesquite
and palo verde

East via rainbow line
bet secs 21 & 28
Ta 1340 'E

4000 Set temporary 1/4 sec for

Op 1 N Range 6 E

Great Salt River Meridians

79.76 Interest N + S line 14 lks N
of cor to secs 21, 22, 27 & 28
From which cor & run

N 89° 54' W on true line
bet secs 21 & 28
ra 13° 40' E

39.88 Set apart for 44 ac cor
with mound and pits
as per instructions

79.76 One cor to secs 20, 21, 28 & 29
Land level. Soil substrate
Mesquite & palo verde
June 2, 1868

North bet secs 20 & 21
ra 13° 40' E

Op 1 W Range E

Gila Salt River Meridian

40.00 Set apart for 14 sec cur
with mound and pits as
per instructions.

8000 Set apart for cur to sec 16, 17
20 21 with mound & pits
as per instructions
Land level
Inil subalt
Mesquite & palo verde

East on abandoned line
bet sec 16 & 21
ca 1340' E

400 Set temporary 14 sec cur

79.80 Returned N48 line 26.11 N
of cur to sec 15, 16, 21 & 22

Op 1 N Range E

Eda Salt River Meridian

chs thru objects and run

N 89° 49' W on a true line
between 16 & 21
at 1375' E

39.90 Set a post for 1/4 sec cor
with mound and pits
as per instructions

79.80 The cor to secs 16, 17, 20 & 21
Land level
Incl 2nd rate
Greewood & mesquite
and palo verde

North between 16 & 17
at 1375' E

To 1st Range 6 E

Gila and Salt River Meridian

4420 Resurvey for 4 sec cor
with mound and pits
as per instructions

8000 Resurvey for cor to sec 8, 9,
16 & 17 with mound and pits
as per instructions
Land level
Incl 2nd rule
Mesquite poles used

East on a random line
bet sec 9 & 6
at 1st 1/2 40' E

4420 Set temporary 7th sec cor

79.72 Returned N & S line 33 lks N
of cor to sec 8, 9, 16 & 17

537 Np / N Range E

Gila Salt River Meridian

Ch From which cor I am
 N 89° 46' W on true line
 bet sec 9 & 16
 2013040' E

39.88 for a part for 1/4 sec cor
 with mound and pits
 as per instructions

79.72 Near to sec 8, 9, 16 & 17
 Land gently rolling
 Soil low rate
 Gacorn wood, mesquite
 palo verde & sage brush

North bet sec 8 & 9
 2013040' E

Op 1 W Range 6 E

538

Gila Salt River Meridian

4400 Set a post for 1/4 sec cor
with mound and pits
as per instructions

4400 Set a post for cor to sec 4 5 8 & 9
with mound and pits as
per instructions

Land gently rolling
Soil 2nd rate

Guarwood, mesquite, palo
verde & sage brush

East across river line
bet sec 4 & 9

at 1340' E

4400 Set temporary 1/4 sec post
79188 returned N & S line 2 1/2 miles N
of cor to sec 3, 4, 9 & 10
Same which cor I run

Op 1/4 Range E

539

Line Salt River Meridian

cls N 89° 51' W oratus line
bet sec 4 & 9
Ta 13° 40' E

39.84 Set apart for 1/4 sec cor
with round and pits as
per instructions

79.68 The cor to sec 4, 5, 8 & 9
Land level
Full 2nd rate
Greenwood, mesquite
and palo verde

X

Units on a random line
bet sec 4 & 9
Ta 13° 40' E

4120 Set temporary 1/4 sec per

Op 1st Range E

540

Gila Salt River Meridian

79.85 Intend North Boundary of
Township 19 Ns East of
cor to Secs 4, 5, 8 & 9
From which cor down

200° 08' Equator line
bet sec 4 & 5
ra 13040' E

39.85 - less a part for 1/4 sec cor
with mound and pits
as per instructions

79.85 The cor to Secs 4, 5, 8 & 9
Land gently rolling
Incl 2nd rate
Greasewood, mesquite, palo
verde & sage brush
June 3, 1868

Op 1st Range 6 E

Gila Salt River Meridian

Chs North bet sec 31 & 32
T₁₃ 040 'E

4000 Set a post for 14 sec cor
with mound and pits
as per instructions

8000 Set a post for cor to sec 29, 30,
31 & 32 with mound and pits
as per instructions
Land level
but sub rate
Sagebrush, mesquite
and palo verde

East on arroyo line
bet sec 29 & 32
T₁₃ 040 'E

Op 1 W Range E

Gila End alt River Meridian

4020 Per temporary 1/4 sec pm

80.20. Intersect NTS line 26 lks S
of carto sec 28, 29, 32 & 33
From which cor I run

S 89° 49' W on true line
bet sec 29 & 32
at 1300' E

40.10 Per appt for 1/4 sec cor
with mound and pits
as per instructions

80.20 The cor to sec 29, 30, 31 & 32
Land level
but low rate
Greenwood + mesquite

Op 1 N Range E

Gda Salt River Meridian

Ch West on a random line
between 30 T31
ra 13040'E

4020 Set temporary 1/4 sec post

79.60 Entered West Boundary of
Township (6 blks South of
cor to sec 25, 36, 31 T31)
from which cor to sum

88405 3'E on a true line
between 31 T31
ra 13040'E

39.60 Set a post on 1/4 sec cor
with mound and pits
as per instructions

79.60 The cor to sec 29, 30, 31 T32

Op 1 N Range E

Gila Salt River Meridian

Obs Land level
 Soil 2nd rate
 Greasewood & mesquite

North bet sec 29 & 30
 cor 30 to E

4000 Serapm fir & succor
 with mound and pits
 as per instructions

8000 Serapm fir cor to sec 19, 20,
 29 & 30 with mound and
 pits as per instructions
 Land level
 Soil 2nd rate
 Greasewood & mesquite

52

BOOK 1

545

Op 1 W Range E

Gila Salt River Meridian

Chs East on a random line
bet sec 20 & 29
Ta 13040 'E'

4020 Set temporary 1/4 sec post

8032 Returned N & S line 28 lks S
of cor to sec 20, 21, 28 & 29
from which cor is run

189488' W random line
bet sec 20 & 29
Ta 13040 'E'

4016 Set a post for 9/4 sec cor
with mound and pits
as per instructions

8032 The cor to sec 19, 20, 29 & 30
Land level. Put 2 or 3
Greasewood trees quite

Op 1st W Range E

Ida Salt River Meridian

Ch West meridian line
between 19 & 20
T¹ 13040 'E

4000 Cor temporary $\frac{1}{4}$ sec pt

79.21 Return West Boundary of
Township 21 Ns South of Cor
to sec 24, 25, 19 & 20
From which cor I run

189031' E meridian line
between 19 & 20
T¹ 13040 'E

39.51 Cor apart for $\frac{1}{4}$ sec cor
with around & sets as
per instructions

79.21 The cor to sec 19, 20, 29 & 30

547 Op 1 W Range & E

Great Salt River Meridian

do Sand level. Soil 2nd rate
Greewood mesquite and
palo verde

Unit between 19820
at 13000' E

4000 Let a part for 1/4 sec cor
with mound and pits
as per instructions

5000 Let a part for cor to sec 17/18
19820 with mound and
pits as per instructions
Sand level. Soil 2nd rate
Greewood & mesquite

Cut at an random line
between 17820
at 13000' E
Greewood & mesquite

Op 1 W Range E

Old Salt River Meridian

4020 Cor temporary 74 acc post

80.26 returned to Sluis 19 lks south
of cor to sec 16, 17, 20 & 21
Furnished cor same
1890 52 '60 on a time line
between 17 & 20
on 13040 'E

4013 Set apart for 74 acc cor
arts mound and pits
as per instructions

80.26 The cor to sec 17, 18, 19 & 20
Land level
for 2nd rate
The arroyo, mesquite
and palo verde
June 4th 1868

To 1st Range & E

549

Go Salt River Meridian

Ch West on random line
between 1879
Na 13040' E

420 Set apart for temporary 4 sec cor

57,800 Road bears N 15° E + S 15° W

78.87 Delimited West Boundary
of Township 23 Lks South of
cor to sec 13, 24, 1879
From which and run

884° 58' Eonature line
between 1879
Na 13040' E

38.87 Set apart for 4 sec cor
with mound and pits
as per instructions

Op 1 W Range E

Gila Salt River Meridian

7887 One cor to sec 17, 18, 19 + 20
Land level
Oil 2nd rate
Greewood, mesquite
and palo verde

North bet sec 17 + 18
va 13040 E

4000 Set apart fr cor
with mound and pits
as per instructions

5000 Set apart fr cor to sec 7, 8, 17
+ 18 with mound and pits
as per instructions
Land level. Oil 2nd rate
Greewood + mesquite

Sp 14 Range C E

Line Salt River Meridian

Ch. East on a random line
bet sec 8 & 17
T₁₃₀ 40' E

40W Ret temporary 1/4 sec post

8038 Submerg N + S line 12 E of
of cor to sec 8, 9, 16 & 17
Involuted cor down

N 84° 55' W on a true line
bet sec 8 & 17
T₁₃₀ 40' E

40:19 Per a post for 1/4 sec cor
with mound and pits
as per instructions

8038 One cor to sec 7, 8, 14 & 17
Land level. Soil 2nd rate

Op 1st N Range 6 E

BOOK 1

502

Geo Salt River Meridian
Cbr Greenwood & mesquite

West meridian line
between T 718
7013040' E

27.50 A Road bears N 15° E & S 15° W

4000 bet temporary & section

78.45 Interval West Boundary
of Township 16 R, north of
cut to sec 12, 13. T 718
From which a dam

N 89° 53' E on a true line
between T 718
7013040' E

To 1 N Range E

Gen and Salt River Meridian

38445 Set apart for 4 Dec cor
with mound and pits
as per instructions

78145 The cor to Decs 7, 8, 17 & 18
Sand level
Incl sur note
Greewood & mesquite

North bet Decs 7 & 8
at 13040 '8

40000 Set apart for 11 Dec cor
with mound and pits
as per instructions

50000 Set apart for cor to Decs 5, 6,
7 & 8 with mound & pits
as per instructions

Op 1 W Range E

Edo Galt River Meridian

Obs Land gently rolling
low subterranean
Greasewood, mesquite and
paloverde

East on random line
between 5 & 8
N 130° E

4620 set temporary 1/4 sec for

50.47 Intersect N 1/4 line at cor to
between 4, 5, 8 & 9
from which cor I run

West on a true line
between 5 & 8
N 130° E

555
 Tp 1 N Range 6 E

Line & Salt River Meridian

40.12 Set a post for 1/4 Sec cor
 with mound & pits as per
 instructions

87.24 The cor to secs 5, 6, 7 & 8
 Land gently rolling
 Soil 2nd rate
 Grasswood & mesquite

West of a random line
 bet secs 6 & 7
 N 130° 40' E

23.30 Road bears N 10° E & S 10° W

40.00 Set temporary 1/4 Sec post

77.96 Intersect West Boundary
 of Township 19 lbs north

Tp 1 W Range Es

Geo Ed Salt River Meridian

Chs of cr to secs 1, 12, 6 & 7
From which cor I am
N 89° 52' E on a true line
between 6 & 7
at 3740' E

37.96 Set a post for the corner
with around pits as per
instructions

77.96 The cr to secs 5, 6, 7 & 8
Land grant rolling
and 2nd 3rd rules
Yucca wood & mesquite

Unit ar arandra line
between 5 & 6
at 3740' E

400 Set temporary fence post

64
 Op 1st Range E

Gen Salt River Meridian

79.77 Intersect North Boundary
 of Township 23 lks East
 of cor to sec 5. 6. 31 32
 From which cor I run
 $208^{\circ}10'$ E on same line
 to sec 5 & 6
 On 13540' E

39.79 Set a post for 14 sec cor
 with mound and pits
 as per instructions

79.77 The cor to sec 5. 6. 7 & 8
 Land gently rolling
 Soil 2nd & 3rd prairie
 Greasewood - mesquite
 and Palo verde
 June 5. 1868

Field Notes of the survey of
the sub-division lines of
— fractional —

Township 2 N Range 6 E
of the Gila and Salt River
meridians in the Territory of
Arizona by Geo. A. Dugall's
deputy surveyor under his
Contract bearing date the
29th day of February 1868

Platted. C.D.
—

Copied for Washburn

Township No. 2 N. Range No. 6 E. 8 R. 3 S. Mer. 559A

BOOK 1

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
602	601	589	581	571	565
19	20	21	22	23	24
599	597	587	578	569	563
30	29	28	27	26	25
594	592	584	575	567	561
31	32	33	34	35	36
591	583	574	566	560	

1-011

Scale so chains to an inch
 20 30 40 50 60

D. M. Graham

BOOK 560
Tp 2 N Range 6 E

Old End Salt River Meridian

Chs. Arroyo de cor to sec 112, 35736
on South Boundary of
Township 2 run

North bet sec 35-736
on 3040' E as per
East Boundary

4000 Set apart for 1/4 sec cor
with mound and pits
as per instructions

8000 Set apart for cor to sec 25, 26,
35736 with mound and pits
as per instructions
Land rolling and broken
In 3-4 rods
Greewood, mesquite, palo
verde, sage brush + cactus

561

Op 2 N Range E

Gila Salt River Meridian

Ch East or random line
 between 25-136
 at 13038' E as per
 Smith Boundary

4020 Set temporary 1/4 section

8028 Intersect East Boundary of
 Township 19 N E of South of
 onto sec 25-36.30-131
 from which corner run

18915 2' W natural line
 between 25-136
 at 13038' E

40114 Set apart for 1/4 section
 with mound and pits
 as per instructions

Op 2 N Range E

Gila Co Salt River Meridian

8.28
 The cor to sec 25, 26, 35 & 36
 Land broken
 Rail 2nd rate
 Greasewood, mesquite, palo
 verde and cactus

North bet sec 25 & 26
 7a 13 40' E

4000 Beraput for 1/4 sec cor
 with mound and pits
 as per instructions

8m Beraput for cor to sec 23, 24,
 25 & 26 with mound and
 pits as per instructions
 Land broken. Rail 2nd rate
 Greasewood, mesquite, palo
 verde & cactus

563

Sp 2 N Range E

Gila Co Salt River Meridian

Ch East on a random line
 bet sec 24 + 25
 Ra 13038' E

4020 Set temporary 4 ac post

80.36 Return East Boundary of
 Township 23 Ns Range 2 E
 bet sec 24, 25, 19 + 30
 from which cor'd run

289050' 60 minute line
 bet sec 24 + 25
 Ra 13038' E

40.18 Set a post for 1/4 corner
 with mound and pits
 as per instructions

80.36 The cor to sec ^{23, 24, 25 + 26}
~~24, 25, 23 + 24~~

Tp 2 N Range E

Gila and Salt River Meridian

Ch Land selling and broken
Soil 2nd 3rd rates
Mesquite, palo verde & cactus

North bet sec 23 & 24
ra 13040 'E

4000 Set apart for 1/4 sec cor
with mound and pits
as per instructions

8000 Set apart for cor to sec 13, 14
23 & 24 with mound & pits
as per instructions
Land broken
but 3rd rate
Mesquite, palo verde
and cactus

Tp 2 N Range 6 E

565

Gila and Salt River Meridian

Chs The land bet sec 13 & 14
being mountainous and
unfit for cultivation I do
not run it.

North bet sec 13 & 14
or 13 & 40 'E

23-30 To left bank of Salt River
about 7.50 chs wide, high
rocky banks - rapid currents
run west. The land in
advance being mountainous
and unfit for cultivation
I therefore at this point
set apart for cor to fractional
sec 13 & 14 with mound of
pits as per instructions

Tp 2 N Range 5 E

Gen & Salt River Meridian

Ch From the cor to sec 23, 34 135
on south boundary of Tp 2 run

North bet sec 34 133 -
ra 1340 'E

4000 set a post for 1/4 sec cor with
mound and pits as per
instructions

8000 set a post for cor to sec 26, 27,
34 135 with mound & pits as
per instructions

Land rolling
Out 2nd 1/2 miles
Quercus, mesquite
palo verde, sage brush
and cactus

Top 2 N Range C &
567

Sta Galt-River Meridian

Obs East on a random line
bet rods 26 & 35
7a 130.38' E

4000 (or temporary) 4000

79.68 Intersect N & S line 16 blks N
of cor to rods 25, 26, 35 & 36
From which cor I run

789053' W on true line
bet rods 26 & 35
7a 130.38' E

39.84 Ret report for Green
with mound and pits
as per instructions

79.68 The cor to rods 26, 27, 34 & 35
Land rolling and broken

To 2 N Range E

Gda Salt River Meridian

Ch Oil 2nd 3rd rates
 Mesquite, palo verde and cactus
 June 6, 1868

North bet sec 26 & 27
 7a 13 1/2' E

4000 Set apart for 1/4 sec cor
 with mound and pits
 as per instructions

5000 Set apart for cor to sec 22, 23,
 26 & 27 with mound & pits
 as per instructions

Land rolling

Oil 2nd 3rd rates

Mesquite & palo verde

Op 2 N Range C E

569

Line Salt River Meridian

Ch East meridian line
bet sec 23 & 26
ra. $130^{\circ} 38' E$

4000 Set temporary 1/4 sec post

79.74 Intersect N & S line 2 1/2 Ns N
of cor to sec 23, 24, 25 & 26
from which cor S run

N $89^{\circ} 51' W$ on a true line
bet sec 23 & 26
ra $130^{\circ} 38' E$

39.87 Set a post for 1/4 sec cor
with mound and pits
as per instructions

79.74 The cor to sec 22, 23, 26 & 27
Land rolling & broken

No 2 N Range

BOOK 570

Gila Salt River Meridian

BOOK 1

Chs Soil on route
Mesquite Palo verde
and cactus

North bet sec 22 + 23
7a 130 to 'E

was levaput for 44 acres with
runnel and pits as per
instructions on left bank
of Salt River - high rocky
banks - rapid current
and runs SW

I now caused a flag
to be set on the right bank
and on the line bet sec
22 + 23 and from the point
on line on left bank
East 7.50 Chs to a point from

Sp 2 N Range 6 E

571

Gila and Salt River Meridian

On which the flag on the
 right bank bears N45°W
 which gives for the
 distance across the
 river on line bet recs 22 & 23
 7.50 chs to which add 400 chs
 dist fourth of river makes
 47.50 To flag on right bank

800 Set a post for E to rec 14, 15, 22
 & 23 with mound and pits
 as per instructions
 Land rolling and broken
 soil set for gates
 Mesquite palo verde & ac-
 cas

East on a random line
 bet recs 14 & 23
 N 130° 18' E

Sp 2 N Range E ^{BOOK 1} 572

Great Salt River Meridian

27.60 To right bank of Salt River
high rocky banks - rapid
current and runs SW

I now caused a flag to be
set on the left bank and on
the line bet sec 14 & 23 and
from the point on line on
right bank I ran north
8.30 chs to a point from which
the flag on left bank bears

$N45^{\circ}E$ which gives for the
distance across the river on
line bet sec 14 & 23 - 8.30 chs
& which to add 27.60 "
dist West of river makes

35.90 To flag on left bank

4.00 Set temporary 1/4 sec post

80.20 Lateral to N & S line 28 lks south

Op 2nd Range 6 E

573

Great Salt River Meridian

Obs of car to recs 13, 14, 23 & 24
From which cor'd line

S 89° 48' W on a true line
bet recs 14 & 23

N 13° 38' E

40110 Set apart for 4 sec cor
with around and pits
as per instructions

80.20 One cor to recs 14, 15, 22 & 23
Land rolling and broken
for 2 or 3 miles
Mesquite and palo verde

Land in advance bet recs 14 & 15
mountainous & unfit for
cultivation

Op 2 N Range E

Gold & Salt River Meridian

Obs From the carto vics 3, 4, 33, 34
on front Body of Op 2 run

unit bet vics 33 & 34
ca 130' 40' E

44.00 Set a post for 14 vics with
ground and pits as
per instructions

76.00 Enter sandy bottom basins NE & SW

82.00 Set a stone 20 + 16 + 4 for carto
vics 27, 28, 33, 34 as per
instructions

Land rolling mesa

Out 2 or 3 rats

Greewood & mesquite

Op 2 N Range &

Get Salt River Meridian

Ch East on a random line
 bearings 27 1/2 N
 ra 13° 38' E

3.50 Leave sandy bottom and enter
 rolling mesa bears NE + SW

4.00 Set temporary 1/4 sec post

8.22 Intersect N + S line 14 LKs N
 of car to sec 26, 27, 34 + 35
 from which cor I run

N 89° 54' W on a true line
 bearings 27 1/2 N
 ra 13° 38' E

40.11 Set a post for 1/4 sec cor
 with mound and pits
 as per instructions

Sp 2 W Rangel E

Gila Salt River Meridian

D. 22 Near to nos 28, 27, 33 134
 Sand rolling mesa
 Soil 2 or 3 in. red
 Lacarwood, mesquite
 and sage brush

North between 27 138
 W 130 40 'E

4120 Lev apart for 1/4 sec cor
 with mound and pits
 as per instructions

47.14 To a deserted Indian village
 of about twenty houses

52.50 To old channel of Salt
 River about 4 or 5
 wide runs SW

To 2 N Range Co

577

Glen Salt River Meridian

64.50 To left bank of Salt River
sandy banks rapid current
and runs SW

I now caused a flag to
be set on the right bank and
on the line bet sec 27 & 28
and from the point on
line on left bank I run
East 7 or 8 chs to a point
from which the flag on
right bank bears N 35° W
which gives for the dist
across the river on line
bet sec 27 & 28 - 9.73 chs
to which add 64.50 "
dist length of river makes
74.23 To flag on right bank

Also set a post for cor to sec 21, 22
27 & 28 with mound & pits

Sp 2 N Range E

New Salt River Meridian

Ch₂ as per instructions
 Land level bottom
 Dist pt to 2nd cal₅
 Cottonwood mesquite and
 greasewood
 June 8, 1868

East on a sandbar line
 bet sec 22 & 27
 '7 at 13 38' E

8.75 - To right bank of Salt River
 high banks - rapid current
 and runs SW

I now caused a flag to be
 set on the left bank and
 on the line bet sec 22 & 27
 and from the point on
 line on right bank I run

Ch 2 N Range &

5.9

Gila Salt River Meridian

Ch North 8.58 Ch to a point
 from which the flag on
 left bank bears $S55^{\circ}40' E$
 which gives for the dist.
 across the river on the
 line bet recs 22 & 27 12.25 ch
 to which add 875''
 dist West of river makes

21.00 To flag on left bank

40.00 Ret temporary 1/4 sec cor

80.48 Intersect N & S line 23 lks South
 of cor to recs 22, 23, 26 & 27
 From which cor I run

$284^{\circ} 50' W$ on a true line
 bet recs 22 & 27
 2013' 38" 0

Sp 2 N Range E

Gila Salt River Meridian

40.24 Let apart for 1/4 sec cor
with mound and pits
as per instructions

50.48 The cor to sec 21, 22, 27 T28
Land level

Soil 2nd rate

Cottonwood, mesquite, greasewood
and cactus

North bet sec 21 T22
or at 130° 40' E

44.20 Let apart for 1/4 sec cor
with mound and pits as
per instructions

80.20 Let apart for cor to sec 15, 16
21 T22 with mound & pits
as per instructions

Sp 2 N Range E

Give Salt River Meridian

Chs Sand level
 Int 2nd rate - sandy
 mesquite & palo verde

East on a random line
 bet sec 15 & 22

7a 130° 38' E

40.00 set temporary 1/4 sec post

Sp. 18 Intersect N + S line 35 lks S
 of cor to sec 14, 15, 22 & 23
 From which cor down

S 89° 45' W on same line
 bet sec 15 & 22

7a 130° 38' E

40.09 set a post for 1/4 sec cor with

Sp 2 N Range E

BOOK 1
582

Gda Salt River Meridian

Ch. mound pits as per instructions

80.18. The cor to recs 15, 16, 21 & 22

Land level

Soil sandy 2nd rate

Mesquite and palo verde

North bet recs ^{15 & 16} ~~15 & 16~~ over
rolling hills
Sta 13240 'E

4120. Set a stone 18 + 12 + 8 for 1/4
sec cor as per instructions

71.80 Road from Mancopa Wells to
Ft. McDowell bears N E 2 W

820. Set apart for cor to recs 9, 10
15 & 16 with mound pits

Tp 2 N Range E

583

Gila Salt River Meridian

Ch₂ as per instructions
Land rolling + rocky hills
Soil 3rd rate

Greewood, sage brush
and cactus

Note: The land in advance
is mountainous and unfit
for cultivation

From the cor to sec 4, 5¹/₂ 133
on South Bdy of Tp 2

North bet sec 32 133
7a 130 40' E

4000 Ac apart for 1/4 section with
mound and pits as
per instructions

F 2nd Range 6 E

Gila Salt River Mendocino

418.50 Leave Mesa and enter
Bottom bas E + W

520 Set a post for car to acc 28, 29,
32 & 33 with mound & pits
as per instructions
Sand from S. side rolling mesa
Remains level Bottom
Soil 2nd rat
Measure wood mosquito

Car on a random line
bet acc 28 & 33
ru 13038' E

440 Set temporary 4 + acc post

50.16 Returned N. Shire 1900s North
of car to acc 27, 28, 33 B +

Sp 2 N Range 6 E

585

Gila Salt River Meridian

Chs from which cord run

$7289052' W$ on a true line
 bet recs 28733
 $7213038' E$

40.08 Scrap for 44 rec cov
 with surrind and pits
 as per instructions

80.16 The cov to recs 28, 29, 32, 33
 Sand and
 Int PIP 2 w rats
 Greasewood, mesquite
 and cactus

North bet recs 28729
 $7213040' E$

Op 2 1/2 Range 6 E

Gila Salt River Meridian

24118 To left bank of Salt River high banks rapid current and runs well

I now caused a flag to be set on the right bank and on the line between 28029 and from the point on line on left bank I run west 500 chs to a point from which the flag on right bank bears N 22 1/2° E which gives for the distance across the river on the line between 28028 + 29 - 11.92 chs to which add 24.10 " dist fourth of river makes

36002 To flag on right bank
40020 Set apart for 1/4 sec cor with ground and pits as per instructions

Sp 2nd Range E

587

Line Salt River Meridian

580 Set a post for cor to acc 20.12
28.12.19 with rounded spits
as per instructions
Land Level Bottom
but no trees
Cottonwood, willows and
mesquite

East and random line
bet acc 21.12.8
at 130° 38' E

4000 Set temporary 1/4 section

79.84 Lateral N & S line 26 blocks
of cor to acc 21. 22. 27 128
From which cor I run
N 89° 49' W on same line
bet acc 21 128
at 130° 38' E

Op 2nd Range 6 E

Gila Salt River Meridian

39.92 Set apart for 1/4 sec cor
with mound and pits
as per instructions

79.84 The cor to sec 20, 21, 28 1/4
Loaded well
Soil sub rate
Cottonwood, willows and
mesquite
June 9, 1868

Grant bet sec 20 & 21
Ra 13 1/4 to "E"

41.00 Set apart for 1/4 sec cor
with mound and pits
as per instructions

71.00 Mancopa Wells 7 1/2 N Edowell
Road bears N E + SW

32

BOOK 1

589

Op 2 n Range 6 E

Gila and Salt River Meridian

8:00 Leave post for cut to sec 16, 17,
20 & 21 with mound and pits
as per instructions
Sand dune
Soil sandy 2nd rate
Greasewood, mesquite, sage
brush & cactus

East on a random line
bet sec 16 & 21
On 13038' E

8:30 Road from Mancipia Wells to Fort
McDowell bears N E + SW

4:40 set temporary H sec post

79.76 Entered N + S line 28 kts N
of cut to sec 15, 16, 21 & 22

Sp 2 W Range E

BOOK 1
590

Gila and Salt River Meridian

Obs from which cor I am

N89°48'W on a true line
bet sec 16 & 21
Ta 13°38'E

39.88 Cor a post for 1/4 ac cor
with mound and pits
as per instructions

79.76 The cor to sec 16, 17, 20 & 21
Land level
Ent 2nd 1/2 W rules
Greasewood, mesquite
Sage brush and Cactus

Mts bet sec 16 & 17 over
rolling mesa land
Ta 13°40'E

592 2nd M Range 6 E

6th Salt River Meridian

34.00 a Road bears E & W

40.00 Report for 44 acres
with mound and pits
as per instructions
Land rolling bills
Soil 2nd 1/2nd rates
Greewood, mesquite etc.

Note: Land in advance
mountainous & unfit for
cultivation

From the cor to sec 5. 6. 31
T32 on South Boundary
of Township 9 N

North bet sec 3 / T32
7a 13040 1/2

Sp 2nd N Range 6 E

BOOK
592

Gda and Salt River Meridian

12.00 A Road bears $N 20^{\circ} E$ $\pm 20' W$

15.50 Same mesa + enter bottom bears $N E \pm 20'$

40.00 Set a stone 20 + 12 + 9 for 14
Recor as per instructions

62.30 Mainespa Wells Flat Mc Dowell
Road bears $N E \pm 20'$

80.00 Set a post for cert accs 29, 30
31, 32 with mound and
pits as per instructions
Land level
Set 1st 2nd rules
Greewood + mesquite

East on a random line
bet accs 29 $\pm 32'$
 $N 13^{\circ} 38' E$

Tb 2 N Range E

593

Gda Salt River Meridian

22.25 Mancoska Wells that McDowell
Road bears NE + SW

28.30 A Road " N 20° E + S 20° W

4400 ~~Set~~ temporary 1/4 ac post79.82 Intersect N + S line 2 1/2 Ks S
of cor to acs 28, 29, 32 + 33
from which cor downA 84° 31' W on true line
bet acs 29 + 32

to 13° 38' E

39.91 Set a post for 1/4 ac cor
with mound and pits
as per instructions79.82 The cor to acs 29, 30, 31 + 32
to and level

Op 2 N Range 6 E

Old Salt River Meridian

As laid out at rates
Greenwood & Sage brush

West on a random line
bet sec 30 T31
R 130 38' E

400 Per Company / Fee cor

7800 Dubined West Boundary
of Township 16 N South of
cor to sec 25, 36, 30 T31
From which cor I run

S 89° 53' E on a true line
bet sec 30 T31
R 130 38' E

3800 Set apart for Fee cor

Op 2 N Range 6 & 8

595

Side Salt River Meidian

Ch, with mound and pits
as per instructions

78.00 The cut to acc 29130.3 1732
Land level
Inl pt rate
Greewood + sage brush

North bet acc 29130
29130 to 'E

20.00 A ditch 20 ft wide bears E 40
25.80 To left bank of South channel
of Salt River low sandy banks
rapid current + runs west

I now caused a flag
to be set on the right bank
and on the line bet acc
29130 and from the point

T^p 2 N Range 6 E

596

Gila & Salt River Meridian

- Chs on left bank I run East
4.50 chs to a point from
which the flag on right bank
bears N $21\frac{3}{4}^{\circ}$ W which gives
for the distance across the
river on the line but not
29 730 - 11.28 chs to which
add 2580 " dist
South of river makes
37.08 To flag on right bank
4020. As a part for 4 acres
with mound & pits as
per instructions
- 62.30 To left bank of north channel
of Salt River 200 chs wide
runs SW - water not too
deep to prevent measuring across
across it on line

Op 2 N Range E

597

Old Salt River Meridian

66.00 Road from Mancipa Wells to
~~at~~ Wickburg bears E + W

8000 Acrapm for Cor to recs 19, 20,
29 & 30 with mound and pits
as per instructions
Land level
Soil Pt 2 in rates
Cottonwood, willows, quercus wood
mesquite and sage brush

East on a sandstone line
bet recs 20 & 29
at 31° 38' E

4000 Set temporary 4 sec post

67.80 Mancipa Wells and Fort McDowell
Road bears North + South

Sp 2 N Range 6 E

BOOK

598

Gettysburg River Meridian

80.24 Returned N + S line 23 Ws S
of cor to sec 20, 21, 28 + 29
From which cor I am

\$89050' W natural line
between 20 + 29
N 130 38' E

40.12 Re-a post for 1/4 sec cor
with mound and pits
as per instructions

80.24 The cor to sec 19, 20, 29 + 30
Land level
Int 2nd rate
Greosewood, mesquite
and Sage brush
June 10, 1868

Op 2nd Range E

Sta Galt-River Meridian

chr West meridian line
bet secs 19 & 30
Ta 130° 38' E

23.00 Mancipa Wells & Wickburg
Road bears NW & E

44.00 Set temporary report

77.75 - Interset West Boundary
of Township 14 Ns South
of cor to sec 24 25, 19 & 30
from which cor run

289° 34' E meridian line
bet secs 19 & 30
Ta 130° 38' E

37.75 - Set report for Sec cor
with mound & pits as

To 2 N Range E

Great Salt River Meridian

Observe per instructions

7775 The cor to recs 19, 20, 29 & 30
 Land gently rolling
 Soil Pt & 2nd rates
 Greewood & mesquite

North between 19 & 20
 7 & 13⁵ 40⁶ E

4000 Report for 44 rec cor
 with mound and pits
 as per instructions

800 Report for cor to recs 17, 18,
 19, 20 with mound and
 pits as per instructions
 Land gently rolling
 Soil 2nd & 3rd rates

To 2 N Range E

Go and set River Meridian

Ch Greenwood + mesquite

East meridian line
between 14 + 20
7a 130 38' E

40.00 Set temporary / line cor

80.56 Intersect N + S line 26 lks
south of cor to secs 16, 17,
20 + 21

From which cor run

S 89° 49' W on a true line
between 14 + 20
7a 130 38' E

40.18 Set a post for Huc cor
with around and pets

To 2nd Range Co
 Gila and Salt River Meridian
 by Esplanade instructions

8036 The cor to sec 17, 18, 19 & 20
 Sand rolling
 but 2nd & 3rd rows
 Greewood, mesquite
 and palo verde

Westward from line
 between 18 & 19
 to 13038 E

4000 Set temporary 1/4 section

5-8, 20 Mancos Wells & Wickenburg
 Road bears NW & E

77.67 Intersect West Boundary
 of Township 30 R. South

TP 2 W Range E

Gila and Salt River Mountains

Chs of cor to recs 13, 14, 18 & 19
From which cor I run

A 89047' E on a true line
bet recs 18 & 19

Var 13° 38' E

37.67 Set apart for 4' record
with ironed and pits
as per instructions

77.67 The cor to recs 17, 18, 19 & 20
Land colling
but 3rd rate
Greasewood & mesquite

North bet recs 17 & 18
Var 13° 40' E

6.00 A Road bears EAV

38.00 Ascend SW slope

Sp 2 N Range 6

Gard and Salt River Meridian

Here set apart in State
 manual for cotton frac-
 tional seed 1848 and
 also for $\frac{1}{4}$ acre ~~into~~
~~ground~~ and as per
 instructions at edge of
 high mountains unfit
 for cultivation.

Sand rolling

for 3rd rate

Greenwood - page

brush & cactus

June 11, 1868

General Description

T₂ N Range 6 E

This Township is made fractional on the north by high mountains unfit for cultivation. The uplands are generally rolling 2nd & 3rd rate and are well adapted for grazing purposes. The Bottom land are good 1st & 2nd rate and is situated on both sides of Salt River a fine stream of pure water running in a westerly direction through the middle of the Township. It is fordable during six or seven months of the year in Dec 29 at the crossing of the Fort McDowell + Mancoska Wells Road

Timber Cottonwood and willows on both banks of Salt River, also some scattering mesquite, palo verde and greasewood upon the high land

Township No. 2 N. Range No. 1 W. Dr. J. R. B. & Co. Mer.

601

BOOK 1

6	665	5	648	4	638	3	627	2	617	1
663		662		647		637		626		616
7	662	8	647	9	636	10	625	11	615	12
660		659		646		635		624		614
18	659	17	645	16	634	15	624	14	613	13
657		656		644		633		623		612
19	656	20	643	21	632	22	622	23	611	24
654		653		642		631		621		610
30	653	29	641	28	630	27	620	26	609	25
651		650		640		629		619		608
31	650	32	639	33	629	34	618	35	607	30

Scale so chains to an inch
20 40 60 80

True Meridian

Field Notes of the survey of the
Subdivision Lines of
Township 2 N Range 1 W
of the Gila & Salt River Me-
ridians in the Territory of
Arizona by Geo. P. Dugall
Deputy Surveyor under his
Contract bearing date the
29th day of February 1868

Geo. P. Dugall

Copied for Marking
J. M. S.



No 2 N Ranger W

Gravel Salt River Meridian

ch From the cor to recs 1, 2,
35786 on front Boundary
of Township ~~and~~ I run

North bet recs 35786
at 8044' E as per
front Boundary

31.50 To Agua Fria Creek - dry sandy bot-
tom - 8. or ch wide course S 60° W

39.60 Leave same

40.00 Set a post for cor with
mound and pits as per
instructions

80.00 Set a post for cor to recs 25, 26, 35.
with mound and pits as
per instructions
Land level
Set 2nd post rates

Sp 2 N Range 1 W

Sta^{ed} Salt River Meridian
Chs Greasewood Mesquite

East on a random line
bet res 25 186
Ta 13040' E as per
south Boundary

28.75 To right bank of Aquaticus Creek
Sturdy banks & bed - course south

38.5 To left bank of same

42.50 Set temporary 74 sec cor

80.26 Intersect Meridian line 211th
North of cor to res 25. 36. 38 181
From which cor I run

28905' W on a true line
bet res 25 186
Ta 13040' E

To 2 N Range W

via Salt River Mendion

40.08 Set apart for 1/4 sec cor with mound and pits as per instructions

80.16 The cor to sec 25, 24, 25-26
Band level
Soil 2nd 1st rates
Some mesquite and sage brush

Note bet sec 25-26
at 1344' E

40.00 Set apart for 1/4 sec cor with mound and pits as per instructions

80.00 Set apart for cor to sec 23, 24, 25-26 with mound and pits as per instructions

1610
 To 2 N Range W
 Gila Salt River Meridian

Ch. Sand level
 Soil 2 or 3 in rate
 Mesquite and sage brush

East on a random line
 bet recs 24 & 25
 rate 240' E

19180 Tongue bank of Agua Fria Creek - course South
 35120 across sandy bed to left bank " "

4000 Set temporary 14 ac cor

88.24 Intersect Meridian line 2600
 N. of cor to recs 24 & 25, 19130
 from which cor I run

289049 W on a true line
 bet recs 24 & 25
 rate 240' E

To 2nd Range (W)

Grda Salt River Meridian

40012 Set a post for 4 sec cor
with mound and pits
as per instructions

8024 The cor to sec 23, 24, 25 & 26
Land level
One 2nd row water
Mesquite and sage brush

North bet sec 23 Post
to 13 & 14 E

4020 Set a post for 4 sec cor
with mound and pits
as per instructions

8020 Set a post for cor to sec 13, 14,
23 Post with mound & pits
as per instructions

To 27 Range 1 W

Gda Salt River Meridian

Chs Sand level
Int 2nd 3rd rates
Mesquite & sage brush

Ext on a sandour line
bet recs 13 274
7a 13 40 18

- 46.00 Set temporary 74 section
- 59.70 Tonight bank of Agua Fria Creek - course SW
- 75.50 Across dry bed to left bank

80.30 Intersect Meridian line 35 lks W
of cor to recs 13 274, 1829
from which cor down

289 45 W natural line
bet recs 13 274
7a 13 40 18 E

To 2nd Range 1 W

Getw and Salt River Meridian

40.15 Set apart for 44 ac cor
with mound and pits
as per instructions

80.30 The cor to sec 13, 14, 23 part
land level
Soil sandy 3rd rate
Mesquite and sage brush

North bet sec 13 & 14
to 13 & 14 "E

40.00 Set apart for 44 ac cor with
mound and pits as per
instructions

80.00 Set apart for cor to sec 11, 12, 13 & 14
with mound and pits as
per instructions

Sp 2 Range W

Get Ed Salt River Meridian

Ch Sand rolling
 Int 2nd 3rd rails
 Mesquite and sage brush

East on a random line
 bet recs 12 & 13
 2013040' E

4000 Set temporary 1/4 sec from

8022 Intersect Meridian line 28 lbs W
 of cor to recs 12, 13, 4 & 8
 From volute cord run

2189048' W on a true line
 bet recs 12 & 13
 2013040' E

4011 Reaport for 1/4 sec on

To 2 W Range W

Gila ^{Ed} Salt River Meridian

cls with mound and pits as
per instructions

8922 The cor to sec 11 12 13 & 14

Land rolling

Soil 2nd rate

Decorewood, mesquite and
palo verde

North bet sec 11 & 12

(or 13 or 14' E)

4000 Serapunt for 1/4 sec cor
with mound and pits as
per instructions

8920 Serapunt for cor to sec 12,
11 & 13 with mound and pits
as per instructions

616 2 N Range W

Eda Ed Salt River Meridian

Chs Land level
 Soil 2nd rate
 Greenoode mesquite and
 Palo verde

~~North~~ East on a random
 line bet secs 1 & 2
 213040' E

420 Set temporary 1/4 ac cr

Sec 14. Intersect Meridian line 2300' W
 of cr to secs 1, 2, 6 & 7
 From which cord run

289030' W natural line
 bet secs 1 & 2
 213040' E

To 2nd W Range 1 W

G to and Salt River Meridian

40.07 Set apart for 74 acres
with mound and pits as
per instructions8074 The cor to secs 1, 2, 11 & 12
Land rolling
Soil 2nd rate
Mesquite, Palo verde and
Sage brush
June 25, 1868North on a random line
bet secs 1 & 2
run 3074' E

4000 Set temporary 1/4 sec part

79.70 Intersect North Bdy of T¹ 33 E 1/4
of cor to secs 1, 2, 32 & 36
From volute cor down

J. 2 W. Ranges W

618

At the End of River Meridian

Ch. 200' 15' W on natural line
between 1 & 2
at 130' 4' E

39.70 Scraping for 1/4 sec cur
into mound and pits
as per instructions

79.70 The cut to acc 1, 2, 11 & 12
Land rolling
for 2nd rate
Mesquite and sage brush

North bet acc 3 & 4 & 5
at 130' 4' E

40.00 Scraping for 1/4 sec cur
into mound and pits
as per instructions

To 2nd N Range W

Gila and Salt River Meridian

800 Survey for cuts accs 26, 27,
34 with mound and pits
as per instructions

Land level

Soil 2nd rate

Deciduous and mesquite

East and random line
bet accs 26 & 35

213040' E

490 Set temporary 1/4 sec cor

80.12 Returned N & S line 14 1/2 mi south
of cut to accs 25, 26, 33 & 36
Instruments cord run

1890 3744 on a true line
bet accs 26 & 35

213040' E

Sp 2 N Range 1 W

620

Gila Salt River Meadows

40.06 Serapunt fir 74 accor
with mound and pits
as per instructions

80.12 The cor to recs 26, 27, 34 & 35
Sand level
Int 2nd rate
Mesquite and Sage brush

North bet recs 26 & 27
7a 13 & 4' @

40.00 Serapunt fir 96 accor
with mound and pits
as per instructions

80.00 Serapunt fir cor to recs 22, 23
26 & 27 with mound and pits
as per instructions

To 2nd Range CW

Gila and Salt River Meridian

Ch. Sand level
Int 2nd rate
Greenwood and mesquite

East and random line
bet acc 23726
7a 13040 'E

490 bet temporary 1000 ft

79.82 Interest N+S line 19 lb, S
of cor to res 23.24, 25726
From which cor down

89052 W onature line
bet acc 23726
7a 13040 'E

39.91 bet apart for 4 res cor

Sp 2nd Range 1st W

622

Gila End Salt Lower Meridian

cls with mound and pits
as per instructions

79.82 The cor to secs 22, 23, 26 & 27
Land level
Soil sub rate
Guaiacwood & mesquite

North bet secs 22 & 23
2213040' E

4000 Serapunt for 1/4 sec cor with
mound and pits as per
instructions

8000 Serapunt for cor to secs 14, 15, 22
& 23 with mound and pits
as per instructions
Land level. Soil sub rate
Guaiacwood, mesquite and sage brush

To 2nd Range 1st

Go to end salt river Meridian

Chs East on a random line bet recs
14 17 23
7 at 3/4 0 'E

40.00 Let temporary 4 sec cor

79.60 Dulered N & S line 12 chs S
of cor to recs 13, 14, 23 1/4
From which cor down

\$84035 '10 on a true line bet
recs 14 17 23
7 at 3/4 0 'E

39.80 Let apart for ~~cor~~ 4 sec cor
with ground and pits as
per instructions

79.60 The cor to recs 14, 15, 22 1/2 23
Sand level. Soil sub soil
greenwood, mesquite and sage brush

Sp 2 N Range W

624

Gila and Salt River Meridian

Obs North bet sec 14 & 15
7 at 30' 4' E

4000 Set a post for 4 sec cor
with mound and pits
as per instructions

8000 Set a stone 12 + 10 + 8 ft cor
to sec 10, 11, 14 & 15 as
per instructions
Land level
Int pt 2nd rates
Greewood & mesquite

East on a random line
bet sec 11 & 14
7 at 30' 4' E

4000 Set temporary 4 sec post

To 2nd Range W

Get and Salt River Meadow

79.74 Interest N to line 16 etc N
of car to rec 11, 12, 13 & 14
In which cor I run

N 89° 58' W on true line
bet recs 11 & 14
on 13 to 'E

39.87 Repair for 94 rec cor
with mound and pits
as per instructions

79.74 The car to recs 10, 11, 14 & 15
Land rolling
but 2nd row rates
Greenwood & mosquito

North bet rec 10 & 11
on 13 of 4' E

Sp 2nd Range W

626

Great Salt River Meridian

4020 Set apart for $\frac{1}{4}$ sec cor
with mound and pits
as per instructions

8000 Set apart for cuts accs 2, 3,
10 & 11 with mound and pits
as per instructions

Land gently rolling
full 2nd & 3rd rates
Grease wood & mesquite and
palo verde & sage brush
June 26, 1868

East on a random line
bet accs 2 & 11
213040 'E

4020 Set temporary $\frac{1}{4}$ sec cor

To 2 W Range W

Cuba Street River Meridian

79.70 Entered N+S line 9 lks W
of cor to sec 1, 2, 11 & 12
From which cor run

N 89° 56' W on true line
bet sec 7 & 11
2013040' E

39.85 - Repair for 14 sec cor with
mound and pits as per
instructions

79.70 The cor to sec 2, 3, 10 & 11
Land partly colling
Sub cut into
Greenwood & mesquite

North on a random line
bet sec 2 & 3
2013044' E

27
 To 2nd Range W

628
 Gdw and Salt River Meridian

440 Set temporary 4 ac cor

79.83 Return to North Boundary of
 Township 19 N. East of
 cor to acs 2, 3, 34 + 35
 from which to cor down

Set 58' E on true line
 bet acs 2 + 3
 to 34 + 4

39.83 Set apart for 4 ac cor
 into mound and pits
 as per instructions

79.83 The cor to acs 2, 3, 10 + 11
 Land level
 but set for acs
 Greasewood, mesquite, palo
 verde + sage brush

Tp 2 N Range 1 W

BOOK

BOOK

629

Get a ^{red} salt River Meridian

Ch₁ North ~~bet~~ recs 33 34
ca 130 44' E

4000 Let a post for 1/4 sec cor
with mound and pits
as per instructions

8000 Let a post for cor to recs 26, 27,
34 35 with mound and pits
as per instructions

Sand level

flat ^{at} route

Greenwood mesquite
and sage brush

East end random lines
bet recs 27 34

ca 130 40' E

4000 Let temporary 1/4 sec cor

Tp 2 N Range 1 W

630

Gate End Salt River Meridian

79.84 Intersect N+S line 1600 S
of cor to sec 26, 27, 34 135
from which cor & am

S 89° 53' W on a true line
bet sec 27 135
2 at 300' E

89.92 Scraped for 1/4 sec cor
with mound and pits as
per instructions

Land

79.84 The cor to sec 27, 28, 33 134
Land level
but no Bud rails
mesquite & sage brush

North bet sec 27 138
2 at 344' E

Tp 2 N Range 1 W

Gate and Salt River Meridian

4400 Re-survey for 1/4 section
with mound and pits
as per instructions

8000 Re-survey for carto secs 21, 22,
27 & 28 with mound and pits
as per instructions

Land level
Soil at 120' rates
Greewood, mesquite and
sage brush

East and random line
bet sec 22 & 27
at 130' to E

4000 Re-survey temporary 1/4 section

80.16 Return to N-S line 23 N, S
of carto secs 26, 27, 22 & 23

Op 2nd Range 110

632

Geo. Walter Rives Meridian

Ch. from which cord run

89030' W on same line
bet accs 22027
21346' E

4008 Res report for 4th accor
with mound and pits
as per instructions

8016 Near to accs 21, 22, 27 etc
Land level
but 2nd rate
Greewood, mesquite and
Sage brush

Notes bet accs 21, 22
21344' E

4000 Res report for 4th accor

Sp 2 N Range W

BOOK 1
28633

Land at River Mouth

ch with mound and pits
as per instructions

8000 Set a post for cor to nos 15, 16,
21 & 22 with mound and pits
as per instructions

Land level

Soil sur rate

Gasewood, mesquite and
sage brush

East on a random line
bet nos 15 & 22
at 1340' E

4000 Set temporary 7/8 ac cor

8036 Intersect N & S line 2800 ft South
of cor to nos 14, 15, 22 & 23
From which cor I am

684
 Twp 2 N Range 1 W

Yda Full River Meridian

Chs. 49° 48' W on a true line
 bearing 15° 42' 2
 N 13° 40' E

40.18 Set a post for 1/4 sec cor
 with mound and pits
 as per instructions

8036 The cor to sec 15, 16, 21, 22
 Land rolling
 One 10' 2' 2' 2' 2'
 Quercus mesquite &
 sagebrush

North bearing 15° 46
 N 13° 44' E

400 Set a post for 1/4 sec cor
 with mound and pits
 as per instructions

Op 2 n range W

Green River Meridian

8200 Lava pit for cut to red 9. W.
 1576 with mound and pits
 as per instructions
 Land rolling
 but not rate
 Mesquite, mesquite, palo
 verde + sagebrush

Cart on a random line
 bet reds 10 + 15
 on north 'E

4020 Art temporary 1/4 sec cor

8028 Lateral N. line 16 E. N. South
 of cut to reds 10, 11, 14 + 15
 from which cut run
 0.89 + 53' W on a true line
 bet reds 10 + 15
 on north 'E

Op 2nd Range W

686

Gila Salt River Meridians

40114 Seraput for 74 sec cor
with mound & pits as
per instructions8028 The cor to sec 9, 10, 15 & 16
Land rolling
Out 2nd rate
Mesquite, palo verde
and sagebrush
June 27, 1888North sec 9 & 10
var 13th of E4400 Seraput for 74 sec cor
with mound and pits
as per instructions8020 Seraput for cor to sec 13, 14,
& 15 with mound & pits

562 N Range W

Line Full Line Meridian

Ch. as per instructions
Land rolling
Int 2nd rate
Greewood, mesquite
and sage bush

Cut across low line
bet sec 3 & 10
on 13° 40' E

4000 per a temporary 1/4 sec cor

8920 entered N 1/4 line 26 E. S
of cor to sec 2, 3, 10 & 11
From which cor I run

A 89° 49' W mature line
bet sec 3 & 10
on 13° 40' E

77 2 N Range ~~10~~

638

Line Salt River Meridian

40.10 Set apart for 14 acres
with amount & pits as
per instructions

80.25 The cor to sec 3, 4, 9 & 10
Land rolling
one 2nd rate
Sycamore and mesquite

North on a random line
bet sec 3 & 4
7 at 30 44' 0

400. Set temporary 14 acre cor

79.63 - Intersect North Boundary
of Township 23 E 1/4 East
of cor to sec 3, 4, 33 & 34
from which cor I run

Wm. W. Rangel W

Uta Salt River Meridian

chs 2000 10' E on a true line
between 3 + 7
va 13044' E

39. 63 - Per a part for 1/4 acre or
with mound & pits as
per instructions

79. 63 - The car to road 31. 4. 9 110
Land selling
One 2nd rate
Grease wood & mesquite

Units between 32 133
va 13044' E

4000 Per a part for 1/4 acre or
with mound and pits
as per instructions

Sp 2 N Range W

640

Gila Salt River Meridian

8220 let apart from car to acc 28.29
32 & 33 with rounded spits as
per instructions

Land level
but 2nd rate
Sycamore, mesquite
and sage brush

East on a random line
between 28 & 33
ca 1340 '8

4000 let temporary 4 sec cor

79, 90 let on N & S line at car
to acc 27, 28, 33 & 34
Involuted and near
west margin line let
acc 28 & 33
ca 1340 '8

Sp 2 W Range W

BOOK

01641

Gila Salt River Meridian

39.95 Lev apart for 4 sec cor
with mound and pits
as per instructions

9.90 The cuts nos 28, 29, 32 & 33
Land level
Cut 2nd rate
Sagebrush and mesquite

North bet nos 28 & 29
cut 13' 44" @

40.00 Lev apart for 4 sec cor
with mound and pits
as per instructions

50.00 Lev apart for cuts nos 20, 21,
28 & 29 with mound and
pits as per instructions

To 2 N Range W

642

Into Salt River Meridian

Chy Land level

Int: 2nd rate

Greewood mesquite, palo verde & sage brush

East on random line
bet recs 21 & 28
on 13440 'E

40.00 bet temporary 4 sec cor

79.84 between N & S line 14 sec S
of cor to recs 21, 22, 27 & 28
Tremulous cor I am

289.54 W natural line
bet recs 21 & 28
on 13440 'E

Sp 2 N Range W

Gila Salt River Meridian

39.92 Lev apart for 74 sec cor
with ground and pits as
per instructions

79.84 The corte nos 20, 21, 28 & 29
Lead rolling
Pul 2nd rate
Greasewood, mesquite
and sage brush

North lev and 20 21
28 29 4 1 E

40.00 Lev apart for 74 sec cor
with ground & pits as
per instructions

80.00 Lev apart for corte nos 16, 17,
20 & 21 with ground & pits
as per instructions

Tp 2 N Range 1 W

644

Lita Salt River Meridian

cls Sand rolling
 out 2nd rate
 Greewood Mesquite

East on sandstone line
 bet sec 16 & 21
 N 130° 40' E

4020 bet temporary 4 & sec 21

79.76 Entered N 1/2 line 30 lks south
 of cor to sec 15, 16, 21 & 22
 from which cor I run

A 89° 47' W on same line
 bet sec 16 & 21
 N 130° 40' E

39.88 Report for 1/4 sec 21
 with mound & pits as
 per instructions

To W. M. Ranger W

Genl Salt River Meridian

99.96 The cor to sec 16, 17, 20 & 21
Land rolling
Soil 2nd rate
Greewood; mesquite and
sage brush

North bet sec 16 & 17
Cor 130 441 E

4000 Report for cor to sec 16
with mound and pits
as per instructions

See Report for cor to sec 8, 9,
16 & 17 with mound & pits
as per instructions
Land rolling. Soil 2nd rate
Greewood & mesquite
June 29, 1888

Sp. 2 N Range W

1646

Green Salt River Meridian

4020 East on random line
between 9 + 26
Va 13° 40' E

4020 Per temporary 1/4 sec cor

79.62 Intended N + S line 192Ks S
of cor to recs 9, 10, 15, + 16
From which cor & run

189° 32' W on a true line
between 9 + 26
Va 13° 40' E

39.81 Section for 1/4 sec cor
with mound, and pits
as per instructions

79.62 The cor to recs 8, 9, 16 + 17
Land welling, soil subsoil
Greenwood & Mosquito

Sp 2 N Range W

BOOK 1
647

G to Salt River Meridian

cls north bet sec 8 & 9
T₁₃ 24 4' E

4000 levaput for 4 & accor
with mound & pits as
per instructions

5000 levaput for cor to sec 4, 3,
8 & 9 with mound & pits
as per instructions
Land rolling
Fert 2nd 3rd rates
Greewood, mosquito
and sage brush

Eastward sandour line
bet sec 4 & 9
T₁₃ 24 0' E

4000 contemporary Huc cor

79.82 2 W Range W
648

Yuta Salt River Meidian

79.82 Sentence N to line 21 Ks N
of car to ves 3, 4, 9 & 10
from which cord run

N 89° 57' W across line
bet ves 4 & 9
at 13° 40' E

39, 91 Per apmt for 44 sec car
with summed spots as
per instructions

79.82 Near to ves 4, 5, 8 & 9
Sand rolling
but 2nd & 3rd rates
Greenwood, mesquite
and sage brush

North on a random line
bet ves 4 & 5
at 13° 40' E

To 2nd Range a

Give tract River Meridian

4000 Per temporary of record

79.87. Natural North Boundary of Township 42 N 20 East of course 415 132 133
Township corner

For 18' E natural line between 4 & 3
Va 13 24 4 E

39.87 Seraput for 4 acres with mound and pits as per instructions

79.87 Theor to acre 415.879
Land rolling
Laid 2nd 1st rates
Greewood & mosquito
palovade & sage brush

To 2nd Range W

650

Gila Salt River Mendocino

Obt 2 units bet sec 31 182
7a 13044 (E)

4000 Get 1/4 sec cor pur units
around and pits as
per instructions

8000 Scrap pur for cor to sec 29, 30,
31 182 with around & pits
as per instructions

Land level
Int 2nd rate
Mesquite & sage brush

East area random line
bet sec 29 182
7a 13040 (E)

4000 Get temporary 1/4 sec cor

To 2nd Range 1W

Great Salt River Meridian

80.18 Intersect N+S line at cor
to aces 28, 29, 32 & 33
From which cor D run.

West meridian line bet
aces 29 & 32
N 130° 0' E

40.09 (See report for 44 acres
with mound & pits as
per instructions)

80.28 Thence to aces 29, 31, 31 & 32
Land level
Incl 2nd cut
Sagebrush, mesquite and
sagebrush

West meridian line bet
aces 30 & 31
N 130° 40' E

652
 To 2 N Range W

Line Salt River Meridian

4000 feet temporary ~~4000~~ cor

79.27 Located West Boundary of
 Township 76 N. South of cor
 8 res 26.36.30 P¹
 Arrowhead cor Dur

1890 ~~8~~ 1' E on true line
 bet res 30 P¹
 on 30 40 'E

X

39.27 Set apart for 94 ac cor
 into mound and pits
 as per instructions

79.27 Near to res 29, 30-31 P²
 Sand level
 Soil sub soil
 Greasewood, mesquite and
 sage brush

Sp 2 W Range W

Great Salt River Meridian

Chs north between 29 & 30
R 13044 E

4000 Resurvey for 74 acres.
with mound & pits as
per instructions

8000 Resurvey for ac to sec 19, 20,
29 & 30 with mound and pits
as per instructions
Sound level
One ~~set~~ set of stakes
Greasewood, mesquite
and sage brush

East and sound level
between 20 & 29
R 13040 E

4000 Res temporary Hec on

Sp 2 N Range + EV

634

Line East River Meridian

80.22 Intended N+S line 21.5k N
of cor to sec 20, 21, 28 & 29
Involuted cor & sec

N 89° 05' 1" W orature line
bet sec 20 & 29
N 130° 40' E

40.11 Set apart for 4 sec cor
with mound and pits
as per instructions

80.22 The cor to sec 19, 20, 24, 130
Sound level. first NW 2nd corner
Greenwood, mesquite and
oage bush

Meriana caudata line
bet sec 19 & 130
N 130° 40' E

1 ~~20~~ To 2nd Range 1st W

Between Salt River Meridian

4th temporary 1/4 sec cor
79.19 Between West Boundary of
Township 14th N. North of cor
to sec 24, 25, 19 T88
From which cor I run

N 89° 54' E on a true line
bet sec 19 T88
and 13 to 'E

39.19 Cor apart for 1/4 sec cor
into mound and pits
as per instructions

79.19 Thence to sec 19, 20, 29 T88
Sand rolling
In 2nd rate
Greewood, mesquite and
sage brush
June 30, 1888

Sp 2 N Range W

656

Tula Half River Meridian

Ch North ber recs 19720
 (a 13044 'E)

4000 Berapmt for 1/4 acre
 with mound and pits
 as per instructions

8000 Berapmt for car to recs 17, 18,
 19 120 with mound & pits
 as per instructions
 Sand culling
 Inl M² recs notes
 Greasewood, mesquite
 and sagebrush

East on a random line ber
 recs 17 120
 (a 13044 'E)

4000 Ber temporary 1/4 acre car

Tr 2 N Range W

657

Line Galt River Meridian

80.30 Entered N line 28 E 1/4
of cor to sec 16, 17, 20
Involvement on sum

N 89° 48' W natural line
between 17 & 20
N 130° 40' E

40.15 Per appt for 1/4 sec
with ground tips as per
instructions

80.30 The cor to sec 17, 18, 19 & 20
Land rolling
Cut 2nd row rails
Greewood & mesquite

West on random line
sec 18 & 19
N 130° 40' E

Sp 2 W Range W

658
Tula and Salt River Meridian

400 St Leupman's Heep post

79.33 Intured West Boundary of
Township 24 N 4 W of cor
to recs B, M, 1879
Annivlich cor. I amN 89° 53' E acute line
between 1879
and 1874 0' E39.33 Separat for Haver
with mound. Spets as
per instructions79.33 The cor to recs 17, 18, 19 & 20
Land rolling
One 2nd rate
Greenwood & mesquite

To 2nd Range W

BOOK 1

659

Old and Salt River Meridian

Chs North lines sec 17 & 18
T₁ 130⁰ 44' E

4000 Set apart for 1/4 sec cor
with mound and pits
as per instructions

8000 Set apart for corners 7, 8,
17 & 18 with mound & pits
as per instructions
Land rolling
Out 2nd rail
Guano wood, mesquite
and sage brush

X
East on a random line. Sec
17 & 18
T₁ 130⁰ 44' E

4000 Set temporary 1/4 sec cor

SP
660

2 N Range W

Uta Gal River Meridian

80.16 Returned to line 12 krs south
of cor to res 8, 9, 16 & 17
Annuloch cor & pin

289°55' W on true line
bet res 8 & 17
at 13°40' E

40.08 Repair for 1/2 cor
with mound & pits as
per instructions

80.16 The cor to res 7, 8, 17 & 18
Land rolling
and 2nd rate
Greasewood, mesquite
and sage brush

West on random line
bet res 7 & 18
at 13°40' E

No 2 N Range W

Geo Galt River Meridian

4000 Settlementary 1/4 section

79.08 Intended West Boundary of Township 30 E, South of cor to sec 12, 13, 14 & 18 From which cor down

\$89047 'E' natural line bet sec 7 & 18 N 13 1/2 'E

39.08 Desapure for 1/4 section with mound and pits as per instructions

79.08 The cor to sec 7, 8, 14 & 18 Land rolling Int 2nd 1/2 sec 7 & 8 Greasewood, mesquite and sage brush

To 2 N Range W

662 Ad and Salt River Meridian

4000 cut north bet sec 4 & 8
Tn 130 44' E

4000 cut a part for 1/4 acre
with mound and pits
as per instructions

5000 for a part for cut to sec 5, 6,
& 8 with mound and pits
as per instructions
Land rolling
One 2 in part rolls
Greewood, mesquite
and sage brush

cut on a random line bet
sec 5 & 8
Tn 130 40' E

4000 for temporary 1/4 acre

To 2 N Range W

663

Yield in Salt River Mendocino

8224 Intercor NTS line 23RS S
of cor to res 4, 5, 8 + 9
Firmly located and sun

890 50' W on a true line
bet res 5 + 8
7413 or 40' E

4012 Ser aprm fr 4 Dec cr
with mound and pits
as per instructions

8224 The cor to res 5, 6, 4 + 8
Land rolling. Soil substrate
Sycamorewood, mesquite and
page bush

West on a random line
bet res 6 + 7
7413 or 40' E

Tp 2 N Range W

664

Getw Salt River Mequidian

4020 Per temporary 4 & accor

78.76 Entered the West Boundary of
Township 16 N's South of
cor to sec 1, 2, 6 & 7
From which cor down189° 53' E. or a true line
bet sec 6 & 7
N 13° 40' E38.76 Resurvey for 4 accor
with mound and pits
as per instructions78.76 The cor to sec 5, 6, 7 & 8
Same level
but low rate
Greewood, mesquite and
oage bush

Sp 2 W Range W

Green Hall River Meridian

Obs North on a random line
bet secs 5 & 6
va 13044 'E

4000 Set trap for 1/4 sec cor

8017 Lateral North Boundary
of Township 26 lks East
of cuto sec 5, 6, 7, 10 32
In which cut are

4000 11' E on a true line
bet secs 5 & 6
va 13044 'E

40017 Set apart for 1/4 sec cor
cuto mound and pits
as per instructions

8017 The cuto sec 5, 6, 7 & 8

82

BOOK I

To 2 N Range 1 W

666

Gila and Salt River Meridian

On Sand rolling
soil 2 or 3 rows
Yucca, mesquite and
sagebrush
July 1st 1868

+

BOOK 1
No 2 N Range W 667

General Description

The land in this Township is about the common average - being generally rolling ^{or prairie} and well adapted for cultivation and grazing purposes

The Agua Fria Creek runs South through the East portion of the Tp. It has a wide sandy bed which is dry during most of the year

Timber scattering mesquite Palo verde, greasewood and sage brush affording excellent material for fuel but worthless for other purposes

List of Names.

A List of the Names of the individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the Survey of the Subdivision and Extension Lines of Tp 1 NR 6 E and 1 NR 1 W - Tps 2 NRs 1, 2, 3, 4, 5 & 6 Tps 2 " " 1 W - Tps 2 NR 2 W + Tps 3 NRs 1 & 2 E of the Gila and Salt River M. e. l. i. n. e. s. showing the respective capacities in which they acted.

Edw. Lorington Bridges
 Camuto Soto
 Louis Guals
 Ridgely Tilden

Compassman.
 Chainman.
 Chainman.
 Axeman.

669

BOOK 1

Final Oaths of Assistants.

We hereby certify that we assisted George P. Ingalls U.S. Deputy Surveyor, in surveying the Subdivision and Exterior Lines of Tps 1 N R 6 E + 1 N R 1 W - Tps 2 N R 0 1, 2, 3, 4, 5 + 6 E - + 1 W - Tps 3 N R 1 + 2 E of the Gila and Salt River Meridian in the Territory of Arizona

and that said Survey has been, in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the boundary monuments planted according to the instructions furnished by the Surveyor General.

Edward Livingston Bridge

Carnton ^{his} Solo

Louis ^{his} Canale

Ridley Tilden

Subscribed and sworn to before me this 2nd day of July 1858

G. P. Ingalls.

Final Oath of Deputy-Surveyor.

I, George P. Sugalls
 Deputy-Surveyor, do solemnly swear that, in pursuance
 with a contract with L. Upson, United States Surveyor
 General for California and ~~Arizona~~ ^{Arizona}, bearing date the 29th
 day of February 1868, I have well, faithfully and
 truly, in my own proper person, and in strict conformity
 with the instructions furnished by the Surveyor General,
 the Surveying Manual, and the laws of the United States,
 surveyed all those parts or portions of the Sub-
 division and Exterior Lines
 of
 T^{ps} 12 R 6 E. and T^{ps} 12 R 1 W. T^{ps}
 2 R 1, 2, 3, 4, 5 + 6 E - T^{ps} 2 R 1 W
 T^{ps} 3 R 1 + 2 E
 of the
 Gila and Salt River Meridian
 in the
 Territory of Arizona

as are represented in the foregoing Field Notes as having been

671
BOOK I

surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and that the foregoing are the true and original Field Notes of such Survey.

C. B. Suggs.

U. S. Deputy Surveyor.

Subscribed and sworn to before me, this tenth
day of July 1868.

J. H. Glau.
Notary Public

U. S. Surveyor General's Office,

San Francisco, Cal.,

BOOK 672
7

December 31st 1868.

The foregoing Field Notes of the surveys of

Sub-division lines

Townships 2 N. Range 5th E. & 1st W.

& Township 1 N. Range 6 E.

Old and Salt River Meridian

in the State of California executed by

George P. Ingalls

U. S. Deputy Surveyor, under his contract dated

29th day of February 1868

having been critically examined, the necessary corrections and explanations made, the said Field Notes and the Surveys they describe are hereby approved.

Shuman Day

U. S. Surveyor General,

For Cal. and Arizona.