

✓
No-6

Field Notes

OF THE SURVEY OF

The Lines subdividing Township 2 N. Range 1 E., into 40 acre tracts.

Colorado

~~Gila and Salt River Base and Meridian~~

~~Spanned by S. 7 N. R. 19 W. & E. S. R. B. & M.~~

ARIZONA.

By Chandler Robbins D. S.

under contract dated May 26, 1875

Survey commenced Jan. 13, 1876

Survey completed Jan. 22, 1876

No-6

6

Township 2 N. R. 1 E. of

No-6

BOOK 6

BOOK 6

Township 2 N. Range 1 E.

~~City and Salt River Meridian.~~
Colorado

120	47	74	57	26	7
1169	96	74	53	225	16
117	95	72	42	23	5
116	43	71	41	22	5
7	8	9	10	11	12
114	92	70	40	21	4
113	91	69	39	20	4
112	89	68	38	19	3
18	17	67	37	14	3
110	88	66	36	17	2
109	86	66	36	17	2
108	85	65	35	16	2
19	20	21	22	23	24
106	84	64	34	15	1
105	82	63	33	14	1
104	81	62	32	13	
30	20	28	27	26	26
103	80	62	32	12	
101	79	60	30	10	
100	78	58	29	10	
31	32	33	34	35	30
99	77	57	28	9	
98	76	56	27	8	

The Colorado River Meridian

Chains

Subdivision of sec. 24
Cast on a true line through
S. E. of sec. 24.

Va. 14^o E

10.20

Intert. East boundary line of
reservation by 38.24 Ch. 9 of
36 mile cor. Deposited marked
red stone dug pits N. E. 18 in
square 12 in. deep raised mound
of earth 4 1/2 ft. diam 2 ft. high for Sec,
res. cor.

Cast on true line through
center of sec. 24

Va. 14^o E

12.70

Intert East boundary line of
Reservation by 17.12 Ch 9 of 36
mile. cor. Deposited marked
stone dug pits N. E. 18 in square
12 in deep raised mound

Township 2 N. R. 1 E of
Chain

earth $4\frac{1}{2}$ ft. diam 2 ft. high for fac
rec. cor.

East on a true line through
N. $\frac{1}{2}$ of sec. 24
Va. 14 E.

19.30 Intert East boundary line of
Reservation by 3.84 Ch. h of 36th
Mile cor. Deposited marked
stone dug pits N. E. 18 in square
12 in deep raised mound of earth
 $4\frac{1}{2}$ ft. diam 2 ft. high for fac. rec. cor.
Land level soil sandy 3rd rate
Gallego mesquite grass & Sage

Subdivision of sec. 13,
East on a true line through
S. $\frac{1}{2}$ of sec. 13
Va. 14 E.

the Colorado River Meridian

Chains

mm

20.00 Deposited marked stone dug pits
 18 in square 12 in deep raised
 mound of earth 4 1/2 ft diam
 2 ft high for 6 sec. cor.

31.42 Entet East boundary line of
 Reservation 34.03 Ch. 1 of 37 1/2
 mile cor. Sand rolling soil
 sandy 3 1/2 rate

Cast on true line through
 center of sec. 13.

Va. 14th E.

20.00 Deposited marked stone dug pits
 18 in square 12 in deep raised
 mound of earth 4 1/2 ft diam 2 ft
 high for 6 sec. cor. Sand rolling
 soil sandy 3 1/2 rate

32.21 Entet East boundary line of
 Reservation 12.60 Ch. 1 of 37 1/2 mile

Township 2 N. R. 1 E. of

Chain

cor. deposited marked stone dug
pit N.E. 18 in square 12 in deep
raised mound of earth $4\frac{1}{2}$ ft. diam
2 ft. high for sec. cor.

East on a true line through
N 1/2 of sec. 13

Va. 14 E.

2000 Deposited marked stone dug pit
N.E. 18 in square 12 in deep raised
mound of earth $4\frac{1}{2}$ ft. diam 2 ft.
high for to sec. cor.

4000 Deposited marked stone dug pit
N.E. 18 in square 12 in deep raised
mound of earth $4\frac{1}{2}$ ft. diam 2 ft.
high for to sec. cor.

43.54 East East boundary line of
Reservation 809 Ch. No. 37th mile
cor. Deposited marked stone dug

The Colorado River Meridian Gains

Pit No. 18 in square 12 in deep raised mound of earth $4\frac{1}{2}$ ft. diam 2 ft. high for fac. sec. cor. Land telling soil sandy 3rd rate.

Subdivision of sec. 12

Cast on a true line through
S $\frac{1}{2}$ of sec. 12

Va 14 E.

2,500 Intst Arroyo 30 W course N. W.

17,000 Foot of Black mountain N. W. E. set lava stone 12x8x8 marked fac. sec. cor. on N side. Land level soil sandy 3rd rate

Cast on true line through
center of sec. 12.

Va 14 E.

Township 2. N. R. 1 E. of
Chains

8.30 Foot of Black mountain N.W.
1/4 Sec. 12. Set lava stone 16x6x6 in
mound of stone, marked 1/4 sec. cor. on inside
land level soil sandy 3rd rate

Cast on a true line through
N 1/2 of sec. 12.

Va. 14 C.

14.00 Foot of Black mountain N.E. 1/4
Sec. 12. Set lava stone 12x8x6, 8 in in earth
marked 1/4 sec. cor. on inside
land level soil gravelly 2nd rate

Subdivision of sec. 1

Cast on a true line through
1/4 of sec. 1

Va. 14 C.

The Colorado River Meridian Chain

- 20.00 Set lava stone $16 \times 14 \times 4$, 13 in in
earth marked to on inside for to sec cor,
- 40.00 Set lava stone $18 \times 12 \times 6$, 13 in in earth
marked to on inside for to sec cor,
Foot of Black Mountain Land
Hohen soil 8rd rate
-

Cast on a true line through
center of sec 1

VA. 14. C.

- 20.00 Set lava stone $16 \times 12 \times 3$, 13 in in
earth marked to on inside for to sec cor,
- 40.00 Set lava stone $20 \times 12 \times 8$, 15 in in earth
marked to on inside for to sec cor,
- 60.00 Set lava stone $16 \times 14 \times 3$, 13 in in earth
marked to on inside for to sec cor,
- 60.28 Intert Cast boundary line of
Reservation C. 86 Ch. 9 of 39th mile cor,
set lava stone $20 \times 12 \times 10$, 15 in in earth

Township 2 N. R 1 E. of
Chain

marked $\frac{1}{4}$ sec. cor. on inside
sand broken soil 3rd rate.

Cast on a true line through
N $\frac{1}{2}$ of sec. 1

Va 14th C

00.00 Ascend hills N.E. 80 ft. high

01.00 Top of hills

14.50 Foot of hills

20.00 Deposited marked stone dug pits
N.E. 18 in square 12 in deep raised
mound of earth $4\frac{1}{2}$ ft diam 2 ft
high for $\frac{1}{4}$ sec. cor.

40.00 Deposited marked stone dug pits
N.E. 18 in square 12 in deep raised
mound of earth $4\frac{1}{2}$ ft diam 2 ft
high for $\frac{1}{4}$ sec. cor.

33.66 First Cast boundary line of
Reservation 1366 No. 39th mile cor.

The Colorado River Meridian Chains

Set lava stone 20x12x4, 15 in in earth
marked to face, sec. cor on N side,
sand broken soil stony 3rd rate
Jan 13th 1876

Subdivision of sec. ³⁵ 33¹
Cast on true line through S.
1/2 of sec. 35:

Sta. 14th C.

2000 Deposited marked stone dug pit
N.E. 1/4 18 in square 12 in deep raised
mound of earth 4 1/2 ft. diam 2 ft. high
for to sec. cor.

3337 Cutt Cast boundary line of
Reservation 3345th Ch. Sec. 33rd mile
cor. deposited marked stone dug pit
N.E. 1/4 18 in square 12 in deep raised a
mound of earth 4 1/2 ft. diam 2 ft
high for to face, sec. cor. sand
rolling soil sandy 3rd rate

Township 2. N. R 1 E. of

Chain

Cast on a true line through
center of sec. 35:

Va 14° E.

2000 Deposited marked stone dug pits
N.E. 1/4, 18 in square 12 in deep raised a
mound of earth 4 1/2 ft diam 9 ft high
for to sec. cor.

39,95' Point East boundary line of
Reservation 23.52 Chs. 9 of 84 1/4
mils cor. deposited marked
stone dug pits N.E. 1/4, 18 in square
12 in. deep raised mound of earth
4 1/2 ft. diam 9 ft high for to sec. cor.
Land broken soil stony 3/4 cote

Cast on a true line through
N 1/2 of sec. 35:

Va. 14° E.

2000 Deposited marked stone dug pits

The Colorado River Meridian Chain

4000 A L 4, 18 in square 12 in deep raised mound of earth $4\frac{1}{2}$ ft diam 2 ft high for 76 sec, cor.

4000 Deposited marked stone marked 76 on N side dug pit A L 4, 18 in square 12 in deep raised a mound of earth $4\frac{1}{2}$ ft diam 2 ft high for 76 sec, cor.

4000 30 Intert Cast boundary line of Reservation 4, 34 (Ch. 4, 34 mile cor.

Deposited marked stone marked 76 on N side dug pit A L 4, 18 in square 12 in deep raised a mound of earth $4\frac{1}{2}$ ft diam 2 ft high for 76 sec, cor.
Land rolling soil sandy 3rd rate
Galletta mesquite grass and sage oak

Subdivision of sec. 26,
Cast on a true line through
 $4\frac{1}{2}$ of sec 26.

Township 2. N. Range 1 E.

Chains

Va. 14th E.

20.00 Deposited marked stone dug pits $1\frac{1}{2}$ 8 in square 12 in deep raised mound of earth $4\frac{1}{2}$ ft. diam 2 ft. high for to sec. cor.

40.00 Deposited marked stone dug pits $1\frac{1}{2}$ 8 in square 12 in deep raised mound of earth $4\frac{1}{2}$ ft. diam 2 ft. high for to sec. cor.

39.74 Part East boundary line of Reservation 37.56 Ch. 1/4 of 34th mile cor. Deposited marked stone dug pits $1\frac{1}{2}$ 8 in square 12 in deep raised mound of earth $4\frac{1}{2}$ ft. diam 2 ft. high for to sec. cor. Land rolling soil sandy 3rd rate Creosote, mesquite grass Salletta and sage brush.

of the Colorado River Meridian Chains

Cast on a true line through
center of sec. 26.

Va. 14°C

20.00 Deposited marked stone dug
pit N.E. 1/4 18 in square 12 in deep
raised mound of earth 4 1/2 ft. diam.
2 ft. high for 1/4 sec. cor.

40.00 Deposited marked stone dug pits
N.E. 1/4 18 in square 12 in deep raised
mound of earth 4 1/2 ft. diam. 2 ft.
high for 1/4 sec. cor.

60.00 Deposited marked stone dug pits
N.E. 1/4 18 in square 12 in deep raised
mound of earth 4 1/2 ft. diam. 2 ft.
high for 1/4 sec. cor.

66.43 First East boundary line of
Reservation 21.35 Ch. S. of 34 mil. cor.
Deposited marked stone dug pits
N.E. 1/4 18 in square 12 in deep raised
mound of earth 4 1/2 ft. diam. 2 ft.

Township 2 N. Range 1 E. of Chains

high for to frac. sec. cor. land
rolling soil sandy 3% rate.

Cart on true line through
N² of sec. 26

1/4 14⁰ E

2000 Deposited marked stone dug pits
N² 18 in square 12 in deep raised
mound of earth 4 1/2 ft. diam
2 ft high for to sec. cor.

4000 Deposited marked stone dug pits
N² 18 in square 12 in deep raised
mound of earth 4 1/2 ft. diam 2 ft. high
for to sec. cor.

6000 Deposited marked stone dug pits
N² 18 in square 12 in deep raised
mound of earth 4 1/2 ft. diam 2 ft
high for to sec. cor.

7303 Put at East boundary line of

Township 2 N. Range 1 E. of Chains

high for to frac. sec. cor. Land
rolling soil sandy 3% water

Cart on true line through
N E of sec. 26

Va. 14° E

2000 Deposited marked stone dug pits
N.E. 18 in square 12 in deep raised
mound of earth $4\frac{1}{2}$ ft. diam
2 ft high for to sec. cor.

4000 Deposited marked stone dug pits
N.E. 18 in square 12 in deep raised
mound of earth $4\frac{1}{2}$ ft. diam 2 ft. high
for to sec. cor.

6000 Deposited marked stone dug pits
N.E. 18 in square 12 in deep raised
mound of earth $4\frac{1}{2}$ ft. diam 2 ft
high for to sec. cor.

7303 First East boundary line of

The Colorado River Meridian

Chains

Reservation 34 ^{Saks.} of 33.7 mile cor.
 Deposited marked stone deep pit
 18 in square 12 in deep, scired
 mound of earth 4 1/2 ft. diam 2 ft.
 high for 1/2 acre, cor. land rolling
 soil sandy 3rd rate, C reverts
 mesquite grass gallette & sage bush.

Subdivision of sec. 23.

Cast on a random line through
 1/2 of sec. 23

VA. 14 C

- 0.00 Set temp to sec. cor.
 0.00 Set temp to sec. cor.
 0.00 Set temp to sec. cor.
 9.90 Put in 1/2 line at ^{1/2 sec.} cor. from which
 cor. Fran. W. on true line
 9.97 Deposited marked stone deep pit 18
 18 in square 12 in deep scired mound

Township 2. N. R. 1 E. of Chain

- 3995 Deposited marked stone dug pits N & S
18 in square 12 in deep raised mound of
earth $4\frac{1}{2}$ ft diam 2 ft high for to sec cor
- 3992 Deposited marked stone dug pits N & S,
18 in square 12 in deep raised mound of
earth $4\frac{1}{2}$ ft diam 2 ft high for to sec cor
- 79.90 The to sec. cor. land level soil 2nd rate

West on a random line through
center of sec. 23.

Var. 14th E.

2000 Set temp to sec. cor.

4000 Set temp $\frac{1}{4}$ sec cor.

6000 Set temp to sec. cor.

8010 Put at N & S line 20th sec ^{$\frac{1}{4}$ sec} from
which cor. Frank 87.5' on true line

20.02 Deposited marked stone dug pits N & S,
18 in square 12 in deep raised mound of

The Colorado River Meridian Chains

- 4003' earth $4\frac{1}{2}$ ft diam 2 ft high for $\frac{1}{16}$ sec. cor.
- Deposited marked stone dug pits No 9,
18 in square 12 in deep raised mound of
earth $4\frac{1}{2}$ ft diam 2 ft high for $\frac{1}{16}$ sec. cor.
- 60.07 Deposited marked stone dug pits No 9,
18 in square 12 in deep raised mound of
earth $4\frac{1}{2}$ ft diam 2 ft high for $\frac{1}{16}$ sec. cor.
- 80.10 The $\frac{1}{16}$ sec. cor. sand level soil 2nd rate

Cast on a random line through
N $\frac{1}{2}$ of sec. 23.

Y a. 14' E.

- 2000 Set temp to sec. cor.
- 4000 Set temp to sec. cor.
- 6000 Set temp to sec. cor.
- 80.08 Intersected line of the $\frac{1}{16}$ sec. ^{to cor.} from
which cor. ran 189.37' W on true line
- 20.02 Deposited marked stone dug pits No 9,
18 in square 12 in deep raised mound of

Township 2 N. R. 1 E. of Chain

- 40.04 earth $4\frac{1}{2}$ ft. diam 2 ft. high for to sec. cor.
 Deposited marked stone dug pit A, 9,
 18 in. square 12 in. deep raised mound of
 earth $4\frac{1}{2}$ ft. diam 2 ft. high for to sec. cor.
- 60.06 Deposited marked stone dug pit B, 5,
 18 in. square 12 in. deep raised mound of
 earth $4\frac{1}{2}$ ft. diam 2 ft. high for to sec. cor.
- 80.08 The to sec. cor. Land level soil sandy
 2 $\frac{1}{2}$ ml. rate.

Subdivision of sec. 14

Cast a random line through
 1/2 of sec. 14

Va 14 E.

20.00 Set temp. to sec. cor.

40.00 Set temp. to sec. cor.

60.00 Set temp. to sec. cor.

80.00 Intert. M. S. line at. to sec. cor. from
 which a true line

The Colorado River Meridian Chains

- 20,000 Deposited marked stone dug pit No 3,
18 in square 12 in deep raised mound of
earth 4 1/2 ft diam 2 ft high for to sec. cor.
- 40,000 Deposited marked stone dug pit No 4
18 in square 12 in deep raised mound of
earth 4 1/2 ft diam 2 ft high for to sec. cor.
- 60,000 Deposited marked stone dug pit No 5,
18 in square 12 in deep raised mound of
earth 4 1/2 ft diam 2 ft high for to sec. cor.
- 80,000 The to sec. cor. land level soil 2nd rate

West on a random line through
center of sec. 14

Va 14° E

- 20,000 Set temp. to sec. cor.
- 40,000 Set temp. 1/4 sec. cor.
- 60,000 Set temp. to sec. cor.
- 79,880 Put the line at the 1/4 sec. cor. from
which cor. line is 2920 ft from cor. line

Township 2, N. R. 1 E. of Chain

- 19.97 Deposited marked stone dug pits N. E. S.
18 in square 12 in deep raised mound of
earth $4\frac{1}{2}$ ft diam 2 ft high for 10 sec cor.
- 19.94 Deposited marked stone dug pits N. E. S.
18 in square 12 in deep raised mound of
earth $4\frac{1}{2}$ ft diam 2 ft high for 7 sec cor.
- 19.91 Deposited marked stone dug pits N. E. S.
18 in square 12 in deep raised mound of
earth $4\frac{1}{2}$ ft diam 2 ft high for 7 sec cor.
- 19.88 The 7 sec. cor. Land level soil 2nd rate

Cart on road or line through
N^o 2 of 14

Va 14 E.

- 2000 Set temp to sec cor.
- 4000 Set temp to sec cor.
- 6000 Set temp to sec cor.
- 8000 Put the line 2 hrs. ^{to sec} ~~to sec~~ conform
while ~~to sec~~ ^{to sec} 3.7 ft on true line

The Colorado River Meridian Claims

- 20.02 Deposited marked stone dug pit N.E. 1/4
18 in square 12 in deep raised mound of
earth 4 1/2 ft diam 2 ft high for to sec. cor.
- 40.04 Deposited marked stone dug pit N.E. 1/4
18 in square 12 in deep raised mound
of earth 4 1/2 ft diam 2 ft high for to sec. cor.
- 60.06 Deposited marked stone dug pit N.E. 1/4
18 in square 12 in deep raised mound of
earth 4 1/2 ft diam 2 ft high for to sec. cor.
- 80.08 The to sec. cor. land level soil 3/4 mile
Jan 14th 1876

Subdivision of sec. 11
Cast on a random line through
4 1/2 of sec. 11
Va. 14 C

- 20.00 Set temp to sec. cor
- 40.00 Set temp to sec. cor
- 60.00 Set temp to sec. cor
- 80.04 Set temp to sec. cor

Township 2 N. R. 1 E. of Chain

cor. Fran. W on true line

- 20.01 Deposited marked stone dug pit N E 4
18 in square 12 in deep raised mound of
earth 4 1/2 ft diam 2 ft high for to sec. cor.
- 40.02 Deposited marked stone dug pit N E 9
18 in square 12 in deep raised mound of
earth 4 1/2 ft diam 2 ft high for to sec. cor.
- 60.03 Deposited marked stone dug pit N E 14
18 in square 12 in deep raised mound of
earth 4 1/2 ft diam 2 ft high for to sec. cor.
- 80.04 The to sec. cor. hand level will be 3 1/2 ft

Went on a random line through
center of sec. 11

Va. 14 E.

20.00 Set temp to sec. cor.

40.00 Set temp 1/2 sec. cor.

60.00 Set temp to sec. cor.

79.99 Set temp to sec. cor. ^{1/2 sec.}

The Colorado River Meridian Stations

- 19.98 which cor. Fran 189.57' E on true line
 Deposited marked stone dug pit N. E. S.
 18 in square 12 in deep raised mound of
 earth 4.5 ft diam 2 ft high for $\frac{1}{4}$ sec. cor.
- 39.96 Deposited marked stone dug pit N. E. S.
 18 in square 12 in deep raised mound of
 earth 4.5 ft diam 2 ft high for $\frac{1}{4}$ sec. cor.
- 39.94 Deposited marked stone dug pit N. E. S.
 18 in square 12 in deep raised mound of
 earth 4.5 ft diam 2 ft high for $\frac{1}{4}$ sec. cor.
- 79.92 The $\frac{1}{4}$ sec. cor. Land rolling soil 3^d rate

East on a random line through
 N. 2 of sec. 11

Va. 14' E

2000 Set temp to sec. cor

4000 Set temp to sec. cor,

6000 Set temp to sec. cor,

8016 First N. E. line 100 ft. long to sec. cor

Township 2. N. R. 1 E. of
Chain

- which cor. ran N 89° 3' 3" W on true line
- 20.04 Deposited marked stone dug pit, N E 1/4,
18 in square 12 in deep raised mound of
earth 4 1/2 ft diam 2 ft high for to sec. cor.
- 40.08 Deposited marked stone dug pit, N E 1/4,
18 in square 12 in deep raised mound of
earth 4 1/2 ft diam 2 ft high for to sec. cor.
- 60.12 Deposited marked stone dug pit, N E 1/4,
18 in square 12 in deep raised mound of
earth 4 1/2 ft diam 2 ft high for to sec. cor.
- 80.16 The to sec. cor. Land rolling soil.
sandy 3rd rate

Subdivision of sec. 2,
West on a random line through
1/2 of sec. 2

Va. 14 E

8.12 Foot of hills N E 1/4 and ascend

12.42 Top of hills

The Colorado River Meridian Chains

- 19.62 Foot of hills
- 20.00 Set temp. to sec. cor.
- 40.00 Set temp. to sec. cor.
- 60.00 Set temp. to sec. cor.
- 80.12 Put in the line 24 lbs of ^{to sec} cor. from
which cor. ran 189.50' on true line
- 20.03 Deposited marked stone dug pit No. 4.
18 in square 12 in deep raised mound of
earth 4 1/2 ft diam 2 ft high for to sec cor.
- 40.06 Deposited marked stone dug pit No. 4.
18 in square 12 in deep raised mound of
earth 4 1/2 ft diam 2 ft high for to sec cor.
- 60.09 Deposited marked stone dug pit No. 4.
18 in square 12 in deep raised mound of
earth 4 1/2 ft diam 2 ft high for to sec. cor.
- 80.12 To the to sec. cor. sand level soil 1/4 mile

Township 2. N. R. 1 E. of Chain

Cast on random line through
center of sec. 2

N. 14° E.

- 20.00 Set temp to sec. cor.
- 40.00 Set temp $\frac{1}{4}$ sec. cor.
- 60.00 Set temp to sec. cor.
- 62.00 Foot of hills course N. 87° W. ascends.
- 76.00 Top of hills 200 ft. high descends
- 80.16 Put the N. line 24 The top ^{$\frac{1}{4}$ sec.} of from
which cor. Frank 87° 50' W on true line
- 20.02 Deposited marked stone dug pits N. 87°
18 in square 12 in deep raised mound of
earth $4\frac{1}{2}$ ft. diam. 2 ft. high for to sec. cor.
- 40.05 Deposited marked stone dug pits N. 87°
18 in square 12 in deep raised mound of
earth $4\frac{1}{2}$ ft. diam. 2 ft. high for $\frac{1}{4}$ sec. cor.
- 60.07 Deposited marked stone dug pits N. 87°
18 in square 12 in deep raised mound
earth $4\frac{1}{2}$ ft. diam. 2 ft. high for to sec. cor.
- 80.10 The $\frac{1}{4}$ sec. cor. Land level soil $\frac{1}{16}$ rate

The Colorado River Meridian Chains

West on random line through
N^o 3 of sec. 2

V. 14 E.

- 00.00 Ascend mountain N.E. 60 ft high
- 6.23' Top of mountain.
- 7.50 West side of mountain descend
- 12.00 Foot of mountain enter level of ground
- 20.00 Set temp to sec. cor.
- 40.00 Set temp to sec. cor.
- 60.00 Set temp to sec. cor.
- 80.00 Enter N.E. line 14 Lbs ^{to sec} of cor. from
which cor. Fran. 18954 Continue line
- 200.00 Deposited marked stone dug pit N.E.
18 in square 12 in deep raised mound of
earth 4 1/2 ft diam 2 ft high for to sec. cor.
- 400.00 Deposited marked stone dug pit N.E.
18 in square 12 in deep raised mound of
earth 4 1/2 ft diam 2 ft high for to sec. cor.
- 600.00 Deposited marked stone dug pit N.E.
18 in square 12 in deep raised mound of

Township 2 N. R. 10 E. of Chain

earth $4\frac{1}{2}$ ft diam 2 ft high for to sec. cor.
 8000 The to sec. cor. Land level soil 1st
 rate mesquite grass & galletta.
 Jan 16th 1876.

Subdivision of sec. 34
 Contona ran down line through
 1st of sec. 34

Va. 14 C.

2000 Set temp to sec. cor.

4000 Set temp to sec. cor.

6000 Set temp to sec. cor.

7994 Put the S. line 16 Lns. S of ^{to sec} cor. from
 which cor. from 893.3' Won true line

1998 Deposited marked stone dug pits N. S. 1st
 18 in square 12 in deep raised mound of
 earth $4\frac{1}{2}$ ft diam 2 ft high for to sec. cor.

3997 Deposited marked stone dug pits N. S. 1st
 18 in square 12 in deep raised mound of
 earth $4\frac{1}{2}$ ft diam 2 ft high for to sec. cor.

The Colorado River Meridian Claims

- 3995 Deposited marked stone dug pit, 18" x 18" square 12 in deep raised mound of earth 4 1/2 ft. diam 2 ft high for to sec. cor.
- 7994 The to sec. cor. land rolling soil 3 1/2 rate

West on a random line through
center of sec. 34
Va. 14 C.

- 2000 Set temp to sec. cor.
- 4000 Set temp to sec. cor.
- 6000 Set temp to sec. cor.
- 8008 Put in 24 lbs. of ^{1/2 sec} cor. from which cor. Fran. 18250 Contour line
- 2002 Deposited marked stone dug pit, 18" x 18" square 12 in deep raised mound of earth 4 1/2 ft. diam 2 ft high for to sec. cor.
- 4004 Deposited marked stone dug pit, 18" x 18" square 12 in deep raised mound of earth 4 1/2 ft. diam 2 ft high for to sec. cor.

Township 2. N. R. 1 E. of Chain

- 6000 Deposited marked stone dug pit No 4
18 in square 12 in deep raised mound of
earth 4 3/4 diam 2 ft high for. to rec. cor.
8000 The 1/4 sec. cor. land rolling soil 3 1/2 ft to

East on a random line through
the 1/2 of sec. 34.

Va. 14 E.

- 2000 Set temp to sec. cor.
4000 Set temp to sec. cor.
6000 Set temp to sec. cor.
8000 Put in N.E. line 40 dls of ^{1/2 sec} cor. from
which cor. from S. 87.43' W on true line
2000 Deposited marked stone dug pit No 4
18 in square 12 in deep raised mound
of earth 4 3/4 diam 2 ft high for. to sec. cor.
4000 Deposited marked stone dug pit No 4
18 in square 12 in deep raised mound of
earth 4 3/4 diam 2 ft high for. to sec. cor.

The Colorado River Meridian Claims

- 60.00 Deposited marked stone dug pile N.E. 1/4, 18 in square 12 in deep raised mound of earth 4 1/2 ft diam 2 ft high for to sec. cor.
 - 80.00 The to sec. cor. Sand rolling soil sandy 3rd rate mesquite grass gallette
-

Subdivision of sec. 27.
 East on random line through
 1/2 of sec. 27.

Va. 14 C

- 20.00 Set temp to sec. cor.
- 40.00 Set temp to sec. cor.
- 60.00 Set temp to sec. cor.
- 80.08 Put in N.E. 1/4 line 1/4 the 1/4th of sec. from which cor. Fran 88. 3/4 W on true line
- 20.02 Deposited marked stone dug pile N.E. 1/4, 18 in square 12 in deep raised mound of earth 4 1/2 ft diam 2 ft high for to sec. cor.
- 40.04 Deposited marked stone dug pile N.E. 1/4,

Township 2. N. R. 1 E. of Chain

18 in square 12 in deep raised mound of
earth $4\frac{1}{2}$ ft. diam. 2 ft. high for to sec cor

60,06 Deposited marked stone dug pit No 29

18 in square 12 in deep raised mound of
earth $4\frac{1}{2}$ ft. diam. 2 ft. high for to sec. cor.

80,08 The to sec. cor. Land rolling soil 3% side

West on a random line through
center of sec. 27.

Pa. 14 E.

20,00 Set temp to sec. cor.

40,00 Set temp $\frac{1}{4}$ sec. cor

60,00 Set temp to sec. cor.

80,10 Put in S. E. line at $\frac{1}{4}$ sec. cor from which
cor Fran Cor true line

20,02 Deposited marked stone dug pit No 29
18 in square 12 in deep raised mound
earth $4\frac{1}{2}$ ft. diam. 2 ft. high for to sec cor

40,03 Deposited marked stone dug pit No 29

The Colorado River Meridian Chain

- 18 in square 12 in deep raised mound of earth 4 1/2 ft diam 2 ft high for 1/4 sec cor.
- 60.07 Deposited marked stone dug pits N.P. 18 in square 12 in deep raised mound of earth 4 1/2 ft diam 2 ft high for 1/6 sec cor.
- 80.10 The 1/4 sec. cor. hand rolling soil 2nd plate

Cast on a random line through
N 1/2 of sec. 27.

Va. 14 C.

- 20.00 Set temp to sec. cor.
- 40.00 Set temp to sec. cor.
- 60.00 Set temp to sec. cor.
- 80.18 Put in the line 34 S. h. h. of ^{1/6} sec cor. from which cor. Frank 8. 45' Won true line
- 20.04 Deposited marked stone dug pits N.P. 18 in square 12 in deep raised mound of earth 4 1/2 ft diam 2 ft high for 1/6 sec cor.
- 40.09 Deposited marked stone dug pits N.P.

Township 2 N. Range 1 E. of
Chain

- 18 in square 12 in deep raised mound of
earth 4 1/2 ft diam 2 ft high for to sec cor
- 6013 Deposited mass of stone dug pits, N. E. 1/4
18 in square 12 in deep raised mound of
earth 4 1/2 ft diam 2 ft high for to sec cor
- 8018 The to sec. cor. land rolling soil
sandy 3/4 rate mesquite grass sage
brush galletta and creosote.

Subdivision of sec. 22.
West on random line through
1/3 of sec. 22.
Va. 14° E.

- 2000 Set temp to sec. cor.
4000 Set temp to sec. cor.
6000 Set temp to sec. cor.
8020 Put at the E. line 13 1/2 Ch. hop ^{to sec} cor. from
which cor. from N. 87° 34' E. in true line
- 20 05 Deposited mass of stone dug pits, N. E. 1/4

The Colorado River Meridian Chains

- 18 in square 12 in deep raised mound of earth $4\frac{1}{2}$ ft diam 2 ft high for to sec. cor.
- 40.10 Deposited marked stone dug pits N.E.S.
18 in square 12 in deep raised mound of earth $4\frac{1}{2}$ ft diam 2 ft high for to sec. cor.
- 60.15 Deposited marked stone dug pits N.E.S.
18 in square 12 in deep raised mound of earth $4\frac{1}{2}$ ft diam 2 ft high for to sec. cor.
- 80.20 The to sec. cor. Land rolling soil 3rd rate

Cast on a random line through center of sec. 22.

Va. 14 C.

- 20.00 Set temp to sec. cor.
- 40.00 Set temp $\frac{1}{4}$ sec. cor.
- 60.00 Set temp to sec. cor.
- 80.12 Into the line 16 lbs of $\frac{1}{2}$ oz cor. flour which cost from 82.50. Won true line
- 20.03 Deposited marked stone dug pits N.E.S.

Township 2 N. Range 1 E. of
Chain

18 in square 12 in deep raised mound of
earth $4\frac{1}{2}$ ft diam 2 ft high for 1st sec cor.

40.06 Deposited marked stone dug pits No 4

18 in square 12 in deep raised mound of
earth $4\frac{1}{2}$ ft diam 2 ft high for 4th sec cor

Co. 09 Deposited marked stone dug pits No 4.

18 in square 12 in deep raised mound of
earth $4\frac{1}{2}$ ft diam 2 ft high for 1st sec cor.

80.12 The 4th sec. cor land rolling soil 3rd rate

Went on a random line through
N¹/₂ of sec. 22

Va. 14th E

2000 Set temp to sec cor

4000 Set temp to sec cor.

6000 Set temp to sec cor.

8000 Put in the line at ^{to sec} cor from which
cor I am on true line

2000 Deposited marked stone dug pits No 4.

The Colorado River Meridian Chains

- 40.00 18 in square 12 in deep raised mound of earth 4 1/2 ft diam 2 ft high for to sec cor. Deposited marked stone dug pits No 9.
- 60.00 18 in square 12 in deep raised mound of earth 4 1/2 ft diam 2 ft high for to sec cor. Deposited marked stone dug pits No 9.
- 80.00 18 in square 12 in deep raised mound of earth 4 1/2 ft diam 2 ft high for to sec cor. The to sec cor. Land rolling soil sandy 3 1/2 rate.

Subdivision of sec 15

Cart on a random line through
4 1/2 of sec. 15

Ya 14 C.

- 20.00 Set temp to sec. cor.
- 40.00 Set temp to sec. cor.
- 60.00 Set temp to sec. cor.
- 80.10 Into the C. line 10 lbs. ^{to sec} ~~cor~~ ~~burn~~

Township 2. N. Range 1 E. of
Chain

- which cor. Jan. 1893 1/2 W on true line
- 20.02 Deposited marked stone dug pits A.S.P.
18 in square 12 in deep raised mound of
earth 4 1/2 ft diam 2 ft high for. to sec. cor.
- 40.05 Deposited marked stone dug pits A.S.P.
18 in square 12 in deep raised mound of
earth 4 1/2 ft diam 2 ft high for to sec cor
- 60.07 Deposited marked stone dug pits A.S.P.
18 in square 12 in deep raised mound of
earth 4 1/2 ft diam 2 ft high for to sec. cor.
- 80.10 The to sec. cor. Land rolling soil 37 rods

West on a random line through
center of sec. 15

Va. 14 C

- 20.00 Set temp to sec. cor.
- 40.00 Set temp to sec. cor
- 60.00 Set temp to sec. cor
- 79.96 Total h. L. line 4 1/2 Sec. from
Cor. from

The Colorado River Meridian Chains

- 1999 which cor. Fran. 48° 3' 8" E on true line
 Deposited marked stone dug pits N 89
 18 in square 12 in deep raised mound of
 earth 4 1/2 ft diam 2 ft high for 1/4 sec. cor.
- 39.98 Deposited marked stone dug pit N 89
 18 in square 12 in deep raised mound of
 earth 4 1/2 ft diam 2 ft high for 1/4 sec. cor.
- 59.97 Deposited marked stone dug pit N 89
 18 in square 12 in deep raised mound of
 earth 4 1/2 ft diam 2 ft high for 1/4 sec. cor.
- 79.96 The 1/4 sec. cor. Land rolling soil 8 1/2 rods

Cast on a random line through
 N 1/2 of sec. 13'

V 14 C.

- 20.00 Set temp. to sec. cor.
 40.00 Set temp. to sec. cor.
 60.00 Set temp. to sec. cor.
 80.18 From the line 5 1/2 rods. Set cor. from

Township 2 N. Range 1 East of
Chains

- which cor Fran. L. 87.38' W on true line
- 20.04 Deposited marked stone at $\frac{1}{2}$ pt. N.E. $\frac{1}{4}$.
18 in square 12 in deep raised mound of
earth 4 $\frac{1}{2}$ ft diam 2 ft high for to sec. cor.
- 40.09 Deposited marked stone dug pit N.E. $\frac{1}{4}$.
18 in square 12 in deep raised mound of
earth 4 $\frac{1}{2}$ ft diam 2 ft high for to sec. cor.
- 60.13 Deposited marked stone dug pit N.E. $\frac{1}{4}$.
18 in square 12 in deep raised mound of
earth 4 $\frac{1}{2}$ ft diam 2 ft high for to sec. cor.
- 80.18 The to sec. cor. Land rolling soil
sandy 3 $\frac{1}{4}$ rate
- Jan 17th 1876

Subdivision of sec. 10

Cast one random line through
S $\frac{1}{2}$ of sec. 10.

Va 14th C.

2000 Set temp to sec. cor

4000 Set temp to sec. cor.

The Colorado River Meridian Chains

- 6000 Set temp to sec. cor
- 80.24 Put the S. line at true conform
which cor. Fran W. on true line
- 20.06 Deposited marked stone dug pit, M.C.S.
18 in square 12 in deep raised mound of
earth $4\frac{1}{2}$ ft diam 2 ft high for to sec. cor.
- 40.12 Deposited marked stone dug pit, M.C.S.
18 in square 12 in deep raised mound of
earth $4\frac{1}{2}$ ft diam 2 ft high for to sec. cor.
- 60.18 Deposited marked stone dug pit, M.C.S.
18 in square 12 in deep raised mound of
earth $4\frac{1}{2}$ ft diam 2 ft high for to sec. cor.
- 80.24 The to sec. cor. hand rolling soil 2nd date
-

Went on a random line through
center of sec. 10

Va 14th C.

- 20.00 Set temp to sec. cor
- 40.00 Set temp to sec. cor

Township 2 N. Range 1 E. of Chain

- 60.06 Set temp to rec. cor.
- 80.12 Intersect N. C. Y. line 140 hrs. N. of ^{7th rec.} cor. from
which cor. ran N. 89° 54' E. on true line
- 20.03 Deposited marked stone dug pit N. C. Y.
18 in square 12 in deep raised mound of
earth 4 $\frac{1}{2}$ ft. diam. 2 ft. high for to rec. cor.
- 40.06 Deposited marked stone dug pit N. C. Y.
18 in square 12 in deep raised mound of
earth 4 $\frac{1}{2}$ ft. diam. 2 ft. high for to rec. cor.
- 60.09 Deposited marked stone dug pit N. C. Y.
18 in square 12 in deep raised mound of
earth 4 $\frac{1}{2}$ ft. diam. 2 ft. high for to rec. cor.
- 80.12 The $\frac{1}{4}$ rec. cor. sand level well 2 $\frac{1}{4}$ rate

Cast on random line through
N $\frac{1}{2}$ of rec. 10

Va. 14° E.

- 20.00 Set temp to rec. cor.
- 40.00 Set temp to rec. cor.

The Colorado River Meridian Chain

- 60.00 Set temp to sec. cor
- 80.26 Put at N. S. line 12 Ls. S. ^{16.05} cor from
which cor. Plan. S. 89° 35' W on true line
- 20.06 Deposited marked stone dug pit. N. S. 4.
18 in square 12 in deep raised mound of
earth 4 1/2 ft diam 2 ft high for to sec. cor.
- 40.13 Deposited marked stone dug pit. N. S. 4.
18 in square 12 in deep raised mound of
earth 4 1/2 ft diam 2 ft high for to sec. cor.
- 60.19 Deposited marked stone dug pit. N. S. 4.
18 in square 12 in deep raised mound of
earth 4 1/2 ft diam 2 ft high for to sec. cor.
- 80.26 The to sec. cor. land rolling soil
rarily 2nd rate

Subdivision of sec. 3.
West on random line through
S. 3 of sec. 3.

Vol. 14 C

53
43 thru
52 does not exist

Township 2 N. Range 1 East of
Chain

- 20.00 Set temp to sec. cor.
- 40.00 Set temp to sec. cor.
- 60.00 Set temp to sec. cor.
- 80.00 Put in the line 13' Sh. ^{to sec} _{cor.} from
which cor. ran 48 7/8' on true line
- 20.00 Deposited marked stone dug pit No 4.
18 in square 12 in deep raised mound of
earth 4 1/2 ft diam 2 ft high for to sec cor.
- 40.00 Deposited marked stone dug pit No 4.
18 in square 12 in deep raised mound of
earth 4 1/2 ft diam 2 ft high for to sec cor.
- 60.00 Deposited marked stone dug pit No 4.
18 in square 12 in deep raised mound of
earth 4 1/2 ft diam 2 ft high for to sec cor.
- 80.00 The to sec. cor. land level set 3rd rate

Cast one random line through
center of sec. 3.

Va 146

The Colorado River Meridians

Chains

- 20.00 Set temp to sec cor
- 40.00 Set temp $\frac{1}{4}$ sec. cor
- 60.00 Set temp to sec cor.
- 80.20 Intert the S. line of the h^g of cor ^{$\frac{1}{4}$ sec} from which cor Frank 89° 31' W on true line
- 20.05 Deposited marked stone dug pit N.E. 18 in square 12 in deep raised mound of earth $4\frac{1}{2}$ ft diam 2 ft high for to sec. cor
- 40.10 Deposited marked stone dug pit N.E. 18 in square 12 in deep raised mound of earth $4\frac{1}{2}$ ft diam 2 ft high for $\frac{1}{4}$ sec. cor.
- 60.15 Deposited marked stone dug pit N.E. 18 in square 12 in deep raised mound of earth $4\frac{1}{2}$ ft diam 2 ft high for to sec. cor.
- 80.20 The $\frac{1}{4}$ sec. cor. Land level soil $3\frac{1}{2}$ rate

West on a random line through
 $1\frac{1}{2}$ of sec. 3.

Va. 14 C

Township 2 N. of Range 1 E. of
Chain

- 2000 Set temp to sec. cor
- 4000 Set temp to sec cor,
- 6000 Set temp to sec. cor.
- 7970 Set the S. line 10th. ^{76th} ~~10th~~ ^{76th} from
which cor. Fran. 182.36. Con true line
- 19.97 Deposited marked stone dug pit 18th,
18 in square 12 in deep raised mound of
earth 4 1/2 ft diam 2 ft high for to sec cor.
- 39.95 Deposited marked stone dug pit 18th,
18 in square 12 in deep raised mound of
earth 4 1/2 ft diam 2 ft high for to sec cor.
- 59.92 Deposited marked stone dug pit 18th,
18 in square 12 in deep raised mound of
earth 4 1/2 ft diam 2 ft high for to sec cor.
- 79.90 To to sec. cor. Land level soil sandy
3rd rate, galletta, mesquite grass
sage bush and cleoste

The Colorado River Meridian Chain

Subdivision of sec. 33,
East on a random line through
S. 2 of sec. 33,
T. 14 N. R. 14 E.

- 2000 Set temp to sec. cor.
- 4000 Set temp to sec. cor.
- 6000 Set temp to sec. cor.
- 7990 Put a nail in line 24 lbs high ^{1/16} from
which cor. can be run S 87° 30' W on true line
- 19 97 Deposited marked stone dug pit N.E. 1/4
18 in square 2 in deep raised mound of
earth 4 1/2 ft diam 2 ft high for to sec. cor.
- 39 95 Deposited marked stone dug pit N.E. 1/4
18 in square 2 in deep raised mound of
earth 4 1/2 ft diam 2 ft high for to sec. cor.
- 59 92 Deposited marked stone dug pit N.E. 1/4
18 in square 2 in deep raised mound of
earth 4 1/2 ft diam 2 ft high for to sec. cor.
- 79 90 N. to sec. cor. sand rolling soil
gravelly 3/4 cote, galletta

Township 2 N. Range 1 E. of
Chain

Went on a random line through
center of sec. 33.

Va 14° E

20.00 Set temp to sec. cor.

40.00 Set temp $\frac{1}{4}$ sec. cor.

60.00 Set temp to sec. cor.

79.92 Set the $\frac{1}{4}$ line 10 lbs. of $\frac{1}{4}$ sec. cor.
which cor. from S 95° 56' E on true line

19.98 Deposited marked stone dug pit No. 2,
18 in square 12 in deep raised mound of
earth 4 1/2 ft. diam 2 ft. high for to sec. cor.

39.96 Deposited marked stone dug pit No. 3,
18 in square 12 in deep raised mound of
earth 4 1/2 ft. diam 2 ft. high for $\frac{1}{4}$ sec. cor.

59.94 Deposited marked stone dug pit No. 4,
18 in square 12 in deep raised mound of
earth 4 1/2 ft. diam 2 ft. high for to sec. cor.

79.92 The $\frac{1}{4}$ sec. cor. land rolling soil
gravelly 3% rate, yellow &
rare brush.

The Colorado River Meridian Chain

Cast on a random line through
N⁵ of sec. 33.

79.14°C

20.00 Set temp to sec. cor.

40.00 Set temp to sec cor

60.00 Set temp to sec. cor.

80.08 Intert. the line 4 Sh. ^{1/10 sec} from
which cor. can be 87.5' 8" W on true line

20.02 Deposited marked stone dug pit N⁵,
18 in square 12 in deep raised mound of
earth 4 1/2 ft. diam 2 ft. high for to sec. cor.

40.04 Deposited marked stone dug pit N⁵,
18 in square 12 in deep raised mound of
earth 4 1/2 ft. diam 2 ft. high for to sec. cor.

60.06 Deposited marked stone dug pit N⁵,
18 in square 12 in deep raised mound of
earth 4 1/2 ft. diam 2 ft. high for to sec. cor.

80.08 The to sec. cor. Land rolling soil
sandy 3' pate of alletta veg. bush
and crows bushes.

39.

Township 2 N., R. 1 E. of

60,

BOOK 6

Colorado River Meridian.

Chains

Subdivision of sec. 28.

East on a random line through
S $\frac{1}{2}$ of sec. 28.

Var. 14 C.

2000 Set temp. to sec. cor.

40.00 Set temp. to sec. cor.

60.00 Set temp. to sec. cor.

80.10 Intersect N. E. line 120 ft. S of ^{7/16} sec. corner
which cor. from S 89° 5' 5" W on true line

2002 Deposited marked stone dug pit No. 9,
18 in square 12 in deep raised mound of
earth 4 1/2 ft. diam 2 ft. high for to sec. cor.

4003 Deposited marked stone dug pit No. 9,
18 in square 12 in deep raised mound of
earth 4 1/2 ft. diam 2 ft. high for to sec. cor.

60.07 Set sand stone 4 X 12 X 3 9 in in earth
marked to on bridge for to sec. cor.

80.10 To to sec. cor. sand rolling soil
rarely 3% water, galletts

Township 2. N range 1 E of
Chain

West on a random line through
center of sec. 28.

Va. 14 E

20.00 Set temp to sec. cor.

40.00 Set temp to sec. cor.

60.00 Set temp to sec. cor.

79.96 Enter the line at $\frac{1}{4}$ sec. cor. from
which cor. Fran B on a true line

19.99 Deposited marked stone dug pit No 9.
18 in square 12 in deep raised mound of
earth 4 $\frac{1}{2}$ ft diam 2 ft high for $\frac{1}{4}$ sec cor

39.98 Deposited marked stone dug pit No 9.
18 in square 12 in deep raised mound of
earth 4 $\frac{1}{2}$ ft diam 2 ft high for $\frac{1}{4}$ sec cor

59.97 Deposited marked stone dug pit No 9.
18 in square 12 in deep raised mound of
earth 4 $\frac{1}{2}$ ft diam 2 ft high for $\frac{1}{4}$ sec cor

79.96 The $\frac{1}{4}$ sec cor. Land broken soil
sandy & $\frac{1}{2}$ rate galletta

Jan. 18th 1876

Colorado River Meridian

Chain

Cast on a random line through
 N 5 of sec. 28.

Va. 14th E

- 2000 Set temp to sec. cor.
- 4000 Set temp to sec. cor.
- 6000 Set temp to sec. cor.
- 8004 First the line 1/4 the ^{to sec} of ^{cor} from
 which cor. can 989.54 W on true line
- 2001 Deposited marked stone dug pit 18"
 8 in square 12 in deep raised mound of
 earth 4 1/2 ft diam 2 ft high for to sec.
- 4002 Deposited marked stone dug pit 18"
 8 in square 12 in deep raised mound of
 earth 4 1/2 ft diam 2 ft high for to sec.
- 6003 Deposited marked stone dug pit 18"
 8 in square 12 in deep raised mound of
 earth 4 1/2 ft diam 2 ft high for to sec.
- 8007 The to sec. cor. Land rolling
 soil sandy 3rd rate of galletto
 sage brush and creosote bushes

Township 2, N. range 1 E of
Chains

Subdivision of sec. 21

Cart on a random line through
S E of sec. 21

Var. 14° E.

- 14.00 Foot of slope and ascend
18.50 Top of mesa 70 ft high
20.00 Set temp to sec. cor.
40.00 Set temp to sec. cor.
60.00 Set temp to sec. cor.
79.90 Enter the S. line 14 S the ^{to sec} temp from
which cor. can be 89° 34' W on true line
19.97 Deposited marked stone dug pit 4 ft
18 in square 12 in deep raised mound of
earth 4 1/2 ft diam 2 ft high for to sec cor
39.95 Deposited marked stone dug pit 4 ft
18 in square 12 in deep raised mound of
earth 4 1/2 ft diam 2 ft high for to sec cor
59.93 Deposited marked stone dug pit 4 ft
18 in square 12 in deep raised mound of
earth 4 1/2 ft diam 2 ft high for to sec cor

Colorado River Meridian

Chains

79.90 The 6 sec. cor. Land rolling soil 3rd rate

Went on a random line through center of sec. 21
-Va 14°C

20.00 Set temp 6 sec. cor

40.00 Set temp 7 sec. cor

59.56 Top of mesa 7.5 ft high

60.00 Set temp 6 sec. cor

63.46 Foot of slope.

79.96 Intersect line 19th sec. ^{17th sec.} from which cor. from 87.52°C on true line

19.99 Deposited marked stone dug pit 18th sec. 18 in square 12 in deep raised mound of earth 4 1/2 ft diam 2 ft high for 6 sec cor

39.98 Set granite stone 14x12x3.9 in in court marked 7 on back for 7 sec cor

59.97 Deposited marked stone dug pit 18th sec. 18 in square 12 in deep raised mound of

Township 2. N. Range 1 E of
Chavis

7796 earth $4\frac{1}{2}$ ft. diam 2 ft high for to sec cor
The $\frac{1}{4}$ sec. cor. sand rolling soil
sandy $3\frac{1}{4}$ rate galletta & long bush,

Cast on a random line through
 $N\frac{1}{2}$ of sec. 21.

Var 4 Co.

- 11.50 Foot of muree ascended
27.05 Set temp to sec cor
27.00 Top of muree 100 ft high
40.00 Set temp to sec. cor
60.00 Set temp to sec. cor.
89.04 Enter the line 12.8 by ^{to sec} cor. flows
which cor. $\frac{1}{4}$ N. $82^{\circ} 33'$ W on true line
20.01 Deposited marked stone dug pit, $4\frac{1}{2}$
18 in square 12 in deep raised mound of
earth $4\frac{1}{2}$ ft diam 2 ft high for to sec cor.
42.03 Deposited marked stone dug pit, $4\frac{1}{2}$
18 in square 12 in deep raised mound of

Colorado River Meridian

Chain

- 60.03 earth 4 1/2 ft. diam 2 ft. high for to sec. cor.
Deposited marked stone dug pits No. 4,
18 in square 12 in deep raised mound of
earth 4 1/2 ft. diam 2 ft. high for to sec. cor.
- 80.04 The to sec. cor. Land rolling soil
gravelly s^{1/2} into gallette,
sage brush and creosote bush

Subdivision of sec. 16
 Cast on a random line through
 1/3 of sec. 16

Va. 14 C

- 20.00 Set temp to sec. cor.
- 40.00 Set temp to sec. cor.
- 60.00 Set temp to sec. cor.
- 80.08 Put the line 1600 ft. ^{to sec.} from
which cor. ran 1873.3 Won true line
- 20.00 Deposited marked stone dug pits No. 4,
18 in square 12 in deep raised mound of

Township 2 N. Range 1 E of

Chain

- 40.07 earth $4\frac{1}{2}$ ft diam 2 ft high for to sec. cor.
 Deposited marked stone dug pits No. 9,
 18 in square 12 in deep raised mound of
 earth $4\frac{1}{2}$ ft diam 2 ft high for to sec. cor.
- 60.06 Deposited marked stone dug pits No. 9,
 18 in square 12 in deep raised mound of
 earth $4\frac{1}{2}$ ft diam 2 ft high for to sec. cor.
- 80.08 The to sec. cor. Sand rolling soil $\frac{1}{2}$ rate

West on a random line through
 center of sec. 16

No. 14 C.

- 20.00 Set temp. to sec. cor.
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 60.00 Set temp. to sec. cor.
- 79.93 Set the line 10 hrs. $\frac{1}{4}$ sec. from
 which cor. True S. 89.5° E on true line
- 19.98 Deposited marked stone dug pits No. 9,
 18 in square 12 in deep raised mound of

Colorado River Meridian

Chain

- 3996 earth $4\frac{1}{2}$ ft diam 2 ft high for 6 sec cor,
Deposited marked stone dug pit No 4,
18 in square 12 in deep caiced mound of
earth $4\frac{1}{2}$ ft diam 2 ft high for 4 sec cor,
3994 Deposited marked stone dug pit No 4,
18 in square 12 in deep caiced mound of
earth $4\frac{1}{2}$ ft diam 2 ft high for 6 sec cor,
7992 The 4 sec cor. land rolling will 3rd date

Cast on a random line through
N $\frac{1}{2}$ of sec. 16.

Sta. 14 C.

- 2000 Set temp to sec cor
4000 Set temp to sec. cor.
6000 Set temp to sec cor
7980 Set out the line 4 Sta. 9th cor. from
which cor. Fran. J. 8758 won true line
1995 Deposited marked stone dug pit No 4
18 in square 12 in deep caiced mound of

Township 2 N. Range 16 E. of

Chain

- 39.90 earth 4 1/2 ft diam 2 ft high for to sec cor. Deposited marked stone dug pits N.E. 18 in square 12 in deep raised mound of earth 4 1/2 ft diam 2 ft high for to sec cor.
- 59.85 Deposited marked stone dug pits N.E. 18 in square 12 in deep raised mound of earth 4 1/2 ft diam 2 ft high for to sec cor.
- 79.80 The to sec. cor. Land rolling soil. gravelly 5/8 rate galletta sage bush and cresote bushes

Subdivisions of sec. 9.
 West on a random line through
 1/5 of sec. 9

Va 14 E

- 2000 Set temp to sec. cor.
- 4000 Set temp to sec. cor.
- 6000 Set temp to sec. cor.
- 80.28 Put in the line 4 lbs of ^{new} from

Colorado River Meridian

Chains

- 20.07 which cor. from T. 89 3' 8" E on true line
Deposited marked stone dug pit N.E. 1/4
18 in square 12 in deep raised mound of
earth 4 1/2 ft diam 2 ft high for to sec. cor.
- 40.14 Deposited marked stone dug pit N.E. 1/4
18 in square 12 in deep raised mound of
earth 4 1/2 ft diam 2 ft high for to sec. cor.
- 100.21 Deposited marked stone dug pit N.E. 1/4
18 in square 12 in deep raised mound of
earth 4 1/2 ft diam 2 ft high for to sec. cor.
- 80.28 The to sec. cor. Sand rolling soil 2nd rate

Cast a meridian line through
center of sec. 9.

Va 14° C.

- ~~00.30~~ ~~Sec. bottom N.W. 1/4~~
- 20.00 Set temp to sec. cor.
- 40.00 Set temp 1/4 sec. cor.
- 60.00 Set temp to sec. cor.

Township 24 Range 10 of

Chain

- 20.10 Set the N.E. line at $\frac{1}{4}$ sec. from which cor. from W on a true line
- 20.03 Deposited marked stone dug pits N.E. 18 in square 12 in deep raised mound of earth $4\frac{1}{2}$ ft. diam 2 ft. high for to sec. cor.
- 40.05 Deposited marked stone dug pits 18 in square 12 in deep raised mound of earth $4\frac{1}{2}$ ft. diam 2 ft. high for $\frac{1}{4}$ sec. cor.
- 60.07 Deposited marked stone dug pits N.E. 18 in square 12 in deep raised mound of earth $4\frac{1}{2}$ ft. diam 2 ft. high for to sec. cor.
- 80.10 The $\frac{1}{4}$ sec. cor. Land rolling soil 3rd rate

Went on a random line through
N.E. of sec. 9

VA 14 C

- 20.00 Set temp to sec. cor.
- 40.00 Set temp to sec. cor.

Colorado River Meridian

Chain

- 60.00 Set temp to sec. cor
- 80.08 Intert Mt 4 line 4 1/2 lbs ^{to sec} cor. from
which cor. I can't 8th 3rd Continue line
- 20.02 Deposited marked stone dug pit Mt 4.
18 in square 12 in deep raised mound of
earth 4 1/2 ft diam 2 ft high for to sec. cor.
- 40.04 Deposited marked stone dug pit Mt 4.
18 in square 12 in deep raised mound of
earth 4 1/2 ft diam 2 ft high for to sec. cor.
- 60.06 Deposited marked stone dug pit Mt 4.
18 in square 12 in deep raised mound of
earth 4 1/2 ft diam 2 ft high for to sec. cor.
- 80.08 The to sec. cor. Land rolling soil
sandy 2nd rate.

Sub division of sec. 4
West on a random line through
1/3 of sec. 4.

No. 14 C

Township 2 N. Range 1. E of

Chains

- 20.00 Set temp to sec. cor
- 40.00 Set temp to sec. cor,
- 60.00 Set temp to sec. cor
- 79.80 Enter the line 16 the h^{1/2} cor from
which cor. Frank 18233 Continue line
- 19.95' Deposited marked stone dug pit, N. S. S.
18 in square 12 in deep raised mound of
earth 4 1/2 ft. diam 2 ft. high for to sec. cor
- 39.90 Deposited marked stone dug pit, N. S. S.
18 in square 12 in deep raised mound of
earth 4 1/2 ft. diam 2 ft. high for to sec. cor
- 59.85' Deposited marked stone dug pit, N. S. S.
18 in square 12 in deep raised mound of
earth 4 1/2 ft. diam 2 ft. high for to sec. cor.
- 79.80 The to sec. cor. Sand rolling soil 3/4 rate

Cast on a random line through
center of sec. 4

VA 146

Colorado River Meridian

Obains

- 20.00 Set temp to sec. cor.
- 40.00 Set temp $\frac{1}{4}$ sec. cor.
- 60.00 Set temp to sec. cor.
- 79.93 Put in the 2 lines & the $\frac{1}{4}$ sec. from
which cor. ran 989.37' W on true line
- 19.98 Deposited marked stone dug pit, N.E. $\frac{1}{4}$
18 in square 12 in deep raised mound of
earth $4\frac{1}{2}$ ft. diam. 2 ft. high for to sec. cor.
- 39.96 Deposited marked stone dug pit, N.E. $\frac{1}{4}$
18 in square 12 in deep raised mound of
earth $4\frac{1}{2}$ ft. diam. 2 ft. high for $\frac{1}{4}$ sec. cor.
- 59.94 Deposited marked stone dug pit, N.E. $\frac{1}{4}$
18 in square 12 in deep raised mound of
earth $4\frac{1}{2}$ ft. diam. 2 ft. high for to sec. cor.
- 79.92 The $\frac{1}{4}$ sec. cor. Land rolling will 3 $\frac{1}{2}$ rate

Went on a random line through
N.E. $\frac{1}{4}$ of sec. 4

Y 0148

Township 2, N Range 10 E of

Chains

- 20.00 Set temp to sec. cor.
- 40.00 Set temp to sec. cor.
- 60.00 Set temp to sec. cor.
- 80.08 Put in 4th line 10th Sta. ^{to sec} cor. from
which cor. began 1873. Continue line
- 20.02 Deposited marked stone dug pit No. 8
18 in square 12 in deep raised mound of
earth 4 1/2 ft. diam. 2 ft. high for to sec. cor.
- 40.04 Deposited marked stone dug pit No. 8
18 in square 12 in deep raised mound of
earth 4 1/2 ft. diam. 2 ft. high for to sec. cor.
- 60.06 Deposited marked stone dug pit No. 8
18 in square 12 in deep raised mound of
earth 4 1/2 ft. diam. 2 ft. high for to sec. cor.
- 80.08 The to sec. cor. Land rolling soil
sandy 3rd rate gallett's sage brush
and creosote bushes.

Pass. 19th / 1876

Colorado River Meridian

Chain

Subdivision of sec. 32.

East on a random line through
S $\frac{1}{2}$ of sec. 32.

Va. 146

- 2000 Set temp to sec cor.
- 40.00 Set temp to sec. cor.
- 42.50 Foot of Meera. N. & S. ascend
- 43.80 Top of Meera N. & S.
- 60.00 Set temp to sec. cor.
- 79.94 Enter N. & S. line 12 lbs N. ^{to sec} cor. from
which cor. from N. & S. 3' 3" W on true line
- 179.8 Deposited marked stone slug pit N. & S.
18 in square 12 in deep raised mound of
earth 4 $\frac{1}{2}$ ft. diam 2 ft. high for to sec. cor.
- 379.97 Deposited marked stone slug pit N. & S.
18 in square 12 in deep raised mound of
earth 4 $\frac{1}{2}$ ft. diam 2 ft. high for to sec. cor.
- 579.95 Deposited marked stone slug pit N. & S.
18 in square 12 in deep raised mound of
earth 4 $\frac{1}{2}$ ft. diam 2 ft. high for to sec. cor.

Township 2 N. Range 1 E of

Chains

79.94 The trees, cor. Sand hick soil 2⁵/₈ rateWest on a random line through
center of sec. 32.Va 14⁰/₈.

20.00 Set temp to sec. cor

40.00 Set temp $\frac{1}{4}$ sec. cor.

60.00 Set temp to sec. cor.

79.88 Set on N. S. line & S. ^{1/4} cor from
which cor. Frank. S. 2⁵/₈ E on true line19.97 Deposited marked stone dug pit N. S. P.
18 in square 12 in deep raised mound of
earth $4\frac{1}{2}$ ft diam 2 ft high for to sec. cor.39.94 Deposited marked stone dug pit N. S. P. 18 in
square 12 in deep raised mound of
earth $4\frac{1}{2}$ ft diam 2 ft high for $\frac{1}{4}$ sec. cor.59.91 Deposited marked stone dug pit N. S. P.
18 in square 12 in deep raised mound of
earth $4\frac{1}{2}$ ft diam 2 ft high for to sec. cor.

Colorado River Meridian

Chain

79.88 The $\frac{1}{4}$ sec. cor. land broken soil 2nd rate
Galletta, sage bush, and creosote
bushes.

Cast one random line through
N^o 3 of sec. 32.

Va $\frac{1}{4}$ ° E

20.00 Set temp to sec. cor.

40.00 Set temp to sec. cor.

46.80 Foot of mesa N^o 1 arc cor

60.00 Set temp to sec. cor.

63.00 Top of mesa 60 ft high.

79.90 Set the line 14 $\frac{1}{4}$ sec. ^{temp} from
which cor. E can be 87 $\frac{3}{4}$ ° W on true line

19.97 Deposited marked stone dug pile N^o 3
18 in square 12 in deep raised mound of
earth 4 $\frac{1}{2}$ ft diam 9 ft high for to sec cor

32.95 Deposited marked stone dug pile N^o 4
18 in square 12 in deep raised mound of

Township 2 N Range 1 E of

Chains

- 59.93 earth $4\frac{1}{2}$ ft diam 2 ft high for to sec cor
 Deposited marked stone dug pit No 9
 18 in square 12 in deep raised mound of
 earth $4\frac{1}{2}$ ft diam 2 ft high for to sec cor
- 79.96 The to sec cor Lateral broken soil 2nd rate

Subdivision of sec. 29.

Cast on a random line through
 $\frac{1}{2}$ of sec. 29

Va. 14 E.

- 20.00 Set temp to sec. cor
- 40.00 Set temp to sec. cor,
- 58.00 Foot of mura 40 ft high ascend
- 60.00 Set temp to sec cor
- 62.30 Top of mura 60 ft high
- 80.08 Intersect the line at ^{to sec} cor. from which
 cor. from W on a true line
- 20.02 Deposited marked stone dug pit No 9.
 18 in square 12 in deep raised mound of

Colorado River Meridian

Chains

- 40.04 earth $4\frac{1}{2}$ ft. diam 2 ft. high for $\frac{1}{4}$ sec. cor.
 Deposited marked stone slug pits N.E. & S.E.
 18 in square 12 in deep raised mound of
 earth $4\frac{1}{2}$ ft. diam 2 ft. high for $\frac{1}{4}$ sec. cor.
- 60.06 Deposited marked stone slug pits N.E. & S.E.
 18 in square 12 in deep raised mound of
 earth $4\frac{1}{2}$ ft. diam 2 ft. high for $\frac{1}{4}$ sec. cor.
- 80.08 The $\frac{1}{4}$ sec. cor. Land taken soil 3 ft. rate

West on a random line through
 center of sec. 29.

Va. 14' E

- 20.00 Set temp $\frac{1}{4}$ sec. cor.
- 22.04 Top of mesa, N.E. & S.E. 60 ft. high descend
- 24.04 Foot of mesa
- 40.00 Set temp $\frac{1}{4}$ sec. cor.
- 60.00 Set temp $\frac{1}{4}$ sec. cor.
- 80.04 Put in N.E. & S.E. line 12 the top ^{$\frac{1}{4}$ sec.} cor. from
 which cor. can be run 87° 55' E on true line

Township 2 N. Range 1 E of

Chains

- 20.01 Deposited marked stone dug pit, N.E. 1/4,
18 in square 12 in deep raised mound of
earth 4 1/2 ft. diam 2 ft. high for 1/6 sec. cor.
- 40.02 Deposited marked stone dug pit N.E. 1/4,
18 in square 12 in deep raised mound of
earth 4 1/2 ft. diam 2 ft. high for 1/4 sec. cor.
- 60.03 Deposited marked stone dug pit N.E. 1/4,
18 in square 12 in deep raised mound of
earth 4 1/2 ft. diam 2 ft. high for 1/6 sec. cor.
- 80.04 The 1/6 sec. cor. Land between wit 3rd date

East on a random line through
N 1/2 of sec. 29

to 14° E.

- 20.00 Set temp. to sec. cor.
- 40.00 Set temp. to sec. cor.
- 41.00 Foot of mesa N.E. 1/4 ascend
- 44.00 Top of mesa 60 ft. high
- 60.00 Set temp. to sec. cor.

Colorado River Meridian

Chain

- 79.96 Intersect line 7. The ^{to sec} height of cor. from which cor. 8 and 8757 W on true line
- 19.99 Deposited marked stone dug pit No. 8, 18 in square 12 in deep raised mound of earth $4\frac{1}{2}$ ft diam 2 ft high for to sec. cor.
- 39.98 Deposited marked stone dug pit No. 8, 18 in square 12 in deep raised mound of earth $4\frac{1}{2}$ ft diam 2 ft high for to sec. cor.
- 59.97 Deposited marked stone dug pit No. 8, 18 in square 12 in deep raised mound of earth $4\frac{1}{2}$ ft diam 2 ft high for to sec. cor.
- 79.96 The to sec. cor. and broken soil gravelly 3rd rate arrow weed sage brush and ceasote bushes

Subdivision of sec. 20

East on a random line through
 $\frac{1}{3}$ of sec. 20.

Vol 146

Township 2. N. Range 1 E of

Chains

- 20,00 Set temp to sec cor.
- 40,00 Set temp to sec. cor
- 42,60 Leave bottom N.S.P.
- 60,00 Set temp to sec. cor.
- 80,02 Enter N.S.P. line 14 1/2 hrs. ^{to sec} _{Cor. from} which cor. from 2934 W on true line
- 20,00 Deposited marked stone set mesquite post 4 ft long 2 1/2 in square 12 in in earth marked to on inside dug pits N.S.P. 18 in square 12 in deep raised mound of earth 4 1/2 ft diam 2 ft high for to sec. cor.
- 40,01 Deposited marked stone set mesquite post 4 ft long 2 1/2 in square 12 in in earth marked to on inside dug pits N.S.P. 18 in square 12 in deep raised mound of earth 4 1/2 ft diam 2 ft high for to sec. cor.
- 60,01 Deposited marked stone set mesquite post 4 ft long 2 1/2 in square 12 in in earth marked to on inside dug pits N.S.P. 18 in square 12 in deep raised mound of

Colorado River Meridian

Chains

- 80.02 earth $4\frac{3}{4}$ ft diam 2 ft high for $\frac{1}{4}$ sec. cor.
The $\frac{1}{4}$ sec. cor. Sand level soil $1\frac{1}{2}$ inch;
Mosquito, and arrow weed.
- West on a random line through
center of sec. 20.
- Sta. 14 Co.
- 20.00 Set temp $\frac{1}{4}$ sec. cor.
- 26.20 Enter bottom M.S.
- 40.00 Set temp $\frac{1}{4}$ sec. cor.
- 60.00 Set temp $\frac{1}{4}$ sec. cor.
- 80.08 Set at M.S. line 21 the top ^{$\frac{1}{4}$ sec} of corner
which cor. Frank 89.37 on true line
- 20.03 Set granite stone 24x12x6, 16 in in earth
marked to outside for $\frac{1}{4}$ sec. cor.
- 40.04 Deposited marked stone set near quite
post 4 ft long 2 $\frac{1}{2}$ in square 12 in in earth
marked $\frac{1}{4}$ on outside top pits M.S. is
in square 12 in deep inside mound of

Township 2 N Range 10 E of
Chain

- 100.06 earth 4 1/2 ft diam 2 ft high for sec. cor.
Deposited marked stone set mesquite
post 4 ft long 2 1/4 in square 12 in in earth
marked to on the side dug below N.P.L. in
square 12 in deep and set mound of
80.08 the 1/2 sec. cor. Same level soil 1 1/2' set
mesquite & arrow each.

Start on a random line through
N 1/2 of sec. 20.

Var 14' 6"

- 20.00 Set temp. to sec. cor.
40.00 Set temp. to sec. cor.
60.00 Set temp. to sec. cor.
62.50 Leave bottom N.P.L.
79.96 Fasten N.P.L. line 1/2 hr 1/2 sec from
which cor. can be 82' 37' W on true line
19.99 Deposited marked stone set mesquite.
post 4 ft long 2 1/4 in square 12 in in earth

Colorado River Meridian

Chambers

- marked to on inside dug pit. 18 in square 12 in deep raised a mound of earth 4 1/2 ft diam 2 ft high for 1/2 sec. cor.
- 39.98 Deposited marked stone set mesquite post 4 ft long 2 1/4 in square 12 in in earth marked to on the side dug pit. 18 in square 12 in deep raised mound of earth 4 1/2 ft diam 2 ft high for 1/2 sec. cor.
- 39.97 Deposited marked stone set mesquite post 4 ft long 2 1/4 in square 12 in in earth marked to on the side dug pit. 18 in square 12 in deep raised a mound of earth 4 1/2 ft diam 2 ft high for 1/2 sec. cor.
- 79.96 The 1/2 sec. cor. Land level soil 1/2 rate mesquite and arrow weed.

Subdivision of sec. 17.

Cart on a narrow line through
L¹ of sec. 17

Township 2 N Range 1 E of

Chain

No. 14 C

- 20.00 Set temp to sec. cor.
- 40.00 Set temp to sec. cor.
- 60.00 Set temp to sec. cor.
- 62.25 Foot of Necessa N.S.P. ascend.
- 66.00 Top of Necessa. 30 ft. high
- 79.93 First true line 12 ft. ^{to sec.} from
which cor. $\frac{1}{2}$ can be 87.35' W on true line
- 19.98 Deposited marked stone set mesquite
post $4\frac{1}{2}$ ft. long $2\frac{1}{4}$ in square 12 in in earth
marked to on back dug pit N.S.P. 13 in
square 12 in deep raised mound of
earth $4\frac{1}{2}$ ft. diam 2 ft. high for to sec. cor.
- 39.96 Deposited marked stone set mesquite
post $4\frac{1}{2}$ ft. diam $2\frac{1}{4}$ in square 12 in in earth
marked to on back dug pit N.S.P. 18
in square 12 in deep raised mound of
earth $4\frac{1}{2}$ ft. diam 2 ft. high for to sec. cor.
- 59.94 Deposited marked stone set mesquite
post $4\frac{1}{2}$ ft. long $2\frac{1}{4}$ in square 12 in in earth

Colorado River Meridian

Chains

marked $\frac{1}{16}$ on inside dug pits M.D.P. in
square 12 in deep raised mound of
earth $4\frac{1}{2}$ ft diam 2 ft deep for $\frac{1}{16}$ sec cor

79.92

The $\frac{1}{16}$ sec. cor. land level flat soil 3rd rate

West. on a random line through
center of sec. 17

Var. 14th E.

17.46 Top of mesa, 40 ft high descend

20.00 Set temp to sec. cor.

24.96 Foot of mesa M.D.P.

40.00 Set temp $\frac{1}{4}$ sec. cor.

60.00 Set temp to sec. cor.

79.96 Intersect M.D.P. line 14th sec. ^{$\frac{1}{16}$ sec} from
which cor. ran 87.54° E on true line

19.99 Deposited marked stone set merquite
post 4 ft. long 2 $\frac{1}{4}$ in square 12 in in earth
marked $\frac{1}{16}$ on inside dug pits M.D.P. in
in square 12 in deep raised mound of

Township 2 N. Range 16 E of

Chain

- 89.98 earth $4\frac{1}{2}$ ft. diam 2 ft. high for $\frac{1}{4}$ sec. cor.
 Deposited marked stone set mesquite
 post 4 ft. long 2 $\frac{1}{2}$ in square 12 in in earth
 marked # on the side dug pit 18 $\frac{1}{2}$ in
 in square 12 in deep raised a mound of
 earth $4\frac{1}{2}$ ft. diam 2 ft. high for $\frac{1}{4}$ sec. cor.
- 89.97 Deposited marked stone set mesquite
 post 4 ft. long 2 $\frac{1}{2}$ in square 12 in in earth
 marked 7 on the side dug pit 18 $\frac{1}{2}$ in
 square 12 in deep raised mound of
 earth $4\frac{1}{2}$ ft. diam 2 ft. high for $\frac{1}{4}$ sec. cor.
- 79.96 The $\frac{1}{4}$ sec. cor. land level soil 2nd rate

Jan. 20th 1876

Part on a random line through
 N $\frac{1}{2}$ of sec. 17

N. 14 $^{\circ}$ E.

- 20.00 Set temp to sec. cor.
 40.00 Set temp to sec. cor.
 43.20 Foot of Merica ascend

Colorado River Meridian

Chains

- 43.40 Top of mesa, 50 ft high
- 60.00 Set trap to see cor.
- 80.06 Set the M.S. line at $\frac{1}{2}$ ^{to see} cor. from which
cont. can W or true line
- 20.01 Deposited marked stone set, mesquite,
post 4 ft long $2\frac{1}{2}$ in square 12 in in earth
marked 16 on the side dug pit. M.S. is
in square 12 in deep raised mound of
earth 4 $\frac{1}{2}$ ft diam 2 ft high for to see cor.
- 40.03 Deposited marked stone set, mesquite,
post 4 ft long $2\frac{1}{2}$ in square 12 in in earth
marked 16 on the side dug pit. M.S. is
in square 12 in deep raised mound of
earth 4 $\frac{1}{2}$ ft diam 2 ft high for to see cor.
- 60.04 Deposited marked stone dug pit. M.S.
18 in square 12 in deep raised mound of
earth 4 $\frac{1}{2}$ ft diam 2 ft high for to see cor.
- 80.06 The to see cor. land level with 2nd rate
sage brush, creosote bushes and
mesquite and arrowweed.

Township 2 N. Range 1 E. of

Chains

Subdivision of sec. 8.

Went on a random line through
S. $\frac{1}{2}$ of sec. 8Ya. 14th C.20.00 Set temp $\frac{1}{2}$ sec. cor.40.00 Set temp $\frac{1}{2}$ sec. cor.60.00 Set temp $\frac{1}{2}$ sec cor70.60 Enter bottom N.E. $\frac{1}{4}$ 80.36 Enter N.E. $\frac{1}{4}$ line 13th Sec. 8 of ^{to sec.} $\frac{1}{2}$ sec. corner
which cor. from S. 89^o 35' Construct line20.09 Deposited marked stone set mercury
post 4 ft. long 2 $\frac{1}{2}$ in square 12 in in earth
marked to on N side duplicate N.E. $\frac{1}{4}$ 18
in square 12 in deep raised mound of
earth 4 $\frac{1}{2}$ ft. diam 2 ft. high for $\frac{1}{2}$ sec. cor.40.18 Deposited marked stone set mercury
post 4 ft. long 2 $\frac{1}{2}$ in square 12 in in earth
marked to on N side duplicate N.E. $\frac{1}{4}$ 18
in square 12 in deep raised mound of
earth 4 $\frac{1}{2}$ ft. diam 2 ft. high for $\frac{1}{2}$ sec cor.

Colorado River Meridian

Chavis

- 60.27 Deposited marked stone set mesquite post 4 ft long $2\frac{1}{2}$ in square 12 in in earth marked $\frac{7}{16}$ on back dug pits N. 4. 18 in square 12 in deep raised mound of earth 5 ft diam 2 ft high for $\frac{7}{16}$ sec. cor.
- 80.30 The $\frac{7}{16}$ sec. cor. sand rolling soil $3\frac{1}{2}$ rods,

Out on a random line through center of sec. 8.

Va. 14° E.

- 00.30 Leave bottom N. W. S. E. C.
- 20.00 Set temp $\frac{7}{16}$ sec. cor.
- 40.00 Set temp $\frac{7}{16}$ sec. cor.
- 60.00 Set temp $\frac{7}{16}$ sec. cor.
- 80.20 Intersect line 10 S. E. $\frac{1}{2}$ sec. from which cor. from S. 87° 56' W. on true line
- 20.05 Deposited marked stone set mesquite post 4 ft long $2\frac{1}{4}$ in square 12 in in earth marked $\frac{7}{16}$ on back dug pits N. 4. 18

Township 2 N. Range 16 E of

Chains

- 40.10 in square 12 in deep raised mound of earth $4\frac{1}{2}$ ft diam 2 ft high for 6 sec cor. Deposited marked stone set mesquite post 4 ft long $2\frac{1}{4}$ in square 12 in, in earth marked $\frac{1}{4}$ on the side slug pits N.C. 18
- 60.15 in square 12 in deep raised mound of earth $4\frac{1}{2}$ ft diam 2 ft high for 4 sec cor. Deposited marked stone set mesquite post 4 ft long $2\frac{1}{4}$ in square 12 in, in earth marked $\frac{1}{6}$ on the side slug pits N.C. 18
- 80.20 in square 12 in deep raised mound of earth $4\frac{1}{2}$ ft diam 2 ft high for 6 sec, cor. The $\frac{1}{4}$ sec cor. land broken out 3 $\frac{3}{4}$ rods

West on a random line through
N $\frac{1}{2}$ of sec. 8.

Va. 14 E.

20.00 Set temp to sec. cor.

40.00 Set temp to sec. cor.

Township 2 N Range 1 E of

Chambers

Submission of sec. 5
Went on a resection line through
S² of sec. 5:
Va 14th Co.

20.00 Set temp to sec. cor.

40.00 Set temp to sec. cor.

60.00 Set temp to sec. cor.

79.86 Put at hd of line 16 lbs. of ^{to all} iron
which cor. on N 82° 33' E on true line

19.96 Deposited marked stone deep pits N 82°
18 in square 12 in deep raised mound of
earth 4 1/2 ft diam 2 ft high for to sec. cor.

39.93 Deposited marked stone deep pits N 82° 18
in square 12 in deep raised mound of
earth 4 1/2 ft diam 2 ft high for to sec. cor.

39.89 Deposited marked stone deep pits N 82° 18
in square 12 in deep raised mound of
earth 4 1/2 ft diam 2 ft high for to sec. cor.

79.86 The to sec. cor. land nothing soil 3/4 rate.

Colorado River Meridian

Chains

Cast on a random line through center of sec. 3'

No. 14th Co.

- 20.00 Set temp 16 sec. cor.
- 40.00 Set temp 1/2 sec cor
- 60.00 Set temp 16 sec. cor.
- 80.10 Set temp 1/2 sec. cor. ^{1/4 sec} from which cor. ran to 82.3'8" in true line
- 20.03 Deposited marked stone deep pit. 18 in square 12 in deep raised around with earth 4 1/2 ft. diam 2 ft. high for 1/2 sec. cor.
- 40.05 Deposited marked stone deep pit. 18 in square 12 in deep raised around with earth 4 1/2 ft. diam 2 ft. high for 1/2 sec. cor.
- 60.07 Deposited marked stone deep pit. 18 in square 12 in deep raised around with earth 4 1/2 ft. diam 2 ft. high for 1/2 sec. cor.
- 80.10 The 1/2 sec. cor. sand rolling soil 3rd rate, galletta and sage brush.

Township 2 N. Range 10 E of

Chairs

Went on a random line through
N E. of sec. 5

No. 14, C.

- 20,00 Set temp to sec cor.
- 40,00 Set temp to sec. cor.
- 60,00 Set temp to sec. cor.
- 79,92 Inlet 1/2 line 12 lbs. 1/2 of ^{1/2 sec.} cor. from
which cor. ran 487.35' to true line
- 19,98 Deposited marked stone deep pit. 12" x 18"
in square 12 in deep raised a mound of
earth 4 1/2 ft diam. 2 ft high for 16 sec. cor.
- 31,96 Deposited marked stone deep pit. 12" x 18"
in square 12 in deep raised a mound of
earth 4 1/2 ft diam. 2 ft high for 16 sec. cor.
- 39,94 Deposited marked stone deep pit. 12" x 18"
in square 12 in deep raised a mound of
earth 4 1/2 ft diam. 2 ft high for 16 sec. cor.
- 79,93 The 16 sec. cor. Land rolling soil sandy
3/4 rate galletta cocobolo bushes
and sage brush.

Colorado River Meridian

Chains

Subdivision of sec. 34

Went on a random line through
N. E. of sec. 34

Valley Co.

20.00 Set temp. to sec. cor.

40.00 Set temp. to sec. cor.

60.00 Set temp. to sec. cor.

79.56 Intert. the S. line at $\frac{7}{16}$ sec. cor. from which cor.
Tran. C. on a true line

19.86 Deposited marked stone dug pits N.E.
18 in square 12 in deep raised mound of
earth 4 $\frac{1}{2}$ ft. diam 2 ft high for to sec. cor.

39.56 Deposited marked stone dug pits N.E.
18 in square 12 in deep raised mound
of earth 4 $\frac{1}{2}$ ft. diam 2 ft high for to sec. cor.

59.56 Deposited marked stone dug pits N.E.
18 in square 12 in deep raised mound
of earth 4 $\frac{1}{2}$ ft. diam 2 ft high for to sec. cor.

79.56 The to sec. cor. Land level soil 2 $\frac{1}{2}$ rate

Township 2 N. Range 1 E of

Chains

West on a corner line through
center of sec. 34

Va. 14° E.

- 20.00 Set temp. $\frac{1}{6}$ sec. cor.
- 40.00 Set temp $\frac{1}{7}$ sec. cor.
- 60.00 Set temp $\frac{1}{8}$ sec. cor.
- 79.60 Put in N.E. line 10 str. $\frac{1}{2}$ of cor from
which cor. from T. 8936 ^{1/2 sec} won true line
- 19.60 Deposited marked stone set
18 in square 12 in deep raised mound of
earth $4\frac{1}{2}$ ft diam 2 ft high for $\frac{1}{6}$ sec. cor.
- 39.60 Deposited marked stone set mesquite
post 2 ft long $2\frac{1}{4}$ in square 12 in in earth
marked $\frac{1}{7}$ on N side dug pit N.E. $\frac{1}{8}$
in square 12 in deep raised mound of
earth $4\frac{1}{2}$ ft diam 2 ft high for $\frac{1}{6}$ sec. cor.
- 59.60 Deposited marked stone set mesquite
post 4 ft long $2\frac{1}{4}$ in square 12 in in earth
marked $\frac{1}{6}$ on N side dug pit N.E. $\frac{1}{8}$
in square 12 in deep raised mound of

Colorado River Meisidian

Chains

79.60 earth $4\frac{1}{2}$ ft. diam 2 ft high for $\frac{1}{2}$ sec. cor.
The $\frac{1}{2}$ sec. cor. sand level soil 2nd rate.

Went on a random line through
N.E. of sec. 31.

Va. 14th B

20.00 Set temp to sec. cor.

40.00 Set temp to sec. cor.

60.00 Set temp to sec. cor.

79.62 Put in N.E. line 8th S. $\frac{1}{2}$ sec. ^{to sec.} from
which cor. from S. 82.37' E on true line

19.62 Deposited marked stone set mosquito
post 4 ft. long $2\frac{1}{4}$ in square 12 in in earth
marked to on the side dug pits N.E. 18
square 12 in deep raised a mound of
earth $4\frac{1}{2}$ ft. diam 2 ft. high for to sec. cor.

39.62 Deposited marked stone set mosquito
post 4 ft. long $2\frac{1}{4}$ in square 12 in in earth
marked to on the side dug pits N.E. 18

Township 2^d Range 1st of

Chains

- in square 12 in deep raised mound of earth $4\frac{1}{2}$ ft. diam. 9 ft. high for to sec. cor.
- 59.62 Depressed marked stone set mesquite. post 4 ft. long $2\frac{1}{4}$ in square 12 in in earth marked to on N side dug pit 18 ft. in square 12 in deep raised mound of earth $4\frac{1}{2}$ ft. diam. 9 ft. high for to sec. cor.
- 79.62 The to sec. cor. sand level soil sandy. 2nd rate galletta rag bark, mesquite

Subdivision of sec. 30

West on a random line through S¹/₂ of sec. 30.

Va. 14 C.

2000 Set temp to sec. cor.

4000 Set temp to sec. cor.

6000 Set temp to sec. cor.

79.71 Set 1st line 48 S. 1st cor from ^{to sec} which cor from S. 89° 39' E on true line

Colorado River Meridian

Chains

- 19.71 Deposited marked stone set mesquite post 4 ft long $2\frac{1}{4}$ in square 12 in in earth marked to on N side dug pit N.S.E. 18 in square 12 in deep raised mound of earth $4\frac{1}{2}$ ft diam 2 ft high for to see cor.
- 29.71 Deposited marked stone set mesquite post 4 ft long $2\frac{1}{4}$ in square 12 in in earth marked to on N side dug pit N.S.E. 18 in square 12 in deep raised mound of earth $4\frac{1}{2}$ ft diam 2 ft high for to see cor.
- 39.71 Deposited marked stone set mesquite post 4 ft long $2\frac{1}{4}$ in square 12 in in earth marked to on N side dug pit N.S.E. 18 in square 12 in deep raised mound of earth $4\frac{1}{2}$ ft diam 2 ft high for to see cor.
- 79.71 The to see cor. Level level soil 1/4 rate. Sag brush.

Township 2 N. Range 1 E. of

Chains

West on a section line through
center of sec. 30

Va. 11 $\frac{1}{2}$ Co.

- 20.00 Set temp to sec. cor.
 40.00 Set temp to sec. cor.
 60.00 Set temp to sec. cor.
 79.60 Set temp to sec. cor. 144 S. 1/2 Sec. 30 ^{1/2 sec} from
 which cor. Sec. 30 119' 40" N on true line
 17.60 Deposited marked stone set mesquite
 post 4 ft. long 2 $\frac{1}{4}$ in square 12 in in earth
 marked to on inside dug pit N. S. 18
 in square 12 in deep raised mound of
 earth 4 $\frac{1}{2}$ ft. diam 2 ft. high for to sec. cor.
 39.60 Deposited marked stone set mesquite
 post 4 ft. long 2 $\frac{1}{4}$ in square 12 in in earth
 marked to on inside dug pit N. S. 18
 in square 12 in deep raised mound
 of earth 4 $\frac{1}{2}$ ft. diam 2 ft. high for to sec. cor.
 39.60 Deposited marked stone set mesquite
 post 4 ft. long 2 $\frac{1}{4}$ in square 12 in in earth

Colorado River Meridian

Chain

marked to on brick dug pits No. 18
 in square 12 in deep raised mound of
 earth 4 1/2 ft diam 2 ft high for to sec. cor.
 19.60 Set 1/2 sec. cor. sand level with 1/2 sec. cor.

Went on a random line through
 N 1/2 of sec. 30.

Va. 14th E.

20.00 Set temp to sec. cor.

40.00 Set temp to sec. cor.

60.00 Set temp to sec. cor.

64.30 Road course N 60° E W. of 1/2 sec.
 79.20 Intert. N. E. line 30 lbs. of 1/2 sec. from
 which cor. from S 89° 45' E on true line

19.20 Deposited marked stone set mesquite
 post 4 ft. long 2 in square 12 in in earth
 marked to on brick dug pits No. 18
 in square 12 in deep raised mound of
 earth 4 1/2 ft. diam 2 ft. high for to sec. cor.

39.20 Deposited marked stone set mesquite
 &c.

Township 2 N. Range 1 E of

Chains

- 39.20 Deposited marked stone set mesquite post 4 ft. long $2\frac{1}{2}$ in square 12 in in earth marked to on inside dug pits 18 in square 12 in deep raised mound of earth $4\frac{1}{2}$ ft. diam 2 ft. high for to sec. cor.
- 79.20 The to sec. cor. land level soil 1st rate galletta mesquite and sage bush.
- Jan. 21st 1886

Subdivision of sec. 19.
Went on a random line through
E of sec. 19.

No 11, E

- 20.00 Set temp. to sec. cor.
38.00 ~~Set temp. to sec. cor.~~ H. W. C. C.
40.00 Set temp. to sec. cor.
60.00 Set temp. to sec. cor.
- 79.67 Put in 4 line 21 Sh. by Cor. from
which cor. from N 89° 31' E on true line
- 19.67 Deposited marked stone dug pits 18 in square 12 in deep raised mound

Colorado River Meridian

Chain

- 39.67 Deposited marked stone set mesquite post 4 ft. long $2\frac{1}{4}$ in square 12 in in earth marked ~~to~~ on N side deep pits $12\frac{1}{2}$ in square 12 in deep raised mound of earth $4\frac{1}{2}$ ft diam 2 ft high for $\frac{1}{6}$ sec. cor.
- 39.67 Deposited marked stone set mesquite post 4 ft. long $2\frac{1}{4}$ in square 12 in in earth marked ~~to~~ on N side deep pits $12\frac{1}{2}$ in square 12 in deep, raised mound of earth $4\frac{1}{2}$ ft diam 2 ft high for $\frac{1}{6}$ sec. cor.
- 79.67 The $\frac{1}{6}$ sec. cor. sand broken red $1\frac{1}{4}$ rate

Went on a ran down line through center of sec. 19

Va. 14° E

- 2000 Set temp $\frac{1}{6}$ sec cor
- 3200 ~~High Road~~ course 142.3°
- 4000 Set temp $\frac{1}{4}$ sec cor
- 6000 Set temp $\frac{1}{6}$ sec cor

Township 2 N Range 1 E of

Chains

- 79.68 Part of the line 2 & 8th of ^{1/4} sec from
which cor. Bean No. 2, 48' E on true line
- 19.68 Deposited marked stone set mesquite
post 4 ft long 2 1/4 in square 12 in in east
marked 16 on N side dug pits 18
in square 12 in deep raised mound of
earth 4 1/2 ft diam 2 ft high for 1/4 sec cor.
- 39.68 Deposited marked stone set mesquite
post 4 ft long 2 1/4 in square 12 in in east
marked 7 on N side dug pits 18
in square 12 in deep raised mound
of earth 4 1/2 ft diam 2 ft high for 1/4 sec cor.
- 59.68 Deposited marked stone dug pits 18
in square 12 in deep raised mound
of earth 4 1/2 ft diam 2 ft high for 1/4 sec cor.
- 79.68 The 1/4 sec. cor. Land broken soil 1 1/2
rate around weed & mesquite

Colorado River Meridian

Chain

West on a random line through
N $\frac{1}{2}$ of sec. 19.

Va 14^o E.

- 2000 Set temp. $\frac{1}{16}$ sec. cor.
31.30 ~~Subroad corner N.W. & S.E.~~
1000 Set temp. $\frac{1}{16}$ sec. cor.
60.00 Set temp. $\frac{1}{16}$ sec. cor.
79.67 Intersected line 18 lbs. $\frac{1}{16}$ sec. from
which cor. Span S 89^o 3' 2" E on true line
19.67 Deposited marked stone set mesquite
post 4 ft. long $2\frac{1}{4}$ in square 12 in in earth
marked $\frac{1}{16}$ on N side dug pits N.E. &
S.W. 18 in square 12 in deep raised mound
of earth $4\frac{1}{2}$ ft. diam 2 ft high for $\frac{1}{16}$ sec. cor.
39.67 Deposited marked stone set mesquite
post 4 ft. long $2\frac{1}{4}$ in square 12 in in earth
marked $\frac{1}{16}$ on N side dug pits N.E. &
S.W. 18 in square 12 in deep raised mound
of earth $4\frac{1}{2}$ ft. diam 2 ft high for $\frac{1}{16}$ sec. cor.
39.67 Deposited marked stone dug pits N.E. &
S.W. 18 in square 12 in deep raised mound

Township 2 N. Range 1 E of

Chain

79.67 earth $4\frac{1}{2}$ ft. diam 2 ft. high for to see cor.
 The to sec. cor. land looked by small
 sand hills soil $1\frac{1}{2}$ rate brown weed
 and mesquite

Subdivision of sec. 18
 West on a random line through
 $4\frac{1}{2}$ of sec. 18

Va. 14°C

- 20.00 Set temp to sec. cor
- 25.25 Put road N. W. S. E.
- 40.00 Set temp to sec. cor
- 60.00 Set temp to sec. cor
- 80.10 Put at N. S. E. line 15' the top ^{to sec} cor. from
 which cor. Fran. 88954 C on true line
- 20 10 Deposited marked stone set mesquite
 post 4 ft. long $2\frac{1}{4}$ in square 12 in in each
 marked to on N side dug pit 12 in in
 square 12 in deep raised mound of

Colorado River Meridian

Chain

- 40.10 earth $4\frac{1}{2}$ ft diam 2 ft high for to sec. cor.,
 Deposited marked stone set mesquite
 post 4 ft long $2\frac{1}{4}$ in square 12 in in earth
 marked T6 on inside deep pits M.S.P. 18 in
 square 12 in deep raised mound
 of earth $4\frac{1}{2}$ ft diam 2 ft high for to sec. cor.,
- 60.10 Deposited marked stone set mesquite
 post 4 ft long $2\frac{1}{4}$ in square 12 in in earth
 marked T6 on inside deep pits M.S.P. 18
 in square 12 in deep raised mound of
 earth $4\frac{1}{2}$ ft diam 2 ft high for to sec. cor.,
- 80.10 The to sec. cor. land level soil $1\frac{1}{2}$ rate

Went on a random line through
 center of sec. 18.

Va. 14°C

2000 Set temp to sec cor.
 32.50 Put at road. M.M. S.H.E.

Township 2 N Range 16 E

Chain

- 40.00 Set temp $\frac{1}{4}$ sec. cor.
- 60.00 Set temp $\frac{1}{6}$ sec cor.
- 80.24 Put at N.E. line of $\frac{1}{2}$ Sec. $\frac{1}{2}$ Cor. from
which cor. from S. 89.31' Co true line
- 20.24 Deposited marked stone set mesquite
post $\frac{1}{4}$ ft long $2\frac{1}{4}$ in square 12 in in earth
marked $\frac{6}{7}$ on N side dug pit N.E. 18 in
square 12 in deep raised mound of
earth $4\frac{1}{2}$ ft diam 2 ft high for $\frac{1}{6}$ sec. cor.
- 40.24 Deposited marked stone set mesquite
post $\frac{1}{4}$ ft long $2\frac{1}{4}$ in square 12 in in earth
marked $\frac{7}{8}$ on N side dug pit N.E. 18 in
square 12 in deep raised mound
earth $4\frac{1}{2}$ ft diam 2 ft high for $\frac{1}{4}$ sec. cor.
- 60.24 Deposited marked stone set mesquite
post $\frac{1}{4}$ ft long $2\frac{1}{4}$ in square 12 in in earth
marked $\frac{6}{7}$ on N side dug pit N.E. 18 in
square 12 in deep raised a mound
earth $4\frac{1}{2}$ ft diam 2 ft high for $\frac{1}{6}$ sec cor.
- 80.24 The $\frac{1}{4}$ sec. cor. land level soil $1\frac{1}{2}$ rate

Colorado River Meridian

Chains

West on a random line through
N $\frac{1}{2}$ of sec. 18

Va. 14 C.

- 20.00 Set temp to sec. cor.
- 37.00 Enter Road N.W. and S.E.
- 40.00 Set temp to sec cor
- 60.00 Set temp to sec. cor.
- 80.20 Enter M.C. line 24 lbs. $\frac{1}{2}$ ^{to sec} cor. from
which cor. from 49°30' E on true line
- 20.20 Deposited marked stone set mesquite
post $\frac{1}{4}$ lb long $2\frac{1}{4}$ in square 12 in in earth
marked to on inside dug pits M.C. 18 in
square 12 in deep raised a mound of
earth $4\frac{1}{2}$ diam. $2\frac{1}{4}$ high for to sec cor.
- 40.20 Deposited marked stone set mesquite
post $\frac{1}{4}$ lb long $2\frac{1}{4}$ in square 12 in in earth
marked to on inside dug pits M.C. 18 in
square 12 in deep raised a mound of
earth $4\frac{1}{2}$ diam. $2\frac{1}{4}$ high for to sec. cor.
- 60.20 Deposited marked stone set mesquite

Township 2 N Range 1 E of

Chain

post 4 ft. long $2\frac{1}{2}$ in square 12 in in earth
 marked to on N. side, dug pits N.E. $1\frac{1}{2}$ in
 square 12 in deep raised mound of
 earth $4\frac{1}{2}$ ft. diam 2 ft. high for $\frac{1}{4}$ sec. cor.,
 80,20 The $\frac{1}{4}$ sec. cor. land level soil $1\frac{1}{2}$ rate
 mesquite and arrow weed,

Sub division of sec. 7.
 West on a random line through
 S. $\frac{1}{2}$ of sec. 7.

Va 14 C

20,00 Set temp $\frac{1}{4}$ sec. cor.
 40,00 Set temp $\frac{1}{4}$ sec. cor.
 44,70 Inlet road course N.W. $\frac{1}{4}$ S. E.
 60,00 Set temp $\frac{1}{4}$ sec. cor.
 63,62 Inlet irrigating canal course of
 80,12 Inlet, N.E. line 10 $\frac{1}{2}$ h of ^{70 sec.} cor from
 which cor. Frank 89,33 Construct line
 2013 Deposited marked stone set mesquite

Colorado River Meridian

Chain

post 4 ft. long $2\frac{1}{4}$ in square 12 in in earth
marked to on N side dug pits N.S.P. 18 in
square 12 in deep raised a mound of
earth $4\frac{1}{2}$ ft diam 2 ft high for to sec. cor.

40.12 Deposited marked stone set mesquite
post 4 ft. long 2 in square 12 in in earth
marked to on N side dug pits N.S.P. 18
in square 12 in deep raised mound of
earth $4\frac{1}{2}$ ft diam 2 ft high for to sec. cor.

60.12 Deposited marked stone set mesquite
post 4 ft. long $2\frac{1}{4}$ in square 12 in in earth
marked to on N side dug pits N.S.P. 18 in
square 12 in deep raised mound of
earth $4\frac{1}{2}$ ft diam 2 ft high for to sec. cor.

80.12 The to sec. cor. level level soil at rate

West on a random line through
center of sec. 7.

Va. 14^o E

Township 2 N. Range 1 E. Co. J

Chain

- 2.60 Enter bottom N.E. 1/4
- 20.00 Set temp to sec. cor.
- 40.00 Set temp $\frac{1}{4}$ sec. cor.
- 57.70 Inlet irrigating canal course $\frac{1}{2}$ enter field
- 60.00 Set temp to sec. cor.
- 68.84 Leave field
- 80.16 Inlet N.E. line 4 lbs. $\frac{1}{4}$ sec. from
which cor. T. can 18958' on true line
- 20.16 Deposited marked stone set willow
post 4 ft long $2\frac{1}{4}$ in square 12 in in earth
marked $\frac{1}{6}$ on N. side dug pit N.E. 1/4 in
square 12 in deep raised mound of
earth $4\frac{1}{2}$ ft diam 2 ft high for sec. cor.
- 40.16 Deposited marked stone set mesquite
post 4 ft long $2\frac{1}{4}$ in square 12 in in earth
marked $\frac{1}{4}$ on N. side dug pit N.E. 1/4
in square 12 in deep raised mound of
earth $4\frac{1}{2}$ ft 2 ft high for $\frac{1}{4}$ sec. cor.
- 60.16 Deposited marked stone set mesquite
post 4 ft long $2\frac{1}{4}$ in square 12 in in earth

Colorado River Meridian

Chains

marked $\frac{7}{8}$ on N side dug pits N S 11
in square 12 in deep raised mound of
earth $4\frac{1}{2}$ ft diam 2 ft high for $\frac{7}{8}$ sec. cor.

80.16 The $\frac{1}{4}$ sec. cor. Land level soil $1\frac{1}{2}$ rate

West on a random line through
N $\frac{1}{2}$ of sec. 7.

Va 14^o Co

3.86 Enter bottom N W. S. E.

20.00 Set temp $\frac{7}{8}$ sec. cor.

40.00 Set temp $\frac{7}{8}$ sec. cor.

38.00 Inlet Road course N S.

39.30 Inlet irrigating canal course S.

60.00 Set temp $\frac{7}{8}$ sec. cor.

80.30 Inlet N S line at $\frac{7}{8}$ sec. cor. from
which cor. from C on true line

20.30 Deposited marked stone set merquite
post 4 ft. long $2\frac{1}{2}$ in square 12 in in earth
marked $\frac{7}{8}$ on N side dug pits N S 11

Township 2 N. Range 1 E of

Chains

- square 12 in deep raised mound of earth 4 1/2 ft diam 2 ft high for to sec. 6.
- 40.30 Deposited marked stone set mesquite post 4 ft long 2 1/4 in square 12 in in earth marked to on N side dug pit 18 in square 12 in deep raised mound of earth 4 1/2 ft diam 2 ft high for to sec. 6.
- 60.30 Deposited marked stone set mesquite post 4 ft long 2 1/4 in square 12 in in earth marked to on N side dug pit 18 in square 12 in deep raised mound of earth 4 1/2 ft diam 2 ft high for to sec. 6.
- 80.30 The to sec. 6. Land level soil 1/4 acre mesquite and Green beans.

Subdivision of sec. 6.

West on a random line through
1/2 of sec. 6.

Va 14 Co.

Colorado River Meridian

Chains

- 20.00 Set temp to sec. cor.
- 20.45 Top of bluff descend.
- 22.58 Foot of bluff 40 ft high enter bottom
- 40.00 Set temp to sec. cor.
- 52.56 Enter Planet road course S. W. M. C.
- 60.00 Set temp to sec. cor from which the center of the Agency buildings are South about 13.00 Chs. Distant.
- 66.92 Enter irrigating canal
- 67.80 Enter road to engine house
- 80.14 Enter M. L. line 22.58 ^{to sec} cor from which cor from 18230.6 on true line
- 20.14 Deposited marked stone set mesquite post 4 ft long 2 1/4 in square 12 in in earth marked $\frac{7}{16}$ on inside dug pits M. L. 9.68 in square 12 in deep raised mound of earth 4 1/2 ft diam 2 ft high for to sec cor
- 40.14 Deposited marked stone set mesquite post 4 ft long 2 1/4 in square 12 in in earth marked $\frac{7}{16}$ on inside dug pits M. L. 9.68

Township 2 N. Range 1 E of

Chains

- Co. 14 Deposited marked stone slugs pits No. 4
18 in square 12 in deep raised mound of
earth 4 1/2 ft diam 2 ft high for to sec. cor.
So. 14 The to sec. cor. Sand level soil 1st rate
mesquite and arrowweed.

Went on a random line through
center of sec. 6.

Va. 14 E

- 20.00 Set temp to sec. cor.
29.45 Top of bluff descend
31.20 Foot of bluff 40 ft high enter bottom
40.00 Set temp 4 sec cor.
60.00 Set temp to sec. cor.
68.00 Put in irrigating canal
80.10 Put in N.E. line 20 She Ho^{1/4} sec^{1/4} from
which cor Fran No. 8932. Con true line

Colorado River Meridian

Chains

- 20.10 Deposited marked stone set mesquite post 4 ft. long $2\frac{1}{4}$ in square 12 in in earth marked $\frac{1}{2}$ on N side dug pit 18 in square 12 in deep raised mound of earth $4\frac{1}{2}$ ft. diam 2 ft. high for tree cor.
- 40.10 Deposited marked stone set mesquite post 4 ft. long $2\frac{1}{4}$ in square 12 in in earth marked $\frac{1}{2}$ on N side dug pit 18 in square 12 in deep raised mound of earth $4\frac{1}{2}$ ft. diam 2 ft. high for $\frac{1}{4}$ sec. cor.
- 60.10 Deposited marked stone dug pit 18 in square 12 in deep raised mound of earth $4\frac{1}{2}$ ft. diam 2 ft. high for $\frac{1}{2}$ sec. cor.
- 80.10 The $\frac{1}{4}$ sec. cor. Land level soil $\frac{1}{4}$ rate

West on a true line through N $\frac{1}{2}$ of sec. 6.

Va 146

2000 Deposited marked stone dug pit 18 in

Township 2 N. Range 1 E of

Chambers

18 in square 12 in deep raised mound of
earth $4\frac{1}{2}$ ft. diam 2 ft. high for sec. cor.

27.50 Intst old road lead into Planet road

29.00 Intst Planet road N. E. S. W.

37.48 Top of bluff descend

40.00 Deposited marked stone dug pits M.S. 4.

18 in square 12 in deep raised mound of
earth $4\frac{1}{2}$ ft. diam 2 ft. high for sec. cor.

40.60 Foot of bluff 40 ft high enter bottom

60.00 Deposited marked stone set mezzite

post 4 ft long $2\frac{1}{4}$ in square 12 in in earth
marked to on inside dug pits M.S. 18

18 in square 12 in deep raised mound of
earth $4\frac{1}{2}$ ft. diam 2 ft high for sec. cor.

61.50 Intst irrigating canal course, S.

66.50 Intst Road

74.85 Left bank of Colorado River about
2000 Ch. wide course South. deep
swift current with low banks

Colorado River Meridian

Chains

Deposited marked stone set mesquite
 post 4 ft long $2\frac{1}{4}$ in square 12 in in earth
 marked to on the side dug pits $16\frac{1}{2}$ in
 in square 12 in deep raised mound of
 earth $4\frac{1}{2}$ ft. diam 2 ft high for to flag,
 rec. cor. Land level with $1\frac{1}{4}$ rate
 mesquite, cottonwood & arrowweed

Jan. 22nd 1876

Township 2 N. Range 1 E of Meanders of the Left Bank of

Course	Distances	Remarks
		Begin at the corner to fractional sec. 6 and 31 on the North boundary of the township and on the left and S. E. bank of the river, and run thence down stream, with the meanders of the left bank of said River in frac. sec. 6.
		Va. 14° E,
S 18 1/2° W	11.00	
S 25° W	11.58	To meander corner on the line in 2/4 of the sec; thence
S 23 3/4° W	12.84	To the cor to frac. sec. 1 and 6, on the West boundary of the township.
		Land along the left bank is level, soil sandy 2 1/4 rate

The Colorado River Meridian
Colorado River, through Twp. sec. 6.

A list of the names of the individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing field notes of the exterior boundaries and subdivisions of the Colorado River Indian Reservation, showing the respective capacities in which they acted

George H. Padt	compassman
Frank Scott	chainman
John W. Sipe	"
Wm A. Stokes	"
A. W. Sharpe	"
Le. S. Davis	flagman
John S. Wilson	"
John Gutzgof	axeman

BOOK 6127

John Hidalgo Ayeman

List of Names.

BOOK 6

BOOK 6

A List of the Names of Individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the survey of

.....
.....
.....
.....
.....

Showing the respective capacities in which they acted.

.....Chainman.

.....Chainman,

.....Axeman.

.....Flagman.

128

Final Oath of Assistants.

BOOK 6

We hereby certify that we assisted Chander Robbins U. S., Deputy Surveyor, in surveying the exterior boundaries of the Colorado River Indian Reservation, and also the exterior boundaries, and subdivision into 40 acre tracts of townships 1 and 2 N. and Range 1 W. and 2 N. E. of the Colorado River Meridian, within said Reservation, and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor-General.

John H. Pratt Chainman.
John H. Pratt Chainman,
John H. Pratt Chainman,
John H. Pratt Axeman.
John H. Pratt Flagman.
John H. Pratt Compassman.

Sworn to and subscribed before me, this 22

day of January, 1873

Chander Robbins
 U. S. Dep. Surveyor.

Final Oath of Deputy Surveyor.

128A

BOOK 6

I, Chander Robbins

U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the 26 day of May

1875. I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of the

exterior boundaries of the Colorado River

Indian Reservations, and also the exterior boundaries
and subdivision into 40 acre tracts of fractional
Townships 1 and 2 N. and Range 1 W. and

fractional Township 2 N. R. 1 E. of the Colorado
River Meridian within said reservations as are repre-

sented in the foregoing Field Notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements con-

tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

Chander Robbins

Deputy Surveyor.

Sworn to and subscribed before me, this 23^d
day of January, 1876

J. W. Summerhays
1st Lt 8th Infy & A. S. M.

This oath administered by me their being no civil officer in or near this place at present qualified to administer an oath.

J. W. Summerhays
1st Lt 8th Infy - 2

BOOK 6

U. S. Surveyor General's Office,

TUCSON, ARIZONA, May 12, 1876

The foregoing Field Notes of the Survey of the

Subdivision lines of
Township 2 North,
Range 1 East.

Of the ~~Gila and Salt~~ River Base and Meridian, Arizona, execu-
ted by Colorado Chandler Robbins,

Deputy Surveyor, under his contract of the 26th
day of May, 1875, having been
critically examined and the necessary corrections and explana-
tions made, the said Field Notes and the surveys they describe
are hereby approved.

John Mason
Surveyor General.

BOOK
BOOK 6

I Chaunter Robbins, deputy surveyor, do solemnly swear that, in pursuance of a contract with John Wasson, Surveyor of the public lands in the Territory of Arizona, bearing date the 26th day of May 1875, and in strict conformity to the laws of the United States and the instructions furnished by the said surveyor general, I have faithfully surveyed the exterior boundaries of the Colorado River Indian Reservation; also a principal meridian and a base line situated within said reservation; also the exterior boundaries, section lines, and lines subdividing into 40 acre tracts, Townships 1 and 2 North, Range 1 West, and Townships 2 North Range 1 East, of the Colorado River Indian Reservation meridian. and do further solemnly swear that the foregoing are the true and original field notes of such survey.

Chandler Robbins
Deputy Surveyor

Subscribed by said, Chandler Robbins, deputy surveyor,
and sworn to before me, this 7th March 1876

R. J. Meigs, Clerk S. D. C.
by L. J. Williams
Asst. Clerk