

Subdivision of  
T.3 N.-R.3 E.

4-671

---

**FIELD NOTES**  
**GENERAL LAND OFFICE.**

9

Township 3N R. 3E

6	70	5	59	4	45	3	2	1
69		67		56		44		
7	66	8	55	9		10	11	12
65		62		53				
18	63	17	52	16		15	14	13
				51				
19	61	20	49	21		22	23	24
58		60		48				
30		29	46	28		27	26	25
31		32		33		34	35	36

## Sub. Lines of T. 3 N, R. 3 E, (continued)

East on a random line

bet. Secs. 3 & 10

Na.  $13^{\circ} 40' E$ .

Over mountainous land.

40.00 Set temp.  $\frac{1}{4}$  Sec. Cor.

80.09 Intersect N. & S. line 24 Chs.

S. of Cor. to Secs. 2, 3, 10, 11

Thence I run

S.  $89^{\circ} 50' W$ , on true line

bet. Secs. 3 & 10

Na.  $13^{\circ} 40' E$ .

Over level land

0.40 Road, bears N. E.

35.00 Begin to ascend mt.

40.04 Set a stone  $15 \times 12 \times 8$  ins  $10$  ins  
in the ground for  $\frac{1}{4}$  Sec. Cor.

Mkd.  $\frac{1}{4}$  on N. face, and  
raised a mound of stones  $1\frac{1}{2}$

## Subdivision of

ft. high 2 ft bar along side

Pits imprac<sup>e</sup>

80.09

The cor. to Secs. 3, 4, 9, 10

Land 1<sup>m</sup> 35 chs level, last

45.09 chs. mountainous

Soil 3<sup>d</sup> rate

no timber

0° 2' N.

North on random line

bet. Secs. 3 &amp; 4

Va. 13° 40' E.

Descend mountain

40.00

Set temp. 1/4 Sec. cor.

80.02

Int. N. boundary at 30 chs.

W. of cor. to Secs. 3, 4, 33, 34

from which I run

S. 0° 11' W. on a true

line bet. Secs. 3 &amp; 4

Va. 13° 40' E.

38.00

Foot of rough mountain &amp; ascend.



J. J. W., R., & E.

40.01 Set a stone  $12 \times 11 \times 9$  ins  
 8 ins in the ground for  $\frac{1}{4}$  sec.  
 Cor. marked  $\frac{1}{4}$  on W. face,  
 dug pits  $18 \times 18 \times 12$  ins. N. & S.  
 of stone  $5\frac{1}{2}$  ft dist. and  
 raised a mound of earth  $1\frac{1}{2}$   
 ft high  $3\frac{1}{2}$  ft base along side.

80.02 The cor. to Secs. 3, 4, 9, 10  
 Land level.

Soil 2<sup>nd</sup> rate,

no timber.

mountainous \$2.00 chs.

January 19, 1894.

From the original cor. to Secs.  
 28, 29, 32, 33 established by U.S.  
 Deputy Barry J. run

N.  $0^{\circ} 2' W.$  bet. Secs. 28 & 29

Va.  $13^{\circ} 40' E.$

In dense undergrowth.

## Subdivision of

40.09 Old cor. set by Deputy Barry  
 4 cks. to west. It is a stone  
 mkd  $\frac{1}{4}$  on N. face, with faint  
 remains of mound and pits.  
 I renew the mound and  
 deepen pits, in dense brush.  
 Thence over broken ground.

80.00 Set a stone  $20 \times 12 \times 7$  lbs in a  
 mound of stones for cor. to  
 Accs. 20, 21, 28, 29, mkd with  
 2 notches on S. & 4 notches on  
 E. edges, and raised a mound  
 of stones  $1\frac{1}{2}$  ft high 2 ft base  
 alongside.

Land very broken.

Soil 5<sup>th</sup> rate - stony

Dense undergrowth 80.00 cks.  
 No timber

J. 3 N. R. 3 E.

East on a random line  
bet. Secs. 21 & 28

Va.  $13^{\circ}40'8''$ .

Over broken ground.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

79.92 Intersect N. & S. line at the  
cor. to Secs. 21, 22, 27, 28.

Thence I run

West on a true line bet.  
Secs. 21 & 28

Va.  $13^{\circ}40'8''$ .

Descend from hillside

1.00 foot of hill, thence nearly level

12.50 Dry wash, course S. W.

17.65 Road from Phoenix to mines br. N. E.

24.80 Dry wash, course S. W.

39.96 Set a stone  $12 \times 10 \times 6$  <sup>ins</sup> pins, in  
the ground for  $\frac{1}{4}$  sec. cor.

## Subdivision of

mkd.  $\frac{1}{4}$  on N. face. dug  
 pits  $18 \times 18 \times 12$  ins. E. & W. of  
 Stone  $5\frac{1}{2}$  ft dist. and  
 raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
 alongside

43.10 Dry wash, course S.E.

62.00 " " " "

74.90 " " " "

79.92 The cor. to bus. 20, 21, 28, 29  
 Land much broken  
 Soil 4<sup>th</sup> rate - Stony  
 No timber

N.  $0^{\circ} 2'$  W. bet. bus. 20  
 and 21

Va.  $13^{\circ} 40'$  E.

Ascend gradually

116.00 Begin to ascend mountain



J. J. G., R. J. E.

44.00 Set a Stone  $12 \times 12 \times 18$  in ind.  
of Stones for  $\frac{1}{4}$  Sec. Cor. mkd. 7  
on W. face, and raised a  
mound of Stones  $1\frac{1}{2}$  ft high  
2 ft base alongside. Pits impr<sup>e</sup>  
near top of mountain 50 ft high.

44.00

Top of mountain. Descend.

80.00

Set a Stone  $14.29 \times 8$  in in a  
mound of Stones for Cor. to Sec.  
16, 17, 20, 21 mkd. 3 <sup>with</sup> notches on  
S, and 4 on W, edges, and  
raised a mound of Stones  $1\frac{1}{2}$   
ft high 2 ft base alongside  
Pits impracticable.

Land mountainous

80.00 Chs.

Soil 3' x 14<sup>th</sup> rate.  
No timber

January 20<sup>th</sup> 1894

Subdivision of  
East on random line  
bet. Secs. 16 & 21

Va.  $13^{\circ}40'E$ .

45.00 Set temp.  $\frac{1}{4}$  Sec. Cor.  
8010 Intersect N. & S. line 10 cks S.  
of cor. to Secs. 15, 16, 21, 22  
Thence I run

S.  $89^{\circ}56'W$ , on true line  
bet. Secs. 16 & 21

Va.  $13^{\circ}40'E$ .

Over polling ground

35.00 Ascend mountain

40.25 Set a stone  $14 \times 12 \times 9$  ins  $9$  in  
in the ground for  $\frac{1}{4}$  Sec. cor.  
mkd. it on N. face, and  
raised a mound of stones  $1\frac{1}{2}$   
ft high 2 ft base along side  
Pits impracticable

## T. 3 N, R. 3 E.

65.00 High ridge bears N. 30° E. Descend.

80.10 The cor. to Secs. 16, 17, 20, 21

Land mountainous

80.10 Chs.

Soil 3<sup>d</sup> rate - stony  
No timber

N. 0° 2' W. bet. Secs. 16 & 17

N. 13° 40' E.

In dense undergrowth, and  
down a canon and wash

40.00 Set a Stone 13 x 12 x 6<sup>ins</sup> pins in  
the ground for  $\frac{1}{4}$  Sec. Cor. Mked.

$\frac{1}{4}$  on W. face, dug pits 18 x 18  
x 12<sup>ins</sup> N. & S. of Stone 5 $\frac{1}{2}$  ft.

dist. and raised a mound  
of earth  $1\frac{1}{2}$  ft high 3 $\frac{1}{2}$  ft base  
alongside.

40.90 Broad flat wash, course Northwesterly  
and follow same down to

## Subdivision of

74.50 Leave mark, course N. W.  
 80.00 Set a stone  $18 \times 10 \times 6$  ins  $12$  ins  
 in the ground for Cor. to Secs. 8  
 9, 16, 17, mkd. with 4 notches on  
 S. and 4 notches on E. edges.  
 dig pits  $18 \times 18 \times 12$  ins in each  
 Sec.  $5\frac{1}{2}$  ft. dist. and raised a  
 mound of earth 2 ft high  $4\frac{1}{2}$   
 ft. base alongside.

Land slopes North

Soil 4<sup>th</sup> rate - stony  
 no timber

Dense undergrowth 80.00 etc.

N.  $89^{\circ} 56'$  E. on random  
 line bet. Secs. 9 & 16

Pa.  $13^{\circ} 40'$  E.

Over rolling land.

40.00 Set temp.  $\frac{1}{4}$  Sec. Cor.



J. J. H., R. J. E.,

80.09 Intersect N. & S. line 5-cks. S.  
of cor. to Secs. 9, 10, 15, 16  
Thence I run

S.  $89^{\circ} 54'$  W. on true line  
bet. Secs. 9 & 16

Na.  $13^{\circ} 40'$  E.

Over rolling land. Descend

40.04 Set a stone  $12 \times 10 \times 10$  <sup>in</sup> 8 ins  
in the ground for  $\frac{1}{4}$  Sec. Cor.  
mkd.  $\frac{1}{4}$  on N. face. dig pits  
 $18 \times 18 \times 12$  ins. E. & W. of stone  
 $3\frac{1}{2}$  ft. dist. and raised a  
mound of earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft. base alongside.

80.09 The cor. to Secs. 8, 9, 16, 17  
Land rolling  
Soil 2<sup>nd</sup> rate  
No timber

## Subdivision of

N.  $0^{\circ} 2' W.$  bet Secs. 8 & 9Ta.  $13^{\circ} 40' E.$ 

Over level land

40000 Set a stone  $10 \times 8 \times 8$  ins in the ground for  $\frac{1}{4}$  sec. Cor. mkd.  $\frac{1}{4}$  on N. face, dug pits  $18 \times 18 \times 12$  ins. N. & S. of stone  $5\frac{1}{2}$  ft dist, and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base alongside.

80000 Set a stone  $20 \times 14 \times 8$  ins  $15$  ins in the ground for cor. to Secs. 4, 5, 8, 9, mkd. with 5 notches on S. and 4 notches on E. edges dug pits  $18 \times 18 \times 12$  ins in each Sec.  $5\frac{1}{2}$  ft. dist, and raised a mound of stones 2 ft high  $2\frac{1}{2}$  ft. base alongside. On W. slope of mountain

J. J. H., R. J. E.

Pit's impracticable.

Land level

Soil 1<sup>st</sup> and 2<sup>nd</sup> rate  
no timber

N.  $89^{\circ} 54' E.$  on random  
line bet. Secs. 4 & 9

Var.  $13^{\circ} 40' E.$

Ascend W. Slope of Mt.

46.00 Set temp.  $\frac{1}{4}$  Sec. Cor.

80.14 Intersect N. & S. line 13 cks. N.  
of Cor. to Secs. 3, 4, 9, 10. Thence  
down West on true line bet.

Secs. 4 & 9

Var.  $13^{\circ} 40' E.$

Over mountainous land

15.00 Top of Mt. bears N. W. & S. E.

40.07 Set a Stone  $15 \times 12 \times 8$  ins  $10$  ins in  
the ground for  $\frac{1}{4}$  Sec. Cor. marked.

## Subdivision of.

$\frac{1}{4}$  on N. face, and raised a  
 mound of stones  $1\frac{1}{2}$  ft high  
 2 ft base alongside. Pits  
 impracticable.

80.14 The Cor. to Secs. 4, 5, 8, 9,  
 Land Mountainous 80.14 Ch  
 Soil 3<sup>d</sup> rate No timber

N.  $0^{\circ} 2' W.$  on random  
 line bet. Secs. 4 & 5  
 Va.  $13^{\circ} 40' E.$

Over level land

80.12 Set temp.  $\frac{1}{4}$  Sec. Cor  
 Intersect N. boundary 20 chs.  
 E. of Cor. to Secs. 14, 5, 32, 33  
 from which I run  
 S.  $0^{\circ} 11' E.$  on true line  
 bet. Secs. 4 & 5.



J. 3 N, 10, 3 E,

Va, 13° 40' E.

40.12 Set a Stone 14 x 10 x 9 ins 9 ins  
in the ground for  $\frac{1}{4}$  sec. cor.  
mkd.  $\frac{1}{4}$  on W. face, dug pits 18  
x 18 x 12 ins N. & S. of Stone  $5\frac{1}{2}$  ft.  
dist. and raised a mound of  
earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft base  
alongside.

80.12 The cor. to Secs. 4, 5, 8, 9.

Land level

Soil 1<sup>st</sup> rate

no timber

January 2, 2<sup>nd</sup> 1894.

From the cor. to Secs. 19, 24, 25, 30  
as described in notes furnished by Sur. Gint  
on W. Body, I run  
East on a true line  
bet. Secs. 19 & 30

## Subdivision of

Va. 13° 40' E.

Over level land

38.75

Original cor. gone, made careful search without success. I re-establish this cor. by setting a stone 12 x 10 x 6<sup>ins</sup> pins in the ground for  $\frac{1}{4}$  sec. cor. Mk'd.  $\frac{1}{4}$  on N. face, and raised a mound of stones  $1\frac{1}{2}$  ft high, 2 ft base alongside. Pits impracticable.

45.00

Entire dense brush

45.00

Leave same

69.50

A dry wash 10 ft deep 40 lbs wide  
Course S.W.

78.75

Could not find any original cor. though I made careful search. I re-establish this

J. S. N. P. S. E.

cov. by setting a stone  $14 \times 12 \times 10$  ins.  $9$  ins. in the ground for cov. to Secs. 19, 20, 29, 30, mkd. with 2 notches on S. and 3 notches on E. edges, and raised a mound of stones  $1\frac{1}{2}$  ft high 2 ft base alongside. Pat's impracticable.

Land  $1^{st}$  40 chs. level,  
 Last 38.75 chs. broken & down brush  
 Soil  $2^{nd}$  and  $4^{th}$  rats  
 No timber

East on a true line  
 bet. Secs. 20 & 29

(Va.  $13^{\circ} 40' E.$

Over mountainous land

- 7.00 A dry wash, course S. Ascend  
 22.20 A dry wash, course S. W.

## Subdivision of

29.50 A dry wash, course S. W.  
 40.00 Set a stone  $18 \times 12 \times 10$  ins  $12$  ins  
 in the ground for  $\frac{1}{4}$  Sec. Cor.  
 Mkd.  $\frac{1}{4}$  on N. face, and  
 raised a mound of stones  $1\frac{1}{2}$   
 ft. high 2 ft base. Alongside,  
 Pats impracticable.

I abandon line here on  
 account of mountain too  
 high and rough to survey.

mountainous 40.00 chain  
 Soil 5<sup>th</sup> rate,  
 no timber

N.  $0^{\circ} 3' W.$  bet. Secs. 19 & 20

Pa.  $13^{\circ} 40' E.$

Over mountainous land, ascend.

24.00 foot of steep ascent. As the  
 mountain is too steep and  
 precipitous, I set a witness  
 cor. here, a post 3 ft long 3<sup>ch</sup>



J. J. N. R. J. E.

Land into  
dirt 3' oak -  
no timber

sq. in a mound of stones for  
 $\frac{1}{4}$  sec. Witness Cor. mkd.  $\frac{1}{4}$  S  
on N. face and W. E. and  
raised a mound of earth  $1\frac{1}{2}$   
ft high  $3\frac{1}{2}$  ft base around post.  
mountainous 24.00 chs.

From the cor. to Secs. 8, 9.  
16.17 I run

West on a tree line  
bet. Secs. 8 & 17

Na.  $13^{\circ}40'8''$ .

over level land

40.00

Set a stone  $15 \times 8 \times 6$  ins,  $10$  ins in  
the ground for  $\frac{1}{4}$  sec. cor,  
mkd  $\frac{1}{4}$  on N. face, dug pits  
 $18 \times 18 \times 12$  ins E. & W. of stone  
 $5\frac{1}{2}$  ft. dist. and raised a  
mound of earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft. base alongside.

## Subdivision of

8000v Set a stone  $18 \times 10 \times 9$  ins,  $12$  ins  
in the ground for cor. to Secs.  
7, 8, 17, 18, mkd. with 4 notches  
on S. and 5 notches on E. edges.  
Dig pits  $18 \times 18 \times 12$  ins in each  
Sec.  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $2\frac{1}{2}$  ft high  
 $4\frac{1}{2}$  ft base alongside.

Land level

Soil 1<sup>st</sup> rate no timber

From cor. to Secs. 7, 8, 17, 18

I run

South  $0^{\circ}3'E$  on a true line

bet. Secs. 17 & 18

(Va.  $13^{\circ}40'E$ .)

Over level land

13.60 A road from Phoenix, bears E. & W.

J. J. W. R. 3 E,

22.00 foot of high mountain and  
ascend gradual slope

40.50 Set a stone  $18 \times 14 \times 10$  ins in  
a mound of stones for  $\frac{1}{4}$  sec.  
Cor. mkd.  $\frac{1}{4}$  on N. face, and  
raised a mound of stones  $1\frac{1}{2}$  ft  
high 2 ft base alongside.

I abandon line farther in  
this direction on account of  
the height of the mountains S.

Land Broken

Soil 2<sup>d</sup> and 3<sup>d</sup> rate

No timber

As the line between Secs.  
18 & 19 is impracticable to  
survey on account of high  
mountain, I go to the Cor.



65

## Subdivision of

to Secs. 7, 8, 17, 18, and  
from it run

West on random line

bet. Secs. 7 & 18

Na.  $13^{\circ}40'E$ .

40.00 Set temp.  $\frac{1}{4}$  Sec. Cor.

78.50 Intersect the west body, 10 lks

N. of Cor. to Secs. 7, 18, 12, 13,

Thence I run

N.  $89^{\circ}56'E$ , on true line

bet. Secs. 7 & 18

Na.  $13^{\circ}40'E$ .

23.00 foot of steep ascent of mountain.

30.00 Top of same, about 300 ft high

38.50 Set a stone  $12 \times 10 \times 9$  ins in a  
mound of stones for  $\frac{1}{4}$  Sec. Cor  
mkd.  $\frac{1}{4}$  on N. face, and  
raised a mound of stones  $1\frac{1}{2}$  ft



J. J. H. R. J. E.

high 2 ft bar alongside

Pits impracticable.

57.00 Descend

65.00 foot of mt, thence level land

72.64 Road from Phoenix to Union mine.  
bears nearly north

78.50 The cor. to Secs. 7, 8, 17, 18

Land on plain 1<sup>st</sup> rate, on

mountain 5<sup>th</sup> rate, - stony

no timber

Mountainous 42.00 Chs.

January 23, 1894

N.  $0^{\circ} 3' W.$  bet. Secs. 7 & 8

Pa.  $13^{\circ} 40' E.$

17.40 Road from Phoenix to mines, <sup>bears</sup> N. E.

40.00 Set a stone  $15 \times 9 \times 6$  ins -  $10$  ins

in the ground for  $\frac{1}{4}$  Sec. Cor.

mkd.  $\frac{1}{4}$  on N. face, dug pits

$18 \times 18 \times 12$  ins N. & S. of Stone

## Subdivision of

5 1/2 ft dist. and raised a mound of earth 1 1/2 ft high 3 1/2 ft base alongside

80.00

Set a stone 13 x 12 x 7 <sup>ins</sup> 8 <sup>ins</sup> in the ground for cor. to Secs. 5, 6, 7, 8, mkd. with 5 notches on S. and 5 notches on E. edges dig pits 18 x 18 x 12 <sup>ins</sup> in each Sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft high 4 1/2 ft base alongside.

" Land level

Soil 1<sup>st</sup> rate  
no timber

East on random line  
bet. Secs. 8 & 5

Na. 13° 40' E.

Low level land.

T. 3 N. R. 3 E.

4000 Set temp.  $\frac{1}{4}$  Sec. Cor.

8000 Intersect N. & S. line 22  
 1/2 mi. S. of Cor. to Secs. 4, 5, 8  
 and 9. Thence I run  
 S.  $89^{\circ} 50' W$ , on true line  
 bet. Secs. 5 & 8

N.  $13^{\circ} 40' E$ .

Descend to west gently

2000 foot of slope of Mt. on East

4000 Set a stone  $12 \times 10 \times 8$  ins  $8$  ins  
 in the ground for  $\frac{1}{4}$  Sec. Cor.

Mkd.  $\frac{1}{4}$  on N. face, dig pits  
 $18 \times 18 \times 12$  ins E. & W. of stone  
 $5\frac{1}{2}$  ft dist. and raised a  
 mound of earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft base alongside.

57.05 Road, Phoenix to Mine bears N.  
 $20^{\circ} E$ .



## Sub-division of

80.00 The cor. to Secs. 5, 6,  
7, 8.

Land level

Soil 1<sup>st</sup> rate  
no timber

S.  $89^{\circ} 5' 6''$  W. on random  
line bet. Secs. 6 & 7  
Va.  $13^{\circ} 40' E.$

Over level land.

40.00 Set temp.  $\frac{1}{4}$  Sec. cor.

78.32 Intersect W. Body. 19 cks. N.  
of cor. to Secs. 1, 6, 7, 12.

Thence I run

N.  $89^{\circ} 48'$  E. on true line

bet. Secs. 6 & 7

Va.  $13^{\circ} 40' E.$

3.00 Wash, course S.W.

16.00 Wash, course S.W.

40.00 Set a stone  $14 \times 8 \times 8$  ins - 9 ins,



T. 3 N. R. 3 E.

in the ground for  $\frac{1}{4}$  Sec. Cor.  
 mkd.  $\frac{1}{4}$  on N. face; dug pits  
 $18 \times 18 \times 12$  ins E. & W. of Stone  
 $5\frac{1}{2}$  ft. dist. and raised a  
 mound of earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft. base alongside

62.22 A dry wash, course S. W.

78.32 The cor. to Secs. 5, 6, 7, 8

Land Level

Soil, 1<sup>st</sup> rate  
 no timber

N.  $0^{\circ} 3'$  W. on random line  
 bet. Secs. 5 & 6

Va.  $13^{\circ} 40'$  E.

Over level land

40.00 Set temp.  $\frac{1}{4}$  Sec. Cor.80.05 Intersect the north boundary  
 9 cks. E. of Cor. to Secs. 5, 6, 31, 32

## Subdivision of

from which I run  
 on true line  
 $S 0^{\circ} 7' E.$  Sect. 5 &  
 6,

$N a. 13^{\circ} 40' E.$

- 10.75 R. Bank of dry wash, course S.W.
- 13.71 Left bank of same  
 wash, banks 3 ft high.
- 40.05 Set Stone  $14 \times 10 \times 8$  ins  $9$  ins in  
 the ground for  $\frac{1}{4}$  Sec. Cor. marked  
 $\frac{1}{2}$  on W. face, dug pits  $18 \times 18 \times$   
 $12$  ins. N. & S. of Stone  $5\frac{1}{2}$  ft  
 dist. and raised a mound  
 of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
 base alongside.
- 73.25 A dry wash 40 lbs wide, course  
 S.W.
- 80.05 The Cor. to Secs. 5, 6, 7, 8  
 Land level

T. J. N., R. J. E.,

Soil 1<sup>st</sup> rate

No timber

January 24<sup>th</sup> 1894

## General Description

This township is covered with a growth of undergrowth or brush, from 3 to 15 ft in height. The land between hills or mountains is level and of 1<sup>st</sup> rate quality.

Indications are abundant in the hilly portions, of gold silver and copper ores, but no mines as yet are in practical operation.

James H. Martineau  
U. S. Deputy Surveyor.

U. S. Surveyor-General's Office,

TUCSON, A. T., 28 Jan 1885.

The foregoing Field Notes of the Surveys of  
the Subdivisions of  
Tp. 3 N. R. 3 E.

---

of the Gila and Salt River Meridian  
in Arizona. executed by  
James H. Martinéau  
U. S. Deputy Surveyor, under his contract dated  
June 21<sup>st</sup> 1893  
having been critically examined, the necessary correc-  
tions and explanations made, the said Field Notes and  
the surveys they describe are hereby approved.

Levi H. Manning  
U. S. Surveyor-General  
for the Territory of Arizona.