

*Powers,*  
*Amended Subdivision*  
*T. 4 N. - R. 1 E.*

*No. 15*  
BOOK 15

4-671

**FIELD NOTES**  
**GENERAL LAND OFFICE.**  
*No. 2.*

15

*Indexed, Book 14.*

*No-15*

No-18

BOOK

Township 4 N R. 1 E

6	38	5	12	4	3	2	1
36		35		11			
7	34	8	9	9	10	11	12
32		31		8			
18	29	17	6	16	15	14	13
27		26		5			
19	24	20	3	21	22	23	24
22		21		2			
30	19	29	1A	28	27	26	25
18		16					
31	14	32		33	34	35	36

1A Amended Survey of Sub<sup>d</sup> lines of  
Cham's

N.  $0^{\circ} 2' W$ . bet. Secs. 28 & 29  
Va. 13<sup>o</sup> 19' 8.

40.00 Set a post 3 ft long 3 ins. sq,  
with mkd. Stone 12 ins. in  
the ground for  $\frac{1}{4}$  sec. cor,  
mkd.  $\frac{1}{4}$  S. on W. face, dug  
pits 18 x 18 x 12 ins. N. & S. of  
post  $5\frac{1}{2}$  ft. dist, and  
raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
around post.

50.00 Set a post 4 ft long 4 ins.  
square with mkd. Stone  
12 ins. in the ground for,  
cor. to Secs. 20, 22, 28, 29 mkd.  
T. 4 N. S. 21 on N. E.  
R. 1 E. S. 28 on S. E.  
S. 29 on S. W. and



J. H. W. R. 1 E.

So 20 on N. W. faus. Sug  
pits 18 x 18 x 12 ins. in each  
Sec. 5 1/2 ft. dist. and  
raised a mound of earth  
2 ft high 4 1/2 ft base  
around post.

Land level

Soil 1<sup>st</sup> rate

Whitew. Dense brush

N. 89° 45' E. on a random line  
bet. Secs. 21 & 28

Var. 13° 19' E.

40.00 Set temp. 1/4 Sec. Cor.

79.88 Intersect N. & S. line 10 cks. N.

of Cor. to Secs. 21, 22, 27, 28

Thence I run

S. 89° 49' W. on a true line bet.

3  
 Amended Survey of Sect<sup>s</sup> lines

Secs. 21 and 28

Va.  $13^{\circ} 19' E$ .

39.94 Set a post 3 ft long 3 ins. sq. with mtkd. stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. Mtkd.  $\frac{1}{4}$  S. on N. face. Dig pits  $18 \times 18 \times 12$  ins. E. & W. of post  $5\frac{1}{2}$  ft dist. and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post.

79.88 The Cor. to Secs. 20, 21, 28, 29  
 Land level  
 Soil 1<sup>st</sup> rate  
 No timber. Dense brush

N.  $0^{\circ} 2' W$ . bet. Secs. 20 & 21

Va.  $13^{\circ} 19' E$ .

40.00 Set a post 3 ft long 3 ins. sq.

J. 4 N. P. 1 E.

with mkd. Stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. marked  $\frac{1}{4}$  S. on N. face. Dig pits 18 x 18 x 12 ins. N. & S. of post  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post.

Row Set a post 4 ft. long 4 ins. sq. with mkd. Stone 12 ins. in the ground for Cor. to Secs. 16 17, 20, 21, marked

J. 4 N. S. 16 on N. E.

P 1 E. S. 21 on S. E.

S. 20 on S. W. and

S. 17 on N. W. face, with 3 notches on S. and 4 notches on E. edges. Dig pits 18 x 18 x 12 ins. in each Sec.  $5\frac{1}{2}$  ft. dist.

Amended Survey of Sect<sup>n</sup>-lines of

and raised a mound of  
earth around post,

Land level

Soil 1<sup>st</sup> rate

No timber. Dense brush.

N.  $89^{\circ}49'E$ . on a random line

bet. Secs. 16 & 21

Var.  $13^{\circ}19'8$ .

40.00 Set temp.  $\frac{1}{4}$  Sec. Cor.

80.00 Intersect N. & S. line 5<sup>th</sup> lts. N.  
of Cor, to Secs. 15. 16. 21. 22.

Thence Thence

S.  $89^{\circ}51'W$ . on a true line bet.

Secs. 16 and 21

Var.  $13^{\circ}19'E$ .

40.00 Set post 3 ft. long 3 ins. sq.

with mkd. Stone 12<sup>ins</sup> in the



L. H. N. R. 1 E.

ground for  $\frac{1}{4}$  Sec. Cor. Marked,  
 $\frac{1}{4}$  S. on N. face. Dug pits  
 18 x 18 x 12<sup>in</sup> E. & W. of post  
 $5\frac{1}{2}$  ft. dist. and raised a  
 mound of earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft base around post.

80.00 The Cor. to Secs. 16, 17, 20  
 and 21

Land level

Soil 1<sup>st</sup> rate

No timber, Dense brush

N. 0° 2' W. bet. Secs. 16 & 17

Va. 13° 19' E.

40.00 Set a post 3 ft Long 3 ins.  
 sq. with marked stone 12 ins. in  
 the ground for  $\frac{1}{4}$  Sec. Cor.  
 Marked  $\frac{1}{4}$  S. on N. face. Dug

6.5  
674

Amended Survey of Sub. lines

pits  $18 \times 18 \times 12$  ins. N. & S,  
of post  $5\frac{1}{2}$  ft. dist. and  
raised a mound of earth  $1\frac{1}{2}$   
ft high  $3\frac{1}{2}$  ft base around  
post.

A palo Verde 10 ins. in diam.  
leaves n. e. 18 lks. dist, marked  
 $\frac{1}{4}$  S. B. T.

80,000 Set a post 4 ft long 4 ins.  
sq. with mkd. stone 12 ins. in  
the ground for Cor. to lvs. P.  
9, 16, 17, marked

J. 14 N. S. 9 on N. E.

R 1 E. S. 16 on S. E.

J. 17 on S. W. and

J. 8 on N. W. face, with 4  
notches on S. and E. edges.

Dug pits  $18 \times 18 \times 12$  ins. in each  
Sec.  $5\frac{1}{2}$  ft. dist. and raised

J. H. R., 1 E.

a mound of earth 2 ft high  
4 1/2 ft base around post.

Land level

Soil 1<sup>st</sup> rate

No timber, dense brush.

S.  $89^{\circ}51'E$ , on a random line  
bet. Secs. 9 & 16  
Va.  $13^{\circ}19'E$ .

40.00 Set temp. 1/4 sec. Cor.

80.06 Intersect N. & S. line 10 cks. S.  
of Cor. to Secs. 9, 10, 15, 16

Thence I run

S.  $89^{\circ}47'W$ , on a true line  
bet. Secs. 9 & 16  
Va.  $13^{\circ}19'E$ .

40.03 Set a post 3 ft. long 3 ins. sq.  
with mkd. stone 12 ins. in the



Amended Survey of Sub<sup>or</sup> lines

ground for  $\frac{1}{4}$  sec. Cor. mkd.  
 $\frac{1}{4}$ S. on N. face, dug pits 18  
 $\times$  18  $\times$  12 ins. E. & W. of post  
 $5\frac{1}{2}$  ft. dist. and raised a  
mound of earth  $\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft. base around post.

80.06 The Cor. to Secs. 8, 9, 16, 17

Land level

Soil 1<sup>st</sup> rate

No timber. Dense brush

N.  $0^{\circ} 2' W$ . bet. Secs. 8 & 9

No. 13  $^{\circ} 19' 8$ .

4050 Set a post 3 ft long 3 ins,  
sq. with mkd. stone 12 ins. in  
the ground for  $\frac{1}{4}$  sec. Cor. mkd.  
 $\frac{1}{4}$ S. on N. face. Dug pits 18  $\times$   
18  $\times$  12 ins. N. & S. of post  $5\frac{1}{2}$



J. H. N. R. 1 E.

ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post

80.00 Set a post 4 ft. long 4 ins. sq. with inked. Stone 12 ins. in the ground for Cor. to Sec. 4, 5, 8, 9, marked

J. 4 N. S. 4 on N. E.

R. 1 E. S. 9 on S. E.

S. 8 on S. W. and

S. 5 on N. W. faces, with 5 notches on S. and 4 notches on E. edges, Dig pits  $18 \times 18 \times 12$  ins. in each Sec.  $3\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft high  $4\frac{1}{2}$  ft. base around post.

Land level

Soil 2<sup>nd</sup> rate

Amended Survey of Sub<sup>m</sup> lines

No timber. Dense brush

N.  $89^{\circ} 47' 8''$  on a random line  
bet. Secs. 4 & 9

Va.  $13^{\circ} 19' 8''$ .

40.00 Set temp.  $\frac{1}{4}$  Sec. Cor.

80.00 Intersect N. & S. line 17 chs.

N. of cor. to Secs. 3, 4, 9, 10

Thence I run

S.  $89^{\circ} 54' 0''$  on a true line

bet. Secs. 4 & 9

Va.  $13^{\circ} 19' 8''$ .

40.00 Set a post 3 ft. long 3 ins.

sq. with m<sup>kd</sup>. stone 12 ins. in  
the ground for  $\frac{1}{4}$  Sec. Cor. m<sup>kd</sup>,

$\frac{1}{4}$  S. on N. face, dug pits 18 x 18  
x 12 ins. E. & W. of post  $5\frac{1}{2}$  ft

dist. and raised a mound

of J. H. R. P., E.

of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft.  
base around post.

20.00

The cor. to Secs. 4, 5, 8, 9

Land level

Soil 2<sup>nd</sup> rate

No timber, dense brush

N.  $0^{\circ} 2'$  W. on a true line bet,

Secs. 4 & 5

Pa.  $13^{\circ} 19' E$ .

22.29 Wash, course S.  $70^{\circ}$  W.

28.30 Wash, Course S.  $10^{\circ}$  W.

40.00 Set a post 3 ft long 3 in. sq,  
with mkd. stone 12 ins. in the  
ground for  $\frac{1}{4}$  sec. Cor. Mk'd.  $\frac{1}{4}$  S  
on N. face, dig pits  $18 \times 18 \times 12$  ins  
N. & S. of post  $3\frac{1}{2}$  ft dist. and  
raised a mound of earth  $1\frac{1}{2}$



73

BOOK 15

<sup>13</sup> Amended Survey of Sect<sup>n</sup> lines of  
high  $3\frac{1}{2}$  ft base around  
post

79.84 Intersect - 1<sup>st</sup> Standard  
Parallel North 38 lks. E. of  
Standard Cor. to Secs. 32 &  
33, which is a stone firmly set  
and properly marked as  
described in the field notes  
furnished by the Surveyor  
General.

I set a stone  $13 \times 11 \times 7$  ins.  
8 ins in the ground for closing  
Cor. to Secs. 4 & 5, marked  
C.C. on South face, with 4  
notches on E. and 2 notches on  
W. faces, and raised a mound  
of stones  $1\frac{1}{2}$  ft high 2 ft base  
alongside. Pits impracticable.  
Land Broken



J. L. N. S. 32, R. 1 E.

BOOK  
X

74  
14  
15

Soil 2<sup>nd</sup> rate

No timber. Dense brush

Sept. 5, 1894

I found the corner to Sec. 31  
& 32 on South Boundary in  
place, except that the stake  
2 ins. square which should be  
in East pit was lost & with  
a mound of Earth 2 ft high  
4 1/2 ft base, with pits 18 x 18  
x 12 ins. in each Sec. 5 1/2 ft.  
dist. I renewed stake in S.E.  
pit by driving one 2 ft long 2 ins  
square 12 ins. in the ground  
marked

J. L. N. S. 32 on N. E.

R. 1 E. S. 5 on S. E.

Arranged Survey of Sub<sup>m</sup> lines

J. 3<sup>rd</sup> S. 6 on S. W, and  
 S. 31 on N. W, faces, with  
 1 notch on W, and 5 notches  
 on E. edges.

From this cor. I run

N. 0° 3' W, bet. Secs. 31 & 32

Ca. 13° 19' 8,

40.00 Set a post 3 ft long 3 ins. sq,  
 with nkd. Stone 12 ins. in the  
 ground for  $\frac{1}{4}$  sec. Cor. nkd,  
 $\frac{1}{4}$  S on W, face. Dig pits 18x  
 18x12 ins. N. & S. of cor. 5 $\frac{1}{2}$   
 ft. dist. and raised a  
 mound of earth 1 $\frac{1}{2}$  ft high  
 3 $\frac{1}{2}$  ft base around post.

80.00 Set a mesquite post 4 ft.  
 long 4 ins. sq. with nkd.  
 Stone 12 ins. in the ground  
 for cor. to Secs. 29, 30, 31, 32

J. 4 N. S., 1 E.,

Marked

J. 4 N. S., 29 on N. E

R 1 E. S. 32 on S. E

S. 31 on S. W. ~~and~~

S. 30 on N. W. faces, with  
1 notch on S. and 5 notches on  
E. edges. Dig pits  $18 \times 18 \times 12$  ins  
in each sec.  $5\frac{1}{2}$  ft dist.  
and raised a mound of  
earth 2 ft high  $4\frac{1}{2}$  ft  
base around post.

Land level

Soil 1<sup>st</sup> rate

No timber. Dense brush

N.  $89^{\circ}45'8$ . on a random line

bet. Secs. 29 & 32

Dec.  $13^{\circ}19'E$ .



Amended Survey of Sub<sup>m</sup> lines

- 40.00 Set temp.  $\frac{1}{4}$  Sec. Cor.
- 80.08 Intersect N. & S. line 16 Chs.  
S. of Cor. to Secs. 28, 29, 32, 33  
Thence I run  
S.  $89^{\circ}38'W$ , on a true line  
bet. Secs. 29 and 32  
Va.  $13^{\circ}19'E$ .
- 11.86 Road, bears N.  $15^{\circ}W$ .
- 40.00 Set a post 3 ft long 3 ins.  
sq, with mkt'd stone 12 ins.  
in the ground for  $\frac{1}{4}$  Sec. Cor.  
Mkt'd.  $\frac{1}{2}$  S. on N. face. Dig  
pits  $18 \times 18 \times 12$  ins. E. & W. of  
post  $5\frac{1}{2}$  ft. dist, and raised  
mound of earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft. base around post
- 80.08 The cor. to Secs. 29, 30, 31, 32  
Land level  
Soil 1<sup>st</sup> rate



J. L. H. R., I.E.

No timber, dense brush

S.  $89^{\circ}45'W$ , on a random line  
bet. Secs. 30 & 31Va.  $13^{\circ}19'E$ .40.00 Set temp.  $\frac{1}{4}$  Sec. Cor.82.20 Intersect W. Boundary which  
is the principal Meridian at  
the cor. to Secs. 25, 30, 31 & 36which is a stone firmly set  
and properly mkt. as  
described in the field notes  
furnished by the Surveyor  
General. Thence I runN.  $89^{\circ}45'E$ , on a true line  
bet. Secs. 30 & 31Va.  $13^{\circ}19'E$ .25.66 Road bears N.  $15^{\circ}E$ .

## Amended Survey of Sub. lines

42.20 Set a post 3 ft long 3 ins.  
square with rkd. stone 12<sup>ins</sup>  
in the ground for  $\frac{1}{4}$  sec. etc  
rkd.  $\frac{1}{4}$  S. on N. face, dug  
pits 18 x 18 x 12<sup>ins</sup> E. & W. of  
post 5  $\frac{1}{2}$  ft. dist. and  
raised a mound of earth  
1  $\frac{1}{2}$  ft. high 3 ft base around  
post.

82.20 The Cor. to Secs. 29, 30, 31, 32  
Land level  
Soil, 1<sup>st</sup> rate - loam  
No timber. Dense brush

N. 0° 3' W. bet. Secs. 29 & 30  
Ta. 13° 19' E.

40.50 Set a post 3 ft long 4 ins.  
sq. with rkd. stone 12<sup>ins</sup> in

of J. H. H. & P. / E,

the ground for  $\frac{1}{4}$  sec. cor,  
 marked  $\frac{1}{4}$  S. on N. face. dug  
 pits  $18 \times 18 \times 12$  ins N. & S. of  
 post  $5\frac{1}{2}$  ft. dist. and  
 raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
 around post.

80.00 Set a post 4 ft. long 4 ins.  
 sq. with marked stone 12 ins.  
 in the ground for cor, to desc.  
 19, 20, 29, 30, marked

J. 4 N. S. 12 on N. E

P. 18. S. 29 on S. E,

S. 30 on S. W.

S. 19 on N. W. face, with  
 2 notches on S. and 5 notches  
 on E. edges. dug pits  $18 \times 18$   
 $\times 12$  ins. in each sec.  $5\frac{1}{2}$  ft  
 dist. and raised a mound of



Amended Survey of Sub<sup>m</sup> lines

earth 2 ft high 4 ft base  
around post.

Land level

Soil loam, 1<sup>st</sup> rate

No timber, dense brush

N.  $89^{\circ}38'E$ . on a random  
line bet. Secs. 20 & 29

Na.  $13^{\circ}19'E$ .

40.00 Set temp.  $\frac{1}{4}$  sec. Cor.

80.12 Intersect N. & S. line at the  
cor. to Secs. 20, 21, 28, & 29

Thence I run

S.  $89^{\circ}38'W$ . on a true line bet,  
Secs. 20 & 29

Na.  $13^{\circ}19'E$ .

22.06 Road, bears N.  $12^{\circ}W$ .

40.06 Set a post 3 ft long 3 ins.

of J. H. G. L. 1 E. 15 22

sq. with mtd. stone 12 ins. in  
the ground for  $\frac{1}{4}$  Sec. Cor. mtd.  
 $\frac{1}{4}$  S on N. face, dug pits 18 x  
18 x 12 ins. E. & W. of post  $5\frac{1}{2}$   
ft. dist, and raised mound  
of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
base around post

80.12 The cor. to Secs. 19, 20, 29, 30

Land level

Soil 1<sup>st</sup> rate, loamy

No timber. Dense brush

S.  $89^{\circ}45'W$ . on a random line  
bet. Secs. 19 & 30

Na.  $13^{\circ}19'E$ .

4000 Set temp.  $\frac{1}{4}$  Sec. Cor

82.18 Interest Principal Indian

11 cks. S. of cor. to Secs. 19, 24

Amended Survey of Sub<sup>m</sup> lines

25.30, which is a stone firmly set and properly marked as described in the field notes furnished by the Surveyor General.

Thence I run

N.  $89^{\circ}50'E$ , on a true line  
bet. Dec. 19 & 30

N.  $13^{\circ}19'E$ .

- 1.20 Enter Agua Fria river  
dry bed.
- 4.30 Leave same river, course  
 $S. 8^{\circ} W$ .
- 28.00 Edge of Misa 20 ft above  
river
- 42.18 Set post 3 ft. long 3 ins. sq,  
with mkd. stone 12 ins. in  
the ground for  $\frac{1}{4}$  sec. Cor.  
mkd.  $\frac{1}{2} S$  on N. face, dug



of J. 4 N. R. 1 E.

Pits 18x18x12 ins. E. & W.  
of post  $8\frac{1}{2}$  ft. dist, and  
raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
around post.

52.00 Cross road, bears N.  $14^{\circ}$  E.

82.18 Cor. to Secs. 19, 20, 29, 30

Land Broken

Soil, bottom & mesa 1<sup>st</sup>

- rate

No timber, dense brush

N.  $0^{\circ} 3'$  W. bet, Secs. 19 & 20

(Va.  $13^{\circ} 19'$  E.)

40.00 Set a post 3 ft long 3 ins.  
sq. with mkd. Stone 12 ins.  
in the ground for  $\frac{1}{4}$  Sec.  
cor. mkd.  $\frac{1}{4}$  S on W. face

Amended survey of Sub<sup>2</sup> line

Dug pits  $18 \times 18 \times 12$  ins. N. & S.  
 of post  $5\frac{1}{2}$  ft. dist. and  
 raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
 around post.

80,00 Set a post 4 ft long  
 4 ins. sq. with nkd. stone  
 12 ins. in the ground for  
 Cor. to Secs. 17, 18, 19, 20  
 marked

T. 4 N. S. 17 on N. E,

R. 1 E. S. 20 on S. E,

S. 19 on S. W, and

S. 18 on N. W. face, with  
 3 notches on S. and 5 notches  
 on E. edges. Dug pits  $18 \times$   
 $18 \times 12$  ins. in each sec.  $5\frac{1}{2}$   
 ft. dist. and raised a  
 mound of earth 2 ft high

of T. 4 N., R. 1 E.

BOOK 15 86 26

4 1/2 ft base around post.

Land uneven

Soil gravelly, 2<sup>nd</sup> rate  
no timber, dense brush  
Sept. 6, 1894

N.  $89^{\circ} 38' E$ , on a random  
line bet. Secs. 17 & 20  
Va.  $13^{\circ} 19' E$ .

40.00 Set temp. 1/4 Sec. Cor.

80.1.4 Intersect N. & S. line 20  
W. N. of Cor. to Secs. 16, 17  
20 & 21. Thence I run

S.  $89^{\circ} 47' W$ , on a true line  
bet. Secs. 17 & 20  
Va.  $13^{\circ} 19' E$ .

40.07 Set a post 3 ft long 3 ins.  
sq. with mkd. Stone 12 ins



## Amended Survey of Subdivision

in the ground for  $\frac{1}{4}$  sec.  
 Cor. mkd.  $\frac{1}{4}$  S. on N. face  
 dug pits  $18 \times 18 \times 12$  ins E &  
 W. of post  $5\frac{1}{2}$  ft dist,  
 and raised a mound of  
 earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft-  
 base around post.

52.85 Road, bears N.  $10^\circ$  W.

80.14 The Cor. to Secs. 17, 18, 19, 20

Land level

Soil gravelly, 2<sup>d</sup> rate  
 no timber. Dense brush.

S.  $89^\circ 50'$  West on random line  
 bet. Secs. 18 & 19.

Va.  $13^\circ 19' 8''$ .

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

81.96 Intersect West bdy. 17

Line of T. 4 N. R. 1 E.

Wks. S. of cor. to Secs. 13, 18  
19, 24. Thence I run

which is a stone firmly set  
and plainly marked and  
witnessed as described in  
the field notes furnished  
by the Surveyor General.

Thence I run

N.  $89^{\circ} 57' 8$ , on a true line  
bet. Secs. 18 & 19

N.  $13^{\circ} 19' 8$ .

37.00 Enter E. branch of Agua  
Fria river dry bed, course  
South.

41.96 Point for  $1/4$  sec. cor. in river

44.00 Leave same, and ascend.

44.30 As the point for  $1/4$  sec.  
Cor. falls in the bed of the  
river, I set post 3 ft long  
3 ins. sq. with mkd. Stone 12

## Amended Survey of Subdivision

ins. in the ground for Witness  
 $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S. W. C.  
 on N. face. Dig pits 18 x 18  
 x 12 ins. E. & W. of post  $5\frac{1}{2}$   
 ft. dist. and raised a  
 mound of earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft base around post.

75.00

Road, bears N. &amp; S.

81.96

The Cor. to Secs. 17, 18, 19, 20

Land broken

Soil gravelly - 2<sup>nd</sup> rate  
 No timber. Dense brush

N.  $0^{\circ}3'$  W. bet. Secs. 17 & 18  
 Va.  $13^{\circ}19'$  E.

27.20 Road, bears N.  $20^{\circ}$  E.40.00 Set a post 3 ft. long  $3\frac{1}{2}$  ins sq,  
 with mkd. Stone 12 ins. in



lines of T. 4 N. R. 1 E.

the ground for  $\frac{1}{4}$  sec. Cor.  
 marked  $\frac{1}{4}$  S. on W. face, dug  
 pits  $18 \times 18 \times 12$  ins. N. & S. of  
 post  $5\frac{1}{2}$  ft. dist. and  
 raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
 around post

78.20 Wash, course S. W.

80.00 Set a stone  $10 \times 8 \times 7$  ins.  
 7 ins. in the ground for  
 Cor. to Sec. 7. 8. 17. 18  
 marked with 4 notches on  
 S. and 3 notches on E.  
 edges, and raised a  
 mound of stones  $1\frac{1}{2}$  ft high  
 2 ft base alongside pits  
 impracticable.

Land uneven

Soil gravelly - 2<sup>nd</sup> rate

## Amended Survey of Subdivision

31

No timber. Dense brush

N.  $89^{\circ}47'E$ , on random line  
bet. Secs. 8 & 17  
Va.  $13^{\circ}19'E$ .

40.00 Set temp.  $\frac{1}{4}$  Sec. Cor.80.04 Intusect N. & S. line at the  
Cor. to Secs. 8, 9, 16, 17.

Thence I run

S.  $89^{\circ}47'W$ , on a true line  
bet. Secs. 8 & 17  
Va.  $13^{\circ}19'E$ .

40.02 Set a post 3 ft long 3 ins,  
sq. with mkd. stone 12 ins  
in the ground for  $\frac{1}{4}$  Sec.  
Cor. mkd.  $\frac{1}{4}$  S. on N. face.  
Dug pits 18 x 18 x 12 ins. E. &  
W. of post  $5\frac{1}{2}$  ft. dist. and

Lines of T. 4 N. R. 1 E.

raised a mound of earth  
1 1/2 ft high 3 1/2 ft. base  
around post

- 62.85 Road, bears. N. & S.
- 77.85 Wash, Course S. W.
- 80.04 The Cor. to Secs. 7, 8, 17, 18  
Land broken  
Soil gravelly, 2<sup>nd</sup> rate  
no timber, dense brush.

S. 89° 57' W. on a random  
line bet. Secs. 7 & 18  
Va. 13° 19' E.

- 40.00 Set temp. 1/4 sec. cor.
- 81.90 Insect Nest body. 14  
lbs. N. of the Cor. to Secs. 7  
12, 13, 18, which is a  
stone properly marked.

## Amended Survey of Subdivisions

and firmly set as described  
in the field notes furnished  
by the Surveyor General.  
Thence I run

N.  $89^{\circ} 51' E$ . on a true line  
bet. Secs. 7 and 18  
Va.  $13^{\circ} 19' E$ .

- 23.00 Enter (down steep bluff 40  
ft. high) dry sandy bed of  
Agua Fria river, course S.
- 41.90 Set a boulder  $18 \times 10 \times 8$  ins.  
12 ins. in the ground for  $\frac{1}{4}$  sec.  
Cor. mkd.  $\frac{1}{4}$  on N. face, and  
raised a mound of stones  $1\frac{1}{2}$  ft  
high 2 ft base alongside  
pits impracticable on  
raised ground in river bed.
- 59.00 Leave river bed, & ascend,



line of T. 4 N. R. 1 E. <sup>15</sup> 34

bluff 40 ft high.

81.90 The Cor. to Secs. 7, 8, 17, 18  
 Land broken, water washed  
 Soil sand and gravel  
 4<sup>th</sup> rate  
 No timber, much sand

N.  $0^{\circ}3'$  W. bet. Secs. 7 & 8  
 Va.  $13^{\circ}19'$  E.

40.00 Set a stone  $12 \times 7 \times 7$  ins, 8  
 in the ground for  $\frac{1}{4}$  sec.  
 Cor. mkd.  $\frac{1}{4}$  on W. face, and  
 raised a mound of stones  $\frac{1}{2}$   
 ft high 2 ft base along side,  
 Pits impracticable.

80.00 Set a stone  $10 \times 8 \times 7$  ins, 9  
 in the ground for Cor. to  
 Secs. 5, 6, 7, 8 mkd. with 3'

95

BOOK 15

## Amended Survey of Subdivisions

35

notches on S. & E. edges.  
 Dig pits 18x18x12 ins. in  
 each Sec.  $5\frac{1}{2}$  ft. dist. and  
 raised a mound of earth 2 ft  
 high  $4\frac{1}{2}$  ft base alongside  
 Land broken & rocky  
 Soil 5' rate, stony & gravelly  
 No timber. Dense brush

N.  $89^{\circ}47'E$ , on a random line  
 bet. Secs. 5 & 8

Na.  $13^{\circ}19'E$ ,

40.00 Set temp.  $\frac{1}{4}$  Sec. Cor.

80.00 Intersect N. & S. line 20 cks.

N. of Cor. to Secs. 4, 5, 8, 9,

Thence I run

S.  $89^{\circ}56'W$ , on a true line  
 bet. Secs. 5 & 8,

Lines of T. 4 N., R. 1 E.

Va. 13° 19' E.

40.00 Set a post 3 ft long 3 ins.  
sq. with mkd. stone 12 ins.  
in the ground for  $\frac{1}{4}$  sec.  
Cor. mkd.  $\frac{1}{4}$  S. on N. face  
Dug pits 18 x 18 x 12 ins.  
E. & W. of post  $5\frac{1}{2}$  ft.  
dist. and raised a mound  
of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft.  
base around post

80.00 The cor. to Secs. 5, 6, 7, 8,  
Land broken & rocky  
Soil gravelly, 3° rate  
No timber. Dense brush

S. 89° 51' W. on a random line  
bet. Secs. 6 & 7  
Va. 13° 19' E.

97

3 Amended Survey of Subdivision

40.00 Set temp.  $\frac{1}{4}$  Sec. Cor.  
 81.76 Intusect West Bdy, 16  
 lbs. N. of cor, to Secs. 1, 6, 7, 12  
 which is a stone firmly set  
 and properly marked and  
 witnessed as described in the  
 field notes furnished by the  
 Surveyor General.

Thence I run

N.  $89^{\circ} 44' 8''$  on a true line  
 bet. Secs. 6 & 7  
 Va.  $13^{\circ} 19' 8''$ .

27.00 Enter dry sand & boulder bed  
 of Agua Fria river, course S.  
 41.76 On willow ridge set boulder  
 $15 \times 12 \times 10$  ins. in the  
 ground for  $\frac{1}{4}$  Sec. Cor.  $\frac{1}{4}$  on N. face. and raised a  
 mound of stones  $1\frac{1}{2}$  ft high



lines of T. 4 N. R. 1 E.<sup>15</sup>

2 ft base alongside, Pits  
impracticable.

57.00 Leave river bed.

81.76 The Cor. to Secs. 5, 6, 7, 8  
Land broken, water washed  
Soil sand & gravel, 3<sup>d</sup> rate  
No timber, dense brush

N.  $0^{\circ}3'$  W. on a true line

bet. Secs. 5 & 6

Na.  $13^{\circ}19'$  E.

40.00 Set a post 3 ft long 3 ins,  
sq, with mkd. stone 12 ins, in  
the ground for  $\frac{1}{4}$  sec. Cor,  
mkd.  $\frac{1}{4}$  S. on W. face.

Dug pits 18 x 18 x 12 ins. N. &  
S. of post  $5\frac{1}{2}$  ft dist, and  
raised a mound of earth

Agnered Survey of Sub<sup>m</sup>

1 1/2 ft high 3 1/2 ft base around  
post.

6/120

Enter Agua Fria dry bed  
and continue in same to  
point where I should intersect  
the 1<sup>st</sup> Standard Parallel  
North, approximately, there  
being no Standard Cor.  
established in the river bed.

I proceeded to the Standard  
Witness Corner formerly set  
by me, which is a post 4 ins.  
square set in a mound of  
stones and marked W. C.  
T. 5 N. R. 18. on W. S. 32  
on E. and S. 31 on W. face.  
From this post I chain  
S. 80° 15' E. 17.00 chains to  
point for Standard Cor. to

line of T. 4 N. R. 1 E.

Secs. 31 & 32 T. 5 N. R. 1 E.

and set a stone to mark  
the point temporarily.

79.92 I intersect 1<sup>st</sup> Standard  
Parallel North 1.70 Chs. E.  
of point for Standard Cor.  
to Secs. 31 & 32 T. 5 N. R. 1 E.

From this point in river bed  
the Witness Cor. set formerly  
by me bears N.  $79^{\circ}50'E$ .

15.34 Chs. dist. Said  
Witness Cor. is a post 4 ins.  
square marked W. C. C. T. 4  
N. R. 1 E. on South, S. 5  
on E. and S. 6 on W. face,  
with 5 notches on E. and 1  
notch on W. edge, and a  
mound of stones  $1\frac{1}{2}$  ft high  
3 ft base around post.

41  
 Amended Survey of Subdivisions

Pits impracticable

Land broken & stony

Loil, sandy & stony 3' rate

No timber. Dense brush

Sept. 7, 1894

Note

In the resurvey of this Township I destroyed all interior corners previously set by me in making original Survey.



lines of T. H. R. P., E.

### General Description

The most of the land in this Township is of excellent quality. There is no permanent water in it, as the rivers carry water only during the rainy seasons after which it sinks in the sandy bed and follows the bed rock. There are no persons living in the Township.

Sept. 7, 1894

Ridgley C. Pomeroy,  
Deputy U.S. Surveyor.

List of Names.

BOOK 43  
15

A List of the Names of the Individuals  
employed by *Ridgely C. Poppers*  
U. S. Deputy Surveyor, to assist in running, meas-  
uring and marking the lines and corners described  
in the foregoing Field Notes of the <sup>re</sup> survey of the  
Sub-divisional lines of T. 4 N. R. 1 E.  
the Range line between ranges 1 and 2  
East T. 5 N.; the North Boundary  
of T. 5 N. R. 1 E. and the North Boundary  
of T. 3 N. Range 4 E.

of the Gila and Salt River Base and Meridian, in  
the Territory of Arizona, showing the respective  
capacities in which they acted.

*Edward H. Bridwell* Chainman.

*Ridgely C. Poppers Jr.* Chainman.  
Chainman.

Chainman.

*David M. Ve* Axeman.

Axeman.

Flagman.

44 Final Oath of Assistants.

We hereby certify that we assisted *Ridgely*.....  
*C. Powers*..... U. S. Deputy Surveyor, in  
 surveying all those parts or portions of the *Sub-*  
*divisional lines of T. 4 N. R. 1 E., the*  
*Range line between ranges 1 and 2 E. T.*  
*5 N. the North Boundary of T. 5 N.*  
*R. 1 E., and the North Boundary*  
*of T. 3 N. R. 4 East*.....  
 of the Gila and Salt River Base and Meridian, in  
 the Territory of Arizona, as are represented in the  
 foregoing field notes as having been surveyed by him  
 and under his direction; and that said Survey has  
 been in all respects, to the best of our knowledge  
 and belief, well and faithfully surveyed, and the  
 corner monuments established according to the  
 instructions furnished by the United States Surveyor  
 General for Arizona.

*Edward H. Bridwell* Chairman.

*Ridgely C. Powers Jr*..... Chairman.

..... Chairman.

..... Chairman.

*David Noel*..... Axeman.

*S. P. Hagg*..... Axeman.

..... Flagman.

Sworn to and subscribed before me, this *12*  
 day of *September*, 189*4*

*J. P. Hoefler*.....  
 Notary Public.

## Final Oath of U. S. Deputy Surveyor. 15

45

I, Ridgely C. Pomeroy

U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract received from Royal A. Johnson, United States Surveyor-General for Arizona, bearing date of the first day of

January 1892, I have well, faithfully, and truly ~~in~~ my own proper person, and in strict conformity with the instructions furnished by the United States Surveyor-General for Arizona, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts

or portions of the Sub-divisional lines

of Tp. 4 N. R. 1 E., the Range line between Ranges 1 and 2 East, Tp. 5 N., the North Boundary of Tp. 5 N. R. 1 E. and the North Boundary of Tp. 3 N. R. 4 East.

of the Gila and Salt River Base and Meridian, in the Territory of Arizona, as are represented in the foregoing Field Notes as having been surveyed by me and under my direction; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Manual of printed instructions, the special instructions of the United States Surveyor-General for Arizona, and in the specific



BOOK 15

manner described in the field notes, and that the foregoing are the true Field Notes of such survey; and should any fraud be detected I will suffer the penalty of perjury, under the provisions of an act of Congress approved August 8, 1846.

*Ridgely C. Powers*  
U. S. Deputy Surveyor.

Sworn to and subscribed before me this *12*

day of *September*, 189*7*

*S. P. Hooper*

*J. P. Hooper*  
Notary Public

U. S. Surveyor-General's Office,

TUCSON, A. T., Jan 28, 1895.

The foregoing Field Notes of the Surveys of  
Subdivision lines of  
Township 4 N. R. 1 E.

---

of the Gila and Salt River Meridian  
in Arizona executed by

Ridgley C. Powers

U. S. Deputy Surveyor, under his contract dated

January 1<sup>st</sup> 1892,

having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

Levi Manning  
U. S. Surveyor-General  
for the Territory of Arizona.