

No-18

Subdivision

T4N - R8E

4-671



FIELD NOTES

GENERAL LAND OFFICE.

No. 2

18

Indexed, Book 17.

No-18

No-18

1

Township 4N R. 3E

6	34	5	11	4	3	2	1
33		32		9			
7	30	8	8	9	10	11	12
29		27		6			
18	26	17	4	16	15	14	13
24		23		2			
19	21	20	1A	21	22	23	24
20		18					
30	17	29		28	27	26	25
16		14					
31	12	32		33	34	35	36

1A

Subdivisions

N. $0^{\circ}2'W$. bet. Secs. 20 & 21N. $13^{\circ}40'E$.

In dense undergrowth

- 3.50 Left bank of wash, course $S. 1^{\circ}W$
- 6.10 Right bank of same
- 40.00 Set a stone $12 \times 11 \times 7$ ins. 8^{th} in the ground for $\frac{1}{4}$ sec. cor. Mk'd. $\frac{1}{4}$ on N. face, dug pits $15 \times 18 \times 12$ ins. N. & S. of stone $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base alongside.
- 43.00 Right bank of same wash course $S. 20^{\circ}W$.
- 47.00 Left bank, same wash
- 49.50 Left bank, same wash
- 65.50 Right bank, same wash course $S. 30^{\circ}W$.
- 75.80 Road, bears E .

J. H. N. R. 3 E.

8500 Set a stone $18 \times 10 \times 6$ ^{ins} 12 ^{ins}
 in the ground for cor. to Secs.
 16, 17, 20, 21, mkd. 3 notches
 on S. and 4 notches on E.
 edges, and raised a mound
 of stones $1\frac{1}{2}$ ft high 2 ft base
 alongside. Pits impracticable.

Land broken

Soil 3^d rate, sandy & stony.
~~no timber.~~

Ense in undergrowth 80.00 Chs.

N. $89^{\circ} 54' E.$ on random line
 bet. Secs. 16 and 21

N. $13^{\circ} 40' E.$

4000 Set temp. $\frac{1}{4}$ Sec. cor.

80.12 Intersect N. & S. line 14 Chs.

N. of cor. to Secs. 15, 16, 21, 22

Thence I run

3 Subdivisions

West on a true line bet.

Secs. 16 and 21

Na. $13^{\circ}40'E$.

- 33.70 Left bank of Wash. course
S. W.
- 36.00 Right bank, same wash
- 40.06 Set a stone $14 \times 10 \times 9$ ins 9 ins
in the ground for $\frac{1}{4}$ Sec. Cor.
mkd. $\frac{1}{4}$ on N. face, dug pits
 $18 \times 18 \times 12$ ins. E. & W. of
stone $3\frac{1}{2}$ ft. dist. and
raised a mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft. base
alongside.
- 54.50 Road, bears N. 5° W.
- 69.00 Top of N. point of mountain
bears N. from high point S.
- 80.12 The Cor. to Secs. 16, 17, 20, 21

F. H. R. 3 E. 4

Land very broken

Soil 3^d rate - gravelly
no timber.

Feb. 1, 1894

N. $0^{\circ} 2'$ W. bet. Secs. 16 & 17

N. $13^{\circ} 40'$ E.

Land mountainous & S. undergrowth.

- 9.20 Road, bears N. W. - Ascend
- 20.00 Top of ridge, bears E. & W.
- 40.00 Set a stone $15 \times 14 \times 10$ ins 10 ins
in the ground for $\frac{1}{4}$ Sec. Cor.
mkd. $\frac{1}{4}$ on W. face, dug pits
 $18 \times 18 \times 12$ ins. N. & S. of
stone $3\frac{1}{2}$ ft dirt, and
raised a mound of stones
 $1\frac{1}{2}$ ft high 2 ft base
alongside
- 44.40 Road, bears E. & W.

Subdivisions

- 75.40 Ridge bears E. & W.
- 80.00 Set a stone $16 \times 8 \times 7$ ins
 11 ins in the ground for cor. to
 Secs. 8, 9, 16, 17, mkd. It
 notches on S. and 4 notches
 on E. edges, and raised a
 mound of stones $1\frac{1}{2}$ ft high
 2 ft base alongside. Pits
 impracticable.

Land mountainous and
 brushy

Soil 3^d rate - stony
 no timber.
 Dense undergrowth of mountains

80.00 Chs.

J. H. N. P. J. E. 6

East on random line

bet. Secs. 9 & 16

Na. $13^{\circ}40'E$.

Ascend rocky ridge.

40.00 Set trap, $\frac{1}{4}$ sec. cor.

80.20 Intersect N. & S. line 24 lks.

S. of cor. to Secs. 9, 10, 15, 16.

Thence I run

S. $89^{\circ}50'W$. on true line

bet. Secs. 9 & 16

Na. $13^{\circ}40'E$.

Over mountainous land

0.40 Left bank of Wash, course
S. W.

0.90 Right-bank, same wash

11.00 Ascend mountain

23.00 Top, thence over mountainous
and broken land

Subdivisions

- 40.10 Set a stone $10 \times 10 \times 9$ in in in the ground for $\frac{1}{4}$ sec. Cor. mkd. $\frac{1}{4}$ on N. face, and raised a mound of stones and earth $1\frac{1}{2}$ ft high 2 ft base alongside. Pits impracticable. Thence over broken land.
- 55.00 Top of high ridge, bears N. & S. Descend.
- 68.00 Top of another ridge, bears N. & S., not so high as other.
- 78.00 Top of a low rocky ridge bears N. & S.
- 80.20 The cor. to Secs. 8, 9, 16, 17
Land mountainous
Soil 4^{th} rate - stony
no timber
Mountainous 80.20 Chs.

J. H. N. R. 3 E. ⁸

N. 0° 2' W. bet. Secs. 8 & 9

(Va. 13° 40' E.

Over broken ground.

4.00 Bottom of low rocky hill
bears E. & W.

10.00 Foot of same hill

40.00 Set a Stone 14 x 10 x 5 ^{ins} 9 ^{ins}

in the ground for $\frac{1}{4}$ Sec. Cor.

Marked $\frac{1}{4}$ on W. face. Dug

pits 18 x 18 x 12 ins N. & S. of

Stone $5\frac{1}{2}$ ft. dist. and

raised a mound of earth

$1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft. base

alongside.

65.00 Dry wash, course S. W.

70.00 foot of hill, end ascend.

80.00 Top of hill 200 ft high.

Set a Stone 13 x 10 x 9 ^{ins}

9 Subdivisions.

8^{ins} in the ground for Cor.
to Secs. 4, 5, 8 and 9, marked
with 5 notches on S. and
4 notches on E. edges, and
raised a mound of stones
1 1/2 ft high 2 ft base
alongside. Pits impracticable.

Land mountainous in places.

Soil in bottoms 2nd rate

^{No timber}
Mountainous 20 Chs.

N. 89° 50' E. on random
line bet. Secs. 4 and 9

Var. 13° 40' E.

40.00 Set temp. 1/4 Sec. Cor.

80.30 Intersect N. & S. line at
Cor. to Secs. 3, 4, 9 and 10

J. H. D. 3 E 10

Thence I run

S. $89^{\circ} 50'$ W, on true line
bet. Secs. 4 & 9

Over mountainous land

40.15- Set a stone $10 \times 10 \times 9$ ins -
7 ins. in the ground for $\frac{1}{4}$
Sec. Cor. Inpd. $\frac{1}{4}$ on W.
face, and raised a mound
of stones $1\frac{1}{2}$ ft high 2 ft
base alongside. Pits
impracticable

72.00 Bottom of hollow, drains to S. W.

80.30 The cor. to Secs. 4, 5, 8, 9

Land mountainous

Soil 5th rate - Stony

Mountainous 80.30 Chs.

No timber

Subdivisions

N. $0^{\circ}2'W$. bet. Secs. 4 & 5

Va. $13^{\circ}40'E$.

Over mountainous land.

40500 Set a Stone $9 \times 9 \times 8$ ins
 6 ins in the ground for $\frac{1}{4}$
 Sec. Cor. Mk'd. $\frac{1}{4}$ on N. face,
 and raised a mound of
 Stones $1\frac{1}{2}$ ft high 2 ft base
 alongside. Pits impracticable.
 Thine along mountain
 slopes W.

71.42 Intersect 1^{st} Standard
 Parallel North 6.58 Chs. W. of
 Standard Cor. to Secs. 32 & 33
 I set a Stone $15 \times 9 \times 8$ ins
 10 ins in the ground for closing
 Cor. to Secs. 4 & 5, mk'd. C.C. with
 4 notches on E. face; 2

J. 4 N. R. 3 E. 12

notches on W. face
 Dry pits 18 x 18
 x 12 ins. E, W. & S. of stone
 5 1/2 ft. dist. and raised on
 mound of earth 2 ft. high
 4 1/2 ft. base alongside.
 Land very broken
 Soil 5th rate
 no timber.
 Mountainous and dense
 brush 71.42 Chs.

Feb. 2. 1894

From Cor. to Secs. 5, 6, 31, 32 on S. (Bound) I run

N. $0^{\circ} 3' W.$ bet. Secs. 31 & 32

Var. $13^{\circ} 40' E.$

Over level land

7.00 Left bank of dry wash
 course S. $70^{\circ} W.$ Entire dense
 undergrowth

Subdivisions

8.10 Right bank, some wash. Thence over land subject to overflow, & much cut up by gullies. Leave washes.

4.000 Set a stone $10 \times 10 \times 6$ ^{ins} y ins. in the ground for $\frac{1}{4}$ Sec. Cor. Mkd. $\frac{1}{4}$ on N. face, dug pits $18 \times 18 \times 12$ ins. N. & S. of stone $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base alongside. In north edge of overflowed land.

73.00 Leave ~~back~~ undergrowth.

8.000 Set a stone $15 \times 9 \times 4$ ^{ins} y ins. 10 ins. in the ground for Cor. to Secs. 29, 30, 31, 32, Mkd. with 1 notch on S. and 5 notches

J. H. R. & E. 67
14

on E. edges. Dug pits 18 x
18 x 12 ins. in each sec. 5 1/2
ft. dist. and raised a
mound of earth 2 ft high
4 1/2 ft base alongside.

Land level, but broken

Soil 1st and 2nd rate

no timber
Dense undergrowth 66.00 Ch

East on random line

bet. Secs. 29 & 32

Na. 13° 40' E.

40.00 Set temp. 1/4 Dec. Cor.

80.04 Intersect N. & S. line at

Cor. to Secs. 28, 29, 32, 33

Thence I run

West on a true line

Subdivisions

bet. Secs. 29 & 32

Va. $13^{\circ}40'E$.

Cov level, brushy land

0.30

Branch of road bears N. E.

35.00

Enter dense brush

40.02

Set a ^{marked} stone 12 ins. in the

ground for $\frac{1}{4}$ Sec. Cor. Dig
pits $15 \times 18 \times 12$ ins. E. & W.
of Cor. $5\frac{1}{2}$ ft. dist. and
raised a mound of earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft base
over it. In E. pit drove a
stake 2 ft long 2 ins. square
12 ins. in the ground $N\&S$
on N. face.

53.80

Left bank of wash, course
 $S. 25^{\circ}W$.

57.00

Right bank of same wash,
banks 4 ft deep. Leave brush

J. H. R. & E. 18

80.04 The cor. to Secs. 29, 30, 31, 32

Land level

Soil 2^d rate

no timber

Dense undergrowth 22.00 cts.

West on random line

bet. Secs. 30 & 31

Va. $13^{\circ}40'8''$.40.00 Set temp. $\frac{1}{4}$ Sec. Cor.

78.40 Interset W. Boundary

10 Chs. S. of Cor. to Secs. 25, 30

31, 36. Thence I run

S. $89^{\circ}56'8''$ on true line

bet. Secs. 30 & 31

Va. $13^{\circ}40'8''$.38.40 Set a stone $12 \times 11 \times 9$ ins.8 ins. in the ground for $\frac{1}{4}$ Sec. Cor. Intd. $\frac{1}{4}$ on N. face

Subdivisions

dig pits $18 \times 18 \times 12$ ins. E
 W N. of Stone $5\frac{1}{2}$ ft. dist.
 and raised a mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
 alongside.

48.40 The cor. to Secs. 29, 30, 31, 32

Land level

Soil $\frac{1}{2}$ rate

no timber

Brush whole distance

N. $0^{\circ} 3' W.$ bet. Secs. 29 & 30

(Va. $13^{\circ} 40' E.$)

Over level land

40.00 Set a stone $16 \times 12 \times 4$ $\frac{1}{2}$ in 11 $\frac{1}{2}$ in
 in the ground for $\frac{1}{4}$ Sec. Cor.
 mtd. $\frac{1}{4}$ on W. face. dig
 pits $18 \times 18 \times 12$ ins. N. & S.
 of Stone $5\frac{1}{2}$ ft. dist. and

raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base alongside.
 Set a stone $10 \times 9 \times 6$ ins \times ins in the ground for cor. to Secs. 19, 20, 29, 30, onkd, with 2 notches on S. and 5 notches on E. edges, dug pits $18 \times 18 \times 12$ ins, in each Sec. $5\frac{1}{2}$ ft. dist. and raised on mound of earth 2 ft high $4\frac{1}{2}$ ft. base alongside.

Land level

Soil 1st rate

No timber
 brush whole distance

East on random line

bet. Secs. 20 & 29

Na. $13^{\circ} 40' E.$

72

19

Subdivisions
BOOK 18

- 40.00 Set temp. $\frac{1}{4}$ Sec. Cor.
 80.07 Intersect N. & S. line 3 lks
 N. of cor. to Secs. 20, 21, 28,
 29

Thence I run

N. $89^{\circ} 59'$ W. on true line
 bet. Secs. 20 & 29
 Va. $13^{\circ} 40' 8''$.

Over level land.

- 2.40 Left bank of Wash, 100 lks
 wide course S. W.

- 40.03 Set a Stone $11 \times 9 \times 7$ ins.
 7 ins. in the ground for $\frac{1}{4}$
 Sec. Cor. Mkd. $\frac{1}{4}$ on N. face.
 dug pits $18 \times 18 \times 12$ ins.
 E. & W. of Stone $5\frac{1}{2}$ ft.
 dist. and raised a mound
 of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft

J. H. N. P. 3^d E.

Base alongside.

80.07 The Cor. to Secs. 19, 20, 29

30

Land level

Soil 1st rate

no timber.

Brough whole distance

Feb. 3, 1894

N. 89° 56' W. on random
line bet. Secs. 19 & 30

Va. 13° 40' E.

40.00 Set trap. 1/4 Sec. Cor.

78.22 Interest W. Body, 9 Ecs.

N. of cor. to Secs. 19, 24,

25, 30. Thence I run

East on true line

bet. Secs. 19 & 30

74

21

BOOK 18
Subdivisions

Va. 13° 40' E.

Over level land

38.22 Set a stone 14 x 10 x 6 ins.
9 ins. in the ground for $\frac{1}{4}$
Sec. Cor. Mk'd. $\frac{1}{4}$ on N. face,
dug pits 18 x 18 x 12 ins. E
& W. of Stone $5\frac{1}{2}$ ft. dist.
and raised a mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base alongside.

78.22 The cor. to Secs. 19, 20, 29, 30

Land level

Soil ^{st. orati}
no timber,
Brush whole distance.

N. 0° 3' W. bet. Secs. 19 & 20

Va. 13° 40' E.

Over level land.

4000 Set a stone $12 \times 8 \times 7$ in 8 in
 in the ground for $\frac{1}{4}$ sec. cov,
 mtd. $\frac{1}{4}$ on W. face, dug
 pits $18 \times 18 \times 12$ in N. & S. of
 stone $5\frac{1}{2}$ ft. dist. and
 raised a mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
 alongside.

8000 Set a stone $14 \times 9 \times 9$ ins.
 9 ins in the ground for cov.
 to Dec. 17, 18, 19, 20, mtd.
 with 3 notches on S. and
 5 notches on E. edges, dug
 pits $18 \times 18 \times 12$ ins. in each
 Dec. $5\frac{1}{2}$ ft. dist. and
 raised a mound of earth
 2 ft high $5\frac{1}{2}$ ft base alongside.

76

BOOK 13

23

Subdivisions

Land level

Soil 1st rateBrush ^{no timber} whole distance

S. $89^{\circ}59'E$. on random
line bet. Secs. 17 & 20

Na. $13^{\circ}40'E$.

40.00 Set temp. $\frac{1}{4}$ Sec. Cor.

79.94 Intuscut N. & S. line 3 lks

S. of Cor. to Secs. 16, 17, 20, 21

Thence I run

West on true line
bet. Secs. 17 & 20

Na. $13^{\circ}40'E$.

Over level land

39.97 Set a stone $10 \times 10 \times 6$ ins, $\frac{1}{2}$ in
in the ground for $\frac{1}{4}$ sec. cor.

J. H. R. & Co.

79
24

Drkd. $\frac{1}{4}$ on N. face. Suggests
 18 x 18 x 12 ins. E. & W. of
 Stone $3\frac{1}{2}$ ft. dist. and
 raised a mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
 alongside

79.94 The cor. to Secs. 17, 18, 19
 20.

Land low

Soil 1st rate
 no timber
 Brush whole distance

West on random line
 bet. Secs. 18 & 19

Var. $13^{\circ}40'E$.

40.00 Set temp. $\frac{1}{4}$ Sec. cor.

78.10 Intersect R. & A. line W.
 Boundary

Subdivisions

11 lbs. N. of Cor. to Secs. 13,

18, 19, 24. Thence I run

N. $89^{\circ}55'E$, on true line
bet. Secs. 18 & 19.

W. $13^{\circ}40'E$.

Over level land

38.10 Set a stone $14 \times 12 \times 7$ in.

9 in. in the ground for $\frac{1}{4}$

Sec. Cor. N. $89^{\circ}55'$ in N. face,

dig pits $18 \times 18 \times 12$ in. E &

W. of stone $5\frac{1}{2}$ ft. dirt,

and raised a mound of

earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft

base alongside.

78.10 The cor. to Secs. 17, 18, 19,

20.

Land level

Soil, $\frac{1}{2}$ rat

No timber.

T. 4 N. R. 3 E. 25

26

Borough whole distance

Feb. 4, 1894

N. $10^{\circ}3'W$. bet. Secs. 17 & 18Far $13^{\circ}40'E$.

Cov. level land

4000 Set a stone $15 \times 10 \times 9$ ins 10 ins
in the ground for $\frac{1}{4}$ Sec. Cov.
Marked $\frac{1}{4}$ on N. face, dug
pits $18 \times 18 \times 12$ ins. N. & S.
of stone $5\frac{1}{2}$ ft. dist. and
raised a mound of earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base
alongside.

8000 Set a stone $9 \times 8 \times 8$ ins.
6 ins. in the ground for Cov.
to Secs. 7, 8, 17, 18. Marked,
with
 $\frac{1}{4}$ notches on S. and 5

27 Subdivisions

Notches on E. edges, Deep
 pits $18 \times 18 \times 12$ ins. in each
 Sec. $5\frac{1}{2}$ ft. dist. and
 raised a mound of earth
 2 ft. high $4\frac{1}{2}$ ft. base
 alongside.

Level level

Soil ^{1st} rate

no timber
 Bush whole distance

East on random line

bet. Secs. 8 & 17

Var. $13^{\circ} 40' E.$

40.00 Set temp. $\frac{1}{4}$ sec. Cor.

80.16 Intersect N. & S. line 13 cks

S. of Cor. to Secs. 8, 9, 16, 17

Thence I run

T. 4 N. R. 3 E.

S. $89^{\circ} 54' W.$ on true line
bet. Secs. 8 & 17
Va. $13^{\circ} 40' E.$

Land slopes to West

8.00 foot of mountain, then level.
40.08 Set a stone $17 \times 9 \times 6$ ins.
12 ins. in the ground for $\frac{1}{4}$
Sec. cor. mkd, $\frac{1}{4}$ on N. face,
dug pits $18 \times 18 \times 12$ ins. E.
& W. of Stone $5\frac{1}{2}$ ft. dist.
and raised a mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft.
base alongside.

55.25 Road, bears N. W.

80.16 The Cor. to Secs. 7, 8, 17, 18.

Land level

Soil 1st rate
no timber
Brushy whole distance

82 29

Subdivisions

S. $89^{\circ} 55' W.$ on random
line bet. Secs. 7 & 18

Var. $13^{\circ} 40' E.$

4000 Set temp. $\frac{1}{4}$ Sec. cor.

77.98 Intersect W. Body, S. $45^{\circ} S.$
of cor. to Secs. 7, 12, 13, 18

Thence I run

N. $89^{\circ} 58' E.$ on true line
bet. Secs. 7 & 18

Var. $13^{\circ} 40' E.$

Over level land

37.98 Set a marked stone 12 ins,
in the ground for $\frac{1}{4}$ Sec.
Cor. Dig pits $18 \times 18 \times 12$ ins
E. & W. of Cor. $5\frac{1}{2}$ ft. dist.
and raised a mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base over it. In E. pit

J. H. N. R. & E.

drive a stake 2 ft long, 2ⁱⁿ
sq, 12 ins. in the ground,
mkd. $\frac{1}{4}$ S. on W. face.

77.98 The Cor. to Secs. 7, 8, 17, 18

Land level

Soil 1st ^{no timber} rate & brushy

N. 0°3' W. bet. Secs. 7 & 8

N. 13°40' E.

Ascend low ridge.

11.00 Top of ridge 150 ft high
be as E. & W. Descend

Enter dense undergrowth

40.00 Set a stone 12 x 10 x 6ⁱⁿ
8 ins. in the ground for $\frac{1}{4}$
Sec. Cor. mkd. $\frac{1}{4}$ on W. face,
dig pits 18 x 18 x 12 in. N.

Subdivisions

31

& S. of Stone $5\frac{1}{2}$ ft dist.
and raised a mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base alongside.

53.00 Road, bears N. W.

80.00 Set a Stone $13 \times 10 \times 7$ ins
8 ins. in the ground for Cor.
to Secs. 5, 6, 7, 8, marked with
5 notches on S. and 5 notches
on E. edges. Dug pits 18×18
 $\times 12$ ins. in each Sec. $5\frac{1}{2}$ ft
dist. and raised a mound
of earth 2 ft. high $4\frac{1}{2}$ ft
base alongside.

Land mostly level

Soil 1st rate
no timber

Dense undergrowth 69.00 Chs.

T. 4 N. R. 3 E.

N. $89^{\circ} 54' E.$ on random line bet. Secs. 5 & 8

Va. $13^{\circ} 40' E.$

40.00 Set temp. $\frac{1}{4}$ sec. Cor.

80.04 Intersect N. & S. line 100 ft

N. of Cor. to Secs. 4, 5, 8, 9

Thence I run

S. $89^{\circ} 58' W.$ on true line bet. Secs. 5 & 8

Va. $13^{\circ} 40' E.$

30.00 Descend from mountain
40.02 foot of mountain. Enter ~~the~~ ^{the} ~~consider~~ ^{growth} ~~growth~~
Set a stone $11 \times 10 \times 9$ ins.

7 ins. in the ground for $\frac{1}{4}$ sec. Cor. Marked $\frac{1}{4}$ on N. face, dug pits $18 \times 18 \times 12$ ins. E. & W. of stone $5 \frac{1}{2}$ ft. dist, and raised a mound of earth $1 \frac{1}{2}$ ft. high $3 \frac{1}{2}$ ft

Subdivisions

Case alongside.

80.04 The cor. to Secs. 5, 6, 7, 8

Land mts. and brush

40 Chs. Last 40.04 Chs. 2nd rate

Soil 2nd rate

no timber.

Mountainous & dense undergrowth

80.04 Chs.

S. $89^{\circ} 58' W.$ on random

line bet. Secs. 6 & 7

N. $13^{\circ} 40' E.$

40.00 Set temp. $\frac{1}{4}$ Sec. cor.

77.90 Intersect W. Body, 16 Chs.

N. of cor. to Secs. 1, 6, 7, 12

thence I run

N. $89^{\circ} 51' E.$ on true line

bet. Secs. 6 & 7

N. $13^{\circ} 40' E.$

T. H. R. R. 3 E. 28

34

37.90 Set a stone 12 x 11 x 5 ^{lbs} 8 ^{ins}
 in the ground for $\frac{1}{4}$ sec.
 cor. Mk'd. $\frac{1}{4}$ on N. face,
 dug pits 18 x 18 x 12 ins.
 E. & W. of stone $5\frac{1}{2}$ ft
 dist. and raised a mound
 of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
 base alongside.

77.90 The cor. to Secs. 5, 6, 7, 8
 Land level & brushy
 Soil 1st rate
 No timber.

N. $0^{\circ} 3' W.$ on a tree line
 bet. Secs. 5 & 6

Var. $13^{\circ} 40' E.$

Over level land

17.00 dry wash, course S.W.

Sub divisions

4000 Set a Stone 15 x 10 x 6 ⁱⁿ
 10 ins. in the ground for $\frac{1}{4}$
 Sec. cor. Mked. $\frac{1}{4}$ on W. face.
 dug pits 18 x 18 x 12 ins.
 N. & S. of Stone 5 $\frac{1}{2}$ ft.
 dist. and raised a mound
 of earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft
 base alongside.

67.00 Begin to ascend low rocky hill.
 71.45 Interset ^{or} Standard

Parallel North 6.56 chs.

W. of Standard cor. to
 Secs. 31 & 32, of T. 5-N. R. 3
 E. and set a Stone 12 x
 11 x 9 ins. 8 ins. in the
 ground for closing cor. to
 Secs. 5 and 6 mked. C.C. with
 5 notches on E. and 1 notch
 on W. faces.

J. H. R. & E.

Dug pits $18 \times 18 \times$
 12 ins E, W, & S, $5\frac{1}{2}$ ft
dist. and raised a
mound of earth 2 ft
high $4\frac{1}{2}$ ft base
alongside.

Land level & brushy
Soil 1st and 2^d rate.
no timber.

Feb. 5. 1894

General Description

This Township is generally level, with mountains rising 500 to 1000 feet above the plain. Soil in plain is generally first rate, and the whole township, except mountains, is covered thickly with brush.

The Union Gold Mine with hoisting works, 10-stamp mill and other buildings, is situated in the N. E. ^{S. E. $\frac{1}{4}$ of} part of Sec. 21. At the time of survey work was stopped temporarily. No other mines worked in the

Township. There are many
prospect holes showing
good indications of gold.

Jam. H. Martineau
U. S. Deputy Surveyor

Feb. 5. 1894

U. S. Surveyor-General's Office,

TUCSON, A. T., *Jan 28 1895.*

The foregoing Field Notes of the Surveys of
the Subdivisions of
Tp. 4 N. R. 3 E.

of the Gila and Salt River Meridian
 in *Arizona* executed by
James H. Mathieu
 U. S. Deputy Surveyor, under his contract dated
June 21st 1893

having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

Lee H. Manning

U. S. Surveyor-General
 for the Territory of Arizona.