

No. 311

Subdivision
T. 5 N. - R. 2 E.

4-671

FIELD NOTES
GENERAL LAND OFFICE.

No. 1

BOOK 22

No. 311

23

Field Notes of the
Survey of the
Subdivision Lines
of
T. 5 N. - R. 2 E.
of the
principal Base & Meridian
in the
Territory of Arizona
as surveyed by
James H. Martineau
U. S. Deputy Surveyor

Under his contract - no. 30

Dated June 21, 1893.

Survey commenced Feb. 21, 1894

Survey completed Mch. 2, 1894

Index.

T. 5 N. - R. 2 E.

Index for Books 23 and 25

6	83	5	⁵⁸ 60	4	45	3	30	2	15	1
82		81		59		44		29		14
7	80	8	58	9	42	10	28	11	12	12
78		77		57		41		27		11
18	75	17	55	16	40	15	25	14	10	13
74		72		54		39		24		8
19	70	20	53	21	37	22	23	23	7	24
70		68		51		36		21		6
30	66	29	49	28	35	27	20	26	4	25
65		63		48		33		18		3
31	62	32	46	33	32	34	16	35	1	36

Subdivision T. 5 N., R. 2 E.

Survey commenced

Feb. 21 1894

Standard

From the ₁ cor. to Secs. 1, 2, 35

36, on S. Boundary

I run

N. 0° 1' W. bet. Secs. 35 & 36

N. 13° 40' E.

Over level land

35.00 Enter dense brush.

35.50 Left bank of dry wash
course S. 40° W.

37.80 Right bank, same wash

40.00 Set a stone 15 x 10 x 7 ins 10 ins

in the ground for $\frac{1}{4}$ Sec.

Cor. mkd. $\frac{1}{4}$ on W. face,

dig pits 18 x 18 x 12 ins N.

& S. of Stone 5 $\frac{1}{2}$ ft dist.

Subdivision

and raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$

Its base alongside

42.00

Road bears n. w.

45.50

Right bank of same wash

47.40

Left bank " " "

53.50

Left bank of same wash

59.40

Right bank of same wash.

80.00

Set a Stone $16 \times 10 \times 7$ ins

10 in in the ground for cor.

to Secs. 25, 26, 35, 36,

mkd. 1 notch on S. and 1

notch on E. edges, dug

pits $18 \times 18 \times 12$ ins in each

Sec. $5\frac{1}{2}$ ft. dist. and

raised a mound of earth

2 ft high $4\frac{1}{2}$ ft base

alongside.

Land level

T. S. W., R. 2 E.

Soil 1st rate
no timber
Dense undergrowth 45.00 Chs.

East on a random line
bet. Secs. 25 & 36

Va. $13^{\circ}40'E.$

40.00 Set temp. $1/4$ Sec. Cor.

79.94 Intersect E. Body at Cor.
to Secs. 30, 31, 25, 36

Thence I. run

West on true line
bet. Secs. 25 & 36

Va. $13^{\circ}40'E.$

Over level land & dense brush.

10.00 Top of rocky knoll 50 ft.
high and descend

39.97 Deposited a marked Stone

Subdivisions

12 ins. in the ground for
 $\frac{1}{4}$ Sec. Cor. and raised a
 mound of earth and stones
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
 over it. Pits impracticable.

~~51.10~~ ~~Local dense brush~~

77.20 Left bank of dry wash
 course S. 10° W.

78.20 Right bank of same wash.

79.94 The Cor. to Secs. 25, 26

35, 36

Land generally level

Soil 2nd rate
 no timber

Dense undergrowth 79.94 Ch.

N. $0^{\circ} 1' W.$ bet. Secs. 25 & 26

Va. $13^{\circ} 40' E.$

T. 5 N., R. 2 E.

4020 Set a stone $12 \times 10 \times 6$ ins gms
 in the ground for $\frac{1}{4}$ sec.
 Cor. mkd. $\frac{1}{4}$ on W. face
 dug pits $18 \times 18 \times 12$ ins. N &
 S. of Stone $5\frac{1}{2}$ ft dist,
 and raised a mound of
 earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
 base alongside.

8020 Set a stone $14 \times 9 \times 9$ ins
 9 ins; in the ground for Cor.
 to Secs. 23, 24, 25, 26
 mkd. with 2 notches on S,
 and 1 notch on E. edges,
 and raised a mound of
 Stone $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft.
 base alongside. Pits imprac^e
 Land rolling
 Soil 2nd rate
 No timber

Subdivisions

East on ^a random line
bet. Secs. 24 & 25

Var. $13^{\circ} 40' E.$

40.00 Set temp. $\frac{1}{4}$ Sec. Cor.
80.02 Intersect E. Body. 6 lks N.
of Cor. W Secs. 19, 24, 25
& 30, Thence I run

N. $89^{\circ} 57' W.$ on true line
bet. Secs. 24 & 25

Var. $13^{\circ} 40' E.$

40.01 Set a stone $12 \times 8 \times 8$ ^{ins} _{gins}
in the ground for $\frac{1}{4}$ Sec.
Cor. Mk'd. $\frac{1}{4}$ on N. face
dig pits $18 \times 18 \times 12$ ^{ins} E. &
W. of Stone $3\frac{1}{2}$ ft. dist.
and raised a mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft.

T. 5 N., R. 2 E.

base alongside

55.10 a dry wash, course S. W.

80.02 The Cor. to Secs. 23, 24.

25, 26.

Land level

Soil 2^d rate

no timber

Feb. 21, 1894.

N. 0° 1' W. bet. Secs. 23 & 24

Va. 13° 40' E.

Over rolling land.

40.00 Set a stone 12 x 8 x 6 ^{ins} 8 ^{ins}

in the ground, for 1/4 sec.

Cor. mkd. 1/4 on W. face,

and raised a mound
of stones 1 1/2 ft high 2 ft
base alongside.80.00 Set a stone 11 x 10 x 8 ^{ins} 7 ^{ins}

Sub-divisions

in the ground for cor. to
 Secs. 13, 14, 23, 24, mked
 with 3 notches on S. and
 1 notch on E. edges, and
 raised a mound of stones
 1 1/2 ft high 2 ft base
 alongside. Pits imprac^e
 Land nearly level
 Soil 2^d rate
 No timber

S. $89^{\circ} 57' E.$ on random
 line bet. Secs. 13 & 24
 Va. $13^{\circ} 40' E.$

Over level land.

4000 Set temp. 1/4 Sec. Cor.
 80.07 Intusect N. & S. line 1/4
 lbs. S. of cor. to secs. 13, 18

T. 5 N., R. 2 E.

19.24. Thence I run
 N. $89^{\circ}59'$ W. on true line
 bet. Secs. 13 & 24
 Va. $13^{\circ}40'E$.

32.10 Dry wash, course S. W.

40.03 Set a stone $15 \times 11 \times 9$ ins 10 in
 in the ground for $\frac{1}{4}$ Sec.
 cor. mkd. $\frac{1}{4}$ on N. face,
 dug pits $18 \times 18 \times 12$ ins E.
 & W. of stone $5\frac{1}{2}$ ft. dist.
 and raised a mound of
 earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
 base alongside.

42.00 Dry wash, course S. W.

80.07 The cor. to Secs. 13, 14, 23, 24.

Land level & stony

Soil 3rd rate

No timber

Subdivisions

N. $0^{\circ}1'W$, bet. Secs. 13 & 14

Va. $13^{\circ}40'E$.

Over level land.

- 4000 Set a stone $13 \times 10 \times 7$ ^{ins} _{ins} ^{ins} _{ins} in the ground for $\frac{1}{4}$ Sec. Cor. Mkd. $\frac{1}{4}$ on W. face and raised a mound of stones $1\frac{1}{2}$ ft high 2 ft base alongside. Pits imprac^l
- 8000 Set a stone $15 \times 10 \times 7$ ^{ins} _{ins} ^{ins} _{ins} ^{ins} _{ins} in the ground for Cor. to Secs. 11, 12, 13, 14, mkd, with 4 notches on S, and 1 notch on E. edges, dug pits $18 \times 18 \times 12$ ^{ins} _{ins} _{ins} in each Sec. $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft high $1\frac{1}{2}$ ft

T. 5 N. R. 2 E.

bare alongside

Land level

Soil 3^d rate - Stony

No timber

S. $89^{\circ} 59' E.$ on random line
bet. Secs: 12 & 13.Va: $13^{\circ} 40' E.$

Over level land

40.00 Set temp. $\frac{1}{4}$ Sec. Cor.80.10 Intersect E. Bdy. 16 cks. N.
of cor. to Secs. 7, 12, 13, 18.

Thence I run

N. $89^{\circ} 52' W.$ on true line

bet. Secs: 12 & 13

Va: $13^{\circ} 40' E.$ 40.05 Set a stone $14 \times 11 \times 9$ ins gins
in the ground for $\frac{1}{4}$ Sec.

Subdivisions

cor. mkd. $\frac{1}{4}$ on N. face,
dry pits $18 \times 18 \times 12$ in E. &
W. of stone $5\frac{1}{2}$ ft. dist.
and raised a mound
of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$
ft. base alongside.

- 47.40 Dry wash, course S. W.
62.80 Dry wash, course S, 10° W.
80.10 The cor. to Secs. 11, 12, 13,
14.

Land level

Soil 3° rate - stony

No timber

N. $0^\circ 11'$ W. bet. Secs. 11 & 12

N. $13^\circ 40'$ E.

Over level land

- 40.20 Set a stone $11 \times 10 \times 7$ ins

J. J. H. R. 2 E.

9 ins. in the ground for $\frac{1}{4}$
Sec. Cor. mkd. $\frac{1}{4}$ on W. face,
dig pits 18 x 18 x 12 ins. N. &
S. of Stone $5\frac{1}{2}$ ft. dist, and
raised a mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
alongside. Ascend hill.

46.00 Top of point of hill bears E.

80.00 Set a Stone 14 x 10 x 5 ins

9 ins. in the ground for Cor. to
Secs. 1, 2, 11, 12, mkd. $\frac{1}{4}$
notches on S. and 1 on E.
edges, and raised a

mound of Stones $1\frac{1}{2}$ ft high
2 ft base alongside. Pits impr^e

Land nearly level

Soil 3^d rate - Stony

No timber

Subdivisions

S. $89^{\circ} 52' E.$ on random
line bet. Secs. 1 and 12

Va. $13^{\circ} 40' E.$

40.00 Set temp. $\frac{1}{4}$ Sec. Cor.
79.96 Intersect N. & S. line 16 lks
S. of Cor. to Sec. 6, 7, 11 & 12
Thence I run

N. $89^{\circ} 59' W.$ on true
line bet. Secs. 1 & 12

Va. $13^{\circ} 40' E.$

39.98 Set a stone $14 \times 14 \times 8$ ins
9 ins. in the ground for $\frac{1}{4}$
Sec. Cor. marked $\frac{1}{4}$ on N.
face, and raised a mound
of stones $1\frac{1}{2}$ ft high 2 ft
base alongside. Pits
impracticable.

T. S. N. R. 2 E

- 79.96 The cor. to Secs. 1, 2, 11, 12
Lanes Mountains
Soil 3^d rate
No timber
79.96 Chs. Mountains and
dense undergrowth.

N. 0° 1' W. on random line bet,
Secs. 1, & 2
Va. 13° 40' E.

- 40.20 Set a temp. 1/4 Sec. Cor.
80.20 Obstruct N. Body, 27 chs. W.
of cor. to Secs. 1 & 2. Thence
I run

S. 0° 11' W. on a true
line bet, Secs. 1 & 2
Va. 13° 40' E.

- 40.20 Set a stone 14 x 12 x 8 ins 9 ins

Subdivisions

in the ground for $\frac{1}{4}$
 Sec. Cor. mkd. $\frac{1}{4}$ on N.
 face and raised a mound
 of stone $1\frac{1}{2}$ ft high 2 ft
 base alongside. Pits imprac^l

80.20 The cor. to Secs. 1, 2, 11, 12

Land mountains

Soil 2^d rate & 3^d rate

No timber

80.20 Chs. Mountains and

Dense undergrowth

Feb. 22, 1894

Standard

From the \wedge cor. to Secs. 2, 3,

34 & 35 on S. Dry. Run

No 1st N. bet. Secs. 34 & 35

Va. $13^{\circ}40'E.$

J. 5th N. R. 2 E.

- Descend from ridge of Mts.
 18.00 foot of ridge, Thence level
 11.00 Set a Stone 12 x 9 x 7 ^{ins} 8 ^{ins}
 in the ground. for 1/4 Sec.
 Cor. mtd. 1/4 on W. face,
 and raised a mound of
 Stones 1 1/2 ft high 2 ft
 base alongside. Pits
 impracticable.
- 60.60 foot of rocky hill 25.0 ft
 high
- 68.50 Top of same, then descend
- 79.50 foot of same hill
- 80.00 Set a Stone 20 x 14 x 10 ^{ins}
 15. inches in the ground for
 Cor. to Secs. 26, 27, 34, 35
 mtd. with 1 notch on S.
 and 2 on E. edges, dry

Subdivisions

pits $18 \times 18 \times 12$ ⁱⁿ in each
 Sec. $5\frac{1}{2}$ ft dist, and
 raised a mound of earth
 2 ft high $4\frac{1}{2}$ ft base
 alongside

Land broken, mountainous
 in places.

Soil in bottomes 1st rate
~~no timber~~
 58.00 Cts, mountainous

East on a random line
 bet. Secs. 26 & 35-

Na. $13^{\circ}40'E.$

40.00 Set temp. $\frac{1}{4}$ Sec. Cor.
 80.06 Intersect N. & S. line
 at cor. to Secs. 25, 26
 35, 36. Thence I run

T. 5 N. R. 2 E.

West on a true line
bet. Secs. 26 & 35
Va. $13^{\circ}40'E$.

- 11.50 Dry wash, course $S. 10^{\circ} E$. ↓
- 32.53 Road from Prescott to Phoenix
bears N. & S.
- 40.03 Set a stone $13 \times 10 \times 9$ ins
8 ins. in the ground. for $\frac{1}{4}$
Sec. Cor. Mk'd. $\frac{1}{4}$ on N.
face, and raised a mound
of stones $1\frac{1}{2}$ ft high 2 ft.
base alongside. Pitts imprac^e
- 70.00 foot of ridge, bears S.
- 74.00 Top of same ridge
- 77.00 Bottom of same
- 80.06 The cor. to Secs. 26, 27, 34
and 35.

Land broken

Subdivisions

Soil in bottoms 1st rate
No timber

N. 0° 1' W. bet. Secs. 26 & 27

Pa. 13° 40' E.

Over broken land

26.00

Foot of low mountains
ascend over boulders

40.00

Set a Stone 17 x 12 x 9 ins
12 ins. in the ground for
1/4 Sec. Cor. mkd. 1/2 on W.
face, and raised a mound
of Stones 1 1/2 ft high 2 ft
base alongside. Pits
impracticable. On side
of mountain.

43.00

Top of mountain & descend

80.00

Set a Stone 16 x 11 x 8 ins 10 in

S. 5 N. R. 2 E.

in the ground for cor. to
 Secs. 22, 23, 26, 27 marked
 with 2 notches on S, and
^{notches}
 2_A on E. edges, and raised
 a mound of stones 1 1/2 ft
 high 2 ft. base alongside.
 Pits impracticable.

Land broken & mountainous
 Soil 1^m and 5^{1/2} rats
^{No timber}
 5 h. or less. Mountainous

East on a random line
 bet. Secs. 23 & 26
 Va. 13° 40' E.

- 46.00 Set temp. 1/4 Sec. Cor.
 80.04 Antiseet N. & S. line 7 lbs
 N. of cor. to Secs. 23, 24, 25

22

Subdivisions

26. Thence I run

N. $89^{\circ} 57'$ W. on a true
line bet. Secs. 23 & 26Va. $13^{\circ} 40' E.$ 27.00 Left bank of dry wash
course S. $14^{\circ} E.$

30.90 Right bank of same wash

40.02 Set a stone $11 \times 10 \times 8$ ins 9 inin the ground for $\frac{1}{4}$ sec.Cor. mkt. $\frac{1}{4}$ on N. face

and raised a mound of

Stones $1\frac{1}{2}$ ft high 2 ftbase alongside. Pits imprac^e46.55 Road, Phoenix to Prescott, N & S
65.00 foot of hill 200 ft high

80.04 Ths cor. to Secs. 22, 23

26.27.

Land rolling

T. 5 N. R. 2 E.

Soil 3rd rate - Stony
No timber

N. 0° 1' W. bet. Secs. 22 & 23

Va. 13° 40' E.

Over level, Stony land.

4000 deposited a mkd. Stone 12ⁱⁿ
in the ground for $\frac{1}{4}$ sec.
Cor. and raised a mound of
earth and stones $1\frac{1}{2}$ ft
high $2\frac{1}{2}$ ft base over it.
Pits impracticable.

8000 Set a Stone 18 x 10 x 8ⁱⁿ 12ⁱⁿ
in the ground for cor. to sec.
14, 15 & 22, 23, mkd. with
3 notches on S, and 2₁ on E.
edges, and raised a mound
of stones $1\frac{1}{2}$ ft high 2 ft.

Subdivisions

base alongside. P'ts
impracticable.

Land level & very stony

Soil 3^d rate

No timber

Feb, 23, 1894

S. $89^{\circ} 57' E$, on a random
line bet. Secs. 14 & 23

Na. $13^{\circ} 40' E$.

Over level land

10.00 Set temp. $\frac{1}{4}$ Sec. cor.

79.98 Intersect N. & S. line 19 lks

N. of cor. to Secs. 13, 14, 23 & 24

Thence I run

N. $89^{\circ} 40' W$. on true line

bet. Secs. 14 & 23

Na. $13^{\circ} 40' E$.

27.30 Left bank of dry wash,

J. S. N. R. 28.

Course S.

- 30.90 Right bank of some wash
- 34.70 A dry wash, course S. (same)
- 39.99 Set a stone 15 x 8 x 7 ins 10 lbs
in the ground for 1/4 sec.
Cor. mtd. 1/4 on N. face,
and raised a mound of
stones 1 1/2 ft high 2 ft base
along side. Pits impracticable.
- 34.70 Road to Prescott. lbs N. N. W.
- 79.98 The Cor. to Secs. 14, 15,
22, 23.

Land level & Stony
Soil 3^d rate
No timber

N. 0° 1' W, bet. Secs. 14 & 15
Va. 13° 40' E.

Subdivisions

40.000 Set a stone $13 \times 10 \times 9$ ^{ins} gms
 in the ground for $\frac{1}{4}$ Dec.
 Cor. Mkd. $\frac{1}{4}$ on W. face
 dug pits $18 \times 18 \times 12$ ^{ins} N. & S
 of Stone $5\frac{1}{2}$ ft dist, and
 raised a mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
 alongside.

80.000 Set a stone $18 \times 7 \times 6$ ^{inches} 12 ^{ins}
 in the ground for cor. to
 Decs. 10, 11, 14, 15, mkd.
 with 4 notches on S. and 2 ^{notches}
 on E. edges, and raised
 a mound of stones $1\frac{1}{2}$ ft
 high 2 ft. base alongside.
 Pits impracticable.

Land level

Soil 3rd rate - Stony
 No timber

T. 4 N. R. 2 E.

$\alpha. 89^{\circ} 49' E.$ on random
line bet. Secs. 11 & 14

$\text{Va. } 13^{\circ} 40' E.$

40.00 Set temp. $\frac{1}{4}$ Sec. Cor.

80.16 Intersect N. & S. line 11
lbs. S. of cor. to Secs. 11, 12
13, 14. Thence I run

$N. 89^{\circ} 54' W.$ on true line
bet. Secs. 11 & 14

$\text{Va. } 13^{\circ} 40' E.$

40.08 Set a stone $12 \times 10 \times 9$ ins
8 ins. in the ground for $\frac{1}{4}$
Sec. ^{Cor.} $\frac{1}{4}$ mtd. $\frac{1}{2}$ on N. face.
and raised a mound of
stones $1\frac{1}{2}$ ft high 2 ft base
alongside, Pits impracticable.

60.50 Road to Prescott, bears N.

80.16 The cor. to Secs. 10, 11, 14, 15

Subdivision

Land level

Soil 3rd rate - stony

✓ No timber

N. 0° 1' W. bet. Secs. 10 & 11

Va. 13° 40' E.

Over level land

40000 Set Stone $13 \frac{1}{2} \times 8 \times 8$ ins 8 ins
 in the ground for $\frac{1}{4}$ sec. cor.
 Mk'd. $\frac{1}{4}$ on N. face, dug
 pits $18 \times 18 \times 12$ ins N. & S.
 of Stone $5 \frac{1}{2}$ ft. dist. and
 raised a mound of earth
 $1 \frac{1}{2}$ ft. high $3 \frac{1}{2}$ ft. base
 alongside.

80000 Set a Stone $17 \times 12 \times 6$ ins
 12 ins. in the ground for
 cor. to Secs. 2, 3, 10, 11

J. S. N. R. 28. 23

mkd, with 5 notches on S.
 and 2 notches on E, edges
 and raised a mound of
 stones $1\frac{1}{2}$ ft high 2 ft base
 alongside. Pits impracticable.
 Land level & very stony
 Soil 3^d rate
 No timber

S. $89^{\circ} 54' E$, on random line
 bet. Secs. 2 & 11

Na. $13^{\circ} 40' E$.

40500 Set temp. $\frac{1}{4}$ Sec. Cor.

80556 Intusect N. & S. line at
 Cor. to Secs. 1, 2, 11, 12

Thence I run

N. $89^{\circ} 54' W$, on true line
 bet. Secs. 2 & 11

Na. $13^{\circ} 40' E$.

Subdivisions

40.03 Set a Stone $13 \times 9 \times 9$ ins pins
 in the ground for $\frac{1}{4}$ Sec. Cor. in
 sskd. $\frac{1}{4}$ on N. face, and
 raised a mound of stones
 $1\frac{1}{2}$ ft. high 2 ft. base
 alongside. Pits imprac^t

41.50 Road to Phoenix, bears N. 10° W.

80.06 The Cor. to Secs. 2, 3, 10, 11

Land level & rocky

Soil 3^d rate

No timber

N. 0° 1' W. on random line
 bet. Secs. 2 & 3

Pa. 13° 40' E.

Over slightly ascending
 land.

40.00 Set temp. $\frac{1}{4}$ Sec. Cor.

T. 5 N. R. 2 E.

- 80.08 Intersect N. Boundary
25 Chs. E. of Cor. to Secs. 2 &
3, Thence I run
S. $0^{\circ} 12' E.$ on a true line
bet. Secs. 2 & 3
Va. $13^{\circ} 40' E.$
- 4500 Set a stone $12 \times 10 \times 8$ ins
ins in the ground for $\frac{1}{4}$
Sec. Cor. mkd. $\frac{1}{4}$ on N. face
and raised a mound of
stones $1\frac{1}{2}$ ft high 2 ft
base alongside. Pits
impracticable.
- 53.90 Road to Prescott, bears N. $15^{\circ} W.$
- 80.08 Thence to Secs. 2, 3, 10, 11
Land slopes South
Soil $\frac{4}{5}$ rate, very rocky
no timber.
Feb, 24, 1894

Subdivisions

From the ^{standard} Cor. to Secs. 3.

4, 33 & 34 on S. Boundary
I run

N. $0^{\circ} 2' W.$ bet. Secs. 33 & 34

N. $13^{\circ} 40' E.$

Ascend slope of mountain

26.00 Top of ridge 300 ft high
beats E. by W. Descend

4000 Set a Stone $9 \times 9 \times 7$ ins.
5 ins. in the ground for
 $\frac{1}{4}$ Sec. Cor. mkd. $\frac{1}{4}$ on
W. face, and raised a
mound of stones $1\frac{1}{2}$ ft
high 2 ft base along-
-side. Pits impracticable.

80.00 Set a Stone $18 \times 15 \times 10$ ins
12 ins. in the ground for
Cor. to Secs. 27, 28, 33, 34

T. 5 N., R. 2 E.

mkd. 1 notch on S, and 3
notches on E. edges, dug
pits $18 \times 18 \times 12$ ins in each
Sec. $5\frac{1}{2}$ ft. dist. and
raised a mound of earth
 $2\frac{1}{2}$ ft high $4\frac{1}{2}$ ft base
alongside

Land mountainous

Soil 2° & 3° rates

No timber

Mountainous 4,000 Obs.

East on random line
bet. Secs. 27 & 34

Va. $13^\circ 40' E.$

4,000 Set temp. $\frac{1}{4}$ Sec. Cor.

8,000 Intersect N. & S. line at
Cor. to Secs. 26, 27, 34, 35

Subdivisions

Thence I run

West on a true line
bet. Secs. 27 & 34

Na. $13^{\circ} 40' E.$

Ascend low pt of hill bears N

4.50 Top of point, bears N.

8.00 foot of same, then level

40.00 Set a stone $15 \times 12 \times 7$ ins

10 ins. in the ground for $\frac{1}{4}$

Sec. Cor, mkd. $\frac{1}{4}$ on N.

face, dug pits $18 \times 18 \times 12$ ins

E. & W. of stone $5\frac{1}{2}$ ft.

dist, and raised a

mound of earth $1\frac{1}{2}$ ft high

$3\frac{1}{2}$ ft. base along side.

67.90 A dry wash, course S.E.

80.05 The Cor. to Secs. 27, 28, 33

34.

F. 5 N. R. 2 E.

Land Level
Soil 2nd rate
No timber

N. 0° 2' W. bet. Secs. 27 & 28
Va. 13° 40' E.

13.10 Dry wash, course S.E.

4500 Set a stone 16 x 8 x 6 ^{ins} 10 ^{ins}
in the ground for 1/4 sec. Cor.
Mkd. 1/4 on W. face, and
raised a mound of stones
1 1/2 ft high 2 ft base
alongside. Pits imprac^e

8000 Set a stone 14 x 14 x 10 ^{ins}
9 ins. in the ground for cor.
to Secs. 21, 22, 27, 28
Mkd. with 2 notches on S.
and 3 notches on E. edges

Subdivisions

and raised a mound of
stone $1\frac{1}{2}$ ft high 2 ft
base alongside, Pits
impracticable.

Land level

Soil 3rd rate

No timber

East on a random
line bet. Secs. 22 & 27

Na. $13^{\circ}40'E$.

Over level land

50.00 Set temp. $\frac{1}{4}$ Sec. Cor.

80.09 Intersect N. & S. line 11

cks. N. of Cor. to Secs. 22

23, 26, 27, Thence I run

N. $89^{\circ}55'W$. on a

true line bet. Secs. 22

and 27

T. 5 N. R 2 E.

Va. 13° 40' E.

80.04 Set a stone 12 x 11 x 9 ins
 8 ins in the ground for 1/4
 sec. cor. mkd 1/4 on N. face
 dug pits 18 x 18 x 12 ins. E.
 & W. of stone 5 1/2 ft. dist.
 and raised a mound of
 earth 1 1/2 ft high 3 1/2 ft
 base across

80.09 The cor. to Secs. 21, 22.
 27 and 28

Level level

Soil 3^d rate - Stony
 No timber

N. 0° 2' W. bet. Secs. 21 & 22

Va. 13° 40' E.

Over level land.

Subdivisions

- 4000 Set a Stone $13 \times 11 \times 8$ ins
8 ins in the ground for $\frac{1}{4}$
Sec. Cor. Mked. $\frac{1}{4}$ on W.
face. and raised a mound
of Stones $1\frac{1}{2}$ ft high 2 ft
base along side. Pits
impracticable.
- 8000 Set a Stone $14 \times 11 \times 8$ ins
9 ins. in the ground
for cor. to Secs. 15, 16,
21, 22, and raised a
mound of Stones $1\frac{1}{2}$ ft
high 2 ft base along side.
Pits impracticable.
- Lownd level
Soil 3^d rate - Stony
No timber
- Feb. 26, 1894

J. 5 N, R 2 E, 23

S. 89° 55' E. on random
line bet. Secs. 15 & 22

Va. 13° 40' E.

40.00 Set temp. 1/4 Sec. cor.

80.20 The Cor. to Secs. 14, 15
22, 23. Thru Iron

N. 89° 55' W. on a true
line bet. Secs. 15 & 22

Va. 13° 40' E.

over level land

40.10 Set a stone 12 x 10 x 9 ins
8 ins in the ground for 1/4 sec.
cor. mtd. 1/4 on N. face,
and raised a mound of
stones 1 1/2 ft high 2 ft base
alongside. Pits impra^d

80.20 The Cor. to Secs. 15 & 16.
21, 22.

Subdivisions

Land level

Soil 3^o rate - stony

No timber

N. 0° 2' W. bet. Secs. 15 & 16

Ta. 13° 40' E.

Over level land

40000

Set a stone 14 x 11 x 7 ^{ins}
9 ^{ins} in the ground for $\frac{1}{4}$
Sec. cor. mkd. $\frac{1}{4}$ on W.face, and raised a mound
of stones $1\frac{1}{2}$ ft. high 2 ft
base alongside. Pits
impracticable.

80000

Set a stone 18 x 9 x 9 ^{ins}
12 ins. in the ground
for cor. to Secs. 9, 10
15, 16, mkd. ^{with} 4 notches

T. S. N. R. 2 E.

on S. and 3 notches on E.
edges, and raised a mound
of stones $1\frac{1}{2}$ ft high 2 ft
base alongside. Pits
impracticable.

Land level

Soil 2nd rate - Stony
No timber

S. $89^{\circ} 55' E.$ on random
line bet. Secs. 10 & 15.

Na. $13^{\circ} 40' E.$

40.20 Set temp. $\frac{1}{4}$ Sec. Cor.

80.07 Intersect N. & S. line of Secs.

N. of cor. to Secs. 10, 11, 14, 15

Thence I run

N. $89^{\circ} 51' W.$ on true
line bet. Secs. 10 & 15

Na. $13^{\circ} 40' E.$

Subdivisions

40.03 Set a stone $13 \times 9 \times 8$ ins
 8 ins. in the ground for
 $\frac{1}{4}$ Sec. cor. mkt. $\frac{1}{4}$ on
 N. face, and raised a
 mound of stones $1\frac{1}{2}$ ft
 high 2 ft. base
 alongside. Pits imprac-
 -ticable.

8007 The cor. to Secs. 9. 10.
 15×16 .

Land level

Soil 3^d rate, stony
 No timber

N. $0^{\circ} 2' W$. bet. Secs. 9
 and 10

Va. $13^{\circ} 40' E$,
 Cor level land

T. 5 N., R. 2 E. 23

41.00 Set a stone $15 \times 7 \times 7$ ins 10 ins
in the ground for $\frac{1}{4}$ Sec.
cor. mkd. $\frac{1}{4}$ on N. face, and
raised a mound of stones
 $1\frac{1}{2}$ ft high 2 ft base
alongside. Pits imprac^e

80.00 Set a stone $14 \times 10 \times 7$ ins
 9 ins in the ground for. Cor.
to Secs. 3, 4, 9, 10, mkd.
with 5 notches on S. and
3 notches on E. edges, and
raised a mound of stones
 $1\frac{1}{2}$ ft high 2 ft base
alongside. Pits
impracticable.

Land level

Soil 3^d rate - stony

No timber

Subdivisions

S. 89' 51' E, on random
line bet. Secs. 9 & 10

Na. $13^{\circ} 40' E$.

40.00 Set temp. $\frac{1}{4}$ Sec. Cor.

79.94 Intusect N. & S. line
22 lks. S. of cor. to Secs.
2, 3, 10, 11. Thence I run

West on true line
bet. Secs. 9 & 10

Na. $13^{\circ} 40' E$.

89.97 Set a stone $11 \times 10 \times 9$ ^{ins}
7 ins. in the ground for
 $\frac{1}{4}$ Sec. Cor. mkd. $\frac{1}{4}$
on N. face, and raised
a mound of stones $1\frac{1}{2}$ ft
high 2 ft base allround.

79.94 The Cor. to Secs. 3, 4, 9, 10
Land level

F. S. N. R. 2 E.

Soil 3^d rate, Stony
No timber

on ^a random line

No. 2' W. ¹ Sect, Secs. 3 & 4

Na. 13° 40' E.

46.00 Set temp. 1/4 sec. Cor.

79.97 Intersect N. boundary 11 Cks
W. of cor. to Secs. 3 & 4.

Thence I run

S. 0° 3' W. on true line
bet. Secs. 3 & 4

Na. 13° 40' E.

12.00 foot of mountain. Thence level
39.97 Set a stone 12 x 11 x 6^{ins}

8^{ins} in the ground for 1/4

sec. Cor. mkd. 1/4 on W.

face, dug pits 18 x 18 x 12^{ins}

N. & S. of stone 5 1/2 ft

dist. and raised a mound

Subdivisions

of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$
ft. base alongside

7997 The cor. to Secs. 3, 4, 9
10.

Land level

Soil 2nd rate
no timber

Feb. 27, 1894

From the ^{standard} cor. to Secs. 4, 5
32, & 33, on S. boundary

Run

N. $0^{\circ} 2' W.$ bet. Secs. 32 & 33

Var. $13^{\circ} 40' E.$

level, then

Over ^{mountainous} land,

ascend, along ^{the} slope,

41.00 Set a Stone $10 \times 10 \times 8$ ins

7 ins. in the ground for $\frac{1}{4}$

See. Cov. m^kd⁴ on W.
face, and raised a mound
of stones 1 1/2 ft. high 2 ft
base alongside. Pits
impracticable.

70.00 foot of steep rocky ridge, bears
W. from Mt. on East

73.30 Top of same, 100 ft high
ends about 4 chs. W.

80.00 Set a stone 18 x 10 x 9 ins in
a mound of stones, for cov.
to Decs. 28, 29, 32, 33, m^kd
with 1 notch on S. and 4
notches on E. edges, and
raised a mound of stones
1 1/2 ft high 2 ft base
alongside. Pits imprac²
At foot of rocky hill on E.

Subdivisions

Land generally level

Soil 2nd rate

No timber

East on random line
bet. Secs. 28 & 33.

Va. $13^{\circ}40'E$,

50.00 Set temp. $\frac{1}{4}$ sec. cor

80.22 Intersect N. & S. line 10 cks

N. of Cor. to Secs. 27, 28
33, 34, Thence I run

N. $89^{\circ}56' W$. on true
line bet. Secs. 28 & 33

Va. $13^{\circ}40'E$,

Over mountainous land.

50.00 Set a stone $11 \times 10 \times 9$ ^{ins}

7 ins in the ground for

$\frac{1}{4}$ sec. cor. Marked $\frac{1}{4}$ on

F. J. N. R. 2 E. 23

N. fau, and raised a mound of stones 1 1/2 ft high 2 ft base alongside.

Pits impracticable.

48.00 Rocky ridge bears N. & S.

66.00 Rocky ledge, bears N. & S. and descend

80.22 The Cor. to Dec. 28. 29.

32.33

Land very mountainous

Soil 5th rate - rocky no timber

80.22 Chs. Mountainous

N. 0° 2' N. bet. Dec. 28 & 29

Va. 13° 40' E.

over broken ground & dense brush

4000 Set a stone 15 x 10 x 7 ^{ins} 10 ^{ins}

Subdivisions

in the ground, for $\frac{1}{4}$
 Sec. Cor. Marked, $\frac{1}{2}$ on W,
 face, dug pits $18 \times 18 \times 12$ ^{ins}
 N. & S. of Stone $5\frac{1}{2}$ ft
 dist, and raised a
 mound of earth $1\frac{1}{2}$ ft
 high $3\frac{1}{2}$ ft base

alongside. Enter level land,

8000

Let a Stone $18 \times 10 \times 9$ ins
 12 ^{ins} in the ground for
 Cor. to Sec. 20, 21, 28, 29
 Marked, with 2 notches on S,
 and 4 notches on E. edges,
 dug pits $18 \times 18 \times 12$ ^{ins} in
 each Sec. $5\frac{1}{2}$ ft. dist.
 and raised a mound
 of earth 2 ft high $3\frac{1}{2}$
 ft. base alongside

T. 5 N., R. 2 E. 23

Land mountainous and
brokenSoil 2^d rate
no timber
8000 Chs. Mountainous and
dense undergrowthS. $89^{\circ} 56' E.$ on random
line bet. Secs. 21 & 28Va. $13^{\circ} 40' E.$

Over mountainous land

5000 Act temp. 1/4 Dec. cor.

80.11 Intersect the N. & S. line

31 Chs N. of cor. to Sec.

21, 22, 27, 28. Thence run

N. $89^{\circ} 13' W.$ on true
line bet. Secs. 21 & 28Va. $13^{\circ} 40' E.$

Asand, along N. slope of Mt.

Subdivisions

- 19.00 Point of mountain slopes
N. from Mt. on South,
Descend.
- 40.00 Set Stone 15 x 10 x 6 ^{ins} in
a mound of stones for
 $\frac{1}{4}$ Sec. Cor. Mkd. $\frac{1}{2}$ on N.
face, and raised a mound
of stones $1\frac{1}{2}$ ft. high 2 ft
base alongside. Pits
impracticable.
- 52.00 Point of mountain, bears
N. from Mt. on S. & descend
- 65.00 foot of mountain & enter
dense brush
- 80.11 The cor. to Secs. 20. 21
28 and 29
Lownd Mountains
Soil 3 rats
No timber

J. S. N. R. 2 E. 23

St. 11 Chs Mountains and
dense undergrowth

N. $0^{\circ}2'00''$ W. Sect. 20 & 21
Va. $13^{\circ}40'E$.

Over level land

4600 Set a Stone $15 \times 12 \times 8$ ins
10 ins in the ground for $\frac{1}{4}$
Sec. Cor. Marked $\frac{1}{4}$ on W. face
dig pits $18 \times 18 \times 12$ ins N,
& S. of Stone $5\frac{1}{2}$ ft. dist.
and raised a mound
of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$
ft. base alongside.

8000 Set a Stone $17 \times 12 \times 10$ ins
11 ins. in the ground for
Cor. to Sec. 16, 17, 20, 21

Sub divisions

mkd. with 3 notches on
S. and 4 on E. edges, and
raised a mound of stones
1 1/2 ft high 2 ft base
alongside. Pits impracticable.

Land level

Soil 3rd rate

No timber

S. $89^{\circ} 43'$ E, on random line
bet. Secs. 16 & 21

Pa. $13^{\circ} 40' 8''$

46.00 Set temp. 1/4 Sec. cor.

79.94 Intersect N. & S. line 27

Chs. S. of Cor. to Secs.

15, 16, 21, 22,

Thence I run

N. $89^{\circ} 55'$ W. on true

J. D. N. R. 2 E.

'line bet. Secs. 16 & 21

Va. $13^{\circ}40'E.$

39.97 Set a stone $11 \times 9 \times 7$ ins ins ins
in the ground for $\frac{1}{4}$ sec.
Cor. Mk'd. $\frac{1}{4}$ on N. face
and raised a mound of
stones $1\frac{1}{2}$ ft. high 2 ft
base alongside. Pits
impracticable.

79.94 The cor. to Secs. 16, 17,
20, 21

Land level

Soil 2nd rate

No timber

N. $0^{\circ}2'$ W. bet. Secs. 16 & 17

Va. $13^{\circ}40'E.$

Over level land

Subdivisions

400v Set a Stone $10 \times 9 \times 8$ ins.
 7 ins. in the ground for
 $\frac{1}{4}$ Sec. Cor. mtd. $\frac{1}{4}$ on
 W. face, and raised a
 mound of Stones $1\frac{1}{2}$ ft
 high 2 ft base along-
 -side. Pits impracticable.

800v Set a Stone $18 \times 10 \times 7\frac{1}{2}$
 ins. 12 ins in the ground
 for cor. to Sec. S. 9. 14
 17, mtd. with 4 notches
 on S. and 4 on E. edges,
 and raised a mound
 of Stones $1\frac{1}{2}$ ft high 2 ft
 base alongside.

Land level

Soil 3rd rate - Stony
 No timber.

T. S. N. R. 2 Co.

S. $89^{\circ}55'E$. on random line

bet. Secs. 9 & 16

Na. $13^{\circ}40'E$.

4000 Set temp. $\frac{1}{4}$ Sec. cor.

8000 Intersected N. & S. line 16 Secs

S. of cor. to Secs. 9, 10, 15, 16,

Thence I run

S. $89^{\circ}58'W$. on true line

bet. Secs. 9 & 16

Na. $13^{\circ}40'E$.

4000 Set a Stone $15 \times 12 \times 9$ ins 10 ins

in the ground for $\frac{1}{4}$ Sec. cor.

Mkd. $\frac{1}{4}$ on N. face, and

raised a mound of stones

$1\frac{1}{2}$ ft high 2 ft base

alongside. Pits imprac^e

8000 Th. cor. to Secs. 8, 9, 16, 17

Land level.

Soil 2nd rate
no timber

N. $0^{\circ} 2' W$, bet Secs. 8 & 9

Wa. $13^{\circ} 40' E$,

Over level land

40.00 Set a stone $13 \times 10 \times 6$ ^{ins}
pins in the ground for $\frac{1}{4}$
Sec. cor. mkd. $\frac{1}{4}$ on W.
face, and raised a mound
of stones $1\frac{1}{2}$ ft high 2 ft
base alongside. Pits
impracticable.

80.00 Set a stone $11 \times 9 \times 6$ ^{ins}
pins in the ground for
Cor. to Secs. 4, 5, 8, 9,
mkd. with 5 notches on
S. and 4 notches on E. edges,

Concluded, Book 25.