

No-26

..... Deputy Surveyor.

T. **R.**

..... Meridian.

FIELD NOTES

OF

The Lines of

Township Range

..... Meridian.

BY

..... Deputy Surveyor.

under his Contract of 18

Survey commenced April


Survey completed 2nd

Platted,
Copied for Washington, J.R.F.
Transcript sent to Commissioner,

No-26

a. 1

26



No-26

Robert Patrick Deputy Surveyor.
T. *North* R. *8 East*
Gila and Salt River Meridian.

FIELD NOTES

OF

The *Indivisions* Lines of
Township *7 N. 5 T.* Range *8 East*
Gila and Salt River Meridian.

BY

Robert Patrick Deputy Surveyor.
under his Contract of *February 25* 1879.
Survey commenced *April* 1879.
Survey completed *April 5* 1879.

Platted,
Copied for Washington,
Transcript sent to Commissioner,

1A Township 7 North Range 8 East
 Gila and Salt River Meridian.

6	5	4	3	2	1
7	8	9	10	11	12
					10
18	17	16	15	14	7
					8
19	20	21	22	23	24
					6
30	29	28	27	26	25
					4
31	32	33	34	14	3
				Spring	36
					15

General Description page 16.
 List of Names of assistants. Official 74
 Page 17

Preliminary Oaths of Assistants.

We Lorenzo Barber
 and Albert Rapp
 do solemnly swear that we will faithfully execute
 the duties of Chain Carriers; that we will level the
 chain upon uneven ground, and plumb the tally
 pins, whether by sticking or dropping the same;
 that we will report the true distance to all notable
 objects, and the true length of all lines that we as-
 sist in measuring, to the best of our skill and
 ability.

Lorenzo Barber
Albert Rapp

Chaimen

Sworn to and subscribed before me, this 24th
 day of March, 1874

Wm. H. Munnick
Notary Public

We, *Amos K Russell*

Andrew J Adams

do solemnly swear that we will well and truly perform the duties of *Amman* ✓

Flagman

according to instructions given us, and to the best of our skill and ability.

A. K. Russell

Amman

A. J. Adams

Flagman

Sworn to and subscribed before me this *9/11th*

day of *March*, 18*79*

Wm H. Newell

Robert Gulye

Chains From the corner to Sections 35, 36, 1 and 2 on the South boundary I ran

North, between Sections 35 and 36.

No determination of the proper variation of my compass & instrument as used. The variation was 14° E. from N. to S. in 1877. I have from 1877 as the variation.

Variation 14° East.

9.00 *Crabtree* near *Wray's* S. 50° E.
 8.00 *W. Wray's* cor. S. 20° E.
 10.00 *Set* *Wray's* *Stone* 7x5 in.
 3 in. *ground* and *out* *out* *of* *the* *end* *of* *each* *to* *24* *inches* *with* *pins* *1* *in* *each* *24* *inches* *as* *per* *instructions* *for* *Sec. 35* *Cor.*
 A *uniper* *4* *ins.* *N. 22° E. 25* *ft.* *to* *the* *tree* *near.*

See *the* *chain* *&* *the* *distance* *between* *35* *&* *36* *minutes* *with* *rocks* *&* *mountains* *&* *is* *unavoidable.*

Surface *high* *&* *open.*
Soil *not* *water.*
Timber *uniper* *scrub* *oak* *and* *log* *wood.* *Spanish* *cedar* *small* *cactus* *&* *grass.*
 April 1, 1879.

Township 7 North Range 8 East 4
 BOOK 29
Gila and Salt River Meridian.

Chains West true East, on a random line between Sections 25 and 36.

Variation 14° East.

The North West cor Sec 36 is
 unrecognizable land I therefore
 Commence at cor to Sec 36 025'
 on East Boundary of T.N. 282
 & Run West on a True Meridian
 Va. 1402.

- 2.00 Spall across bro. S 50 W.
- 1.50 Sycamore Creek. 50 S 40 W.
- 22.00 Foot hill about 4 W.
- 0.00 Set 40 lbs. Stone 5 x 2 x 12 lbs.
 2 3/4 in. round, and on W. by it
 mowed off rail to 2 ft high
 set a pit 1 ft deep, 2 ft long
 and 1 ft wide as per instructions
 for Sec Cor.
- run in 8' diam. 50 S. N. 80 26 W. 1879
- " " 15" " " S 62° W. 64' 6"

In section 20 Ch. in monument by
 Mt. unrecognizable.
 Surveyed by Bro. Kern. except
 narrow strip bottom land along creek.
 Timber mainly along creek. Chesnut
Ash, Oak, Hackberry & sandy prairie.
Good grass. April 2 1879.

5 Township Range

BOOK 26

Meridian.

Chains North, between Sections 25 and 26.

Variation

East.

Unsurveyable.

Township 7 North Range 8 East **BOOK 26** 6
Gila and Salt River Meridian.

Chains East, on a random line between Sections 24 and 25.

Variation 14° East.

The line North to between Sec 25 & 26
 being unobscurable & commences
 at cor. of 24 & 25 on N. boundary
 & runs West on true line
 14 14° E.

300 Foot of hill
 2200 Crosses - S. Slope hill
 3300 Approx. bears S. 27° E.
 4000 Set Granite Stone 6 x 9 1/2 x 8 in
 in ground, and on W. breast
 mound of rock 2 ft high
 with pts. & S. 27° E.
 and 1/4 mile as per instructions
 for 1/4 Sec. Cor.

2. 1/4 mile or 12" diameter N. 100° 14' 32"
 " " " " " " S. 84° 20' 11" 2132"
 In the Chaco rock line becomes
 unobscurable, in high mountain.

Surface - high & rolling
 Soil - barren
 Timber - unusual, a few cedars,
 scrub oak, brush.

April end 1879. Big Spanish Bonanza
mine and grass

7 Township

Range

BOOK 23

Meridian.

Chains

North, between Sections 23 and 24.

Variation

East.

Surveyed

Chains

East, on a random line between Sections 13 and 24.

Variation

14°

East.

The line along the line under 23 & 24
surrounding Mountain and
unsubstantiated. I commence at
corner Sec. 8 & 24 on East Boundary
and River

West on same Line.

To 14° E.

- 7.00 Brown Hill
 - 15.00 Sycamore Creek (W-Branch) 20. S. 6° E
 - 17.00 Flat Hill same bottom land - 20 wide.
 - 20.00 Set Grey granite Stone - 2 x 15 ins.
in ground and on N. mill mound
of earth 2 ft high. With pit
1 ft deep, 2 ft long & 1 ft wide as
instructions for Sec. Cor.
No. Two near.
 - 48.00 Arroyo on S. 32° E.
 - 72.00 " " S. 41° E.
 - 80.00 Set Melchior Stone 7 x 13 x 7 ins²
in ground, and on N. mill mound
of earth 2 ft high with pit 1 ft
deep 2 ft long & 1 ft wide as
instructions for Sec. 23-24-27
2 miles 2 no. diam. 1.25' 2.55' 1.75'
" " 20 " " 57' 70' 51' 39' 139' 110'
" " 20 " " 116' 75' 157' 110'
- surface pit rolling last 20 ch. Rocky, dirt with
fence, under scrub oak brush, good grass

Chains North, between Sections 13 and 14.

Variation 20 East.

24.00
36.00
48.00

Wide Apron. on S. 68° E.
Top ridge Ridges
Set Malpais Stone 3x12x16 ins
and on Heavilt mound of
earth to 2 ft high with pits
1 ft deep, 2 ft long & 1 ft wide
as per instructions for the
Geo. Lues.

48.00
72.00
84.00

Apron 600 S. 65° E.
Apron 600 S 75° E.
Set Malpais Stone 8x10x15 ins
3rd ground, and on Heavilt
mound of earth to 2 ft high with
pits - 1 ft deep, 2 ft long & 1 ft wide
as per instructions for the Geo
Lues
11 + 12 - 11 + 12
A number tree 500 S 56° 28' W 144/160
" " " 11 ins diameter N 25° 35' E 80
" " " 18 " " S 70° 30' W. 160.

Surface high & rolling
Soil W. M. dress,
timber a few juniper.
Good grass.
Mescal.

Chains	East, on a random line between Sections 12 and 13.	Variation	East.
21.00	Abrupt descent to East.		
23.00	Sycamore Creek, on S 28° E.		
24.00	Temporary flow for 1/2 Sec. Cor.		
50.00	Crossed S. Slope high with		
46.00	2 years on. S 2° W.		
70.48	Submerged East Boundary 18 1/2		
	North of Cor to Sec 12 + 13.		
	from which I run		
	N 89° 52' W. on Line Cor.		
	Va. 14° E.		
39.80	Set, indiaras above 2 1/2 Sec. Cor.		
	5 in ground, and on N side		
	marked of East 2 1/2 Sec. Cor. with		
	pit 1/2 ft deep, 2 1/2 long and 1/2		
	wide as for instructions for		
	1/2 Sec. Cor.		
	A corner 12 1/2 Sec. Cor. N 89° W. 187 1/2		
	" " " " " " N. 89° 45' E. 62 1/2		
79.1 1/2	Then Cor to Sec 11-12-13-14.		
	Surface high rolling with		
	small 1/2 Sec. Cor. Sycamore Creek.		
	Soil, W. side.		
	Cottonwood, sycamore, few Cedar.		
	along creek, sycamore, & Live Oak.		
	Book 20, page 1179.		

Township

Range

BOOK 26

Meridian.

Chains

North, between Sections 11 and 12.

Variation

East.

Unsurveyable

Township _____ Range _____

12

Meridian.

Chains

East, on a random line between Sections 1 and 12.

Variation

East.

13
Township

Range

Meridian.

Chains

North, on a random line between Sections 1 and 2.

Variation

East.

Township

North

Range

BOOK 20

14

via red Salt River

Meridian.

Chains

North, between Sections 34 and 35.

Variation

East.

1.80

Crosses Alder Creek on S. 36th W.

2.00

high rocky bank

5.00

marked point Alder Spring on S. line E. 31st W.

Note:

This Spring issues from a bank on West side of arroyo. Continuing up the course about 75 ft. It is surrounded shaded in by cotton-wood & Cotton Wood Trees. A rocky bluff approaches near on the S.E. It affords fine waterway privilege.

7.00

marked on S. 43rd E.

8.00

" " " S. 40th E.

9.00

" " " S. 36th E.

10.00

Set cross in S. line 4 x 2 x 3 in
23 in ground and on a built
mass of earth 2 x 2 in
right 1 ft deep - 2 ft long & 1/2 ft wide
as per instructions of H. H. Co.
A number 15 in diameter 1 7/8 x 26
" " " " " 2 3/4 x 30 1/2 x 28

Unless there H. H. Co. instructions
into Rocky slope unworkable
Surface, higher than
with W. H. Co.
Water. Run over grass.

April 11, 1879

Township

7 North Range

8 East

BOOK 26

Meridian.

Chains

East, on a random line between Sections 26 and 35.

Variation

East.

To locate Claim of A.S. Hooker
not being in sight of any established
Corner.

Commence at 1/4 Sec. Cor. on
South Boundary Sec 26.

Run North on same (arbitrary)
79. 1/2 E.

12.00 Mesa descends short.

52.00 Brown Mesa abrupt descent to N.

40.00 Set Malpais Stone 4 x 2 x 14 ins
2' in ground for survey cor. for Center
Section 26.

42.00 Hammer point on old Sheepcamp on
N due E. 450 lbs.

47.00 Run East of this point 340 lbs.
remains of an old corral.

48.00 570 lbs. Run East of this point to
watering place. This claim has no
boundary line marked (April 1, 1879)

Chains

North, between Sections 26 and 27.

Variation

East.

General Description

This township is principally taken up
 by high mountains, but the eastern &
 southern portions afford fine grazing
 advantages & convenient waterways
 along the east border in Sycamore Creek
 & one to south to a Cold Spring.

The mountains are spotted here & there
 with timber-trees and in one 14 to 16
 quite a small forest of timber & cedars.
 Along the creek there is quite a belt
 of timber of various kinds as
 Sycamore, Oak, Cottonwood, Willow
 and Hackberry.

The soil is mostly a deep brown
 small bits on east border along
 Sycamore Creek which may be irrigated

Herbert R. Patzick
 Deputy Surveyor.

17 Township

Range

BOOK 23

Meridian.

Chains

East, on a random line between Sections 23 and 26.

Variation

East.

List of Names.

A List of the Names of Individuals employed
to assist in running, measuring, or marking the
lines and corners described in the foregoing Field
Notes of the survey of *Subdivision Lines*

of Township 6 North

Range 8 East.

Gila & Salt River Meridian

Showing the respective capacities in which they
acted.

Corrado Barber Chainman.

Albert Ross Chainman,

Amos Buswell Axeman.

Andrew Adams Flagman.

Final Oath of Assistants.

We hereby certify that we assisted Herbert
R. Petrick U. S. Deputy Surveyor, in
 surveying Subdivision Lines of
Township 6 North
Range 8 East
Gila & Salt River Meridian

and that said Survey has been in all respects, to
 the best of our knowledge and belief, well and
 faithfully executed, and the boundary monuments
 planted according to the instructions furnished by
 the Surveyor-General.

Lorenz Purchase Chainman.
Abert Rop Chainman,
A. K. Prigall Axeman.
A. J. Adams Flagman.

Sworn to and subscribed before me, this 15th
 day of April, 1874.
Wm. H. Bennett
Robert Prigall

Final Oath of Deputy Surveyor.

I, *Herbert R. Patrick*

U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the *28th* day of *February*

1879. I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of

Township 6 North

Range 8 East

6th & Salt River Meridian

as are represented in the foregoing Field Notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements con-

19 21
tained in circular instructions from the U. S.
Surveyor-General for Arizona, dated September
1, 1873, regarding the establishment of corner
boundaries of public surveys, and that the fore-
going are the true and original Field Notes of
such surveys.

Herbert R. Patrick
Deputy Surveyor.

Sworn to and subscribed before me, this 15th
day of April, 1879

Robert G. Gentry

U. S. Surveyor General's Office,

TUCSON, ARIZONA,

May 13

1879

The foregoing Field Notes of the Survey of the
Subdivision Lines of
Township 4 North,
Range 8 East.

Of the Gila and Salt River Base and Meridian, Arizona, execu-
ted by Herbert R. Pattee

Deputy Surveyor, under his contract of the 28th
day of February, 1879, having been

critically examined and the necessary corrections and explana-
tions made, the said Field Notes and the surveys they describe
are hereby approved.

John Wasson,

Surveyor General.