

No-27

Robert P. Strick Deputy Surveyor.
T. *North* R. *9 East*
Una and Salt River Meridian.

FIELD NOTES

OF

The *Subdivision* Lines of
Township *North* Range *9 East*
Una and Salt River Meridian.

BY

Robert P. Strick Deputy Surveyor.
under his Contract of *April 2* 18*79*
Survey commenced *April 2* 1879.
Survey completed *April 5th* 1879.

Platted,
Copied for Washington,
Transcript sent to Commissioner,

J.R.F.

No-27

a. b.

27

No-27

1

Robert R. Patrick Deputy Surveyor.
T. *7 North* R. *9 East*
Gila and Salt River Meridian.

FIELD NOTES

OF

The *Subdivision* Lines of
Township *7 North* Range *9 East*
Gila and Salt River Meridian.

BY

Robert R. Patrick Deputy Surveyor.
under his Contract of *February 28* 18*79*
Survey commenced *March 26th*
Survey completed *April 5th* 18*79*

Platted,
Copied for Washington,
Transcript sent to Commissioner,

Township

7 North

Range

9 East

Gila and Salt River

Meridian.

| | | | | | | | | |
|----|----|----|----|----|----|----|----|----|
| 6 | 5 | 4 | 3 | 2 | 1 | | | |
| 7 | 8 | 9 | 10 | 11 | 12 | | | |
| 18 | 17 | 16 | 15 | 14 | 13 | | | |
| 55 | | | | | | | | |
| 19 | 53 | 20 | 21 | 22 | 23 | 24 | | |
| 52 | | 51 | 50 | 24 | | | | |
| 30 | 50 | 29 | 38 | 28 | 27 | 26 | 25 | |
| 49 | | 48 | 57 | 26 | | | | |
| 31 | 47 | 32 | 36 | 33 | 25 | 34 | 35 | 36 |

General Description page 56

List of Names of assistants, official list

Preliminary Oaths of Assistants.

We, Loring Barber
 and Albert Robt
 do solemnly swear that we will faithfully execute
 the duties of Chain Carriers; that we will level the
 chain upon uneven ground, and plumb the tally
 pins, whether by sticking or dropping the same;
 that we will report the true distance to all notable
 objects, and the true length of all lines that we as-
 sist in measuring, to the best of our skill and
 ability.

Loring Barber
Albert Robt
 Chainmen

Sworn to and subscribed before me, this 21/4
 day of March, 1874

Wm. H. Amwick
Proctor

We, *Amos K. Presnell*
Andrew J. Adams

do solemnly swear that we will well and truly perform the duties of *Arman* &
Flagman

according to instructions given us, and to the best of our skill and ability.

A. K. Presnell
Arman
A. J. Adams
Flagman

Sworn to and subscribed before me this *24th*
day of *March*, 187*9*

Wm. H. Bennett
Notary Public

3 Township

Range

Meridian

Chains

From the corner to Sections 35, 36, 1 and 2 on the South

boundary I ran

North, between Sections 35 and 36.

Variation

East.

Township.....Range.....

Meridian.

Chains East, on a random line between Sections 25 and 36.

Variation

East.

5 Township Range

..... Meridian.

Chains

North, between Sections 25 and 26.

Variation

East.

Township.....Range.....

6

.....Meridian.

Chains

East, on a random line between Sections 24 and 25.

Variation

East.

7 Township..... Range.....

..... Meridian.

Chains

North, between Sections 23 and 24.

Variation

East.

Township

Range

8

Meridian.

Chains

East, on a random line between Sections 13 and 24.

Variation

East.

9 Township..... Range.....

..... Meridian.

| Chains | North, between Sections 13 and 14. | Variation | East. |
|--------|------------------------------------|-----------|-------|
|--------|------------------------------------|-----------|-------|

Township _____ Range _____

10

Meridian.

Chains

East, on a random line between Sections 12 and 13.

Variation

East.

Township

Range

Meridian.

Chains

North, between Sections 11 and 12.

Variation

East.

Township _____ Range _____

_____ Meridian.

Chains

East, on a random line between Sections 1 and 12.

Variation

East.

13

Township.....

Range.....

Meridian.....

Chains

North, on a random line between Sections 1 and 2.

Variation

East.

Township

Range

14

Meridian.

Chains

North, between Sections 34 and 35.

Variation

East.

15 Township

Range

Meridian.

Chains

East, on a random line between Sections 26 and 35.

Variation

East.

Township _____ Range _____ 16

Meridian.

Chains

North, between Sections 26 and 27.

Variation

East.

17 Township

Range

Meridian

Chains

East, on a random line between Sections 23 and 26.

Variation

East.

Township

Range

15

..... Meridian.

Chains

North, between Sections 22 and 23.

Variation

East.

19 Township..... Range.....

..... Meridian.

Chains

East, on a random line between Sections 14 and 23.

Variation

East.

Township

Range

20

..... Meridian.

Chains

North, between Sections 14 and 15.

Variation

East.

2 / Township Range

..... Meridian

Chains

East, on a random line between Sections 11 and 14.

Variation

East.

Township..... Range.....

22

..... Meridian.

Chains

North, between Sections 10 and 11.

Variation

East.

23. Township

Range

Meridian.

Chains

East, on a random line between Sections 2 and 11.

Variation

East.

Township _____ Range _____ ²⁴

Meridian.

Chains

North, on a random line between Sections 2 and 3.

Variation

East.

Chains North, between Sections 33 and 34. Variation 14° East.

39.92
 1/4 Sec. 33
 1/4 Sec. 34
 1/4 Sec. 33
 1/4 Sec. 34
 1/4 Sec. 33
 1/4 Sec. 34

Commence at Stone, etc established corner Sec 33 & 34 on South boundary N. 7 N. R. 9 E. a granite stone 4 x 6 x 8 ins. marked with mound and its vicinity with description furnished by Wm. D. Hancock Deputy Surveyor from which a run North to a Traction between Sec 33 & 34 1/4 14°

28.00 Crown of Mesa descends to N.
 1.000 Set Malpica Stone 3 1/2 x 10 x 6 ins 3 in ground and on built mound of earth 2 ft high with pits 1 ft deep 2 ft long & 1 ft wide as per instructions for 1/4 Sec. Cor.
 No Tree Meas.

4300 Brown Mesa. Abrupt descent to N.
 2800 Brown Mesa. No Tree.
 3200 White Mesa.
 8000 Set Malpica Stone 5 x 2 x 12 ins 7 in mound and on built mound of earth 2 ft high with pits 1 ft deep 2 ft long & 1 ft wide as per instructions for Cor of Sec 33 - 34 - 27 - 28
 a run 1/4 in diameter for 2700 ft. 1841
 No other trees convenient
 Surface high grass mesa, a few junipers

Township 7 North Range 9 East, 26
 Gila and Salt River. BOOK 27 Meridian.

Chains

East, on a ^{True} random line between Sections 27 and 34.

The cor. of Section 34-35 being in
 the surveyable sand, and
 not established down
 East on a Tumbler.

Na. 140 E.

15.00
 33.00
 40.00

Open box N. 140 W.
 deep narrow box S. 43 W.
 Set Malpas stone 4x4 in
 2' in ground, and on W. front
 mound of earth 2 ft high
 with pits 1 ft deep, 2 ft long and
 1/2 wide as per instructions
 for the Sec. Cor.

No trees convenient.

Note.

In less than 40 ch. to line
 east between Sec 27 & 34 will
 run into high rocky hill or
 small mountains, and
 unsurvivable sand.

Surface high broken mesa
 soil & shales.
 timber, a few juniper.
 Veg. Mesquit & yucca grass.

The mineral & grass

Chains North, between Sections 27 and 28.
 Variation 140 East.

23.25
 4.00
 Weaps on. S 52° W.
 Set *Halifax Stone* 2 x 2 x 6 in 2 in
 ground and on *N. built mound*
 of earth 2 ft high with pit
 1 ft deep, 2 ft long and 1 ft
 wide. as per instructions for
 1/4 Sec. Cor.

65.00
 6.00
 No. 2 in. Mar.
 Apper on. S 3° W.
 Set *dark brown Halifax Stone*
 2 x 2 x 4 in. 2 in ground and
 on *N. built mound* of earth
 2 ft high with pit 1 ft deep
 2 ft long & 1 ft wide as per
 instructions for Cor 6 Sec.

27-28-21 & 22. *3000 ft*
 2 miles ^{1/2 in diam} on. N. 49° 50' W. 120 lbs.
 " *2 1/2 in diam* bis. S 8° 46' E. 56 lbs.
 No other here near.

Surface high base.
 Soil *Morelles*.
 Timber a few pines.
 Veg. *Rusca* & *Gord* grass.

Township

7 North

Range

9 East

28

BOOK 27

Gila and Salt River Meridian.

Chains

East True.

East, on a random line between Sections 22 and 27.

Variation

14°
21 - 22

East.

- 11.00 } Flag Corer Sec 26-27 - ~~75~~ ⁷⁵ feet
 } having been established &
 } by east on a True line.
- 16.00 small Arroyo bro S 32° W.
- 24.00 " " " S 33° W.
- 24.00 Arroyo bro S 33° W.
- 36.00 Middle Arroyo bro S 37° W.
- 40.00 set. Walpole stone 4 1/2 x 13 x 5 ins
 2 3/4 in round and on W side of round
 2 ft high with a pile
 1 ft deep. 2 ft long and 1 ft
 wide as per instructions for
 1/2 Sec Cor.
- A minor run stream bro S 47° 28' E
 with two trees near.

Note: In case that to Ch. the line
 between Sec 22 & 27 runs into
 high mountains, unverifiable
 Corer.

Survey by John Brown Owsen
 with W. H. Allen.

Under your review.

Reg. Sec 22 & 27
 April 2nd 1879.

29 Township 35
p. 30
are BLANK BOOK 27

Range

Meridian

Chains

North, between Sections 21 and 22.

Variation

East.

Unsurveyable.
(see page 16.)

Township

Range

Section 170

..... Meridian.

Chains

East, on a random line between Sections 15 and 22.

Variation

East.

Township

Range

Meridian.

Chains

North, between Sections 15 and 16.

Variation

East.

Township

Range

82

Meridian.

Chains

East, on a random line between Sections 10 and 15.

Variation

East.

35 Township

Range

Meridian.

Chains

North, between Sections 9 and 10.

Variation

East.

Township

Range

34

Meridian.

Chains

East, on a random line between Sections 3 and 10.

Variation

East.

35 Township Range

Meridian.

| Chains | North, on a random line between Sections 3 and 4. | Variation | East. |
|--------|---|-----------|-------|
|--------|---|-----------|-------|

Chains

North, between Sections 32 and 33.

Variation 12° 0' East.

Commence at the cor. Sec 32 & 33
 on South Boundary to T.M. R 92.
 The mound of pile of stones are all
 again with description furnished
 me by Wm. J. Hancock Deputy Surveyor
 of Arizona

A juniper in diam. 7 in. S 36° W 360/100
 Run North on Median
 Va 140°

2400
 2000

A large 6 in. S. 38° W.
 Set black Malpica stone. 3 1/2 x 10 1/2 x
 15 in. 2 in. ground and on
 built mound of earth with pile
 1 ft deep, 2 ft long & 1 ft wide
 as per instructions for Sec. Cor.

A juniper 9 in diam. S 27° 36' W.
 " " " " " N. 84° 23' W. 157/100

10000

Set Malpica stone. 10 x 10 x 5 in. 3 in
 ground and on built mound
 of earth 2 ft high with pile
 2 ft deep 2 ft long & 1 ft wide as
 per instructions for Sec. 32-N-28
 and 29. No trees near.
 Surface high mesa.
 Soil 4 ft thick. Under juniper
 good soil.

Chains

East, on a random line between Sections 28 and 33.

Variation

140

East.

- 57.00 Brown Mesa.
- 40.00 Set granite stone for temporary corner
- 45.00 Deep Mayo bus. N. 51° W line
- 50.08 Intersected ~~East line~~ ^{N. and S. line} Sec 28-33
 10 ft. S of Cor to Sec 28-27-33-34
 from which I run S 89° 56' W. on
 True Line.
- Na. 140° E.
- 40.04 Set granite stone 5 x 8 x 20 in 3/4 in
 ground and on white wood
 of south 2 ft high with pits 1 ft
 deep, 2 ft long and 1 ft wide as per
 instructions for 1/4 Sec Cor.
 No trees near.
- 50.08 The corner to Sec 28-29-32-33
- Surface high mesa.
 Soil white.
 Timber. a few junipers and
 scrub oak brush.
 Good grass.

Township

7 North

Range

9 East

BOOK 27

Gila and Salt River

Meridian.

Chains

North, between Sections 28 and 29.

Variation

14°

East.

18.00

Brow Mesa. Rocky & steep descent to north, about 60 feet.

Note:

This high bluff terminates high broken mesa and is very noticeable from all points to north, reaching in some places the proportions & steepness of a precipice.

30.00

Rocky Arroyo or small Cañon ^{N. 45° W.}

40.00

Set Malpais Stone 3 x 13 x 18 ins. 3/4 in ground and on N built mound of earth 2 ft high with pit 1 ft deep 2 ft long 1 ft wide as per instructions for 1/4 Sec Cor. A pine tree ^{4 ft high} on S. 60° W. 2 H.R. No other trees near.

72.00

Arroyo bro. S. 55° W.

80.00

Set Granite Stone 8 x 8 15 ins 7 3/4 in ground and on built mound of earth 2 ft high with pit 1 ft deep 2 ft long 1 ft wide as per instructions for 1/4 Sec 20-28-29. No trees near.

Surface. Rolling Mesa.

Soil Worthless.

Timber. a few pines & scrub oak.
Good Grass.

39 Township

7 North

Range

9 East

BOOK 21

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 21 and 28.

Variation

140°

East.

9.00

Aways bps. S 50° W.

40.00

Set Malpias Stone for improvement

20.00

Small Rocky Aways or Cañon.

25' deep bps. S. 88° W.

80.22

Intersected the North & South line
at the corner to Sec. 21-22-27+28
from which I run.

West on a true line.

Va. 140° E.

40.11

Set Malpias Stone. 4 1/2 x 12 x 14 ins

2/3 in ground and on W built

mound of earth 2 ft high

with pits 1 ft deep, 2 ft long &

1 ft wide as per instructions for 4 sec. cor.

A juniper 9' in diameter bps. N. 120° W.

" " " " " N. 150° W. E. 200'

88.22

The cor to Sec. 20-21-28-29.

Surface. Grassy Mesa.

Soil. Worthless.

Timber. a few juniper.

Some scrub oak brush, catclaws &

Manzanita.

Good grass.

April 3rd 1879.

Township 41-46
p35
are BLANK

Range
BOOK 27

40

..... Meridian.

Chains

North, between Sections 20 and 21.

The line " " " " " " Variation Runs into East.
high Rocky mountains in less than
Hoch. & Misurveyable land.
(See page 47)

41 Township Range

Meridian.

Chains

East, on a random line between Sections 16 and 21.

Variation

East.

Township..... Range.....

42

..... Meridian.

Chains

North, between Sections 16 and 17.

Variation

East.

Township

Range

Meridian.

Chains

East, on a random line between Sections 9 and 16.

Variation

East.

Township _____ Range _____ 44

Meridian.

Chains

North, between Sections 8 and 9.

Variation

East.

Township..... Range.....

Meridian.

Chains

East, on a random line between Sections 4 and 9.

Variation

East.

Township _____ Range _____ 46

Meridian.

Chains North, on a random line between Sections 4 and 5.
Variation East.

Chains North, between Sections 31 and 32.

Variation 1400. East.

Commence at the established cor.
 a Malpicas Stone 4x15x20 ins with mound
 & pits & bearing lines all agreeing
 with description furnished me by
 Wm. S. Havelock, Deputy Surveyor
 as follows

a jumper 16 ins diam for N. 68° W. 300 1/2
 " " " " S. 47° W 250 1/2

From this cor. I run
 North on true line

to 1400.

24.50 Wide arroyo bearing S. 33° 30' W.

40.00 Set Malpicas Stone 4x12x15 ins. 2 1/2 in
 ground and on a built mound of
 earth 2 ft high with pits 1 ft deep.
 2 ft long & 1 ft wide as per instructions
 for this cor.

a jumper 15 ins diam. for N 71° 1/2 W
 " " 10 " " for S 63° 27' W

50.50 Set Malpicas Stone 8x8x14 ins 2 1/2 in ground
 and on a built mound of earth 2 ft high with pits
 1 ft deep 2 ft long 1 ft wide as per instructions for cor Sec 29
 30-31-32. No trees near

Surface high mesa soil with thistles
 & brush for jumper
 of red quartz.

Township

7. north

Range

9 East
BOOK 27

48

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 29 and 32.

Variation

111°

East.

40.00

Set Malpicas Stone for temporary 1/4 Sec Cor.

53.00

Crown of Mesa gradual slope to E.

80.16

Intersected N.S. Line at Cor 16

Sec 28 29 32 33. from which
I run.

West on a true line.

Va 140° E.

40.08

Set Malpicas Stone 5 x 8 x 16 ins. 3/8 in

ground and on a built mound

of earth 2 ft high 4 ft 1 ft deep

2 ft long. 1 ft wide as per

instruction for 1/4 Sec Cor.

No trees near.

62.16

On Cor 16 Sec. 29-30-31-32.

Surface elevated mesa

or plateau. Soil worthless.

A few pine trees.

Good grass

| Chains | West, on a random line between Sections 30 and 31. | Variation | East. |
|--------|---|-----------|-------|
| 40.00 | Set grey granite stone for temporary corner at 4360 on abrupt precipice 50 ft high and impassible. | 14° | |
| | I then fore offset 8 ch S. from 410. | | |
| | 48.00 Brown bluffs abrupt descent to W. | | |
| | 54.00 Offset 8 ch N. | | |
| 80.24 | Intersected N.W.S. line 16 ch. South of Cor to Sec 30 & 31 from which I run S. 89° 53' E. on true line. | | |
| | Va. 14° 06. | | |
| 25.00 | Offset 10 ch South. | | |
| | 20.2 offset 10 ch N. and set grey | | |
| 40.24 | Granite Stone 6 x 6 x 20 ins. 4 in ground and very well built mound of earth 2 ft high with pits 1 ft deep 2 ft long. 1 ft wide as per instructions for 14 Sec Cor. | | |
| | A juniper. Hemlock and S 82° 5' 53" N | | |
| 80.24 | The Cor to Sec 29 30 - 31 - 32. | | |
| | Surface - high mesa East half. | | |
| | Lower rocky mesa West half. | | |
| | Timber - a few juniper & Gamb oak brush & Cane Claw. | | |
| | Veg. Mesal. Spanish bayonet & grasses. | | |

Township

7 North

Range

9 East

50

BOOK 27

Gila and Salt River

Meridian.

Chains

North, between Sections 29 and 30.

Variation

140°

East.

16.00

Offset 17 ch. East to avoid precipice
(of grey granite formation) 40 ft
High at 2140

~~7.00~~

16.00 Brown Mesa. abrupt descent to N.
30.00 foot of descent.

24.00 Offset 17 Ch W. to bar line

26.00

Midway bns S 62° W

40.00

Set Wolphas stone 24 x 13 x 14 in ³/₈ in
ground and on built mound
of earth 2 ft high, 8 pits 1 ft deep,
2 ft long, 1 ft wide as per instructions
for 1/4 Sec. Cor.

No fees near.

80.00

Set granite Stone 5 x 14 x 14 in ³/₈ in
ground and on built mound
of earth 2 ft high, 8 pits 1 ft deep,
1 ft long, 8 ft wide as per
instructions for Cor to Sec 19-20-29
and 30. No fees near.

Surface high as a 1st rock.

Laney Quarry last rock

with woodless.

Timber none. scrub oak
brush and grass.

April 4th 1879.

| Chains | East, on a random line between Sections 20 and 29. |
|---------------|---|
| | Variation 14° East. |
| 2800 79.92 | Small rocky Cañon. 25 dep. on N. 60° W at slope temporary 1/4 Sec Cor. Intersected by Santa Fe line at the corner. 1/4 Sec. 20-21-28-29 from which I ran West on a true line. 20. 14° E. |
| 89.99 | Set Malpais stone 6x6x6 ins. 2' in ground and on N. end toward of earth 2 ft high with pits 1 ft deep 2 ft long. 1/2 wide as per instructions for 1/4 Sec Cor. A pine tree, 4 in diam. on S 62° 39' E. 1/4 of other trees near. |
| 79.92 | The cor 1/4 Sec 19-20-29-30. Surface Grassy, Mesa. Soil. Wortles. Timber. a few pines and timber oak brush numerous and grass. |

Township

7 North

Range

9 East

BOOK 27

52

Salt and Salt River Meridian.

Chains

West, on a random line between Sections 19 and 30.

Variation

40

East.

40.00

Set temporary station in Sec. Cor.

52.00

Leave station, abrupt descent to W.

58.00

Enter bottom camp of Sycamore Creek.

79.20

Sycamore Creek. hrs. S. 1500.

79.80

Intersected N.T.S. Line 6 lbs. South of

Cork Lee 19030 from which

Drove S. $89^{\circ}57'E$ on a

True Line

Va. 40E.

39.80

Set metal pins stone 4x11x2 in

2 in ground and curb cut around

of each 2 ft high with pits 1 ft deep.

3 ft long 5 ft wide as per instructions

for Sec. Cor.

No trees near

79.10

to Cor to Sec. 9-20-29-30.

Surface, Grassy Hill.

Soil, white.

Make note, note

stump oak brush.

Good grass.

Chains

North, between Sections 19 and 20.

Variation

40

East.

200

Open Mesa

200

Small Rocky ^{Clay} box, N. 53° W

200

set Mal was Stone 4x17x4 in.

in ground and on N. built mound of earth 2 ft high with pits 1 ft deep 2 ft high 1 ft wide as per instructions in N. Dec. Cor. No. Lees near

200

Large box, N. 75° W.

200

East Branch Sycamore Creek, N. 58° W

200

Foot of high hill.

200

Box with

200

set reddish granite Stone 7-12-6 in for Cor. Dec. 17-18-0-20 2 1/2 in ground and on N built mound of earth 2 ft high & pits 2 ft long 1 ft deep 1 ft wide as per instructions.

A juniper 4" diameter, N. 33° E. 74
" " " " " S. 78° 42' W. 17 1/2
" " " " " S. 14° E. 87 1/2

No other trees near.

Surface Rolling soil with thin timber east to Ch. juniper and cedar.

on land a few willows & Sycamore. Northward good grass

April 5- 1879

Township

7th 1/2th

Range

9th East
BOOK 27

54

City and Salt River Meridian.

Chains

East, on a random line between Sections 17 and 20.

Variation

77° 0'

East.

Unsurveyable
In less than 100 chains line
runs into high rocky peak.

Chains West, on a random line between Sections 18 and 19.

Variation 40 East.

- 1.00 Abrupt descent to W. S 15° W.
- 2.00 Mild sandwash or dry creek. 000 S 5° W
- 2.00 Ridge
- 37.00 Arroyo bay S 22° E
- 40.00 Set temporary stake for Sec Cor.
- 57.00 Crosses high ridge. divide between two forks of Camore Creek. 000 S 10° E
- 68.00 Arroyo 000 S 10° W.
- 79.95 Selected N.E. line 13 Chs N. 17 Cor to Sec. 8 & 19. Some what done by 89° 54' E on true line. No 1402.
- 89.95 Set pink colored granite stone 4x12x6 in. 43 in around on low Monitt mound of earth 2 ft high. width pits 1 ft deep. 2 ft long. & 1 ft wide as per instructions for 1/4 Sec Cor.
- 9. " " 2 1/2 in diam. cor. N 24° W 20 1/2
- 10. " " 3 " " S. 20° E 62 1/2
- 79.95 The cor to Sec. 17-18-19-20. surface high of living soil & water.
- Yucca. asperifolia & scrub oak. Good grass.
- April 5. 1879

Chains

North, between Sections 17 and 18.

Variation

East.

General Description.

This township contains a large amount of grazing land principally on high mesas. With abundant opportunities for water, along Lynamore Creek. The North East corner portions are covered by high rough mountains. In Sec. 36 a very high peak rises far above anything in the surrounding country. It is known as Mt. Ord. It is sometimes improperly called Mt. Reno, probably from the close proximity of "Reno Hill", a high hill on the road to Camp Reno. Along Lynamore Creek on the West boundary there are several small lots susceptible of irrigation and quite a lot of timber. The principal kinds of timber are Lynamore Oak, Cottonwood, Hackberry, etc.

Herbert R. Patrick
Deputy Surveyor

57 Township Range

Meridian.

Chains

East, on a random line between Sections 8 and 17.

Variation

East.

List of Names.

A List of the Names of Individuals employed
 to assist in running, measuring, or marking the
 lines and corners described in the foregoing Field
 Notes of the survey of *Subdivision Lines of*
Township 7 North
Range 9 East
Gila & Salt River Meridian

Showing the respective capacities in which they
 acted.

- Louise Barber* Chainman.
- Albert Ross* Chainman,
- Aaron Presnell* Axeman.
- Andrew Adams* Flagman.