

No-32

1

# Field Notes

OF THE SURVEY OF THE

SUBDIVISION LINES

— OF —

Township 7 N. Range 30 E.

*Gila and Salt River Base and Meridian*

ARIZONA.

By C. Burton Foster, D. S.

under contract dated Aug. 16, 1875.

Survey commenced Oct. 23, 1875.

Survey completed Oct. 28, 1875.

323

No-32

copy

Field Notes

Of the

No 32

Subdivision Lines

of

Sectional Township 7 North  
Range 30 East

and Salt River Meridian  
Territory of Arizona

Surveyed by

Burton Foster

U.S. Deputy Surveyor

under his contract of  
August 16<sup>th</sup> 1875

Survey commenced October 23<sup>d</sup> 1875  
Completed " 28<sup>th</sup> 1875

BOOK 32

Township 4 N. Range 30 E.

~~Colored~~  
~~City and Salt~~ River Meridian.  
Sils and Salt

6	52	5	33	4	20	3	13.	2	6.	1
51		49		31		18.		12.		5.
7	48	8	30	9	14.	10	11.	11	4.	12
49		46		29		16.		9.		3.
18	45	17	28	16	15.	15	8.	14	2.	13
44		43		25		14.		7		1.
19	42	20	24	21	26	22	*	23	*	24
41		39		27		*		*		*
30	38	29	22	28	*	27	*	26		25
39		36				*		*		*
31	35	32	21	33	*	34	*	35	*	36

13

Preliminary Oaths of Assistants.


We, John S Nelson  
and Peter Thompson

do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

John S Nelson  
Peter Thompson

Sworn to and subscribed before me, this 17<sup>th</sup>  
day of September, 1875

William McKerson  
Clerk Dist Court 2nd  
Judal Dist Yavapai Co Ariz



We, Henry Warminghoff  
William Foster

do solemnly swear that we will well and truly perform the duties of Servant and  
Flagman

according to instructions given us, and to the best of our skill and ability.

Henry Warminghoff  
William Foster

Sworn to and subscribed before me this 17<sup>th</sup>  
day of September 1875

William McKersan  
Clerk Dist Court Third  
Jud Dist Yavapai Co.

Fractional Township 7 N. Range 30 East.

Gila and Salt River Meridian

Chs.

Begin at the established Cor to Sec's  
13 & 24 on the E Boundary of the Town-  
ship. from which corner  
I run

West on true line

between Sec's 13 & 24

The Va of my Compass being  $13^{\circ}45'$  East  
as per Burt's Improved Solar Compass and  
the bearing of the E Boundary of Township

40.00

set a pine stone  $18 \times 10 \times 8$  in marked  $\frac{1}{4}$   
set  $\frac{3}{4}$  in the ground for  $\frac{1}{4}$  Sec Cor.  
from which

a pine 20 in dia bears  $S 41^{\circ} W 16$  lks dist

" " " "  $N 10^{\circ} W 28$  " dist

75.20

a Gulch 25 lks wide flows N. N.

80.00

set a line stone  $16 \times 16 \times 16$  in properly  
notched set  $\frac{2}{3}$  in the ground and on N  
side build mound of stone <sup>2 ft high</sup> for Cor to  
Sec's 13, 14, 23 & 24. from which  
a pine 24 in dia bears  $N 36^{\circ} E 45$  lks dist.

Fractional Township 7 North Range 30 East

Stila and Salt River Meridian

chs.

a pine 1/2 dia bears N 18° W 164 lks dist  
 No other trees near  
 Land rough & broken North slope of  
 Eskadere mountains  
 Soil Northless  
 Timber Pine

North between Spis 13 & 14

Tr a 13° 45' East.

Begin descent of spur from corner

4.00

Foot of spur bears N.W. and enters ravine  
 slopes N.W.

7.00

Gulch 25 lks wide flows N.W.

40.00

Set a post marked 1/4 S 4 ft long flat-  
 tened 3 in wide 1 ft in the ground deposit  
 stone marked + and build mound of earth  
 2 ft high with pit 2 x 1 x 1 ft for 1/4 section.  
 from which a pinon 10 in dia bears  
 North 23° W 134 lks dist.

Fractional Township 7 North Range 30 East

Gila and Salt River Meridian

Chs.

No other trees near -

89.00 Set a post marked and notched 4 ft long  
3 in square 1 ft in the ground deposit  
stone marked + and build mound of  
earth 2 ft high with pits 2x1x1 ft  
for cor to Secs 11, 12 13 & 14.

No trees near

Land mesa sloping North

Soil 2<sup>nd</sup> rate

Timber Pine & Piñon on S end of line

East on random line

between Sec's 12 & 13

to  $13^{\circ}45'$  East.

40.00 Set a post for temporary  $1/4$  Sec Cor

80.00 Intersect E Boundary of Township  
12 1/2 mi N of cor to Sec's 12 & 13 from which Cor.  
I run.

$N 89^{\circ}55'$  True line

between Secs 12 & 13.



Fractional Township 7 North Range 30 East.

Gila and Salt River Meridian

Ch Va 13° 45' East

40.00 Set a volcanic stone 10x10x8 in marked 1/4 set 2/3 in the ground and build mound of stone 2 ft high for 1/4 Sec Cor  
No trees near.

80.00 The Cor to Sec's 11, 12, 13, & 14  
Land level mesa  
Soil 2<sup>nd</sup> rate  
No Timber or undergrowth

North between Sec's 11 & 12  
Va 13° 45' East.

40.00 Set a volcanic stone 16x10x8 in marked 1/4 set 2/3 in the ground and build mound of earth 2 ft high with pits 2x1x1 ft for 1/4 Sec Cor  
No Trees near

80.00 Set a volcanic stone 12x10x10 in properly notched set 2/3 in the ground and on N side build mound of earth

Fractional Township 7 North Range 30 East.

Gila and Salt River Meridian

Chs.

2 ft high with pits 2x1x1 ft for Cor to  
Secs 1, 2 11 & 12

No trees near

Land level mesa

Soil 2<sup>nd</sup> rate Grasses abundant

No Timber or undergrowth

East on random line  
between Secs 1 & 12

Va 13° 45' East.

40.00 Set a stone for temporary 1/4 sec Cor.

80.10 Intersect the E Boundary of Township 15  
lks North of Cor to Secs 1 & 12  
from which Cor

I run

N 89° 54' Now true line  
between Secs 1 & 12

Va 13° 45' East

40.05 Set a line stone 18x16x12 in marked  
1/4 set 3/4 in the ground and build mound

Fractional Township 7 North Range 30 East

Gila and Salt River Meridian

chs -

of earth 2 ft high with pits 2x1x1 ft for 1/4 Sec cor -

No trees near

80.10

1/4 Sec cor to Secs 12 11 & 12

Land level mesa

Soil 2<sup>nd</sup> rate good grass -

No timber or undergrowth

North on random line

between Sec's 1 & 2

Var 13°45' East

40.00

Set a stone for temporary 1/4 Sec Cor.

79.90

Intersect N. Boundary of Township 16  
1/4 mi West of cor to Sec's 1 & 2 from which Cor  
I run

S 0°.7' N on true line

between Sec's 1 & 2

Var 13°45' East.

39.90

Set a line stone 10x8x8 in marked 1/4  
set 2/3 in the ground and build mound

<sup>α</sup> Fractional Township 7 North Range 30 East

Gila and Salt River Meridian

chs

of stone 2 ft high for  $\frac{1}{4}$   
Sec Cor

No trees near

79.90 The Cor to Secs 1, 2, 11, & 12.

Land level mesa

Soil 2<sup>nd</sup> rate

Timber a few scattering cedars

West on true line

between Secs 14 & 23

Va  $13^{\circ}45'$  East

Begin ascent of spur bears NW

31.00 Summit of spur and begin descent

40.00 set a line stone  $18 \times 10 \times 6$  in  
marked  $\frac{1}{4}$  set  $\frac{3}{4}$  in the ground  
and build mound of stone 2 ft high  
for  $\frac{1}{4}$  Sec Cor

No trees near

57.00 foot of spur and gulch 220 yds wide.

Fractional Township 7 North Range 30 East

Gila and Salt River Meridian  
ch.

- flows N.W.
- 54.00 begin ascent of spur bears N.W.
- 68.00 summit of spur and begin descent of  
rocky precipitous N.W. slope
- 80.00 set a line stone 10x10x10 in properly  
notched set  $\frac{2}{3}$  in the ground and on W  
side build mound of stone 2ft high  
for cor to Secs 14. 15. 22 & 23.

No trees near

Land rocky precipitous spurs from  
mountain.

Soil worthless

Timber scattering pines generally N of line

North between Secs 14 & 15

Ua 13° 45' East

descend N.W. slope of spur from moun-  
tain

- 15.00 foot of spur and enter rolling valley bears N & N.W

Fractional Township 7 North Range 30 East

Gila and Salt River Meridian

chs.

- 28.00 Arroyo 200 lks wide flows N W
- 40.00 Set a post marked  $\frac{1}{4}$  S 4 ft long flat-  
tened 3 in wide 1 ft in the ground de-  
posit stone marked + and build mound  
of earth 2 ft high with pits 2x1x1 ft  
for  $\frac{1}{4}$  Sec Cor. from which  
a pin 10 in dia bears N 40° E 180 lks dist  
No others near
- 80.00 Set a post marked and notched 4 ft long  
3 in squared 1 ft in the ground deposit  
stone marked + and build mound of  
earth 2 ft high with pits 2x1x1 ft for  
Cor to Secs 10. 11 14 & 15  
No trees near  
Land rolling valley  
Soil 2<sup>nd</sup> rate grass abundant  
Timber scattering pines

East on random line  
between Secs 11 & 14

## Fractional Township 7 North Range 30 East

## Gila and Salt River Meridian

Chs.

Va  $13^{\circ}45'$  East

18.50 begin ascent of precipitous bluff  
bears N.N.W & S.E.

27.50 Summit of bluff and enter mesa bears  
N.N.W & S.S.E

40.00 set a post for temporary  $\frac{1}{4}$  Sec cor

80.10 Intersect N & S line 15 lks N of Cor  
to Secs 11, 12, 13 & 14 from which Cor  
I run

N  $89^{\circ}54'$  W on true line  
between Secs 11 & 14

Va  $13^{\circ}45'$  East

40.05 set a post marked  $\frac{1}{4}$  S 4 ft long flat=  
tined 3 in wide 1 ft in the ground de=  
posit stone marked + and build  
mounds of earth 2 ft high with pits 2x  
1x1 ft for  $\frac{1}{4}$  Sec Cor

No S recs near

80.10 The Cor to Secs 10 11 14 & 15

Land mostly mesa gently sloping N.

Fractional Township 7 North Range 30 East

Gila and Salt River Meridian

Chs

Soil 2<sup>nd</sup> rate

Timber scattering pine and Cedar

North between Secs 10 & 11

Tal 13°45' East.

40.00 Set a post marked 1/4 S 4 ft long  
flattened 3 in wide 1 ft in the ground de-  
posit stone marked + and build mound  
of earth 2 ft high with pits 2x1x1 ft  
for 1/4 Sec Cor No trees near

48.00 begin ascent of bluff bears N.W. & S.S.E.

60.00 summit of bluff and enter Mesa  
bears N.W. & S.S.E.

80.00 set a line stone 16x14x8 in properly  
notched set 2/3 in the ground and on  
N. side build mound of stone 2 ft high  
for Cor to Secs 2, 3, 10 & 11.

No trees near

Land S of 1/4 Cor rolling valley



Fractional Township 7 North Range 30 East

Gila and Salt River Meridian

ks-

Land N broken bluff & level Mesa  
Soil in valley and on Mesa 2<sup>nd</sup> rate  
along slope of bluff worthless  
Timber a few pine and Cedar along  
edge of Mesa

East on random line  
between Secs 2 & 11.

Ta 13°45' East

40.00 Set a stone for temporary 1/4 Sec Cor  
80.00 Intersect N & S line 25 lks N of Cor to  
Sec's 12 11 & 12 from which Cor  
I run

N 89°49' West on true line  
between Secs 2 & 11.

Ta 13°45' East

40.00 Set a line stone 20x10x8 in marked  
1/4 set 3/4 in the ground and build mound  
of stone 2 ft high for 1/4 Sec Cor from  
which a pinon 5 in dia bears S 40° E 60 lks West

Fractional Township 7 North Range 3 East

Gila and Salt River Meridian

As

No others near

80.00 To Cor to Sec's 2 3 10 & 11

Land level Mesa

Soil 2<sup>nd</sup> rate.

Timber a few Cedars and pines

North on random line  
between Sec's 2 & 3

$\text{Va } 13^{\circ}45' \text{ East.}$

40.00 Set a stone for temporary  $\frac{1}{4}$  Sec Cor

41.00 begin descent of bluff bears N.E. & S.W.

44.00 foot of bluff and enter land gradually  
sloping S.W. to valley

64.00 wagon trail bears N.N.E. & S.W.

80.00 Intersect N. Boundary of Township 7 E. S. W. of Cor to Sec's 2 & 3 from which Cor  
I run

To 3' W on true line  
between Secs 2 & 3

$\text{Va } 13^{\circ}45' \text{ East}$

Fractional Township 7 North Range 30 East

Gila and Salt River Meridian

Chs.  
40.00 Set a lime stone  $10 \times 10 \times 10$  in mar-  
ked  $\frac{1}{4}$  set  $\frac{2}{3}$  in the ground and  
build mound of stone 2 ft high  
for  $\frac{1}{4}$  Sec Cor. No trees near

80.00 The Cor to Secs 2, 3, 10 & 11.

Land gently rolling and sloping W  
Soil 2<sup>nd</sup> rate

Timber a few Redars and Pinons  
October 23 1875

West on true line

between Secs 15 + 22

To  $13^{\circ}45'$  East

descend N. W. slope of spur

12.80 foot of spur and Gulch 150 lks wide  
flows NW.

40.00 Set a lime stone  $14 \times 10 \times 10$  in  
marked  $\frac{1}{4}$  set  $\frac{2}{3}$  in the ground and  
build mound of stone 2 ft high for  
 $\frac{1}{4}$  Sec Cor from which a pine 12  
in dia bears  $N 72^{\circ} W 80$  lks dist

Fractional Township 7 North Range 30 East

Gila and Salt River Meridian

As

No others near

65.10 Creek 12 lks wide flows N.W.

80.00 set a lime stone  $14 \times 12 \times 12$  in  
properly notched set  $\frac{2}{3}$  in the ground  
and on W side, build mound of earth  
2 feet high with pits  $2 \times 1 \times 1$  foot for  
cor to Sec's 15, 16, 21 & 22.

No trees near

Land rolling and sloping N.W.

Soil 2<sup>nd</sup> & 3<sup>d</sup> rate

Timber scattering Pines

North between Secs 15 & 16

NW  $13^{\circ} 45'$  East

14.00 Creek 12 lks wide flows N.N.W.

22.50 same creek flows N.N.E.

49.00 Set a post marked  $\frac{1}{4} 5 4$  ft long flat=  
tens 3 in wide 1 ft in the ground de-  
posit stone marked  $\delta +$  and build mound  
of earth 2 ft high with pits  $2 \times 1 \times 1$  ft

Fractional Township 7 North Range 30 East  
Gila and Salt River Meridian

ch.  
 43.00 for  $\frac{1}{4}$  Sec Cor No trees near  
 Same creek flows N. N. W  
 80.00 set a post marked and notched 4 ft  
 long 3 in squared 1 ft in the ground  
 deposit stone marked + and build  
 mound of earth 2 ft high with  
 pit 2 x 1 x 1 ft for Cor to Secs 9, 10,  
 15 & 16.  
 No trees near  
 Land mostly level  
 Soil 1<sup>st</sup> rate  
 Timber a few pines in S portion  
 of Section 15.

East on random line  
 between Secs 10 & 15

To 13045' East

40.00 set a post for temporary  $\frac{1}{4}$  Sec Cor  
 80.20 Intersect N & S line 3000 ft N of Cor  
 to Secs 10 11 14 & 15 from which Cor

Fractional Township 7 North Range 30 East

Gila and Salt River Meridian

chs

I run

N 89° 47' W on true line  
between Secs 10 & 15

to 13° 45' East

40.10 Set a post marked  $\frac{1}{4}$  S 4 ft long flat-  
tened 3 in wide 1 ft in the ground de-  
posit stone marked + and build  
mound of earth 2 ft high with pits  
2x1x1 ft for  $\frac{1}{4}$  Sec' cor. from  
which a cedar 14 in dia bears N  
16° E 75 lbs dist no other trees near

80.20 The Cor to Secs 9, 10, 15 & 16

Land gently rolling and sloping W  
Soil 1<sup>st</sup> & 2<sup>nd</sup> rate

Timber a few Cedars

North between Secs 9 & 10

to 13° 45' East

40.00 Set a post marked  $\frac{1}{4}$  S 4 ft long flat-  
tened 3 in wide 1 ft in the ground

Fractional Township 7 North Range 30 East

Gila and Salt River Meridian

chs

Deposit stone marked + and build mound of earth 2 ft high with pits 2x1x1 ft for 1/4 Sec Cor No trees near

8 11. 11

A lime stone boulder projecting above ground 24x20x16 in which I notch and build mound of stone 2 1/2 ft high on N side thereof for Cor to Secs 3, 4, 9 & 10

No trees near

Land S & W level bottom

N.E. rolling and broken

Soil mostly 1st rate

Timber scattering pines and Cedars on rolling land east of line

East on random line

between Secs 3 & 10

To 13°45' East

1.50

begin ascent of point of bluff bears N.E. and S.E.

# Fractional Township 7 North Range 30 East

## Gila and Salt River Meridian

- chs.
- 34.00 Summit of bluff and enter mesa  
trans N.E. & S.E.
- 40.00 set a stone for temporary  $\frac{1}{4}$  Sec Cor
- 84.30 Intersect N & S line 12 lks S of Cor  
to Secs 2, 3, 10 & 11 from which Cor  
I run  
 $S 89^{\circ} 55'$  W on true line  
 $Ta 13^{\circ} 45'$  East.
- 40.15 Set a limestone  $12 \times 10 \times 4$  in marked  $\frac{1}{4}$   
set  $\frac{2}{3}$  in the ground and build mound  
of stone 2 feet high for  $\frac{1}{4}$  Sec Cor  
No trees near
- 80.30 On the Cor to Secs 3, 4, 9, & 10  
Land E of  $\frac{1}{4}$  cor level mesa  
with 2<sup>nd</sup> rate soil  
W of  $\frac{1}{4}$  cor rocky slope of bluff  
with worthless soil  
Timber scattering Cedar and Pine  
on slope of bluff



Fractional Township 7 North Range 30 East

Gila and Salt River Meridian

cks.

North on random line  
between Sec's 3 & 4

$\text{Va } 13^{\circ} 45' \text{ East}$

10.40 Road bears N. E. & S. W.

40.00 Set a stone for temporary  $\frac{1}{4}$  Sec Cor

40.50 begin ascent of bluff bears N. W.  
& S. E.

64.00 Summit of bluff and enter mesa  
bears N. W. & S. E.

80.20 Intersect N. Boundary of Township  
28 cks W of Cor to Secs 3 & 4  
from which Cor

I run

$S 0^{\circ} 12' \text{ W}$  on true line  
between Secs 3 & 4

$\text{Va } 13^{\circ} 45' \text{ East}$

40.20 Set a limestone  $12 \times 12 \times 12$  in marked  
 $\frac{1}{4}$  set  $\frac{2}{3}$  in the ground and build mound  
of stone 2 ft high for  $\frac{1}{4}$  Sec Cor  
No trees near

# Fractional Township 7 North Range 30 East

Gila and Salt River Meridian

chs. 80.20	<p>The Cor to Sec's 3, 4, 9, &amp; 10</p> <p>Land S of <math>\frac{1}{4}</math> Cor level bottom 1<sup>st</sup> rate Soil</p> <p>N of <math>\frac{1}{4}</math> Cor mostly rocky slope of bluff worthless soil</p> <p>Timber Cedars on Summit of bluff</p>
---------------	---

North between Sec's 32 & 33  
Ta 13° 45' East

14.00	begin ascent of spur from mountain bears and slopes W.S.W
30.00	summit of spur bears E.N.E & S.W.
40.00	set a limestone 12x10x6 in marked $\frac{1}{4}$ set $\frac{2}{3}$ in the ground and build mound of stone 2 ft high for $\frac{1}{4}$ Sec Cor. No trees near
41.50	begin descent of spur
51.00	foot of spur and gulch 80 ft wide flows W and begin ascent of little spur bears E & W

^  
Fractional Township 7 North Range 30 East

^  
Gila and Salt River Meridian

- chs
- 60.00 Summit of spur and begin descent
- 68.00 foot of spur and gulch 90 lks wide flows W  
and begin ascent of spur bears E & W  
and slopes west.
- 80.00 Set a limestone 18x18x6 in prop-  
erly notched set  $\frac{3}{4}$  in the ground and  
on N side build mound of stone  
2 ft high for Cor to Secs 28, 29, 32 & 33  
No trees near  
Land precipitous rocky spurs  
Sloping W  
Soil worthless  
Timber a few scattering Pines

North between Secs 28 & 29  
Ta 13° 45' East

- 3.00 Summit of spur bears E & W and  
begin descent
- 18.00 foot of spur and gulch 100 lks wide  
flows west and begin ascent of spur

^  
 Fractional Township 7 North Range 30 East

Gila and Salt River Meridian

cks

bears N.W. & E.S.E. slopes W

36.00 Summit of spur bears N.W. & E.S.E.

40.00 Set a line stone 10x10x10 in marked  $\frac{1}{4}$   
 set  $\frac{2}{3}$  in the ground and build mound  
 of stone 2 ft high for  $\frac{1}{4}$  Sec Cor from  
 which a pine 8 in dia bears S  $13^{\circ}$   
 E 95.00 dit no other trees near

43.00 foot of spur and enter Hunter  
 Rosa Valley bears N.E. & S.S.W.

80.00 Set a post marked and notched 4 ft long  
 3 in square 1 ft in the ground drive  
 charred stake and build mound of  
 earth 2 ft high with pits 2x1x1 ft  
 for cor to Secs 20 21 28 & 29

No trees near

Land E of line rough and broken mountain  
 spurs - W level valley

Soil on mountain slope worthless

In valley 1st rate

Timber Pine and Cedar

Fractional Township 7 North Range 30 East.

Gila and Salt River Meridian

North between Secs 20 & 21

Var 13° 45' East

40.00 Set a post marked  $\frac{1}{4}$  S 4 ft long flat =  
 - tined 3 in wide 1 foot in the ground  
 drive charred stake and build  
 mound of earth 2 ft high with pits  
 2x1x1 ft for  $\frac{1}{4}$  Sec Cor

No trees near

80.00 Set a post marked and notched 4 ft long  
 3 in square 1 ft in the ground drive  
 charred stake and build mound of  
 earth 2 ft high with pits 2x1x1 ft  
 for cor to Secs 16, 17, 20 & 21

No trees near

Land level bottom

Soil 1<sup>st</sup> rate

Timber a few Cedars and pines  
 on the south

## Fractional Township 7 North Range 30 East

## Gila and Salt River Meridian

Chs.

East on random line

between Sec's 16 &amp; 21

Va 13°45' East

40.00

Set a post for temporary 1/4 Sec Cor

79.80

Intersect 1/4 S line 30 lks Sof Cor to  
Secs 15 16 21 & 22 from which Cor  
I run

S 89°47' W on true line

between Secs 16 &amp; 21

Va 13°45' East

39.90

Set a post marked 1/4 S 4 ft long flat=  
tend 3 in wide 1 ft in the ground  
drive charred stake and build mound  
of earth 2 ft high with pits 2x1x1 ft  
for 1/4 Sec Cor. No trees near

79.80

The cor to Sec's 16 17 20 &amp; 21

Land level valley

Soil 1st rate

No Timber or undergrowth

October 25 1875

## Fractional Township 7 North Range 30 East

## Gila and Salt River Meridian

chs.

South between Secs 21 & 22  
 Va 13°45 East.

- 19.00 Leave valley and enter rolling land  
 bears N. E. + S. W.
- 38.00 Gulch 50 lks wide flows N. W.
- 40.00 Set a post marked  $\frac{1}{4}$  S 4 ft long  
 flattened 3 in wide 2 ft in the  
 ground for  $\frac{1}{4}$  Sec Cor from which  
 a pine 8 in dia bears N 34° E 110 lks dist  
 a pine 8 " " " N 77° W 115 " "
- 45.00 begin ascent of spur bears S. E. + W  
 slopes W
- 50.00 Summit of spur
- 55.00 begin descent of spur
- 60.00 foot of spur and enter rolling  
 land bears and slopes W
- 80.00 set a limestone 16 x 10 x 4 in prop-  
 erly notched set  $\frac{2}{3}$  in the ground  
 and on S. side build mound of  
 stone for Cor to Secs 21 22 27 + 28

Fractional Township 7 North Range 30 East

Gila and Salt River Meridian

As.

from which

A pine 10 in dia bears S 12° E 14 lks dist

" " 12 " " " S 10° N 20 " "

" " 14 " " " N 8° E 26 " "

No tree in sec 21 convenient to mark

Land rolling and sloping W

Soil 3<sup>d</sup> rate

Timber Pine and Cedar

West on random line

between Sec's 21 + 28

Var 13° 45' East

0.74 Gulch 60 lks wide flows N. N. W. and  
begin ascent of rocky spur bears N N W  
and S. E. slopes N N.

8.00 Summit of spur slopes N. W.

10.00 Begin descent of spur

15.00 foot of spur and enter rolling land  
bears N. E. and S. W.

20.50 Gulch 100 lks wide flows N. N.



Fractional Township 7 North Range 30 East

Gila and Salt River Meridian

chs

40.00 Set a stone for temporary  $\frac{1}{4}$  Sec Cor

70.00 enter valley bears  $N\frac{1}{4}$  S.W.

79.90 Intersect  $N\frac{1}{4}$  S line 12 lks S of Cor  
to Secs 20 21 28 + 29 from which Cor  
I run

$S 89^{\circ} 55' E$  on true line

between Secs 21 + 28

$Va 13^{\circ} 45' East$

39.95 Set a limestone  $14 \times 12 \times 10$  in marked  
 $\frac{1}{4}$  set  $\frac{2}{3}$  in the ground and build  
mound of earth 2 ft high with pits  
 $2 \times 1 \times 1$  ft for  $\frac{1}{4}$  Sec Cor

No trees near

79.90 The Cor to Secs 21.22.27 + 28.

Land rolling and broken N level  
valley with 1<sup>st</sup> rate soil

Timber Cedar and Pine

North between Secs 16 + 17

$Va 13^{\circ} 45' East$

Fractional Township 7 North Range 30 East

Gila and Salt River Meridian

chs.

40.00 Set a post marked  $\frac{1}{4}$  S 4 ft long flattened 3 in wide 1 ft in the ground drive charred stake and build mound of earth 2 ft high with pits 2x1x1 ft for  $\frac{1}{4}$  Sec Cor  
No trees near

48.50 Road bears N. N. E + S. S. W

80.00 Set a post marked and notched 4 ft long 3 in squared 1 ft in the ground drive charred stake and build mound of earth 2 ft high with pits 2x1x1 ft for cor to Secs 8, 9, 16 + 17.

No trees near

Land level bottom

Soil 1<sup>st</sup> rate

No timber or undergrowth

East on random line

between Secs 9 + 16

by 13045' East

10.00 Road bears N. E. + S. S. W

Fractional Township 7 North Range 30 East

Gila and Salt River Meridian

chs.

40.00 Set a stone for temporary  $\frac{1}{4}$  Sec Cor

2.00 Creek 12 lks wide flows N.

9.80 Intersect N. & S line 20 lks S of Cor  
to Secs 9, 10, 15 & 16 from which Cor

I run

S 89° 51' W on true line

between Secs 9 & 16

Va 13° 45' East

39.90 Set a line stone 10 x 10 x 8 in marked  $\frac{1}{4}$   
set  $\frac{2}{3}$  in the ground and build mound  
of earth 2 ft high with pits 2 x 1 x 1 ft  
for  $\frac{1}{4}$  Sec cor. No trees near

79.80 The cor to Secs 8, 9, 16 & 17

Land level bottom

Soil 1<sup>st</sup> rate

No timber or undergrowth

North between Secs 8 & 9

Va 13° 45' East

1.10 Neuter Rosa Creek 15 lks wide, gentle

Fractional Township 7 North Range 30 East

Gila and Salt River Meridian

chs

- current, muddy bed flows N.E.
- 19.00 begin ascent of bluff bears N.E.  
thence N + S.W.
- 28.00 summit of bluff and sister mesa  
bears N + S.W.
- 40.00 Set a lime stone  $16 \times 10 \times 10$  in marked  $\frac{1}{4}$   
set  $\frac{2}{3}$  in the ground and build mound  
of stone 2 ft high for  $\frac{1}{4}$  Sec Cor  
No trees near
- 80.00 Set a limestone  $20 \times 10 \times 6$  in properly  
notched set  $\frac{3}{4}$  in the ground and on  
N side build mound of earth 2 ft high  
with pits  $2 \times 1 \times 1$  ft for Cor to Sec's 4, 5, 8, + 9.  
No trees near  
Land S of bluff level bottom with 1<sup>st</sup>  
rate soil - N level mesa 2<sup>nd</sup> rate soil  
No timber or undergrowth

East on random line  
between Sec's 4 + 9

Fractional Township 7 North Range 30 East

Gila and Salt River Meridian

chs.

Ta 13°45' East

10.00 begin descent from mesa bluff  
bears N. & S. S. N.

11.00 foot of bluff and enter bottom land  
bears N & S.

11.00 Set a post for temporary 1/4 Sec cor

11.60 Near Rosa creek 15 lks wide gentle  
current flows N.

12.00 Road bears N. E & S.

12.80 leave level bottom and enter rolling  
rocky land

13.00 Intersect N & S line 10 lks S of cor  
to Secs 3, 4, 9, & 10 from which cor  
I run

S 89°56' Now true line  
between Secs 4 & 9

Ta 13°45' East

14.00 Set a post marked 1/4 S 4 ft long flat-  
tened 3 in wide 1 ft in the ground de-  
posit stone marked + and build mound

Fractional Township 7 North Range 30 East

Gila and Salt River Meridian

chs.

earth 2 ft high with pin 2x1x1 ft for  
1/4 Sec Cor. No trees near

81.00

The cor to Sec's 4, 5, 8, & 9

Land East of bluff level bottom with 1st  
rate soil, along slope of bluff rocky  
worthless soil -

No timber or undergrowth.

North on random line

between Sec's 4 & 5

Ta 13° 45 East

32.00

begin descent from mesa bluff bears E & N

39.50

foot of bluff and enter bottom of mouth of  
Cañon bears S. W. and opens E into valley

40.00

Set a post for temporary 1/4 Sec Cor

58.00

begin ascent of bluff on opposite bank of  
cañon bears N. E. & S. W.

79.00

summit of bluff and enter mesa bears  
N & S. W.

Fractional Township 7 North Range 30 East

Gila and Salt River Meridian

hs.

0.10 Intersect North Boundary of Township  
18.1/2 W of Cor to Secs 4 + 5

Iron

S 0° 8' West on true line

between Secs 4 + 5

Or 13° 45 East.

0.10 Set a post marked  $\frac{1}{4}$  S 4 ft long flat-  
tened 3 in wide 1 ft in the ground de-  
posit stone marked  $\delta$  + and build  
mound of earth 2 ft high with pile  
2 x 1 x 1 ft for  $\frac{1}{4}$  Sec Cor from which  
a Cedar 8 in dia bears S 46° W 30 lks dist  
No other trees near

0.10 The Cor to Secs 4. 5. 8. + 9

Sand level mesa except where broken  
by Cañon

Soil 2<sup>nd</sup> and 3<sup>d</sup> rate

Timber a few scrub cedars

Fractional Township 7 North Range 30 East

Gila and Salt River Meridian

Chs.

North between Secs 31 & 32

Da  $13^{\circ}45'$  East

- 26.00 Enter Rosa Creek 12 lks wide rapid current flows NWN
- 27.00 Enter cultivated fields bears N & S.
- 40.00 Set a post marked  $\frac{1}{4}$  S 4 ft long flat-topped 3 in wide 1 ft in the ground, drive charred stake and build mound of earth 2 ft high with pits  $2 \times 1 \times 1$  ft for  $\frac{1}{4}$  Sec Cor  
No trees near  
Jones house bears East of this cor about 20 Chs dist.
- 54.00 leave field
- 80.00 Set a post marked and notched 4 ft long 3 in squared 1 ft in the ground drive charred stake and build mound of earth 2 ft high with pits  $2 \times 1 \times 1$  ft for Cor to Secs 29, 30, 31 & 32.  
No trees near  
Land level bottom



fractional Township 7 North Range 30 East

Gila and Salt River Meridian

25. Soil 1<sup>st</sup> rate

Timber Pine on S end of line

East on random line

between Secs 29 + 32.

Va 130°45' East

7.20 Road bears N + S

11.00 set a stone for temporary 1/4 Sec Cor

9.00 begin ascent of S slope of spur bears

E + N slopes W and line runs along S slope

10.20 Intersect N + S. line at cor to Sec's 28

29, 32 + 33. from which cor

I run

West on true line

between Secs 29 + 32

Va 130°45' East

40.10 Set a limestone 18x16x10 in marked 1/4

set 3/4 in the ground and build mound of

stone 2 ft high for 1/4 Sec Cor from which

a pine 14 in dia bears S 12° E 35 W. dist

Fractional Township 7 North Range 30 East

Gila and Salt River Meridian

Cks.

No others near

80.20

The Cor to Sec's 29 30 31 & 32  
Land West of  $\frac{1}{4}$  Cor level valley 1<sup>st</sup> rate  
soil - East rolling and broken moun-  
tain spur. Soil worthless  
Timber Pine Cedar on East end of line

West on random line

between Secs 30 & 31

Va 13°45' East

20.50

Enter Rosa creek 12 lks wide  
flows N. E.

40.00

Set a stone for temporary  $\frac{1}{4}$  Sec Cor

79.00

Intersect W Boundary of Township 25 lks  
South of Cor to Secs 30 & 31. from which  
Cor

I run

S 89°49' E on true line

between Secs 30 & 31

Va 13°45' East

Fractional Township 7 North Range 30 East

Gila and Salt River Meridian

- 39.00 Set a limestone  $12 \times 10 \times 11$  in marked  
 $\frac{1}{4}$  set  $\frac{2}{3}$  in the ground and build mound  
of earth 2 ft high with pits  $2 \times 1 \times 1$  ft  
for  $\frac{1}{4}$  Sec Cor. No trees near
- 79.00 The Cor to Secs 29 30 31 + 32  
Land bottom gently sloping East  
Soil 1<sup>st</sup> rate  
Timber a few pines and Cedars  
October 26 1875

North Between Secs 29 + 30  
by  $13^{\circ} 45'$  East

- 11.00 Enter Rosa Creek 12 lks wide  
flows N. N. E and enter cultivated  
field bears N. E. + S. W
- 20.00 Coulters Cabin bears W of this point 3chs  
dist.
- 28.00 Clear field and creek 10 lks wide  
flows E. N. E.
- 40.00 Set a limestone  $16 \times 10 \times 8$  in marked  
 $\frac{1}{4}$  set  $\frac{2}{3}$  in the ground and build

Fractional Township 7 North Range 30 East

Gila and Salt River Meridian

Mound of stone 2 ft high for  $\frac{1}{4}$  Sec Cor

No trees near

Clear bottom land and enter gently rolling  
land slopes E.

61.00 Clear rolling land and enter bottom  
bears N.W. & S.E. and road to Milligans  
bears N.W. & S.E.

81.44 Set a volcanic stone 16x10x8 in prof-  
erly notched set  $\frac{2}{3}$  in the ground and  
on N. side build mound of stone 2 ft  
high for Cor to Secs 19 20 29 & 30  
No trees near

Land level and gently rolling  
Soil 1<sup>st</sup> rate

No timber or undergrowth

East on random line

between Secs 20 & 29

Ta 13045 East

36.40 Hunter Rosa creek 12 ft wide flows N.

↗  
↖  
Fractional Township 7 North Range 30 East

Gila and Salt River Meridian

Chs.  
40.00 Set a post for temporary  $\frac{1}{4}$  Sec Cor  
57.60 Road bears  $N + S$   
80.00 Intersect  $N + S$  line 20 lks  $N$  of Cor to  
Secs 20 21 28 + 29 from which Cor  
I run

North  $89^{\circ}51'$  Non true line  
between Secs 20 + 29  
by  $13^{\circ}45'$  East

40.00 Set a post marked  $\frac{1}{4}$  S 4 ft long flat-  
tened 3 in wide 1 ft in the ground  
drive charred stake and build  
mound of earth 2 ft high with pits  
 $2 \times 1 \times 1$  ft for  $\frac{1}{4}$  Sec Cor

No trees near

80.00 The Cor to Secs 19. 20. 29 + 30

Level level bottom

Soil 1st rate

No timber or undergrowth

Weston random line

1/2  
 Fractional Township 7 North Range 30 East

chs. Gila and Salt River Meridian

between Secs 19 & 30

Va 13°45' East

12.00 Road to Milligans bears N.W. & S.E.

30.00 Leave bottom and enter rolling land  
 bears E.S.E & N.

40.00 Set a stone for temporary 1/4 Sec Cor

78.80 Intersect W Boundary of Township  
 9/16's N of cor to Secs 19 & 30 from which cor  
 Drum

North 89°56' E on true line  
 between Secs 19 & 30

Va 13°45' East

38.80 Set a line stone 10x10x8 in marked 1/4 set  
 2/3 in the ground and built mound of  
 earth 2 ft high with pits 2x1x1 ft  
 for 1/4 Sec cor. No trees near

78.80 the cor to Secs 19 20 29 & 30

Land mostly rolling and sloping N.E.  
 Soil 1st & 2nd rate

Timber a few scattering pines & cedars

Fractional Township 7 North Range 30 East

chs. Gila and Salt River Meridian

North between Secs 19 & 20  
Ta 13° 45' East

- 36.50 Arroyo 30 lks wide flows N. E.
- 44.00 Set a post marked  $\frac{1}{4}$  54 ft long flattened 3 in wide 1 ft in the ground drive charred stake and build mound of earth 2 ft high with pits 2x1x1 ft for  $\frac{1}{4}$  Sec Cor. No trees near
- 80.00 Set a post marked and notched 4 ft long 3 in squared 1 ft in the ground drive charred stake and build mound of earth 2 ft high with pits 2x1x1 ft for Cor to Secs 17 18 19 & 20  
No trees near  
Land level valley  
Soil 1st rate  
No timber or undergrowth

East on road on line  
between Secs 17 & 20

Fractional Township 7 North Range 30 East

Gila and Salt River Meridian

Chs. Va 13°45 East

40.00 Set a post for temporary 1/4 Sec Cor

54.00 Hunter Rock Creek 12 lks wide  
flows N.

68.70 Road bears N + S.

80.12 Intersect N + S line 28 lks N of Cor to  
Secs 16 17 20 + 21 from which Cor  
I run

North 89°48' West on true line  
between Secs 17 + 20

Va 13°45 East

40.06 Set a post marked 1/4 4 ft long flat =  
tened 3 in wide 1 ft in the ground, drive  
churned stake and build mound of  
earth 2 ft high with pile 2 x 1 x 1 ft  
for 1/4 Sec Cor No trees near

80.12 The Cor to Secs 17 18 19 + 20  
Land level valley  
Soil 1st rate  
No timber or undergrowth



h  
Fractional Township 7 North Range 30 East

ch. Gila and Salt River Meridian

West on random line  
between Secs 18 + 19  
Va 13° 45' East

28.00 Begin ascent of bluff bears E. N. E &  
S. W.

3750 Summit of bluff and enter level  
Mesa bears N E + S. W.

40.00 Set a stone for temporary 1/4 Sec Cor.

49.80 Road to Mulligan bears N W + S E

79.00 Intersect N Boundary of Township  
28.1/4 S of Cor to Secs 18 + 19 from  
which Cor

I run

South 89° 48' East on true line  
between Secs 18 + 19  
Va 13° 45' East

89.00 Set a limestone 10 x 10 x 8 in marked 1/4  
Set 2/3 in the ground and build mound  
of stone 2 ft high for 1/4 Sec Cor  
from which

Fractional Township 7 North Range 3 East

chs Gila and Salt River Meridian

A Cedar 16 in dia bears  $N4^{\circ}W$  85 lks dist

No other trees near

79.00 The Cor to Secs 17 18 19 & 20

Land East of bluff level valley with  
1<sup>st</sup> rate soil - West level mesa with  
2<sup>nd</sup> rate soil

Timber a few cedars along mesa

North between Secs 17 & 18

Val  $13^{\circ}45'$  East

10.00 Begin ascent of bluff bears  $N E + S W$

32.00 summit of bluff and enter mesa  
bears  $N. E. + S. W.$

40.00 set a limestone  $10 \times 8 \times 8$  in marked  $1/4$   
set  $2/3$  in the ground and build mound  
of stone 2 ft high for  $1/4$  Sec Cor  
No trees near

80.00 set a limestone  $14 \times 12 \times 12$  in properly  
notched set  $2/3$  in the ground and on  
N side build mound of stone 2 ft

Fractional Township 7 North Range 30 East

1/2 Sec. Gila and Salt River Meridian

High for Cor to Secs 7 8 17 & 18

No trees near

Land N of bluff level mesa with 2<sup>nd</sup> rate soil

Timber a few scattering cedars along edge of mesa

4 East on random line

4 Between Secs 17 & 8

7 Va 13° 45' East

38.00 Begin descent of point of bluff  
bears SSW & NNW

40.00 Set a stone for temporary 1/4 Sec Cor

46.00 foot of bluff and enter bottom land  
bears N. W into mouth of Cañon  
and S. E.

3 79.00 Reuter Road creek flows N. E.

80.20 Intersect N & S line at Cor to Secs  
8 9 16 & 17 from which Cor

Fractional Township 7 North Range 30 East

Ch. Gila and Salt River Meridian

From

West on true line

between Sec's 8 + 17

Ta 13°45' East

40.10 Set a volcanic stone 16x10x10 in marked 1/4 Set 2/3 in the ground and build mound of stone 2 ft high for 1/4 Sec Cor - No trees near

80.20 The Cor to Sec's 7 8 17 + 18  
Land West of bluff level mesa with 2<sup>nd</sup> rate soil, East of bluff level valley 1<sup>st</sup> rate soil  
Timber. a few Cedars along edge of mesa.

West on random line

between Sec's 7 + 18

Ta 13°45' East

40.00 Set a post for temporary 1/4 Sec Cor

78.60 Intersect W Boundary of Township 12 lks S of Cor to Sec's 7 + 18 from which Cor

Fractional Township 7 North Range 30 East

Gila and Salt River Meridian  
From

S 89° 55' East on true line  
between Secs 7 + 18

Va 13° 45' East

78.60 Set a post marked  $\frac{1}{4}$  S 4 ft long flat-  
tened 3 in wide 1 ft in the ground de-  
posit stone marked + and build  
mound of earth 2 ft high with pits  
2 x 1 x 1 ft for  $\frac{1}{4}$  Sec Cor from which  
a pine 8 in dia bears S 5° N 20 lks dist  
no other trees near

78.60 The Cor to Sec's 7, 8, 17 + 18

Land level mesa

Soil 2<sup>nd</sup> rate

Timber scattering cedar and Pine

North between Secs 7 + 8

Va 13° 45' East

78.00 Set a post marked  $\frac{1}{4}$  S 4 ft long  
flattened 3 in wide 1 ft in the ground

Fractional Township 7 North Range 30 East

Gila and Salt River Meridian

chs

Deposit stone marked + and build mound of earth 2 ft high with pits 2x1x1 ft for  $\frac{1}{4}$  sec cor.

No trees near

80.00 set a lime stone 12x10x6 in properly notched set  $\frac{2}{3}$  in the ground and on N side build mound of earth 2 ft high with pits 2x1x1 ft for cor to Secs 5, 6, 7 + 8. No trees near

Land level mesa

Soil 2<sup>nd</sup> rate

Timber scattering cedars

October 27 1875

East on random line

between Secs 5 + 8

To 13°45' East

33.00

Gulch 2 chs wide flows N. E. from junction with Cañon about 6 chs N. E. of this point

Fractional Township 7 North Range 30 East

Gila and Salt River Meridian

- Chs
- 40.00 Set a stone for temporary  $\frac{1}{4}$  Sec Cor  
 49.00 descend into cañon bears  $N\frac{1}{2}$  S.S. W  
 with abrupt rocky wall about 75  
 feet deep
- 65.00 Summit of opposite bank of Cañon  
 and enter mesa bears  $N\frac{1}{2}$  S
- 80.00 Intersect  $N\frac{1}{2}$  S line 30 lks S of Cor to  
 Secs 4 5 8 + 9 from which Cor  
 I run  
 South  $89^{\circ}47'$  Hutton true line  
 between Secs 5 + 8  
 Va  $13^{\circ}45'$  East
- 40.00 Set a limestone  $14 \times 10 \times 10$  in marked  $\frac{1}{4}$   
 set  $\frac{2}{3}$  in the ground and build mound  
 of stone 2 ft high for  $\frac{1}{4}$  Sec Cor  
 No trees near
- 80.00 The Cor to Secs 5 6 7 + 8  
 Land level mesa - broken by cañons  
 Soil mostly 2<sup>nd</sup> rate

Fractional Township 7 North Range 30 East

Gila and Salt River Meridian

chs

No Timber or undergrowth

West on random line

between Sec's 6 & 7

7a 13°45' East

- 9.110 Begin ascent of conical hill
- 22.00 Summit of conical hill covered with  
dense growth of stunted cedar, and  
begin descent
- 35.00 foot of hill and enter valley slopes N
- 38.20 Road to Milligans bears N.W. & S.
- 41.00 set a post for temporary 1/4 Sec Cor
- 78.40 Intersect W Boundary of Township  
14 lks N of Cor to Sec's 6 & 7  
from which cor  
I run  
North 89°54' East on true line  
between Secs 6 & 7  
7a 13°45' East
- 38.40 Set a post marked 5' x 4 ft long



Fractional Township 7 North Range 30 East

Gila and Salt River Meridian

chs.

flattened 3 in wide 1 ft in the ground  
deposit stone marked + and build  
mound of earth 2 ft high with pits  
2X1X1 ft for  $\frac{1}{4}$  Sec Cor.

No trees near

78.40

The Cor to Secs 5, 6, 7, & 8

Land W of hill, valley and sloping N with  
1st rate soil

Timber stunted Cedars on hillside & summit

North on random line  
between Secs 5 & 6

W  $130^{\circ} 45'$  East

20.00

begin ascent of round hill

32.00

summit covered with cedars & pines.

40.00

set a post for temporary  $\frac{1}{4}$  Sec Cor

43.00

begin descent from hill

49.00

foot of hill and enter mesa gently  
sloping N.

79.90

Intersect N Boundary of Township

Fractional Township 7 North Range 30 East

Chs Gila and Salt River Meridian

18 Mls W of Cor to Secs 5+6 from which Cor  
I run

South  $0^{\circ}8'$  West on true line  
between Secs 5+6

Th  $13^{\circ}45'$  East

39.90 set a post marked  $\frac{1}{4}$  S 4 ft long flat-  
tened 3 in wide 2 feet in the ground  
for  $\frac{1}{4}$  Sec Cor from which

A Piñon 6 in dia bears  $N 78^{\circ} W 15$  Mls dist

A Cedar 10 " " " S  $5^{\circ} E 28$  " "

79.90 The Cor to Secs 5.6.7+8

Land rolling and sloping West

Soil mostly 2<sup>nd</sup> rate

Timber Cedar and Piñon on  
hill sides and summit

October 28 1875

General Description

of Fractional Township 7 North Range  
30 East.

This Township contains considerable

Fractional Township 7 North Range 30 East

Gila and Salt River Meridian  
 - General Description -

1st Class farming land in the valley of Neuter Rosa Creek.

The mesa lands E & W of the valley are covered with an abundance of grass suitable for grazing purposes.

The Township is well watered by Neuter Rosa Creek and its tributaries flowing in northerly direction through the central portion of the Township.

The S. E. portion of the Township is occupied by the Eskedene Mountains - a rough and barren range destitute of vegetation except a scattering growth of stunted pines suitable only for fuel.

The surface of the mountain being worthless and unfit for any use. The lines of this survey

9  
 Fractional Township 7 North Range 30 East

Gila and Salt River Meridian

As

General Description - concluded -  
 were not extended over it.

A heavy growth of pine timber suitable for building purposes is distributed along the foot hills and valleys at the base of the mountain.

Considerable Cedar and Piñon grows along the mesas and bluffs in the N.E. and Western portions of the Township.

There are three settlers in the Township engaged in Agricultural pursuits. One in the central portion of Sec 9 - One in the S.E. portion of Sec 30, and one in the N.W.  $\frac{1}{4}$  of Sec 32.

The Township is capable of sustaining a large population and is likely to be soon fully occupied by settlers.

L. B. Foster  
 Dep. Surveyor

28 BOOK 54  
BOOK 32  
**List of Names.**

*A List of the Names of Individuals employed  
to assist in running, measuring, or marking the  
lines and corners described in the foregoing Field  
Notes of the survey of the Subdivision  
lines of Fractional Township  
7 North Range 30 E  
Gila and Salt River Meridian  
Territory of Arizona*

Showing the respective capacities in which they  
acted.

*John A. Nelson* Chainman.  
*Peter Thompson* Chainman,  
*Nearby Wainwright* Axeman.  
*William C. Foster* Flagman.

## Final Oath of Assistants.

We hereby certify that we assisted W. D. Foster  
Foster U. S. Deputy Surveyor, in  
 surveying the subdivision lands of  
 Township 7 N Range 30 E  
 Gila and Salt River Meridian  
 Territory of Arizona.

and that said Survey has been in all respects, to  
 the best of our knowledge and belief, well and  
 faithfully executed, and the boundary monuments  
 planted according to the instructions furnished by  
 the Surveyor-General.

John L. Nelson Chainman.  
John Thompson Chainman,  
Henry Wintershoff Axeman.  
William Foster Flagman.

Sworn to and subscribed before me, this 29<sup>th</sup>  
 day of December, 1875

William M. McKenna  
 Clerk Dist Court Third  
 Judicial District of Arizona

Final Oath of Deputy Surveyor.

I, Chas. Buxton Foster

U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the 16<sup>th</sup> day of August

1875. I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of

the subdivision lines of  
Fractional Township 7 N. Range 3 E  
Gila and Salt River Meridian  
Territory of Arizona

..... as are represented in the foregoing Field Notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements con-

tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

LeBuston Foster  
Deputy Surveyor.

Sworn to and subscribed before me, this 29  
day of December 1875

William McKenna  
Chief District Court  
Hinds Judicial Dist  
Yaoupa Co Ala



## U. S. Surveyor General's Office,

TUCSON, ARIZONA,

July 6,

1876.

The foregoing Field Notes of the Survey of the

Subdivision Lines of  
Township 7 North,  
Range 30 East,

of the Gila and Salt River Base and Meridian, Arizona, execu-  
ed by C. Burton Foster

Deputy Surveyor, under his contract of the 16<sup>th</sup>

day of August, 1875, having been

critically examined and the necessary corrections and explana-  
tions made, the said Field Notes and the surveys they describe  
are hereby approved.

John Masson  
Surveyor General.