

No-38

# Field Notes

OF THE SURVEY OF THE

*SUBDIVISION LINES*

-OF-

*Township 6 North Range 10 East*

*Gila and Salt River Base and Meridian*

**ARIZONA.**

By *Thos. F. White* D. S.

*under contract dated Aug 27. 1880.*

*Survey commenced May 14. 1881.*

*Survey completed May 19. 1881.*

38

No-38

Field Notes.

N. Salt River Meridian  
 INDEX DIAGRAM.

Township 6 N. BOOK 38  
 Range 10 E

6	51	5	41	4	32	3	22	2	12	1
50		48		40		31		21		11
7	47	8	39	9	30	10	20	11	10	12
		46		38		29		19		9
18	45	17	37	16	28	15	18	14	8	13
		44		36		27		17		7
19	43	20	35	21	27	22	16	23	5	24
		43		35		26		15		5
30		29	34	28	25	27	14	26	3	25
				33		24		14		2
31		32		33	23	34	13	35	1	36

Gila and Salt River Meridian.

ARIZONA.

**Preliminary Oaths of Assistants.**

We, *Richard Shreve*  
 and *Samuel H. Van Pelt*  
 do solemnly swear that we will faithfully execute  
 the duties of Chain Carriers; that we will level the  
 chain upon uneven ground, and plumb the tally  
 pins, whether by sticking or dropping the same;  
 that we will report the true distance to all notable  
 objects, and the true length of all lines that we as-  
 sist in measuring, to the best of our skill and  
 ability.

*Richard Shreve*  
*Samuel H. Van Pelt*

Sworn to and subscribed before me, this *4<sup>th</sup>*  
 day of *April*, 18*81*

*William J. Osburn*  
 Notary Public  
 Iowa Co., Wt.

We, Frank Carpenter, William  
Morrison, and C. H. Patchett  
do solemnly swear that we will well and truly per-  
form the duties of Assessors, Mound  
and Hagman respectively  
according to instructions given us, and to the best  
of our skill and ability.

Frank Carpenter

William Morrison  
C. H. Patchett

Sworn to and subscribed before me this 11<sup>th</sup>  
day of April, 1881.

William J. Osburn  
Notary Public  
Pina Co. St.



No 38

BOOK 38

Township 6 N. Range 10 E.

Gila & Salt River Meridian

chs.

From the cor. to Secs. 35 & 36. 1 & 2. on  
the S. B. of Township which was  
recently set by me, and is fully  
described in my field notes I run  
North between Secs. 35 & 36.

Var.  $14^{\circ}15'$  E.

as per observation with Solar Compass.

this is the variation of the S. Boundary  
and differs 1' minute from that of the  
E. Boundary. I used the same instrumen-  
t, in making the subdivisional survey  
that I used in running the Exterior.

which is a Burt's improved Solar  
Compass.

40.00

Set a post marked  $\frac{1}{4}$  S. 4 ft long flattened,  
3 ins. wide, with marked stone, 12 ins. in the  
ground, and build out of earth 2 ft high,  
with pits 18+18+12 ins. as per instructions  
for  $\frac{1}{4}$  Sec. cor. from which bears.  
a. mesquite 6 ins. dia. N.  $12^{\circ}$  W. 42 lbs dist.

S. 6 N. R. 10. E. G & S. R. M

chs

- 80.00 A Mesquite 8 in. dia. S.  $85^{\circ}$  E. 72 lbs dist.  
 Set  
 Igneous rock 16 x 14 x 8. in. 10 in. in  
 the ground and build end of stone 2 ft high  
 as per instructions for cor. to Sec. <sup>25-26-35-36</sup> vi. from which bears  
 A Mesquite 6 in. dia. S.  $81\frac{1}{2}^{\circ}$  E. 137 lbs dist.  
 Uneven, some good soil  
 Mesquite trees. & brush.

East on random line bet. Secs. 25 & 36.  
 Var.  $14^{\circ} 15' E.$

- 40.00 Set temporary  $\frac{1}{4}$  Sec. cor.  
 50.50 Truts Creek 50 lbs wide, course S. E.  
 56.00 Old home & corral 12 chs. N.  
 67.00 Road along bottom corral N. W.  
 68.50 Leave Creek bottom & rise on mesa.  
 80.05 Intersect E. B. of Tp. 4 lbs S. of cor. to Secs.  
 25, 30, 31 & 36, from which I run.  
 S.  $89^{\circ} 58' N.$  on true line bet. Secs. 25 & 36.  
 Var  $14^{\circ} 15' E.$

## N. 6 N. R. 10 E. G. &amp; S. R. M.

chs  
40.02 Set a post marked  $\frac{1}{4}$  S. 4 ft long, flattened  
3 ins. wide, with marked stone, 12 ins. in  
the ground, and build end of earth 2 ft  
high, with pits 18x18x12 ins. as per instructions.  
for  $\frac{1}{4}$  Sec. cor. from which bears.

a. Cottonwood 14 ins. dia. S.  $54^{\circ}$  W. 104 lbs dist.

a. Cottonwood 5 ins. dia. N.  $83^{\circ}$  W. 63 lbs dist.

80.05 Cor. to Secs. 25. 26. 35x36.

In Creek bottom good soil,  
Cottonwood, Willow, & Mesquite along  
Creek.

North between Secs. 25 & 26.

Var.  $14^{\circ} 15' E$ .

25.00 Leave Mesa & descend into Bottom S. E.

40.00 Set a post marked  $\frac{1}{4}$  S. 4 ft long, flattened  
3 ins. wide, with marked stone, 12 ins. in the  
ground, & build end of earth 2 ft high,  
with pits 18x18x12 ins. as per instructions.

T. 6 N. R. 10 E. G & S. R. M

Chs

for 1/4 sec. cor. from which bears.  
 An Ash 6 ins. dia. N. 87° W. 322 lbs dist.  
 An Ash 12 ins. dia. N. 66 1/2° E. 432 lbs dist.

57.00 Road N. W.

62.00 Ponto Creek 100 lbs dist. corral S. E.

80.00 Set apart marked & watched, 4 ft long  
 4 ins. sq. with marked stone, 12 ins. in  
 the ground, and build mid of earth  
 2 ft high, as per instructions. with pits  
 18 x 18 x 12 ins. for cor. to Secs. 23. 24. 25. & 26.  
 from which bears.

A Willow 6 ins. dia. S. 8 1/2° E. 26 lbs dist

A Willow 8 ins. dia. N. 81° E. 14 lbs dist.

A Cottonwood 10 ins. dia. N. 26° W. 56 lbs dist.

A Willow 8 ins. dia. S. 63° W. 56 lbs dist.

Mostly in bottom, good soil,  
 Cottonwood, Willow, & Ash.

---



## T. 6 N. R. 10. E. 1 of S. R. M.

chs

East on random line bet. Secs. 24 &amp; 25.

Var.  $14^{\circ} 15' E$ .

32.90 Top high bank of Mesa &amp; leave bottom

40.00 Set temporary  $1/4$  Sec. Cor.1 80.04 Intersect E. B. of Tp. 13 lks S. of cor. to Secs.  
19, 24, 25 & 30, from which I run.S.  $89^{\circ} 54' W$ . on true line bet. Secs. 24 & 25.Var  $14^{\circ} 15' E$ .40.02 Set Quarzose  $12 \times 8 \times 6$  ins. pins in the  
ground, and build mid of earth  $2\frac{1}{2}$  ft high  
with pits  $18 \times 18 \times 12$  ins. as per instructions.  
for  $1/4$  Sec. cor.

80.04 Cor. to Secs. 23 &amp; 24, 25 &amp; 26.

Partly in bottom & partly on mesa  
Soil good and 2<sup>d</sup> rate  
Some timber in bottom.

North between Secs. 23 &amp; 24.

Var.  $14^{\circ} 15' E$ .

N. 6 N. R 10. E. G & S. R. M.

- chs  
 14.00 Ascend bank <sup>course</sup> S. E.  
 29.00 Descend bank course S. W.  
 40.00 Set a post marked  $\frac{1}{4}$  S. 4 ft long  
 flattened 3 ins. wide, with marked stone  
 12 ins. in the ground, and build end  
 of stone 2 ft high, as per instructions, for  
 $\frac{1}{4}$  Sec. cor. from which bears.  
 a Cottonwood 9 ins. dia. West 74 lbs dist  
 a Cottonwood 5 ins. dia. N. 20° W. 74 lbs dist.  
 80.00 Set a post marked & notched 4 ft long  
 4 ins. sq. with marked stone, 12 ins. in the  
 ground, and build end of earth 2 ft high  
 with pits 18 x 18 x 12 ins. as per instructions for  
 cor. to Secs. 19, 14, 23 & 24, from which bears  
 a Cottonwood 20 ins. dia. N. 53 $\frac{1}{2}$ ° W. 127 lbs dist  
 a Mesquite 5 ins. dia. N. 19 $\frac{1}{2}$ ° W. 90 lbs dist  
 a Mesquite 4 ins. dia. N. 36 $\frac{1}{2}$ ° E. 73 lbs dist  
 a Mesquite 6 ins. dia. S. 60 $\frac{1}{2}$ ° E. 257 lbs dist.  
 In bottom some good soil, Cottonwood,  
 Willow and Mesquite trees.

## T. 6 N. R. 10 E. G &amp; S. R. M.

chs	East on random line bet. <sup>secs</sup> 13 & 24. Var. $14^{\circ} 15' E$ .
6.75	Leave bottom corro S, and rise on mesa.
10.50	Top of mesa
38.00	Ascend to second bench of mesa
40.00	Set temporary $1/4$ sec. cor.
49.90	Intersect E. B. of Sp. 7 lbs N. of cor. to Secs. 13, 18, 19, & 24 from which I run $S 89^{\circ} 57' W$ . on true line bet. Secs. 13 & 14 Var. $14^{\circ} 15' E$ .
39.95	Set a Quartzose $15 \times 10 \times 6$ ins. 10 ins in the ground, and build end of stone 2 ft high as per instructions for $1/4$ sec. cor. from which a Magnite 5 ins. dia. box, $S. 33^{\circ} W$ . 414 lbs dist.
49.90	Cor. to Secs. 13, 14, 23 & 24. Mostly flat mesa, Soil 2 <sup>d</sup> rate No timber except in Bottom

T. 6 N. R. 10 E, G & S. R. M.

chs

North between Secs. 13 & 14

Var.  $14^{\circ} 15' E$ .

- 5.00 Descend bank <sup>corner</sup> S. W.
- 6.20 Into Creek channel 100 lbs wide, corner S. W.
- 12.00 Channel of creek again 100 lbs wide corner S. E.
- 18.00 Ascend bank corner S. E.
- 40.00 Set a post marked  $\frac{1}{4}$  S. 4 ft long, flattened  
3 ins. wide, with marked stone, 12 ins. in  
the ground, and build end of earth 2 ft  
high, with pits 18+18+12 ins. as per inst.  
directions for  $\frac{1}{4}$  sec cor. from which bears.  
An Elder tree 6 ins. dia. S.  $25^{\circ}$  W. 35 lbs dist  
A Mesquite 7 ins. dia. N.  $12\frac{1}{2}^{\circ}$  W. 205 lbs dist.
- 52.00 Leave bottom and ascend mesa.
- 63.00 Top of mesa.
- 80.00 Set a post marked & notched 4 ft long 4 ins  
sq. with marked stone, 12 ins. in the ground  
and build end of earth 2 ft high, with pits  
18+18+12 ins. as per instructions for Cor. to Secs.  
11. 12. 13 & 14 from which bears.

## T. 6 N. R. 10 E. G &amp; S. R. M.

chs

A Mesquite 4 ins. dia. N. 3° E. 247 lks dist  
 A. Mesquite 3 ins. dia. N. 38° W. 318 lks dist.  
 Along Tonto Creek bottom Soil good.  
 Mesquite, Cottonwood & brush.

---

East on random line bet. Secs. 12 & 13.  
 Var. 14° 15' E.

40.00 Set temporary 1/4 Sec. cor.  
 79.84 Intersect E. B. of Tp. 16 lks N. of cor. to Secs.  
 7. 12. 13. & 18 from which I run.  
 N. 89° 53' W. on true line bet. Secs. 12 & 13.  
 Var. 14° 15' E.

39.92 Set igneous rock 12 & 10.8 ins. 8 ins in the  
 ground and build end of cone 2 ft high  
 as per instructions for 1/4 Sec. cor.

79.84 Cor. to Secs. 11. 12. 13 & 14.  
 On flat mesa Soil 2<sup>d</sup> rate  
 No timber.

---

N. 6 N. R. 10 E. G. + S. R. M.

Chs

North between Secs. 11 & 12.

Var.  $14^{\circ}15' E.$

18.00 Descend into little lateral valley corral S.W.

23.00 Dry wash - 50 lks wide corral S.W.

40.00 Set a post marked  $1/4 S.$  4 ft long, flattened 3 ins. wide, with marked stone, 12 ins. in the ground & build end of earth, with pits  $18 \times 18 \times 12$  ins. as per instructions for  $1/4$  Sec. cor. from which bear.

A Mesquite 3 ins. dia. N.  $5^{\circ} E.$  205 lks dist.

A Mesquite 3 ins. dia. N.  $35^{\circ} E.$  228 lks dist.

80.00 Set a granite rock  $16 \times 10 \times 8$  ins. 11 ins. in the ground and build end of earth 2 ft high, with pits  $18 \times 18 \times 12$  ins. as per instructions for Cor. to Secs. 1, 2 & 11 & 12, from which

A Mesquite 10 ins. dia. N.  $10^{\circ} E.$  88 lks dist.

Mostly on mesa, Soil 2<sup>d</sup> rate  
Scattering trees.

S. 6 N. R. 10 E. G & S. R. M.

Chs

- 1 East on random line bet. Secs. 1 & 12.  
Var.  $14^{\circ}15' E$
- 1.00 Dry wash 10 lks wide course S. W.
- 40.00 Set temporary  $1/4$  sec. cor.
- 74.50 Dry wash 12 lks wide course S. W.
- 80.09 Intersect the E. B. of Sp. 9 lks S. of cor. to  
Secs. 16. 7 & 12 from which I run  
S.  $89^{\circ}56' W$ . on true line bet. Secs 1 & 12  
Var.  $14^{\circ}15' E$ .
- 40.04 Set Volcanic rock  $16 \times 8 \times 8$  ins. 11 ins.  
in the ground and build end of earth  
2 ft high, with pits  $18 \times 18 \times 12$  ins. as per  
instructions for  $1/4$  sec cor.
- 80.09 Cor. to Secs. 1. 2. 11 & 12.  
Smooth except on extreme E. end  
Soil good & 2<sup>d</sup> rate  
No timber.

---

North on random line bet. Secs. 1 & 2.

N. 6 N. R. 10. E. G. & S. R. M.

cks

Var.  $14^{\circ}15'8''$ .

40.00 Set temporary  $\frac{1}{4}$  Sec cor.  
 79.89 Intersect N. B. of Tp. 21 lks W. of cor. to  
 Secs. 1 & 2, <sup>352.34</sup> from which I run,  
 $50^{\circ}09' W.$  on true line bet. Secs. 1 & 2.

Var.  $14^{\circ}15'E$ .

39.89 Set a post marked  $\frac{1}{4}$  S. 4 ft long, flattened,  
 3 ins. wide, with marked stone, 12 ins in  
 the ground, and build md of earth 2 ft  
 high, with pits 18+18+12 ins. as per instructions  
 for <sup>piece</sup> cor. sta.

79.89 Intersect Cor to Secs. 1, 2, 11 & 12.  
 Smooth sloping a little S. W.  
 Soil good and 2<sup>d</sup> rate.  
 No timber.

↓ Run the cor. to Secs. 34, 35 2 & 3. on S. B.  
 of Tp. I run North bet. Secs. 34 & 35.  
 Var.  $14^{\circ}15'E$ .



N. 6 N. R. 10. E. G & S. R. M.

chs

40.00

Set aqueous rock  $13 \times 8 \times 7$  ins. 9 ins. in the ground, and build end of earth 2 ft high, with pits  $18 \times 18 \times 12$  ins. as per instructions for  $1/4$  sec. cor. no trees near.

80.00

<sup>note</sup> Aqueous rock  $13 \times 8 \times 7$  ins. 9 ins. in the ground, and build end of earth 2 ft high, with pits  $18 \times 18 \times 12$  ins. as per inst. sections for cor. to Secs. 26, 27, 34 & 35.

Some broken Soil 3<sup>d</sup> rate  
Scattering trees, and brush  
May 14, 1881.

East on random line bet. Sec. 26 & 35.

Var.  $14^{\circ} 15' E$ .

40.00 Set temporary  $1/4$  Sec. cor.

79.81 Intersect the N & S. line 12 lbs N. of cor. to Secs. 25, 26, 35 & 36, from which from N.  $89^{\circ} 55' W$ . on true line bet. Secs. 26 & 35.

Var.  $14^{\circ} 15' E$ .

## T. 6 N. R. 10 E. G. &amp; S. R. M.

- chs
- 39.90 Set Igneous rock  $14 \times 12 \times 5$  ins. 10 ins. in the ground, and build end of earth 2 ft high, with pits  $18 \times 18 \times 12$  ins. as per instructions for  $1/4$  sec. cor.
- 79.81 Cor. to Secs. 26, 27, 34 & 35.  
Some broken & sloping E.  
Soil 2<sup>d</sup> rate  
Scattering trees & brush.
- 

North between Secs 26 & 27.  
Var.  $14^{\circ} 15' E.$

- 40.00 Set Igneous rock  $12 \times 9 \times 7$  ins. 8 ins in the ground and build end of earth 2 ft high, with pits  $18 \times 18 \times 12$  ins. as per instructions for  $1/4$  sec. cor.
- 80.00 Set Igneous rock  $10 \times 8 \times 8$  ins 7 ins. in the ground and build end of earth 2 ft high, with pits  $18 \times 18 \times 12$  ins. as per instructions for. cor. to Secs. 22, 23.

## N. 6 N. R. 10 E. G. &amp; S. R. M.

chs

26. &amp; 27.

Broken sloping E. Soil 2<sup>d</sup> rate  
No timber.

---

East on random line bet. Secs 23 & 26.

Var.  $14^{\circ} 15' E$ .

30.00 Descend from high bench of mesa  
to lower bench.

40.00 Set temporary  $1/4$  sec. cor.

54.00 Descend into creek bottom

56.80 Road course N. W. Deserted house 200 lbs N.

62.50 Into Creek 50 lbs wide course S. E.

79.87 Intersect the N & S. line 18 lbs. N. of cor.

to Secs. 23, 24, 25, 26, from which I run  
N.  $89^{\circ} 52' W$ . on true line bet. Secs. 23 & 26  
Var.  $14^{\circ} 15' E$ .

39.93 Set a post marked  $1/4$  S.  $4/4$  long, flattened  
3 ins. wide, with marked stone, 12 ins. in  
the ground, and build end of stone 2 ft  
high, as per instructions for  $1/4$  sec. cor.

N. 6 N. R. 10. E. G & S. R. M.

Chs.

from which bears.

a Meagrite 4 ins. dia. S. 81 1/2° E. 143 lbs dist.

a Meagrite 3 ins. dia. N. 80 1/2° E. 253 lbs dist.

79.87 Cor. to Secs. 22, 23. 26 x 27.

Portion in bottom, some good soil,  
Scattering trees.

North bet. Secs. 22. & 23.

Var. 14° 15' E.

40.00 Set Igneous rock 14 x 11 x 5 ins. 10 ins. in  
the ground and build end of ~~earth~~ <sup>2 1/2</sup>  
high, with pits 18 x 18 x 12 ins. as per inst.  
instructions for 1/4 sec cor.

80.00 Set Feldspathic rock 12 x 12 x 10 ins. 8 ins.  
in the ground and build end of ~~earth~~ <sup>2 1/2</sup>  
high, with pits 18 x 18 x 12 ins. as per  
instructions for cor. 14, 15, 22 x 23.

from which bears.

↓ a Cedar 7 ins. dia N. 30° W. 90 lbs dist

## N. 6 N. R. 10. E. 1/4 &amp; S. R. M.

chs.

Some broken, Soil 2<sup>d</sup> rate  
Scattering trees.

---

East on random line bet. Secs. 14 & 23.  
Var.  $14^{\circ}15' E$ .

- 33.00 Descend from mesa into Creek bottom  
34.40 Enter bottom.  
36.70 Road course N & S.  
40.00 Set temporary  $1/4$  Sec. cor.  
44.15 Acquire a course W. of S.  
41.50 Channel of Pinto Creek 100 lks wide course S.  
75.00 Another Channel 100 lks wide  
80.06 Intersect the N & S. line 17 lks S. of cor.  
to Secs. 13, 14, 23 & 24. from which I run  
S.  $89^{\circ}53' W$ . on true line bet. Secs. 14 & 23.

Var.  $14^{\circ}15' E$ .

- 40.03 Set a post marked  $1/4$  S.  $4\frac{1}{2}$  long flattened  
3 ins. wide, with marked, spire, 12 ins. in  
the ground, and build mid of earth

N. 6 N. R. 10. E. G & S. R. M.

chs

2 ft high, as per instructions, with  
pits 18x18x12 ins. for 1/4 sec cor.  
from which bears.

An Ash 4 ins. dia. West 24 lbs dist  
Sycamore 13 ins. dia. S. 7 1/2° W. 241 lbs dist.  
80.06 Cor. to Secs. 14, 15, 22 & 23.

Across Creek bottom some good soil  
Sycamore, Ash & Cottonwood.

North between Secs. 14 & 15.

Var. 14° 15' E.

40.00 Set a granite rock 10x8x7 ins. 7 ins.  
in the ground, and build mid of stone  
2 ft high, as per instructions for 1/4  
Sec. cor. from which bears.

a Mesquite 3 ins. dia. North 226 lbs dist

57.00 Dry wash 100 lbs wide corner W.

76.00 Descend from Mesa.

80.00 Set a post marked & notched 4 ft long

x see page 54

T. 6 N. R. 10. E. 1/4 G & S. R. M.

chs

4 in sq. with marked stone, 12 ins. in  
the ground, and build end of stone 1/4  
high, as per instructions for cor. to Secs.  
10. 11. 14 & 15. from which bears.

a mesquite 3 ins. dia. N. 52° W. 167 lps dist.

a mesquite 8 ins. dia. N. 65° W. 120 lps dist.

a mesquite 3 ins. dia. N. 48° E. 225 lps dist.

Over mesa, some broken  
Soil 2<sup>d</sup> rate, Scattering trees.

East on random line bet. Secs. 11 & 14

Var. 14° 15' E.

- 6.00 Descend bank course S. E. & enter Bottom  
14.26 Road course N.  
35.00 Into Creek 100 lps wide course S.  
40.00 Set temporary 1/4 Sec. cor.  
59.80 Dry Wash 20 lps wide course S. W. & leave bottom  
63.50 Ascend mesa course S. W.  
80.13 Intersect N & S. line of lps S. of cor. to

see page 54

N. 6 N. R. 10 E. G & S. R. M.

chs

Secs. 11, 12, 13 & 14, from which I run  
S 89° 56' W. on true line bet. Secs. 11 & 14.

Var. 14° 15' E.

40.06 Set a post marked  $\frac{1}{4}$  S. 4 ft long, flattened  
3 ins. wide, with marked stone, 12 ins. in  
the ground, and build rd of stone 2 ft  
high, as per instructions for  $\frac{1}{4}$  Sec. cor.  
from which bear.

A Mesquite 15 ins. dia. N. 73° E. 302 lps dist.

80.13 Cor. to Secs. 10, 11, 14 & 15.

Part in bottom, some good land,  
Scattering trees.

North between Secs. 10 & 11

Var. 14° 15' E.

10.00 Dry wash 100 lps wide course S. E.

33.40 Road from Tinto to M<sup>c</sup>. Dowell etc course N. W.

40.00 Set a post marked  $\frac{1}{4}$  S. 4 ft long, flattened  
3 ins. wide, with marked stone, 12 ins.



N. 6 N. R. 10 E. G & S. R. M.

chs

in the ground, and build end of  
earth 2 ft high, with pits 18x18x12 ins.  
as per instructions for 1/4 sec cor, from which  
a Mesquite 3 ins. dia. br. S. 71° W. 53 lbs dist  
+ a Mesquite 3 ins. dia. br. S. 85° E. 45 lbs dist.

58.30 Road up Pinto Creek, course N. of N.

59.00 Ascend over hill.

77.00 Road course N. E.

80.00 Set a granite stru 15x12x6 ins. 10 ins. in  
the ground, with marked stru, and build  
end of stones. 2 ft high, as per instructions  
for cor. to Secs. 2, 3, 10 & 11, from which  
a Mesquite 4 ins. dia. N. 71 1/2° E. 153 lbs dist.  
Over Mesa along W. side of Pinto Creek  
Scattering trees & brush, some good soil

East on random line bet. Secs. 2 & 11.

Var. 14° 15' E.

4.12 Road up Pinto Creek course N.

N. 6 N. R. 10. E. G. & S. R. M.

cks

11.44 Bank & descend into Pinto Creek bottom.

22.00 Pinto Creek 100 yds N. of S.

40.00 Set temporary 1/4 sec. cor.

46.00 Leave bottom & ascend mesa.

79.87 Intersect the N. & S. line 21 lks N. of cor.  
to Secs. 1, 2, 11 & 12, from which I run  
N.  $89^{\circ}57'$  W. on true line bet. Secs. 2 & 11  
Var.  $14^{\circ}15'E$ .

39.93 Set a post marked 1/4 S. 4 ft long flattened  
3 ins. wide, with marked chow, 12 ins.  
in the ground, & build end of earth  
2 ft high, with pits 18x18x2 ins. as per  
instructions for 1/4 sec. cor. from which  
a Cottonwood 9 ins. dia. br h. 4' W. 253 lps dist.

79.87 Cor. to Secs. 2, 3, 10 & 11.

Some good bottom land Mesquite  
Cottonwood & willow, along creek

North on random line bet. Secs. 2 & 3.

Var.  $14^{\circ}15'8$ .

N. 6 N. R. 10. E. G & S. R. M.

Chs

- 40.00 Set temporary  $\frac{1}{4}$  Sec. cor.  
 79.90 Intersect N. B. of Sp. 19 lps W. of cor.  
 to Secs. 2 & 3, <sup>34 & 35</sup> from which Dome.  
 So. 08' W. on true line bet. Secs. 2 & 3.  
 Var.  $14^{\circ} 15' E$ . ✓
- 39.90. Set a Quartzose 20x12x10 ins. 15 ins. in the  
 ground, and build end of stone 2 ft high  
 as per instructions for  $\frac{1}{4}$  sec cor.
- 79.90 Cor to Secs. 2, 3, 10 & 11.  
 Broken Soil poor.  
 No timber.

From the cor. to Secs. 33 & 34, 3 & 4 on  
 S. B. of Sp. Dome  
 North between Secs. 33 & 34  
 Var.  $14^{\circ} 15' E$ .

- 40.00 Set Igneous rock 12x10x8 ins 8 ins.  
 in the ground, and build end of  
 earth 2 ft high, with pits 18x18x12 ins.

N. 6 N. R. 10. E. 1/4 G. & S. R. M.

chs

as per instructions for 1/4 sec. cor.

80.00 Set 3 gears rock  $14 \times 8 \times 7$  ins. 10 ins.  
in the ground, and build and of  
earth 2 ft high, with pits  $18 \times 18 \times 12$  ins.  
as per instructions for cor. to Secs.

27.28. 33  $\times$  34.

Broken Soil poor.

No timber

May 16. 1881

East on random line bet Secs. 27 & 34

Var.  $14^{\circ} 17' E$ .

as per observation with Solar Compass  
this makes an angle of 2' with line  
last run.

40.00 Set temporary 1/4 Sec. cor.

80.20 Intersect N. & S. line 7 lbs S. of cor to  
Secs. 26.27. 34  $\times$  35. from which I run  
S.  $89^{\circ} 57' W$ . on true line bet. Secs 27 & 34

Var.  $14^{\circ} 17' E$

N. 6 N. R. 10 E. G & S. R. M.

Chs

40.10 Set Igneous rock  $14 \times 8 \times 7$  ins. 10 ins. in the ground, and build end of earth 2 ft high, with pits  $18 \times 18 \times 12$  ins. as per instructions for  $1/4$  sec. cor.

80.20 Cor. to Secs. 27, 28, 33 & 34.

Broken Soil 2<sup>d</sup> rate

No timber.

North between Secs. 27 & 28.

Var.  $14^{\circ} 17' E$ .

40.00 Set Igneous rock  $14 \times 11 \times 5$  ins. 10 ins in the ground, and build end of earth 2 ft high, with pits  $18 \times 18 \times 12$  ins as per instructions. for  $1/4$  sec. cor.

80.00 Set Igneous rock  $16 \times 9 \times 5$  ins. 11 ins. in the ground, and build end of earth 2 ft high, with pits  $18 \times 18 \times 12$  ins. as per instructions for cor. to Secs. 21, 22, 27 & 28.

T. 6 N. R. 10 E. G & S. R. M.

chs

Broken Soil 2<sup>d</sup> rate  
No timber, some brush.

---

East on random line bet. Secs. 22 & 27  
Var.  $14^{\circ}17' E$ .

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.19 Intersect the N & S. line 18 lks S. of  
cor. to Secs. 22, 23, 26 & 27, from which I run  
S.  $89^{\circ}52' N$ . on true line bet. Secs. 22 & 27  
Var.  $14^{\circ}17' E$ .

40.09 Set Igneous rock  $12 \times 11 \times 6$  ins. 8 ins.  
in the ground, and build  <sup>mound</sup> of earth  
 $2\frac{1}{2}$  high, with pits  $18 \times 18 \times 12$  ins.  
as per instructions for  $\frac{1}{4}$  sec cor.

80.19 Cor to Secs. 21, 22, 27 & 28.

Broken Soil 2<sup>d</sup> rate  
No timber.

---

N. 6 h. R 10 E G + S. R. M.

Chs

North between Secs. 21 & 22.

Var.  $14^{\circ}17' E$ .

4000 Set Igneous rock  $15 \times 10 \times 5$  ins. 10 ins.  
in the ground and build end of  
earth 2 ft high, with pits  $18 \times 18 \times 12$  ins.  
as per instructions for  $1/4$  Sec. cor.

8000 Set Igneous rock  $14 \times 7 \times 6$  ins. 10 ins.  
in the ground and build end  
of earth 2 ft high, with pits  $18 \times 18 \times 12$  ins.  
as per instructions for cor. to Secs.  
15-16. 21 & 22.

✓ Broken Descending N. E.  
Soil 2<sup>d</sup> rate No timber.

East on random line bet. Secs 15 & 22

Var.  $14^{\circ}17' E$ .

4000 Set temporary  $1/4$  sec cor.

79.81 Intersect N & S. line 10 lbs N. of cor to  
Secs. 14-15. 22 & 23. from which 90m

N. 6 N. R 10. E. G & S. R. M.

chs

N.  $89^{\circ} 56' 9''$  on true line bet. Secs 15 & 22,

Var.  $14^{\circ} 17' E$ .

39.90 Set Igneous rock  $13 \times 9 \times 7$  ins. 9 ins in  
the ground, and build end of earth  
2 ft high, with pits  $18 \times 18 \times 12$  ins. as per  
instructions for  $1/4$  sec cor.

79.81 Cor. to Secs. 15. 16. 21. 22.

Broken Soil poor.

No timber some brush.

North between Secs. 15 & 16.

Var.  $14. 17' E$ .

40.00 Set Igneous rock  $13 \times 11 \times 6$  ins. 9 ins.  
in the ground and build end  
of earth 2 ft high, with pits  
 $18 \times 18 \times 12$  ins. as per instructions  
for  $1/4$  sec. cor.

72.00 Ascend high mesa and leave  
Wash course S. of E.



T. 6 N. R. 10. E. G & S. R. M.

chs  
8000 Set a granite stone 15710 x 8 ins. 10 ins  
in the ground, with marked  
stone, and build end of stone  
2 ft high, as per instructions for  
cor. to Secs. 9. 10. 15 & 16.  
Broken mesa land,  
Soil poor. Scattering trees  
& brush.

East on random line bet. Secs 10 & 15  
Var.  $14^{\circ} 17' E$ .

4000 Set temporary  $1/4$  sec cor.  
79.92 Intersect N & S line 16 lbs N. of cor.  
to Secs. 10. 11. 14 & 15 from which 20ms.  
N  $89^{\circ} 53' 9''$  on true line bet. Secs. 10 & 15  
Var  $14^{\circ} 17' E$ .

↓  
39.96 Set a post marked  $1/4$  S. 4 ft long  
flattened 3 ins. wide, with marked  
stone, 12 ins. in the ground & built

T. 6 N. R. 10 E. G & S. R. M.

Chs

end of earth 2 ft high, with pits  
 18x18x12 ins. as per instructions  
 for 1/4 sec. cor. from which bears,  
 a mesquite 3 ins. dia. N. 39 1/2° E. 87 lks dist.  
 a mesquite 3 ins. dia. N. 85 1/2° W. 123 lks dist.

79.92 Cor to Secs. 9, 10, 15 & 16.

Flat mesa Soil 2<sup>d</sup> rate  
 No timber Scattering trees  
 & brush.

North between Secs. 9 & 10

Var 14° 17' E.

30.00 Road bears E & W.

35.00 Wash 25 lks divide course E.

40.00 Set a granite stone 14x12x5 ins. 10 ins.  
 in the ground, and build end of  
 earth 2 ft high, with pits 18x18x12  
 ins. as per instructions for 1/4 sec cor.

80.00 Set a granite stone 15x10x6 ins.

N. 6 N., R. 10. E. G. & S. R. M.

Chs.

10 ins. in the ground, and build mid of earth 2 ft high, with pits, 18+18+12 ins. as per instructions for <sup>cor.</sup> to secs. 3, 4, 9, & 10.

Broken Soil 2<sup>d</sup> rate

No timber, some brush

---

East on random line bet. Secs. 3 & 10

Var.  $14^{\circ}17' E.$

46.00 Set temporary  $1/4$  Sec. cor.

79.83 Intersect the N & S line 18 lbs S. of cor. to Secs. 2, 3, 10 & 11. from which 9 run.

S.  $89^{\circ}52' W.$  on true line bet. Secs. 3 & 10

Var.  $14^{\circ}17' E.$

39.91 Set a granite stone 13+10+7 ins. 9 ins. in the ground and build mid of earth 2 ft high as per instructions with pits 18+18+12 ins. for  $1/4$  Sec. cor.

79.83 Cor. to Secs. 3, 4, 9 & 10.

T. 6 N. R. 10. E. G + S. R. M.

chs

Broken, Soil poor.  
No timber.

---

North on random line bet. Secs. 3 & 4

Var.  $14^{\circ} 17' E.$

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.17 Intersect the N. B. of Twp. 11 lks E. of cor.  
to Secs. 33, 34, 3 & 4, from which I run  
S.  $0^{\circ} 5' E.$  on true line bet. Secs. 3 & 4

Var  $14^{\circ} 17' E.$

40.17 Set a granite stake  $12 + 9 + 7$  ins. diam.  
in the ground, and build out of earth  
 $2\frac{1}{2}$  ft high, with pits  $18 + 18 + 12$  ins. as per  
instructions for  $\frac{1}{4}$  sec. cor.

80.17 Cor to Secs. 3, 4, 9 & 10.  
Broken mesa land  
Soil 2<sup>d</sup> rate Brush  
No timber

---

N. 6 h. R. 10 E. G + S. R. M.

chs

Marked cor. to Secs. 32 x 33. 4 x 5. on  
S. B. of Sp. is not set owing to the  
land being unurveyable, so  
from the cor. to Secs. 27, 28. 33 x 34. 9 min  
West on true line bet. Secs. 28 x 33.

Var.  $14^{\circ} 17' E.$

40.00 Set Igneous rock  $13 \times 9 \times 8$  ins. 9 ins.  
in the ground, and build mound of  
earth 2 ft high, with pits  $18 \times 18 \times 12$  ins.  
as per instructions for  $1/4$  sec. Cor.

80.00 Set Igneous rock  $16 \times 8 \times 8$  ins. 11 ins.  
in the ground, and build mound  
of earth 2 ft high, with pits  $18 \times 18 \times 12$   
ins. as per instructions for con to  
Secs. 28. 29. 32 x 33.

Broken Soil poor.

No timber.

N. 6 N. R. 10 E. G & S. R. M.

chs

North between Secs. 28 & 29

Var.  $14^{\circ} 14' E.$

4000

Set Igneous rock  $16 \times 8 \times 8$  ins. 11 ins.  
in the ground & build end of earth

2 ft high, with pits  $18 \times 18 \times 12$  ins. as  
per instructions for 1/4 Sec. cor.

8000

Set Igneous rock  $15 \times 9 \times 7$  ins.  
10 ins. in the ground, and build  
end of earth 2 ft high, with pits  
 $18 \times 18 \times 12$  ins. as per instructions for  
Cor to Secs. 20, 21, 28 & 29.

Broken Soil poor.

No timber some Brush.

May 17, 1881

East on random line bet. Secs. 21 & 28

Var.  $14^{\circ} 17' E.$

as verified by observation with  
Solar compass.

## T. 6 N. R. 10. E. G &amp; S. R. M.

- Chs  
4000 Set temporary  $\frac{1}{4}$  Sec. cor.  
79.80 Intersect the N & S. line 11 lks N. of  
cor to Secs. 21, 22, 27 & 28  
from which I run  
N.  $89^{\circ} 55' W$ . on true line bet. Secs. 24 & 28.  
Var  $14^{\circ} 17' E$ .
- 39.90 Set Igneous rock  $14 \times 10 \times 6$  lvs. 10 ins.  
in the ground, and build end of  
earth 2 ft high with pits  $18 \times 18 \times 12$  ins.  
as per instructions for  $\frac{1}{4}$  Sec. cor.  
79.80 Cor. to Secs. 20, 21, 28 & 29.  
Broken Soil 2<sup>d</sup> rate  
No timber

---

North between Secs. 20 & 21.  
Var.  $14^{\circ} 17' E$ .

- 4000 Set Igneous rock  $14 \times 10 \times 5$  lvs.  
10 ins in the ground, and build  
end of earth 2 ft high, with

T. 6 N. R. 10 E. G + S. R. M.

chs

pit 18+18+12 ins. as per instruct  
corn for 1/4 Sec. cor.

80.00 Set Igneous rock 16+9+7 ins  
11 ins in the ground, and build  
mid of earth 2 ft high, with  
pit 18+18+12 ins. as per instruct  
notions for cor. to Secs.  
16. 17. 20 & 21.

Broken Descending N. E.  
Soil 2<sup>d</sup> rate No timber.

East on random line bet. Secs. 16 & 21

Var 14° 17' E.

40.00 Set temporary 1/4 Sec. cor.

80.13 Intersect the N + S. line 17 lbs S.  
of cor. to Secs. 15. 16. 21 & 22  
from which I run.

S. 89° 53' W. on true line bet. Secs. 16 & 21

Var 14° 17' E.



T. 6 N. R. 10 E. G. & S. R. M.

chs

- 40.06 Set Igneous rock  $12 \times 10 \times 6$  ins. 8 ins  
in the ground, and build mid  
of earth 2 ft high, with pits  
 $18 \times 18 \times 12$  ins. as per instructions  
for  $1/4$  sec cor.
- 80.13 Cor. to Secs 16, 17, 20, & 21.  
Descending h.E. broken  
Soil 2<sup>d</sup> rate  
No timber.

North between Secs. 16 & 17.

Var.  $14^{\circ} 17' E.$

- 40.00 Set a granite stone  $12 \times 11 \times 6$  ins.  
8 ins. in the ground, and build  
mid of earth 2 ft high, with pits  
 $18 \times 18 \times 12$  ins. as per instructions  
for  $1/4$  sec. cor.
- 45.00 Descend from E. slope
- 50.00 Drywash 30 lbs wide course N of E.

N. 6 N. R 10 E. G & S. R. M.

chs  
85.00

Set a granite stone 14+13+7 ins.  
10 ins. in the ground, and build  
mid of stone 2 ft high, as per  
instructions for cor. to Secs.  
8. 9. 16 & 17. from which bears  
a Mesquite 3 ins. dia. N. 12° E. 189 lbs dist.  
Home at Old Camp Reno br N. 26 3/4 W.  
Broken Soil 2<sup>d</sup> rate  
Scattering trees. & brush

---

East on random line bet. Secs. 9 & 16  
Var. 14° 17' E.

39.80 Descend from high mesa into  
bed of Wash coming from S. of N.  
& running S. of E.

40.00 Set temporary 1/4 sec cor.

66.50 Leave Wash and ascend to  
top of high mesa.

79.98 Intersect N & S. line 22 lbs S.

## N. 6. h. R. 10. E. G &amp; S. R. M.

chs

of cor to Secs. 9, 10, 15 &amp; 16.

from which I run.

S.  $89^{\circ}51'$  W. on true line bet. Secs. 9 & 16Var  $14^{\circ}17'$  E.

39.99 on S. E. slope of mesa near top  
I set a granite  $24 \times 18 \times 8$  ins. 18 ins  
in the ground, and build end of  
stones 2 ft high, as per instructions  
for  $1/4$  sec cor. from which bears  
a mesquite 4 ins. dia. N.  $15^{\circ}$  W. 47 lbs dist

79.98 Cor. to Secs. 8, 9, 16 & 17.  
Mesa broken Soil 2<sup>d</sup> rate  
Scattering trees.

North between Secs. 8 & 9.

24.00 Descend into deep gulch course N. of E.  
27.00 Bottom dry wash 30 lbs on N. of E.  
39.00 old road course N. of E.  
46.00 Set a granite stone  $15 \times 10 \times 5$  ins.

T. 6 N. R. 10 E. G & S. R. M.

chs

10 ins. in the ground, and build  
end of stone <sup>2 ft high</sup>, as per instructions  
for 1/4 Sec. cor. from which bears  
a Cherrim tree 6 ins. dia. N. 68 1/2° E. 58 lbs dist.  
An oak 14 ins. dia. N. 74° W. 158 lbs dist.

Descend into Reno Creek.

- 41.50 Bottom of Descend and Road from  
Point to McDowell by Reno.
- 42.50 Reno Creek 20 lbs wide curve E.
- 44.50 Leave gulch of Reno Creek  
and ascend table land.
- 8000 Set a granite stone 18 x 10 x 8 ins.  
12 ins. in the ground, with marked  
stone, and build end of stone 2 ft  
high, as per instructions for cor.  
to Secs. 4, 5, 8, & 9.  
Over table land some broken  
soil 2<sup>d</sup> rate, some timber  
along Reno Creek

T. 6 N. R. 10 E. G & S. R. M.

- chs
- East on random line bet. Secs. 4 & 9.  
Var.  $14^{\circ} 17' E$ .
- 40.00 Set temporary  $\frac{1}{4}$  Sec. cor.
- 80.17 Intersect N & S. line of lks N. of cor.  
to Secs. 3, 4, 9, & 10. from which  
I run.  
N.  $89^{\circ} 57'$  W. on true line bet. Secs. 4 & 9  
Var.  $14^{\circ} 17' E$ .
- 40.08 Set a granite stan 1579 x 5 ins.  
10 ins in the ground, and build  
up of earth 2 ft high, with  
pits 18 x 18 x 12 ins. as per inst  
injunctions for  $\frac{1}{4}$  sec. cor.
- 80.17 Cor. to Secs. 4, 5, 8, & 9.  
Broken Soil 2<sup>d</sup>. rate  
No timber Some brush.

North on random line bet. Secs 4 & 5  
Var.  $14^{\circ} 17' E$ .

T. 6 N. R. 10. E. G & S. R. M.

chs

- 9.50 Dry wash 100 lbs wide course S. E.  
 40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
 48.00 Dry wash 20 lbs wide course S. E.  
 80.02 Intersect N. B. of Sp. 22 lbs N.  
 of cor. to Secs. 4 & 5 from which  
 I run  
 S.  $0^{\circ} 9'$  W. on true line bet. Secs. 4 & 5  
 Cor.  $14^{\circ} 17'$  E.  
 40.02 Set a post marked  $\frac{1}{4}$  S. 4 ft long  
 flattened 3 ins. wide, with marked  
 stone, 12 ins. in the ground, and  
 build mid of earth 2 ft high, with  
 pits 18 x 18 x 12 ins. as per instruct.  
 runs for  $\frac{1}{4}$  sec. cor. from which here  
 a Juniper 6 in. dia. N.  $33^{\circ}$  W. 170 lbs dist  
 a Mesquite 6 ins. dia. N.  $28^{\circ}$  E. 120 lbs dist  
 80.02 Cor. to Secs 4, 5, 8, & 9.  
 Uneven brushy Soil 2d rate  
 Scattering trees.

May 18. 1881

## S. 6 h. R. 10. E. G. &amp; S. R. M.

chs

South & West of the cor. to Secs. 28, 29, 32 & 33,  
 the land is worthless, and not survey-  
 able so from the cor. to Secs. 20, 21, 28 & 29  
 from West on true line bet. Secs. 20 & 29.  
 Var.  $14^{\circ} 17' E$ .

40.00 Set igneous rock  $14 \times 10 \times 8$  ins. 10 ins in  
 the ground and build ind of earth  
 $2\frac{1}{2}$  ft high, with pits  $18 \times 18 \times 12$  ins. as per inst-  
 ructions for 1/4 sec. cor.

80.00 Set igneous rock  $16 \times 8 \times 7$  ins. 11 ins in  
 the ground, and build ind of earth  $2\frac{1}{2}$   
 ft high, with pits  $18 \times 18 \times 12$  ins. as per inst-  
 ructions for cor. to Secs. 19, 20, 29 & 30.

Broken Descending N. E. Soil poor.  
 No timber some brush, most of this  
 the land is not surveyable.

Cory

North between Secs. 19 & 20.  
 Var.  $14^{\circ} 17' E$ .

## N. 6 N. R. 10 E. G &amp; S. R. M.

chs  
40.00 Set a granite stone 12 x 8 x 7 ins. 8 ins. in the ground, and build end of earth 2 ft high, with pits 18 x 18 x 12 ins as per instructions for 1/4 sec. cor.

80.00 Set a granite <sup>stone</sup> 15 x 8 x 8 ins. 10 ins in the ground & build end of earth 2 ft high, with pits 18 x 18 x 12 ins. as per instructions for cor. to Secs 17. 18. 19 & 20.

Broken Descending N. E.  
Soil poor. No timber.

East on random line bet. Secs. 17 & 20  
40.00 Set temporary 1/4 Sec. cor.

79.85 Intersect the N. & S. line 12 cks N. of cor. to Secs 16. 17. 20 & 21. from which I run.

N. 89° 55' W. on true line bet. Secs. 17 & 20.  
Var. 14° 17' E.



N. 6 h. R 10. E. G + S. R. M.

- chs  
 39.92 Set a granite stone 15+10+8 ins. 10 ins.  
 in the ground & build end of earth  
 2 ft high with pits 18+18+12 ins. as per  
 instructions for 1/4 Sec. cor.  
 79.85 Cor. to Secs. 17. 18. 19. & 20.  
 Broken Descending N. E.  
 Soil poor. No timber Some brush.

North bet. Secs. 17 + 18

Var. 14° 17' E.

- 4000 Set a granite stone 12+10+6 ins. 8 ins.  
 in the ground & build end of earth  
 2 ft high, with pits 18+18+12 ins. as  
 per instructions for 1/4 sec. cor.  
 8000 Set a granite stone 14+9+8 ins. 10  
 ins. in the ground, and build  
 end of earth 2 ft high, with  
 pits 18+18+12 ins. as per inst.  
 ructions for cor. to Secs.

T. 6 N. R. 10 E. G. & S. R. M.

chs

7. 8. 17 x 18.

Broken Soil poor.

No timber.

East on random line bet. Secs. 8 & 17

Var.  $14^{\circ} 17' E.$

40.00 Set temporary  $1/4$  Sec. cor.

55.00 Descend from E slope of mountain

79.90 Intersect the N. & S. line 20 lps N.

of the cor. to Sec 8. 9. 16 x 17

from which I run

N.  $89^{\circ} 51' W.$  on true line bet. Secs 8. & 17

Var.  $14^{\circ} 17' E.$

39.95 Set a granite <sup>stone</sup>  $16 \times 8 \times 7$  ins. 12 ins. on  
the ground & build end of earth 2 ft  
high with pits  $18 \times 18 \times 12$  ins. as per  
instructions for  $1/4$  sec. cor.

79.90 Cor. to ~~7. 8.~~ 7. 8. 17 x 18.

Descending E & N. Broken

## S. 6 N. R. 10 E. G. &amp; S. R. M.

Chs

Soil poor.  
No timber

North between Secs. 7 &amp; 8.

Var.  $14^{\circ} 17' E.$ 

40.00 Set a granite <sup>stone</sup>  $17 \times 10 \times 6$  ins. 10 ins. in the ground, and build end of stone 2 ft high, with pits  $18 \times 18 \times 2$  ins. as per instructions for  $1/4$  Sec Cor.

50.00 Cross high ridge extending E.

62.00 Road from M<sup>o</sup> Dowell to New corner S. E.

68.00 Creek 2000 wide corne S. of E.

80.00 Set a granite stone  $18 \times 12 \times 6$  ins. 12 ins. in the ground & build end of stone 2 ft high, with marked stone 12 ins. in the ground, as per instructions for Cor. to Secs.

5. 6. 7 &amp; 8.

S. 6 N. R. 10 E. G & S. R. M.

Chs

Rocky & broken along E. slope  
of the Mazatzal Range of Mtns.  
Soil 2<sup>d</sup> & 3<sup>d</sup> rate,  
Some brush.

---

East on random line bet Secs 5 & 8.  
Var.  $14^{\circ} 17' E$ .

40.00 Set temporary  $\frac{1}{4}$  Sec. cor.

79.94 Intersect N. & S. line 17 lks S. of  
cor. to Secs. 4.5. 8 & 9. from which  
I run

S.  $89^{\circ} 53' W$ . on true line bet. Secs 5 & 8  
Var.  $14^{\circ} 17' E$ .

39.97 Set a post marked  $\frac{1}{4}$  S.  $4\frac{1}{2}$  long  
flattened 3 ins. wide, with marked  
stone, 12 ins. in the ground, and  
build end of stone  $2\frac{1}{2}$  high,  
as per instructions for  $\frac{1}{4}$  Sec. cor.  
from which bear

N. 6 N. R 10 E. G + S. R. M.

chs

An Ash tree 7 ins. dia. N. 65° W. 16.3 lks dist  
Home at old Camp Reno bears  
S. 24½° E. about 25 chs. dist.

79.94 Cor. to Secs. 5, 6, 7 & 8

Smooth sloping E. Soil good  
& 2<sup>d</sup> rate a few scattering trees.  
There is some good land along  
Reno Creek.

West on random line bet. Secs 6 & 7  
Var 14° 17' E.

8.00 Ascend along S. slope of hill.

18.50 top of slope of hill & descend.

40.00 set temporary ¼ sec cor. ascend

60.00 Top of rocky hill

5 79.32 Intersect W. B. of Tp. 25 lks S. of  
cor. to Secs. 16, 7 & 12 which is a  
granite stone, with ind. of earth

T. 6 N. R. 10 E. G & S. R. M.

chs

along side, and an Oak tree marked  
for witness.

To better perpetuate the cor. I build  
rod of stone along side of cor. 2 ft high  
and 2 marked witness trees.

The line bet. Secs 1 & 6. T. 6 N. R. 10  
E. & 9 & 10 East is the only part of the  
N. Boundary of T. 6 N. R. 10 E.

that I connect with in the sub-  
division survey of T. 6 N. R. 10 E.

I retrace this line, find the cor.  
in position and make repairs  
to them. From the cor. to Secs.

16. 7. & 12 above I run.

S.  $89^{\circ}49'$  E. on true line bet. Secs. 6 & 7.

Var.  $14^{\circ}17'$  E.

39. 32 Set a post marked  $1/4$  S.  $4\frac{1}{2}$   
long flattened 3 ins. wide, with  
marked stone, 12 ins. in the

S. 6 N. R 10 E. G + S. R. M.

cks

gromms, and build out of earth  
2 ft high, with pits 18x18x12 ins.  
as per instructions for 1/4 sec. cor.  
from which bears.

An Oak 18 ins. dia. S.  $61\frac{1}{2}^{\circ}$  W. 252 lbs dist.  
No other tree near.

79.32 Cor. to Secs. 5. 6. 7 & 8.

Descending E. & broken soil 2<sup>4</sup> sets  
some scattering oak on N. end

North on random line bet. Secs. 5 & 6.

Var.  $14^{\circ} 17' E.$

25.00 Cross rocky ridge extending S of E.

4.00 Set temporary 1/4 sec. cor.

80.19 Intersect N. B. of Sp. 19 lbs E.  
of cor. to Secs. 5. 6. 31 & 32.

from which I run.

S. o. 8' E. on true line bet. Secs. 5 & 6

Var  $14. 17' E.$

T. 6 N. R. 10 E. G. & S. R. M.

chs

40.19

Set a granite stone  $16 \times 9 \times 6$  ins. 11  
ins. in the ground, and build  
mid of earth  $\frac{5}{2}$  ft high, with  
pits  $18 \times 18 \times 12$  ins. as per mat.  
specimens for <sup>1/4 sec</sup> cor. to

80.19

Cor. to Secs. 5, 6, 7, & 8.

Broken Soil poor.

Scattering trees. & brush

May 19. 1881.



## General Description.

This township has some good land along Pinto Creek and a little along Reno Creek near old Camp Reno, the balance of the township that is surveyed is on mesa land more or less broken, & on broken hills, the soil is poor or second rate on this portion.

The S. W. part of the township lies on the slopes of the Magatual Range of Mountains, and is rocky and barren and not surveyable.

Theodore F. White  
U. S. Deputy Surveyor.

54

JAN 24 1917

L  
Entry Surveys-Tonto.  
Brunson, J.E. H.E.S. 450.

BOOK  
38

Memorandum for Surveyor General:

In work on H. E. S. 450, previous to its abandonment, I restore corner to Sections 10, 11, 14 and 15, T. 6 N., R. 10 E., G. & S. R. B. & M., which is a diorite stone 8 x 6 x 6 ins above ground with four notches on south and two on east edges. One witness tree still standing but is dead.

I remark same stone with four notches on south and two notches on the east edges and raise a mound of stone three ft. base, two ft. high North of Corner, whence:

A mesquite 10 ins. dia. bears N. 66 10' W. 120 lks. dist.  
marked T 6 N R 10 E S 10 B T.

A mesquite 6 ins. dia. bears N. 40 30' E. 235 lks. dist.  
marked T 6 N R 10 E S 11 B T.

No other witnesses available.

Survey work completed April 20, 1916.

Sgd. R. P. A. Johnson,  
Surveyor Draftsman.

## List of Names.

BOOK 38

A List of the Names of Individuals employed to assist  
in running, measuring or marking the lines and corners  
described in the foregoing Field Notes of the survey of

*The Subdivision line of  
Fractional T. 6 N. R. 10 E.  
of the Gila and Salt River  
Meridian and Base lines*

Showing the respective capacities in which they acted.

<i>Richard Shrope</i>	Chainman.
<i>Samuel Haupt</i>	Chainman.
<i>Frank Carpenter</i>	Axeman.
<i>C. H. Patchett</i>	Flagman.
<i>William Morrison</i>	Woodman

We hereby certify that we assisted Theodore  
H. White U. S. Deputy Surveyor, in surveying  
 the subdivision lines of  
 Fractional T. C. N. R. 10 E. of  
 the Gila and Salt River  
 Meridian and Base lines

and that said Survey has been in all respects, to the best of our  
 knowledge and belief, well and faithfully executed, and the  
 boundary monuments planted according to the instructions  
 furnished by the Surveyor-General.

Richard Shrope Chainman.  
Samuel Van Pel Chainman.  
Frank Carpenter Axeman.  
W. H. Patchett Flagman.  
William Morrison  
 Monumentary

Sworn to and subscribed before me, this 8th  
 day of September 1881

William J. Osburn  
 Notary Public  
 Pima Co. A. T.

Final Oath of Deputy Surveyor.

57

BOOK 38

I, <sup>4</sup> Theodore <sup>4</sup> F. White

United States Deputy Surveyor, do solemnly swear that I have, in my own proper person and with the necessary assistants, well, truly and faithfully executed the survey of

the subdivision lines of  
Tract No. 1, 6 N. R. 10 E.  
of the Gila and Salt River  
Meridian and Base lines

under my contract with John Wasson, United States Surveyor General for Arizona, bearing date the <sup>27<sup>th</sup></sup> day of

August 1880; that in making the said Survey I have used only such instruments as were approved by the said Surveyor-General, exercising due care in the preservation of adjustments of the same; that in using the solar compass I have at no time projected established lines depending for alignment upon the magnetic needle; that I have in all respects complied with the laws of the United States governing public-land

surveys, the surveying manual, and such additional instructions as have been furnished me by and through the said Surveyor-General relating to the aforesaid Survey; that I have thoroughly acquainted my assistants in the field with the nature of their duties under the laws and instructions above mentioned; that to the best of my knowledge and belief all assistants so employed have likewise obeyed the aforesaid laws and instructions, and that the annexed field-notes are the original, true, and correct returns of the said Surveys.

Theodore T. White  
U. S. Deputy Surveyor  
8th

Subscribed and sworn to before me this

day of September 1881

William J. O'Hara  
Notary Public  
Pima Co. A.T.

BOOK 38

U. S. Surveyor General's Office,

TUCSON, ARIZONA, Dec 4 - 1881

The foregoing Field Notes of the Survey of the  
Subdivisions of T<sup>h</sup> 6 ct. R. 10. E-

Of the Gila and Salt River Base and Meridian, Arizona, execu-  
ted by Thos. F. White

Deputy Surveyor, under his contract of the 27<sup>th</sup>  
day of August, 1880, having been

critically examined and the necessary corrections and explana-  
tions made, the said Field Notes and the surveys they describe  
are hereby approved.

John Messin  
Surveyor General.