

Reg^d No 39

Wm. A. Hancock Deputy Surveyor.

T. 6 N. R. 9 E.

Gila and Salt River Meridian.

FIELD NOTES

OF

The Subdivision Lines of

Township 6 North Range 9 East

Gila and Salt River Meridian.

Territory of Arizona

BY

Wm. A. Hancock Deputy Surveyor.

under his Contract of October 17 1878.

Survey commenced January 3 1879

Survey completed January 17 1879

Platted,
Copied for Washington,
Transcript sent to Commissioner,

b. No 39

39

No-39

Wm. A. Hancock Deputy Surveyor.

T. 6 N. R. 9 E.

Gila and Salt River Meridian.

FIELD NOTES

OF

The *Subdivision* Lines of

Township *6 North* Range *9 East*

Gila and Salt River Meridian.

Territory of Arizona

BY

Wm. A. Hancock Deputy Surveyor.

under his Contract of *October 17* 18*78*

Survey commenced *January 3^d* 18*79*

Survey completed *January 17* 18*79*.

Platted,

Copied for Washington,

Transcript sent to Commissioner,

L. E. Barber	Chairman
Chas H. Taylor	Chairman
George Patton	Secretary
Jack Rogers	Flagman

Township

6 North

Range

9 East

18

Siola and Salt River Base and

Meridian

BOOK 39

6	61	5	45	4	34	3	23	2	12	1
60		59		44		33		22		11
7	58	8	43	9	32	10	21	11	10	12
57		56		42		31		20		9
18	55	17	41	16	30	15	19	14	8	13
54		53		40		29		18		7
19		20	39	21	28	22	17	23	6	24
51		50		38		27		16		5
30	49	29		28	26	27	15	26	4	25
48		47				25		14		3
31	46	32	35	33	24	34	13	35	2	36

BOOK 39

Preliminary Oaths of Assistants.

We, *L. E. Barber*
 and *C. H. Tyler*
 do solemnly swear that we will faithfully execute
 the duties of Chain Carriers; that we will level the
 chain upon uneven ground, and plumb the tally
 pins, whether by sticking or dropping the same;
 that we will report the true distance to all notable
 objects, and the true length of all lines that we as-
 sist in measuring, to the best of our skill and
 ability.

L. E. Barber *Churner*
C. H. Tyler
Churner

Sworn to and subscribed before me, this *18th*
 day of *December*, 187*9*

W. H. Hancock
Notary public

We, George Patten and

Jack Rogers

do solemnly swear that we will well and truly per-
form the duties of Citizen and

Physician

according to instructions given us, and to the best
of our skill and ability.

George Patten

Citizen

Jack Rogers

Physician

Sworn to and subscribed before me this 15th
day of December, 1878.

Matthew A. C. C.

Robert J. C.

Township

Range

1

Meridian.

No-39

Chains

From the corner to Sections 35, 36, 1 and 2 on the South
boundary I ran

North, between Sections 35 and 36.

Variation

14°

East.

3.00

Arrow bears N. 76° W.

8.50

Top of ridge bears N. 65° W.

40.00

Set Granite Stone 14 x 14 x 4 in. ²/₃ in
ground and on the W. built mound
of earth 2 ft. high with pits 1 ft. deep
2 ft. long, 1 ft. wide as per instructions
to ¹/₄ sec. cor. No bearing trees.

55.00

Arrow bears N. 57° W.

61.00

Top of ridge

80.00

Set Granite Stone 22 x 10 x 6 in. ³/₄ in
ground and on the W. built mound of
earth 2 ft. high, with pits 1 ft. deep,
2 ft. long, 1 ft. wide, as per instructions
for cor to Sec 35-36-25-26. No bearing
trees.

Land broken, rocky.
Vegetation, scrubby brush
Very little grass.

Township

6 N.

Range

4 East

3

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 25 and 36.

Variation

14°

East.

- 26.00 Top of high ridge
 35.00 **W** Turned hrs N. 64° W.
 40.00 Set a post for temporary 1/4 sec. cor.
 48.00 Top of ridge.
 54.00 Enter high grassy Mesa.
 80.20 Intersected East Boundary at Stone
 cor. to Secs. 25 and 36 from which cor.
 I run West on a true line between
 Sections 25 and 36.

N^o 14° East.

- 40.10 Set Granite Stone 16x12x4 in. 7/8 in
 ground and on the W. built mound of
 earth 2 ft high with pits 1 ft deep
 2 ft long 1 ft wide as per instructions
 for 1/4 sec. cor. from which
 Pinion 8 in. dia. hrs N. 69° E. 287 lks dist
 80.20 The cor. to Secs. 35-36-25-26
 Surface rocky and broken.
 Some good grass.
 Live Oaks on east half.

Township

6 N.

BOOK Range

9 East

Gila and Salt River

Meridian.

Chains

North, between Sections 25 and 26.

Variation 14° East.

- 8.00 Deep Cañon brs. S. 57° W.
- 14.00 Top of rocky ridge
- 40.00 Set Granite Stone 20x12x6 in. 3/4 in ground and on the W. built around of earth 2 ft high with pits 1 ft. deep, 2 ft long, 1 ft wide as per instructions for 1/4 sec. cor. from which Juniper 7 in. dia brs N. 20° W. 360 lks dist
- 54.00 Arroyo brs. N. 36° W.
- 66.00 Top of rocky ridge
- 80.00 Set Granite Stone 22x14x3 in. 3/4 in ground and on the W. built around of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions for cor. to Secs. 25-26-23 and 24 from which Pipe 14 in dia. brs S. 72° E. 245 lks dist Land, very rough and rocky. Grass in arroyos. No timber

Jun 3rd 1879

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 24 and 25.

Variation

114°

East.

40.00 Set Granite Stone for temporary 1/4 sec. cor.

58.00 Spruce logs S. 62° W.

77.00 Top of hills.

80.00 Intersected the East Boundary of Twp.
12 lks N. of stone cor to Sec. 24 and 25,
from which cor. I run N. 89° 55' W.
114° E.40.00 Set granite stone 16x12x4 in. 2/3 in ground
and on the N. built mound of earth 2
ft high with pits 1 ft deep, 2 ft long,
1 ft wide as per instructions for 1/4 sec.
cor from whichRun 14 in dia logs S. 76° E. 68 lks dist
Run 6 " " " N. 45 " "

80.00 The cor to Secs. 23-24-25, and 26

Land mostly rolling. Soil good
Good grass

Timber - Piñon, Live Oak and Juniper

Township

6 N.

BOOK 39
Range

9 East

Silsand Salt River

Meridian.

Chains

North, between Sections 23 and 24.

Variation

114°

East.

10.00

Crosses high ridge

16.00

Shoreline bet. St. 7 & 8 E.

32.00

Crosses Eastern slope of Mt.

40.00

Set a post 4 ft long, 3 in. square, marked.

1 ft. in ground, drive charred stake and
build mound of earth 2 ft high with pits
1 ft deep, 2 ft long, 1 ft wide as per instruc-
tions for 1st cor. from which

Pine 9 in. dia. bet. St. 22 & St. 55 1/2 dist.

Pine 12 " " " S. 87° E. 87 " "

56.00

Deep Shoreline bet. S. 66° E.

68.00

Top of high ridge

80.00

Set a post 4 ft long, 3 in. square marked
and notched, 1 ft. in ground, drive charred
stake, and build mound of earth 2 ft.
high with pits 1 ft deep, 2 ft long, 1 ft
wide, as per instructions for cor. of Secs.

23, 24-13 and 14. No bearing trees.

Very high and rough - Scrubby brush.
Little grass.

11/19/19

Township 6 N. Range 9 EastGila and Salt River Meridian.

Chains

East, on a random line between Sections 13 and 21.

Variation 14° East.10.00 Line runs onto high Mountain
Unsurveyable

Chains

North, between Sections 13 and 14.

Variation

14°

East.

34.00

Deep Arroyo brs N. 57° W.

40.00

Set Granite Stone 16x12x4 in. ²/₃ in ground and on the N. built mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions for ¹/₄ sec. cor. No bearing trees.

66.00

Top of high ridge

75.00

Arroyo brs N. 82° W.

80.00

Set Granite Stone 21x10x4 in. ³/₄ in ground and on the N. built mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions for cor of Sec. 13-14-12 from which
Scrub Oak 4 in. dia brs S. 80° W. 80 lbs dist
Scrub Oak 4 1/2 " " " S. 38° E 220 " "
Land very rough and rocky
Timber - Scrub Oak and Cedar
Good grass in places.

Township 6 N.

6 N.

Range 9 East

9 East

Gila and Salt River

Meridian.

Line between Secs. 12 & 13 runs into high, rough Mt
^{trans}
~~line~~

Chains

East, on a **random** line between Sections 12 and 13.

Variation

14°

East.

11.00 Top of ridge

16.00 Narrow brs N. 20° E.

28.00 Top of hill

40.00 Set Granite Stone 15x13x4 in. $\frac{2}{3}$ in ground
 and on the N. built around of earth 2
 ft high, with pits 1 ft deep, 2 ft long, 1 ft
 wide as per instructions for $\frac{1}{4}$ sec. cor
 from which

Pinion 10 in. dia. brs S. 63° E. 175 lks dist

From this point the line runs on to
 very high, rough mountain.

Unsubdivided

Sand rough, rocky, worthless.

June 4. 1879.

Gila and Salt River

Meridian.

Chains North, between Sections 11 and 12.

Variation 14° East.

- 15.00 Top of ridge
 - 22.00 Traverse brd. S. 68° W.
 - 40.00 Set Granite Stone 12x12x3 in. 2/3 in ground and on the W. built mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions for 1/4 sec. cor. C. bearing true.
 - 62.00 Top of ridge. High broken mesa.
 - 68.00 Road found Camp W. Dewell to Reno brd N 72° E. on east slope of mountain.
 - 80.00 Set Post 3 in square, 14 ft long, marked and notched, 1 ft in ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions for cor to Sds. 11-12-1, and 2 from which
 - Live Oak 7 in dia. brd N. 33° E. 194 lbs dist
 - Live Oak 12 " " " S. 16° E. 213 " "
 - Live Oak 10 " " " S. 28° W. 300 " "
- Land broken, rolling, grassy mesas.
Timber - Live Oaks on last 20 Chs.

Township 6 N.

Range 9 E.

Gila and Salt River

Meridian 30

Chains

East, on a random line between Sections 1 and 12.

Variation

14°

East.

- 7.00 Top of ridge
 13.00 Narrow br. S. 24° E.
 21.00 Second ridge
 37.00 Cañon about 50 ft deep
 40.00 Set a post for temporary 1/4 sec. cor.
 80.14 Intersected East! Boundary of T. 8 links
 N. of post cor. to Secs. 1 and 12 from
 which corner I run N. 89° 57' W.
 No 14° East.
- 40.07 Set post 4 ft long 3 in square marked
 and notched 1 ft in ground, drive
 charred stake and build mound of
 earth 2 ft high with pits 1 ft deep, 2
 ft long 1 ft wide as per instructions
 for 1/4 sec. cor.
- 80.14 The Corner to Secs. 1-2-11 and 12
 Sand rocky - Steep decline S. E.
 Good grass in places.
 Timber - Live Oak and Scrub Oak.

Chains North, on a random line between Sections 1 and 2.

Variation 14° East.

13.00 Crossed ridge
 20.00 Arrived base of Mt. E.
 40.00 Set stone for temporary 1/4 sec. cor.
 60.00 Ascend east slope of Mt.
 80.00 Intersected the N. boundary 15 Rs E.
 of cor to Secs 1 and 2 from which cor.
 I run S. 6° E.

W^a 14° E.

40.00 Set Granite Stone 16x12x4 in. 2/3 in
 ground and on the N. built mound of
 earth 2 ft high with pits 1 ft deep, 2
 ft long, 1 ft wide, as per instructions
 for 1/4 sec. cor. from which
 Run 10 in. dia. by Sr. 27° N. 156 Rs dist.

80.00 The Cor. of Secs 1-2-11 and 12
 Sand high, rolling, level good for grass.
 Timber & Scattering Live Oak and
 Pinon

June 6. 1879

Township

6 N.

BOOK

39

Range

9 E.

13

Gila and Salt River

Meridian.

Chains

North, between Sections 34 and 35.

Variation

114°

East.

- 20.00 Arroyo hrs. N. 26° E.
- 28.00 Crosses eastern slope of ridge.
- 36.00 Wide arroyo hrs. N. 64° W.
- 40.00 Set Granite Stone 17 x 9 x 4 in. $\frac{2}{3}$ in ground
and on the N. built mound of earth 2 ft
high with pit 1 ft deep, 2 ft long, 1 ft
wide as per instructions for 1st sec cor.
No trees near.
- 45.00 Ridge
- 67.00 Top of Hill
- 76.00 Arroyo hrs N. 32° E.
- 80.00 Set Granite Stone 23 x 14 x 4 in $\frac{3}{4}$ in
ground and on the N. built mound of earth
2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide
as per instructions for cor. to Secs 34-35-26-27
No bearing trees.
- Surface - Rough and rocky - Grassy
arroyos.
- Vegetation - Scrub Oak, Manzanita,
Spanish Bayonet.
Grass.

Chains

East, on a random line between Sections 26 and 35.

Variation

14°

East.

- 7.00 Crosses ridge
- 18.00 Arroyo brs Pt. 45° N.
- 40.00 Set Stone for temporary 1/4 sec. cor.
- 45.00 Top of high ridge.
- 60.00 Deep arroyo brs Pt. 50° N. 8 chs wide
- 80.04 Intersected N & S. links 18 lks S of cor to
Sec. 35-36-25 and 26 from which I run
S. 89° 52' W.

Wa 14° East

- 40.02 Set Granite Stone 13x13x4 in. 2/3 in
ground and on the N. built mound of
earth 2 ft high with pits 1 ft wide, 2 ft long
1 ft deep as per instructions for 1/4 sec. cor.
from which
Juniper 13 in. dia. brs N. 42° E. 230 lks dist
Scrub Oak 4 " " " N. 23° E. 153 " "
- 80.04 The Cor to Secs. 34-35-26 & 27
Land - High and rocky
Soil - Worthless
Vegetation - Scrub Oak, Manzanita
and a few Juniper and Piñon.
Grass in arroyos.

Township

6 N.

BOOK 39

Range

9 E.

15

Gila and Salt River

Meridian.

Chains

North, between Sections 26 and 27.

Variation

14°

East.

- 24.00 Rocky Arroyo (dry Creek) brs $S. 77^{\circ} W.$
- 27.00 Either grassy Mesa
- 40.00 Set Sandstone 15x14x4 in $\frac{2}{3}$ in ground
built mound of earth on the W. 2 ft high
with pits 1 ft wide, 2 ft long, 1 ft deep
as per instructions for $\frac{1}{4}$ sec. cor.
No bearing trees
- 46.00 Arroyo brs $S. 42^{\circ} W.$
- 52.00 " " $S. 40^{\circ} W.$
- 60.00 " " $S. 36^{\circ} W.$
- 80.00 Set Granite Stone 17x14x5 in. $\frac{2}{3}$ in
ground and on the W. built mound of
earth 2 ft high with pits 1 ft wide, 2 ft
long, 1 ft deep as per instructions for cor.
to Secs. 26-27-22 and 23, from which
Juniper 14 in. dia. brs $S. 76^{\circ} E. 3.60$ chs
No other trees.

Sand - Grassy Mesa with small
rocky arroyos.

Timber - A few Juniper & Scrub Oak
Good grass.

Jan 7. 1879

Township

6 N.

BOOK 39
Range

9 E.

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 23 and 26.

- Variation 111° East.
- 14.00 Rocky Stray, 2 chs wide, 20 ft deep brs. $S. 68^{\circ} W.$
- 32.50 Crosses S. slope rocky ridge.
- 38.00 Rocky Cañon 40 ft deep brs. $S. 65^{\circ} W.$
- 40.00 Set Stone for temporary $\frac{1}{4}$ sec. cor. on W. slope ridge
- 48.00 Ridge
- 72.40 Crosses Head of Cañon 70 lks W. 20 ft deep
- 80.26 Intersected Str. S. line 17 lks. S. of cor. to Secs.
25-26-23-24 from which I run $S. 89^{\circ} 53' W.$
W. $14^{\circ} E.$
- 40.13 Set Granite Stone $18 \times 14 \times 4$ in. $\frac{3}{4}$ in ground
and on the W. built mound of earth 2 ft high
with pits 1 ft wide, 2 ft long, 1 ft deep as per
instructions for $\frac{1}{4}$ Sec. cor. from which a
Straight Cedar 4 in dia. brs. $S. 15^{\circ} W.$ 2 chs.
- 80.26 The cor. to Secs. 26-27-22 and 23
Surface - Very rough and broken
Soil - Rock and Gravel - Worthless.
Timber - Scrub Oak and Brush
Vegetation - Mescal, Spanish Branenet,
Ocotilla.
Good grass for first 25 Chains.

Gila and Salt River

Meridian.

Chains

North, between Sections 22 and 23.

Variation

14°

East.

- 7.00 Top of high ridge
- 15.00 Deep Narroye brs. S. 70° W.
- 40.00 Set Malpais Stone 15x12x3 in. $\frac{2}{3}$ in ground and in the W. built mound of earth 2 ft. high with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions for $\frac{1}{4}$ Sec. cor. Secs. 22 & 23 from which
- A live Oak 10 in. dia. brs. N. 36° W. 3 chs
- A scrub Oak $3\frac{1}{2}$ " " " S. 15° E. 55 lks.
- 52.00 Top high grassy hill brs W. 47° N.
- 58.00 Narroye brs W. 42° N. Enter broken Mesa
- 77.00 Crosses small rocky ridge.
- 80.00 Set a post 4 ft long, 3 in square, 1 ft in ground; marked and notched, drove charred stake and built mound of earth 2 ft high with pits 1 ft deep, 2 ft. long, 1 ft wide as per instructions for cor to Secs 22-23-14 & 15 72 links, from which
- A scrub Oak $4\frac{1}{2}$ in. dia. brs S. 20° W.
- Surface - High and rolling
- No timber
- Good grass.

Township

6 N.

BOOK 39
Range 9 E.

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 14 and 23.

Variation

14°

East.

- 15.00 Top of rocky ridge
- 27.00 Deep Narrows brd N. 18° W.
- 40.00 Set a Stone for temporary sec. cor.
- 48.00 Top of ridge
- 68.00 Crosses Northern slope small Mt peak
- 80.18 Intersected br S. line 20 lks north of post cor. to Secs 23-24-13 & 14 from which I run N. 89° 51' W.
N 14° E.
- 40.09 Set a Granite Stone 17x14x4 ins. ²/₃ in ground and on the N. built mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions for 1/4 sec. cor from which Piñon 13 ins. dia. br S 50° E. 2.44 chs.
No other trees near.
- 80.18 The corner to Secs 22-23-14 & 15
Surface High and broken
A few Piñon & Juniper trees & Scrub Oak
Mesquit and good grass for 1st 50 chs.

Jan. 8. 1879

Township

6 N.

BOOK 39

Range

9 E.

18

Gila and Salt River

Meridian.

Chains

North, between Sections 14 and 15.

Variation

14°

East.

- 9.00 Arroyo brs. S. 76° W.
- 18.00 Ridge, surmounted with Boulder rocks.
- 40.00 Set Granite Stone 16x10x6 in. $\frac{2}{3}$ in ground and on the N. built mound of earth 2 ft high with pits 1 ft deep, 2 ft long and 1 ft wide as per instructions for $\frac{1}{4}$ Sec. cor
- No trees near.
- 46.00 Top of hill
- 53.00 Foot " "
- 80.00 Set a post 4 ft. long, 3 in. square, 1 ft. in ground marked and notched, drove charred stake and built mound of earth 2 ft high with pits 1 ft. deep, 2 ft long, 1 ft wide as per instructions for cor to Secs. 14-15-10 or 11 from which a
- Juniper 12 in. dia. brs. S. 44° E. 2.40 chs
- Juniper 14 " " " S. 30° W. 1.70 "
- Surface - broken and hilly
- Timber - Scrub Oak, Juniper and bushes
- Good grass.

Chains East, on a random line between Sections 11 and 14.

Variation 14° East.

- 16.00 Top of Hill
- 30.00 Top of Hill surmounted with Boulder rocks
- 40.00 Set Stake for temporary $\frac{1}{4}$ Sec. Cor.
- 56.00 Top of Ridge
- 60.00 Azim. brs. 36° E.
- 80.00 Intersected 14° S. line 14 lks North of Stone corner to Secs. 13 & 14 - 11 & 12 from which I run $89^{\circ} 54'$ N. 14° E.
- 40.00 Set Oak post 4 ft long, 3 in sq. 1 ft in ground marked $\frac{1}{4}$ Sec and on the N. built mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions for $\frac{1}{4}$ Sec. Cor. from which a Live Oak 14 in. dia. br 13° E. 72 lks
- 80.00 The Corner to Secs 14-15-10 & 11
 Surface - High Mesa, broken & hilly
 Timber - Live Oak, Scrub Oak and
 Brush
 Good grass.

Gila and Salt River

Meridian.

Chains

North, between Sections 10 and 11.

Variation

14°

East.

- 12.00 Arroyo - Intermittent flow of water hrs S 49° W.
- 20.00 Top of Ridge
- 40.00 Set Granite Stone 20 x 10 x 4 in. $\frac{3}{4}$ in ground and on N. built mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions for $\frac{1}{4}$ Sec. Cor.
- 48.00 Road to Pino hrs N. 78° E.
- 68.00 Crosses southwest slope of hill.
- 80.00 Set Granite Stone 22 x 12 x 4 in. $\frac{3}{4}$ in ground, and on N. built mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions for cor to Sections 10-11-2 & 3, from which
- A Piñon 14 in dia. hrs due E. 86 lks
- A " " " " N. 76° W. 150 lks
- Surface - Rolling & hilly
- Timber - A few Piñon & bushes
- Vegetation - Mesquit, Spanish bayonet
- Good grass.

Chains East, on a random line between Sections 2 and 11.

Variation 14° East.

- 17.00 Crosses southern slope high hill.
 - 36.00 Deep arroyo hrs S. 26° E.
 - 40.00 Set Stone for temporary $\frac{1}{4}$ Sec. Cor.
 - 53.00 Top of Ridge
 - 66.00 Rocky arroyo hrs S. 60° E.
 - 80.26 Intersected the S. line 10 lks North of Post Cor to Sec 11 & 12 - 1 & 2, from which I run, N. $89^{\circ} 56'$ W.
- W^a 14° E.
- 40.13 Set a post 4 ft long, 3 in. sq. 1 ft in ground marked $\frac{1}{4}$ S. drove charred stake and built mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions for $\frac{1}{4}$ Sec Cor. from which
 - the Live Oak 12 in. dia. hrs. S. 40° E.
 - 80.26 The Corner to Sections 10-11-2 & 3.
- Surface - Hilly and broken
 Timber - Live Oak, Pines & Brush. Scarce
 Good grass 1st 50 chs.

Gila and Salt River

Meridian.

Chains

North, on a random line between Sections 2 and 3.

Variation

114°

East.

- 19.00 Top of high hill
- 40.00 Set Stone for temporary $\frac{1}{4}$ Cor.
- 48.00 Deep arroyo hrs S. 70° W.
- 70.00 Top of high ridge
- 79.96 Intersected the N. boundary 22 lks West of Stone, corner to Sec. 2 & 3 from which I run S. 0° 9' W
 W^a 14° E.
- 39.96 Set Granite Stone 19x12x4 in. $\frac{3}{4}$ in ground and on N. built around of earth 2 ft high with pits 1 ft deep, 2 ft long 1 ft wide as per instructions for $\frac{1}{4}$ Sec Cor. Sec 2 & 35.
- 79.96 The Corner to Sections 10-11-2 & 3
 Surface - High hills covered with grass.
 Timber - Stone
 Mescal, Spanish Bayonets.
 Good grass.
- Jan. 9. 1879

Chains

North, between Sections 33 and 34.

Variation

14°

East.

- 18.00 Sledge of rocks, abrupt descent to N.
- 40.00 Set Granite Stone, 20x10x6 in. ³/₄ in
ground and on N. built mound of
earth, 2 ft high with pits 1 ft deep,
2 ft long, 1 ft wide as per instructions
for ¹/₄ Cor.
- Sumifer 12 in. diam. brs S. 32° N. 2.80 chs.
- 62.00 Deep Arroyo brs N. 26° E.
- 69.00 Ridge
- 75.00 Arroyo brs N. 27° N.
- 80.00 Set Granite Stone 24x12x4 in. ³/₄ in
ground, built mound of earth 2 ft high
with pits 1 ft deep, 2 ft long, 1 ft wide
as per instructions for cor to Secs 33-34
27-28, from which,
Scrub Oak ³/₂ in. dia. brs N. 10 lks.
A boulder rock 6x4x4 ft brs N. 10 lks.
Surface - Broken
Timber - Live Oak, Brush
Vegetation - Bunch Grass.
Good grazing in arroyos.

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 27 and 34.

Variation

14°

East.

- 5.00 Brow of ridge, western slope
- 18.00 Summit of ridge brs N. 37° W.
- 25.00 Deep arroyo.
- 30.00 Top of hill
- 40.00 Set Stone for temporary 1/4 Sec. Cor.
- 55.00 Wide arroyo, brs N. 73° W. containing Sycamore trees.
- 65.00 Ridge
- 70.00 Arroyo brs N. 50° W.
- 80.08 Intersects N + S. line 6 lks S. of Stone corner to Sec 34-35-26-27 from which I run S 89° 57' W.
W 14° E.
- 40.04 Set Granite Stone 15x12x4 in 2/3 in ground and on W. built mound of earth 12 ft high with pits 1 ft deep, 2 ft long 1 ft wide as per instructions for 1/4 sec cor, from which
- Summit 12 ins. dia brs S. 32° W.
- 80.08 The Corner to Secs. 33-34-27-28.
Surface - Broken
Timber - Brush
Grass in arroyos.

Chains

North, between Sections 27 and 28.

Variation

14°

East.

- 12.00 Crosses western slope of ridge
 - 24.00 Arrowy brs. N. 60° W. Enter Mesa
 - 40.00 Set Granite stone 18x10x4 in. ³/₄ in ground and on N. built mound of earth 2 ft high, with pits 1 ft deep 2 ft long, 1 ft wide as per instructions for ³/₄ sec. cor.
 - 42.00 The bearing trees.
 - 46.00 Enter Mesa, level and grassy
 - 46.00 Arrowy containing Sycamore trees brs S 80° W.
 - 62.00 Leave Mesa. Arrowy brs S. 65° W.
 - 80.00 Set Granite Stone 24x12x4 inches ³/₄ in ground and on N. built mound of earth 2 ft high with pits 1 ft deep 2 ft long 1 ft wide as per instructions for Cor to Secs 27-28-21-22. This cor. is on E. slope smooth, grassy hill
- Soil - Worthless
 Surface - Rolling
 Timber - None
 Good grass

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 22 and 27.

Variation

14°

East.

4.00

Arroyo brs S. 48° W.

8.00

Top of hill.

29.00

Wide arroyo brs S. 60° W.

40.00

Set Stone for temporary 1/4 sec. cor

49.00

Crosses Southern slope of peak of black rocks.

54.00

2 Chs. S. of this pt. are Indian Ruins, top of knoll. A wall or breastwork 72 x 60 ft square, in centre of this enclosure is another 20 ft square.

63.00

Arroyo brs S. 48° W.

79.92

Intersected by line 4 lks S. of Stone corner to Secs 26-27-22-23 from which S run S 89° 58' W.
W 14° E.

39.96

Set Malpais stone 14 x 12 x 5 in. 2/3 in ground and on the W. built mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions for 1/4 Sec. Cor.

No trees near. Cor located on W. slope hill

79.92

The Cor to sections 27-28-21 & 22

Surface - Hilly

Timber - None

Good grass.

Silva and Salt River

Meridian.

Chains

North, between Sections 21 and 22.

- Variation 14° East.
- 8.00 Top ridge or hill, brs S. 52° W.
- 32.00 Wide arroyo brs. N. 50° W.
- 40.00 Set granite stone $18 \times 12 \times 4$ in. $\frac{3}{4}$ in ground
and on the N. built mound of earth 2
ft high with pits 1 ft deep 2 ft long
1 ft wide as per instructions for $\frac{1}{4}$ Sec
Cor. farm which
- 52.00 A Live Oak 8 in. diam. brs S. 36° W. 2.50 chs
- 57.50 Small Arroyo. Foot steep hill.
- 66.00 Top Hill brs N. 77° W.
- 66.00 Foot of hill. Enter level Mesa.
- 80.00 Set Granite Stone $28 \times 12 \times 4$ in. $\frac{3}{4}$ in
ground and on N. built mound of earth
2 ft high, with pits 1 ft deep, 2 ft long
1 ft wide as per instructions for Cor. to
Secs. 21-22-15 & 16
- A scrubby Hackberry 6 in. dia. brs N. 8° E. 5 chs.
- Surface - Hilby or Rolling
- Timber - 1st 40 chs Live Oak
- Vegetation - Scarce
- Good grass.
- Soil - Worthless

June 10. 1879

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 15 and 22.

- 32.00 Dry Creek hrs N. 60° W. Variation 14° East.
- 38.50 Crosses Rocky point of ridge hrs S 45° W.
- 40.00 Set Temporary Stone for $1/4$ Sec. Cor.
- 46.00 Crosses Dry Creek hrs S. 40° W.
- 58.00 Arroyo hrs N. 40° W.
- 80.00 Intersected N & S line at cor. to Sec 22
 + 23-14-15 from which
 I run S. 90° W.
 Wa 14° E.
- 40.00 Set Granite Stone $20 \times 12 \times 3$ in. $3/4$ in
 ground and on N. built mound of earth
 12 ft high, with pits 1 ft deep, 2 ft long
 1 ft wide as per instructions for $1/4$ cor.
- 80.00 The corner to sections 22-24-15-16
 Surface - West half low, level Mesa.
 Timber - Scarce - Sycamore trees &
 Brush in dry creek.
 Good grass.
 Soil - Worthless.

Chains North, between Sections 15 and 16.

Variation

14°

East.

- 16.00 Arroyo brs. N. 73° W.
- 20.00 " " N. 66° W.
- 30.00 " 3 chs wide 15 ft deep brs N. Sycamore trees.
- 33.00 High bank of Arroyo. Enter Mesas.
- 40.00 Set Granite Stone 28x13x6 ins. 3/4 in ground and on the N. built mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions for 1/4 Sec. Cor from which
A Mesquite 6 in. dia brs S. 72° W. 50 lks
" " " " S. 30° E 50 "
- 41.80 "Road" N. 55° E. 50 "
- 76.00 Top of ridge, enter higher Mesas.
- 80.00 Set Malpais stone 24x12x5 ins. 3/4 in ground and on N. built mound of earth 12 ft high with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions for cor. to Secs 15-16-9-10
A Juniper 14 in. dia brs S 15° W. 360 lks
" " " " S 75° E 320 "
- Surface - Level Mesas
A few Mesquite & Junipers -
Grass.

Township 6 N.

Range 39 E.

Gila and Salt River Meridian.

Chains East, on a random line between Sections 10 and 15.

Variation 14° East.

- 13.00 Marrye br. S. 14° E.
- 28.00 Top of high grassy hill
- 30.00 Road W. Duwell to Reno br. S. 10° E.
- 33.00 Dry Creek bears due S.
- 40.00 Set temporary Stone for 1/4 Sec. Cor.
- 64.00 Top high rocky ridge ^{230k}
- 80.08 Intersected by S line south of Post Corner to Secs 14 & 15 - 9 & 10 from which I run S 89° 50' W.
 W 14° E.
- 40.04 Set Granite Stone 15x10x6 ins. 7/8 in ground and on W. built mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions for 1/4 Sec Cor. from which W. juniper 10 in. diam. br. S. 62° E.
- 80.08 The Corner to Sections 15-16-9-10
Surface - Killy and broken
Timber - Honey Brush, ^{st.} 40 Chs.
Good grass, West half.

Gila and Salt River

Meridian.

Chains North, between Sections 9 and 10.

Variation

14°

East.

- 34.00 Leave Mesa
- 40.00 Set Granite Stone 16x14x3 in ²/₃ in ground and on N. built mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions for ¹/₄ Sec. Cor.
- No trees near.
- 48.00 Arrive brs S. 48° N.
- 54.00 Cross small ridge
- 80.00 Set Granite Stone 16x12x10 in ²/₃ in ground built mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions for Corner to Sections 9-10 3-4, from which
- Juniper 14 in. dia. brs N. 75° W. 1 Ch
- " 12 " " " S. 10° E. 3 "
- " 12 " " " S. 10° W. 3 "
- Surface. Rolling
- A few Juniper on last 20 Chs.
- Soil - Worthless.
- Good grass.

Township 6 N. Range 9 E. Gila and Salt River Meridian.

Chains East, on a random line between Sections 3 and 10. Variation 144° East.

- 9.00 Deep Arroyo brs S. 10° W.
- 26.00 High ridge abrupt descent E.
- 32.00 Arroyo brs. due S. enter small level Mesa
- 40.00 Set temporary stone for 1/4 Sec. Cor.
- 47.00 Arroyo brs S. 47° W. leave small Mesa
- 78.00 Top of high grassy hill.
- 80.00 Intersected by S. line 10 lks. S of Stone cor. to Sec. 10-11-2-3 from which I run S 89° 56' W. W or 14° E.
- 40.00 Set Granite Stone 14x14x4 2/3 in ground and on it built mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions for 1/4 Sec. Cor. from which
 - A Juniper (small & scrubby) 6 in dia brs S. 60° W. 30 lks.
 - A Boulder Rock 4x3x3 ft brs N. 45° W. 50 lks.
- 80.00 The Corner to Sections 9-10-3-14
 - Surface - Smooth grassy hills
 - Timber - A few Juniper
 - Soil - Worthless
 - Good grass.

Gila and Salt River

Meridian.

Chains

North, on a random line between Sections 3 and 4.

Variation

14°

East.

- 14.00 Top of high ridge
 30.00 Deep Hardup hrs. N. 88° W.
 40.00 Set Stone for temporary $\frac{1}{4}$ Sec. Cor.
 58.00 Wide Hardup hrs. S. 50° W.
 79.86 Intersected North Boundary 15 lks E.
 of stone, Cor to Sec. 3 & 4 - 33 & 34 from
 which I run

S 86° E.
~~S 89° 57' E.~~

N. 14° E.

- 39.86 Set Granite Stone 17 x 13 x 14 in $\frac{2}{3}$ in
 ground and on the N. built mound of
 earth 2 ft high, with pits 1 ft deep, 2 ft
 long, 1 ft wide as per instructions for
 $\frac{1}{4}$ Sec. Cor.

A Juniper 14 in. diam. hrs N. 27° E. 236 lks

- 79.86 The Corner to Secs. 9-10-3-4
 Surface ~ High, rolling and hills.
 Timber ~ A few Juniper
 Soil ~ Worthless
 Good grass.

Jan. 11. 1879

Township

6 N.

Range

9 E.

35

Gila and Salt River

Meridian.

Chains

North, between Sections 32 and 33.

Variation

114°

East.

Note! From this point (cor Sec 19-20-29-30) I now back to the cor. of Sec 32-33 on the South Boundary from which I run North, between Secs. 32 & 33

8.00 A small rocky arroyo brs N. 62° W. showing traces of an intermittent flow of water

18.00 Top of ridge

40.00 Set Granite Stone 16x12x6 in 2/3 in ground and on the W. built mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions for 1/4 Cor.

A Juniper 17 ins. dia. brs N. 19° 35' W. 35 yds

47.00 Centre wide arroyo brs S. 67° W.

56.00 Strikes S. slope of rocky Mt unsurveyable

Surface ~ High, rolling, smooth & grassy
Soil ~ Barren
Timber ~ Scattering Juniper
Good grass

Jan 17. 1879

Township

Range

Meridian.

Chains

East, on a random line between Sections 28 and 33.

Variation

East.

Township _____ Range _____ 35

Meridian.

Chains

North, between Sections 28 and 29.

Variation

East.

pp 35, 36-37 are blank

6 Jr. Sila and Salt River

Meridian.

Chains

East, on a random line between Sections 21 and 28.

Variation

East.

Note: Sections 33 & 28 being unsurveyable and the line N. between Secs 32-33-28-29 quite impassable at cor. to Secs. 27-28-21-22, I commence and run West on a true line between 21-28

N^w 14° E.

- 5.00 Top of hill
- 140.00 Set Granite Stone 21x11x5 in. ³/₄ in ground and on the N. built mound of earth 2 ft high with pits 1 ft deep, 2 ft long 1 ft wide as per instructions for ¹/₄ Sec. Cor. from which
 - A Red Oak 10 in. dia. brs N. 25° W. 96 lks
 - A White Oak 12 " " " S. 70° W. 66 "
- 57.00 Creek (dry) brs N. 22° W. contains Sycamortus
- 62.00 Enter Mesa - High bank - Mesa 18 chs wide
- 80.00 Set Granite Stone 27x10x5 in. ³/₄ in ground and on N. built mound of earth 2 ft high with pits 1 ft deep, 2 ft long 1 ft wide as per instructions for Cor to Secs. 28-29-20-21 from which
 - Full Scrub Oak 4 in. dia brs N. 26° W. 25 lks
 - Small " " " ⁶/₇ " " " S 72° W. 35 "
- Surface ~ Rolling
- Timber ~ Live Oaks - 1st 40 Chs Grass.

Chains

North, between Sections 20 and 21.

Variation

111°

East.

- 15.00 Creek bears due N. (80 lks N. of this pt. is Spring)
- 23.00 Top of ledge of Porphyry Rocks hrs S. 65° E.
- 40.00 Set Granite Stone 16 x 12 x 6 in. $\frac{2}{3}$ in ground and on N. built mound of earth with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions for $\frac{1}{4}$ Sec. Cor. From which
A Juniper 10 in. dia. top of hill hrs due E. 40 lks
- 60.00 Top of hill
- 80.00 Set Granite Stone 24 x 10 x 4 in. $\frac{3}{4}$ in ground and on N. built mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions for Cor to Secs. 20-21-16-17 from which
A Juniper 11 in dia. hrs N. 4° E. 2.140 ch
An immense rock or boulder 40 ft high hrs N. 50° W. 4.50 chs.
- Surface - Rolling, the last 20 chs broken
Timber - A few Juniper
Soil - Worthless
1st 60 chs good grass

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 16 and 21.

Variation

14°

East.

- 2.00 Crosses ridge N. slope
- 9.00 Bottom of hill
- 16.00 Wide arroyo hrs N. 69° W.
- 40.00 Set Stone for temporary $\frac{1}{4}$ Sec. Cor bow of hill
Entered grassy Mesa 20 chs wide
- 69.00 Arroyo hrs N. 60° W. Entered low level Mesa
- 80.00 Intersected N & S line at Stone cor to sec
21-22-15-16 from which I run due West
N α 14° E
- 40.00 Set Granite Stone 18x12x5 in $\frac{3}{4}$ in ground
and on the N. built mound of earth 2 ft
high with pits 1 ft deep 2 ft long 1 ft
wide as per instructions for $\frac{1}{4}$ Sec Cor
& bearing trees.
- 80.00 The Corner to Sections 20-21-16-17
Surface - Smooth, rolling
Timber - None
Soils - Worthless
Good grass

Township

6 N.

BOOK 39

Range

9 E.

41

Gila and Salt River Meridian.

Chains

North, between Sections 16 and 17.

Variation

14°

East.

- 8.50 Creek, branch to Sycamore Crs. W.
- 10.00 10 chs E of this place an adobe house
- 14.50 Road Reno to M^o Lowell Crs N. 40° W.
- 36.00 Top of hill
- 40.00 Set Granite Stone 16x12x4 in. $\frac{2}{3}$ in ground
and on the N. built mound of earth 2 ft high
with pits 1 ft deep, 2 ft high, 1 ft wide as
per instructions for $\frac{1}{4}$ Cor.
- A Juniper 15 ins dia. Crs N. 40° W. 4 ch
No other tree near.
- 47.00 Centre deep arroyo Crs S. 55° W.
- 57.00 Top of hill
- 68.00 Side arroyo Crs S. 55° W.
- 72.00 Brow of bluff. Enter high Mesa
- 80.00 Set Malpais Stone 23x10x3 in $\frac{3}{4}$ in
ground and on the N. built mound of
earth 2 ft high with pits 1 ft deep 2 ft long
1 ft wide as per instructions for cor to Secs.
16-17-8-9
- A Juniper 16 in dia. Crs N. 28° W. 340 lks
Surface - Hilly
No timber
Good grass

Jan 13. 1879

Chains

East, on a random line between Sections 9 and 16.

Variation

14°

East.

- 4.00 Leave Mesa
 - 26.00 Wide Arroyo brs S 55° W.
 - 40.00 Set Malpais Stone temporary 1/4 Cor
 - 48.00 Top of hill
 - 62.00 Wide arroyo
 - 79.00 Enter Mesa.
 - 80.12 Intersected N + S line of lks N. of Stone
Cor. to Sec. 15-16-9-10 from which run
N. 89° 57' W.
- W 14° E.
- 40.06 Set Malpais Stone 15x12x6 in 2/3 in
ground and on the N. built mound of earth
with pits 1ft deep 2ft long 1ft wide as per
instructions for 1/4 Sec Cor.
- No trees near.
- 80.12 The Cor to Sec. 16-17-8+9
Surface - Rolling
Timber - A few Junipers
Soil - Woodless
Good grass.

Chains

North, between Sections 8 and 9.

Variation

14°

East.

- 5.00 Leave Mesa
- 25.00 Arroyo hrs S. 38° W.
- 40.00 Set Granite Stone 24 x 12 x 4 in. ^{3/4} in
ground and on the W. built mound of
earth 2 ft high, with pits 1 ft deep, 2 ft
long 1 ft wide as per instructions for ^{1/4}
Sec. Cor. from which
c. Scrub Oak 5 in dia. hrs N. 66° E. 155 lks.
- 60.00 Top of Hill
- 70.00 Arroyo hrs S. 23° W. 2 chs farther enter grassy Mesa
- 80.00 Set Malpais Stone 16 x 14 x 12 inches ^{2/3} in
ground and on W. built mound of earth
2 ft high with pits 1 ft deep 2 ft long 1 ft
wide as per instructions for cor. to Secs. 8-9
4 & 5 from which
A Juniper 11 ins. dia. hrs S. 77° E. 360 lks
A Mesquite 5 " " " S. 10° W. 275 "
- Surface - High and hilly
Vegetation - A few Juniper, Mesquite & Brush
Soil - Worthless
Good grass.

Chains East, on a random line between Sections 4 and 9.

- 13.00 Arroyo brs S 36° W. Variation 14° East.
- 26.00 Crosses N. slope of high ridge
- 40.00 Set Stone for temporary 1/4 Sec. Cor.
- 78.00 Brow of high hill or ridge brs S. 7° E.
- 80.20 Intersected W & S line of Stone cor. to Sec 9-10-4-3 from which I run due West Wa 14° E.
- 40.10 Set Granite Stone 20x14x8 inches 3/4 in ground and on W. built mound of earth 2 ft high, with pits 1 ft deep 2 ft long 1 ft wide as per instructions for 1/4 sec cor. from which
- 80.20 A Sump 14 ins. dia brs S. 67° W. 175 lbs
The Corner to Secs. 8-9-4-5
Surface - High & hilly
Timber - A few Sumpers. - Prush
Soil - Worthless. Gravel & Rocks
Good grass

Township

6 N.

BOOK
Range 39 E

45

Gila and Salt River

Meridian.

Chains

North, on a random line between Sections 4 and 5.

Variation

14°

East.

40.00 Set Granite Stone for $\frac{1}{4}$ Sec. Cor.

45.00 Arroyo hrs S. 56° W.

55.00 Top of Ridge

69.00 Arroyo hrs S. 52° W.

79.91 intersected N. boundary 12 lks E. of
Stone cor. to Secs. 4-5-32-33 from which
I run ~~S 89° 55' E.~~ S. 0° - 05' E.
Wa 14° E.39.91 Set Granite Stone 14 x 12 x 3/2 in $\frac{2}{3}$ in
ground and on W. built mound of earth
2 ft high with pits 1 ft deep 2 ft long
1 ft wide as per instructions for $\frac{1}{4}$
Sec. Cor.

No trees near

79.91 The Cor to Sections 8-9-4-5

Surface - Hilly

Timber - Spruce

Soil - Worthless

Good grass.

Jan 14. 1879

Chains

North, between Sections 31 and 32.

Variation

127°

East.

- 22.00 Crosses E. slope rocky knoll.
- 29.00 Arroyo brs N. 87° W.
- 40.00 Set Granite Stone 18x9x4 in ³/₄ in ground and on W. built mound of depth 2 ft high with pits 1 ft deep 2 ft long 1 ft wide as per instructions for ¹/₄ Sec Cor
A Mesquite 4 in. dia. brs S. 27° W. 26 lks
- 48.00 Cross rocky ridge
- 55.00 Arroyo brs. S. 35° W.
- 80.00 Set Granite Stone 21x14x6 in. ³/₄ in ground and on W. built mound of earth 12 ft high with pits 1 ft deep 2 ft long 1 ft wide as per instructions for cor. to Secs. 31-32-29-30, located on S.E. slope high rocky peak.
A Palo Verde 6 in. dia. brs N. 70° W. 1 ch
A large Cactus 16 in. " S. 45° W. 28 lks
Surface - Broken with rocky knolls
Timber - Mesquite, Palo Verde
Vegetation - Cactus, Grass.

Township

6 N.

BOOK 39

Range

9 E.

47

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 29 and 32.

Variation

14°

East.

The line East between Secs 32-29
will strike rocky mountain. I therefore
run East on true line

N^w 14° E.

- 16.00 Narayo brs N. 37° W.
- 32.00 Crosses ridge
- 40.00 Set Granite Stone 16x12x5 ins $\frac{2}{3}$ in ground
and on the N. built mound of earth 2 ft
high with pits 1 ft deep 2 ft long 1 ft
wide as per instructions for $\frac{1}{4}$ Sec. Cor
from which
- A Palo Verde 4 in dia. brs S. 69° W. 360 lks
- A Mesquite 6 " " " N. 34° E. 280 "
- 44.00 Grassy Hollow
- 58.00 Western slope of Mt. surface becomes
rocky and unsurvivable
Timber - Mesquite, Palo Verde
Vegetation - Cactus, Grass.

Chains

West, on a ~~random~~ ^{true} line between Sections 30 and 31.

Variation

14°

East.

Notes: The line between Secs. 30-31 will strike Cañon of Sycamore Creek in less than 80 chs. I therefore run West on true line between Sections 30 & 31 on S. slope rocky peak
 (Mag 114° E.)

8.00 Cross small ridge

20.00 Crosses highest point on southern slope of Mt.

40.00 Set Granite Stone 21x12x3 in. ^{3/4} in ground and on W. built mound of rocks 2 ft high, (no suitable earth near)

No pits

A Palo Verde 5 in dia. brs S. 34° E 57 lks

A large Saguaro 15 in dia. 20 ft high

brs N 20° W 250 lks

44.00 Cañon Sycamore Creek brs S. 24° W.

Surface - Broken

Timber - None

Vegetation - Cactus, Brush, Palo Verde

Grass 1st 20 chs.

Chains

North, between Sections 29 and 30.

Variation

14°

East.

- 13.00 Grassy arroyo brs N. 73° W.
- 25.00 Top of hills
- 33.00 Arroyo brs N. 87° W.
- 40.00 Set Granite Stone 14x12x6 in. $\frac{2}{3}$ in
ground and on W. built mound of earth
2 ft high, with pits 1 ft deep 2 ft long
1 ft wide as per instructions for 1/4 cor.
from which
A Mesquite 9 in. dia. brs N. 55° E. 350 lks
- 47.00 Crosses E. slope ridge
- 63.00 Enter high grassy Mesa
- 80.00 Set Granite Stone 22x12x4 in. $\frac{3}{4}$ in
ground and on W. built mound of earth
2 ft high, with pits 1 ft deep, 2 ft long
1 ft wide as per instructions for cor to
Secs 29-30-19-20. from which
A Mesquite 9 in dia. brs S. 60° E. 220 lks
" " " " S. 70° W. 195 "
- "Surface" - Hilly 1st half - Even N. half
Dumber & Scarce, Mesquite
Good grass.

G. St.
Gila and Salt River

Meridian.

Chains

East, on a ~~random~~^{true} line between Sections 20 and 29.

Variation 14° East.

Note! The line east between Secs 20-29 strikes rocky cañon, impassable, in less than 80.00 chains, I therefore run East on a true line between Secs 20-29

W^a 14° E.

- 24.00 Small arroyo brs N. 35° W.
- 30.00 Top of hill
- 40.00 Set Gravity Stone 16x10x5 2/3 in ground and on N. built mound of earth 2 ft high with pits 1 ft deep, 2 ft long 1 ft wide as per instructions for 1/4 sec cot.
- 47.50 Brink Rocky Cañon brs N. 50° W.
Surface - Rolling. High Mesa
Timber - None
Soil - Worthless - Good grass.

Gila and Salt River Meridian.

Chains

West, on a ^{true} random line between Sections 19 and 30.

Variation

14°

East.

Notic! The line between 19-30 strikes Cañon of Sycamore Creek in less than 80 chs. I therefore run West on true line between Secs 19-30

W^a 14° E.

22.00

Cañon Sycamore Creek brs S. 20° W. Cañon impassable at this point - surface - High, grassy Mesa.

Timber - None - Soil - Worthless

Good grass. Jan 15. 1879

I commence at cor. fractional sections 19 & 30 on the N. Boundary & run E. on a true line

W^a 14° E.

12.00

Arroyo brs S. 22° E.

26.00

High grassy ridge

32.00

Arroyo (grassy) brs S. 56° W.

40.00

Set Granite Stone 18x12x4 in ^{3/4} in ground and on N. built mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for ^{1/4} Sec or from which

A Juniper 12 in dia. brs N. 82° E 140 lks

A large boulder (marked X) N. 15 lks.

44.00

Small rocky ridge

47.00

Brink of Cañon, Sycamore Cr. brs S. 21° W.

Surface - Rolling - Smooth grassy hills

Timber - None - Good grass. Jan. 14. 1879

52
Township

6 N. BOOK 39 E.
Gila and Salt River

BOOK 39
Range 4 E.

Meridian.

Chains

North, between Sections 19 and 20.

9.00 To Cañon - Branch Squamore
Creek hrs due N. Impassable.
Variation 14° East.

Jan. 15. 1879

Gila and Salt River

Meridian.

Chains

~~West on a true line~~
 East, on a random line between Sections 17 and 20.

Variation

14°

East.

Note! The line between Secs. 19-20 being impassable I commence at the cor^d to Secs. 20-21-16-17 and run West on a true line between 20-17

W. 14° E.

- 22.00 Sycamore Creek brs S.
 27.00 Rocky ridge
 40.00 Set Granite Stone 15x14x4 in. $\frac{2}{3}$ in ground and on W. built mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions
 A Juniper 10 in dia brs S. 75° W. 60 lks
 " " " " S 48° E. 75 "
 80.00 Set Granite Stone 23x12x5 in $\frac{3}{4}$ in ground and on W. built mound of rock (in absence of earth) 2 ft high
 A Juniper 8 in dia. brs S. 20° W. 1.75 lks
 " " " " S. 18° E. 230 "
 Surface - Rocky & broken
 Timber - Juniper. Brush
 Soil - Worthless
 Along Sycamore Creek are numerous kinds of timber, Sycamore, Ash, Cottonwood &c

G. N. Gila and Salt River

Meridian.

Chains

West, on a random line between Sections 18 and 19.

Variation

14°

East.

15.00

Top Saddle between two peaks

20.00

Small arroyo brs. S. 33° W.

40.00

Set Stone for temporary 1/4 Sec. Cor.

50.00

Top of hill

55.00

Arroyo

70.50

Road from M^o Lowell to Reno

78.25

Intersected W. Boundary Line 8 lks
S. cor to Sec 18-19-24-13 from which I run
S. 89° 57' E. W^a 14° E.

38.25

Set Granite Stone 14x10x6 ins. 2/3 in ground
built mound of earth 2 ft high with
pits 1 ft deep, 2 ft long, 1 ft wide as per
instructions for 1/4 Sec. Cor.

78.25

A Mesquite 4 in dia. brs S 74° E. 8.5 lks

The cor to Secs 19-20-17 & 18

Surface - Smooth, rolling

Timber - Scarce, Mesquite, Juniper

Soils - Worthless

Good grass.

Township

6 N.

Range

9 E.

Gila and Salt River

Meridian.

Chains

North, between Sections 17 and 18.

Variation

14°

East.

12.40

From this point house bears due E. ⁹⁴ ^{low far}

40.00

Set Malpais Stone 15x12x6 in. ^{2/3} in ground and on N. built mound of earth 2 ft high with pits 1 ft deep, 2 ft long 1 ft wide as per instructions for ^{1/4} Sec. Cor. from which

A tall straight Cottonwood 12 in dia brs. N. 17° 20' E. 1.4

A Willow 12 in dia brs N. 29° 55' W. 1.50

40.50

Pass small ridge abrupt slope N.

42.00

Sycamore Creek brs S. 49° E.

44.70

Road Mt. Lowell to Pine bears due E.

75.00

Cross N. slope ridge

77.50

Dry Creek brs S. 70° W.

80.00

Set Granite Stone 18x14x6 in. ^{3/4} in ground and on N. built mound of earth 2 ft high with pits 1 ft deep, 2 ft long 1 ft wide as per instructions for corner to Secs. 17-18-7-8 from which

A double Cottonwood is E. 215' brs 1 " " 183' ^{1 found brs 215'}

Surface - Broken, rocky

Timber - Sycamore, Cottonwood and Willow along creek

Gila and Salt River Meridian.

Chains East, on a random line between Sections 8 and 17. Variation 14° East.

- 2.25 Dry Creek brs S. 35° W.
- 8.00 Base of ridge. Entered high Mesa
- 26.00 Deep arroyo brs S. 33° W.
- 40.00 Set temporary 1/4 Sec. Cor.
- 80.00 Intersected W & S line 5 lks N. of Stone Corner to Secs 17-16-8-9 from which I run N. 89° 58' W.

W 14° E.

- 40.00 Set Malpais stone 15x14x3 in. 2/3 in ground and on W. built mound of earth with pits 1 ft deep 2 ft long 1 ft wide as per instructions for 1/4 Sec. Cor from which a Juniper 14 in. dia brs S. 37° E. 275 lks
- 80.00 The Cor. to Secs. 17-18-7-8
 Surface - Except last 8 chs, high, grassy Mesa.
 Timber - A few Junipers.
 Soil - Dark Malpais.
 Good grass.

Gila and Salt River

Meridian.

Chains

West, on a random line between Sections 7 and 18.

Variation

14°

East.

- 7.00 Top of ridge
 20.00 Sycamore Creek brs S. 12° E.
 40.00 Set Stone, temporary 1/4 Sec. Cor.
 52.00 Crosses N. slope of hill.
 65.00 Arroyo brs N. 76° E.
 78.10 Intersected N & S line N. Boundary Sp.
 at Stone cor to Sec 7-8-1-12 from which
 I run East on a true line

N 14° E.

- 38.10 Set Sandstone 17x12x5 in. 2/3 in ground
 and on N. built mound of earth 25 ft
 high with pits 1 ft deep, 2 ft long 1 ft
 wide as per instructions for 1/4 Sec. Cor
 from which

- A Hackberry 8 in dia brs N. 65° W. 80 lks
 78.10 The Corner to Secs. 17-18-7-8

Surface Hilly

Timber - Only along creek - Sycamore
 Cottonwood, Willow, Hackberry

Soil - Worthless

Good grass.

J
 June 16. 1879

Chains

North, between Sections 7 and 8.

Variation

14°

East.

27.00 Top of Hill
 31.00 Arroyo brs S. 37° N.
 40.00 Set Sandstone rock 30x12x4 ins. 1 ft
 in ground and in N. built mound of
 earth 2 ft high with pits 1 ft deep 2 ft
 long 1 ft wide as per instructions for 1-1
 Sec. Cor.

A Juniper 14 ins. dia brs N. 62° E 276 lks.

" " " " " " S. 65° E 400 "

49.50 Small rocky arroyo brs S. 40° N.

74.00 Foot of hill

80.00 Set Malpais stone 14x12x10 in ²/₃ in
 ground and in N. built mound of earth
 with pits 1 ft deep, 2 ft long, 1 ft wide as
 per instructions for cor to Secs. 7-8-5-6.

Located on southern slope of hill.

A Pijon 14 in. dia. brs S. 80° E 32 lks

A Juniper 14 " " " N. 70 lks

Surface - Broken

Soil - Worthless

Timber - Scarce, Juniper, Brush &c.

Township

6 N.

BOOK 39

Range

9 E.

Gila and Salt River

Meridian

Chains

East, on a random line between Sections 5 and 8.

Variation

14°

East.

18.00 Arroyo hrs S. 18° W.

25.00 Top of Hill

40.00 Set Stone for temporary 1/4 sec. Cor.

68.00 Dry Creek hrs S. 13° W. 2 chs Enter Mesa

79.98 Intersected N. S. line 16 lks N. of Stone
cor to Sec. 8-9-4+5 from which I run
N. 89° 53' W.

N. 14° E.

39.99 Set Malpais Stone 14x14x4 in 2/3 in
ground and on it built mound of earth
with pits 1 ft deep, 2 ft long, 1 ft wide
as per instructions for 1/4 Sec. Cor.

No bearing trees.

79.98 The Cor. to Secs. 4-8-5-6

Surface - Rolling
Soil - Gravel & Malpais
Timber - None
Good grass.

Chains

West, on a random line between Sections 6 and 7.

Variation 14°

East.

- 14.00 Arroyo hrs S. 46° W.
- 28.00 Ridge
- 40.00 Set Temporary Stake 1/4 Sec. Cor.
- 44.00 Deep Arroyo hrs S. 50° W.
- 50.00 Cross S. slope ridge
- 57.00 Sycamore Creek hrs N. 38° E.
- 64.00 Foot of ridge
- 78.10 Intersected N. S. line the N. boundary Township at Post the cor to Sec. 6-7-1-12 from which I run, East on true line N. 14° E.
- 38.10 Set Malpais Stone 15x12x3 in. 2/3 in ground and on N. built around of rocks 2 ft high (in absence of earth) from which
A Juniper 11 in. dia hrs N. 14° E. 175 lbs
13 " " " S 45° 20 E 360 "
- 78.10 The Cor to Secs. 7-8-5-6
Surface - Broken
Soil - Worthless
Grass.

Gilas and Salt River

Meridian.

Chains

North on a random line between Sec's 5 and 6.

Variation

14°

East.

- 3.00 Top of ridge
- 20.00 Edge Malpais Rocks. Enter Mesa 10 chs.
- 30.00 Row of rocky ridge
- 33.00 Center of Cañon.
- 39.00 Leave Cañon, enter Mesa
- 40.00 Set temporary stone for $\frac{1}{4}$ Sec. Cor.
- 65.00 Rocky ridge (small)
- 78.50 Intersected E. & N. line North Boundary
 N. 15 lks. E. of Stone cor to Sec. 5 & 6
 from which I run S $89^{\circ} 54'$ E.
 W. 14° E. ✓
- 38.50 Set Malpais Stone 18x12x4 in. $\frac{3}{4}$ in
 ground and on N. built mound of earth
 with pits 1 ft deep 2 ft long 1 ft wide as
 per instructions for $\frac{1}{4}$ Sec. Cor
- 78.50 A Juniper 15 in. dia by S $47^{\circ} 30'$ N. 3 chs.
 Certificate 516.7 and 8.
 Surface - High, grassy Mounds
 with Malpais rocks.
 Soil - Worthless
 Timber - A few Junipers
 Good grass.
- Jan 17. 1879

General Description.

The quality of the land in this Township is above the common average of the land in its vicinity.

There is a fair proportion of good grazing land situate in the central portion of the Township.

Sycamore Creek is a mountain stream, peculiar to Arizona, affording in a few places permanent water, but being for the most part, dry the greater part of the year.

It is a mountainous country, the valleys being small and surrounded with low, rolling hills covered with Mesquite grass, and several other varieties of bunch grass.

There is but very little timber of any kind scattering Piñon and

63

Live Oak on the northern, eastern and southern border of the Township.

Throughout the central portion there is none except Cottonwood, Sycamore and Ash, on Sycamore Creek.

There are four settlements or claims one on the S. W. $\frac{1}{4}$ of Sec. 21, one on the S. W. $\frac{1}{4}$ of Sec. 16 and S. E. $\frac{1}{4}$ of Sec. 17, one on the S. W. $\frac{1}{4}$ of Sec. 17, and one on the S. E. $\frac{1}{4}$ of Sec. 18.

Wm. H. Hume
Deputy Surveyor

List of Names.

A List of the Names of Individuals employed
 to assist in running, measuring, or marking the
 lines and corners described in the foregoing Field
 Notes of the survey of the subdivision
lines of Sp. 6 W. Range 9
E. of River and Salt
River meridian

Showing the respective capacities in which they
 acted.

L. E. Burbry Chainman.

C. H. Tyler Chainman.

Curry Patten Axeman.

Jack Rogers Flagman.

Final Oath of Assistants.

We hereby certify that we assisted Wm C
Hancock U. S. Deputy Surveyor, in
 surveying The Rubeliviscan
lines of Sp 6 ct. Range
9 E. of Lulu and Salt
River meridians

and that said Survey has been in all respects, to
 the best of our knowledge and belief, well and
 faithfully executed, and the boundary monuments
 planted according to the instructions furnished by
 the Surveyor-General.

L. E. Parley Chainman.
T. H. Tyler Chainman,
George Patten Axeman.
Jack Rogers Flagman.

Sworn to and subscribed before me, this 20th
 day of January, 1879

Wm C Hancock
Robert Tyler

Final Oath of Deputy Surveyor.

I, *W. H. Amcove*

U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the *17th* day of *October*

1879. I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of

*the Subdivision lines of
T. 6 N. Range 9 E. of R. 1
and Salt River Division*

as are represented in the foregoing Field Notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements con-

tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

Wm. H. Newcomb
Deputy Surveyor

Sworn to and subscribed before me, this 20 day of January, 1878

J. L. [Signature]
Justice of the Peace
of Phoenix Precinct
Maricopa County

BOOK 39

as are referred to in the foregoing Field Notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the surveying laws and printed instructions, and also in accordance with the additional requirements con-

U. S. Surveyor General's Office,

TUCSON, ARIZONA, February 17, 1879.

The foregoing Field Notes of the Survey of the

Subdivision Lines of
Township 6 South,
Range 9 East,

of the Gila and Salt River Base and Meridian, Arizona, execu-

ted by Wm A. Hancock

Deputy Surveyor, under his contract of the 17th

day of October, 1878, having been

critically examined and the necessary corrections and explana-

tions made, the said Field Notes and the surveys they describe

are hereby approved.

John Masson

Surveyor General.