

## FIELD NOTES

OF THE SURVEY OF THE

SUBDIVISION LINES

OF

Township 6 North, Range 27 East.

Gila and Salt River Meridian,

ARIZONA.

By W. R. Fitzgerald, D. S., under  
Contract dated July 22, 1882.  
Survey commenced July 25, 1883.  
Survey completed August 1, 1883.

1A

Township 6 North Range 27 E  
 U. & S. R. Meridian.

6	76	5	73	4	64	3	40	2	20	1
84		82		71		63		38		15
7	80	8	69	9	61	10	36	11	16	12
78		75		66		58		35		14
18	76	17	68	16	56	15	33	14	12	13
				55		54		31		10
19		20		21	51	22	29	23	8	24
				50		48		27		6
30		29		28	47	27	26	26	5	25
				46		44		24		3
31		32		33	42	34	22	35	1	36

Survey made with Burt's Patent  
 Improved Solar Compass  
 nearly new & in first rate order  
 made by Otto Funnell of Cassel  
 Germany in 1881

T6 N R 27 E G + S R M

BOOK 41

From Cor to Sec 2-1-35+36  
on S.B. previously set by  
me I run

North bet Sec 35+36

Var  $14^{\circ} 23' E$ 

Ascend

40.00 Set post 3 ft long 3 in  
diam with marked stone  
12 mi in the ground for  
1/4 Sec Cor marked 40 on  
W face aug pit 10 x 8 x 2 mi  
N + S of post 5 1/2 ft dia  
and raised mound of  
earth 1 1/2 ft high 3 1/2 ft  
base around post

80.00 Set post 4 ft long 4 in  
square with marked stone  
12 mi in the ground for  
Cor to Sec 25+26-35+36  
marked T6 N S 25 on N E

T6 N R27 E GSR M

BOOK 41

R27 E S36 m @ E, @ 35- m  
 S.W. + @ 26 m NW face with  
 1 notch on @ and 1 on E  
 face dug pits 18 x 18 x 12 inc  
 in each cor 5 1/2 ft apart  
 and raised mound of  
 earth 2 ft high 4 1/2 ft base  
 around post from which  
 a Yellow Pine 20 ins diam  
 bears @ NW 21 lbs dirt  
 marked T6 N R27 E S35-

B.T. No other trees within limits  
 Land high rolling  
 Soil 2nd & 3rd rate  
 Timber Pine Oak Fir & Hem-  
 lock

Undergrowth same and  
 Bunchgrass

T6 N Q27 E G S R M

BOOK 41

East on random line  
bet Sec 25 & 36(Var  $14^{\circ}23' E$ )

Asund

40.00 Set temporary  $\frac{1}{4}$  Sec Cor57.00 Top of ridge bears South  
and descend80.22 Intersect E Ry of Sp 31  
like South of Cor to Sec 25-  
30-31 & 36 previously set by  
me from which Cor true  
 $\angle 89^{\circ}47'$  W on true line be-  
tween Sec 25 & 36(Var  $14^{\circ}21' E$ )40.16 To a quaking Asp tree 15  
mi diam which I mark  
 $\frac{1}{4}$  S on N face for  $\frac{1}{4}$  Sec  
Cor dug pit  $18 \times 18 \times 12$  mi  
E & W of tree  $5\frac{1}{2}$  ft dist  
and raised mound

T. N. R 27 E G. S R M

BOOK 41

of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
base around tree

80.32 The Cor to Sec 25-26-35<sup>o</sup>  
36

Same high mountains

Soil 2nd & 3rd note

Timber Pine Fir Hemlock  
and Aspen

Dense undergrowth of  
same & Bluegrass

To N R 27 E G + S R M

BOOK 41

North bet Suc 25 + 26  
Nac 14° 23' E

Drum

35.00 Cross wash S 20° W +  
Drum

40.00 Set post 3 ft long 3 in diam  
with marked stone 12 in  
in the ground for 1/4 Suc  
for marked 1/4 on W face  
dig pits 15 x 15 x 12 in N +  
S of post 5 1/2 ft dist and  
raised mound of earth  
1/2 ft high 3 1/2 ft base  
around post.

80.00 Set Malapai stone 15 x 15 x  
12 in 12 in in the ground  
for bet to Suc 23 - 24 - 25 +  
26 marked with 2 notches  
on S and on E edge and  
raised mound of stone

T6 N R27 E 4 - SRM

BOOK 41

along side *Picea maritima*  
ble

Land mountainous

Soil 3rd rate

Timber Pine Hemlock

Fir and Aspene

Undergrowth same and  
Bunchgrass

East on summit Pine be-  
tween Sec 24 & 25

Var 14° 23' E

Asund

18.50 Top of ridge bears N E &  
S. W. & asund

22.00 Summit

23.50 Cross stream curve N  
& asund

7

T6 N Q 27 E G + S R M

BOOK 41

40.00 Set temporary  $\frac{1}{4}$  Sec Cor  
79.89 Enter  $\frac{1}{4}$  Sec. By of Spr Blks  
North of Cor to Sec 24-25-  
19 + 30 for windy set by  
me from which Cor I  
run

N  $59^{\circ} 57'$  W on true line  
bet Sec 24 + 25

Var  $14^{\circ} 21'$  E

39.95 Set malapais stone  $12 \times$   
 $12 \times 3$  mi 5 mi in the  
ground for  $\frac{1}{4}$  Sec Cor  
marked  $\frac{1}{4}$  on N face  
and passed mound of  
stone along side Post  
impracticable

79.89 The Cor to Sec 23-24-25 + 26  
Land rolling mountainous  
Soil 3rd rate  
Timber Pine Oak Fir

T6 N R 27 E G - SRM

BOOK 41

✓ Kumblock and aspen  
 Undergrowth same +  
 Bunchgrass

---

North bet Sec 23 - 24  
 Var 14° 23' E

Mound gradually

- 40.00 Set Malapai stone 20x8x  
 4 mi 15 mi in the ground  
 for 1/4 Sec box marked  
 1/4 on N face and raised  
 mound of stone along side  
 Pits impracticable.
- 45.61 Cross stream 8 lbs wide  
 come E + around
- 60.00 Enter timber bear E + W
- 80.00 Set Malapai stone 12x10x  
 4 mi 5 mi in the ground

T6 N R 27 E G + S R M

BOOK 41

for Cor to Sec 13-14-23-24  
 marked with 3 notches  
 in S and 1 in E edge  
 and raised mound  
 of stone along side Pit  
 impracticable from which  
 Aspin 36 mi diam bears  
 S 25° W 40. Mks not marked  
 T6 N R 27 E S 23 B. T.  
 No other tree within limits  
 Land high mountain  
 Soil 3rd rate  
 Timber Pine Fir Hemlock  
 Oak and Aspen  
 Undergrowth same +  
 Bluegrass

## T6 N R27 E 4 - SRM

BOOK 41

East on random line  
bet Sec 13 & 24

Var  $14^{\circ} 23' E$

Over rolling land

10.00 Leave timber bear N.E.  
& S.W.

26.00 Cross stream of water  
course S.E.

40.00 Set temporary 4 Sec Cor

60.00 Cross stream of water  
course S.W. & around

65.00 Top of ridge bear S.W. &  
around

79.67 Intersect E B of Sp 20k  
North of Cor to Sec 13-15-  
19 & 24 previously set by  
one from which Cor S  
run

$N 59^{\circ} 57' W$  on true line be-  
tween Sec 13 & 24

T6 N R 27 E G - S R M

BOOK 41

Var 14° 21 E

39.84 Set malapai stone 10x10x  
4 mi 6 in in the ground  
for 1/4 Sec cor marked 1/4  
on N face and raised a  
mound of stone along-  
side. This impracticable

79.67 The cor to Sec 13-14-23-  
24

Land mountainous

Soil 3rd rate

Timber Pine Fir Oak

Hemlock and Aspen

Undergrowth same +

✓ Bunch grass

## T6. N R 27 E G + SR M

## BOOK 41

North bet Sec 13 &amp; 14

Var  $14^{\circ} 23' E$ 

Descend gradually

15.50 Cross stream of water

course East + ascend

26.00 Top of spur bears N W + SE  
& descend30.73 Cross stream of water  
course SE + ascend grad-  
ually

37.00 Top of spur + descend

40.00 Six malapai stone  $10 \times 5 \times$   
6 in 6 in in the ground  
for  $\frac{1}{4}$  Sec Cor marked  $\frac{1}{4}$   
on W face and raised  
mound of stone along side  
Pit impracticable  
from whicha Quaking Aspen 10 in  
diam bears N  $40^{\circ}$  W 30 lbs

T6 N R27 E G + S R M

## BOOK 41

dirt marked T4 S B.T.

No other tree within limits

66.70 Spruce stream of water  
course S.E. + around80.00 Sit malapari stone 15x  
10x5 mi 10 mi in the  
ground for Cor to Sec 12-  
11-14 + B marked with  
4 notches on S and 1 notch  
on E edge and raised  
mound of stone along  
side. Site impracticable  
from whichAspen 15 mi drain bears  
N45° W 37 like dirt marked  
T6 N R27 E S11 B.T.A Quaking Aspen 12 mi  
drain bears N10° E 40 like  
dirt marked T6 N R27 E  
S12 B.T.

T6 N R 27 E G &amp; SRM

BOOK 41

No other trees within  
limits

Land rolling

Sot 2nd to 1st rate

Spruce Pine Oak Fir

Hemlock &amp; Aspen

Undergrowth same &amp;

Brushgrass

July 25 - 1853

East on random line bet

Ses 12 &amp; 13

Var  $14^{\circ} 23'$  E

Ascend

15.00 Top of spruce bears N. W.  
& S E & descend

40.00 Hit temporary 14 the Cor

79.90 Intersect E By of Top  
14 lbs North of Cor to Ses  
12-13 - 7 & 15 previously cut

T6 N R 27 E G. S R M

BOOK 41

by me from which box I  
saw

N 89° 54' W on true line  
bet Sur: 12 & 13

Var 14° 2' E

3995

Set malapai stone 18 x 12 x  
4 mi 12 mi in the ground  
for 1/4 Sec box marked 1/4  
on N face and raised  
around of stone along-  
side. Pit impracticable

79.90

The box to Sur 11-12-13 & 14  
Land rolling  
Soil 2nd & 3rd rate  
Timber Pmi. Fir Hemlock  
Oak & Aspen  
Mud as growth same &  
Bunch grass

✓

T. N. R 27 E G. & S R M  
 BOOK 41

North bet Sec 11 + 12

Var  $14^{\circ} 23' E$

Ascend gradually

30.00 Top of spur bears N W +  
 S E + ascend

38.00 Cross marsh course S E  
 Ascend

40.00 Marked a Quaking Aspen  
 12 mi diam  $\frac{1}{4}$  S on N face  
 for  $\frac{1}{4}$  sec Cor from which  
 a Quaking Aspen 12 mi  
 diam bears N 5 W 7 krs dist  
 marked  $\frac{1}{4}$  S. B. T.

No other tree within limits

78.00 Top of Divide bears E +  
 S. W. + ascend

80.00 Set post 4 ft long 4 mi  
 square with marked stone  
 12 mi in the ground for  
 Cor to Sec 11-2-11 + 12

T6 N R27 E G + SRM

BOOK 41

marked T6 N S 1 mi N E  
 R27 E S 12 on SE S 11  
 on SW + S 2 on NW  
 fan with 5 notches on  
 sand 1 notch on E  
 edge dug pits 18 x 18 x 12 mi  
 in each SW 5 1/2 ft and  
 raised mound of earth 2 ft  
 high 4 1/2 ft base around  
 foot from which

A pine 15 mi drain bears  
 S 5° W 48 lbs dirt marked  
 T6 N R27 E S 11 B.T.

An Aspen 12 mi drain bears  
 S 20° E 17 lbs dirt marked  
 T6 N R27 E S 12 B.T.

No other trees within limits  
 Land mountainous  
 Soil 3rd + 2nd rate  
 Heavy timber Pine Oak

T. W. R. 27 E. G. & S. R. M.

BOOK 41

✓ Hemlock and Aspen  
Undergrowth same + Bunch-  
grass!

East on random line bet.  
Sec 1 & 12

Var 14° 23' E

Over rolling land on  
Divide bearing N. E. & S. W.

40.00 Set temporary 1/4 Sec Cor.

70.13 Intersect E. By of Twp. 37 like

North of Cor to Sec 1-6-

7+12 previously set by  
me from which Cor @  
run

N 89° 44' W on true line  
bet Sec 1 & 12

Var 14° 21' E

T6 N R 27 E G + S R M

BOOK 41

40.07 Set sand stone 15 x 11 x 6  
 mi 10 mi in the ground  
 for 1/4 Sec Cor marked  
 1/4 on N face and raised  
 mound of stone alongside  
 Not impracticable

50.13 The Cor to Sec 1-2-11-12  
 Land rolling  
 Soil 2nd + 3rd rate  
 Timber Pine Fir Aspen  
 and Hemlock  
 Undergrowth some  
 ✓ Bromegrass

## T6 N R27 E G. SRM

BOOK 41

Write on random line  
bet Sec 1 + 2

Var  $14^{\circ} 23' E$

Mound Over rolling  
land

40.00 Set temporary  $\frac{1}{4}$  Sec Cor

79.42 Instrument N. By of Sp 10 lbs  
East of Cor to Sec 1-2-35  
+36 previously set by me  
from which Cor I run.

$24^{\circ} E$  on true line between  
Sec 1 + 2

Var  $14^{\circ} 26' E$

39.42 Set malapais stone  $12 \times 6 \times 4$   
ins 5 ins in the ground  
for  $\frac{1}{4}$  Sec Cor marked  
 $\frac{1}{4}$  on N face and raised  
mound of stone along-  
side. It's impracticable

79.42 The Cor to Sec 1-2-11 + 12

T6 N R27 E G. S R M

BOOK 41

Land rolling  
 Soil 2nd & 3rd rate  
 Timber Pine Aspen Fir  
 and Hemlock  
 Undergrowth same  
 and Bunchgrass

T. W. R 27 E G. S R M

## BOOK 41

From the Cor to Sec 34-  
35-2 & 3 on S. B. previously  
set by me I run

North bet Sec 34 & 35

Var  $14^{\circ} 23' E$

around

40.00

Set post 3 ft long 3 mi diam  
with marked stone 12 mi  
in the ground for  $\frac{1}{4}$  Sec  
Cor marked  $\frac{1}{4}$  S. on W face  
dug pits  $18 \times 18 \times 12$  mi N  
& S of post  $5\frac{1}{2}$  ft dia and  
raised mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
around post from which  
a Yellow Pine 18 mi diam  
bore  $S 8^{\circ} E$  21 the dist  
marked  $\frac{1}{4}$  S. B. I

No other true within limits

68.00

Top of ridge bore  $S 40^{\circ} E$

T6 N R 27 E G. S R M

BOOK 41

and Diamond

80.00 Set sand stone 14 x 5 x 4 mi  
 9 mi in the ground for Cor  
 to Sec 26-27-34 + 35 marked  
 with 1 notch on Sand 2  
 notches on E edge and  
 raised mound of stone  
 along side. It's imprac-  
 ticable from which  
 a fri 10 mi diam bears N 8 E  
 11 lks dist marked T6 N  
 R 27 E S 26 B. T.

In other trees within limits  
Lana rolling

Soil 3rd rate

Similar Pmi Fri Oak Aspen  
and Hemlock

Under growth same +  
Bunchgrass

T6 N R27 E G + SR M

## BOOK 41

East on random line  
bet Sec 26 + 35Var  $14^{\circ} 23' E$ 

Dugout

34.00 Cross creek 12 lbs wide  
course  $S 45^{\circ} E$  + around  
abruptly40.00 See temporary  $\frac{1}{4}$  Sec Cor80.09 Interest N + S line 6 lbs  
South of Cor to Sec 25-26-35  
+ 36 from which Cor line  
 $S 9^{\circ} 57' W$  on true line be-  
tween Sec 26 + 35Var  $14^{\circ} 23' E$ 40.05 Set sand stone  $30 \times 24 \times 5$  mi  
28 mi in the ground for  
 $\frac{1}{4}$  Sec Cor marked  $\frac{1}{4}$   
on N face and raised  
mound of stone along  
side. Not impracticable

T6 N Q27 E G- SR M

BOOK 41

80.09 The Cor to Sec 26-27-34

+ 35

Land broken & mountain  
zone

Soil 3rd rate

Timber Pine Fir Hem-  
lock Oak and aspen

Undergrowth same and

✓ Bunchgrass

T6 N R 27 E G. S R M

BOOK 41

North bet Sec 26 + 27

Var  $14^{\circ} 23' E$ 

Dissurd

40.00 Set sand stone  $18 \times 12 \times 10$  mi  
 12 mi in the ground for  $\frac{1}{4}$   
 Sec Cor marked  $\frac{1}{4}$  on W  
 face and raised mound  
 of stone along side. It is im-  
 practicable

51.00 Lower creek 12 lbs wide  
 course  $S 40^{\circ} E$  + around

50.00 Set malapai stone  $12 \times 10 \times$   
 3 mi 5 mi in the ground  
 for Cor to Sec 22-23-26  
 + 27 marked with 2 notches  
 on Sand 2 on E edge +  
 raised mound of stone  
 along side It is imprac-  
 ticable from which  
 2 mi 12 mi drain bear

T<sub>6</sub> N. R<sub>27</sub> E G<sub>+</sub> S R M

BOOK 41

On 30° E 65 lbs dist marked

T<sub>6</sub> N R<sub>27</sub> E S<sub>23</sub> B. T.

No other tree within limits

Land rolling broken

Soil 2nd &amp; 3rd rate

Timber Pmi Oak Fir

Hemlock and aspen

Undergrowth same &amp;

✓ Birch grass

————— July 26-1883

East on random line  
bet lines 23 & 26

Var 14° 23' E

Asund

40.00 Dit temporary 1/4 Sec Cor

60.00 Top of ridge bears N & E  
& asund

73.00 Cross low sag course South

80.41 Intersect N &amp; S line 19 lbs

T. 6 N R 27 E G. & S R M

BOOK 41

North of Cor to Sec 23-24  
 25 + 26 from which Cor  
 Spruce  
 N 89° 52' W on true line  
 bet. Sec 23 + 26  
 Var 14° 23' E

40.21 Sit malapai stone 20x10x  
 4 mi 15 mi in the ground  
 for 1/4 Sec Cor marked 1/4  
 on N face and raised  
 mound of stone alongside  
 Pk impracticable

50.41 The Cor to Sec 22-23-26 + 27  
 Land high rolling  
 Soil 2nd + 3rd rate  
 Timber Pine Oak + Aspen  
 Dense undergrowth of  
 same + Blue grass

T6 N R. 27 E G. & S R M  
 BOOK 41

North bet Sec 22 + 23

Var  $14^{\circ} 23' E$

Assumed

- 40.00 Set malapais stone  $18 \times 10 \times 2$   
 mi 12 mi in the ground  
 for  $\frac{1}{4}$  Sec E or marked  
 $\frac{1}{4}$  on W face and raised  
 mound of stone along side  
 Pit impracticable
- 70.00 Top of ridge bears N E + S W  
 + assumed
- 80.00 Set malapais stone  $20 \times 12 \times$   
 6 mi 15 mi in the ground  
 for Cor to Sec 14-15-22+23  
 marked with 3 notches on  
 S + 2 on E edge and  
 raised mound of stone  
 along side Pit impracti-  
 cable from which  
 a line 20 mi diam bears

T6 N R 27 E G + SRM

## BOOK 41

N 30° W 65 lbs dirt marked

T6 N R 27 E S 15 B. T.

Aspen 30 mi diam bear

S 5° E 20 lbs dirt marked

T6 N R 27 E S 23 B. T.

No other trees within limits

Land rolling + broken

Shel 3rd rate

Heavy timber Pmi Fir

Oak Hemlock + Aspen

Undergrowth same +

Bunch grass

T6 N R 27 E G + SR M

BOOK 41

East on random line be-  
tween Sec 14 + 23Var  $14^{\circ} 23' E$ 

Asund

38.00 Top of ridge bears N E +  
S W + asund40.00 Set temporary  $\frac{1}{4}$  Sec Cor79.98 Intersect N + S line 43  
Mls South of Cor to Sec.  
23-24-13 + 14 from which  
Cor S run $S 89^{\circ} 42' W$  on true line be-  
tween Sec 14 + 23Var  $14^{\circ} 23' E$ 39.97 Set malapai stone  $12 \times 10 \times$   
5 mi 5 mi in the ground  
for  $\frac{1}{4}$  Sec Cor marked  
 $\frac{1}{4}$  on N face and raised  
mound of stone alongside  
✓ Set impracticable

T6 N R 27 E G + S R M

## BOOK 41

from which  
 a pine 10 in diam bears  
 N 5 W 25 lbs dist marked  
 1/4 S.B.T. No other trees  
 within limits

79.93 The Cor to Dec 14-15-22-

23

Land rolling + broken  
 Soil 2nd + 3rd rate  
 Timber Pine Fir Oak  
 Hemlock + aspen  
 Undergrowth same  
 ✓ + Bunchgrass

T6 N R 27 W 4 - S R M

BOOK 41

North bet Sec 14 + 15

Var  $14^{\circ} 23'$  E

Quarry along W slope

40.00 Set sand stone  $16 \times 12 \times 4$   
mi 11 mi in the ground  
for  $\frac{1}{4}$  Sec 14 or marked  
 $\frac{1}{4}$  on W face and pass  
quarry of stone along side  
Pike impracticable  
from which

A fir 5 mi drain bears  
 $N 26^{\circ} E$  75 lbs dist  
marked  $\frac{1}{4}$  S. B. T.

No other tree within limits

50.00 Set post 4 ft long 4 mi  
square with marked  
stone 12 mi in the ground  
for Cor to Sec 10-11-14+15  
marked T6 N E 11 on NE  
R 27 E S 14 on SE S 15

T6 N R 27 E G + S R M

BOOK 41

m S W + S 10 on N W face  
 with 4 notches on S and  
 2 on E edge aug pits  
 15 x 15 x 2 in in each  
 see 5 1/2 ft dirt and round  
 mound of earth 2 ft high  
 4 1/2 ft base around pit  
 from which

A fir 12 mi down bears

S 20° E 21 lbs dirt marked

T6 N R 27 E S 14 B. T.

No other tree within limits

Land rolling & broken.

Soil 3rd rate

Heavy timber Fir Pine

• Hemlock Oak + Aspen

Undergrowth same +

✓ Bunchgrass

To N 27 E G + S R M

BOOK 41

East on random line  
bet Sec 11 - 14

Ascend Var 14° 23' E

37.19 Top of divide beam N + S descend

40.00 Set temporary 1/4 Sec cor

50.26 Interest N + S line

26 lbs South of Cor to Sec  
11-12-13-14 from which  
Cor I run

South 89° 49' W on true  
line bet Sec 11 - 14

Var 14° 23' E

40.13 Set sand stone 10 x 8 x 3 in

6 in in the ground for  
1/4 Sec Cor marked 1/4  
on N face and raised  
mound of stone along-  
side. Path impracticable

50.26 The Cor to Sec 10-11-14-15

✓ Land rolling and broken

T6 N R 27 E G + S R M

## BOOK 41

Soil 2nd + 3rd rate  
 Timber Pine Fir Oak  
 Aspen + Hemlock  
 Undergrowth same +  
 ✓ Bunchgrass

North bet Secs 10 + 11

Var 14° 23' E

Quarry gradually

40.00 Streamstone 12 x 5 x 6 mi

5 mi in the ground for

1/4 Sec Cor marked 1/4

on W face and raised

ground of stone along

side Pit impracticable

from which

A Quaking Aspen 10 mi

✓ main base S 20° W 23 lbs

T6 N R27 E G-S R M

BOOK 41

cut marked 1/4 S. B. T.  
 No other trees within  
 limits

50.00 Spread stone 24x20x12  
 mi 15 mi in the ground  
 for Co to Dec 2-3-10 & 11  
 marked with 5 notches  
 on S and 2 on E edge  
 and raised mound  
 of stone along side. It's  
 impracticable from which  
 a Quaking Aspen <sup>10 mi diam</sup> bears  
 S 9 W 19 lbs cut marked  
 T6 N R27 E S 10 B. T.

A Quaking Aspen 10 mi  
 diam bears N 41 W 29 lbs  
 cut marked T6 N R27 E  
 S 3 B. T.

No other trees within limits  
 Land mountainous

## To N 27 E G + SRM

BOOK 41

Soil 3rd rate  
 Heavy timber Pine Oak  
 Aspen Hemlock + Fir  
 Undergrowth same +  
 ✓ Bunch grass

East on random line  
 bet Sec 2 + 11  
 Var  $14^{\circ} 23' E$

Quada

40.00 Set temporary  $\frac{1}{4}$  Sec Cor  
 79.84 Intersect N + S line 11 like  
 north of Cor to Sec 1-2-11-  
 12 from which Cor Drive  
 N  $89^{\circ} 55' W$  on true line be-  
 tween Sec 2 + 11  
 Var  $14^{\circ} 23' E$

39.92 Set sand stone  $18 \times 16 \times 4$  in

T6 NR 27 E G. SR M

BOOK 41

12 mi on the ground for 1/4  
 Sec Cor marked 1/4 on  
 N fall and a sand a  
 mound of stone along-  
 side. Path impracticable  
 from which.

A fir 20 mi diam bears  
 S 80° E + 3 lbs dist  
 marked 1/4 S.B.T.

No other tree within limits

79.84 The Cor to Sec 2-3-10+11

Land rolling broken

Soil 2nd + 3rd rate

Timber Pine Fir Aspens  
 + Hemlock

Undergrowth same  
 + Bluegrass

T6 N R 27 E Gr SRM

## BOOK 41

North on random line  
bet Sec 2 + 3Var  $14^{\circ} 26' E$ 

Dunda

37.00 Cross creek course East  
and Dunda40.00 Set temporary  $\frac{1}{4}$  Sec Cor79.54 Intersect North By of Tr  
43 lbs East of Cor to  
Sec 2-3-34 + 35 previously  
set by me from which  
Cor Dunda $\text{S } 18' E$  on true line be-  
tween Sec 2 + 3Var  $14^{\circ} 23' E$ 39.54 Set post 3 ft long 3 in diameter  
with marked stone 12 in  
in the ground for  $\frac{1}{4}$  Sec  
Cor marked  $\frac{1}{4}$  S on W.  
✓ Saw dug pits  $18 \times 18 \times 12$  in

T6 N R 27 W G + SR M

BOOK 41

N + S of post 5 1/2 ft dist  
and a pair of mounds of  
earth 1/2 ft high 3 1/2 ft  
base around post

79.54 The Co to Sec 2-3-10+11  
Land rolling

Soil 2nd & 3rd rate  
Timber Pine Fir Oak  
Hemlock and Aspens  
Undergrowth of same  
& Birch grass

I carefully examined the  
adjustments of my Solar  
Compass today particu-  
larly the latitude and  
sighting apparatus &  
found them correct

July 27-1883

T6 W R 27 E G - S R M

. BOOK 41 .

From the Cor to Sec 3-4-  
33 + 34 on S By previously  
set by me & mine

North bet Sec 33 + 34

Var  $14^{\circ} 23' E$

Quand

37.00 Cross creek course S E -  
Quand

40.00 Set sand stone  $18 \times 8 \times 6$  in  
12 mi in the ground for  
 $\frac{1}{4}$  Sec Cor marked  $\frac{1}{4}$   
on W face and raised  
mound of stone; also g-  
udi Site impracticable

80.00 Set sand stone  $16 \times 14 \times 5$  in  
11 mi in the ground for  
Cor to Sec 28-27-34 + 33  
marked with 1 notch on  
S and 3 notches on E  
edge and raised mound

T6 N R. 27 E G + SRM

BOOK 41

of time along side Pkts  
impracticable

A Yellow pine 10 mi diam  
bears  $N 21^{\circ} E 73$  the dist  
marked T6 N R 27 E S  
27 B. T.

No other trees within limits  
Land high rolling

Soil 2nd + 3rd rate

Similar Pine Oak Fir

Cedar Aspen + Hemlock

Undergrowth same +

✓ Bruch grass

## T6 N R27 E G + S R M

BOOK 41

East on random line  
bet. Sec 27 + 34Var  $14^{\circ} 23' E$ 

Assumed

40.00 Set temporary  $\frac{1}{4}$  Sec Cor58.00 Top of ridge bears @ 50 E  
& assumed79.75 Intersect N + S line 24 lbs  
north of Cor to Sec 26-27-  
34 + 35 from which Cor @  
sum $N 89^{\circ} 50' W$  on true line  
bet Sec 27 + 34Var  $14^{\circ} 23' E$ 39.88 Set sandstone  $20 \times 12 \times 2$  ins  
15 ins in the ground for  
 $\frac{1}{4}$  Sec Cor marked  $\frac{1}{4}$  on  
N of au and raised a  
mound of stone along  
✓ end. Pit impracticable

T6 N R 27 E G. S R M

BOOK 41

from which  
A Yellow Pine 30 ins diam  
lean S 59° E 11 lbs dist.  
marked 1/4 S. B. T.

No other tree within limits

79.75 The box to Ches 27-25-  
33 + 34

Land rolling & broken  
Soil 2nd & 3rd rate  
Timber Pine Fir Hem-  
lock & aspen

✓ Undergrowth same  
& Birch grass

T6 N R 27 E G + S R M

## BOOK 41

Shut on random line be-  
tween Sec 28 + 33

Var  $14^{\circ} 23' E$

2783 Intersect East By of White  
Mountain Indian Res-  
ervation 16 lbs North of  
Corto Frae Sec 28 + 33 previously set  
by me from which Cor  
Draw

$N 89^{\circ} 40' E$  on true line be-  
tween Frae Sec 28 + 33

Var  $14^{\circ} 23' E$

2783 The Cor to Sec 28-27-33 + 34

Larus montaninus

Soil 3rd rate

Timber Pine Oak aspen  
+ Hemlock

Undergrowth same +

✓ Bunch grass

T6 N R 27 E G. SRM

BOOK 41

North bet Sur 27 + 28  
Var 14° 23' E

Around

27.00 Top of ridge bear S50° E  
+ ascend

40.00 To a fir tree 10 mi diam  
which I marked 1/4 S on  
W face for 1/4 Sur Cr from  
which bear

A fir 10 mi diam N12° E  
23 lbs dist marked 1/4 R 37

No other tree within limits

59.25 Cross creek 8 lbs wide  
course N80° E + around

80.00 To a fir tree 10 mi diam  
for Cr to Sur 21-22-27+28  
marked T6 N S 22 m N E  
R 37 E S 27 m S E S 28 m  
S W + S 21 m N W face  
with 2 notches on S

T &amp; W R 27 E G + SRM

BOOK 41

3 on E side and raised  
 mound of stone around  
 tree Pit impracticable  
 Lava mountainous  
 Soil 2nd & 3rd rate  
 Heavy timber pine & Fir  
 Undergrowth same &  
 Branchgrass

East on random line  
 bet Sec 22 + 27  
 Var  $14^{\circ} 23'$

Demond

- 29.00 Cross creek 10 Mks wide  
 course N  $50^{\circ}$  E & around  
 40.00 Set temporary  $\frac{1}{4}$  Sec Cor  
 60.00 Cross same course S. E.  
 79.97 Intersect N & S line 50  
 Mks. N of Cor to Sec 22-

T. N. R. 27 E. G. & S. R. M.

BOOK 41

23-26 & 27 from which  
 for Iron

N 89° 39' W on true line  
 for Sur 22 & 27

Var 14° 23' E

3990 Set post 3 ft long 3 in  
 diam with marked  
 stone 12 in in the ground  
 for  $\frac{1}{4}$  Sur for marked  
 $\frac{1}{4}$  S on N face dug pit  
 15 x 18 x 12 in E & W of  
 post 5  $\frac{1}{2}$  ft dirt and  
 raised mound of earth  
 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft base  
 around post Iron  
 which

A pri 20 in diam bare  
 S 61° E 19 lbs dirt  
 marked  $\frac{1}{4}$  S. B. I.

✓ ~~As~~ other tree within limits

T 6 N R 27 E G - SRM

BOOK 41

99.97

The Cor to Sec 21-22-27+28  
 Liana rolling  
 Soil 2nd rate  
 Timber Pine Fir + Oak  
 Undergrowth same  
 ✓ Bludgrass

West on ranam line  
 bet Sec 21 + 28  
 Var  $14^{\circ} 23' E$

27.59

Intersect E By of W. M  
 Indian near station 27  
 the north of Cor to Fran  
 Sec 21 + 28 previously  
 set by me from Indian  
 Cor & run  
 $N 89^{\circ} 26' E$  on true line  
 bet Sec 21 + 28  
 ✓ Var  $14^{\circ} 23' E$

T<sub>2</sub> N Q 27 E G + SRM

BOOK 41

✓ 2759 Cor to Sec 21-22-27 & 28  
 Land mountainous  
 Soil 3rd rate  
 Heavy timber Pine spruce  
 Undergrowth same  
 ✓ Brunch grass

North bet Sec 21 & 22  
 Var 14° 23' E  
 Area over rolling land  
 31.00 Top of spur back E +  
 descend  
 40.00 Set post 3 ft long 3 mi  
 diam with marked  
 stone 12 mi mi the  
 ground for 1/4 Sec Cor  
 marked 1/4 Sec W face  
 dug pit 15 x 15 x 12 mi

T 6 N R 27 E G - SRM

BOOK 41

N & S of post  $5\frac{1}{2}$  ft dist  
and raised mound of  
earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
base around post  
from which

A fir 12 mi diam base  
N  $20^{\circ}$  E 46 lbs dist  
marked 74 S. B. T.

No other tree within limits

54.00 Cross creek 10 lbs wide  
course S  $45^{\circ}$  E & across  
abruptly

80.00 Set post 4 ft long 4 mi  
square with marked  
stone 12 mi in the  
ground fir box to Sec  
15-16-21 & 22 marked  
T 6 N S 15 m N E R 27 E  
S 22 m S E S 21 m S W  
& S 16 m N W face with

T<sub>6</sub> N Q 27 E Gr. SRM

BOOK 41

3 notches on S - 3 on E  
 page aug pit 15 x 18 x 12 in  
 in each see 5 1/2 fruit  
 and raised mound  
 of earth 2 ft high 4 1/2 ft  
 base around post  
 from which

Agaveking Asp 10 mi diam  
 bears N 33° E 49 the dist  
 marked T<sub>6</sub> N Q 27 E S 1/2 B.

No other trees within limits  
 Land mountainous

Soil 2nd + 3rd rate  
 Timber Pine Fir Oak  
 + Aspen

Undergrowth same  
 + bunch grass

July 28 - 1853

## To N R 27 E G &amp; S R M

BOOK 41

East on random line  
bet Sec 15 + 22Var  $14^{\circ} 23' E$ 

Asund

40.00 Set temporary  $\frac{1}{4}$  Sec Cor80.27 Intersect N & S line 16  
the north of Cor to Sec  
14-15-22 + 23 from which  
Cor I runN  $89^{\circ} 53' W$  on true line  
bet Sec 15 + 22Var  $14^{\circ} 23' E$ 40.14 Set sandstone  $12 \times 10 \times 3$  mi5 mi in the ground for  
 $\frac{1}{4}$  Sec Cor marked  $\frac{1}{4}$   
on N face and raised  
mound of stone alongside  
Pole impracticable

80.27 The Cor to Sec 15-16-21+22

Landmountains

T6 N R 27 E G + SRM

BOOK 41

Sol 2nd & 3rd rate  
 Timber Pine Fir & Aspens  
 Undergrowth same &  
 ✓ Bunch grass

West on rawdani line be-  
 tween Sec 16 & 21

Var  $14^{\circ} 23' E$ 

2746 Intersect E By of White  
 Mountain Indian  
 Reservation 5 lks South  
 of Co to Frae Sec 16 + 21  
 previously set by me  
 from which Co Iron  
 $89^{\circ} <sup>42</sup> ~~54~~ E$  on true line  
 bet Sec 16 + 21

Var  $14^{\circ} 23' E$ 

2746 The Cor to Sec 15-16-21+22

T6 N R 27 E G. SRM

## BOOK 41

Lana rolling  
 Soil 2nd & Bra rate  
 Timber Pine & Fir  
 Undergrowth same &  
 Branch grass

North vet Dec 15 + 16  
 Var 14° 23' E

Arund

40.00 To a fir 18 mi diam which  
 I marked 1/4 S on W face  
 for 1/4 Sec Cor from which  
 bears

A fir 18 mi diam bears  
 N 20° E 47 lbs dist  
 marked 1/4 S B T

42.00 No other tree within limits  
 Top of divide bears 60°  
 E + descend

T6 N R 27 E G. SRM

BOOK 41

80.00 Set post 4 ft long 4 in  
square with marked  
stone 12 in in the ground  
for Cor to Sec 9-10-15+16  
marked T6 N S10 on  
N E R 27 E S15 on SE  
S16 on SW & S9 on NW  
faces with 4 notches on  
S & 3 on E edge aug  
pit 15 x 15 x 12 in in  
each cu 5 1/2 ft dist  
and raised mound of  
earth 2 ft high 4 1/2 ft  
base around post  
A fir 14 in diam bears  
S 87° W 15 lbs dist marked  
T6 N R 27 E S16 B.T.  
No other trees within  
limit

Land rough & rolling

T6 N R27 E GWS R M

BOOK 41

Soil 2nd & 3rd rate  
 Timber Fir Pine & Aspen  
 Undergrowth same +  
 Bluegrass

East on random line  
 bet Sec 10 + 15

Var  $14^{\circ} 23' E$

Quand

15.00 Point of spur falls North  
 40.00 Set temporary 1/4 Sec cor  
 quand

52.00 Cross random course N.  
 + quand

80.07 Intersect N + S line  
 10 lbs South of Cor to Sec  
 10-11-14 + 15 from which  
 Cor I run

T6 W R 27 E G + SRM

BOOK 41

N 89° 56' W on true line  
ber Sus 10 + 15

Var 14° 23' E

40.04

Set post 3 ft long 3 in  
diam with marked  
stone 12 in in the  
ground for 1/4 Sec Cor  
marked 1/4 Sec N  
fall aug pit 15 x 15 x  
12 in E + W of post 5 1/2  
ft dist and raised  
mound of earth 1 1/2 ft  
high 3 1/2 ft base around  
post from which  
a quaking asp 10 mi  
diam bears N 3° E 27  
lbs dist marked 1/4 S.B.T.  
no other tree within limits

80.07

The Cor to Sus 10-9-15

1/6

T 6 N R 27 E G 1 S R M

BOOK 41

Land high & rolling  
 Soil 2nd & 3rd rate  
 Timber Pine & Fir  
 Undergrowth same &  
 Bluegrass

T<sub>6</sub> N Q 27 E G. S. E. M

BOOK 41

North 1st Sec 9 & 10  
Var 14° 23' E

Deemed

- 36.75 Cross creek 6 lks wide  
course N 80° E & ascend
- 40.00 To a fir tree 10 mi diam  
which I marked a 1/4 S  
on W face for 1/4 Sec Cor  
from which bear  
a fir 10 mi diam S 80° E  
1 1/2 lks dist marked 1/4  
S. B. T. No other tree within  
limits
- 80.00 Set post 4 ft long 4 mi  
square with marked  
stone 12 mi in the ground  
for Cor to Sec 9-10-9-10  
marked T<sub>6</sub> N S on  
N E Q 27 E S on S E  
S on S W & S on N W

T6 N R 27 E G + SRM

BOOK 41

fall with 5 notches on  
 St. 3 on E edge aug  
 pits 15 x 15 x 12 mi mi  
 each see 5 $\frac{1}{2}$  fr dist +  
 raised mound of earth  
 2 fr high 4 $\frac{1}{2}$  fr base  
 mound just from white  
 bear a fri 12 mi diam  
 N45°W 93 lbs; dist  
 marked T6 N R 27 E S4  
 B.T. No other trees within  
 limits  
 Land rough & rolling  
 Soil 3rd rate  
 Heavy timber Pmi +  
 Fri + Aspen  
 Undergrowth same +  
 ✓ Bromegrass

T6 N R 27 E - G. SRM

BOOK 41

East on random line  
bet Sec 3 + 10  
Var  $14^{\circ} 23' E$

Quenda

35.20 Cross creek 6 lbs wide  
course  $N 30^{\circ} E$  + annual

40.00 Set temporary  $\frac{1}{4}$  Sec Cor

79.63 Intersect N & S line  
20 lbs South of Cor to  
Sec 2-3-10 & 11 from which  
Cor I run

$S 89^{\circ} 45' W$  on true line  
bet Sec 3 + 10

Var  $14^{\circ} 23' E$

39.72 Set sandstone  $15 \times 12 \times 7$   
mi 12 mi mi the ground  
for  $\frac{1}{4}$  Sec Cor marked  
 $\frac{1}{4}$  on N face and a random  
mound of stone along  
side. Path impracticable

S 6 N R 27 E G. S R M

BOOK 41

79.63 The Cor to Sec 3-4-9+10  
 Land rolling broken  
 Soil 2nd & 3rd rate  
 Timber Pine Fir & Aspen  
 Undergrowth same  
 ✓ Bushygrass

North on random line  
 bet Sec 3 & 4

Var 14° 23' E

Acena

40.00 Set temporary 1/4 Sec Cor

79.93 Interest N. By of Sp  
 14 lbs E of Cor to Sec  
 4-5-32 & 33 previously  
 set by me from which  
 Cor I run

S 8' E on true line be-

To W. R. 27 E. G. & S. R. M.

BOOK 41

Two Sec 3 & 4

Var 14° 26" E

89.93

Set post 3 ft long 3 in diam with marked stone 12 in in the ground for 1/4 Sec E marked. 1/4 S on W face dug pit 18 x 12 in N. & S of post 5 1/2 ft and 5 in dia mound of earth 1 1/2 ft high 3 1/2 ft base around post

79.93

Cor. to Sec 3-4-9 & 10  
Land maintenance  
Soil 3rd rate  
Timber Pine Fir & Oak  
Undergo with same & Bruckey use I carefully examined the adjustments of my solar compass today particularly the latitude & evening apparent formation correct  
July 30 - 1853

T6 N R 27 E G+ SR M

## BOOK 41

Nest on true line bet  
Secs 9+16

Var  $14^{\circ} 23' E$

40.00 Along north slope of divide  
Set post 3 ft high 3 mi  
diam with marked stone  
12 mi in the ground for  
 $\frac{1}{4}$  Sec Co marked  $\frac{1}{4}$   
Sec N face aug pits  $15 \times 8 \times$   
12 mi E + W of post  $5\frac{1}{2}$  ft  
dirt raised mound of  
earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
base around post  
from which

A Yellow pine 22 mi diam  
base  $S 38^{\circ} E$  64 lbs dirt  
marked  $\frac{1}{4}$  S.B.T.

80.00 Another tree within limits  
Set lava stone  $14 \times 12 \times 5$  mi  
9 mi in the ground for

T. N. R. 27 E. G. S. R. M.

BOOK 41

Cor to Sus 5-9-16 + 17  
 marked with 4 notes in  
 S + 4 on Esage and a  
 parcel in name of some  
 alurgie. Pti imprati-  
 cable

Lana mountain

1. Soil 3rd rate

Timber Pine Fir + Oak

Undergrowth same

✓ + Blue de grass

T6 N R27 E G + SRM

BOOK 41

Soth on random line  
bet Sec 16 + 17

Var  $14^{\circ} 23' E$

33/8 Interest North By of White  
Mountain Indian Reser-  
vation 11 lks E of Cor to Frae  
Sec 16 + 17 previously  
set by me from which  
Cor I run

201' E on true line bet  
Sec 16 + 17

Var  $14^{\circ} 23' E$

33/8 Cor to Sec 5-9-16 + 17

*Luzula montanorum*  
Soil 3rd rate

*Amelanchier* *Prunifolia* *Fraxinus*

Undergrowth same +

Brunchgrass

T6 N R 27 E G. S R M

BOOK 41

North bet Sec 7 &amp; 9

Var 14' 23' E

Dunning

14.00 Cross narrow curve N E  
& around40.00 Set sandstone 16 x 11 x 8  
mi 11 mi in the ground  
for 1/4 Sec Cor marked  
1/4 on N face and raised  
mound of stone along  
side Pit impracticable52.00 Top of ridge bears N 40 E  
& S 65 W & around50.00 Set sandstone 16 x 9 x 7 mi  
mi 11 mi in the ground  
for Cor to Sec 4-5-8-9  
marked with 5 white  
on S. 4 on E edge  
and raised mound  
of stone along side Pit

T 6 N R 27 E G. S R M

## BOOK 41

impracticable from white  
 Ash 16 mi diam bears

N 30° E 55 lbs ash  
 marked T 6 N R 31 E S 4

R. T. : No other trees within  
 limits

Lands mountainous

Soil 3rd rate

Heavy timber Pine Fir  
 + Oak

Lumber growth of same

+ Bruch grass

T 6 N R 27 E G. S. R. M.

BOOK 41

East on random line  
bet Sec 4 + 9  
Var 14° 23' E

Resurveying

40.00 Set temporary 1/4 Sec Cor

80.14 Interest N & S line  
15 lbs South of Cor to  
Sec 3-4-9-10 from  
which Cor I run

89° 54' W on true line  
bet Sec 4 + 9

Var 14° 23' E

40.07 Set sandstone 16 x 12 x 5 in  
11 mi in the ground for 1/4  
Sec Cor marked 1/4 on  
N face and raised  
mound of stone along  
side. Pit impracticable

Afri 14 mi diam N 28 W

✓ 62 lbs dist marked 1/4 S.P.T.

T 6 N R 27 E G 7 S R M

BOOK 41

No other tree within limits  
 80.14 Cor to Sec 4-5-8+9  
 Land high rough & rolling  
 Soil 2nd & 3rd rate  
 Timber Pine Fir & Oak  
 Undergrowth various &  
 Brush grass

To N R 27 E G - S R M

BOOK 41

North on random line  
bet Sur 4 & 5

Var  $14^{\circ} 23' E$

Desund

15.00 Cross branch of Colorado  
River 13 lbs. radii course  
North  $70^{\circ} E$  + around

40.00 Set temporary 1/4 Sur Cor

50.00 Top of ridge bear N E  
+ around

80.30 Intersect North By of Top  
30 lbs West of Cor to Sur

i. 4-5-32 & 33 previously  
cut by me from white  
Cor & mine

Set N on true line bet  
Sur 4 & 5

Var  $14^{\circ} 26' E$

40.30 Set sandstone  $17 \times 10 \times 4$   
ms 12 ms in the ground

Q T6 N R 27 E G - SR M

BOOK 41

for 1/4 Sec Cor marked  
1/4 Sec W face and  
rapid mound of stone  
along side Pth imprac-  
tiable

A Yellow pine 10 mi down  
bars S 45 W 8 4 lbs dirt  
marked 1/4 S B T.

As other tree within limits  
80.30 Cor to Sec 4-5-8+9

Lana mountain

Oil Bra gate

Timber Pine & Fir

Undergrowth same &

Bruckgrass

To N R 27 E G + SR M

BOOK 41

West on true line bet Sec  
5 & 17

Var 14° 23' E

Over broken land

40.00 Set sandstone 16 x 5 x 5  
mi 11 mi in the ground  
for 1/4 Sec Cor marked  
1/4 Cor N face and raised  
mound of stone along  
side. Pits impracticable  
A fri 11 mi across bears  
S 45 W 18 like unit marked  
1/4 S.B.T. No other tree  
within limits

58.00 Top of ridge bears N 30 E  
& across

50.00 Set sandstone 14 x 12 x 6  
mi 9 mi in the ground  
for Cor to Sec 7-5-17-18  
marked with 4 notches

T6 N R 27 E G + SRM

BOOK 41

m S 5 m E edge and  
raised mound of stone  
alongside Pk impracticable  
cable

Lana montaniana

Soil 3rd rate

Timber Pine & Fir

Undergrowth same &

Brush grass

South on random line  
bet Sec 17 & 18

Var 14' 23' E

Secund

33.61 Interest North By. of White  
mountain Indian Reserva-  
tion 17 lks West of Co to frac-  
sur 17 & 18 as previously  
set by me from which Co

T6 N R 27 E 4 + S R M

BOOK 41

Spruce

N 17 W on true line bet

Sec 17 - 15

Var 14° 23' E

33,61

Cor to Sec 7-5-17-15

Lana montanum

Soil 3rd rate

Timber Pine Fir Oak

Undergrowth same -

Bunchgrass

July 31st 1853

## T6 N R27 E G + SRM

BOOK 41

Went on random line  
bet Sec 15 + 17

Var  $14^{\circ} 23' E$

Discovered very rough  
+ rocky land along  
North slope

40.00 Set temporary  $\frac{1}{4}$  Sec Cor

79.68 Intersect W. By of Twp 44  
the North of Cor to Sec  
7-12-13 + 15 previously  
set by me from which  
Cor I run

N  $89^{\circ} 41' E$  on true line  
bet Sec 7 + 15

Var  $14' 23' E$

39.68 Set sawstone  $14 \times 10 \times 5$  mi  
9 mi in the ground for  
 $\frac{1}{4}$  Sec Cor marked  $\frac{1}{4}$  on  
N face and raised mound  
of stone along side. Pith

T6 N R 27 E G 7 SRM

BOOK

unpracticable from which  
 a fir 9 mi diam bears  
 N 19° E 22 lbs dist marked  
 1/4 S.P.T. No other tree  
 within limits

79.68 Cox to Sec 7-8-17-15

Larva mountainous

Soil 3rd rate

Ember pine Oak &amp; Fir

Undergrowth cane &amp;

Brush grass

## T B N R 27 E G. S R M

BOOK 41

North lot Sec 7 &amp; 8

Var  $14^{\circ} 23' E$ 

Describing

40.00

Set sandstone  $16 \times 11 \times 5$  mi  
 11 mi in the ground for  
 $\frac{1}{4}$  Sec Cor marked  $\frac{1}{4}$  on  
 W face and raised mound  
 of stone along side. Path  
 impracticable from which  
 a fri 8 mi down bears  $N 18^{\circ} E$   
 40 lbs dist marked  $\frac{1}{4}$  S. B. T.  
 No other tree within limits

50.00

Cross ranch of Colorado  
 River 12 lbs radii corner  
 $N 80^{\circ} E$  & around

80.00

Set sandstone  $12 \times 12 \times 4$  mi  
 8 mi in the ground for  
 Cor to Sec 5-6-7 & 8 marked  
 with 5 notches on  $S 5$  on E  
 edge and raised mound

T6 N R 27 E G. SR M  
BOOK 41

of stem along side Oak  
impracticable from which  
Apr 12 mi diam bears  
N 30 W 56 lbs dirt marked  
T6 N R 27 E S 6 B. T.

Apr 8 mi diam bears N 16 E  
15 lbs dirt marked T6 N  
R 27 E S 5 B. T.

In other tree within limits  
Land mountains  
Oct 3rd rate

Timber Pine fir + Oak  
Undergrowth same  
+ Bunchgrass

T. N. R. 27 E. G. S. R. M.

BOOK 41

East on railroad line  
 per Sur 5 & 8  
 Var  $14^{\circ} 23'$

Deemed

40.00. Set temporary  $\frac{1}{4}$  Sec Cor  
 45.00 Cross Branch of Colorado  
 River 13 lbs wide course  
 N E & around  
 80.36 Interest N & S line 45  
 lbs South of Cor to Sur  
 8-9-~~45~~<sup>45</sup> from which  
 Cor S run  
 S  $89^{\circ} 39'$  W on true line  
 per Sur 5 & 8

Var  $14^{\circ} 23' E$

40.15 Set post 3 ft long 3 mi  
 diam with marked  
 stone 12 mi in the  
 ground for  $\frac{1}{4}$  Sec Cor  
 make a  $\frac{1}{4}$  Cor N face

T6 N R 27 E G- SRM

BOOK 41

avg plot 18 x 15 x 12 mi E-  
 W of post 5 1/2 ft soil and  
 raised mound of earth  
 1 1/2 ft high 3 1/2 ft base  
 around post

80.36 Co. to Chas 5-6-78

Land mountain

Set 2nd rate

Timber Pine fir - oak

Undergrowth same

Bunchgrass

T. N. R. 27 E. G. 7 S. R. M.  
BOOK 41

West on railroad line  
bet Sec 6 + 7

Var  $14^{\circ} 23' E$

Remaining

16.00 Top of ridge beam  $N 70^{\circ} E$   
+ around

40.00 Set temporary  $\frac{1}{4}$  Sec Cor

65.00 Cross creek course  $N 50^{\circ} E$   
+ around

79.41 Intersect W. By of Tp 5th  
North of Cor 8 Sec 6-7-1\*  
It previously set by me  
from which Cor 8 runs  
 $N 89^{\circ} 57' E$  on true line  
bet Sec 6 + 7

Var  $14^{\circ} 23' E$

39.41 Set sand stone  $14 \times 11 \times 9$  mi  
9 mi in the ground for  
 $\frac{1}{4}$  Sec Cor marked  $\frac{1}{4}$  on N  
fall and raised mound

T6 N R 27 E G7 SRM

BOOK 41

of stum along road Pk  
impracticable

Apr 12 mi diam bears  
N 15° E 36 lbs amt  
marked 1/4 S.B. T.

No other trees within limits

7941 The Co to Sec 5-6-7 & 8

Land mountain

Soil 2nd rate

Timber Pmi + Fir

Undergrowth same

Bunchgrass

T6 N R 27 E G. SRM

BOOK 41

North on random line  
bet Sec 5 + 6Var  $14^{\circ} 23' E$ 

Pound

8.00 Top of ridge bears N  $60^{\circ} E$   
+ ground40.00 Set temporary  $1/4$  Sec Cor63.00 Cross creek corner N  $30^{\circ} E$   
+ ground80.11 Interset N. By of Trp 57  
the West of Cor to Sec 5-6-  
31 + 32 previously set by  
me from white Cor @  
pm@ 24' Non true line bet  
Sec 5 + 6Var  $14^{\circ} 26' E$ 40.11 Set sandstone  $14 \times 12 \times 8$  in  
9 mi in the ground for  
✓  $1/4$  Sec Cor marked  $1/4$

T6 N R 27 E G &amp; S R M

BOOK 41

on N fall an a rapid  
 ground of stone along side  
 Out impracticable  
 Yellow pine 14 mi across  
 bears S 9° W 42 lbs ant  
 marked 1/4 S. B. T.

No other trees within limits

80.11

The Cor to Sun 5-6-70 8

Land rolling & broken

Soil 2nd rate

Timber Pine fir

Manure growth cane &

Bunchgrass

Carefully examined the adjust-  
 ments of my Solar Compass

Today particularly the latitude

measuring apparatus found

them correct

Aug 1st 1853

## General Description

This Fractional Township is a fine body of high rolling and mountainous land containing a very considerable area of excellent prairie & table land.

The soil is a rich dark loam adapted to agriculture where there is not too much stone formation which consists of sandstone granite Basalt &c &c

There is indication of the presence of copper and the more precious minerals in this Tp.

The growth of timber is plentiful and consists of Lumber Pine and Hemlock fir Quaking asp Oak Cedar.

It is traversed in all directions with magnificent spring prairies in which trout and other fine fish abound.

Its grazing facilities are unsurpassed.

It is accessible with common transportation.

For final oaths see book 18.

U. S. Surveyor General's Office,

Tucson, Arizona, June 16. 1884

The foregoing Field Notes of the Survey of the

Subdivision Lines of  
Township 6 North  
Range 27 East

Of the Gila and Salt River Base and Meridian, Arizona, execu-

ted by W. R. Fitzgerald

Deputy Surveyor, under his contract of the 22<sup>nd</sup>

day of July, 1882 having been

critically examined and the necessary corrections and explana-

tions made, the said Field Notes and the surveys they describe

are hereby approved

Royal Johnson  
Surveyor General.

