

*Platted*

~~Book No.~~

Deputy Surveyor.

**T. R.**

Gila and Salt River Meridian.

*No. 42*

# Field Notes

OF

THE SUBDIVISION LINES OF

Township *C N* Range *8 E*

Gila and Salt River Meridian.

BY

Deputy Surveyor.

Under his Contract of *July 22* 188*7*

Survey Commenced *July 10* 188*3*

Survey Completed *July 24* 188*3*

**42**

*Amayed*

*Platted,  
Copied for Washington,  
Copied for Register,*

*No. 42*

A. J. LEARY,  
Printer, Publisher and Stationer,  
402-404 Sansome Street, S. F.

1  
W. R. Fitzgerald Deputy Surveyor.

T. C. N. R. 25 E.

Gila and Salt River Meridian.

No 42  
**Field Notes**

OF

THE SUBDIVISION LINES OF

Township C. N. Range 25 E.

Gila and Salt River Meridian.

BY

W. R. Fitzgerald Deputy Surveyor.

Under his Contract of July 22 1882

Survey Commenced July 10 1883

Survey Completed July 24 1883

Platted,  
Copied for Washington,  
Copied for Register,

---

A. J. LEARY,  
Printer, Publisher and Stationer,  
402-404 Sansome Street, S. F.

1A

OWNS

Township 6 North, Range 28 East,

Gila and Salt River Basal Meridian.

INDEX.

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

O.K.

Township..... Range.....

..... Meridian.

No 42-

For preliminary notes  
see book No. 71 -

Survey made with Burt's Patent Improved Solar  
Compass, nearly new, and in first rate order. Made

by Otto Fennel of Cassel  
Germany in 1881

1C

Township BOOK 42 Range 98 E

(See previous page.)

Gila and Salt River Meridian.

Chains

From the Corner to Sections 1, 2, 35 & 36 on the South boundary previously set by me.  
I run

North, between Sections 35 and 36.

Variation 11° 21' East.

Descend.

40.00

Set a round stone 12 x 8 x 5 ins., 8 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N face, and raised a mound of stone alongside. Pits impracticable. from which  
A Yellow Pine 18 ins diam. bears N. 81° E. 6 lks. dist. marked  $\frac{1}{4}$  S. B. T. No other trees within limits.

75.00

Cross Wash, 1 lks. wide, Course 150° E. and 100 f.

80.00

Set a round stone 16 x 10 x 8 ins. 15 ins. in the ground for Cor. to Secs. 25, 26, 27 & 30 marked with 1 notch on S. and 1 notch on E. edges and raised a mound of stone alongside. Pits impracticable. from which  
A Yellow Pine 16 ins diam. bears S. 53° E. 10 lks. dist. marked T. & N. R. 28 E. S., 34 B. T.  
A Yellow Pine 15 ins diam. bears N. 45° E. 21 lks. dist. marked T. & N. R. 28 E. S., 26 B. T.  
No other trees within limits.

Land rolling.

Soil 2<sup>nd</sup> rate

Timber of juniper, oak & hemlock.

Vegetation. grass.

Gila and Salt River Meridian.

Chains East, on a random line between Sections 25 and 26.  
Variation 111° 21' East.

*Along S. slope.*

40.00 Set temporary  $\frac{1}{2}$  Sec. Cor.

54.00 Cross Creek  $\frac{1}{2}$  lks. wide. Course S.

80.00 Intersect  $\odot$  B. of Tp.  $2\frac{1}{2}$  lks. N. of cor. to secs.  
*previously set by me.*  
25, 30, 35, 40 from which corner, I run

N.  $87^{\circ} 41'$  W. on a true line, between sections 25 & 30

Variation 111° 18' East.

112.00 Set a post 3 ft. long, 3 ins. diam. with marked stone  
12 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  S. on  
N. face, dug pits, 18 x 18 x 12 ins., E. and W. of  
post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
high,  $3\frac{1}{2}$  ft. base around post. from which  
a Yellow Pine 10 ins diam. bears N.  $16\frac{1}{2}$  W. 80 lks. dist.  
marked  $\frac{1}{2}$  S. B. T. No other trees within limits.

80.00 The corner to sections 25, 30, 35 & 40  
land rolling.

Soil  $2^{\text{nd}}$  &  $3^{\text{rd}}$  rate

Timber of *pine fir, oak & hemlock*

Vegetation *grass*

Township

Range

Gila and Salt River Meridian.

Chains

North, between Sections 25 and 26.

Variation

111° 31'

East.

*Ascend.*

40.00

Set a Sand-stone 21 x 20 x 18 ins., 18 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on face, and raised a mound of stone alongside. Pits impracticable.

from which

A Yellow Pine 20 ins diam. bears N. 39° E. 18 lks. dist. marked  $\frac{1}{4}$  S. B. T. No other trees within limits.

43.00

Top of Ridge, bears S. 80° E. N. 50° W. and descend.

80.00

Set a Sand stone 21 x 20 x 10 ins. 18 ins. in the ground for Cor. to Secs. 22, 24, 25, 26 marked with 2 notches on S. and 1 notch on E. edges and raised a mound of stone alongside. Pits impracticable.

from which

A Fir 10 ins. diam. bears S. 70° E. 26 lks. dist. marked  $\frac{1}{4}$  S. B. T. No other trees within limits.

Land mountainous

Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate

Timber of Ferris fir, oak &amp; hemlock

Vegetation. grass.

Township 0 N Range 28 E

BOOK 42

Gila and Salt River Meridian.

Chains East, on a random line between Sections 24 and 25.  
Variation 11° 21' East.

Descend along N. slope.

40.00 Set temporary  $\frac{1}{2}$  Sec. Cor.

72.00 Cross Creek 11 lks. wide, Course S. 0 and ascend.

77.83 Intersect 0 B. of Tp. 51 lks. N. of cor. to secs. previously set by me. from which corner, I run

N. 89° 38' W. on a true line, between sections 24 & 25

Variation 11° 18' East.

37.01 Set a level stone 18 x 12 x 2 ins., 12 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  on N. face, and raised a mound of stone alongside. Pits

impracticable. from which

A Yellow Pine 10 ins diam. bears N. 21° E. 69 lks. dist. marked  $\frac{1}{2}$  S. B. T. No other trees within limits.

79.83 The corner to sections 23, 24, 25 & 26

Land mountainous

Soil st. rate

Timber of pine, fir, aspen etc.

Vegetation grass.



Township 0 N. Range 28 E.

Gila and Salt River Meridian.

Chains

North, between Sections 23 and 24.

Variation 11° 21' East.

Descend.

40.00

Set a Sand stone 24 x 20 x 10 ins., 15  
ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  on N.  
face, and raised a mound of stone alongside. Pits  
impracticable.

A Yellow Pine 12 ins diam. bears N. 5° W. 18 lbs. dist.  
marked  $\frac{1}{2}$  S. B. T.; No other trees within limits.

80.00

Set a Sand stone 20 x 20 x 6 ins. 10 ins. in  
the ground for Cor. to Secs. 1° 11. 23 x 24 marked  
with 2 notches on S. and 1 notch on E. edges and  
raised a mound of stone alongside. Pits impracticable.

Land mountainous

Soil 2<sup>nd</sup> rate

Timber of pine, fir & hemlock.

Vegetation. grass.

Township 01 N Range 28 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 13 and 24.

Variation 141° 21' East.

Descend.

40.00 Set temporary 1/2 Sec. Cor.

77497 Intersect C. B. of Tp. 22 1/2 lks. N. of cor. to secs. previously set by me.

13. 18. 19. 21 from which corner, I run

N. 89° 31' W. on a true line, between sections 13 & 21

Variation 141° 18' East.

2408 Set a small stone 13 x 12 x 6 ins., 10

ins. in the ground, for 1/2 Sec. Cor., marked 1/2 on N.

face, and raised a mound of stone alongside. Pits

unpracticable.

77997 The corner to sections 13, 14, 23 & 21

Land rolling.

Soil 1st & 2nd rate

Vegetation grass.

Gila and Salt River Meridian.

Chains

North, between Sections 13 and 14.

Variation 14° 21' East.

*Descend.*

14.00  
46.00

Cross Creek 11 lks. wide, Course S 80° E and ascend.  
Set a Sand stone 20 x 12 x 8 ins., 15  
ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  on W  
face, and raised a mound of stone alongside. Pits  
impracticable.

80.00

Set a Sand stone 11 x 16 x 8 ins. 16 ins. in  
the ground for Cor. to Secs. 11, 12, 13 & 14, marked  
with + notch 2' on S. and 1 notch on E. edges and  
raised a mound of stone alongside. Pits impracticable.

*Land rolling.*

*Soil 9<sup>in</sup> & 3<sup>in</sup> rate*

*Vegetation grass.*

July 16. 1883

Township C. N. Range 95. E.

**BOOK 42**  
Gila and Salt River Meridian.

Chains

East, on a random line between Sections 12 and 13.

Variation  $11^{\circ} 21'$  East.

Ascend. along S. slope.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

80.11 Intersect C. B. of Tp. 5 lks. N. of cor. to secs.

$12^{\circ} 13'$  &  $13'$  from which corner, I run

$N. 89^{\circ} 07' W.$  on a true line, between sections 12 & 13

Variation  $11^{\circ} 18'$  East.

100.0 Set a limestone stone  $11 \times 13 \times 7$  ins., 10

ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N.

line, and raised a mound of stone alongside. Pits

unpracticable.

from which

a Yellow Pine  $11$  ins diam. bears N. 25 $^{\circ}$  E.  $2\frac{1}{2}$  lks. dist.

marked  $\frac{1}{4}$  S. B. T.

No other trees within limits.

80.11 The corner to sections 11. E. 13 & 11

Land mountainous

Soil  $2^{\text{nd}}$  &  $3^{\text{rd}}$  rate

Timber of pine, yellow, oak & cedar

Vegetation grass.

Township

0 N

Range

28 E

## BOOK 42 Gila and Salt River Meridian.

Chains

North, between Sections 11 and 12.

Variation

11° 21'

East.

Along N. stake.

40.00

Set a Sand stone  $12 \times 8 \times 4$  ins., 5  
 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N.  
 face, and raised a mound of stone alongside. Pits  
 impracticable.

from which

A Yellow Pine  $6$  in diam. bears N. 57° E. 24 lks. dist.  
 marked  $\frac{1}{4}$  S. B. T. No other trees within limits.

80.00

Set a Sand stone  $11 \times 10 \times 3$  ins. / 5 ins. in  
 the ground for Cor. to Secs. 1. 3. 11 x 10 marked  
 with 6 notches on S. and 1 notch on E. edges and  
 raised a mound of stone alongside. Pits impracticable.

Land rolling.

Soil  $2^{\text{nd}}$  &  $3^{\text{rd}}$  rate

Timber of

Pine, fir &amp; oak

Vegetation.

Grass,

Township 6 N Range 28 E

Gila and Salt River Meridian. **BOOK 42**

Chains

East, on a random line between Sections 1 and 12.

Variation 11° 21' East.

Ascend.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

74.76 Intersect C. B. of Tp. 19 N. of cor. to secs.   
 previously set by me.   
 I. C.  $\frac{1}{2}$  x  $\frac{1}{2}$  from which corner, I run

1.87° 32' on a true line, between sections 1 & 12

Variation 11° 19' East.

24.88 Set a wood stone 16 x 1 x 3 ins.   
 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N.   
 face, and raised a mound of stone alongside. Pits   
 impracticable.

29.76 The corner to sections 1, 2, 11, & 12   
 land rolling.

Soil 2nd & 3rd rate

Timber of pine, fir, oak & juniper   
 Vegetation yellow.

Township 0 N Range 28 E

2 Gila and Salt River Meridian.

BOOK

Chains

North, on a random line between Sections 1 and 2.

Variation 111° 21' East.

Ascend.

40.00 Set temporary 1/4 Sec. Cor.

79.48 Intersect N.B. of T.P. 9 1/2 mls. E. of cor. to secs. 12, 13 & 34 previously set by me. from which corner, I run 1.21' E. on a true line, between sections 1 & 2

Variation 111° 21' East.

39.48 Set a small stone 12 x 10 x 6 ins., 5 ins. in the ground, for 1/4 Sec. Cor., marked 1/4 on N. face, and raised a mound of stone alongside. Pits impracticable.

from which

A Yellow Pine 20 ins diam. bears N. 41° E. 30 mls. dist. marked 1/4 S. B. T. No other trees within limits.

79.48 The corner to sections 1, 2, 11 & 12

Land rolling.

Soil 2nd & 3rd rats

Timber of pine, fir & oak.

Vegetation. grass.

Township 6 N Range 28 E

Gila and Salt River Meridian. **BOOK**

Chains From the Corner to Sections 2, 3, 34 & 35 on the South boundary  
*previously set by me.*  
I run

North, between Sections 34 and 35.

Variation 11° 21' East.

*Co. almost level surface.*

36.00 Cross Wash, 8 lks. wide, Course 1.60° E and ascend.

7 42.00 Set a Sand stone 12 x 7 x 2 ins., 8 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{2}$  on face, and raised a mound of stone alongside. Pits impracticable.

80.00 Set a Sand stone 15 x 16 x 16 ins. 12 ins. in the ground for Cor. to Secs. 26, 27, 34 & 35 marked with 1 notch on S. and 2 notches on E. edges and raised a mound of stone alongside. Pits impracticable.

*from which*

A Fir 15 ins. diam. bears S. 20° W. 2 lks. dist: marked T.C.N. R. 28 E.S., 24 B. T.

A Fir 16 ins. diam. bears S. 70° E. 6 lks. dist: marked T.C.N. R. 28 E.S., 30 B. T.

✓ No other trees within limits.

Lana rolling.

Soil <sup>and</sup> rate

Timber of *pine for a wagon etc.*

✓ Vegetation. *grass.*



Township

0 N

Range

28 E

Gila and Salt River Meridian.

**BOOK** 42

Chains

East, on a random line between Sections 26 and 35.

Variation  $11^{\circ} 21'$  East.*Descend.*40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

79.89 Intersect N. &amp; S. line, 12 lks. N. of cor. to secs.

26, 25 &amp; 24 from which corner, I run

N.  $89^{\circ} 55' W.$  on a true line between sections 26 & 35Variation  $11^{\circ} 21'$  East

39971 Set a sand stone  $15 \times 16 \times 2$  ins., 10  
 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N.  
 face, and raised a mound of stone alongside. Pits  
 impracticable.

79.89 The corner to sections 26, 27, 31 &amp; 35

Land mountainous

Soil 2<sup>nd</sup> rate

Timber of pine, fir, hemlock &amp; oak.

Vegetation. grass.

Township 6 S N Range 28 EGila and Salt River Meridian. **BOOK 42**

Chains

North, between Sections 26 and 27.

Variation 11° 21' East.

Ascend.

4500 Set a fund stone 21 x 10 x 8 ins., 18 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N. face, and raised a mound of stone alongside. Pits impracticable.

A Yellow Pine 20 ins diam. bears N. 37° E. 61 lks. dist. marked  $\frac{1}{4}$  S. B. T. No other trees within limits.

5000 A Pine 18 ins diam. which I marked T. C. N. S. 23, on N. E. R. 28 E, S. 24 on S. E. 82°, on S. W. and S. 22 on N. W. faces, with 2 notches on S. and 2 notches on E. edges. 8 x 8 x 12 ins. in each sec.  $\frac{1}{2}$  ft. dist. and mound of earth around tree, for cor. to secs.

22, 23, 26 & 27 from which  
A Pine 18 ins diam. bears S. 5° W. 12 lks. dist. marked T. C. N. R. 28 E S., 27 B. T.

A Pine 12 ins diam. bears N. 15° E. 20 lks. dist. marked T. C. N. R. 28 E S., 23 B. T.

No other trees within limits.

Land mountainous

Soil 2<sup>nd</sup> & 3<sup>rd</sup> rateTimber of pine, fir, hemlock & oakVegetation grass

Township 0 N Range 28 E

## BOOK 42 Gila and Salt River Meridian.

Chains East, on a random line between Sections 23 and 26.  
 Variation  $11^{\circ} 21'$  East.

*Descend.*

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

80.16 Intersect N. & S. line,  $24$  lks. S. of cor. to secs.  
 $23, 24, 25, 26$  from which corner, I run

S.  $87^{\circ} 50' W.$  on a true line between sections  $23$  &  $26$   
 Variation  $11^{\circ} 21'$  East

40.08 Set a *Small* stone  $10 \times 7 \times 6$  ins.,  $6$   
 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N.  
 face, and raised a mound of stone alongside. *Pits*  
 impracticable.

80.16 The corner to section  $22, 23, 26, 27$   
 Land rolling.

Soil  $2^{nd}$  &  $3^{rd}$  rate

Timber of *Juniper, pine, hemlock & oak.*  
 Vegetation *grass.*

I carefully examined the adjustments of my solar  
 compass to-day, particularly the latitude and revers-  
 ing apparatus, and found them correct.

July 17. 1883

Township 0 5 N Range 28 EGila and Salt River Meridian. 42

BOOK

Chains

North, between Sections 22 and 23.

Variation 11° 21' East.

Over rolling land.

46.00 A Pine 28 ins. diam. which I marked  $\frac{1}{2}$  S. on W. face, for 1 sec. cor., dug pits, 18 x 18 x 12 ins. N. and S. of tree, 5  $\frac{1}{2}$  ft. dist. and raised a mound of earth around tree. from which

A Pine 30 ins. diam. bears N. 10° E. 25 lks. dist. marked  $\frac{1}{2}$  S. B. T. No other trees within limits.

80.00 A Quaker oak 12 ins. diam. which I marked T. 4 N. S. 14, on N. E. R. 28 E. S. 22 on S. E. S. 22, on S. W. and S. 15 on N. W. faces, with 3 notches on S. and 2 notches on E. edges, dug pits 18 x 18 x 12 ins. in each sec. 5  $\frac{1}{2}$  ft. dist. and raised a mound of earth around tree, for cor. to secs.

14. 15. 22. 23 from which

A Quaker oak 12 ins. diam. bears N. 15° E. 35 lks. dist. marked T. 6 N. R. 28 E. S. 11 B. T.

A Quaker oak 10 ins. diam. bears N. 10° W. 12 lks. dist. marked T. 6 N. R. 28 E. S. 15 B. T.

No other trees within limits.

Land rolling.

Soil  $2^m$  to  $3^m$  rateTimber of pine, fir, hemlock & aspen.Vegetation. grass.

Township 0 N Range 28 E

**BOOK 42** Gila and Salt River Meridian.

Chains

East, on a random line between Sections 14 and 23.

Variation 14° 21' East.

*Ascend.*

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

79.80 Intersect N. & S. line, 5 lks. N. of cor. to secs.

13. 14. 22 & 24 from which corner, I run

N. 89° 08' W. on a true line between sections 14 & 23

Variation 14° 21' East

39.90 Set a stone 12 x 10 x 8 ins., 5

1 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N.

face, and raised a mound of stone alongside. Pits

impracticable. from which

A Yellow Pine 10 ins diam. bears S. 80° E. 01 lks. dist.

marked  $\frac{1}{4}$  S. B. T. No other trees within limits.

70.80 The corner to sections 14. 15. 22 & 23

Land rolling.

Soil g<sup>mo</sup> rate

Vegetation grass.

← Timber of pine, fir, oak & hemlock.

Township 8 N Range 98 EGila and Salt River Meridian. 42

## Chains

North, between Sections 14 and 15.

Variation 14° 21' East.*Ascend.*

- 12.00 Top of Ridge, bears E. 2 W. and descend.
- 26.10 Cross Brook. 21 lks. wide, Course E. and ascend
- 40.00 A Pine 20 ins, diam. which I marked  $\frac{1}{2}$  S. on W. face, for  $\frac{1}{2}$  sec. cor., dug pits, 18 x 18 x 12 ins. N. and S. of tree,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth around tree. from which
- A Pine - 15 ins, diam. bears S. 10° E. 35 lks. dist. marked  $\frac{1}{2}$  S. B. T. No other trees within limits.
- 50.00 Top of Ridge, bears N. W. & S. E. and descend.
- 68.15 Cross Creek 14 lks. wide, Course S. E. and ascend.
- 76.00 Top of Spur, bears S. E. & N. W. and descend.
- 80.00 Set a Basalt stone 20 x 18 x 12 ins. 15 ins. in the ground for Cor. to Secs. 10 11 14 & 15 marked with 1 notch on S. and 2 notch on E. edges and raised a mound of stone alongside. Pits impracticable. from which
- A Pine 15 ins, diam. bears N. 25° E. 40 lks. dist. marked T. & N. R. 25 E. S., 11 B. T.
- A Quakmark 10 ins, diam. bears N. 15° W. 33 lks. dist. marked T. & A. R. 25 E. S., 10 B. T.
- No other trees within limits.
- Land mountainous
- Soil g<sup>m</sup> & s<sup>m</sup> rate
- Timber of pine, fir, aspen & oak.
- Vegetation. grass,

Township 0 N Range 28 E

BOOK 42

Gila and Salt River Meridian.

## Chains

East, on a random line between Sections 11 and 14.

Variation 14° 21' East.*Descend.*17.00 Cross low Sag and ascend.40.00 Set temporary  $\frac{1}{2}$  Sec. Cor.74.54 Intersect N. & S. line, 30 lks. N. of cor. to secs.11. 12. 13 = 14 from which corner, I run14.89° 1/3' W. on a true line between sections 11 & 14Variation 14 21' East

37.7 Set a land stone 15 x 12 x 12 ins., 12  
 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  on N.  
 face, and raised a mound of stone alongside. Pits  
 unpracticable.

77.54 The corner to sections 10. 11. 14 & 15Land rolling.Soil 2<sup>nd</sup> & 3<sup>rd</sup> raisVegetation grass

Township 0. N. Range BOOK 8  
Gila and Salt River Meridian. 42

Chains

North, between Sections 10 and 11.

Variation 11° 21' East.*Ascend.*

4200

Set a post 3 ft. long, 3 ins. diam. with marked stone  
 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on  
 W. face, dug pits, 18 x 18 x 12 ins., N. and S. of  
 post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
 high,  $3\frac{1}{2}$  ft. base around post. from which  
 A Fir 20 ins. diam. bears S. 50° W. 93 lks. dist:  
 marked  $\frac{1}{4}$  S. B. T. No other trees within limits.

7500

Cross Wash, 5 lks. wide, Course 10° E and ascend.

5000

A Fir 5 ins. diam. which I marked:  
 T. & N. S. 2, on N. E. R. 25 E, S. 11 on  
 S. E. S. 10, on S. W. and S. 3 on N. W. faces,  
 with 5 notches on S. and 2 notch on E. edges,  
 dug pits 18 x 18 x 12 ins. in each sec.  $5\frac{1}{2}$  ft. dist. and  
 raised a mound of earth around tree, for cor. to secs.

2. 3. 10 + 11

from which

A Fir 10 ins. diam. bears S. 21° E. 14 lks. dist:  
 marked T. & N. R. 25 E. S., 11 B. T.

No other trees within limits.

Land rolling.

Soil 2<sup>nd</sup> & 3<sup>rd</sup> rateTimber of pine, fir, hemlock & oak.Vegetation. grass!



Township

6 N.

Range

28 E

BOOK 42

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 2 and 11.

Variation  $14^{\circ} 21'$ 

East.

*Ascend.*40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.77.90 Intersect N. & S. line, 11 lks. S. of cor. to secs.  
1-2, 11 & 12, from which corner, I run $28^{\circ} 55'$  W. on a true line between sections 2 & 11Variation  $14^{\circ} 21'$  East37.75 Set a Sand stone  $20 \times 5 \times 3$  ins.,  $\frac{1}{5}$   
ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{2}$  on N.  
line, and raised a mound of stone alongside. Pits  
impracticable.77.90 The corner to sections 2, 3, 10 & 11  
Lana rolling.Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate

Timber of fern, fir, hemlock &amp; oak.

Vegetation. grass

Township 0 N Range 95 E

Gila and Salt River Meridian

BOOK 42

Chains North, on a random line between Sections 2 and 3.  
Variation 14° 21' East.

Ascend.

30.00 Top of Spur, bears E & W, and descend.

40.00 Set temporary  $\frac{1}{2}$  Sec. Cor.

45.00 Cross low Sag and ascend.

79.55 Intersect N.B. of Top 30 lks. E of cor. to secs. precisely set by me. 2.3.34 & 35 from which corner, I run

15' E on a true line, between sections 2 & 3

Variation 14° 21' East.

89.55 Set a post 3 ft. long, 3 ins. diam. with marked stone

12 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  S. on

W. face, dug pits, 18 x 18 x 12 ins., N. and S. of post 5  $\frac{1}{2}$  ft. dist., and raised a mound of earth 1  $\frac{1}{2}$  ft.

high, 3  $\frac{1}{2}$  ft. base around post. from which

1 Quakerasp 10 ins diam. bears S. 80° W. 33 lks. dist.

marked  $\frac{1}{2}$  S. B. T. No other trees within limits.

79.55 The corner to sections 2.3.10 & 11

Land mountainous

Soil 1<sup>st</sup> & 2<sup>nd</sup> rate

Timber of pine, quakerasp, fir & oak.

Vegetation. grass.

Township 0 N Range 28 E

BOOK 42

Gila and Salt River Meridian.

## Chains

From the Corner to Sections 3, 4, 33 & 34 on the South boundary  
*previously set by me.*

I run

North, between Sections 33 and 34.

Variation 14° 21' East.*Ascend. gradually.*30.00 Top of Ridge, bears N. E. & S. W. and descend.40.00 Set a granite stone 15 x 12 x 5 ins., 10  
ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N.  
face, and raised a mound of stone alongside. Pits  
impracticable. and ascend50.00 Top of Ridge, bears N. E. & S. W. and descend.80.00 Set a granite stone 20 x 14 x 10 ins. 15 ins. in  
the ground for Cor. to Secs. 25, 23, & 34 marked  
with 1 notch on S. and 3 notches on E. edges and  
raised a mound of stone alongside. Pits impracticable.

Land mountainous

Soil 2<sup>nd</sup> & 3<sup>rd</sup> rateTimber of pine, fir & oak.Vegetation grass.

Township        Range         
Gila and Salt River Meridian. **BOOK 42**

Chains East, on a random line between Sections 27 and 34.  
Variation 14° 21' East.

*Ascend.*

29.00 Top of Ridge, bears S. 4° N. and descend.

40.00 Set temporary  $\frac{1}{2}$  Sec. Cor.

50.24 Intersect N. & S. line, 23 lks. S. of cor. to secs.

20.2° 21.30 from which corner, I run

S. 89° 00' W. on a true line between sections 27 & 31  
variation 11° 21' East

210.12 Set a Sand stone 20 x 20 x 5 ins., 15  
ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N.  
face, and raised a mound of stone alongside. Pits  
intractable.

from which

21 Yellow Pine 24 ins diam. bears N. 11° W. 29 lks. dist.  
marked  $\frac{1}{4}$  S. B. T. No other trees within limits.

50.24 The corner to sections 27. 28. 33 & 31

Land mountainous

Soil 2<sup>nd</sup> rate

Timber of pine, fir, aspen & oak

Vegetation grass

July 15. 1883

Township

O C N

Range

28 E

## BOOK 414 and Salt River Meridian.

Chains

North, between Sections 27 and 28.

Variation

N 1° 21'

East.

*Descend.*

4200

Set a *Round* stone 10 x 10 x 14 ins., 10 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  on *N.* face, and raised a mound of stone alongside.

*impracticable.**from which*

A Fir 8 ins. diam. bears S 17° E. 64 lks. dist:

27.

marked  $\frac{1}{2}$  S. B. T.

No other trees within limits.

8000

A *Quercus* 15 ins. diam. which I marked T. 6 N. S. 22, on N. E. R. 28 E. S. 27 on S. E. S. 28, on S. W. and S. 21 on N. W. faces, with 2 notches on S. and 3 notches on E. edges, dug pits 18 x 18 x 12 ins. in each sec. 5 $\frac{1}{2}$  ft. dist. and raised a mound of earth around tree, for cor. to secs.

27 27 27 27

*from which*

A Fir 24 ins. diam. bears N 45° E. 30 lks. dist:

marked T. 6 N. R. 28 E. S., 22 B. T.

A Fir 16 ins. diam. bears S 10° W. 25 lks. dist:

marked T. 6 N. E. 28 S., 25 B. T.

A Fir 20 ins. diam. bears N 20° W. 15 lks. dist:

marked T. 6 N. R. 28 E. S., 21 B. T.

No other trees within limits.

*mountainous*Soil *good* rateTimber of *specie*Vegetation. *grass**for Quercus oak*

Township 0 N Range 28 E

Gila and Salt River Meridian.

COR 49

## Chains

East, on a random line between Sections 22 and 27.

Variation  $14^{\circ} 21'$  East.*Ascend.*

30.00 Top of Ridge, bears N. W. &amp; S. E. and descend.

40.00 Set temporary  $\frac{1}{2}$  Sec. Cor. . .

80.217 Intersect N. &amp; S. line. 217 lks. S. of cor. to sec.

22, 23, 26, 27 from which corner, I run

 $59^{\circ} 21' W.$  on a true line between sections 22 & 27Variation  $14^{\circ} 21'$  East40.22 A Fir rem. down, which I marked  $\frac{1}{2}$  S.on N. face, for  $\frac{1}{2}$  sec. cor., dug pits, 18 x 18 x 12 ins.E. and W. of tree,  $5\frac{1}{2}$  ft. dist. and raised a mound

of earth around tree.

from which

A Fir 12 ins. diam. bears S. 10' W. 12 lks. dist.

marked  $\frac{1}{2}$  S. B. T.

No other trees within limits.

80.217 The corner to sections 21, 22, 27 &amp; 28

Lana mountainous

Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate

Timber of Spruce fir, aspen, hemlock

Vegetation. Grass.

Township 10 N. Range 28 E.

**BOOK**

Gila and Salt River Meridian.

Chains

North, between Sections 21 and 22.

Variation 14° 21' East.

Descend.

40.00 1 Fir 10 ins. diam. which I marked  $\frac{1}{4}$  S. on N. face, for  $\frac{1}{4}$  sec. cor., dug pits, 18 x 18 x 12 ins. N. and S. of tree,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth around tree. from which

1 Fir 18 ins. diam. bears  $115^\circ$  W. 15 lks. dist. marked  $\frac{1}{4}$  S. B. T. No other trees within limits.

46.00 Cross Brook. 41 lks wide, Course N. E.

80.00 Set a Basalt stone 9 x 15 x 12 ins. 10 ins. in the ground for Cor. to Secs. 5, 10, 21 & 22 marked with 3 notches on S. and 3 notches on E. edges and raised a mound of stone alongside. Pits impracticable.

from which

1 Abies 20 ins, diam. bears N.  $10^\circ$  E. 12 lks. dist. marked T. O. N. R. 20 S., 15. B. T. No other trees within limits.

Land mountainous

Soil 1/2 rate

Timber of pine for use

Vegetation grass

Township 6 N Range 28 E  
 Gila and Salt River Meridian. **BOOK 42**

Chains East, on a random line between Sections 15 and 22.  
 Variation  $14^{\circ} 21'$  East.

Descend.

35.00 Cross Brook. 11 lks. wide, Course N. E.

40.00 Set temporary  $\frac{1}{2}$  Sec. Cor.

45.00 Ascend.

55.00 Top of Ridge, bears J. E. & N. J. and descend.

80.13 Intersect N. & S. line. 17 lks. S. of cor. to 'secs.  
 14. 15. 22 & 23 from which corner, I run

S.  $89^{\circ} 53'$  W. on a true line between sections 15 & 22  
 Variation  $14^{\circ} 21'$  East

410.00 Set a Barrel-stone  $14 \times 10 \times 8$  ins., 10  
 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  on N-  
 face, and raised a mound of stone alongside. Pits  
 impracticable.

80.13 The corner to sections 15. 10. 21 & 22

Land mountainous

Soil 1<sup>st</sup> & 2<sup>nd</sup> rate

Timber of pine, fir & aspen.

Vegetation grass.



Township

0 N

Range

28 E

Gila and Salt River Meridian.

BOOK 42

Chains

North, between Sections 15 and 16.

Variation

121° 21'

East.

*Ascend.*

10.00 Top of Spur, bears N. W. &amp; S. E. and descend.

25.00 Cross low Sag and ascend.

40.00 Set a *limestone* stone 12 x 12 x 10 ins., 8 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  on N. face, and raised a mound of stone alongside. Pits impracticable.

08.00 Top of Ridge, bears N. W. &amp; S. E. and descend.

75.00 Cross Brook. 21 ft. wide, Course S. and ascend.

80.00 Set a Basalt-stone 15 x 12 x 3 ins. 12 ins. in the ground for Cor. to Secs. 15 &amp; 16 marked with 21 notches on S. and 3 notches on E. edges and raised a mound of stone alongside. Pits impracticable.

Land mountainous

Soil 1st &amp; 2nd rate

Timber of pine, fir &amp; oak.

Vegetation. grass

Township 0 N. 28 Range: 28Gila and Salt River Meridian. **BOOK 42**

- Chains East, on a random line between Sections 10 and 15.  
Variation  $14^{\circ} 21'$  East.
- Descend.*
- 10.30 Cross low Sag and ascend.
- 26.00 Top of Spur, bears  $N. W. \frac{1}{2} S. \frac{1}{2} E.$  and descend.
- 40.00 Set temporary  $\frac{1}{2}$  Sec. Cor.
- 79.71 Intersect N. & S. line,  $29$  lks.  $S.$  of cor. to secs. 10. 11. 14 & 15 from which corner, I run  $S 57^{\circ} 45' W.$  on a true line between sections 10 & 15  
Variation  $14^{\circ} 21'$  East
- 3985 - Set a Basalt stone  $15 \times 12 \times 11$  ins.. 10 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  on N. face, and raised a mound of stone alongside. Pits impracticable. from which
- A Pine  $22$  ins, diam. bears  $S 45^{\circ} E.$  90 lks. dist. marked  $\frac{1}{2}$  S. B. T. No other trees within limits.
- 79.71 The corner to sections 9. 10. 15 & 16  
Land mountainous  
Soil  $1^{\text{st}}$  &  $2^{\text{nd}}$  rate  
Timber of pine, for & oak etc.  
Vegetation. grass

Township 0 N Range 28 E**BOOK** 42 Gila and Salt River Meridian.

Chains North, between Sections 9 and 10.

Variation 41° 21' East.*Ascend.*

40.00 Set a Quind stone 12 x 10 x 8 ins., 8 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  on N. face, and raised a mound of stone alongside. Pits impracticable.

80.00 Set a Basalt-stone 12 x 12 x 3 ins. 5 ins. in the ground for Cor. to Secs. 9 & 10 marked with 3 notches on S. and 3 notches on E. edges and raised a mound of stone alongside. Pits impracticable.

from which

A Pine 20 ins. diam. bears N. 5° W. 53 lks. dist. marked T. & N. R. S. E. S., 14 B. T.

No other trees within limits.

Land mountainous

Soil red rateTimber of pine & oakVegetation grass

Township 0 N Range 28 E

Gila and Salt River Meridian

BOOK

42

Chains East, on a random line between Sections 3 and 10.  
 Variation 14° 21' East.

*Ascend.*30.00 Top of Ridge, bears S. 3. E. N.W. and descend.40.00 Set temporary  $\frac{1}{2}$  Sec. Cor.71.00 Cross low Sag and ascend.79.97 Intersect N. & S. line. 58 lks. S. of cor. to secs.83.10 & 11 from which corner, I run1.89° 35' W. on a true line between sections 3 & 10Variation 14° 21' East

3798 Set a sand stone 20 x 12 x 8 ins., 10  
 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  on N.  
 face, and raised a mound of stone alongside. Pits  
 impracticable.

7997 The corner to sections 3, 4, 9 & 10

Land mountainous

Soil 2<sup>nd</sup> & 3<sup>rd</sup> rateTimber of pine & oak etc.Vegetation grass.

I carefully examined the adjustments of my solar  
 compass to-day, particularly the latitude and revers-  
 ing apparatus, and found them correct.

July 19. 1883

Township: 0 N Range: 28 E**BOOK 42** Gila and Salt River Meridian.

## Chains

North, on a random line between Sections 3 and 4.

Variation  $124^{\circ} 24'$  East.*Ascend. gradually.*40.00 Set temporary  $\frac{1}{2}$  Sec. Cgr.

48.00 Top of Ridge, bears N. W. &amp; S. E., and descend.

80.14 Intersect N. B. of Tp. 20 Tks. E. of cor. to sec. previously set by me.

3. 1. 33 &amp; 24 from which corner, I run

S. 9' E. on a true line, between sections 3 &amp; 11

Variation  $124^{\circ} 21'$  East.40.14 Set a Basalt-stone  $2 \times 10 \times 0$  ins.ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  on W.

face, and raised a mound of stone alongside. Pits

impracticable. from which

A Quakenasp 10 ins, diam. bears N. 5' W. 33 Tks. dist. marked  $\frac{1}{2}$  S. B. T.

No other trees within limits.

80.14 The corner to sections 9, 11, 9 &amp; 10

Land mountainous

Soil  $2^{nd}$  &  $3^{rd}$  rate

Timber of pine, fir, hemlock &amp; aspen

Vegetation. grass.

Township

Range

28 8  
BOOK 42

Gila and Salt River

Meridian

Chains

From the Corner to Sections 4, 5, 32 & 33 on the South boundary  
*previously set by me.*

I run

North, between Sections 32 and 33.

Variation

41° 21'

East.

*Over rolling land.*

45.00

Set a ~~stone~~ stone 18 x 15 x 12 ins., 12  
ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  on  
face, and raised a mound of stone alongside. *Pits*  
*impracticable.*

80.00

~~stone~~ *which I marked*  
T. 6 N. S. 28, on N. E. R. 38 O. S. 33 on  
E. E. S. 32, on S. W. and S. 29 on N. W. faces,  
1 notch on S. and 14 notches on E. edges,  
pits 18 x 18 x 12 ins. in each sec. 5 $\frac{1}{2}$  ft. dist. and  
raised a mound of earth around trees, for cor. to secs.  
S. 29, 32, 33 from which  
Quakmuck 10 ins, digm. bears N. 10° E. 35 lbs. dist.  
marked T. 6 N. R. 38 E. S. 28 B. T.

No other trees within limits.

Land rolling.

Soil 2<sup>nd</sup> rateTimber of *pine, fir, aspen & oak.*Vegetation *grass.*

Township

0 N

Range

28 E

**BOOK 42** Gila and Salt River Meridian.

Chains

East, on a random line between Sections 28 and 33.

Variation

11° 21'

East.

*Over rolling land.*

20.00

*Cross low Sag and ascend.*

40.00

*Set temporary  $\frac{1}{2}$  Sec. Cor.*

70.00

*Top of Spur, bears N. 72° E. 1.0, and descend.*

79.67

*Intersect N. & S. line, 45° lks. N. of cor. to secs.**28, 33 & 34 from which corner, I run**N. 89° 41' W. on a true line between sections 28 & 33*

Variation

14° 21'

East

39.83

*Set a Sand stone 20 x 12 x 0 ins., 10 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  on N. face, and raised a mound of stone alongside. **Pits** impracticable.*

79.67

*The corner to sections 28, 29, 32 & 33**Land rolling.**Soil 1<sup>st</sup> & 2<sup>nd</sup> rate**Timber of pine & oak.**Vegetation. Grass.*

Township 06 N Range 98 E  
Gila and Salt River Meridian. **BOOK 42**

Chains North, between Sections 28 and 29.  
Variation 114° 21' East.

Descend.

71.00 Leave Timber.  
74.00 Set a Basalt stone 24 x 20 x 14 ins. 8  
ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N.  
face, and raised a mound of stone alongside. Pits  
impracticable.

52.00 Cross low Sag and ascend.  
70.00 Top of Spur, bears S. E. & N. W. and descend.

80.00 Set a Basalt stone 20 x 15 x 6 ins. 15 ins. in  
the ground for Cor. to Secs. 26, 21, 28, 29 marked  
with 2 notches on S. and 11 notches on E. edges and  
raised a mound of stone alongside. Pits impracticable.

from which  
a fir 12 ins. diam. bears N. 30° E. 50 yds. dist.  
marked T. & N. R. S. S. S., 21 B. T.

No other trees within limits.

Land rolling.

Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate

Timber of pine fir, aspen & oak.

Vegetation. grass.



Township 0 N Range 28 E**BOOK 12** Gila and Salt River Meridian.

Chains East, on a random line between Sections 21 and 28.  
 Variation 11° 21' East.

Ascend.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.7988 Intersect N. & S. line, 13 lks. N. of cor. to secs.  
21, 22, 27 & 28 from which corner, I run

N. 89° 54' W. on a true line between sections 21 &amp; 28

Variation 11° 21' East3991 Set a sand stone  $8 \times 12 \times 10$  ins., 12  
ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{2}$  on N.  
face, and raised a mound of stone alongside. Pits  
impracticable.

7988 The corner to sections 20, 21, 28 &amp; 29

Land rolling.

Soil 2<sup>nd</sup> & 3<sup>rd</sup> rateTimber of Yucca & OakVegetation grass

Township 0 N Range 28 EGila and Salt River Meridian **BOOK 52**

Chains

North, between Sections 20 and 21.

Variation 11° 21' East.*Descend.*3.00Enter Timber, near S. & W.5.00Cross Wash, 8 lks. wide, Course E. and ascend.210.00Set a Basalt-stone 24 x 18 x 11 ins., 18 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  on W.face, and raised a mound of stone alongside. **Pits impracticable.**80.00Set a Basalt-stone 24 x 18 x 11 ins. 18 ins. in the ground for Cor. to Secs. 10 & 20 & 21 marked with 3 notches on S. and 1 notch on E. edges and raised a mound of stone alongside. **Pits impracticable.**

Land rolling.

Soil 2<sup>nd</sup> & 3<sup>rd</sup> rateTimber of pine, fir & aspen.Vegetation. grass.

Township 0 N Range 28 E**BOOK 42** Gila and Salt River Meridian.

Chains

East, on a random line between Sections 16 and 21.

Variation  $14^{\circ} 21'$  East.*Over level Prairie.*40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

41.00 Enter Timber, bear N. &amp; S.

80.21 Intersect N. &amp; S. line. 270 lks. S. of cor. to secs.

13.16. 21 &amp; 22 from which corner, I run

As  $89^{\circ} 51'$  W. on a true line between sections 16 & 21Variation  $14^{\circ} 21'$  East

40.10 Set a Sand stone  $11 \times 9 \times 7$  ins., 8  
ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{2}$  on N  
face, and raised a mound of stone alongside. Pits  
impracticable.

from which  
A Pine  $\frac{1}{2}$  ins. diam. bears  $130^{\circ}$ . 7 lks. dist.  
marked  $\frac{1}{4}$  S. B. T. No other trees within limits.

80.21 The corner to sections 16. 17. 20 &amp; 21

Land rolling.

Soil  $1^{\circ}$  &  $2^{\circ}$  rate

Timber of pine, fir &amp; aspen.

Vegetation grass.

Township 6 N Range 28 EGila and Salt River Meridian. BOOK 28

Chains

North, between Sections 16 and 17.

Variation 11° 21' East.*Over rolling land.*

40.00

Set a sand stone  $18 \times 14 \times 11$  ins., 12 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  on W. face, and raised a mound of stone alongside. Pits impracticable.

45.00

Grass Brook.  $2\frac{1}{2}$  lks. wide, Course  $S. 76^{\circ} E.$ 

80.00

Set a Basalt-stone  $14 \times 10 \times 10$  ins. 10 ins. in the ground for Cor. to Secs. 8, 9, 10 & 17 marked with  $\frac{1}{2}$  notches on S. and  $\frac{1}{2}$  notches on E. edges and raised a mound of stone alongside. Pits impracticable.

*Land rolling.*Soil  $1^{\text{st}}$  &  $2^{\text{nd}}$  rateTimber of *pine & fir.*Vegetation. *grass*

July 20. 1883

Township Q. 1 N. Range 28 E.**BOOK 42** Gila and Salt River Meridian.

Chains

East, on a random line between Sections 9 and 16.

Variation 141° 21' East.*Descend.*40.00 Set temporary  $\frac{1}{2}$  Sec. Cor.58.00 Cross Creek  $\emptyset$  lks. wide, Course S.  $\frac{1}{2}$  E. and ascend.

80.10 Intersect N. &amp; S. line, 7 lks. N. of cor. to sec.

9, 10, 15 &amp; 16 from which corner, I run

N. 89° 57' W. on a true line between sections 9 &amp; 10

Variation 141° 21' East

140.23 Set a sand stone 10 x 11 x 4 ins., 10

ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  on N.

face, and raised a mound of stone alongside. Pits

impracticable.

80.40 The corner to sections 8, 9, 10 &amp; 17

*Land rolling.*Soil 1<sup>st</sup> 2<sup>nd</sup> rateVegetation grass.

Township

0 N.

Range

28 E

Gila and Salt River

Meridian.

Chains

North, between Sections 8 and 9.

Variation

14° 21'

East.

*Ascend.*

3.00

Top of Spur, bears E. &amp; W. and descend.

2.00

Cross Creek 10 fts. wide, Course E. and ascend.

40.00

Set a sand stone 11 x 9 x 8 ins., 8 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on W. face, and raised a mound of stone alongside. **Pits impracticable.**

60.00

Top of Hill bears E. &amp; W. and descend.

76.00

Enter Plat bears E. &amp; W.

80.00

Set a sand stone 10 x 11 x 9 ins. 10 ins. in the ground for Cor. to Secs. 11, 5, 8 & 9 marked with 5 notches on S. and 11 notches on E. edges and raised a mound of stone alongside. **Pits impracticable.**

*Land rolling.*Soil 1<sup>st</sup> & 2<sup>nd</sup> rate

Vegetation grass.

Township 0 N Range 28 E**BOOK 42** Gila and Salt River Meridian.**Chains**

East, on a random line between Sections 4 and 9.

Variation  $41^{\circ} 21'$  East.*Over fine level chains.*15.00 Cross Creek  $\frac{1}{2}$  m. wide, Course S. E. and ascend.

24.00 Top of Spur, bears S. E. &amp; N. W. and descend.

31.00 Cross Creek  $\frac{1}{2}$  m. wide, Course S. and ascend.40.00 Set temporary  $\frac{1}{2}$  Sec. Cor.56.00 Enter Timber, *between N. & S.*

80.25 Intersect N. &amp; S. line. 33 m. N. of cor. to sec.

S. 4. 9 &amp; 10 from which corner, I run

 $N. 89^{\circ} 40' W.$  on a true line between sections 4 & 9Variation  $41^{\circ} 21'$  East110.12 Set a *Barrel* stone 10 x 11 x 8 ins., 10ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  on *N.*face, and raised a mound of stone alongside. *Pits*

impracticable.

88.25 The corner to sections 4, 5, 8 &amp; 9

is rolling.

Soil *fertile* rateTimber of *pine, fir, aspen.*Vegetation *green.*

Township 0. N. Range 28 E.

Gila and Salt River Meridian

BOOK 42

Chains North, on a random line between Sections 4 and 5.  
Variation 14° 21' East.

Over level land

1.00 Cross Creek 1/2 lks. wide, Course W.

10.00 Leave Flat bears E. x N. and ascend.

30.00 Top of Spur, bears E. x N. and descend.

40.00 Set temporary  $\frac{1}{2}$  Sec. Cor.

72.00 Cross Wash, 1/2 lks. wide, Course W. and ascend.

80.01 Intersect N. B. of Tp. 10 lks. W. of cor. to secs.  
*previously set by me.*

45.32 from which corner, I run

1.7 lks. on a true line, between sections 11 & 5  
Variation 14° 21' East.

40.01 Set a Basalt stone 11 x 8 x 6 ins., 8  
ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  on W.  
face, and raised a mound of stone alongside. Pits  
impracticable.

80.01 The corner to sections 4, 5, 8 & 9  
Land level.

Soil 1<sup>st</sup> & 2<sup>nd</sup> rate

Vegetation grass



Township 6 N Range 28 E**BOOK 42** Gila and Salt River Meridian.

Chains

From the Corner to Sections 5, 6, 31 & 32 on the South boundary  
*previously set by me*  
I run

North, between Sections 31 and 32.

Variation 111° 21' East.*Over rolling land.*

40.00 Set a *round* stone 12 x 12 x 8 ins., 8  
ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on W.  
face, and raised a mound of stone alongside. Pits  
impracticable.

42.00 South edge of lake between C. & W.  
Set a *round* stone 12 x 12 x 8 ins. 8 ins. in  
the ground for <sup>*Witness*</sup> Cor. to Secs. 31 & 32 marked  
with 1 notch on S. and 1 notch on E. edges and  
raised a mound of stone alongside. Pits impracticable.

This lake being shallow and  
marshy & liable to become dry  
Do not measure it  
Level  
Soil 1st & 2nd rate  
Vegetation Bunchgrass

Township 0 N Range 28 E

Gila and Salt River Meridian.

BOOK 32

~~From the Cor. to Secs 29-29-32-32~~

Chains <sup>3 min</sup> ~~West~~ on a <sup>tree.</sup> random line between Sections 29 and 32.

Variation 41° 21' East.

Descend.

23.0 level edge of lake was N.W.C.

Set a limestone stone 21 x 11 x 8 ins. 16 ins. in

the ground for Witness Cor. to Secs. 29 and 32

marked N.C. with 3 notches on E. and 3 notches on

S. edges and raised a mound of stone. alongside.

Pits impracticable.

Tri lake being shallow & washy  
liable to run dry So no meander it

Land level.

Soil 1/2 1/2 rate

Vegetation grass.

Township 0 N Range 28 EBOOK 42 Gila and Salt River Meridian.~~From the Cor to Secs 25-30-31~~  
~~East~~ <sup>1772.</sup> ~~by me - 5 min -~~Chains ~~1772.~~ on a random line between Sections 30 and 31.Variation 11° 21' East.

3711

West edge of Lake near N. E.

Set a Ward stone 6 x 1 1/2 x 8 ins. 19 ins. inthe ground for Witness Cor. to Secs. 30 and 31marked N. E. with 5 notches on N. and 2 notches onS. edges and raised a mound of stone, alongside.

This lake being shallow &amp; marshy &amp; liable to become dry I do not measure it

Land level.

Soil 1<sup>st</sup> & 2<sup>nd</sup> rateVegetation Grass

Chains

*by a true line*  
~~South~~ between Sections 29 and 30.

Variation 11° 21' East.

Descend.

4000

Set a hard stone 10 x 6 x 2 ins., 2 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N face, and raised a mound of stone alongside. **Pits impracticable.**

628

Set a hard stone 15 x 15 x 2 ins., 2 ins. in the ground for W. Cor. to Secs. 29 & 30 marked W.C. with 3 notches on S. and 3 notches on E. edges and raised a mound of stone alongside. **Pits impracticable.**

on Edge of Marley Lake near E. & W. This lake being shallow and marshy and liable to become dry I did not meander it.

Low level

Soil 1st & 2nd rate

Vegetation Bunchgrass

I carefully examined the adjustments of my Solar Compass wday & particular by the latitude & reversing apparatus found them correct

July 21st 1853

Chains

~~132.00~~ on a <sup>tree.</sup> ~~random~~ line between Sections 20 and 29.  
Variation 11° 21' East.

Descend.

12.00 Cross low Sag and ascend.

110.00 Set a land stone 18 x 10 x 12 ins., 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N face, and raised a mound of stone alongside. Pits impracticable.

80.00 Set a land stone 21 x 20 x 4 ins. 18 ins. in the ground for Cor. to Secs. 19, 20, 29, 30 marked with 3 notches on S. and 6 notches on E. edges and raised a mound of stone alongside. Pits impracticable.

Land rolling.

Soil 2<sup>nd</sup> rate

Vegetation grass

Chains

West, on a random line between Sections 19 and 30.

Variation 11° 21' East.

*Over rolling land.*

40.00 Set temporary  $\frac{1}{2}$  Sec. Cor.

79.52 Intersect W. B. of Tp. 12 1/2 lks. N. of cor. to secs.  
 previously set by 1924, 25, 26 from which corner, I run

189 55' on a true line, between sections 19.30

Variation 11° 21' East.

39.52 Set a sand stone 21 x 20 x 4 ins., 18

ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  on N.

face, and raised a mound of stone alongside. **Pits**

*impracticable.*

79.52 The corner to sections 19.26.29.30

*Land rolling.*

Soil 20' rate

✓ Vegetation grass.

Township 6 N Range 28 E**BOOK 42** Gila and Salt River Meridian.

Chains

North, between Sections 19 and 20.

Variation 121° 21' East.*Over rolling land.*

42.00

Set a Sand stone 15 x 10 x 8 ins., 10  
 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N.  
 face, and raised a mound of stone alongside. Pits  
 impracticable.

65.20

A Spring on line.

80.00

Set a Shell stone 24 x 20 x 24 ins. 18 ins. in  
 the ground for Cor. to Secs. 18, 19 & 20 marked  
 with 3 notches on S. and 5 notches on E. edges and  
 raised a mound of stone alongside. Pits impracticable.

*Land rolling.*Soil fine red rateVegetation grass

Township 0 1 N Range 25 **BOOK 142**Gila and Salt River Meridian.

Chains

East, on a random line between Sections 17 and 20.

Variation  $41^{\circ} 21'$  East.

Over rolling land.

3.00 Enter meadow land near N. & S.  
 10.00 Leave meadow land near N. & S.  
 30.00 Ascend.

40.00 Set temporary  $\frac{1}{2}$  Sec. Cor.

56.00 Top of Hill bears N. &amp; S. and descend.

70.00 Leave Timber, near N. &amp; S.

79.73 Intersect N. &amp; S. line, 5 lks. S. of cor. to secs.

10.17 = 20 = 21 from which corner, I run

189' 3" W. on a true line between sections 17 &amp; 20

Variation  $14^{\circ} 21'$  East

39.86 Set a Small-stone  $12 \times 11 \times 8$  ins., 8  
 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  on N.  
 face, and raised a mound of stone alongside. Pits

impracticable.

from which

A Pine 30 ins, diam. bears N.  $40^{\circ}$  E. 48 lks. dist.  
 marked  $\frac{1}{2}$  S. B. T. No other trees within limits.

The corner to sections 17, 18, 19 &amp; 20

Land rolling.

Soil  $7^{\circ}$  &  $2^{\circ}$  rate

Timber of pine, fir, oak &amp; aspen.

Vegetation. grass.



Township 6 N Range 28 E

BOOK 42

Gila and Salt River Meridian.

Chains

West, on a random line between Sections 18 and 19.

Variation  $141^{\circ} 21'$  East.

Over rolling land.

8.00  
8.00  
40.00Enter Timber, ~~clear~~ ~~line~~ }  
Set temporary  $\frac{1}{4}$  Sec. Cor.

79-24

Intersect N. B. of Tp. 18 lks. S. of cor. to secs.

18, 19 &amp; 21 from which corner, I run

189° 52' <sup>previous set by</sup> on a true line, between sections 18 & 19Variation  $14^{\circ} 21'$  East.

30-21

Set a Sand stone  $14 \times 10 \times 10$  ins., 16  
ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N  
face, and raised a mound of stone alongside. Pits  
impracticable.

79-24

The corner to sections 17, 18, 19 &amp; 20.

Land rolling.

Soil  $\frac{1}{2}$  &  $2^{\text{nd}}$  rate

Timber of pine, fir, aspen &amp; oak.

✓ Vegetation grass.

Township 0 N Range 28 E

Gila and Salt River Meridian

BOOK

42

Chains

North, between Sections 17 and 18.

Variation 41° 21' East.*Over rolling land.*5.00 Enter a pin, marked W.27.00 Leave the pin, W.40.00 Set a limestone stone 10 x 12 x 8 ins., 10ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on W.face, and raised a mound of stone alongside. Pitsimpracticable.80.00 Set a limestone stone 10 x 10 x 8 ins. 10 ins. inthe ground for Cor. to Secs. 7, 8, 17, 18 marked  
with 4 notches on S. and 3 notches on E. edges and  
raised a mound of stone alongside. Pits impracticable.Land rolling.Soil 1/2 to 2 in rateVegetationgrassJuly 23, 1883

Township

6 N

Range

28 E

## BOOK 42 Gila and Salt River Meridian.

Chains

East, on a random line between Sections 8 and 17.

Variation  $11^{\circ} 21'$  East.

Ascend.

.80

Enter Timber, course N. &amp; S.

15.00

Top of Hill bears N. &amp; S. and descend.

38.00

Leave Timber, bears N. &amp; S.

40.00

Set temporary  $\frac{1}{2}$  Sec. Cor.

80.05

Intersect N. &amp; S. line. 37 lks. S. of cor. to secs.

S.  $7^{\circ} 13' 27''$  from which corner, I run $189^{\circ} 44' W.$  on a true line between sections 8 & 17Variation  $11^{\circ} 21'$  East

110.12

Set a Basalt stone  $10 \times 14 \times 11$  ins., 10 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  on N. face, and raised a mound of stone alongside. Pits impracticable.

80.05

The corner to sections 7, 8, 17 &amp; 18

Land rolling.

Soil  $7^{\circ} 13' 27''$  rate

Timber of pine, fir, aspen &amp; oak

Vegetation grass.

Township 0 N Range 28 E

Gila and Salt River Meridian

BOOK 42

Chains

West, on a random line between Sections 7 and 18.

Variation 14° 21' East.

Descend.

5.60 Enter Flat bears N. & S.

30.00 Leave Flat bears N. & S. and ascend.

40.00 Set temporary 1/2 Sec. Cor.

78.94 Intersect W. B. of Tp. 4 lks. S. of cor. to secs. 7, 12, 13 & 18 previously set by me.

from which corner, I run

S. 89° 05' E on a true line, between sections 7 & 18

Variation 14° 21' East.

38.94 Set a Swind stone 10 x 10 x 8 ins., 10

ins. in the ground, for 1/2 Sec. Cor., marked 1/2 on N.

face, and raised a mound of stone alongside. Pits

impracticable.

78.94 The corner to sections 7, 8, 17 & 18

Land rolling.

Soil fertile rate

Timber of pine for a cupon.

Vegetation grass.

Township

6 N

Range

28 E

Gila and Salt River Meridian.

BOOK 42

Chains

North, between Sections 7 and 8.

Variation

14° 21'

East.

*Over rolling land.*

40.00

Set a Basalt stone 10 x 11 x 7 ins., 10 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  on N. face, and raised a mound of stone alongside. Pits impracticable.

80.00

Set a Sand stone 11 x 10 x 9 ins. 8 ins. in the ground for Cor. to Secs. 5, 6, 7 & 8 marked with 5 notches on S. and 5 notches on E. edges and raised a mound of stone alongside. Pits impracticable.

*Land rolling.*Soil 1<sup>st</sup> & 2<sup>nd</sup> rate

Vegetation grass.

Township 0 N Range 28 SGila and Salt River Meridian.

Chains

East, on a random line between Sections 5 and 8.

Variation 14° 21' East.

Descend.

40.00 Set temporary  $\frac{1}{2}$  Sec. Cor.60.00 Cross Creek  $\frac{1}{2}$  m. wide, course N. E. and ascend.80.12 Intersect N. & S. line, 15 lks. S. of cor. to secs.4.5 S & E from which corner, I run159° 54' W. on a true line between sections 5 & 8Variation 14° 21' East40.00 Set a Sand stone 11 x 9 x 8 ins., Sins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  on N.

line, and raised a mound of stone alongside. Pits

impracticable.

80.12 The corner to sections 5, 6, 7 & 8

Land rolling.

Soil  $\frac{1}{2}$  to  $\frac{3}{4}$  rate

Vegetation grass.

Township

0 N.

Range

28 E.

**BOOK 42**

Gila and Salt River Meridian.

Chains

West, on a random line between Sections 6 and 7.

Variation

114° 21'

East.

*Over rolling land.*

40.00

Set temporary  $\frac{1}{4}$  Sec. Cor.

73.71

Intersect N. B. of Tp. 29 1ks. S. of cor. to sec.  
*previously set by me.*  
i.e. 7 & 12 from which corner, I run

189° 30' E. on a true line, between sections 6 &amp; 7

Variation

114° 21'

East.

38.71

Set a *small* stone 114 x 7 x 5 ins., 16  
ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{2}$  on N.  
face, and raised a mound of stone alongside. Pits  
impracticable.

78.71

The corner to sections 6, 7, 6, 5

*Land rolling.*Soil 1<sup>st</sup> & 2<sup>nd</sup> rate

Vegetation grass.

Township 0 N Range 8 EGila and Salt River Meridian. **BOOK 42**

Chains

North, on a random line between Sections 5 and 6.

Variation 14° 24' East.*Over rolling land.*40.00 Set temporary  $\frac{1}{2}$  Sec. Cor.80.40 Intersect N.B. of Tp. 2<sup>nd</sup> lks. W. of cor. to secs.  
*previously set by me.*S. C. 7 & 8 from which corner, I run1.10' W. on a true line, between sections 5 & 6Variation 14° 21' East.40.44 Set a small sign 11 x 10 x 8 ins., 8  
ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  on W.  
face, and raised a mound of stone alongside. **Pits***impracticable.*80.40 The corner to sections S. C. 7 & 8*Land rolling.*Soil 1<sup>st</sup> & 2<sup>nd</sup> rate

Timber of

Vegetation. grass.

July 24. 1883



## GENERAL DESCRIPTION.

### BOOK 42

This Tp. is high rolling and mountainous interspersed with some valleys and rolling prairie. The soil is a rich dark loam and very productive and adapted to agriculture where there is not an excessive cropping out of stone formation, which is a species of Basalt and Sand stone.

There is a well distributed supply of timber in this Tp. such as Yellow Pine, Fir, Spruce, Burkenash, White Oak, Cedar etc.

The soil is suitable for farming. It is abundantly supplied with lakes, springs and running brook streams of water in which Trout and other excellent kinds of fish abound.

The grazing facilities of this Tp. are unexcelled anywhere.

This Tp. is accessible with the common transportation of the country.

It also is a great place to find most all kinds of

Wild Lake. There is a large marshy lake in the South Western portion of the Township but it being shallow and marshy and liable to become dry I did not meander the lake

---

For final notes  
see book No. 18-

U. S. Surveyor-General's Office.

Tucson, Arizona.

June 16, 1884

The foregoing Field Notes of the surveys of

Subdivision Lines of  
Township 6 North

Range 27 East

Gila & Salt River

Meridian

executed by W. R. Fitzgerald

U. S. Deputy Surveyor, under his contract dated

July 22<sup>nd</sup> 1884.

having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

Royal Johnson


U. S. Surveyor-General

For Arizona.

Township No. 6 N Range No. 28 E Meridian

64

win



TOWNSHIP PLOT.

- Meridian Line,
- Base Line,
- Standard Line,
- Township Lines,
- Section Lines,
- Meander Lines,
- Office Work,