

55

F I E L D N O T E S
O F T H E S U R V E Y O F T H E
S U B D I V I S I O N L I N E S
O F

Township 8 North, Range 29 East.

Gila and Salt River Base and
Meridian,

ARIZONA.

By C. Burton Foster, D. S. under
Contract dated Aug. 16, 1875.
Survey commenced Oct. 28, 1875.
Survey completed Nov. 3, 1875.

55

11
Field Notes
of the No. 5-5-

Subdivision Lines
of
Township 8 North Range 29 East
Gila and Salt River Meridian
Territory of Arizona

urveyed by C. Burton Foster
U. S. Deputy Surveyor

ter his Contract of
August 16th 1875

urvey commenced October 28 1875
Completed November 3 1875

1A
Preliminary Oaths of Assistants.

We, John S Nelson
and Peter Thompson
do solemnly swear that we will faithfully execute
the duties of Chain Carriers; that we will level the
chain upon uneven ground, and plumb the tally
pins, whether by sticking or dropping the same;
that we will report the true distance to all notable
objects, and the true length of all lines that we as-
sist in measuring, to the best of our skill and
ability.

John S. Nelson
Peter Thompson

Sworn to and subscribed before me, this 17th
day of September, 1875

William McKerson
Clerk Dist Court Third
Jud Dist Yaopai Co Ariz

We, *Henry Wainwright*
William C Foster

do solemnly swear that we will well and truly per-
form the duties of *Seaman*
and Flagman

according to instructions given us, and to the best
of our skill and ability.

Henry Wainwright
William C Foster

Sworn to and subscribed before me this *17th*
day of *September* 18*55*

William McKinnon
Clerk Dist Court
Third Judicial Dist
Yavapai Co AZ

Township 8 North Range 29 East

Gila and Salt River Meridian

Township 8 North, Range 29 E.

Gila and Salt River Meridian.

6	67	5	49	4	36	3	25	2	12	1
66	64		48		35		24		11	
7	63	8	47	9	34	10	22	11	10	12
65	60		46		33		21		9	
18	59	17	45	16	32	15	20	14	8	13
58	57		43		31		19		6	
19	56	20	42	21	30	22	18	23	5	24
55	54		41		29		16		4	
30	53	29	40	28	28	27	15	26	3	25
53	52		38		27		14		2	
31	50	32	37	33	26	34	13	35	10	36

stone 3 ft high for N. S. line. To town line
 begin descent from main bluff down N. W.
 & S. E. about 4 miles thence at
 set a limestone 10 x 12 x 15 in properly
 marked out 1/2 in the ground and on

Township 8 North Range 29 East

Gila and Salt River Meridian

chs.

Begin at the Cor to Sec's 35 + 36
on the S Boundary of the Township
from which Cor

I run

North between Secs 35 + 36

Va $13^{\circ}50'$ East

as per Reuts Improved Solar Com-
pass.

and the bearing of the E boundary of
Sec 36

5.00 Cañon 50 feet deep with perpendic-
ular rocky banks 150 ft wide bears
E 8 N

40.00 set a limestone $12 \times 8 \times 8$ in marked $\frac{1}{4}$
set $\frac{2}{3}$ in the ground and build mound of
stone 2 ft high for $\frac{1}{4}$ Sec Cor, No trees near.

60.00 begin descent from mesa bluff bears N. W.
+ S. E. about $\frac{1}{2}$ mile thence N

80.00 set a limestone $15 \times 15 \times 10$ in properly
notched set $\frac{2}{3}$ in the ground and on

Township 8 North Range 29 East,

Gila and Salt River Meridian

Chs.

A side build mound of stone 2 ft high
for Cor to Sec's 25, 26, 35 + 36 from which
a cedar 14 in dia bears $N 12^{\circ} E$ 120 lks dist.

No other trees near

Land mostly level mesa Soil 2nd rate
Timber a few pines & Cedars

East on random line

between Sec's 25 + 36

On $13^{\circ} 50'$ East

- 8.00 Foot of bluff and entire valley bears $N N.$
& $S. E.$ to point at foot of bluff
- 11.00 Road to Hunter Rosa bears $S. E. \text{ or } N N.$
- 20.00 begin ascent of bluff bears $N + S$
- 21.00 Gulch 60 lks wide flows $N N.$
- 35.00 Summit of bluff and entire mesa bears $N + S$
- 40.00 Set a stone for temporary $1/4$ Sec Cor
- 80.00 Interest E Boundary of Township 3 lks N
of Cor to Secs 25 + 36 from which Cor
I run

Township 8 North Range 29 East

Gila and Salt River Meridian

chs

North $89^{\circ}59'$ West on true line
between Secs 25 + 36

Va $13^{\circ}51'$ East

40.00 Set a volcanic stone $12 \times 8 \times 6$ in mar-
ked $\frac{1}{4}$ set $\frac{2}{3}$ in the ground and build
mound of stone 2 ft high for $\frac{1}{4}$ Sec Cor
No trees near

80.00 The cor to Secs 25 26 35 + 36

Land E of bluff level mesa with 2nd rate soil
Rolling & broken with 2nd + 3^d rate soil
Timber scattering Cedars

North between Secs 25 + 26

Va $13^{\circ}50'$ East

3.00 foot of bluff and enter valley sloping
and bearing N.W.

12.00 Road to Neuter Rosa bears N.W. + S.E.

40.00 Set a post marked $\frac{1}{4}$ S 4 ft long flattened
3 in wide 1 ft in the ground deposit stone
marked + and build mound of earth

Township 8 N. Range 29 East

Gila and Salt River Meridian

chs.

2 ft high with pits 2x1x1 ft for $\frac{1}{4}$ sec cor. from which
 a cedar 14 in dia bears S 74° W 16 cks dist
 No other trees near

80.00 set a post marked and notched 4 ft long
 3 in square & 1 ft in the ground deposit stone
 marked + and build mound of earth 2 ft
 high with pits 2x1x1 ft for Cor to Secs
 23 24 25 + 26. No trees near
 Land gently rolling valley Soil 1st & 2nd rate
 Timber Cedar and Pinon.

East on random line

between Sec's 24 + 25

va 13^o 50' East

13.00 begin ascent of bluff bears N + S
 20.50 summit of bluff and enter mesa bears N + S.
 40.00 set a stone for temporary $\frac{1}{4}$ Sec Cor
 80.16 Intersect E Boundary of $3\frac{1}{2}$ 5 lks N of
 Cor to Sec's 24 + 25 from which Cor

Township 8 North Range 29 East

Gila and Salt River Meridian

ds.

I run North $89^{\circ}58'$ West on true line
between Secs 24 + 25

Va 13'50 East

40.118 set a lime stone $12 \times 10 \times 10$ in marked $\frac{1}{4}$
set $\frac{2}{3}$ in the ground and build mound of
earth 2 ft high with pits $2 \times 1 \times 1$ ft for
 $\frac{1}{4}$ Sec Cor. No trees near

8.16 The Cor to Secs 23 24 25 + 26

Land East of bluff level mesa with 2nd rate soil
W. rolling valley 2nd rate soil
Timber an occasional cedar

North between Secs 23 + 24

Va 13'50 East

40.119 set a limestone $12 \times 10 \times 10$ marked $\frac{1}{4}$ set
 $\frac{2}{3}$ in the ground for $\frac{1}{4}$ Sec Cor from which
a cedar 4 in dia bears $N 70^{\circ} E$ 12 lks dist
" " 10 " " " S $13^{\circ} W$ 22 " "

62.119 begin ascent of rocky spur projecting W.
from the mesa east of line

Township 8 North Range 29 East

Gila and Salt River Meridian

chs

- 78.00 Summit of spur bears N + S E
 81.00 Set a limestone 15 x 12 x 6 in properly
 notched & set 2/3 in the ground for Cor to
 Sec's 13, 14, 23 + 24 from which
 a cedar 6 in dia bears N 4° E 25 lks dist
 " " 10 " " " S 17° E 30 " "
 " pinon 10 " " " N 20° W 35 " "
 " cedar 8 " " " S 14° W 80 " "

Land S of spur, valley gently sloping W with
 1st + 2nd rate soil. Spur soil rocky
 and worthless.

Timber. Cedars & piñons of stunted growth
 in abundance

East on random line

between Sec's 13 + 24

Ta 13° 50' East

- 14.00 begin descent into ravine bears and
 slopes N.
 18.00 foot of ravine and begin ascent of opposite

Township 8 North Range 29 East

Gila and Salt River Meridian

Ch

bank

- 31.00 Summit of opposite bank and outer mesa bears N & S.
- 40.00 set a post for temporary $\frac{1}{4}$ Sec Cor.
- 80.00 Intersect E Boundary of T_p 12 N & S. of cor to Sec's 13 & 24 from which Cor I run

South $89^{\circ}55'$ West on true line
between Secs 13 & 24

Then $13^{\circ}50'$ East

- 40.00 Set a post marked $\frac{1}{4}$ S 4 ft long flat-topped 3 in wide 1 ft in the ground deposit stone marked + and build mound of earth 2 ft high with pits $2 \times 1 \times 1$ ft for $\frac{1}{4}$ Sec Cor. No trees near
- 80.00 The cor to Secs 13, 14, 23 & 24
Land East level mesa with 2nd rate soil West broken and rocky with worthless soil
Timber. Pinons and Cedars mostly on slopes of ravine and spur

Township 8 North Range 29 East

Gila and Salt River Meridian

chs

North between Secs 13 & 14

Ta 13° 50' East

begin descent of spur from Cor

15.00 foot of spur and enter valley bears $\frac{7}{8}$ S.W.40.00 set a post marked $\frac{5}{4}$ S 4 ft long flattened
3 in wide set 2 ft in the ground for $\frac{1}{4}$
Sec Cor from which

A piñon 12 in dia bears S 23° W 45 lks dist

A cedar 6 " " " N 80° E 155 " "

80.00 set a post marked and notched 4 ft long
3 in square 5 ft in the ground drive
charred stake and build mound of earth
2 ft high with pits 2x1x1 ft for Cor to
Sec's 11/12 13 & 14 from which

A piñon 10 in dia bears S 30° W 118 lks dist

" " 4 " " " N 84° E 138 " "

No other trees near

Land mostly level rally Soil 1st rate

Timber piñons and Cedars

October 28 1875

Township 8 North Range 29 East

Gila and Salt River Meridian

chs.

East on random line
between Secs 12 & 13

Va 13° 50' East

- 13.00 Wood road bears N.W. & S.
40.00 Set a post for temporary $\frac{1}{4}$ Sec Cor
60.00 begin ascent of bluff bears N.W. & S.S.W.
67.00 summit of bluff and enter mesa bears N.W. & S.
85.20 Intersect E Boundary of Sp. 16 lks $\frac{1}{2}$ of Cor
to Secs 12 & 13 from which Cor
I run

North 89° 53' West on true line
between Secs 12 & 13

Va 13° 50' East

- 40.10 Set a post marked $\frac{1}{4}$ S 4 ft long flat-
tened 3 in wide 1 ft in the ground de-
posit stone marker + and build mound of
earth 2 ft high with pits 2x1x1 ft for $\frac{1}{4}$
Sec Cor. No trees near
80.20 The cor to Secs 11, 12, 13 & 14.
Land W of bluff centrally with 1st rate soil

Township 8 North Range 29 East

Gila and Salt River Meridian

cks

East level mesa with 2nd rate soil
Timber Pinon and Cedar mostly S of line

North between Secs 11+12
T₁₃ 13° 50 East

37.20 Road bears N.W. + S.S.E

40.00 set a post marked $\frac{1}{4}$ S 4 ft long flat =
= tenc 3 in wide 1 ft in the ground
drive churred stake and build mound
of earth 2 ft high with pits 2 x 1 x 1 ft
for $\frac{1}{4}$ Sec Cor. No trees near

80.00 set a post marked and notched 4 ft
long 3 in square 1 ft in the ground
and build mound of earth 2 ft high
with pits 2 x 1 x 1 ft for Cor to Sec's
1, 2, 11+12. No trees near

Land level valley soil 1st rate

Timber Pinon and Cedar on S
end of line

Township 8 North Range 29 East

Gila and Salt River Meridian

chs

East on random line

between Secs 1 & 12

Va 13° 50' East

- 22.00 begin ascent of bluff bears N.W. & S.E.
- 30.00 summit of bluff and enter level mesa bears N.W. & S.E.
- 40.00 set a post for temporary 1/4 Sec Cor
- 60.00 begin descent from mesa bluff bears N.W. & S.E.
- 67.00 foot of bluff and enter valley bears N.W. & S.
- 80.00 Intersect E Boundary of 1/4 20 lks S of Cor to Secs 1 & 12 from which Cor I run

South 89° 51' West on true line

between Secs 1 & 12

Va 13° 50' East

- 40.00 Set a post marked 1/4 5 4 ft long flat-topped 3 in wide 1 ft in the ground drive charred stake and build mound of earth 2 ft high with pits 2x1x1 ft for 1/4 Sec

Township 8 North Range 29 East

Gila and Salt River Meridian

chs

80.00

Cor. No trees near
 Can to sec. 1, 2, 11 and 12.
 Land mesa & valley broken by bluffs

Sail 1st + 2nd rate

Timber an occasional Cedar + Piñon.

North between Sec's 1 + 2

to 13050' East

40.00

set a post marked $\frac{1}{4}$ 54 ft long flat-
 tened 3 in wide 1 ft in the ground drive
 charred stake and build mound of earth
 2 ft high with pits 2x1x1 ft for $\frac{1}{4}$
 Sec cor. No trees near

59.00

begin ascent of bluff bears N. N. + S. S. E.

71.00

summit of bluff and enter mesa
 bears N. W. + S. S. E.

79.90

Intersect 2nd standard North and set a
 limestone 12x12x10 in properly notched
 & set $\frac{2}{3}$ in the ground and on N side
 build mound of stone 2 ft high for
 the closing cor to Sec's 1 + 2 from which

Township 8 North Range 29 East

Gila and Salt River Meridian

chs.

A cedar 12 in dia bears S 38° W 165 lks dist
No other trees near. From this Cor
I run

West on 2nd Standard North

To 13° 50' East

22.15 The Standard Cor to Sec's 34 & 35

Land south of bluff level valley with 1st rate soil
from foot of bluff W rolling & broken with
3^d rate soil

Timber scattering Cedars along bluff mesa

North between Sec's 34 & 35

To 13° 50' East

40.00 Set a post marked $\frac{1}{4}$ S 4 ft long flat-
tened 3 in wide 1 ft in the ground de-
posit stone marked + and build mound
of earth with pits 2x1x1 ft for $\frac{1}{4}$ Sec Cor
No trees near

80.00 Set a limestone 24x10x8 in properly
notched set $\frac{3}{4}$ in the ground and on N

Township 8 North Range 29 East

Gila and Salt River Meridian

chs

side build mound of stone 2 ft high
for Cor to Sec's 26, 27, 34, & 35.

No trees near.

Land Mesa gently sloping S.E. Soil 2nd
rate grasses abundant.

No timber or undergrowth

East on random line

between Sec's 26 & 35

To 13° 50' East

- 40.00 set a post for temporary 1/4 sec Cor
68.00 begin descent from mesa bluff bears
N.W. & S.E.
71.00 Gulch 50 lks wide flows N.E.
78.00 Gulch 75 lks wide flows N
79.89 Intersect N. & S. line 30 lks S of Cor
to Sec's 25 26 35 & 36 from which Cor
I run

South 89° 47' West on true line
between Sec's 26 & 35

Township 8 North Range 29 East

Gila and Salt River Meridian

chs

T₁₄ 13° 50' East

39.90 Set a post marked $\frac{1}{4}$ S 4 ft long flat-
tened 3 in wide 1 ft in the ground deposit
stone marked + and build mound of earth
2 ft high with pile 2x1x1 ft for $\frac{1}{4}$ Sec
Cor. No trees near

79.80 The Cor to Sec's 27 28 33 + 34
Land mostly level mesa soil 2nd rate grass
abundant
Timber a few Cedars & pines on E end of line.

North between Secs 26 + 27

T₁₄ 13° 50' East

40.00 Set a volcanic stone 14x10x10 in marked $\frac{1}{4}$
set $\frac{2}{3}$ in the ground and build mound
of stone 2 ft high for $\frac{1}{4}$ Sec Cor from which
a pine 14 in dia bears N 36° W 75 lbs dist
No other trees near

80.00 Set a volcanic stone 20x18x12 in prop-
-erly notched set $\frac{3}{4}$ in the ground

Township 8 North 29 East

Gila and Salt River Meridian

Chs

and on N side build mound of stone 2
ft high for cor to Secs 22, 23, 26 + 27
from which

a pine 18 in dia bears S 70° W 84 lks dist

" piñon 6 " " " S 62° E 115 " "

No other trees near

Land level mesa bears S.E. + S.W.

Soil 2nd rate grass abundant

Timber Pine Piñon and Cedar

East on random line

between Secs 23 + 26

Va 13050 East

- 1.10 begin descent of bluff bears S.E. + N.W.
thence S.W.
- 5.50 Gulch 150 lks wide rocky precipitous
sides flows N.E.
- 12.40 Gulch 100 lks wide flows N.E.
- 19.00 Foot of bluff and enter valley bears N.W.
N. + S.E.

Township 8 North Range 29 East

Gila and Salt River Meridian

- chs.
38.50 Road to Kenter Rosa brass N.W. S.E.
40.00 Set a post for temporary $\frac{1}{4}$ Sec Cor.
79.90 Intersect N + S line 26 lks N of Cor
to Secs 23, 24, 25 + 26 from which Cor
I run

North $89^{\circ}49'$ West on true line
between Secs 23 + 26

To 13050' East

- 39.95 Set a post marked $\frac{1}{4}$ S 4 ft long flat-
tened 3 in wide 1 ft in the ground
deposit stone marked + and build
mound of earth 2 ft high with pits
2x1x1 ft for $\frac{1}{4}$ Sec Cor. No trees near
79.90 The Cor to Secs 22, 23, 26 + 27
Land East of bluff gently rolling
valley with 1st rate soil
Bluff rough and worthless
Timber Pinon and Cedar with some pine

Township 8 North Range 29 East.

Gila and Salt River Meridians

chs.	North between Secs 22 & 23 to 130° 50 East
0.80	begin descent of point of bluff bears S. 41° S. E.
17.00	foot of bluff and enter valley bears S. W + S. E.
31.40	Road to Hunter Rosa bears S. E. + N
40.00	set a post marked $\frac{1}{4}$ S 4 ft long flat -tented 3 in wide set 2 ft in the ground for $\frac{1}{4}$ Sec Cor from which a Cedar 10 in dia bears S 18° E 20 Mk's dist. " Piñon 4 " " " N 40° E 54 " "
42.00	begin ascent of spur projecting S from mountain on north
74.00	Summit of S slope of spur
80.00	set a limestone 10 x 10 x 10 in properly notched set $\frac{2}{3}$ in the ground and on N. side build mound of stone 2 ft high for Cor to Secs 14/15 22 & 23 from which

Township 8 North Range 29 East

Gila and Salt River Meridian

Chs.

a cedar 12 in dia bears $S 5^{\circ} W 12$ lks dist
 No other trees near
 Land. S rocky slope of bluff soil worthless
 in rally rolling with 2nd rate soil.
 W slope of mountain rough & worthless.
 Timber. Pinon & Cedar of stunted growth.

East on random line

between Secs 14 & 23

Ta 130 50' East

- 8.00 begin descent from spur
 40.00 set a stone for temporary $\frac{1}{4}$ Sec Cor
 43.00 foot of spur and enter valley bears $N + S$.
 72.00 begin ascent of spur slope bears $N. E + S. E$.
 78.00 summit of spur
 80.00 intersect $N + S$ line 24 lks N of Cor to
 Secs 13 14 23 & 24 from which Cor
 I run
 North $89^{\circ} 50'$ West on true line

Township 8 North Range 29 East

Gila and Salt River Meridian

chs.

between Secs 14 & 23

Ta 13° 50' East

40.00 set a volcanic stone 14x12x10 in marked
-ked 1/4 set 2/3 in the ground for 1/4 Sec
Cor from which

A pinon 12 in dia bears S 30° E 8 lks dist

" " 4 " " N 72° W 12 " "

80.00 The cor to Secs 14 15 22 & 23

Land E mostly level valley with 1st rate soil
West rough slope of spur with worthless soil
Timber Pinon and Cedar

North between Secs 14 & 15

Ta 13° 59' East

14.00 begin ascent of mountain slope bears N 45°

40.00 set a limestone 24x12x12 in marked 1/4
set 3/4 in the ground and build mound
of stone 2 ft high for 1/4 Sec Cor.
No trees near

41.00 Summit of mountain and line runs

Township 8 North Range 29 East

Gila and Salt River Meridian

Chs.

along level tops bears N + S

- 8.1.00 set a limestone $14 \times 12 \times 11$ in properly
notched set $\frac{2}{3}$ in the ground and on N
side build mound of stone 2 ft high
for Cor to Sec's 10 11 14 & 15 from which
a cedar 8 in dia bears $S 5^{\circ} N 26$ lks dist
" " 4 " " $S 13^{\circ} E 64$ " "

No other trees near

Land S of $\frac{1}{4}$ Sec Cor precipitous rocky slope
of mountain N of $\frac{1}{4}$ Sec Cor level Summit
-mit of mesa mountain soil worthless

Timber scrub Cedars + pines.

October 29 1875

East on random line
between Sec's 11 & 14

Va $13^{\circ} 50'$ East

- 3.20 begin descent from summit of moun-
-tain slope bears NW + S
- 3.6.00 foot of slope and enter valley bears
N N + S.

Township 8 North Range 29 East

Gila and Salt River Meridian

chs.

- 40.00 Set a post for temporary $\frac{1}{4}$ Sec Cor
 43.00 Wood was bears N & S.
 79.90 Intersect N & S line 32 lks N of Cor to
 Secs 11 12 13 & 14 from which Cor

I run

North $89^{\circ}46'$ West on true line

between Secs 11 & 14

Va $13^{\circ}50'$ East

- 39.95 Set a post marked $\frac{1}{4}$ Sec 4 ft long flattened
 3 in wide 1 ft in the ground drive
 charred stake and build mound of
 earth 2 ft high with pits $2 \times 1 \times 1$ ft
 for $\frac{1}{4}$ Sec Cor. No trees near

- 79.90 The Cor to Sec's 10 11 14 & 15

Land East. level valley with 1st rate soil

West worthless mountain slope

Timber Pinon and Cedar

North between Sec's 10 & 11

Va $13^{\circ}50'$ East

BOOK 55

Township 8 North Range 29 East

Gila and Salt River Meridian

- chs.
- 1.35 Begin descent from mountain slope bears
S⁷⁴W + S⁸E
- 32.00 foot of slope and enter valley bears S.⁸E.
+ S.¹⁰W.
- 44.00 set a post marked $\frac{1}{4}$ S 4 ft long flattened
3 in wide set 2 ft in the ground for $\frac{1}{4}$
Sec Cor from which
a pinon 10 in dia bears S¹¹W 16 lks dist
" Cedar 12 " " " N¹³W 110 " "
- 84.00 set a post marked and notched 4 ft long
3 in square 1 ft in the ground drive
charr'd stake and build mound of earth
2 ft high with pits 2x1x1 ft for Cor
to Sec's 2, 3, 10 & 11. No trees near
Land South rough and worthless slope of
mountain's North level valley with 1st
rate soil
Timber Pinon and Cedar on south
end of line

Township 8 North Range 29 East

Gila and Salt River Meridian

Chs

East on random line

between Sec's 2 & 11

Va $13^{\circ}50'$ East

- 38.20 Wood road bears $N\frac{1}{2}W$ & S.E.
 40.00 Set a post for temporary $\frac{1}{4}$ Sec Cor
 80.00 Intersect $N\frac{1}{2}S$ line at cor to Secs 1, 2.
 $N\frac{1}{2}E$ from which cor
 I run

West on true line

between Sec's 2 & 11

Va $13^{\circ}50'$ East

- 40.00 Set a post marked $\frac{1}{4}$ 54 ft long flat-
 -leaved 3 in wide 1 ft in the ground
 drive charred stake and build mound
 of earth 2 ft high with pits $2 \times 1 \times 1$ ft
 for $\frac{1}{4}$ Sec Cor. No trees near
 80.00 The cor to Sec's 2, 3, 10 & 11
 Land level valley soil 1st rate
 No timber or undergrowth

Township 8 North Range 29 East

Gila and Salt River Meridian

chs.

North between Secs 2 & 3
Va 13° 50' East

- 37.60 Wood road bears N W + S. E.
- 40.00 Set a post marked 1/4 S 4 ft long flat-
tened 3 in wide 1 ft in the ground
drive charred stake and build mound
of earth 2 ft high with pits 2 x 1 x 1 ft
for 1/4 sec cor. No trees near
- 80.10 Intersect 2nd standard N and set a post
properly notched and marked 4 ft long
3 in square 1 ft in the ground drive
charred stake and build mound of
earth 2 ft high with pits 2 x 1 x 1 ft for
closing cor to Secs 2 & 3
No trees near.
From this cor
I run
West on 2nd standard N
Va 13° 50' East
- 2230 The Standard cor to Secs 33 & 34

Township 8 North Range 29 East

Gila and Salt River Meridian

chs.

Land level valley soil 1st rate
No timber or undergrowth.

North between Sec's 33 & 34

To 130° 50' East

40.00 Set a lime stone 12x10x8 in marked $\frac{1}{4}$
set $\frac{2}{3}$ in the ground and build mound
of stone 2 ft high for $\frac{1}{4}$ Sec Cor
No trees near

80.00 Set a lime stone 16x10x8 in properly
notched set $\frac{2}{3}$ in the ground and on
N. side build mound of stone 2 ft
high for Cor to Sec's 27, 28, 33 & 34 from which
A pine 16 in dia bears S 30° E 1500 dist
" " 6 " " " S 49° W 20 " "
" " 12 " " " N 37° E 46 " "

No tree in Sec 28 convenient to mark
Land level mesa soil 2nd rate grass abundant.
Timber scattering Pines

Township 8 North Range 29 East

Gila and Salt River Meridian

chs.

East on random line
between Secs 27 & 34.

$\text{Va } 130^{\circ}50'$ East

40.00 set a stone for temporary $\frac{1}{4}$ Sec Cor.

80.12 Intersect $\frac{1}{4}$ S line at Cor to Sec's
26, 27, 34 & 35. from which cor
I run

West on true line

between Secs 27 & 34

$\text{Va } 130^{\circ}50'$ East

40.06 set a limestone $16 \times 10 \times 10$ in marked $\frac{1}{4}$
set $\frac{2}{3}$ in the ground and build mound
of stone 2 ft high for $\frac{1}{4}$ Sec Cor from which
a pine 10 in dia bears $\frac{1}{4}$ 30° W 115. lks dist
No other trees near

80.12 The Cor to Secs 27 28 33 & 34

Land level mesa

Soil 2nd rate grass abundant

Timber scattering Pines

Township 8 North Range 29 East

Gila and Salt River Meridian

Chs.

North between Secs 27+28

Ta 130°50' East

- 6.00 begin descent from mesa bluff bears
N.E. + S.W.
- 36.00 foot of bluff and enter rolling land
bears N.E. + S.W.
- 38.00 Gulch 1 ch wide flows N.E.
- 40.00 Set a limestone 12x14x10 in marked $\frac{1}{4}$
set $\frac{2}{3}$ in the ground and build mound of
stone 2 ft high for $\frac{1}{4}$ sec cor from which
a piñon 8 in dia bears N 5° E 28 lks dist
No other trees near
- 58.00 Gulch 90 lks wide flows E
- 78.10 Trail bears E + W
- 80.00 Set a limestone 12x12x8 in properly
notched set $\frac{2}{3}$ in the ground and on
N side build mound of stone 2 ft
high for cor to Secs 21 22 27 + 28 from which
a piñon 12 in dia bears S 10° W 30 lks dist
No other trees near

Township 8 North Range 29 East

Gila and Salt River Meridian

Chs.

Land 2 of slope mesa and rolling
ridges soil 3^d rate
Timber Pine Piñon and Cedar

East on random line
between Secs 22 + 27
Va 13° 50' East

- 44.00 Set a post for temporary 1/4 Sec cor
69.00 Begin ascent of bluff bears NE + SW.
72.00 Gulch 115 lks wide flows N
78.00 Summit of bluff and entire mesa bears
SW + S.E.
80.00 Intersect N + S line 28 lks S of Porto
Secs 22, 23, 26, + 27 from which cor
I run

South 89° 48' West on true line
between Secs 22 + 27
Va 13° 50' East

- 44.00 Set a post marked 1/4 S 4 ft long
flattened 3 in wide 1 ft in the ground

Township 8 North Range 29 East

Gila and Salt River Meridian

chs.

deposit stone marked + and build mound of earth 2 ft high with pits 2x1x1 ft for 1/4 Sec Cor from which a Cedar 12 in dia bears S15°W 24 lks dist
No other trees near

80.00 The Cor to Sec's 21 22 27 + 28.

Land slope of mesa. and rolling ridges
soil 3^d rate

Timber - Cedar and Pinons

North between Secs 21 + 22

To 13051' East

40.00 Set a post marked 1/4 S 4 ft long flat-topped 3 in wide 1 ft in the ground
drive charred stake and build mound of earth 2 ft high with pits 2x1x1 ft for 1/4 Sec Cor No trees near

48.20 Road to Hunter Row bears N.W. + S.E.

80.00 set a post marked and notched 4 ft long 3 in square 1 ft in the ground drive

Township 8 North Range 29 East

Gila and Salt River Meridian

ds.

Harred stake and built mound of earth 2 ft high with pits 2x1x1 ft for Cor to Sec's 15 16 21 & 22 No trees near Land rolling and level valley soil 1st & 2nd rate Timber scattering Pinon and Cedar

East on random line
between Sec's 15 & 22
Ta 130° 50' East

- 6.00 begin ascent of spur from mountain on N.E.
- 38.00 summit of spur bears N. E. & S. W.
- 40.00 set a stone for temporary 1/4 Sec Cor
- 42.00 begin descent from spur into ravine
- 53.00 foot of ravine and gulch 1/4 wide flows S and begin ascent of S slope of mountain
- 80.00 intersect N & S line 24 lks N of Cor to Sec's 14 15 22 & 23 from which Cor I run

North 89° 50' West on true line
between Sec's 15 & 22

Township 8 North Range 29 East

Chs. Gila and Salt River Meridian

Va 130° 50' East

40.00 Set a limestone 16x8x8 in marked $\frac{1}{4}$
 set $\frac{2}{3}$ in the ground and build mound
 of stone 2 ft high for $\frac{1}{4}$ Sec Cor
 No trees near.

80.00 The Cor to Secs 15, 16, 21 & 22.

Land rough mountain slope

Soil 3^d rate and worthless

Timber scrub Cedar and Piñon.

North between Secs 15 & 16

Va 130° 50' East

40.00 Set a limestone 14x10x10 in marked $\frac{1}{4}$
 set $\frac{2}{3}$ in the ground and build mound
 of earth 2 ft high with pits 2x1x1 ft
 for $\frac{1}{4}$ Sec Cor

80.00 Set a post marked and notched 4 ft long
 3 in square 1 ft in the ground deposit
 stone marked + and build mound of
 earth 2 ft high with pits 2x1x1 ft for

Township 8 North Range 29 East

Gila and Salt River Meridian

Ch

Cor to Sec's 9, 10, 15 & 16

No trees near

Land level valley soil 1st rate

Timber Cedar & Pinon on S end

October 30 1875

East on random line

between Sec's 10 & 15

Va 13° 50' East

40.00 set a post for temporary 1/4 Sec Cor

48.00 begin ascent of mesa, mountain, bears
N.E. & S.S.W.

78.00 Summit of mountain

80.00 Intersect N & S line at Cor to Sec's 10
11 14 & 15 from which Cor

I run

West on true line

between Sec's 10 & 15

Va 13° 50' East

40.05 set a post marked 1/4 S 4 ft long
flattened 3 in wide 1 ft in the ground

Township 8 North Range 29 East

Gila and Salt River Meridian

ch

deposit stone marked 5 + and build mound of earth 2 ft high with pits 2x1x1 ft for 1/4 Sec Cor.. No trees near the Cor to Sec's 9 10 15 + 16.

Land East of 1/4 Cor rough mountain slope. Nut lined valley with 1st rate soil Timber scrub Cedar and Pinon on mountain slope

North between Sec's 9 & 10
Ta 13° 50' East

Set a post marked 1/4 S. 4 ft long flattened 3 in wide 1 ft in the ground drive charred stake and build mound of earth 2 ft high with pits 2x1x1 ft for 1/4 Sec Cor No trees near

Set a post marked and notched 4 ft long 3 in square 1 ft in the ground drive charred stake and build mound of earth 2 ft high with pits 2x1x1 ft for Cor to

Township 8 North Range 29 East

Gila and Salt River Meridian

As.

Sec's 3, 4, 9 & 10 from which
 a cedar 10 in dia bears S 23° E 210 yds dist
 " " 8 " " " S 54° W 224 " "

No other trees near

Land level valley Soil 1st rate
 Timber a few cedars in vicinity of Cor.

East on random line
 between Sec's 3 & 10

Va 13° 50' East

40.000 Set a post for temporary 1/4 Sec Cor

80.000 Intersect N & S line 10 yds S of Cor
 Sec's 2, 3, 10 & 11 from which Cor
 I run

S 89° 56' How true line

between Sec's 3 & 10

Va 13° 50' East

40.000 Set a post marked 1/4 S 4 ft long flat-
 tened 3 in wide 1 ft in the ground
 drive charred stake and build mound

BOOK 55
Township 8 North Range 29 East

Gila and Salt River Meridian

Ch

of earth 2 ft high with pile 2x1x1 ft
for $\frac{1}{4}$ Sec Cor. No trees near

80.00 The Cor to Sec's 3, 4, 9, & 10.

Land level valley Soil 1st rate
No timber or undergrowth

North between Sec's 3 & 4

W $13^{\circ} 50'$ East

1.90 Road bears W 0° N. E.

5.00 begin ascent of S point of mesa bears W

8.00 summit of S point of mesa

12.00 Begin descent of W slope of mesa
and line runs along same

40.00 Set a limestone 14x8x8 in marked $\frac{1}{4}$
set $\frac{2}{3}$ in the ground and build mound
of earth 2 ft high with pile 2x1x1 ft
for $\frac{1}{4}$ Sec Cor. No trees near.

80.00 Intersect 2nd Standard π and set a
limestone 14x10x10 in properly notch-
ed set $\frac{2}{3}$ in the ground on π side

Township 8 North Range 29 East

Gila and Salt River Meridian

chs.

Build mound of earth 2 ft high with
pits 2x1x1 ft for doing cor to Sec's
3+4. No trees near from this cor
I run

West on 2nd Standard North

Va 130° 50' East

23.00 The Standard Cor to Sec's 32+33

Land & level mesa about 50 ft high

W. level valley with 1st rate soil

Timber a few scrub cedars on S end of mesa.

North between Secs 32+33

Va 130° 50' East

Begin descent of bluff from Cor

18.00 foot of bluff bears N. N. E + S. W. and
enter rolling land.

40.00 Set a limestone 10x10x8 in marked
1/4 set 2/3 in the ground for 1/4 Sec Cor
from which

a pine 18 in dia bears N 77° E 32. No dist

Township 8 North Range 29 East

Gila and Salt River Meridian

Chs.

a pine 24 in dia bears N 50 W 1/2 dist

60.10 Creek 12 lks wide flows N. N. E.

80.00 Set a line stone 10 x 10 x 8 in properly
notched set 2/3 in the ground and on
N side build mound of stone 2 ft
high for Cor to Sec's 28, 29, 32 & 33.

from which

a pine 12 in dia bears S 45° W 20 lks dist

" " 12 " " " N 80° E 78 " "

" " 24 " " " N 29° W 140 " "

No trees in Sec 33 convenient to mark

Land rolling. Soil 3^d rate

Timber mostly pine some aspen along
creek banks.

East on random line
between Sec's 28 & 33

Va 13° 50 East

3.60 Wood road bears N + S

9.90 Creek 12 lks wide flows N

Township 8 North Range 29 East

Gila and Salt River Meridian

- Chs
- 22.00 begin ascent to mesa bluff bears
N.E. + S.W.
- 40.00 set a stone for temporary $\frac{1}{4}$ Sec Cor
- 48.00 Summit of first bench and line
runs along same
- 58.00 begin ascent of steep bluff bears
N.E. + S.W.
- 78.00 + Summit of bluff and enter mesa
bears N.E. + S.W.
- 80.20 Intersect N + S line 28 $\frac{1}{4}$ Sec Cor
to Sec's 27 28 33 + 34 from which Cor
I run
 $S 89^{\circ} 48' W$ on true line
 between Secs 28 + 33
 $Ta 13^{\circ} 50' East$
- 40.10 set a line stone $12 \times 10 \times 10$ in mar-
 ked $\frac{1}{4}$ set $\frac{2}{3}$ in the ground for $\frac{1}{4}$ Sec
 Cor from which
 a pine 15 in dia bears $N 4^{\circ} E 30$ $\frac{1}{4}$ Sec dist

Township 8 North Range 29 East

Gila and Salt River Meridian

cks.

- 81.20 a pine 12 in dia bears $S 7^{\circ} W$ 50 lks dist
 The cor to Sec's 28 29 32 + 33
 Land rough and rolling Soil 3^d rate
 Timber pine and cedar. some aspen
 along banks of creek

North between Sec's 28 + 29

Va $13^{\circ} 50'$ East

- 35.00 Pines become scattering Cedar and
 Piñon predominate
- 40.00 Set a limestone $10 \times 10 \times 10$ in marked
 $\frac{1}{4}$ set $\frac{2}{3}$ in the ground for $\frac{1}{4}$ Sec Cor
 from which
 a piñon 4 in dia bears $N 80^{\circ} W$ 12 lks dist
 " Cedar 6 " " " S $3^{\circ} E$ 32 " "
- 80.00 Set a post marked and notched 4 ft
 long 3 in squares 1 ft in the ground
 deposit stone marked + and build
 mound of earth 2 ft high with pits

Township 8 North Range 29 East

Gila and Salt River Meridian

Chs.

2x1x1 ft for Cor to Sec's 20 21 28 & 29

from which

a piñon 12 in dia bears N 23° W 18 lks dist

. Cedar 10 " " " S 7° E 80 " "

No trees near

Land rolling Soil 3^d rate

Timber S of 1/4 Sec Cor mostly pine

North - Cedar and piñon

East on random line
between Sec's 21 & 28

Va 13° 50' East

- 20.00 Enter bottom land bears N & S
- 28.00 wood road bears N & S
- 30.00 Creek 14 lks wide flows N
- 37.00 lean bottom land and enter gently rolling land bears N. E. & S
- 40.00 set a post for temporary 1/4 Sec Cor
- 43.00 Trail bears N. W. & S. E.
- 80.00 Intersect N & S line at Cor to Secs

Township 8 North Range 29 East

Gila and Salt River Meridian

cfs.

21, 22, 27, & 28 from which Cor

I run

West on true line

between Secs 21 & 28

Ta 13° 50' East

40.00 Set a post marked 1/4 54 ft long flat-
tened 3 in wide 2 ft in the ground
for 1/4 Sec Cor from which
a pinon 36 in dia bears S 47° W 190 lts dist
" " 20 " " " 7 42° E 220 " "

80.00 The Cor. to Secs 20, 21, 28 & 29
Land in vicinity of creek level bottom
with 1st rate soil balance gently rolling
with 3rd rate soil.

Timber Pinon and Cedar with some pine on E.

North between Secs 20 & 21

Ta 13° 50' East

20.00 discerned bluff 30 ft high bears N.W. & S.E.

40.00 a pinon 4 in dia which I blaze and mark

Township 8 North Range 29 East

Gila and Salt River Meridian

chs

- 1/4 S. for 1/4 Sec Cor. from which
 A cedar 8 in dia bears $N 86^{\circ} W 60$ lks dist
 " " 6 " " " " $S 10^{\circ} E 118$ " "
- 58.00 Ascend ridge about 40 ft high bears E & W.
- 61.00 Summit and descend ridge
- 64.00 foot of ridge & line runs along rolling
 land
- 80.00 Set a post marked and notched 4 ft long
 3 in squares 1 ft in the ground and deposit
 stone marked + and build mound of
 earth 2 ft high with pits 2x1x1 ft for
 cor to Secs 16 17 20 & 21 from which
 a pinon 6 in dia bears $S 32^{\circ} E 104$ lks dist
 " " 8 " " " $N 88^{\circ} E 120$ " "
- No other trees near
 Land rolling. Soil 2nd & 3^d rate
 Timber Pinon and Cedar

East on random line
 between Secs 16 & 21

Township 8 North Range 29 East

Gila and Salt River Meridian

chs.

Va 13° 50' East

- 7.00 Arroyo 60 lks wide flows N.W.
 10.00 enter open valley land bears N.W. + S.
 22.50 Road bears N.W. + S.E.
 36.50 Creek 14 lks wide flows N water sinks
 a short distance N. of this point
 40.00 Set a post for temporary 1/4 Sec Cor
 73.00 Arroyo 60 lks wide flows N.W.
 80.00 Intersect N + S line at Cor to Sec's 15 16
 21 + 22 from which cor.

I run

West on true line
 between Sec's 16 + 21

Va 13° 50' East

- 40.00 set a post marked 1/4 S 4 ft long flat-
 tened 3 in wide 1 ft in the ground drive
 charred stake and build mound of
 earth 2 ft high with pile 2x1x1 ft for
 1/4 Sec Cor. No trees near.
 80.00 The cor to Sec's 16, 17, 20 + 21.

Township 8 North Range 29 East

Gila and Salt River Meridian

do

Land level valley soil 1st rate
 Timber. Cedar and Pinon on Mendocline

North between Secs 16 & 17
 To 13°50' East

- 40.00 Set a post marked $5\frac{1}{4}$ x 4 ft long flat-
 tened 3 in wide 1 ft in the ground
 for $\frac{1}{4}$ Sec Cor. from which
 a pinon 10 in dia bears S 2° W 6 lks dist
 " " 10 " " N 45° E 9 " "
- 43.00 arroyo 75 lks wide flows N.W.
- 61.20 Road bears WNW + S.S.E.
- 80.00 Set a post marked and notched 4 ft long
 3 in squared 1 foot in the ground drive
 charred stake and build mound of earth
 2 ft high with pile 2x1x1 ft for Cor to
 Secs 8, 9, 16 & 17. No trees near
 Land mostly level valley Soil 1st rate
 Timber. Cedar and pinons along banks of arroyo
 November 1 1875

Township 8 North Range 29 East

Gila and Salt River Meridian

Ch.

East on random line

between Sec's 9 + 16

Ta 13° 50' East

8.30 Dry bed of creek 15 lks wide flows
N.W.41.00 set a post for temporary $\frac{1}{4}$ sec Cor811.12 Intersect N. + S line 35 lks N of Cor to
Sec's 9. 10. 15. + 16 from which Cor
I run

N 89° 45' W on true line

between Sec's 9 + 16

Ta 13° 50' East

411.06 set a post marked $\frac{1}{4}$ S 4 ft long flat=
tened 3 in wide 1 ft in the ground
drive charred stake and build mound
of earth 2 ft high with pits 2 x 1 x 1 ft
for $\frac{1}{4}$ sec Cor. No trees near

811.12 the Cor to Sec's 8. 9. 16 + 17

Land level rally. Soil 1st rate

No timber or undergrowth

Township 8 North Range 29 East

Gila and Salt River Meridians

At

North between Sec's 8 & 9
Ta. 130° 50' East.

- 9.10 Dry bed of creek flows N.W.
- 23.00 Trail bears E & N
- 35.00 Trail .. E & N
- 37.00 begin ascent of S point of mesa bears
N about 40 ft high
- 40.00 set a limestone 14x10x8 in marked 1/4
set 2/3 in the ground for 1/4 Sec Cor
from which
A cedar 4 in dia bears E. 7 lks dist
" " 6 " " " N 87° W 25 lks "
- 41.00 summit of mesa and line runs along same
- 75.50 begin descent from mesa
- 79.25 foot of mesa and enter level valley
- 80.00 set a lime stone 12x12x12 in prop-
-erly notched set 2/3 in the ground and
on N side build mound of earth 2 ft
high with pits 2x1x1 ft for Cor to
Secs 4, 5, 8, & 9
- At trees near

Township 8 North Range 29 East

Gila and Salt River Meridian

chs.

Land level valley with 1st rate soil except mesa about 40 ft high and 8 chs wide extending $\frac{1}{2}$ from $\frac{1}{4}$ Sec Cor to Sec Cor. Soil on mesa 2nd rate
 Timber scrub cedars along mesa

East on random line

between Sec's 4 + 9

Ta 13° 50' East.

40.00 Set a post for temporary $\frac{1}{4}$ Sec Cor

80.00 Intersect N. + S line at Cor to Sec's

3. 4. 9. + 10 from which Cor

I run

West on true line

between Sec's 4 + 9

Ta 13° 50' East

40.00 Set a post marked $\frac{1}{4}$ S 4 ft long flat-

-tens 3 in wide 1 ft in the ground

drive charred stake and build mound of

earth 2 ft high with pits 2x1x1 ft

Township 8 North Range 29 East

Gila and Salt River Meridian

Ks.

- for $\frac{1}{4}$ Sec Cor No trees near
 80.00 The Cor to Sec's 4, 5, 8, & 9
 Land level valley soil 1st rate
 No timber or undergrowth

North between Sec's 4 & 5.

T_W 13° 50' East

- 23.00 Road bears E & W
 Milligans Mill bears W of this point about
 $\frac{1}{2}$ mile distant
- 40.00 Set a limestone 14x10x10 in marked $\frac{1}{4}$ set
 $\frac{2}{3}$ in the ground and build mound of earth
 2 ft high with pits 2x1x1 ft for $\frac{1}{4}$ sec Cor
 No trees near
- 52.20 Road bears N.N.E & S.W.
 Jordans store and dwelling house bears W
 of this point about 7 chs dist
- 57.00 Irrigating ditch flows N.E. and enter
 cultivated field, bears N.E. & S.W.
- 72.00 Little Colorado River 40 fms wide, rapid

Township 8 North Range 29 East

Gila and Salt River Meridian

Chs.

current flows N.W.E. and lean cultivated field.

79.90 Intersect 2nd standard north and set a post notched and marked 4 ft long 3 in square 1 foot in the ground deposit stone marked + build mound of earth 2 ft high with pits 2x1x1 ft for closing cor to Sec's 4 & 5. No trees near
From this cor

I run

West along 2nd standard North
Va 13° 50' East

22.40 The standard cor to Sec's 31 & 32
Land mostly level bottom. Soil 1st rate
No timber and overgrowth willows along river banks.

North between Sec's 31 & 32
Va 13° 50' East

40.00 Set a lime stone 20x12x10 in marked

Township 8 North Range 29 East

Gila and Salt River Meridian

As.

$\frac{1}{4}$ set $\frac{3}{4}$ in the ground for $\frac{1}{4}$ Sec Cor
from which

A pine 12 in dia bears S 32° W 28 lts dist

" " 29 " " " N 64° E 72 " "

67.00 begin descent from mesa bluff bears
N. W. + S. E.

68.00 foot of bluff and enter rolling land
bears W + S. E.

80.00 set a volcanic stone $12 \times 12 \times 10$ in
properly notched set $\frac{2}{3}$ in the ground
and on N side build mound of stone 2 ft
high for Cor to Sec's 29, 30, 31 + 32
from which

A Cedar 12 in dia bears N 13° W 84 lts dist

A pine 24 " " " S 24° W 120 " "

No other trees near

Land S level mesa with abrupt rocky
slopes bearing S. E. + S. W. Soil 2nd rate. N.
rolling with 2nd rate soil

Timber mostly pine with some fir + cedar

Township 8 North Range 29 East

Gila and Salt River Meridian

As.

East on random line

between Sec's 29 + 32

Ta 13° 50' East

40.00 Set a post for temporary 1/4 Sec Cor

79.80 Intersect N & S line 6 lks S of Cor to Sec's

28, 29, 32 + 33 from which Cor

I run

S 89° 57' W on true line

between Sec's 29 + 32

Va 13° 50' East

39.90 - Set a lime stone 11 x 11 x 8 in marked 1/4

set 2/3 in the ground and build mound of

stone 2 ft high for 1/4 Sec Cor from which

a cedar 6 in dia bears N 38° E 65 lks dist

No other trees near

79.80 The Cor to Sec's 29 30 31 + 32

Land rolling and sloping N.E.

Soil 2nd and 3^d rate

Timber Pine Poinon and Cedar

Township 8 North Range 29 East

Gila and Salt River Meridian

Chs.

West on random line

between Sec's 30 & 31

Va 13° 51' East

40.00 Set a lime stone for temporary 1/4 Sec Cor

78.60 Intersect W Boundary of Sp 7th S of Cor
to Sec's 30 & 31 from which Cor

I run

S 89° 57' E on true line

between Sec's 30 & 31

Va 13° 50' East

38.60 Set a volcanic stone 2 1/2 x 10 x 10 in marked
1/4 set 3/4 in the ground and build mound of
stone 2 ft high for 1/4 Sec Cor.

No trees near

78.60 The Cor to Sec's 29, 30, 31 & 32

Land rough and broken Soil 2nd & 3^d rate

Timber Pine Piñon and Cedar

North between Secs 29 & 30

Va 13° 50' East

Township 8 North Range 29 East

Gila and Salt River Meridian

chs

- 40.00 Set a limestone $18 \times 10 \times 10$ in marked $\frac{1}{4}$
 Set $\frac{3}{4}$ in the ground for $\frac{1}{4}$ Sec Cor from which
 a piñon 4 in dia bears $S 16^\circ E 36$ lks dist
 " " 6 " " " $N 18^\circ E 100$ " "
- 80.00 Set a limestone $16 \times 10 \times 10$ in properly
 notched set $\frac{2}{3}$ in the ground and on it
 side build mound of stone 2 ft high
 for Cor to Sec's 19 20 29 + 30 from which
 a cedar 8 in dia bears $N 88^\circ E 12$ lks dist
 " piñon 6 " " " $N 1^\circ W 20$ " "
 " " 5 " " " $S 12^\circ W 121$ " "
 No tree in Sec 29 convenient to mark
 Land rolling Soil 2nd rate
 Timber mostly Piñon and cedar, some
 Pine on S end of line.

East on random line

between Sec's 20 + 29

Va $13^\circ 50'$ East

- 40.00 Set a stone for temporary $\frac{1}{4}$ Sec Cor

Township 8 North Range 29 East

Gila and Salt River Meridian

ch

80.16 Intersect N+S line 10 lks S of Cor to Sec's 20, 21, 28 & 29 from which Cor I run

S 89° 56' N on true line between Sec's 20 & 29 Va 13° 50' East

40.08 Set a limestone 14x10x10 in marked 1/4 set 2/3 in the ground and build mound of stone 2 ft high for 1/4 Sec Cor. from which a cedar 14 in dia bears N 12° W 130 lks dist No other trees near

80.16 The Cor to Sec's 19, 20, 29 & 30 Land rolling Soil 2nd rate Timber Pinon and Cedar

West on random line between Sec's 19 & 30 Va 13° 50' East

40.00 Set a stone for temporary 1/4 Sec Cor Intersect W Boundary of 3/4 30 lks S of Cor

Township 8 North Range 29 East

Gila and Salt River Meridian

Ch

to Sec's 19 + 30 from which cor

I run

S 89° 47' East on true line

between Sec's 19 + 30

Ta 13° 50' East

38.40 Set a volcanic stone 16x14x8 in marked $\frac{1}{4}$
 set $\frac{2}{3}$ in the ground and build mound
 of stone 2 ft high for $\frac{1}{4}$ Sec cor.

No trees near

78.40 The cor to Sec's 19 20 29 + 30

Land rolling soil 3^d rate

Timber Piñon and Cedar

North between Secs 19 + 20

Ta 13° 50' East

8.00 begin ascent of round hill

15.00 summit and line runs along same

38.00 begin descent of hill

40.00 Set a line stone 24x16x16 in marked $\frac{1}{4}$
 set $\frac{3}{4}$ in the ground for $\frac{1}{4}$ Sec cor

Township 8 North Range 29 East

Gila and Salt River Meridian

chs.

from which

A pinon 16 in dia bears $N 11^{\circ} W$ 18 lks dist

" " 4 " " " $N 2^{\circ} E$ 20 " "

48.00 foot of hill and entire rolling land
bears $E \times W$

80.00 Set a limestone $16 \times 16 \times 4$ in properly
notched set $\frac{2}{3}$ in the ground and on it
side build mound of stone 2 ft high
for Cor to Sec's 17 18 19 + 20

No trees near

Land rolling and hilly Soil 2nd rate

Timber scattering Cedar + Pinon

November 2 1875

East on random line

between Sec's 17 + 20

To 13050' East

40.00 Set a post for temporary $\frac{1}{4}$ Sec Cor

80.20 Intersect $N + S$ line 30 lks S of Cor to Sec's

16. 17. 20 + 21 from which Cor

I run

Township 8 North Range 29 East

Gila and Salt River Meridian

cls.

S 89° 47' West on true line

between Secs 17 + 20

Va 13° 50' East

40.10 Set a post marked $\frac{1}{4}$ S 4 ft long
flattened 3 in wide 1 ft in the ground
Deposit stone marked + and build
mound of earth 2 ft high with pits
2 x 1 x 1 ft for $\frac{1}{4}$ Sec Cor. No trees near.

80.20 The cor to Secs 17 18 19 + 20

Land gently rolling. Soil 2nd rate
Timber scattering Pinon + Cedar

West on random line

between Secs 18 + 19

Va 13° 50' East

40.00 Set a post for temporary $\frac{1}{4}$ Sec Cor

44.00 Arroyo 75 yds wide flows N.E.

78.00 Intersect N Boundary of Twp 20 N S of Cor
to Secs 18 + 19 from which Cor

I run

Township 8 North Range 29 East

Gila and Salt River Meridian

Chs.

S 89° 51' East on true line
between Secs 18 & 19
Va 13° 50' East

- 38.10 Set a post marked 5/4 x 5 4 ft long flattened 3 in wide 1 ft in the ground deposit stone marked + and build mound of earth 2 ft high with pits 2x1x1 ft for 1/4 Sec Cor. No trees near
- 78.10 The Cor to Secs 17, 18, 19 & 20
Land rolling Soil 2nd rate
Timber scattering Pinon and Cedar

North between Secs 17 & 18
Va 13° 50' East

- 36.00 Arroyo 80 lks wide flows N.E.
- 38.20 Wood road bears N.E. & S.W. and begin ascent of mesa bears N.N.E. & W.
- 40.00 Set a limestone 18x14x10 in marked 1/4 set 3/4 in the ground and build mound of earth 2 ft high with pits 2x1x1 ft for

Township 8 North Range 29 East

Gila and Salt River Meridian

As

1/4 Sec Cor No trees near

- 43.00 Summit of mesa and line runs along same
- 89.00 Set a limestone $10 \times 10 \times 10$ in properly
notched set $2/3$ in the ground and on
A side build mound of stone 2 ft
high for Cor to Secs 7, 8, 17, & 18 from which
A cedar 10 in dia bears $S. 38^{\circ} E 111$ N. dist
No other trees near
Land level mesa and rolling valley
Soil generally 2nd rate
Timber scattering Cedar and Pinons

East on random line
between Secs 8 & 17

To $13^{\circ} 50'$ East

- 3.00 Begin descent from mesa slope bears
N. N. + S
- 7.00 foot of slope and enter level valley bears
N. + S.
- 22.00 Road bears N. N. W + S. E.

Township 8 North Range 29 East

Gila and Salt River Meridian

hrs

- 31.00 Arroyo 100 yds wide flows N
- 40.00 Set a post for temporary 1/4 Sec Cor
- 80.00 Intersect N + S line at Cor to Sec's 8, 9
16 + 17 from which Cor
I run

West on true line
between Sec's 8 + 17
Ta 13° 50' East

- 40.00 Set a post marked 1/4 Sec 4 ft long flat-topped 3 in wide 1 ft in the ground deep set stone marked 4 and build mound of earth 2 ft high with pit 2x1x1 ft for 1/4 Sec Cor.
No trees near

- 80.00 The Cor to Sec's 7, 8, 17 + 18
Sand valley, gently sloping N Soil 1st rate
Timber a very few Cedars and Piñons

West on random line
between Sec's 7 + 18

Township 8 North Range 29 East

Gila and Salt River Meridian

- ch
- 14.00 Begin descent from mesa slope
bears S. S. W & N. E.
- 20.00 foot of slope and enter valley gently
sloping N.
- 40.00 Set a post for temporary $\frac{1}{4}$ Sec Cor.
- 70.00 Begin ascent to mesa and slope bears N & S.
- 46.00 Summit of slope and enter mesa bears N & S.
- 48.20 Intersect W boundary of Sp $\frac{1}{4}$ $\frac{1}{4}$ S of Cor
to Sec's 7 & 18 from which Cor
I run
S $89^{\circ} 54'$ East on true line
between Sec's 7 & 18.
Ta 13050' East
- 48.20 set a post marked $\frac{1}{4}$ S 4 ft long flattened
3 in wide 1 ft in the ground deposit
stone marked + and build mound of
earth 2 ft high with pits $2 \times 1 \times 1$ ft
for $\frac{1}{4}$ Sec Cor. No trees near
- 48.20 the Cor to Sec's 7, 8, 17 & 18
Land mostly valley gently sloping N

Township 8 North Range 29 East

Gila and Salt River Meridian

Chs

Soil 1st rate

Timber a few cedars & pines

North between Secs 7 & 8

Va 130° 50' East

- 27.00 begin descent from mesa slope bears S.W.
- 9.00 foot of slope and enter valley gently sloping
W
- 24.00 Road bears N. E + S. W.
- 39.00 Road bears E + W.
- 40.00 Set a post marked $\frac{1}{4}$ 54 ft long flattened
3 in wide 1 ft in the ground deposit stone
marked + and build mound of earth
2 ft high with pits 2 x 1 x 1 ft for $\frac{1}{4}$
Sec cor
- 49.00 Irrigating ditch and mill race flows N. E.
and enter cultivated field bears N + N. E.
- 62.00 Millegins dwelling and farm buildings
bear E of this point 6 Chs dist
- 69.90 leave cultivated field and Little Colorado

Township 8 North Range 29 East

Gila and Salt River Meridian

chs

River 40 lks wide flows N. E.

45.00 leave bottom and ascend rocky bluff
30 ft high bears N. E. & S. W thence N
and enter level mesa bears N. E. & W. S. W

81.00 set a line stone 16x10x10 in prop=
-erly notched set $\frac{2}{3}$ in the ground
and on N side build mound of stone
2 ft high for Cor to Secs 5, 6, 7, & 8

No trees near

Land mostly level bottom Soil 1st rate
No timber or undergrowth

Each on random line

between Secs 5 & 8

Va 13050' East.

3.50 descend from mesa bluff 25 ft high
bears N. E. & S. W and enter level bot=
-tom bears N. E. & S. W.

11.30 Little Colorado River 40 lks wide flows
N. E. and enter cultivated field.

Township 8 North Range 29 East

Gila and Salt River Meridian

Ch

Bears N. E. & S. W.

- 12.00 Farm road bears N. E. & S
- 24.00 Dry bed of creek 30 lks wide flows N
- 38.50 Main road bears N. E. & S. W.
- 40.00 Set a post for temporary $\frac{1}{4}$ Sec Cor
- 42.10 Mill race flows N. N. E
- 80.00 Intersect N + S line 12 lks S of cor to
Sec's 4, 5, 8, & 9 from which cor
I run
- S 89° 55' Now true line
Va 130 51' East
- 40.00 Set a post marked $\frac{1}{4}$ S 4 ft long flattened
3 in wide 1 ft in the ground drive char-
red stake and build mound of earth 2 ft
high with pits 2 x 1 x 1 ft for $\frac{1}{4}$ Sec Cor
No trees near
- 80.00 The cor to Sec's 5, 6, 7, & 8.
Level bottom Soil 1st rate
No Timber or undergrowth

Township 8 North Range 29 East

Tls. Gila and Salt River Meridian

West on random line
between Secs 6+7

Va 13°50' East

40.00 Set a post for temporary 1/4 Sec Cor

78.10 Intersect W Boundary of Twp. 22 N. S. of Cor to Secs 6+7 from which Cor I run

S 89°51' E on true line

between Secs 6+7

Va 13°50' East.

38.10 Set a post marked 1/4 S 4 ft long flattened 3 in wide 1 ft in the ground deposit stone marked + and build mound of earth 2 ft high with pits 2x1x1 ft for 1/4 Sec Cor
No trees near

78.10 The Cor to Secs 5, 6, 7+8

Land level mesa

Soil 1st + 2nd rate

No timber or undergrowth

Township 8 North Range 29 East

Gila and Salt River Meridian

As

North between Secs 5+6

va $13^{\circ}50'$ East

49.00 Set a lime stone $14 \times 10 \times 8$ in marked $\frac{1}{4}$
 set $\frac{2}{3}$ in the ground and build mound of
 earth 2 ft high with pits $2 \times 1 \times 1$ for $\frac{1}{4}$
 Sec Cor. No trees near

80.20 Intersect 2nd Standard North and set a
 lime stone $16 \times 10 \times 10$ in properly notched
 and set $\frac{2}{3}$ in the ground and on N side
 build mound of stone 2 ft high for Clos-
 ing cor to Secs 5+6. No trees near
 From this Cor

I run

West along 2nd Standard North
 va $13^{\circ}50'$ East

22.15 The Standard Cor to Secs 31+36 and to
 Tps 9 N Rs 28+29 E

Land level mesa. Soil 1st & 2nd rate

No timber or undergrowth

November 3 1875

Township 8 North Range 29 East

Gila and Salt River Meridian

chs.

General Description of
Township 8 North Range 29 East

This Township contains an abundance of first class farming land.

The rolling lands in the Southern and the mesas in the Eastern and Southeastern portion are covered with grasses adapted for grazing purposes.

The Little Colorado River flows North-easterly through the NW cor of the Township.

A small creek rising in the Mountains on the S flows northerly through central portion of the Township, and sinks in Sec 16 except during the rainy seasons when it continues its flow in a North westerly direction and empties into the Little Colorado River in Sec 5. There is con =

Township 8 North Range 29 East

Gila and Salt River Meridian

= considerable first class Pine timber suitable for building purposes in the Southern portion of the Tp.

The timber in the balance of the Tp. consists of scrub cedars and pinons.

There is considerable land under cultivation along the Little Colorado bottom.

H. R. Milligan has a small flouring and Saw-mill in process of erection in the S.E. q^r of Sec 5.

W. Buxton Foster
Depty Surveyor

List of Names.

A List of the Names of Individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the survey of the *Subdivision*

*Lines of Township 8. North,
Range 29. East.*

*Gila Co Salt River Meridian
Territory of Arizona*

Showing the respective capacities in which they acted.

- John S. Nelson* Chairman.
- Peter Thompson* Chairman,
- Henry Winninghoff* Axeman.
- William C. Foeter* Flagman.



Final Oath of Assistants.

We hereby certify that, we assisted Pearl
Hootes U. S. Deputy Surveyor, in
 surveying the Subdivision Lines of
 Township 8. North. Range
 29. East.
 Tlax Salt River Meridian
 Territory of Arizona

and that said Survey has been in all respects, to
 the best of our knowledge and belief, well and
 faithfully executed, and the boundary monuments
 planted according to the instructions furnished by
 the Surveyor-General.

John L. Nelson Chainman.
Peter Thompson Chainman,
Henry Whinnighoff Axeman.
William Foster Flagman.

Sworn to and subscribed before me, this 29th
 day of December, 1875

William McKernan
 Clerk Dist Court 2^d
 Judicial Dist. Yavapai Co. Ariz.

Final Oath of Deputy Surveyor.

I, Carlton Foster

U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract with John Wasson, United States Surveyor General for Arizona, bearing date the 10th day of August

1875. I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of ~~the~~

Subdivision Lines of
Township 8. North
of Range 29. East.
Sila and Salt River Meridian
Territory of Arizona

as are represented in the foregoing Field Notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements con-

tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

Edw. G. Foster
Deputy Surveyor.

Sworn to and subscribed before me, this 29
day of December, 1875

William McKen
Clerk Dist Court
This Judl Dist
Yavapai Co. A.T.

U. S. Surveyor General's Office,

TUCSON, ARIZONA,

July 9,

1876.

The foregoing Field Notes of the Survey of the

Subdivision Lines of
Township 8 North
Range 29 East.

Of the Gila and Salt River Base and Meridian, Arizona, executed by C. Burton Foster,

Deputy Surveyor, under his contract of the 16th of

August, 1875, having been

critically examined and the necessary corrections and explanations

made, the said Field Notes and the surveys they describe

are hereby approved.

John Massm
Surveyor General.