

No. 61.

Subdivision  
T. 5 N. R. 3 E.

4-671

**FIELD NOTES**  
**GENERAL LAND OFFICE.**

61

No. 61

No-61

Field Notes of the  
Subdivision Lines  
of the survey of the

Township 5 N. R. 3 Ea  
of the  
Principal Base and Meridian  
in the  
Territory of Arizona  
as surveyed by

James H. Martineau  
U. S. Deputy Surveyor

Under his contract no. 30  
dated June 21, 1893.

Survey commenced Feb. 9<sup>th</sup> 1894  
Survey completed Feb. 17<sup>th</sup> 1894

## J. S. N. - R. 3 E.

## Index for Books 61 and 62

6	86	5	63	4	47	3	31	2	15	1
<del>85</del>		83		61		45		29		14
7	82	8	60	9	44	10	28	11	13	12
<del>80</del>		79		58		42		27		11
18	77	17	57	16	41	15	26	14	9	13
<del>76</del>		75		55		39		24		8
19	73	20	54	21	37	22	23	23	6	24
<del>71</del>		70		53		36		21		5
30	68	29	51	28	35	27	19	26	4	25
<del>67</del>		65		49		33		18		2
31	64	32	48	33	32	34	17	35	1	36

Subdivision lines of T. 5 N., R. 3 E. B

Standard  
 From the cor. to Secs. 35 and 36  
 on South Boundary I run

<sup>0° 1' W.</sup>  
 North <sub>1/4</sub> bet. Secs. 35 and 36  
 Va. 13° 40' E.

Over level land

17.10 Union mill water pipe and road bear N. E.  
 4000 Set a stone 12 x 10 x 5 <sup>ins</sup> 8 <sup>ins</sup> in  
 the ground for  $\frac{1}{4}$  Sec. cor.

Mkd.  $\frac{1}{4}$  on W. face, dug pits  
 18 x 18 x 12 <sup>ins</sup> N. & S. of stone  
 5  $\frac{1}{2}$  ft. dist. and raised a  
 mound of earth 1  $\frac{1}{2}$  ft high.  
 3  $\frac{1}{2}$  ft bare alongside.

8000 Set a stone 16 x 12 x 8 <sup>ins</sup> 11 <sup>ins</sup>  
 in the ground for cor. to Secs.  
 25, 26, 35, 36, mkd. with 1  
 notch on S. and 1 notch on  
 E. edges. Dug pits 18 x 18 x 12 <sup>ins</sup>

BOOK 61  
Subdivisions

in each sec.  $5\frac{1}{2}$  ft dist,  
and raised a mound of  
earth 2 ft high  $4\frac{1}{2}$  ft  
base alongside

Land level

Lois, 1<sup>st</sup> rate

No timber

East on random line  
bet. Secs. 25 & 36

Va.  $13^{\circ}40'8''$ .

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

87.02 Intersect N. & S. boundary  
line at cor. W. Secs. 30, 31

25, 36. Thence I run

West on true line  
bet. Secs. 25 and 36

Va.  $13^{\circ}40'8''$ .

T. 3 N. R. 3 E.

In dense brush

- 40.01 Set Stone  $14 \times 6 \times 4$  ins 9 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. on  $\text{N.} \frac{1}{4}$  on N. face, dug pits  $18 \times 18 \times 12$  ins E. & W. of Stone  $5\frac{1}{2}$  ft dist, and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base alongside
- 54.50 Pipe to Union Mill, S.W.
- 59.15 Road, bears N.  $25^\circ$  E.
- 79.00 Wash, course  $S. 10^\circ$  E.
- 80.02 The cor. to Secs. 25-26-35-36.
- Land level  
Soil 1<sup>st</sup> rate  
No timber

## Subdivisions

N. 0° 1' W. bet. Secs. 25 & 26

N. a. 13° 40' E.

Over level land & dense brush.

40.00 Set a stone 12 x 10 x 6 ins & ins  
in the ground for  $\frac{1}{4}$  sec. cor.  
mkd.  $\frac{1}{4}$  on W. face. dig  
pits 18 x 18 x 12 ins N. & S.  
of Stone  $5\frac{1}{2}$  ft. dist. and  
raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
alongside.

80.00 Set a stone 13 x 11 x 6 ins & ins  
in the ground for cor. to  
Secs. 23, 24, 25, 26, mkd.  
with 2 notches on S, and  
1 notch on E. edges. dig  
pits 18 x 18 x 12 ins in each

T. 5 N. R. 3 E.

Sec. 5 1/2 ft. dist. and raised  
a mound of earth 2 ft high 4 1/2  
ft. base at long side

Land level -

Soil 1<sup>st</sup> rate, No timber  
Dense undergrowth 80.00 Chs.

East on random line  
bet. Secs. 24 & 25

Va. 13° 40' E.

40.00 Set temp. 1/4 sec. cor.

80.07 Intersect E. Body 5 Chs N. of  
cor. to Secs. 19, 30, 24, 25

Thence I run

N. 89° 58' W. on true line  
bet. Secs. 24 & 25

Va. 13° 40' E.

22.00 Union Mill water pipe bears S. W.

28.00 Road bears N. E.



6

BOOK 61

## Subdivision

40.03

Deposited a mkd. stone 12<sup>ins</sup>  
 in the ground for  $\frac{1}{4}$  sec.  
 Cor. dug pits 18 x 18 x 12<sup>ins</sup>  
 E. & W. of cor. 5 $\frac{1}{2}$  ft dist,  
 and raised a mound of earth  
 1 $\frac{1}{2}$  ft high 3 $\frac{1}{2}$  ft. base  
 alongside. In E. pit drove  
 a stake 2 ft long 2 ins.  
 square 12 inches in the  
 ground mkd.  $\frac{1}{4}$  S. on N.  
 face. Leave dense brush

80.07

The cor. to Secs. 23, 24, 25  
 26.

Land level

Soil 1<sup>st</sup> rate No timber  
 Dense undergrowth ho. etc.

N. 0° 1' W. bet. Secs. 23 & 24

N. 13° 40' E.

T. S. N. R. 3 E

Over level land &amp; dense brush

17.40 Dry wash, course N. W.

40.00 Set a stone  $14 \times 7 \times 6$  ins  $9$  insin the ground for  $\frac{1}{4}$  sec. Cor.  
mkd.  $\frac{1}{4}$  on W. face, dug pits $18 \times 18 \times 12$  ins N. & S. of stone $5\frac{1}{2}$  ft. dist, and raised a  
mound of earth  $1\frac{1}{2}$  ft high $3\frac{1}{2}$  ft base alongside.

54.00

Enter wash 2 chs. wide, course S. W.

80.00 Set a stone  $15 \times 9 \times 9$  ins  $10$  ins

in the ground for Cor. to Sec.

13. 14. 23. 24, mkd. 3 notches

on S, and 1 notch on E.

edges, dug pits  $18 \times 18 \times 12$  insin each sec.  $5\frac{1}{2}$  ft. dist,and raised a mound of  
earth 2 ft high  $3\frac{1}{2}$  ft  
base alongside.

BOOK 61  
Subdivision

Land generally level  
Soil 1<sup>st</sup> rate  
No Timber  
Dense undergrowth 80, or 80.  
10 4

S.  $89^{\circ}58' E$ , on random  
line bet. Secs. 13 & 24  
Va.  $13^{\circ}40' E$ .

Over level land

4000 Set temp.  $\frac{1}{4}$  Sec. Cor.

80.13 Intersect E. Boundary 8 Cks.  
N. of Cor. to Secs. 18, 19, 13  
24, Thence I run

N.  $89^{\circ}54' W$ , on true line  
bet. Secs. 13 & 24  
Va.  $13^{\circ}40' E$ .

1.55 Road bears N. E.

4006 Set a stone  $10 \times 8 \times 7$  <sup>ins</sup> <sub>ins</sub> 6 ins

J. S. N. R. & Co.

the ground for  $\frac{1}{4}$  Sec. Cor.  
 mkd.  $\frac{1}{4}$  on N. face, dug pits  
 18 x 18 x 12 ins E. & W. of Stone  
 5  $\frac{1}{2}$  ft dist, and raised a  
 mound of earth 1  $\frac{1}{2}$  ft high  
 3  $\frac{1}{2}$  ft base alongside.

55.25

63.30

80.13

Road, bears N. E.

Wash. Course S. W.

The Cor. to Secs. 13, 14, 23, 24

Land nearly level

Soil 2<sup>nd</sup> rate.

No timber

N.  $0^{\circ} 1' W.$  bet. Secs. 13 & 14

Wd.  $13^{\circ} 40' E.$

Over rolling land

4000

Set a post 3 ft long 3 ins. sq.  
 with mkd. Stone 12 ins. in the  
 ground for  $\frac{1}{4}$  Sec. Cor. mkd

BOOK 61  
 Lab division

$\frac{1}{4}$  on W. face, dug pits  
 $18 \times 18 \times 12$  ins N. & S. of post  
 $5\frac{1}{2}$  ft. dist, and raised  
 a mound of earth  $1\frac{1}{2}$  ft  
 high  $3\frac{1}{2}$  ft base around  
 post

52.70 Left bank of Cam Creek  
 dry wash, course S. W.

65.40 Right bank of same wash.

8000 Set a stone  $15 \times 9 \times 7$  ins -  $10$  ins  
 in the ground for Cor. to Secs.  
 11, 12, 13, 14, mkd, with 4  
 notches on S, and 1 notch  
 on E. edges, dug pits  $18 \times 18$   
 $\times 12$  ins in each sec, and  
 raised a mound of earth  
 2 ft high  $4\frac{1}{2}$  ft base  
 alongside.

J. S. W. R. 3 E.

Land broken

Soil 2<sup>d</sup> & 3<sup>d</sup> rate stony  
No timber.

S.  $89^{\circ} 54' E.$  on random  
line bet. Secs. 12 & 13

Va.  $13^{\circ} 40' E.$

40.00 Set temp.  $\frac{1}{4}$  Sec. Cor

80.01 Intersect E. Body, 20 chs. S.  
of Cor. W Secs. 7, 18, 12, 13

Thence I run

S.  $89^{\circ} 57' W.$  on true line  
bet. Secs. 12 & 13

Va.  $13^{\circ} 40' E.$

Over rolling ground.

40.00 Set a marked stone 12 <sup>ins</sup>  
in the ground for  $\frac{1}{4}$  sec.

BOOK 61  
Subdivision

cor, dug pits  $18 \times 18 \times 12$  ins  
 E. & W. of cor.  $5\frac{1}{2}$  ft dist,  
 and raised a mound of  
 earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
 base over it. In N. pit  
 drove a stake 2 ft long  
 $2$  ins square 12 ins. in  
 the ground  $\frac{1}{4}$  S. on  
 N. face

62.00 Left bank of Cane Creek  
 Wash, course S. W

64.00 Right bank, same wash.

82.01 The cor. to Sec. 11, 12, 13, 14

Land rolling

Soil 2<sup>nd</sup> & 3<sup>d</sup> rate - Stony

No timber

J. 5<sup>th</sup> N, R. 3 E,

N. 0° 1' W, bet. Secs. 11, & 12

Var. 13° 40' E,

Over plain, covered with loose  
Malpais boulders.

4600 Set a Stone 15 x 14 x 5 <sup>ins</sup> 10 <sup>ins</sup>  
in the ground for  $\frac{1}{4}$  Sec.  
Cor. Mk'd.  $\frac{1}{4}$  on W. face,  
dug pits 18 x 18 x 12 <sup>ins</sup> N. & S.  
of Stone 5  $\frac{1}{2}$  ft. dist. and  
raised a mound of earth  
1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft base  
alongside

8020 Set a Stone 12 x 11 x 9 <sup>ins</sup> 8 <sup>ins</sup>  
in the ground for Cor. to Sec.  
11, 2, 11, 12, Mk'd. with 5 notches  
on S. and 1 notch on E. edges.  
Dug pits 18 x 18 x 12 <sup>ins</sup> in  
each Sec. 5  $\frac{1}{2}$  ft dist. and



BOOK 61  
 Subdivision

raised a mound of earth  
 2 ft high  $4\frac{1}{2}$  ft base  
 alongside

Land level & covered thickly  
 with stones and boulders.

Soil  $4\frac{1}{2}$  rate  
 No timber

N.  $89^{\circ} 57'$  E. on random  
 line bet. Secs. 1 & 12

Va.  $13^{\circ} 40'$  E.

4000 Act temp.  $\frac{1}{4}$  sec. cor.

79.92 Interest East Boundary  
 18 cks. N. of cor. to Secs. 6, 7,

1, 12. Thence I run

N.  $89^{\circ} 55'$  W. on true line  
 bet. Secs. 1 & 12

Va.  $13^{\circ} 40'$  E.

## T. 5 N. R. 3 E

- 2.40 Right bank of Cave Creek  
Wash, Course S. W. Thru  
over level mesa, stony land.
- 17.00 Wash, Course S.
- 39.96 Set a stone  $12 \times 12 \times 6$  ins 8 ins  
in the ground for  $\frac{1}{4}$  sec. Cov  
mkd.  $\frac{1}{4}$  on N. face, and  
raised a mound of stones  
 $1\frac{1}{2}$  ft high 2 ft base  
alongside. Pits impracticable.
- 42.00 Wash, Course S.
- 79.92 The cor. to Secs. 1, 2, 11, 12  
Land level and stony  
Soil 4<sup>th</sup> rate  
No timber

N.  $0^{\circ} 11' W.$  on random line  
bet. Secs. 1 & 2

N.  $13^{\circ} 40' E.$

40.00 Set temp.  $\frac{1}{4}$  sec Cor.

# Introduction 61.

80.09 Intersect N. Body, 9 Cks. E.  
of Cor. to Secs. 1 & 2.  
Thence I run

S.  $0^{\circ} 5' E.$  on true line  
bet Secs. 1 & 2

(Var.  $13^{\circ} 40' E.$

40.09 Set a <sup>marked</sup> stone 12 inches in the  
ground for  $\frac{1}{4}$  sec. cor. and  
raised a mound <sup>of stones</sup>  $\frac{1}{2}$  ft  
high & 2 ft base over it.  
Pits impracticable.

80.09 The cor. to Secs. 1, 2, 11, 12  
Land level & stony  
Soil 3<sup>d</sup> rate. - stony  
no timber.  
Feb. 9<sup>th</sup>, 1894

T. 5. 9. R. 3 E.

Standard  
From the cor. to Secs. 34  
and 35 on S. boundary of  
run

N.  $0^{\circ} 1' W.$  bet. Secs. 34 & 35Var.  $13^{\circ} 40' E.$ 

Over level land

4120 Set a stone  $12 \times 10 \times 5$  ins fine  
in the ground for  $\frac{1}{4}$  sec. cor.  
mkd.  $\frac{1}{4}$  on W. face, dig  
pits  $18 \times 18 \times 12$  in N. & S. of  
stone  $5\frac{1}{2}$  ft. dist. and  
raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
alongside.

8000 Set a stone  $16 \times 12 \times 9$  ins  $11$  ins  
in the ground for cor. to Secs.  
26, 27, 34, 35, mkd with 1  
notch on S. and 2 notches

BOOK 61  
Subdivision.

on E. edges, dug pits  $18 \times 18$   
 $\times 12$  ins in each sec.  $5 \frac{1}{2}$  ft  
 dist, and raised a mound  
 of earth 2 ft high  $4 \frac{1}{2}$  ft  
 base alongside.

Land level

Soil 1<sup>st</sup> rate

No timber

---

East on random line

bet. Secs. 26 & 35

Na.  $13^{\circ} 40' E.$

4000 Set temp.  $\frac{1}{4}$  Sec. Cor.

8000 Intersect N. & S. line at  
 cor. to Secs. 25, 26, 35, 36

Thence I run

West on true line

J. J. R., &amp; E.

bet. Secs. 26 &amp; 35

Va. 13° 40' E.

Over level land

4000 Set a stone 14 x 10 x 5 ins,  
 9 ins in the ground for  $\frac{1}{4}$   
 Sec. cor. mked.  $\frac{1}{4}$  on N.  
 face, dug pits 18 x 18 x 12 in  
 E. & W. of stone 5  $\frac{1}{2}$  ft.  
 and raised a mound of  
 earth 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft  
 bar alongside

8000 The cor. to Sec. 26, 27

34, 35

Land level &amp; brushy

Soil 1st rate

No timber

N. 0° 1' W. bet. Secs. 26 &amp; 27

Va. 13° 40' E.

- 14.10 Wash, course W.
- 27.80 Left bank of same creek  
wash, course S. W.
- 32.70 Right Bank of same wash,
- 46.00 Set a stone  $13 \times 9 \times 4$  <sup>ins</sup>  $8$  <sup>ins</sup>  
in the ground for  $\frac{1}{4}$  Sec.  
cor. mkd.  $\frac{1}{4}$  on W. face, dig  
pits  $18 \times 18 \times 12$  <sup>ins</sup> N. & S.  
of stone  $5\frac{1}{2}$  ft. dist. and  
raised a mound of earth  $1\frac{1}{2}$   
ft high  $3\frac{1}{2}$  ft base all around.
- 80.00 Set a stone  $17 \times 12 \times 7$  <sup>ins</sup>  
 $12$  <sup>ins</sup> in the ground for  
Cor. to Secs. 22, 23, 26, 27  
mkd. with 2 notches on S.  
and 2 notches on E. edges,  
dig pits  $18 \times 18 \times 12$  <sup>ins</sup> in  
each Sec.  $5\frac{1}{2}$  ft. dist. and

J. J. N. P. 3 E

raised a mound of earth  
2 ft high  $4\frac{1}{2}$  ft. base  
alongside

Land generally level  
Soil 3<sup>rd</sup> rate - stony  
No timber

East on random line  
bet. Secs. 23 & 26  
Va.  $13^{\circ}40'E.$

5000 Set temp.  $\frac{1}{4}$  Sec. Cor.

80.12 Intersect N. & S. line 300 ft  
N. of Cor. to Secs. 23, 24, 25  
& 26, thence I run

N.  $89^{\circ}47' W.$  on true line  
bet. Secs. 23 & 26

Va.  $13^{\circ}40'E.$

In dense ~~brush~~ undergrowth



BOOK 61  
 Subdivision

- 17.00 A dry wash, course S, W.
- 23.00 A dry wash, course S, W.
- 40.06 Set a Stone  $16 \times 11 \times 4$  <sup>ins</sup>  $10$  <sup>ins</sup>  
 in the ground for  $\frac{1}{4}$  Sec.  
 Cor. Inkd.  $\frac{1}{4}$  on N. face,  
 dug pits  $18 \times 18 \times 12$  <sup>ins</sup> E &  
 W. of Stone  $5\frac{1}{2}$  ft. dist,  
 and raised a mound of  
 earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
 alongside
- 50.40 Bank of Gave Creek wash  
 35 ft perpendicular height.
- 51.50 Right bank of Same wash  
 Course S,  $20^\circ$  W.
- 8002 The cor. W Secs. 22, 23, 24  
 27  
 Land broken  
 Soil 3 or 4 <sup>no timber.</sup>  
 Dense undergrowth 80, 12 Chs.

T. S. N. R. &amp; E.

N. 0° 1' W, bet. Secs. 22 &amp; 23

Va. 13° 40' W.

Over slightly rolling land,  
4000 Set a stone 18 x 12 x 6<sup>ins</sup> 12<sup>ins</sup>  
in the ground for 1/4 Sec.

Cor. mkd. 1/4 on W. face  
dig pits 18 x 18 x 12<sup>ins</sup> N.  
& S. of Stone 5 1/2 ft dist,  
and raised a mound of  
stones 1 1/2 ft high 2 ft base  
alongside. Pits impracticable.

8000 Set a stone 13 x 9 x 9<sup>ins</sup> - 8<sup>ins</sup>  
in the ground for Cor. to Secs.  
14, 15, 22, 23, mkd. 3 notches  
on S. and 2 notches on E.  
edges, and raised a  
mound of stones 1 1/2 ft high  
2 ft base alongside. Pits  
impracticable.

Land rolling  
Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate  
No timber

S.  $89^{\circ}47'E$ , on random  
line bet. Secs. 14 & 23  
Va.  $13^{\circ}40'E$ .

40.00 Set temp.  $\frac{1}{4}$  Sec. Cor.  
80.03 Interset N. & S. line 22 lbs  
S. of Cor. to Secs. 13, 14, 23, 24  
Thence S. by

N.  $89^{\circ}56'W$ , on true line  
bet. Secs. 14 & 23  
Va.  $13^{\circ}40'E$ .

20.00 Mrow of deep hollow and wash  
Course S. westerly  
31.50 Left bank of same wash,  
Course S. W.

## J. S. N. R. 3 E.

- 32.50 Right bank of same wash.
- 36.30 Left bank of cave Creek  
dry wash, course S. W.
- 39.00 Right bank, same wash
- 40.00 Set a stone  $18 \times 10 \times 10$  <sup>ins</sup>,  $12$  <sup>in</sup>  
in the ground for  $\frac{1}{4}$  sec. cor.  
mkd.  $\frac{1}{4}$  on N. face, dug  
pits  $18 \times 18 \times 12$  <sup>ins</sup> E. & W. of  
stone  $5\frac{1}{2}$  ft. dist. and  
raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
alongside. On a small island.
- 42.00 W. bank of another channel  
of same wash. 12 ft deep  
banks.
- 68.00 Top of mesa, thence level
- 80.03 The cor. to Secs. 14, 15  
22, 23.

Sub~~BOOK~~ 64  
stations

Land very broken

Soil 2<sup>nd</sup> and 3<sup>d</sup> rate  
no timber

N. 0° 1' W. bet. Secs. 14 & 15

Wa. 13° 40' E.

Over level land

4000 Set a stone 13 x 9 x 6<sup>ins</sup> pins  
in the ground for 1/4 sec.,  
cor. mkd, 1/4 on W. face,  
and raised a mound of  
stones alongside. Pits  
impracticable.

8000 Set a stone 17 x 10 x 8<sup>ins</sup> 12<sup>ins</sup>  
in the ground for cor. to  
Secs. 10, 11, 14, 15, mkd,  
with 4 notches on S. and  
2 notches on E. edges, and

J. S. H., R. 3 E.

raised a mound of stones  $1\frac{1}{2}$   
ft high 2 ft base alongside  
Land level

Soil 3<sup>rd</sup> rate - Stony  
No timber

S.  $89^{\circ} 56' E.$  on random  
line bet. Secs. 11 & 14  
va.  $13^{\circ} 40' E.$

4000 Set temp.  $\frac{1}{4}$  sec. cor.

79.97 Intersect N. & S. line 10 lbs.

S. of cor. to Secs. 11, 12, 13,  
14. Thence I run

West on true line  
bet. Secs. 11, & 14

va.  $13^{\circ} 40' E.$

39.98 Set a stone  $16 \times 14 \times 8$  ins  
 $11$  ins in the ground for  $\frac{1}{4}$

Sec. Cor. Mk'd.  $\frac{1}{4}$  on N. face  
 dug pits  $18 \times 18 \times 12$  ins E. &  
 W. of Stone  $5\frac{1}{2}$  ft dist,  
 and raised a mound of  
 earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
 base alongside.

7997 The cor. between 10, 11, 14, 15  
 Land level & stony  
 Soil 3<sup>rd</sup> rate  
 No timber Feb. 10. 1894

N.  $0^{\circ} 1' W.$  bet Secs. 10 & 11

Var.  $13^{\circ} 40' E.$

35.20 Over level land  
 wash. course S.W.  
 40.20 Deposited a marked stone  
 $12$  ins. in the ground for  $\frac{1}{4}$   
 Sec. Cor, and raised a  
 mound of earth and stones

J. S. N. R. &amp; E.

1 1/2 ft. high 3 1/2 ft base  
over it. Pits impracticable.

80000

Set a stone 15 x 13 x 10 ins  
10 ins in the ground for, Cor. to  
Secs. 2, 3, 10, 11, mkd. with  
5 notches on S. and 2 notches  
on E. edges, dug pits 18 x 18 x  
12 ins in each Sec. 5 1/2 ft.  
dist. and raised a mound  
of earth 2 ft high 4 1/2 ft  
base alongside.

Land level & stony  
Soil 3<sup>d</sup> rate  
No timber

East on a random line  
bet. Secs. 2 & 11

Va. 13° 40' E.



# BOOK 61

## Subdivisions

4400 Set temp.  $\frac{1}{4}$  Sec. Cor.  
 80.09 Intusect N. & S. line 11 lks.  
 N. of Cor. to Secs. 1, 2, 11, 12  
 Thence I run

N.  $89^{\circ} 55' W.$  on true line by  
 Secs. 2 and 11

Va.  $13^{\circ} 40' E.$

37.50

Wash. course S.

40.04

Set a Stone  $14 \times 11 \times 7$  ins

9 ins in the ground for  $\frac{1}{4}$

Sec. Cor. Mk'd.  $\frac{1}{4}$  on N. face  
 dry pits  $18 \times 18 \times 12$  ins

E. & W. of Stone  $5\frac{1}{2}$  ft. dist.

and raised a mound of  
 earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft

base along side

64.10

Wash. course S.

80.09

Thence cor. to Secs. 2, 3, 10

11.

Land level and stony  
 Soil 3<sup>d</sup> rate  
 No timber

J. S. W. R. S. E.,

N.  $0^{\circ} 1' W$ , on <sup>a</sup> random  
line bet. Secs 2 & 3

Va.  $13^{\circ} 40' E$ .

Over level land.

4000 Set temp.  $\frac{1}{4}$  Sec. Cor.

80.08 Intersect North boundary

15 Ches. W. of Cor. to Sec. 2

3. 34. 35. Thence I run

S.  $0^{\circ} 5' W$ , on true

line bet Secs. 2 & 3

Va.  $13^{\circ} 40' E$ .

40.08 Set a Stone  $12 \times 11 \times 6$  <sup>ins</sup>

8 ins in the ground for  $\frac{1}{4}$

Sec. cor. Mk'd.  $\frac{1}{4}$  on W.

four. dry pits  $18 \times 18 \times 12$  <sup>in</sup>

N. & S. of Stone  $5\frac{1}{2}$  ft

dist. and raised a

mound of earth  $1\frac{1}{2}$  ft

high  $3\frac{1}{2}$  ft base  
alongside

80.08

The Cor. to Secs. 2, 3, 10, 11

Land level, stony

Soil Profile

No timber

Standard

From the Cor. to Secs. 33 &  
34 on S. boundary I run

N.  $0^{\circ} 2'$  W. bet. Secs. 33 & 34.

Pa.  $13^{\circ} 40'$  E.

40.00

Set Stone  $15 \times 10 \times 8$  ins  $10$  ins in  
the ground for  $\frac{1}{4}$  Sec. cor.

Intd.  $\frac{1}{4}$  on W. face, and

raised a mound of stones

$1\frac{1}{2}$  ft high 2 ft base alongside.

T. J. N., R. 3 E. 33

Pits impracticable.

45.00 Entire dense brush along  
dry wash.80.00 Set a Stone 14 x 12 x 6<sup>ins</sup> 9<sup>ins</sup>  
in the ground for cor. to Secs.  
27, 28, 33, 34, mkd. with  
1 notch on S. and 3  
notches on E. edges. and  
raised a mound of stones  
1/2 ft high 2 ft base  
alongside.Land rolling & Stony  
Soil 3<sup>d</sup> rateDense brush 35 chs.  
no timberEast on random line  
bet. Secs. 27 & 34

34

BOOK 61  
Subdivisions

Va.  $13^{\circ} 40' E$

40.00 Set temp.  $\frac{1}{4}$  sec. Cor.  
80.04 Intersect N. & S. line at  
Cor. to Secs. 26, 27, 34, 35  
Thence I run

West on true line  
between Secs. 27, & 34

Va.  $13^{\circ} 40' E$ ,

17.00 center of cave creek wash, course S. W. 30 chs wide  
40.02 Set a stone  $12 \times 11 \times 10$  ins

Sins in the ground for  $\frac{1}{4}$   
Sec. Cor. Mk'd. with  $\frac{1}{4}$  on  
N. face.

80.04 The cor. to Secs. 27, 28, 33  
34,

Level

Soil 3<sup>rd</sup> rate

No timber

Feb. 11, 1894

N.  $0^{\circ} 2' W$ , bet. Secs. 27 & 28

Pa.  $13^{\circ} 40' E$ .

40.00 Set a stone  $14 \times 10 \times 9$  <sup>ins</sup> <sub>ins</sub> <sup>ins</sup> <sub>ins</sub>  
in the ground for  $\frac{1}{4}$  sec. Cor.  
mkd.  $\frac{1}{4}$  on W. face, dug pits  
 $18 \times 18 \times 12$ , N. & S. of stone  
 $5\frac{1}{2}$  ft. dist, and raised a  
mound of earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft base alongside.

62.00 Entire dense brush

80.00 Set a stone  $15 \times 10 \times 10$  <sup>ins</sup>  
 $10$  <sup>ins</sup> in the ground for  
cor. to Secs. 21, 22, 27, 28.  
mkd. with 2 notches on S  
and 3 notches on E. edges,  
dug pits  $18 \times 18 \times 12$  <sup>ins</sup> in  
each Sec,  $5\frac{1}{2}$  ft dist,  
and raised a mound of

earth 2 ft high  $4\frac{1}{2}$  ft base  
along side

Land rolling

Soil 2<sup>nd</sup> rate

No timber.

Dense undergrowth 18.00 chs.

East on random line

bet. Secs. 22 & 27

Var.  $13^{\circ} 40' E.$

Over rolling land

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.00 Intersect N. & S. line 10

N. S. of Cor. to Secs. 22,

23, 26, 27. Thence I run

S.  $89^{\circ} 56' W.$  on true line

bet. Secs. 22 & 27

Var.  $13^{\circ} 40' E.$

J. S. N., R. 3 E.,

4120 Set a stone  $15 \times 9 \times 8$  ins  $10$  in  
 in the ground for  $\frac{1}{4}$  sec.  
 Cor. mtd.  $\frac{1}{4}$  on N. face,  
 dry pits  $18 \times 18 \times 12$  ins E.  
 & W. of stone  $5 \frac{1}{2}$  ft dist,  
 and raised a mound of  
 earth  $1 \frac{1}{2}$  ft high  $3 \frac{1}{2}$  ft  
 base alongside

8200 The Cor. to Secs. 21, 22  
 27, 28.

Land rolling

Soil 3<sup>d</sup> or 4<sup>th</sup>, - stony

No timber

N.  $0^{\circ} 2'$  W, bet, Secs. 21 & 22

Na.  $13^{\circ} 40'$  E.

In dense brush

12.10

wash. course S. W.

4000

Set a stone  $11 \times 10 \times 8$  ins



BOOK 61  
 Subdivisions

8<sup>ins</sup> in the ground for  $\frac{1}{4}$  Sec. Cor, mkd  $\frac{1}{4}$  on N. face, dug pits 18 x 18 x 12 ins. N. & S. of Stone  $5\frac{1}{2}$  ft. dist, and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base along side,

70.00  
80.00

Begin to ascend Mountain. Leave <sup>dense brush.</sup>  
 Deposited a mkd. Stone 12

inches in the ground for  $\frac{1}{4}$  Sec. Cor, dug pits 18 x 18 x 12 ins. in each Sec.  $5\frac{1}{2}$  ft dist, and raised a mound of earth 2 ft high  $4\frac{1}{2}$  ft base over it. In S.E. pit drove a stake 2 ft long 2 ins. sq. 12 inches in the ground, mkd.

T. 5 N. S. 15 on N.E

T. D. H., P. 3 E.

R. 3 S. 22 on S. E.

S. 21 on SW, and

S. 16 on N. W. faces, with  
4 notches on S. and 3 on  
E. edges.

Land rolling

Soil 3<sup>d</sup> rate no timber  
dense undergrowth and  
mountainous so. or chs.N.  $89^{\circ} 56' E.$  on random  
line bet. Secs. 15 & 22Va.  $13^{\circ} 40' E.$ 

Along S. slope of mountain.

4000 Set temp.  $\frac{1}{4}$  Sec. Cor.80.13 Interset N. & S. line 10  
lks. S. of cor. to Secs. 14  
15. 22. 23. Thence I run

BOOK 61  
 Subdivisions

S.  $89^{\circ} 52'$  W, on true line  
 bet. Secs. 15 & 22  
 Va.  $13^{\circ} 40'$  E.

- 25.20 Deep wash, course S  $40^{\circ}$  W.  
 28.00 Right bank of same wash.  
 Ascend slope of mountain  
 40.00 Set a Stone  $18 \times 12 \times 9$  ins  
 $12$  ins in the ground for  
 $\frac{1}{4}$  Sec. Cor. Marked  $\frac{1}{4}$  on N.  
 face, and raised on mound  
 of stones  $1\frac{1}{2}$  ft high, 2 ft  
 base alongside.
- 80.13 The cor. to Secs. 15, 16,  
 21, 22  
 Land broken, last  
 52.00 Chs. Mountainous.  
 Soil 3<sup>d</sup> rate  
 No timber

J. S. R. P. 38

N.  $0^{\circ} 2' 9''$  W. bet. sees. 15 & 16Va.  $13^{\circ} 40' E.$ Over mountainous land &  
ascend,18.00 Top of W. point of mountain  
descend over rocky slope.40.00 Set a Stone  $15 \times 7 \times 6$  ins $10$  ins in the ground for  $\frac{1}{4}$ Sec. Cor. Mk'd.  $\frac{1}{4}$  on W. facedig pits  $18 \times 18 \times 12$  ins N. &S. of Stone  $5\frac{1}{2}$  ft dist.and raised a mound of  
earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
base alongside. Entire dense  
brush.

73.30 a dry wash, course S. E.

77.60 Same wash, course S. W.

80.00 Set a Stone  $14 \times 12 \times 10$  ins

BOOK 61  
Subdivisions

9<sup>ins</sup> in the ground for cor. to  
Secs. 9, 10, 15, 16, mkd.  
with 4 notches on S. end  
3 notches on E. edges, dug pits  
18 x 18 x 12<sup>ins</sup> in each sec  
5 1/2 ft dirt, and raised  
a mound of earth 2 ft  
high 4 1/2 ft base along-  
-side.

Land Mountains

Soil 3<sup>rd</sup> rate

no timber

Mountains & dense brush

8000 Chs.

Feb 11, 1894

N. 89° 52' E. on random  
line bet Secs. 10 & 15

T. J. R., R. 3 E.

Va. 13° 40' E.

Over rolling land

40.00

Set temp.  $\frac{1}{4}$  sec. cor.

80.10

Interset N. &amp; S. line 19

cks. N. of cor. to Decs. 10, 11

14, 15, Thence I run

West on a true line

bet. Decs. 10 &amp; 15

Va. 13° 40' E.

40.05

Set a stone 10 x 10 x 4 <sup>ins</sup> 11 <sup>ins</sup>  
 in the ground m<sup>k</sup>d  $\frac{1}{4}$  on  
 N. face, dig feet and  
 raised a mound of stones  
 1  $\frac{1}{2}$  ft high 2 ft base  
 alongside.

54.50

dry wash, course S. W.

79.50

dry wash, course S.

80.10

The Cor. to Decs. 9, 10, 15, 16

44

BOOK 61  
Subdivisions

Land nearly level  
Soil 2<sup>nd</sup> rate  
No timber

N.  $0^{\circ} 2' W$ , bet. Secs. 9 & 10  
Va.  $13^{\circ} 40' E$ .

Over rolling land.

5.00 Enter dense undergrowth.

6.00 Set a stone  $12 \times 11 \times 9$  ins ins  
in the ground for  $\frac{1}{4}$  sec.  
Cor. mkd.  $\frac{1}{4}$  in  $W$ . face,  
dug pits  $18 \times 18 \times 12$  ins ins  $N$ .  
and  $S$ . of stone  $5\frac{1}{2}$  ft  
dist, and raised a  
mound of earth  $1\frac{1}{2}$  ft  
high  $3\frac{1}{2}$  ft base  
alongside.

8.00 Set a stone  $15 \times 14 \times 9$  ins

J. S. R., R. 3 E.

10 ins in the ground for Cor.  
to Secs. 3, 4, 9 & 10 marked  
with 5 notches on S. and 3  
on E. edges, dug pits 18 x 18  
x 12 ins. in each Sec. 5 1/2 ft  
dist. and raised a mound  
of earth 2 ft high 4 1/2 ft  
base alongside.

Land broken

Soil 2<sup>nd</sup> rate

No timber

Dense undergrowth 75.00 chs.

East on random line

bet. Secs. 3 & 10

Var. 13° 40' E.

Over nearly level land.

40.00 Set temp. 1/4 Sec. Cor.



## Subdivisions

80.20 Intersect N. & S. line 7 cks  
 N. of Cor. to Secs. 2, 3, 10, 11  
 Thence Iron  
 N.  $89^{\circ} 57' W.$  on true line  
 bet. Secs. 3 & 10

Var.  $13^{\circ} 40' E.$

had a Deposited a sinkd. stone  
 12 ins. in the ground for  
 $\frac{1}{4}$  sec. cor. and raised a  
 mound of earth and stones  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft diam  
 over it. Pits impracticable.

80.20 The Cor. to Secs. 3, 4, 9, 10  
 Land nearly level  
 Soil 5<sup>th</sup> rate - rocky  
 No timber

J. S. N. R. & E.

N.  $0^{\circ} 2' W.$  on random  
line bet. Secs. 3 & 4  
Va.  $13^{\circ} 40' E.$

40.00  
80.17  
Cov. land ascending slightly  
Set a temp.  $\frac{1}{4}$  sec. cor.  
Intersect N. boundary 22 chs.  
E. of cor. to Secs. 33 & 34

Thence I run  
S.  $0^{\circ} 11' E.$  on true line  
bet. Secs. 3 & 4  
Va.  $13^{\circ} 40' E.$

40.17 Set a stone  $14 \times 8 \times 5$  ins  $9$  in  
in the ground for  $\frac{1}{4}$  sec.  
cor. mkd.  $\frac{1}{4}$  on N. face, dug  
pits  $18 \times 18 \times 12$  ins N. & S. of  
stone  $5\frac{1}{2}$  ft. dirt, and  
raised a mound <sup>of earth</sup>  $1\frac{1}{2}$  ft  
high  $3\frac{1}{2}$  ft base  
alongside.

BOOK 61  
 Subdivisions

80.17 The Cor. to Secs. 3, 4, 9 & 10  
 Land nearly level  
 Soil 3<sup>d</sup> rate - Heavy  
 No timber / Feb. 12<sup>th</sup>, 1894

## Standard

From the cor. to Secs. 32  
 and 33 on S. Boundary  
 Iron

N.  $0^{\circ} 2' W$ , bet. Secs. 32 & 33

Va.  $13^{\circ} 40' E$ .

Over mountainous land.

Ascend S. Slope of mt.

36.00 Top of high ridge bears E & W.  
 Descend

40.00 Set a stone  $15 \times 10 \times 10$  <sup>ins</sup>  
 $10$  <sup>ins</sup> deep in ground for  
 $\frac{1}{4}$  Sec. cor. Inkd.  $\frac{1}{4}$  on N

J. S. H. R. 38

faci, and raised a mound  
of stones alongside.

Pits impracticable.

80.00 Set a stone  $13 \times 12 \times 8$  ins  
8 ins. in the ground for Cor.  
to Secs. 28, 29, 32, 33, marked,  
1 notch on S. and 4 notches  
on E. edges, and raised  
a mound of stones <sup>1 1/2 ft high 2 ft base</sup> along-  
-side. Pits impracticable.

Land mountainous

Soil 3<sup>d</sup> rate

no timber

Mountainous & dense brush

80.00 Chs.

Coast on random line

bet. Secs. 28 & 33

Sub~~divisions~~<sup>6A</sup> divisionsVa.  $13^{\circ}40'E.$ 

- 40.00 Set temp.  $\frac{1}{4}$  sec. Cor.
- 80.10 Interset N. & S. line 8 lks.  
S. of cor. to Secs. 27, 28, 33,  
34. Thence I run  
S.  $89^{\circ}57'W.$  on true line  
bet. Secs. 28 & 33

Va.  $13^{\circ}40'E.$ 

- 4.90 Center of wash 40 lks wide  
Course S. Ascend mountain
- 40.05 Set a stone  $16 \times 8 \times 8$  ins in a  
mound of stones, for  $\frac{1}{4}$  sec.  
Cor. Inkd.  $\frac{1}{4}$  on N. face.  
and raised a mound of  
stones  $1\frac{1}{2}$  ft high 2 ft base  
alongside. Pits imprac-  
-ticable.
- 44.00 Top of ridge 300 ft above

J. 5<sup>th</sup> N., R. 3 E.

last cr. Bears N. E & S. W.  
mt 1000 ft high a few chs.  
north. Descend mountain

80.00 The cr. to Secs. 28, 29,  
32, 33,

Land mountainous

Soil 5<sup>th</sup> rate - rocky  
no timber  
Mountainous 80, 10 chs.

N.  $0^{\circ} 2' W.$  bet Secs. 28 & 29

W.  $13^{\circ} 40' E.$

Descend over mountainous  
and brushy land.

11.00 A dry wash, course N. E.

23.50 Top of ridge bears W. from  
mt. on West. Descend.

40.00 Set a stone 14 x 10 x 7 ins

BOOK 61  
 Subdivisions

9 ins. in the ground for  
 1/4 Sec. cor. mkd. 1/2 on N.  
 face, dug pits 18 x 18 x 12 <sup>ins</sup>  
 N. & S. of stone 5 1/2 ft. dist.  
 and raised a mound of  
 earth 1 1/2 ft high 3 1/2 ft  
 base alongside.

65.00 feet of mountain <sup>and wash</sup> "Thuner  
 level land

80.00 Set a stone 17 x 12 x 8 <sup>ins</sup> 11 <sup>ins</sup>  
 in the ground for cor. to Secs.  
 20, 21, 28, 29, mkd. with  
 2 notches on S. and 4 on  
 E. edges, dug pits 18 x 18 x  
 12 ins. in each Sec. 5 1/2 ft  
 dist. and raised a  
 mound of earth 2 ft  
 high 4 1/2 ft base

F. J. N. R. & E.

alongside

Land 1<sup>st</sup> 55.00 chs

mountainous, Last 25 chs  
level.

Soil on bottoms 1<sup>st</sup> rate  
no timber  
55.00 Chs. mountainous

N.  $89^{\circ} 57' E$ , on random  
line bet. Secs. 21 & 28

Na.  $13^{\circ} 40' E$ .

40.00 Ach temp.  $\frac{1}{4}$  sec. cov.

80.00 Intersect N. & S. line 16 ths

N. of cov. to Secs. 21, 22,

27, 28. Thence I run

N.  $89^{\circ} 56' W$ , on true line  
bet. Secs. 21 & 28

Na.  $13^{\circ} 40' E$ .

14.00 A marsh, course S.



BOOK 61  
 Subdivisions

4000 Set a stone  $10 \times 10 \times 6$  <sup>ins</sup>  $6$  <sup>ins</sup>  
 in the ground for  $\frac{1}{4}$  sec.  
 Cor. Mk'd.  $\frac{1}{4}$  on N. face,  
 and raised a mound of  
 stones  $1\frac{1}{2}$  ft high 2 ft base  
 alongside. Pits impracticable.

8000 The cor. to Dec. 20, 21.  
 28, 29.

Land rolling

Soil 3<sup>rd</sup> rate - sandy  
 No timber

N.  $0^{\circ} 2' W.$  bet. Dec. 20 & 21

(Va.  $13^{\circ} 40' E.$ )

4000 Set a stone  $20 \times 12 \times 10$  <sup>ins</sup>  
 18 ins. in the ground for  
 $\frac{1}{4}$  sec. Cor. Mk'd.  $\frac{1}{4}$  on N.  
 face, and raised a mound

J. S. H. R. & E.

of stones  $1\frac{1}{2}$  ft high 2 ft  
base alongside. Pits  
impracticable.

8000 Set a stone  $20 \times 6 \times 5$  ins  
15 ins. in the ground for evs  
to Dec. 16, 17, 20, 21, mked  
3 notches on S, and 4 on E,  
edges, dug pits  $18 \times 18 \times 12$  ins  
in each sec,  $5\frac{1}{2}$  ft dists  
and raised a mound of  
earth 2 ft high  $4\frac{1}{2}$  ft  
base alongside.

Land rolling

Soil 2<sup>nd</sup> rate

No timber

S.  $89^{\circ} 56'$  E. on random  
line bet. Dec. 16 & 21

Subdivisions <sup>BOOK 61</sup>

 Va.  $13^{\circ}40'E$ 

40.00 Set temp.  $\frac{1}{4}$  sec. Cor.  
 79.90 Intersect N. & S. line at  
 Cor. to Secs. 15, 16, 21, 22

Thence I run

N.  $89^{\circ}56'W$ . on true  
 line bet. Secs. 16 & 21

 Va.  $13^{\circ}40'E$ .

Along S. slope of mountain.

39.95 Set a stone  $16 \times 8 \times 6$  <sup>ins</sup>,  $10$  <sup>ins</sup>  
 in the ground for  $\frac{1}{4}$  sec. Cor.  
 Mkd.  $\frac{1}{4}$  on N. face, and  
 raised a mound of stones  
 $1\frac{1}{2}$  ft high 2 ft base  
 alongside. On S. slope  
 of high mountain.

79.90 The Cor. to Secs. 16, 17, 20  
 and 21.

J. S. M. R. 3 E.

Land mountainous

Soil 3<sup>d</sup> rate - Stony

no timber

79.90 Chs mountainous

N.  $0^{\circ} 2' W.$  bet Secs. 16 & 17Va,  $13^{\circ} 40' E.$ 

Over mountainous ground

40.00

Set a stone  $10 \times 8 \times 6$  ins7 ins. in the ground for  $\frac{1}{4}$ Sec. Cor. Mk'd.  $\frac{1}{2}$  on N. face,

dig pits and raised a

mound of stones  $1\frac{1}{2}$  ft high

2 ft. base alongside

48.00

A dry wash, course  $S. 10^{\circ} W.$ Ascend, and along E. slope  
of mountain.

80.00

Set a stone  $17 \times 12 \times 8$  ins

BOOK 61  
Subdivisions

11 ins. in the ground for  
Cor. to Secs. 8, 9, 16, 17  
Mkd. 4 notches on S. and  
4 on E. edges, and raised  
a mound of stones  $1\frac{1}{2}$  ft  
high 2 ft base along ridge.  
Pits impracticable.

Land mountaineers

Soil 3<sup>rd</sup> rate,

no timber.

8000 Chs. mountaineers

Feb. 13, 1894.

S.  $89^{\circ} 5' 6''$  E. on a random  
line bet. Secs. 9 & 16

Va.  $13^{\circ} 40' E.$

41500 Set temp.  $\frac{1}{4}$  Sec. Cor.

20.20 Intersect the N. & S. line  
5 Chs. S. of Cor. to Secs. 8, 9

T. J. N., R. 3 E.

16.17, Thina I run

N.  $89^{\circ} 58'$  W. on true line

bet. Secs. 9 &amp; 16

Va.  $13^{\circ} 40'$  E.

Over mountainous land,

ascend slope of mt.

24.00 Top of ridge about 300 feet  
above last cor. Descend.40.10 Set a stone  $12 \times 11 \times 7$  ins  
 $8$  ins in the ground for  $\frac{1}{4}$   
Sec. cor. mtd.  $\frac{1}{4}$  on N.  
face, and raised a mound  
of stones  $1\frac{1}{2}$  ft high 2 ft  
base alongside.

50.20 The cor. to Secs. 8, 9, 16, 17

Land mountainous

Soil 3<sup>rd</sup> rate

chs no timber

50.20 1 mountainous

Concluded, Book 62