

No 62

Subdivisions  
T. 5 N. R. 3 E.

4-671

---

**FIELD NOTES**  
**GENERAL LAND OFFICE.**

No. 2.

62

No. 62

*Indexed, Book 61.*

No-62

Township 5N R. 3E

6	86	5	63	4	3	2	1
85		83		61			
7	82	8	60	9	10	11	12
80		79					
18	77	17		16	15	14	13
76		75					
19	73	20		21	22	23	24
71		70					
30	68	29		28	27	26	25
67		65					
31	64	32		33	34	35	36

BOOK 62  
 Subdivisions

N.  $0^{\circ}2'$  W. bet. Secs. 8 & 9

N.  $13^{\circ}40'$  E.

Over mountainous land.

Descend from mountain.

4000v Set a Stone  $12 \times 11 \times 10$  <sup>ins</sup>  
 8 <sup>ins</sup> in the ground for  $\frac{1}{4}$   
 Sec. Cor, marked  $\frac{1}{2}$  on W.

face, dug pits  $18 \times 18 \times 12$  <sup>in</sup>  
 N. & S. of Stone  $5\frac{1}{2}$  ft  
 dirt, and raised a  
 mound of earth  $1\frac{1}{2}$  ft  
 high  $3\frac{1}{2}$  ft base  
 alongside.

Ascend pass bet. hills

5700v Top of divide, bears E &  
 W. Descend.

8000v Set a Stone  $17 \times 12 \times 9$  <sup>ins</sup>

T. 5 N, R. 3 E.

11 ins. in the ground for cor.  
to Secs. 4, 5, 8, 9. mtd. with  
5 notches on S, and 4 on  
E. edges, dug pits 18 x 18 x  
12 ins in each Sec. 5 1/2 ft  
dist. and raised a mound  
of earth 2 ft high 4 1/2 ft  
base alongside.

Land mountainous

Soil 3<sup>rd</sup> rate - Stony  
<sup>no timber</sup>

8000 lbs. Mountainous.

S. 89° 58' E. on random  
line bet. Secs. 4 & 9

Va. 13° 40' E.

Over rolling land.

4000 Set temp. 1/4 Secs Cor.

## Subdivisions

- 80.16 Intersect N. & S. line 12 lks.  
N. of cor. to Acers. 3.4.9.10  
Thence I run  
N.  $89^{\circ} 53'$  W. on true  
line bet. Acers. 4 & 9  
Va.  $13^{\circ} 40' E.$
- 4008 Set a stone  $14 \times 12 \times 9$  ins.  
10 ins. in the ground for  $\frac{1}{4}$   
Ac. cor. Mk'd.  $\frac{1}{4}$  on N. face  
dry pits  $18 \times 18 \times 12$  ins. E. &  
W. of stone  $5\frac{1}{2}$  ft dist  
and raised a mound of  
Earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$   
ft base around alongside.
- 43.50 a dry wash, course S.
- 80.16 The Cor. to Acers. 4.5.8.9  
Land level  
Soil 3<sup>d</sup> rate - stony  
no timber

T. 5 N., R. 3 E.,

on a random line.

N.  $0^{\circ} 2' W.$ , bet. Secs. 4 & 5

Va.  $13^{\circ} 40' E.$

Over rolling ground

40.03 Set temp.  $\frac{1}{4}$  Sec. Cor.

Intersect N. boundary 20  
Eks. W. of cor. to Secs. 4 & 5

from which I run

S.  $0^{\circ} 7' W.$  on a true line  
bet. Secs. 4 & 5

Va.  $13^{\circ} 40' E.$

40.03 Set a stone  $13 \times 7 \times 5$  ins  
8 ins. in the ground for  
 $\frac{1}{4}$  Sec. Cor. Mkd. 4 on  
W. face, dig pits  $18 \times 18$   
 $\times 12$  ins N. & S. of stone  
 $5\frac{1}{2}$  ft dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft  
high  $3\frac{1}{2}$  ft base along side.

## Subdivisions

80.03

The cor. to Secs. 4, 5, 8, 9

Land ascends north

Soil 2<sup>nd</sup> & 3<sup>d</sup> rate,  
no timber

Feb. 14, 1894,

Feb. 15, 1894

From the <sup>Standard</sup> cor. to Secs. 31

and 32 on S. boundary

I run

N. 0° 3' W. bet. Secs. 31 &amp; 32

Va. 13° 40' E.

Ascend S. slope of mts.

4000

Set a stone 15 x 12 x 12 lbs

10 ins. in the ground for 1/4

Sec. Cor. Mk'd. 1/4 on W.

face, and raised a mound  
of stones 1 1/2 ft high 2 ft

face along side, Pits



T. 5 N, R. 3 E,

80.00 impracticable. On high  
ridge, bears E & W. Descend  
Set a stone  $14 \times 12 \times 10$  ins  
9 ins. in the ground for cor,  
to Secs. 29, 30 & 32, marked  
1 notch on S, and 4 notches  
on E. edges, and raised  
a mound of stones  $1\frac{1}{2}$  ft  
high 2 ft base along side  
Pits impracticable.

Land mountainous

Soil 3<sup>d</sup> rate - Stony  
no timber

80.00 Chs. Mountainous

East on a random line  
bet. Secs. 29 & 32

Va.  $13^{\circ} 40' E.$

BOOK 62  
Subdivisions

40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
80.04 Intersect N. & S. line at  
cor. to Secs. 28, 29, 32, 33  
Thence I run

West on a true line  
bet. Secs. 29 & 32

Pa.  $13^{\circ}40'E$ .

8.10 a dry wash, course N.E. <sup>second</sup>

95.00 A ridge about 200 ft high  
bears N. W. & S. E., Descend,

40.02 Set a stone  $16 \times 12 \times 10$  <sup>ins</sup>  
 $10$  <sup>ins</sup> in the ground for  
 $\frac{1}{4}$  sec. cor. mkd.  $\frac{1}{4}$  on N.  
face, and raised a  
mound of stones  $1\frac{1}{2}$  ft  
high 2 ft base  
alongside.

80.04 The cor. to Secs. 29, 30

T. 3 N. R. 3 E.

31, 32.

Land mountainous

Soil 3<sup>d</sup> rate.

no.

no timber

8004. Mountainous.

West on a random line

bet. Secs. 30 &amp; 31

Va. 13° 40' E.

Over mountainous land.

40.00 Set temp. 1/4 Sec. Cor.

80.16 Intersect the W. boundary  
at the cor. to Secs. 25, 30

31, 36. Thence I run

East on a true line

bet. Secs. 30 &amp; 31

Va. 13° 40' E.

Over mountainous land.

20.00 Top of ridge, bears N. E. 300 ft high

BOOK 62  
Subdivisions

40.16 Set a Stone  $14 \times 9 \times 6$  <sup>in</sup>  
 $9$  <sup>in</sup> in the ground for  
 $\frac{1}{4}$  Sec Cor. Marked  $\frac{1}{4}$  on N.  
 face, and raised a  
 mound of stones  $1\frac{1}{2}$  ft  
 high, 2 ft base alongside.  
 Pats impracticable.

80.16 The cor. to Sec. 29, 30,  
 31, and 32.

Land mountainous

Soil 3<sup>d</sup> rate  
 no timber

80.16 Ch. Mountainous

N.  $0^{\circ} 3' W$ , bet. Secs. 29 & 30

W.  $13^{\circ} 40' E$ .

Over mountainous land  
 and descend.

T. 3 N. R. 3 E.

4000 Set a mtd. Stone 12 ins.  
in the ground for  $\frac{1}{4}$  Sec.  
Cor. and raised a mound  
of earth and stones  $1\frac{1}{2}$  ft  
high  $3\frac{1}{2}$  ft. base over it.  
Pits impracticable.

Ascend over broken Mt.

8000 Set a Stone  $15 \times 12 \times 10$  ins  
10 ins. in the ground for  
cor. to Secs. 19, 20, 29, 30  
mtd. <sup>with</sup>  $\frac{1}{2}$  notches on S. and  
5 notches on E. edges, and  
raised a mound of stones  
 $1\frac{1}{2}$  ft. high 2 ft base  
alongside, on mt. near top.  
Pits impracticable.

Land mountainous

Soil 3<sup>o</sup> rate

No timber

Book 62.  
 Subdivisions

8000 Chs. Mountainous

 East on random line  
 bet. Secs. 20 & 29  
 Va.  $13^{\circ}40'E$ .

 4000  
 80.22 Set temp.  $\frac{1}{4}$  Sec. Cor.  
 Intersect N. & S. line 18 Chs.  
 N. of cor. to Secs. 20, 21, 28  
 and 29. Thence

 N.  $89^{\circ}52'W$ . on true line  
 bet. Secs. 20 and 29

 Va.  $13^{\circ}40'E$ .

Over nearly level land

 37.90 A dry wash, course N.  $5^{\circ}W$ .

 40.11 Set a stone  $15 \times 9 \times 8$  ins in  
 a mound of stones, for  $\frac{1}{4}$   
 Sec. cor. mtd.  $\frac{1}{4}$  on N.

J. S. N. R. 3 E.

face, and raised a  
 mound of stones  $1\frac{1}{2}$  ft.  
 high 2 ft. base alongside.  
 Pits impracticable.

Ascend N. E. slope of  
 mountain.

80.22 The cor. to Secs. 19, 20.  
 29, 30.

Land mountainous

Soil 3<sup>rd</sup> rate

4000 Chans mountainous  
 no timber

West on random line  
 bet. Secs. 19 & 30

Na.  $13^{\circ}40'E$ .

Over mountainous land

I offset W  $S$   $0^{\circ}3'E$ ,  
 20 Chs, thence

BOOK 62  
Subdivisions

W. 40.00 chs. thence N.  $0^{\circ}3'W$ .  
 20.00 chs. to line and at  
 40.00 set temp.  $\frac{1}{4}$  sec. cor.  
 Thence West 10 chs. thence  
 South 15.00 chs. thence  
 West 30.30 chs. to W.  
 boundary, thence North  
 15.00 chs. to cor. to S.

80.30 19.24 25.30

Thence I run  
 reverse courses east to  
 40.30 and set a stone  $12 \times 10 \times 10$  in  
 8 ins. in the ground for  $\frac{1}{4}$   
 sec. cor. mkd.  $\frac{1}{4}$  on N.  
 face, and raised a  
 mound of stones  $1\frac{1}{2}$  ft  
 high 2 ft base alongside.  
 Pt's impracticable.



J. S. N. N. 3 E.

73

80.30 The cor. to Sec. <sup>19</sup> 19, 20, 29, 30

Land very high and  
mountainous

Soil 4<sup>th</sup> rate - stony  
No timber  
80.30 Chs. Mountainous

N. 0° 3' W. bet. Secs. 19 & 20

Pa. 13° 40' E.

Descend over broken ground.

4000 Set a stone 16 x 12 x 9 <sup>ins.</sup>

11 ins. in the ground. for  
1/4 Sec. Cor. mkd. 1/4 on W.

face, and raised a  
mound of stones 1 1/2 ft high  
2 ft base alongside. Pits  
impracticable.

Feb. 15<sup>th</sup> 1894

2.0° 3' N. (continued)

Over rolling land

54.40 a dry wash, course N.

78.30 a dry wash, course S. 80° W.

80.00 Set a Stone 12 x 11 x 9<sup>ins</sup> 8<sup>lbs</sup>

in the ground for ev. to

Secs. 17, 18, 19, 20, wked.

4 notches on S. and 5 on

E. edges, dug pits 18 x 18

x 12<sup>ins</sup>. in each Sec. 5 1/2

ft. dist. and raised a

mound of earth 2 ft. high

4 1/2 ft. base alongside.

Land mountainous & broken

Soil 3<sup>d</sup> rate

No timber

54.00 chs. Mountainous

T. S. N. R. 3 E.

S.  $89^{\circ} 52' E.$  on random  
line bet. Secs. 17 & 20

Va.  $13^{\circ} 40' E.$

4000v Set temp.  $\frac{1}{4}$  sec. cor.

80.09 Intersect N. & S. line 12<sup>th</sup> lbs

S. of cor. to Secs. 16, 17, 20, 21

Thence I run

N.  $89^{\circ} 57' W.$  on true line  
bet. Secs. 17 & 20

Va.  $13^{\circ} 40' E.$

In dense brush, level land

40.04 Set a stone  $15 \times 10 \times 5^{\text{ths}}$   
 $10^{\text{ins}}$  in the ground for  $\frac{1}{4}$   
sec. cor. mkd.  $\frac{1}{4}$  on N.

face. dig pits  $18 \times 18 \times 12$   
ins. E. & W. of stone  $5\frac{1}{2}$  ft  
dist. and raised a  
mound of earth  $1\frac{1}{2}$  ft

high  $3\frac{1}{2}$  ft. base alongside.

72.55 dry wash, course S.

80.09 The cor. to Secs. 17, 18, 19, 20.

Land level

Soil 1<sup>st</sup> rate  
no timber

Dense undergrowth 80.09 Chs.

West on random line  
bet. Secs. 18 & 19

Va.  $13^{\circ}40'E$ .

46.00 Set temp.  $\frac{1}{4}$  Sec. Cor.

79.94 Intersect W. Body, 13 Chs

S. of cor. to Secs. 13, 18, 19, & 24

Thence I run

S.  $89^{\circ}54'E$  on true line

bet. Secs. 18 & 19

Va.  $13^{\circ}40'E$ .

in dense brush.

J. J. N. R. 3E

21.20 a dry wash, course  $\approx 80^{\circ}$  W.

35.50 a dry wash, course S. W.

39.97 Set a stone  $15 \times 12 \times 7$  ins  $10$  ins  
 in the ground for  $\frac{1}{4}$  sec.  
 cor. Inkd.  $\frac{1}{4}$  on N. face,  
 dug pits  $18 \times 18 \times 12$  ins E. &  
 W. of Stone  $5\frac{1}{2}$  ft. dist.  
 and raised a mound of  
 earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
 base alongside.

79.94 The cor. to Secs. 17, 18, 19  
 20.

Land nearly level

Soil 1<sup>st</sup> rate

no timber.

Dense undergrowth 79.94 Ch.

N.  $0^{\circ} 3'$  W. bet. Secs. 17 & 18

Va.  $13^{\circ} 40'$  E.

Over rolling ground

40.00 Set a stone  $12 \times 9 \times 9$  ins  
8 ins. in the ground for  $\frac{1}{4}$   
sec. cor. mkd.  $\frac{1}{4}$  on N.  
face, dug pits  $18 \times 18 \times 12$  ins  
N. & S. of stone  $5\frac{1}{2}$  ft dist,  
and raised a mound of  
earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
base alongside.

57.60 Dry wash. course  $S. 60^{\circ} W.$

80.00 Set a stone  $15 \times 12 \times 10$  ins  
 $10$  ins in the ground for cor,  
to Sec. 7, 8, 17, 18, mkd,  
with 4 notches on S, and  
5, on E. edges, and raised  
a mound of stones  $1\frac{1}{2}$  ft  
high 2 ft. base alongside.  
Land rolling.

T. 5 N. R. 3 E.

Soil 2<sup>nd</sup> rate.

No timber

S. 89° 57' E. on random  
line bet. Secs. 8 & 17

Va. 13° 40' E.

110.00 Set temp. 1/4 Sec. Cor.

80.24 Intusect N. &amp; S. line 24

Chs. S. of cor. to Secs. 8, 9

16, 17. Thence I run

S. 89° 53' W. on true line  
bet. Secs. 8 & 17

Va. 13° 40' E.

Along S. Slope of Mountain

2.80 Top of ridge 300 ft high  
bears N. W & S. E. Descend.15.50 A ridge about 500 ft high  
bears N. Descend.

## Subdivisions

40.12 Set a stone  $16 \times 11 \times 8$  ins  
 $10$  ins in the ground for  $\frac{1}{4}$   
 Sec. cor. Mk'd.  $\frac{1}{4}$  on N. face, and raised a mound  
 of stones  $1\frac{1}{2}$  ft. high 2 ft.  
 base alongside. Pits  
 impracticable.

62.02 Gulch, course S.

80.24 The cor. to Secs. 7, 8, 17  
 18.

Land mountainous

Soil 3<sup>d</sup> rate - stony  
 no timber.

80.24 Chs. Mountainous

N.  $89^{\circ} 54'$  W. on random  
 line bet. Secs. 7 & 18

Va.  $13^{\circ} 40'$  E.



## J. S. N. R. &amp; E.

- 40.00 Set temp.  $\frac{1}{4}$  sec. cor.
- 80.02 Intusect W. Bdy, 7 cks.  
N. of cor. to Secs. 7, 12, 13, 18.  
Thence I run  
S.  $89^{\circ} 57' E$ , on true line  
bet. Secs. 7 & 18.  
Va.  $13^{\circ} 40' E$ .
- 40.01 Set a stone  $13 \times 7 \times 6$  <sup>ins</sup> <sup>ins</sup>  
in the ground for  $\frac{1}{4}$  sec.  
cor. Mk'd.  $\frac{1}{4}$  on N. face,  
and raised a mound of  
stones  $1\frac{1}{2}$  ft high 2 ft  
base alongside. Pits  
impracticable.
- 76.40 Gulch, course S.  $10^{\circ}$  W.  
20 feet deep.
- 80.02 The cor. to Secs. 7, 8, 17, 18  
Land Rolling and Broken

## Subdivisions

Soil 2<sup>nd</sup> rate  
no timber  
Feb. 16<sup>th</sup>, 1894

N. 0° 3' W. bet. Secs. 7 & 8

Va. 13° 40' E.

Ascend slope of mts.

12.40 Gulch, course S. W.

Ascend very rapidly.

46.00 Set a stone 15 x 10 x 10 ins

in a mound of stones for  $\frac{1}{4}$

Sec. Cor. mkd.  $\frac{1}{4}$  on W.

face, and raised a mound

of stones  $1\frac{1}{2}$  ft. high 2 ft.

base alongside. Near

top of hill 600 ft above

last cor. Then descend.

80.00 Set a stone 20 x 9 x 7 ins

J. J. R. R. 3 E

15 ins. in the ground for  
 cor. to Sec. 5, 6, 7, 8, <sup>with</sup> mkd.  
<sup>notches</sup> 5, <sup>notches</sup> on S, and 5, <sup>notches</sup> on  
 E. edges, dug pits 18 x 18  
 x 12 ins in each Sec. 5 1/2  
 ft dist, and raised a  
 mound of earth 1 1/2 ft  
 high 3 1/2 ft. base  
 alongside. Near foot of  
 Mountain

Land Mountainous

Soil 3<sup>rd</sup> rate  
 ch<sup>rs</sup> no timber  
 8000 Mountainous

N. 89° 53' E. on random  
 line bet. Secs. 5 & 8

Va. 13° 40' E.

Over rolling land.

## Subdivisions:

- 11.22 Set temp.  $\frac{1}{4}$  Sec. Cor.  
 79.90 Intersect N. & S. line 30  
 lbs. S. of cor. to Secs. 4,  
 5, 8, 9. Thence I run  
 S.  $89^{\circ} 40' W$ , on a true  
 line bet. Secs. 5 & 8  
 Va.  $13^{\circ} 40' E$ .
- 39.95 Set a stone  $15 \times 10 \times 10$  <sup>ins</sup>  
 10 <sup>ins</sup> in the ground for  $\frac{1}{4}$   
 Sec. Cor. Mk'd.  $\frac{1}{4}$  on N.  
 face. dug pits  $18 \times 18 \times 12$  <sup>ins</sup>  
 E. & W. of stone  $5\frac{1}{2}$  ft  
 dist. and raised a  
 mound of earth  $1\frac{1}{2}$  ft  
 high  $3\frac{1}{2}$  ft. base  
 alongside. Ascend slope  
 of mountain, and enter  
 dense brush.

J. J. N. R. 3 Co.

69.00 Leave dense brush  
 79.90 The Cor. to Secs. 5, 6, 7, 8.  
 • Land nearly level  
 Soil 2<sup>nd</sup> and 1<sup>st</sup> rate  
 no timber  
 Dense undergrowth 29.05 Chs.

N.  $89^{\circ} 57' W.$  on random  
 line bet. Secs. 6 & 7.  
 Va.  $13^{\circ} 40' E.$

4000 Set temp.  $\frac{1}{4}$  sec. cor.

79.62 Interest W. Boundary 18  
 Chs. S. of Cor. to Secs. 1, 6, 7, 12  
 Thence I run

S.  $89^{\circ} 49' E.$  on true line  
 bet. Secs. 6 & 7  
 Va.  $13^{\circ} 40' E.$

Over mountainous land.

BOOK 62.  
Subdivisions

39.62 Set a stone  $10 \times 9 \times 9$  <sup>ins</sup> <sub>ins</sub> <sup>ins</sup> <sub>ins</sub>  
 in the ground for  $\frac{1}{4}$  sec.  
 cor. mkd.  $\frac{1}{4}$  on N. face,  
 and raised a mound of  
 stones  $1\frac{1}{2}$  ft high 2 ft base  
 along side. Pits imprac<sup>l</sup>  
 On mt. near top.

49.00 A ridge 300 ft high, bears  
 N. W. & S. E. Descend

79.62 The cor. to Secs. 5, 6, 7, 8.  
 Mountainous Land

Soil 2<sup>d</sup> rate.  
 Chs. no timber

79.62, Mountainous

N.  $0^{\circ} 3'$  W. on round down  
 line bet. Secs. 5 & 6

Na,  $13^{\circ} 40' E.$

## T. S. N. R. &amp; E.

- 4000 Set temp.  $\frac{1}{4}$  Sec. cor.
- 80.06 Intersect North 13 day,  
22 lks. East of cor. to  
Secs. 5 & 6. Thence I  
run  
S.  $0^{\circ}12'E$ . on true line  
bet. Secs. 5 & 6  
Va.  $13^{\circ}40'E$ .
- 40.06 Set a stone  $18 \times 10 \times 9$  ins  
 $12$  ins in the ground for  
cor. to Secs. 5, 6, 7, 8.  
Mkd.  $\frac{1}{4}$  on N. face, dig  
fits  $18 \times 18 \times 12$  ins N. & S.  
of stone  $5\frac{1}{2}$  ft. dist,  
and raised a mound of  
earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
base alongside.
- 80.06 The cor. to Secs. 5, 6, 7, 8

BOOK 62  
Subdivisions

Land rolling, slopes to N,  
Soil 3<sup>d</sup> and 2<sup>d</sup> rate  
no timber. Feb. 17<sup>th</sup> 1894



T. 5 N., R. 3 E.

## General Description.

This township has a group of mountains in the S. W., and another in the N. W. parts. The rest is generally level, and in the S. E. part is <sup>1<sup>st</sup></sup> rate in quality. The great Cave Creek dry wash runs through from N. E. to S. W. being at some times a stream 2 chs. wide and 10 ft deep, but usually without any water. The land in Northern portions of the Tp. is thickly covered with cobbles stones and small boulders. J. H. Martineau  
U. S. Deputy Surveyor

U. S. Surveyor-General's Office,

TUCSON, A. T. Jan 28 1895.

The foregoing Field Notes of the Surveys of  
the Subdivisions of  
Tp: 5 N. R. 3 E.

of the Gila and Salt River Meridian  
in Arizona executed by  
James H. Martineau

U. S. Deputy Surveyor, under his contract dated  
June 21<sup>st</sup> 1893

having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

Geo. H. Manning

U. S. Surveyor-General  
for the Territory of Arizona.