

Contract 35

1.

Colton

No. 63

4-671

63

FIELD NOTES

GENERAL LAND OFFICE

Subdivisions

T. 6 N. R. 1 E.

Fractional

No. 63

1A

(4-674.)

Township 6. N. R. 1. E.

Index for Books 63 and 47

6	83	5	54	4	35	3		2		1
81		79		53						13
7	78	8	51	9	34	10		11		12
75		74		49						12
18	72	17	47	16	32	15	22	14	10	13
70		69		45		31		21		4
19	67	20	44	21	29	22	20	23	7	24
65		64		42		28		19		6
30	62	29	40	28	26	27	17	26	4	25
60		58		39		25		16		3
31	56	32	37	33	24	34	15	35	2	36

6-380

## Subdivisions.

Chains. Preliminary to Commencing the Subdivisions of this Township. I go to the Cor. to Secs. 1, 2, 35 & 36, Tps. 5, and 6 N. R 1. E., a rock with mound of stone, as described in the field notes furnished by the Surveyor General, Lat.  $33^{\circ}49' N.$ , Long  $112^{\circ}12' W.$  At this Cor I Verify the adjustments of my Solar transit, and find them correct. I determine the meridian by the use of the Solar apparatus, and I find the variation of the magnetic needle, to be  $13^{\circ}55' E.$

7 Thence I run Nov. 15, 1894

---

Chains No° 1' W. bet. Secs. 35 & 36.

Va. 13° 55' E

over broken land, in dense  
mesquite and Palo Verde

40.00 Set a granite stone 15x8x6 ins.  
10 ins. in the ground. for 1/4  
Sec. Cor. marked 1/4 on W. face  
and raised a mound of stone  
1 1/2 ft. high 2 ft. base. alongside  
Pits impracticable.

40.15 Wash 10 lks wide. 1 ft. deep.  
flows S.W.

80.00 Set a granite stone 18x8x6 ins  
12 ins. in the ground. for Cor.  
to Secs. 25, 26, 35 & 36. marked  
with 1 notch on S. and E. edges  
and raised a mound of stone  
1 1/2 ft. high. 2 ft. base. alongside  
Pits impracticable.

## Subdivision 63

Chain Land rough and broken  
Soil. Stony 3<sup>d</sup> rate.  
Dense mesquite and Palo Verde  
undergrowth. 80. chs.

$N 89^{\circ} 53' E$ . on a random line  
parallel with S. bdy of Tp.

bet. Secs. 25. and 36.

Va.  $13^{\circ} 55' E$

40.00 Set. temp  $\frac{1}{4}$  Sec. Cor.

80.10 Intersect E. bdy of Tp. 3 Mos.  
N. of Cor. to Secs. 25. 30. 31. & 36  
as. hereinbefore described  
Thence I run

$S 89^{\circ} 54' W$ . on a true line

bet. Secs. 25. and 36.

Va.  $13^{\circ} 55' E$

over broken land. in dense  
mesquite and Palo Verde

15:00 Left. bank of New River

- Chain  
20.00  
40.05  
43.50  
80.10
- trans.  $N 25^{\circ} E + S 25^{\circ} W$ . No water  
Right bank of New River  
trans.  $N 25^{\circ} E + S 25^{\circ} W$   
Set a granite stone  $18 \times 10 \times 10$  ins  
12 ins. in the ground. for  $\frac{1}{4}$   
Sec. Cor. Marked  $\frac{1}{4}$  on N. face  
and raised a mound of stone  
 $1\frac{1}{2}$  ft. high. 2 ft. base. alongside  
Pits impracticable  
Wash 10 lks. wide 2 ft. deep  
flows S.W.  
The Cor. to Secs. 25, 26, 35 & 36.  
Land rough and broken  
Soil stony 3<sup>d</sup> rate  
Dense mesquite & Palo Verde  
mud-growth 80.10 cho.

---

$N 0^{\circ} 1' W$ . bet. Secs. 25 & 26.  
Va.  $13^{\circ} 55' E$ .

Subdiv ~~200~~ 63

- Chain, over broken land, in dense  
 Mesquite and Palo Verde
- 19.75 Wash, 50 lks. wide, 4 ft. deep  
 flows S.W.
- 25.00 Wash 10 lks. wide, flows S.E.
- 40.00 Set a granite Stone 16x10x10 ins,  
 11 ins. in the ground, for  $\frac{1}{4}$   
 Sec. Cor. marked  $\frac{1}{4}$  on W. face  
 and raised a mound of Stone  
 $1\frac{1}{2}$  ft. high, 2 ft. base, alongside  
 Pits impracticable
- 45.00 Wash 10 lks. wide, flows S  $10^{\circ}$  E
- 70.00 Wash 15 lks. wide flows S.E.
- 80.00 Set a granite Stone 18x8x8x ins,  
 12 ins. in the ground, for Cor.  
 to Secs. 23, 24, 25 & 26, marked  
 with 2 notches on S. and 1  
 notch on E. edges, and raised  
 a mound of Stone  $1\frac{1}{2}$  ft. high

T. C. N. R. 1. E.

chains. 2 ft. base, along side  
 Land rough and broken  
 Soil gravelly 2<sup>d</sup> & 3<sup>d</sup> rate  
 Dense Mesquite and Palo Verde  
 Under growth. 80. chs.

---

N 89° 54' E. on a random line  
 bet. Secs. 24. & 25  
 Va. 13° 55' E.

40.00 Set trap. 1/4 Sec. Cor.

80.08 Intersect E. bdy of Sp. 3 lks.

N. of Cor. to Secs. 19, 24, 25 & 30.  
line before described  
 Thence I run

S. 89° 55' W, on a true line  
 bet. Secs. 24. and 25.  
 Va. 13° 55' E.

over broken land, in dense  
 Mesquite and Palo Verde

18.30 Wash 30 lks. wide. 3 ft. deep.



7.  
Subdivisions, BOOK 63

- |         |   |
|---------|---|
| Chains. | flows. S.W.   |
| 35.00   | Wash 20 lks. wide 2 ft. deep<br>flows. Southwesterly  |
| 40.04   | Set a granite Stone 15x7x6 in<br>10 in in the ground, for $\frac{1}{4}$<br>Sec. Cor. marked $\frac{1}{4}$ on N. face<br>and raised a mound of Stone<br>$1\frac{1}{2}$ ft. high 2 ft. base along-<br>side Pits impracticable |
| 66.00   | Wash 20 lks wide flows. Southly   |
| 72.25   | Wash. 10 lks wide flows S.E.  |
| 80.08   | The Cor to Acs. 23.24, 25x26<br>Land. rough & broken<br>Soil. Stony 3 <sup>d</sup> rate<br>Dense Mesquite and Palo.<br>Verde undergrowth 80.08 chs.   |

---

N  $0^{\circ} 1' W$ . bet. Acs 23x24  
Va  $13^{\circ} 55' E$ .

## T. C. N. R. 1. E.

- Chains over broken land in dense  
mesquite undergrowth
- 15.00 Wash 10 lbs. wide flows S.E.
- 40.00 Set a granite Stone 18x10x8  
ins. 12 ins in the ground for  
1/4 Sec. Cor. Marked 1/4 on  
W. face. and raised a  
mound of Stone 1 1/2 ft high  
2 ft. base alongside  
Pits impracticable
- 42.00 Wagon road from E. to W.
- 80.00 Set a granite Stone 20x10x6  
ins. 15 ins. in the ground for  
Cor. to Secs. 13, 14, 23x24  
Marked with 3 notches on S.  
and 1 notch on E. edges. and  
raised a mound of Stone 1 1/2  
ft. high. 2 ft. base. alongside  
Pits impracticable.

9.  
Subdivisions <sup>BOOK 63</sup>

Chains Land, rough and broken  
Soil, stony 3<sup>d</sup> rate,  
Dense mesquite undergrowth  
80 chains

---

N 89° 55' E on a random line  
bet. Secs. 13, <sup>4<sup>th</sup></sup> and 24.  
Va. 13° 55' E

40.00 Set temp. 1/4 Sec. Cor.  
80.05 Intersect. E bdy of Tp. at Cor.  
to Secs 13, 18, 19, <sup>4<sup>th</sup></sup> and 24.  
Hereinbefore described  
Thence I run

S 89° 55' W. on a true line  
bet. Secs. 13, <sup>4<sup>th</sup></sup> and 24.  
Va. 13° 55' E.

Over broken land, in dense  
mesquite and Palo Verde  
40.02 Set a Malpais Stone 16x12x10

Chains. vis. 11 ins. in the ground for  
 $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  on N. face  
 and raised a mound of Stone  
 $1\frac{1}{2}$  ft. high, 2 ft. base, alongside  
 Pits impracticable

73.00 Wash 20 lks. wide, flows Southerly

80.05 The Cor. to Secs. 13, 14, 23 & 24.

Land. rough and broken

Soil. Stony 3<sup>d</sup> rate.

Dense Mesquite and Palo Verde

undergrowth 80.05 chs.

---

N  $0^{\circ}1'$  W. bet. Secs. 13, and 14.

Va.  $13^{\circ}55'$  E.

over rough land in dense  
 Mesquite undergrowth.

0.50 Wash 10 lks. wide, flows S  $60^{\circ}$  E

17.00 Wash 20 lks wide 10 ft. deep,  
 flows. Southeastly

## Subdivisions. BOOK 63

Chairs. 40.00	Set a Malpais Stone 16x8x8 ins, 11 ins. in the ground. for $\frac{1}{4}$ Sec Cor. marked $\frac{1}{4}$ on W. face, and raised a mound of stone $1\frac{1}{2}$ ft. high, 2 ft. base alongside Pits impracticable.
80.00	Set a Malpais Stone 18x8x6 ins, 12 ins. in the ground. for Cor. to Secs. 11, 12, 13 & 14. marked with 4 notches on S. and 1 notch on E. edges, and raised a mound of stone $1\frac{1}{2}$ ft. high 2 ft. base, alongside. Pits impracticable Land. rough and broken Soil. Stony 3 <sup>d</sup> rate Dense Mesquite undergrowth 80. chs.

T. 6. N. R. 1. E.

Chain N  $89^{\circ}55'E$ . on a random line  
bet. Secs. 12. <sup>and</sup> 13.  
Vu.  $13^{\circ}55'E$ .

40.00 Set temp.  $\frac{1}{4}$  Sec. Cor.

80.06 Intersect. E. bdy of Sp. 5 lks.  
S. of Cor. to Secs. 7, 12, 13 & 18.  
Thence I run <sup>line as before described</sup>

S  $89^{\circ}53'W$ . on a true line  
bet. Secs. 12 <sup>and</sup> 13.  
Vu.  $13^{\circ}55'E$ .

over rough land, in dense  
mesquite undergrowth.

40.03 Set a Malpais Stone 26 x 12 x 4 ins.  
20 ins. in the ground, for  $\frac{1}{4}$  Sec.  
Cor. marked  $\frac{1}{4}$  on N. face  
and raised a mound of Stone  
 $1\frac{1}{2}$  ft. high, 2 ft. base alongside  
Pits impracticable.

69.00 Wash 10 lks. wide. flows South

## Subdivisions. 63

BOOK. 63

Chains  
80.06

The Cor. to Secs. 11, 12, 13 & 14,  
Land. rough and broken  
Soil. Stony 3<sup>d</sup> rate.  
Dense Mesquite undergrowth 80.06 chs

---

This point is at the South-  
ern base of black Malpais  
Mountains. Steep rocky and  
Very rough. impracticable  
to Survey. So I discontinue  
Meridional Sec. lines, at  
this point

---

I now go to the Cor. to Secs  
1, 6, 7 & 12. on E. bdy Sp.  
heretofore described.  
Thence I run  
S 89° 53' W on a true line  
bet. Secs. 1. and 12.

Chains. Over rough land in dense  
 Mesquite undergrowth  
 40.00 Set a Malpais Stone 20x10x8  
 ins. 15 ins. in the ground for  
 1/4 Sec. Cor. marked 1/4 on N.  
 face, and raised a mound of  
 Stone 1 1/2 ft. high, 2 ft. base  
 alongside. Pitts impracticable  
 Land broken  
 Sail. Stony 3<sup>d</sup> rate  
 Dense Mesquite undergrowth  
 40. chains. —

---

This Cor is at the eastern base  
 of black Malpais Mountain,  
 impracticable to survey.  
 I discontinue the line  
 at this point. —  
 Nov. 15, 1894

---



Chains. From the Cor. to Secs. 2, 3, 34, & 35  
on S. Ely of Tp, which is a  
stone firmly set. properly marked  
and witnessed as described  
in the field notes furnished  
by the Surveyor General.

I run

N<sup>o</sup> 1' W. bet. Secs. 34, and 35

7<sup>u</sup>. 13° 55' E.

over level land. in dense  
mesquite and Palo Verde

40.00 Set a granite Stone 16x10x8 in  
11. in. in the ground. for  $\frac{1}{4}$  Sec.  
Cor. marked  $\frac{1}{4}$  on W. face  
and raised a mound of Stone  
1 $\frac{1}{2}$  ft high. 2 ft base. alongside  
Pits impracticable

80.00 Set a granite Stone 18x12x10 in.  
12 in. in the ground. for Cor. to

T. G. N. R. 1. E.

Chain's Secs. 26, 27, 34 & 35. Marked  
with 1 notch on S. and 2 notches  
on E. edges. and raised a mound  
of stone  $1\frac{1}{2}$  ft high 2 ft.  
base alongside Pits  
impracticable  
Land. level.

Soil. gravelly 2<sup>d</sup> rate.  
Dense mesquite and Palo Verde  
undergrowth. 80. chs.

N 89° 53' E. on a random line  
bet. Secs. 26. and 35

Va. 13° 55' E.

40.00 Set. temp.  $\frac{1}{4}$  Sec. Cor.

79.95 Intersect N. and S. line, 2 lks.  
S. of Cor. to Secs. 25, 26, 35 & 36  
Thence I run  
S 89° 52' W. on a true line.

17.  
Subdivisions ~~BOOK~~ 63

Chains.

bet. Secs. 26<sup>and</sup> 35.

Va.  $13^{\circ}55'E$

over level land. in dense  
mesquite and Palo Verde

9.70  
39.97

Wash 60 lks. wide, flows. N.  
Set a granite stone  $18 \times 10 \times 6$  ins,  
12 ins. in the ground, for  $\frac{1}{4}$  Sec.

Cor. marked  $\frac{1}{4}$  on N. face  
and raised a mound of stone  
 $1\frac{1}{2}$  ft high. 2 ft. base along-  
side. Fits impracticable

79.95

The Cor. to Secs. 26, 27, 34 & 35  
Land. level.

Soil. gravelly 2<sup>d</sup> rate  
Dense mesquite and Palo Verde  
undergrowth. 79.95 chs.

---

$N 0^{\circ} 1' W$ . bet. Secs. 26 & 27.  
Va.  $13^{\circ} 55' E$ .

- Chains over level land, in dense Mesquite
- 40.00 Set a granite stone  $18 \times 8 \times 6$  ins.  
12 ins. in the ground, for  $\frac{1}{4}$  Sec.  
Cor. marked  $\frac{1}{4}$  on W. face  
and raised a mound of stone  
 $1\frac{1}{2}$  ft. high, 2 ft. base alongside  
Pits impracticable -
- 80.00 Set a granite stone  $18 \times 6 \times 6$  ins.  
12 ins. in the ground, for Cor. to  
Secs. 22, 23, 26 & 27, marked  
with 2 notches on S. and E. edges,  
and raised a mound of stone  $1\frac{1}{2}$   
ft. high, 2 ft. base, alongside  
Pits impracticable. -
- Land, level.  
Soil, gravelly 2<sup>d</sup> rate,  
Dense Mesquite undergrowth  
80. Chains. -

19.

Subdivisions. BOOK 63

Chains.  $N 89^{\circ} 52' E$ . on a random line  
bet. Secs. 23. <sup>and</sup> 26.  
Va.  $13^{\circ} 55' E$ .

40.00 Set. temp.  $\frac{1}{4}$  Sec. Cor.  
80.00 Intersect. N. <sup>and</sup> S. line 5 lks.  
S. of Cor. to Secs. 23, 24, 25 & 26  
Thence I run  
 $S 89^{\circ} 50' W$ . on a true line  
bet. Secs. 23. <sup>and</sup> 26.  
Va.  $13^{\circ} 55' E$ .

over broken land. in dense Mesquite

15.00 Wash. 20 lks. wide. flows. S.E.  
25.00 Wash 10 lks. wide. flows. S.E.  
40.00 Set a granite Stone.  $17 \times 12 \times 4$  ins.  
11. ins. in the ground. for  $\frac{1}{4}$  Sec.  
Cor. marked  $\frac{1}{4}$  on N. face  
and raised a mound of Stone  
 $1\frac{1}{2}$  ft. high. 2 ft. base along-  
side. Pits impracticable.

chains  
80.00

The Cor. to Secs. 22, 23, 26 & 27

Land broken

Soil, gravelly 2<sup>d</sup> rate

Dense Mesquite and growth

80. chains.

---

N<sup>o</sup> 1' W bet. Secs. 22<sup>and</sup> 23.

Va. 13° 55' E.

over broken land, in dense mesquite

30.00 Wagon road trans. E. & W.

40.00 Set a Malpais Stone 18x10x8 ins.

12 ins. in the ground. for 1/4 Sec.

Cor. marked 1/4 on W. face

and raised a mound of Stone

1 1/2 ft. high. 2 ft. base alongside

Pits impracticable. —

67.00 Wash 10 lbs. wide, flows S. E.

80.00 Set a Malpais Stone 18x18x6 ins.

12 ins. in the ground. for Cor. to

## Subdivisions

BOOK 63

Chains Secs. 14, 15, 22, & 23. marked  
with 3 notches on S. and 2  
notches on E. edges, and raised  
a mound of stone  $1\frac{1}{2}$  ft. high  
2 ft. base, alongside  
Pits impracticable.  
Land, rough and broken  
Soil stony 3<sup>d</sup> rate.  
Dense mesquite undergrowth.  
80. chains.

---

N  $89^{\circ} 50' E$ . on a random line  
bet. Secs. 14<sup>th</sup> & 23.

Va  $13^{\circ} 55' E$ .

40.00 Set. temp.  $\frac{1}{4}$  Sec. Cor.  
80.05 Intusect. N. and S. line, 2 lks.  
S. of Cor. to Secs. 13, 14, 23, & 24  
Thence I run  
S  $89^{\circ} 49' W$ . on a true line

## T. C. N. R. 1. E.

- Chains. . . bet. Secs. 14<sup>and</sup> 23.  
 Va.  $13^{\circ}55'E$ .  
 over broken land, in dense Mesquite
- 40.02 Set a Malpais Stone  $20 \times 18 \times 16$  ins.  
 15 ins. in the ground, for  $\frac{1}{4}$  Sec.  
 Cor. marked  $\frac{1}{4}$  on N. face  
 and raised a mound of Stone  
 $1\frac{1}{2}$  ft. high, 2 ft. base, along-  
 side. Pits impracticable
- 80.05 The Cor. to Secs. 14, 15, 22 & 23.  
 Land, rough and broken  
 Soil, Stony 3<sup>d</sup> and 4<sup>th</sup> rate  
 Dense Mesquite Undergrowth  
 80.05 chains.

---

No<sup>o</sup> 1' W. bet. Secs. 14<sup>and</sup> 15,

Va.  $13^{\circ}55'E$ .

- Over broken land in dense Mesquite
- 25.00 Southwestern base of Mountain



Subdivisions ~~BOOK~~ 63

Chains, bears. N.W. & S.E. ascend  
 40.00 Set a Malpais Stone 16x6x6 ins.  
 11 ins. in the ground, for  $\frac{1}{4}$   
 Sec. Cor. Marked  $\frac{1}{4}$  on W. face  
 and raised a Mound of Stone  
 $1\frac{1}{2}$  ft. high, 2 ft. base along-  
 side. Pits impracticable.  
 Land. rough and broken  
 Soil. Stony. 4<sup>th</sup> rate  
 Dense Mesquite underground  
 40. chs. —

This Cor. is on the S.W. side  
 of rocky mountains. Very  
 rough and precipitous. im-  
 practicable to Survey. I  
 discontinue the line at  
 this point

Nov. 16, 1894

- Chains From the Cor. to Secs. 3, 4, 33 & 34,  
on S. Edy of Tp. which is a  
Stone firmly set, properly marked  
and witnessed, as described in  
the field notes furnished by  
the Surveyor General.
- Iron  
No<sup>o</sup> 2' W. bet. Secs. 33 & 34.  
Va. 13° 55' E.
- 8.00 over rolling land, in dense Mesquite  
Wagon road to Dyers Camp,  
beans, N.W. and S.E.
- 16.00 Wash. 10 lks. wide, flows westerly
- 40.00 Set a granite Stone 18x8x6 ins.  
12 ins. in the ground, for  $\frac{1}{4}$  Sec.  
Cor. Marked  $\frac{1}{4}$  on W. face, and  
raised a mound of Stone  $1\frac{1}{2}$  ft.  
high, 2 ft. base, alongside.  
Pits impracticable

Subdivisions, <sup>BOOKS,</sup> 68

chains.

80.00

Set a granite Stone 16x12x8 ins.  
11. ins. in the ground. for Cor. to  
Secs. 27, 28, 33, & 34, marked  
with 1 notch on S. and 3 notches  
on E. edges, and raised a mound  
of Stone 1 1/2 ft. high, 2 ft. base  
alongside. Pits impracticable  
Land. broken

Soil, Stony 3<sup>d</sup> rate

Dense Mesquite undergrowth.

80. Chains. —

---

N 89° 53' E. on a random line  
bet. Secs. 27. <sup>and</sup> 34.  
Va. 13° 55' E.

40.00 Set. temp. 1/4 Sec. Cor.

79.98 Intersect N. <sup>and</sup> S. line, at Cor.  
to Secs. 26, 27, 34, & 35.  
Thence I run.

Chains. S  $89^{\circ}53'$  W. on a true line  
bet. Secs. 27<sup>and</sup> 34.  
Va.  $13^{\circ}55'E$ .

Over level land, in dense Palo Verde

39.99 Set a granite Stone  $18 \times 12 \times 6$  ins.  
12 ins. in the ground, for  $\frac{1}{4}$  Sec.  
Cor. marked  $\frac{1}{4}$  on N. face, and  
raised a mound of Stone  $1\frac{1}{2}$  ft.  
high, 2 ft. base, alongside  
pits impracticable. -

70.00 Wagon road to Frog Tanks,  
Trans. N. & S.

79.98 The Cor. to Secs. 27, 28, 33 & 34.  
Land, level.

Soil, gravelly 2 rate  
Dense Palo Verde undergrowth  
79.98 chs. -

---

$N 0^{\circ}2' W$ , bet. Secs. 27<sup>and</sup> 28.

27.  
Subdivisions, BOOK, 63

Chains.	va. $13^{\circ}55'E$ .
	over rolling land in dense Palo Verde
21.00	Wash 10 lks. wide, flows. W,
36.00	Wash 15 lks. wide, flows. W,
40.00	Set a granite Stone $16 \times 10 \times 6$ ins 11 ins. in the ground. for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ on W. face and raised a mound of Stone $1\frac{1}{2}$ ft. high. 2 ft. base. alongside pits impracticable
45.00	Gulch. flows. W,
48.00	Gulch. flows. W,
51.00	Gulch. flows S.W,
55.00	Gulch. flows. S.W,
67.00	Gulch. flows. $S50^{\circ}W$ ,
80.00	Set a granite Stone $18 \times 8 \times 8$ ins. 12 ins. in the ground. for Cor. to Secs. 21, 22, 27 & 28. Marked with 2 notches on S. and 3 notches

Chains, on E. edges, and raised a mound  
 of stone  $1\frac{1}{2}$  ft. high. 2 ft. base  
 alongside. Pits impracticable  
 Land, rolling.  
 Soil, stony. 3<sup>d</sup> rate  
 Dense Palo Verde undergrowth.  
 80. chains. —

---

$N 89^{\circ} 53' E$ . on a random line  
 bet. Secs. 22. and 27.  
 Va.  $13^{\circ} 55' E$ .

40.00 Set temp.  $\frac{1}{4}$  sec. Cor.

79.96 Intersect N. and S. line 3 Mts. S.  
 of Cor. to Secs. 22, 23, 26 & 27.

Thence I run

$S 89^{\circ} 52' W$ . on a true line  
 bet. Secs. 22. and 27.

Va.  $13^{\circ} 55' E$ .

over level land, in dense Palo Verde

29.  
Subdivisions. BOOK 63

- chains.  
39.98 Set a granite Stone 15 X 12 X 10 ins.  
10 ins. in the ground. for  $\frac{1}{4}$  Sec.  
Cor. marked  $\frac{1}{4}$  on N. face, and  
raised a mound of stone  $1\frac{1}{2}$  ft.  
high, 2 ft. base, alongside  
Pits impracticable
- 74.00 Wagon road to Frog Tanks  
Trans. N. & S.
- 79.96 The Cor. to Secs. 21, 22, 27, & 28.  
Land level.  
Soil, gravelly 2<sup>d</sup> and 3<sup>d</sup> rate  
Dense Palo Verde undergrowth  
79.96 chains, -

---

N  $0^{\circ}$  2' W. bet. Secs. 21, <sup>and</sup> 22.  
Va.  $13^{\circ}$  55' E.

- 6.00 Bottom of Cañon, flows, S.W. <sup>Ascent</sup>
- 10.00 Top of ridge, trans. N.E. & S.W, descend.

## T. C. N. R. 1, E.

- | Chains. |   |
|---------|---|
| 13.00   | Wash 10 lks. wide. flows. S.W.  |
| 40.00   | Set a granite Stone 18x10x8 ins.<br>12 ins. in the ground. for $\frac{1}{4}$ Sec.<br>Cor. marked $\frac{1}{4}$ on W. face. and<br>raised a mound of Stone $1\frac{1}{2}$ ft.<br>High. 2 ft. base. alongside.<br>Pits impracticable. -   |
| 54.00   | Bottom of deep Cañon. flows. S.W. <sup>usual</sup>  |
| 68.00   | Top of ridge. bears. N.E. & S.W. descend  |
| 70.00   | Wagon road to Frog Tanks.<br>bears. E. and W.   |
| 80.00   | Set a granite Stone 24x10x8 ins.<br>18 ins. in the ground. for Cor. to<br>Secs. 15, 16, 21, and 22. marked<br>with 3 notches on S. and E. edges,<br>and raised a mound of Stones<br>$1\frac{1}{2}$ ft. High. 2 ft. base. alongside<br>Pits impracticable<br>Land rolling and broken |



Subdivisions BOOK 63

Chains. Soil, gravelly 2<sup>d</sup> and 3<sup>d</sup> rate.  
Dense Palo Verde undergrowth.  
80. chains.—

---

N 89° 52' E. on a random line  
bet. Secs. 15. and 22  
Va. 13° 55' E.

40.00 Set. temp. 1/4 Sec. Cor.

80.00 Intersect N. and S. line 5 lks. S.  
of Cor. to Secs. 14, 15, 22, and 23.  
Thence I run

S 89° 50' W. on a true line  
bet. Secs. 15. and 22.  
Va. 13° 55' E.

over rolling land, on South  
base of a Malpais Mountain, in  
dense Palo Verde undergrowth

7.00 Wash. 10 lks. wide, flows S.E.

20.00 A butte 100 ft. high, trans. S. 10 chs.

- Chairs  
40.00 Set a Malpais Stone 16x6x6 ins.  
11. ins. in the ground. for  $\frac{1}{4}$  Sec.  
Cor. Marked  $\frac{1}{4}$  on N. face, and  
raised a mound of Stone  $1\frac{1}{2}$  ft.  
High, 2 ft. base, alongside.
- 80.00 Pits impracticable  
The Cor. to Secs. 15, 16, 21, and 22.  
Land, ralling and broken  
Soil, stony, 3<sup>d</sup> rate.  
Dense Palo Verde Undergrowth  
80. Chairs.
- 
- No<sup>o</sup> 2' W. bet. Secs. 15 & 16  
Va. 13° 55' E  
over rough land in dense Mesquite
- 5.00 Bottom of Cañon, flows S70° W  
ascend.
- 27.50 Top of ridge cross. N70° E + S70° W  
descend
- 40.00 Set a Malpais Stone 36x12x6

## Subdivisions.

- Chains. ins. 25. ins in the ground for  
 $\frac{1}{4}$  Sec Cor. Marked  $\frac{1}{4}$  on W.  
 face, and raised a mound  
 of Stone  $1\frac{1}{2}$  ft. high 2 ft.  
 base, alongside. pits  
 impracticable
- 45.00 Wash 10 lks. wide, flows N  $70^{\circ}$  W
- 50.00 Wash 20 lks. wide, flows S  $60^{\circ}$  W
- 80.00 Set a Malpais Stone 20x10x8  
 ins. 15 ins. in the ground, for  
 Cor. to Secs. 9, 10, 15 & 16, marked  
 with 4 notches on S. and 3  
 notches on E. edges, and  
 raised a mound of Stone  $1\frac{1}{2}$   
 ft. high, 2 ft. base, alongside  
 pits impracticable  
 Land rough and broken  
 Soil, stony. 3<sup>d</sup> rate  
 Dense Mosquito undergrowth 80,  
 lbs.

Chains	Rough and rugged Mountain on the east, impracticable to Survey. Thence I run N $0^{\circ} 2' W$ . bet. Secs. 9 <sup>and</sup> 10. Va. $13^{\circ} 55' E$ .
15.00	Over Mountainous land, in dense Mesquite and growth Cañon. flows. Southwesterly <sup>ward</sup>
20.00	Top of ridge trans. E. & W. descend
40.00	Set a Malpais Stone 16x8x6 ins. 11 ins. in the ground. for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ on W. face. and raised a mound of stone $1\frac{1}{2}$ ft high. 2 ft. base, alongside. Pits impracticable. ascend
75.00	Top of rocky Mountain descend
80.00	Set a Malpais Stone 18x6x6 ins. 17 ins. in the ground. for.

## Subdivisions.

Chain. Cor. to Secs. 3, 4, 9 & 10. Marked with 5 notches on S, and 3, notches on E. edges. and raised a mound of stone  $1\frac{1}{2}$  ft. high. 2 ft. base along side. Pits impracticable  
 Land. Mountainous 80 chs.  
 Soil. Stony. 3<sup>d</sup> rate.  
 Timber, dense Mesquite 80 chs.

---

Rugged mountains on the East of line, Impracticable to Survey line bet. Secs. 3 & 10.

---

N  $0^{\circ} 2' W$ . on a random line  
 bet. Secs. 3, <sup>and</sup> 4.  
 Va.  $13^{\circ} 55' E$ .

40.00 Set temp.  $1/4$  Sec. Cor.  
 80.20 Interest. N. bdy of Sp. 14 <sup>th</sup> 1842

Chains.	W. of Cor. to Secs. 3, 4, 33, & 34 as herein before described. Thence I run S $0^{\circ} 4' W.$ on a true line bet. Secs. 3. and 4. Va. $13^{\circ} 55' E.$ Over Mountainous land, in dense mesquite undergrowth ascending
5.00	Top of Mountain, descend
20.00	Cañon, flows West.
40.20	Set a Malpais Stone $16 \times 6 \times 6$ ins. 11 ins. in the ground, for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ on W. face, and raised a mound of stone $1\frac{1}{2}$ ft. high, 2 ft. base, alongside. Pits impracticable Land Mountainous rocks.

## Subdivisions.

Chains. Soil, Stony. 3<sup>d</sup> & 4<sup>th</sup> rate  
Dense Mesquite undugrowth  
80.20 chains.

Nov. 16. 1894

From the Cor. to Secs. 4, 5, 32 & 33  
on S. bdy of Tp. a Malpais  
Stone firmly set. Properly  
marked and witnessed, as  
described in the field notes,  
furnished by the Surveyor General  
Thence I run

N  $0^{\circ} 2' W$ . bet. Secs. 32. & 33.  
Ta.  $13^{\circ} 55' E$ .

Over broken land. In dense  
Mesquite & Palo Verde brush

9.00 Wagon road. bears. N.E. & S.W.,  
18.00 Wash. 20 lks. wide. flows. W  
32.50 Wash. 20. lks. wide, 12 ft. deep.

- Chain's flows. Southwesterly  
 40.00 Set a granite stone 17. x 10 x 10  
 ins. 11 ins. in the ground. for  
 1/4 Sec. Cor. Marked 1/4 on W.  
 face. and raised a mound  
 of stone 1 1/2 ft. high. 2 ft.  
 base. alongside. pits  
 impracticable
- 42.00 Wash. 10 lks. wide. flows. S 60° W  
 68.00 Wash 20 lks. wide. 20 ft. deep  
 flows. S 70° W.
- 75.00 Wash 10 lks. wide. flows. S. westerly  
 80.00 Set a granite stone 16 x 12 x 6  
 ins. 11 ins. in the ground. for  
 Cor. to Secs. 28. 29. 32 & 33.  
 Marked. with 1 notch on S. &  
 4 notches on E. edges. and  
 raised a mound of stone 1 1/2  
 ft. high. 2 ft. base along-



Subdivision ~~BOOK~~ 163

Chains Side pits impracticable  
 Land, broken  
 Soil, gravelly 2<sup>d</sup> rate  
 Dense, Mesquite and Palo,  
 Verde undu growth, 80. chs.

---

N 89° 53' E, on a random line  
 bet. Recs. 28 & 33  
 Va. 13° 55' E

40.00 Set. temp. 1/4 Rec. Cor.

80.06 Intersect N. & S. line. 9 lks.  
 S. of Cor. to Recs. 27, 28, 33, & 34  
 Thence I run

S 89° 49' W, on a true line  
 bet. Recs. 28 & 33,  
 Va. 13° 55' E.

Over broken land, in dense  
 Mesquite and Palo Verde

35.70 Wagon road. bears N 10° W + S 10° E

## BOOK No. 6. N. R. 1. E.

Chains  
40.03

Set a granite Stone 20x10x5  
ins. 15 ins. in the ground, for  
1/4 Sec. Cor. marked 1/4 on N.  
face. dug pits 18x18x12 ins  
E. & W. of post. 5 1/2 ft. dia.  
and raised a mound of Earth  
1 1/2 ft. high. 3 1/2 ft. base  
alongside.

46.00

Enter bottom land

80.06

The Cor. to Secs. 28, 29, 32 &amp; 33

Land broken.

Soil. Sandy & gravelly 2<sup>d</sup> & 3<sup>d</sup> rate

Dense Mesquite and Palo.-

Verde undergrowth 80.06 chs.

---

 No° 2' W. bet. Secs. 28 & 29

Va. 13° 55' E.

over broken land. in dense  
Mesquite undergrowth

41. BOOK 63  
Subdivisions.

Chains	
9.00	Wagon road bears. N.W. + S.E.
21.00	Wash. 20 lks. wide. flows. W.
31.00	Wagon road bears. N. Eastly + S. willy
40.00	Set a granite stone 26 x 24 x 8 in, 19 ins. in the ground. for $\frac{1}{4}$ sec Cor. marked $\frac{1}{4}$ on W. face, and raised a mound of stone $1\frac{1}{2}$ ft. high. 2 ft. base along- side. pits impracticable
46.00	Left. bank of Agua Fria Rivir dry bears. N 35° E + S 35° W.
50.00	Right bank of Agua Fria Rivir <sup>dry</sup> bears. N 35° E & S 35° W
61.50	Wash 20 lks. wide. flows. Eastly
66.50	West End of Agua Fria Reservoir Company's dam, bears. E. 10 chs. dist.
71.00	Wash. 10 lks. wide. flows Eastly
80.00	Set a granite stone 18 x 10 x 8

T. C. N. R. 1. E.

Chains. ins. 12 ins. in the ground. for.  
 Cor. to Secs. 20, 21, 28 & 29. marked  
 with 2 notches on S. and 4 notches  
 on E. edges, and raised a mound  
 of stone  $1\frac{1}{2}$  ft. high, 2 ft. base  
 alongside pits impracticable  
 Land rough & broken  
 Soil, gravelly 2<sup>d</sup> rate  
 Dense mesquite undergrowth  
 80. chains. —

---

N  $89^{\circ}49'E$ . on a random line  
 bet. Secs. 21 & 28,  
 Va.  $13^{\circ}55'E$ .

40.00 Det. temp.  $\frac{1}{4}$  Sec. Cor.  
 80.08 Intersect N. & S. line 4 lks.  
 N. of Cor. to Secs. 21, 22, 27 & 28.  
 Thence I run  
 S  $89^{\circ}51'W$ . on a true line

43.      BOOK 63  
 Subdivisions.

Chains	bet. Secs. 21. <sup>9d</sup> 28. Va. $13^{\circ}55'E$ .
	over broken land, in dense Mesquite undergrowth.
10.00	Bottom of Cañon. flows. Southerly ascend
25.00	Top of ridge. trans. N. & S. descend
32.00	base of ridge
40.04	Set a granite stone $18 \times 10 \times 8$ ins. 12 ins. in the ground, for $\frac{1}{4}$ sec. Cor. marked $\frac{1}{4}$ on N. face, and raised a mound of stone $1\frac{1}{2}$ ft. high 2 ft. base alongside. pits impracticable
51.00	Left bank of Agua Fria River <sup>dry</sup> trans. N. <sup>and</sup> $S 10^{\circ} W$ .
54.00	Right bank of Agua Fria River <sup>dry</sup> trans. N. <sup>and</sup> $S 10^{\circ} W$ . Wagon road. trans. N. & S. ascend

## T. C. N. R. 1. E.

chs.  
 70.00 ascend abruptly  
 80.08 The Cor. to Secs. 20, 21, 28 & 29  
 Land broken  
 Soil, sandy & stony 2<sup>d</sup> & 3<sup>d</sup> rate.  
 Dense Mesquite undergrowth  
 80.08 chains. -

---

N<sup>o</sup> 2' W. bet. Secs. 20 & 21.  
 Va. 13° 55' E.

Over mountainous land, in  
 dense Mesquite, ascending  
 5.00 Top of ridge, bears E. & W. descend  
 19.00 Bottom of Cañon, flows E. ascend  
 32.00 Top of ridge, bears E. & W. descend  
 40.00 Set a granite stone 16x10x8 ins.  
 11 ins. in the ground, for 1/4 Sec.  
 Cor. marked 1/4 on W. face. &  
 raised a mound of stone 1 1/2  
 ft. high, 2 ft. base, alongside

45.  
Subdivisions. <sup>BOOK 63</sup>

- Chains. Pits impracticable  
46.00 descend abruptly.  
70.00 Gulch. flow E. ascend  
80.00 Set a granite stone 20x10x10 ins  
15 ins. in the ground. for Cor. to  
Secs. 16, 17, 20 & 21. marked  
with 3 notches on N. and 4  
notches on E. edges, and raised  
a mound of stones 1 1/2 ft. high  
2 ft. base, alongside  
Pits impracticable  
Land. Mountainous 80. chs.  
Soil. Stony 2<sup>d</sup> & 3<sup>d</sup> rate  
Dense mesquite undergrowth  
80. chains.

---

N 89° 51' E. on a random line  
bet. Secs. 16<sup>th</sup> & 21.  
Va. 13° 55' E

T. G. N. R. 1. E.

- chs.  
40.00 Set temp.  $\frac{1}{4}$  Sec. Cor.
- 80.00 Intersect N. <sup>2d</sup> S. line 5. lks.  
N. of cor. to Secs. 15, 16, 21 & 22.  
Thence I run.  
S  $89^{\circ}53'$  W. on a true line  
bet. Secs. 16 <sup>2d</sup> & 21.  
Va.  $13^{\circ}55' E$ .
- 36.00 over mountainous land, in  
dense mesquite undergrowth,  
Gulch. flows. Southwesterly.
- 40.00 Set a malpais stone  $20 \times 20 \times 6$   
ins. 15 ins. in the ground. for  
 $\frac{1}{4}$  Sec. Cor. Marked  $\frac{1}{4}$  on N.  
face, and raised a mound of  
stone  $1\frac{1}{2}$  ft. high. 2 ft. base  
alongside. Pits impracticable
- 44.00 Gulch. flows. S. W.
- 50.00 Frog Tanks Post Office trans.  
S. 10 chs. dist.



47.  
Subdivisions: BOOK 63

chs. 57.50	Wagon road, trans. N.T.S.
58.00	Left bank of Agua Fria River <sup>down</sup> trans. N.T.S.
63.00	Right bank of Agua Fria River <sup>down</sup> trans. N.T.S. and ascend
67.00	Top of ridge, trans. N.E. & S.W. <sup>descend</sup>
70.00	Gulch, flows. N.E.
80.00	The Cor. to Secs. 16, 17, 20 & 21 Land Mountainous, 80 chs. Soil, gravelly & stony 2 <sup>d</sup> & 3 <sup>d</sup> rate Dense. Mesquite undergrowth 80. chains. -
<u>Nov. 17. 1894</u>	
N 0° 2' W. bet. Secs. 16 & 17. Vu. 13° 55' E.	
Over Mountainous land, in dense Mesquite undergrowth ascend	
3.00	Top of ridge, trans. E & W. <sup>descend</sup>

## J. C. N. R. 1. E.

chs. 14.00	Bottom of deep Cañon. flows. E ascend
24.00	Top of ridge bears. E. & W. descend
27.00	Gulch. flows. E. ascend
30.00	Top of ridge bears. E & W. descend
35.00	Gulch. flows. Easterly
40.00	Set a Malpiau Stone 15x10x5 ins 10 ins. in the ground for $\frac{1}{4}$ Sec Cor. marked $\frac{1}{4}$ on W. face. and raised a mound of stone $1\frac{1}{2}$ ft. high. 2 ft. base. alongside Pits impracticable
47.00	Gulch. flows. E. ascend
52.00	Top of precipitous ridge 220 ft. high. bears. E. & N.W. descend
53.00	descend abruptly 200 ft.
72.00	descend abruptly 100 ft. to Agua Fria bottom bears. N.W. & S.E.
73.00	Prescott Stage road bears. N.W. & S.E.

chs.  
80.00

Set a granite Stone  $18 \times 8 \times 8$  ins.  
12 ins. in the ground, for Cor. to  
Secs. 8, 9, 16 & 17, marked  
with 4 notches on S. and E.  
edges, dug pits  $18 \times 18 \times 12$  ins  
in each Sec.  $5 \frac{1}{2}$  ft. dist  
and raised a mound of Earth  
2 ft. high  $4 \frac{1}{2}$  ft. base  
alongside.

Land, Mountainous.

Soil, Stony 3<sup>d</sup> rate.

Dense mesquite undergrowth  
80. chs.

---

$N 89^{\circ} 53' E$ . on a random line  
bet. Secs. 9, 9<sup>d</sup> & 16.  
Va.  $13^{\circ} 55' E$ .

40.00 Set. temp.  $\frac{1}{4}$  Sec. Cor.

80.10 Intersect N. 9<sup>d</sup> S. line 6 lks.

## T. C. N. R. 1 E.

- Charis S. of Cor. to Secs. 9, 10, 15 & 16.  
Thence I run  
S  $89^{\circ} 50' W$ . on a true line  
bet. Secs. 9, and 16.  
Va.  $13^{\circ} 55' E$ .
- Over Mountainous land, in  
dense Mesquite & Palo Verde  
25.00 Gulch, flows, northerly.
- 40.05 Set a Malpais Stone  $16 \times 10 \times 6$  ins.  
11. ins. in the ground, for  $\frac{1}{4}$  Sec.  
Cor. marked  $\frac{1}{4}$  on N. face, and  
raised a mound of Stone  $1\frac{1}{2}$   
ft. high, 2 ft. base, alongside  
pits impracticable
- 45.00 Gulch, flows, N. ascend
- 53.00 Top of point of ridge trans.  
N.E. & S.W. descend
- 60.00 Gulch, flows, S.W.
- 69.50 Left bank Agua Fria River <sup>dry</sup> <sub>1</sub> <sup>creek</sup>

## Subdivisions.

- |       |   |
|-------|---|
| Chans | Wagon road bears. $N5^{\circ}E + S5^{\circ}W$   |
| 74.00 | Right bank of Agua Fria River <sup>dry</sup><br>bears. $N5^{\circ}E, + S5^{\circ}W.$  |
| 79.00 | Wagon road bears. $N. + S.$   |
| 80.10 | The Cor. to Secs. 8, 9, 16, and 17.<br>Land Mountainous 80.10 chs.<br>Soil. Stony. 3 <sup>d</sup> rate.<br>Dense Mesquite and Palo Verde<br>undergrowth, 80.10 chs. |
| <hr/> |   |
|       | $N0^{\circ}2'W.$ bet. Secs. 8 & 9.<br>$Va. 13^{\circ}55'E.$   |
|       | Over broken land. in dense<br>Mesquite and Palo Verde   |
| 34.50 | Wash 100 lks. wide. bears.<br>$S80^{\circ}E.$   |
| 40.00 | Set a granite stone $18 \times 10 \times 6$<br>ins. 12 ins. in the ground + for<br>$\frac{1}{4}$ Sec. Cor. Marked $\frac{1}{4}$ on W.                               |

## T. C. N. R. 1. E.

- Chain face, and raised a mound of Stone  $1\frac{1}{2}$  ft. high 2 ft. base alongside. Pits impracticable
- 63.00 Right bank of Agua Fria River<sup>dry</sup>  
trans.  $S 5^{\circ} E \times N.W.$
- 66.00 Left bank of Agua Fria River<sup>dry</sup>  
trans.  $N.W. \times S.E.$  ascend
- 79.00 Spout overlooking wash. I set a granite Stone  $18 \times 10 \times 8$  ins.  $12$  ins. in the ground, for Witness Cor. to Secs. 4, 5, 8 & 9. Marked W.C. on S.W. face. with 5 notches on S. and 4 notches on E. edges and raised a mound of Stone  $1\frac{1}{2}$  ft. high. 2 ft. base. alongside Pits impracticable. descend
- 80.00 Spout in wash. flows. W.  
Land broken  
Soil. gravelly  $2^d$  &  $3^d$  rate.

53.  
BOOK 63  
Subdivisions.

Chais Deuce Mesquite & Palo Verde  
Undugrowth, 80 chais.

---

N 89° 50' E, on a random line  
bet. Secs. 4, & 9.

Va. 13° 55' E

40.00 Set, temp. 1/4 Sec. Cor

80.00 Intusect. N. & S. line 7 lks.  
N. of Cor. to Secs. 3, 4, 9 & 10  
Thence I run

S 89° 53' W, on a true line  
bet. Secs. 4, & 9.

Va. 13° 55' E

along North Side of Cañon  
descending

21.00 Gulch, flows. S.

33.00 Gulch, flows. Southerly.

40.00 Set a Malpino Stone 18x8x8  
ins., 12 ins. in the ground, for 1/4

## T. C. N. R. 1.E.

Chains	Sec. Cor. Marked $\frac{1}{4}$ on N. face and raised a mound of stone $1\frac{1}{2}$ ft. high. 2 ft. base along- side. pits impracticable
51.00	Gulch. flows. S.
53.00	Gulch. flows. S.
80.00	The Cor. to Secs. 4, 5, 8, and 9. Land Mountainous. 80. chs. Soil. Stony. 3 <sup>d</sup> rate Dense. Mesquite & Palo Verde Undergrowth. 80. chs.
<hr/> N $0^{\circ} 2'$ W. on a random line bet. Secs. 4. and 5. Va. $13^{\circ} 55' E$ .	
40.00	Set. temp. $\frac{1}{4}$ Sec. Cor.
80.26	Intersect. N. E. of Sp. 20 Mts. W. of Cor. to Secs. 4, 5, 32 & 33 hereinbefore described



## Subdivisions

Chains	Thence I run S 0° 7' W. on a true line bet. Secs. 4 & 5, Va. 13° 55' E
	Over Mountainous land, in dense Mesquite & Palo Verde ascend
10.00	Top of ridge bears N.N.E. + S.S.W. <sup>descend</sup>
20.00	Enter Agua Fria bottom old Adoba house, bears E. 10 chs, dist.
33.00	Right bank of Agua Fria River <sup>dry</sup> bears, S 80° W + N 80° E
37.00	Left bank of Agua Fria River <sup>dry</sup> bears S 80° W + N 80° E, ascend These two old Adoba houses, one on either side of the river, are vacant, and falling into decay

BOOK 6 J. G. N. R. 1. E.

- chs. 40.26 Set a Malpais Stone 16x10x5 ins. 11. ins. in the ground for 1/4 Sec. Cor. Marked <sup>1/4</sup> on W. face and raised a mound of stone 1 1/2 ft. high. 2 ft. base. along-side pits impracticable
- 43.00 An old adobe house trans W. 10 chs. dist.
- 53.00 Top. of ridge trans. N.E. + S.W. <sup>descend</sup>
- 73.00 Bottom of Cañon. flows. S.W.
- 80.26 The Cor. to Secs. 4, 5, 8 & 9.

Land Mountainous  
 Soil. Sandy + Stony 1<sup>st</sup> + 3<sup>d</sup> rate  
 Dense Mesquite and Palo Verde  
 undergrowth 80.26 chs.  
Nov. 19. 1894

From the Cor. to Secs. 5, 6, 31. & 32  
 on S. side of Sp. a stone in  
 place, properly marked and.

57  
BOOK 63  
Subdivisions.

Chains witnessed as described in the field notes furnished by the Surveyor General.

I run

N<sup>o</sup> 3' W. bat. Secs 31 & 32

va 13° 55' E

over mountainous land, in dense mesquite & Palo Verde

15.75 deep wash 50 lks. wide flows S.E.

29.00 Same wash, flows S 80° W.

39.50 Same wash, 60 lks. wide flows S 80° E

40.00 point in wash

40.20 Set a granite stone 16 x 8 x 6 ins, 11 ins. in the ground, <sup>witness to</sup> for <sup>to</sup> 1/4 Sec.

Cor. marked <sup>W.C.</sup> 1/4 on W. face, &

raised a mound of stone 1 1/2 ft. high, 2 ft. base alongside

Spits impracticable

56.50 Gulch flows Eastwly, ascend

## T. C. N. R. 1. E.

- chs.  
70.00 Top of ridge, trans. S.E. descend  
77.90 Gulch, flows, N.E.  
80.00 Set a granite stone 16x8x6 ins.  
11 ins. in the ground, for Cor. to  
Secs. 29, 30, 31 & 32, marked  
with 1 notch on S. and 5. notches  
on E. edges, and raised a mound  
of stone 1 1/2 ft. high 2 ft. base  
alongside. Pits impracticable  
Land, Mountainous 80 chs.  
Soil, Stony 3<sup>d</sup> rate  
Dense mesquite and Palo Verde  
undergrowth, 80. chains.

N 89° 53' E, on a random line.  
bet. Secs. 29 & 32.  
Va. 13° 55' E.

- 40.00 Set. temp. 1/4 Sec. Cor.  
79.95 Intersect. N. and S. line 2 lks.

59  
BOOK 63  
Subdivisions.

- Chains S. of Cor. to Secs. 28, 29, 32 & 33  
Thence I run  
S  $89^{\circ}52'W$ , on a true line  
bet. Secs. 29 & 32  
Ta.  $13^{\circ}55'E$   
over rough broken land, in  
dense Mesquite undergrowth
- 16.00 Left bank of Agua Fria River <sup>dry</sup>  
beams. S  $10^{\circ}W$ . & N  $10^{\circ}E$ .
- 20.00 Right bank of Agua Fria River <sup>dry</sup>  
beams. S  $10^{\circ}W$ . & N  $10^{\circ}E$
- 39.97 Set a Malpais Stone 16x8x4  
ins. 11 ins. in the ground. for  $\frac{1}{4}$   
Sec. Cor. marked  $\frac{1}{4}$  on N. face  
and raised a mound of  
stone  $1\frac{1}{2}$  ft. high 2 ft. base  
along side. pits impracticable
- 42.00 Gulch. flows. N.E. ascend
- 49.00 Top of ridge beams. N.E. & S.W. <sup>descend</sup>

## T. C. N. R. 1 E.

chs. 53.00	Wash. 20 lks. wide flows. N.E.
76.50	Wash. 60 lks. wide flows. N.E.
79.95	The Cor. to Secs. 29, 30, 31, & 32. Land. Very rough & broken. Soil. Stony 3 <sup>d</sup> & 4 <sup>th</sup> rate Dense mesquite undergrowth 79.95. chs.

$S 89^{\circ} 53' W.$  on a true line  
 bet. Secs. 30 & 31.  
 Va.  $13^{\circ} 55' E.$

Over mountainous land, in  
dense mesquite undergrowth.

5.00	Wash. 50 lks. wide. flows. S. easterly
18.00	Same wash. flows. $N 80^{\circ} E$
19.50	Same. Wash. flows. S. easterly <sup>ascend</sup>
39.40	Top of ridge bears. S.E. & N.W. descend
40.00	Set a Malpais Stone 16x8x5 ins. 11 ins. in the ground, for 1/4 Sec.

## Subdivisions T. 6. N. R. 1. E.

- Chains. Cor. marked  $\frac{1}{4}$  on N. face, and raised a mound of Stone  $1\frac{1}{2}$  ft high. 2 ft. base, alongside  
 Pile impracticable. -
- 48.40 base of ridge ascend
- 59.40 Top of ridge, trans. N.W. & S.E. dike
- 79.40 Intersect principal Meridian and W. bdy of Tp. at.  $N 0^{\circ} 10' E$   
 10.50 chains. dist. from the old Cor. to Secs. 25, 30, 31 & 36  
 a Malpiau Stone  $20 \times 10 \times 8$  ins. I obliterate marks referring to Secs. on the East. at above point  
 Set a granite Stone  $20 \times 8 \times 6$  ins 15 ins. in the ground. for closing Cor. to Secs. 30 & 31. marked C.C. on E. with 1 notch on S. and 5 notches on N. faces. and raised a mound of Stone.

Concluded, Book 47