

No 72

Field Notes

OF THE SURVEY OF THE

SUBDIVISION LINES

— OF —

Township 10 N. Range 2 E.

Gila and Salt River Base and Meridian

72

ARIZONA.

By C. Burton Foster, D. S.

under contract dated Aug. 6, 1875.

Survey commenced Nov. 19, 1875.

Survey completed Nov. 25, 1875.

No-72

Field Notes

1

of the

Subdivision Lines

of

Township 10 North Range 28 East

Gila and Salt River Meridian

Territory of Arizona

Surveyed by

C. Burton Foster

U. S. Deputy Surveyor.

under his contract of August 16th 1875.

Survey commenced November 19 1875

completed " 25 1875

Township 16 North Range 2 East
 Gila and Salt River Meridian.

6	57.	5	42	4	32.	3	21	2	10.	1
56		55		41.		31.		19.		9.
7	54	8	40.	9	30.	10	19.	11	9.	12
53		52		39.		29.		17.		8.
18	51	17	38.	16	28.	15	17.	14	6.	13
50		49		37.		27.		16.		5.
19	49	20	36.	21	26.	22	15.	23	4.	24
48.		47.		35		25.		14.		9.
30	46.	29	34	28	24.	27	13.	26	3.	25
45		44		33.		23.		12.		2
31	43	32	33.	33	22.	34	11.	35	1.	36

Preliminary Oaths of Assistants.

We, *John S. Nelson*
 and *Peter Thompson*
 do solemnly swear that we will faithfully execute
 the duties of Chain Carriers; that we will level the
 chain upon uneven ground, and plumb the tally
 pins, whether by sticking or dropping the same;
 that we will report the true distance to all notable
 objects, and the true length of all lines that we as-
 sist in measuring, to the best of our skill and
 ability.

John S. Nelson
Peter Thompson
William Cooper

Sworn to and subscribed before me, this *17*
 day of *September*, 187*5*

William McKersue
 Clerk Dist Court
 Hiw' dual Dist
 Yaoupa Co A.T.

We, Henry Wininghoff
and William Le Foster

do solemnly swear that we will well and truly per-
form the duties of Ableman and
Flagman

according to instructions given us, and to the best
of our skill and ability

Henry Wininghoff
William Foster

Sworn to and subscribed before me this 17
day of September 1872

William Wickens
Clerk Dist Court
Third Judicial Dist
Yavapai Co AZ

Township 10 North Range 28 East

Sils and Salt River Meridian

Chs.

Begin at the established Cor to Sec's 35
and 36 on the S Boundary of the Sp.

from which Cor. I run

North between Sec's 35 and 36.

Val 13°58' East

As per Burt's Improved Solar Compass, and
the bearing of the E Boundary of Sec 36.

40.00 Set a limestone 20x10x10 in marked 1/4
set 3/4 in the ground and build mound
of earth 2 ft high with pits 2x1x1 ft
for 1/4 Sec Cor. No trees near.

80.00 Set a limestone 18x10x8 in properly notched
set 3/4 in the ground and on N. side
build mound of stone 2 ft high for Cor
to Sec's 25, 26, 35 and 36.

No trees near.

Land level, Soil 1st and 2nd rate

No timber or undergrowth

East on random line

Township 10 North Range 28 East

Gila and Salt River Meridian

chs.

Between Secs 25 and 36.

Va 13° 58' East

40.00 Set a stone for temporary $\frac{1}{4}$ Sec Cor.

80.00 Intersect E Boundary of 3 $\frac{1}{2}$ at Cor to
Sec's 25 and 36. From which Cor
I run

West on true line

between Secs 25 and 36.

Va 13° 58' East

40.00 Set a limestone 12x10x10 in marked $\frac{1}{4}$
Set $\frac{2}{3}$ in the ground and build mounds
of earth 2 ft high with pits 2x1x1 ft for
 $\frac{1}{4}$ Sec Cor. No trees near.

80.00 The Cor to Sec's 25, 26, 35 and 36
Level, level; Soil 2nd rate
No timber or undergrowth

North between Secs 25 and 26.

Va 13° 58' East

40.00 Set a limestone 16x16x8 in marked

Township 10 North Range 28 East

Gila and Salt River Meridian

chs.

1/4 set 2/3 in the ground and build mound of stone 2 ft high for 1/4 Sec Cor. No trees near.

80.00 Set a limestone 18x10x8 in properly notched set 3/4 in the ground and on N. side build mound of stone 2 ft high for Cor to Sec's 23, 24, 25 and 26 No trees near.

Land, mesa gently sloping S.

Soil 2nd rate; grasses abundant.

No timber or undergrowth.

East on random line
between Sec's 24 and 25.

Va 13°58' East

40.00 Set a stone for temporary 1/4 Sec Cor.

80.00 Intersect E Boundary of Sp at Cor to Sec's 24 and 25 from which cor I run

West on true line

between Sec's 24 and 25

Township 10 North Range 28 East

Gila and Salt River Meridian

Chs.

Ta 13° 58' East

40.00 Set a volcanic stone 16x10x10 in marked
1/4 set 2/3 in the ground and build
mound of stone 2 ft high for 1/4 Sec
Cor. No trees near.

80.00 The Cor to Secs 23 24 25 and 26
Land, mostly level. Soil 2nd rate.
No timber or undergrowth.

North between Secs 23rd and 24th

Ta 13° 58' East

8.00 Begin ascent of hill bears N. S. W and E.
20.00 Summit of hill bears N. S. W and slopes E.
and begin descent.

35.00 Foot of hill and enter mesa bears
E and W.

40.00 Set a limestone 24x18x18 in marked 1/4
set 3/4 in the ground and build mound
of stone 2 ft high for 1/4 Sec Cor.
No trees near.

Township 10 North Range 28 East

Gila and Salt River Meridian

chs.

80.00 Set a limestone 10x10x10 in properly
notched set $\frac{2}{3}$ in the ground and on its
side build mound of earth 2 ft high with
pits 2x1x1 ft for Cor to Sec's 13, 14, 23 and 24.
No trees near.

Land, hilly and gently rolling.

Soil 3^d rate; grasses abundant

Timber, a few scrub Cedars along hillsides

East on random line
between Sec's 13 and 24.

Va 13° 58' East

21.50 Begin descent into Cañon 75 ft deep bears
N.W. and S.E.

24.00 foot of bank and enter bottom of Cañon

28.00 Little Colorado River 40 yds wide rapid
current, rocky bed flows N.W.

31.00 Leave bottom of cañon and begin ascent of
opposite bank.

37.00 Summit of opposite bank and enter level

Township 10 North Range 28 East.

Gila and Salt River Meridian

chs.

Mesa, bears E and N.W.

40.00 Set a stone for temporary $\frac{1}{4}$ Sec Cor.

80.20 Intersect E Boundary of Sp. 14 lks Sof Cor
to Secs 13 and 24. from which Cor I run

S $89^{\circ}54'$ W on true line

between Secs 13 and 24.

Va $13^{\circ}58'$ East

40.10 Set a volcanic stone $16 \times 16 \times 14$ in marked $\frac{1}{4}$ set
 $\frac{2}{3}$ in the ground and build mound of stone
2 ft for $\frac{1}{4}$ Sec Cor. No trees near

80.20 The Cor to Secs 13, 14, 23 and 24

Land, level Mesa broken by Little Colorado
cañon. Soil generally 2nd rate

Timber, a few scrub Cedars along Cañon.

North between Secs 13 and 14.

Va $13^{\circ}58'$ East

16.00 Begin descent into cañon 75 ft deep bears

N.W. and S.E.

19.00 bottom of cañon.

Township 10 North Range 28 East

Gila and Salt River Meridian

As.

- 21.00 Little Colorado River 40 lks wide flows N.W.N.
- 26.80 Begin ascent of opposite bank of Cañon.
- 29.20 Summit of opposite bank and enter mesa
bears N.E. and S.E.
- 40.70 Set a limestone 14x14x6 in marked $\frac{1}{4}$ set
 $\frac{2}{3}$ in the ground and build mound of stone
2 ft high for $\frac{1}{4}$ Sec Cor. No trees near.
- 54.00 Begin descent from mesa bluff bears N.W. & S.W.
- 61.00 Foot of bluff and enter rolling valley bears N.W. &
E.
- 80.00 Set a limestone 10x10x10 in properly notched
set $\frac{2}{3}$ in the ground and on N side
build mound of earth 2 ft high with pits
2x1x1 ft for Cor to Sec's 11, 12, 13, and 14
No trees near.
- Sand, generally rolling and broken of 2nd
and 3^d quality.
- No timber or undergrowth.

East on random line

Township 10 North, Range 28 East

Gila and Salt River Meridian

Chs.

between Sec's 12 and 13.

Va $13^{\circ}58'$ East

- 19.50 Begin ascent of bluff bears N. N. E. and S. W.
 24.00 Summit of bluff and enter rolling Mesa
 bears N. E. and S. W.

40.00 Set a stone for temporary $\frac{1}{4}$ Sec Cor.

80.30 Intersect E Boundary of Sp 35. Lks 2 of
 Cor to Sec's 12 and 13. from which Cor.

I run

N $89^{\circ}45'$ W on true line

between Sec's 12 and 13

Va $13^{\circ}58'$ East

40.15 Set a limestone $16 \times 10 \times 10$ in marked $\frac{1}{4}$ sec
 $\frac{2}{3}$ in the ground and build mounds of
 stone 2 ft high for $\frac{1}{4}$ Sec Cor.

No trees near.

16. 80.30 The Cor to Sec's 11, 12, 13 and 14
 Land, gently rolling, sloping W.

Soil 2nd rate

19. Timber, a few scrub Cedars.

Township 10 North Range 28 East

Gila and Salt River Meridian

chs.

North between Sec's 11 and 12.

$Ta 13^{\circ}58'$ East

40.00 Set a post marked $\frac{1}{4}$ S 4 ft long flattened
3 in wide 1 ft in the ground, deposit
stone marked + and build mound of
earth 2 ft high with pits $2 \times 1 \times 1$ ft for
 $\frac{1}{4}$ Sec Cor. No trees near.

80.00 Set a conglomerate rock $16 \times 10 \times 10$ in
properly notched set $\frac{2}{3}$ in the ground and
on N side build mound of earth 2 ft
high with pits $2 \times 1 \times 1$ ft for Cor to Sec's
1, 2, 11, and 12. No trees near.
Land, mostly level, Soil 1st and 2nd rate.
No timber or undergrowth.

East on random line
between Sec's 1 and 12

$Ta 13^{\circ}58'$ East.

40.00 Set a stone for temporary $\frac{1}{4}$ Sec Cor
80.00 Intersect E Boundary of Sp 12 lks S of

Township 10 North Range 28 East

Gila and Salt River Meridian

Chs.

Cor to Sec's 1 and 12. From which Cor
I run

S $89^{\circ}55'$ W on true line
between Sec's 1 and 12.

Ta $13^{\circ}58'$ East.

40.00 Set a limestone $12 \times 12 \times 10$ in marked $\frac{1}{4}$ sec
 $\frac{2}{3}$ in the ground and build mound of stone
2 ft high for $\frac{1}{4}$ Sec Cor. No trees near.

80.00 The Cor to Sec's 1, 2, 11 and 12

Land, gently rolling valley. Soil 1st and 2nd rate
Timber, Scrub Cedars.

North on random line

between Sec's 1 and 2.

Ta $13^{\circ}58'$ East.

40.00 Set a post for temporary $\frac{1}{4}$ Sec Cor.

43.10 Road bears N.W. and S.E.

79.90 Intersect N. Boundary of $3\frac{1}{2}$ 20 Acs N
of Cor to Sec's 1 and 2. From which Cor
I run.

Township 10 North Range 28 East

Gila and Salt River Meridian

chs.

80° 9' N on true line
between Sec's 1 and 2.

Va 13° 58' East

3990 Set a post marked $\frac{1}{4}$ S 4 ft long flattened
3 in wide 1 ft in the ground, deposit
stone marked + and build mound of
earth 2 ft high with pits 2x1x1 ft for
 $\frac{1}{4}$ Sec Cor. No trees near.

7990 The Cor to Sec's 1, 2, 11 and 12

Land, gently rolling. Soil generally 2nd rate.
Siumus, a few scrub Cedars.

November 19 1875

North between Sec's 34 and 35.

Va 13° 58' East.

3160 Road bears N.W. and S.E.

4000 Set a post marked $\frac{1}{4}$ S 4 ft long flattened
3 in wide 1 ft in the ground deposit
stone marked + and build mound of earth
2 ft high with pits 2x1x1 ft for $\frac{1}{4}$ Sec Cor.
No trees near

Township 10 North Range 28 East

Gila and Salt River Meridian

80.00 Set a post marked and notched 4 ft long
3 in squares 1 ft in the ground deposit
stone marked + and build mound of
earth 2 ft high with pits 2x1x1 ft for
Cor to Secs 26, 27, 34, and 35.

h No trees near.

Land, level mesa. Soil 2nd rate
No timber or undergrowth.

East on random line
between Secs 26 and 35.
Va 13° 58' East.

H0.00 Set a stone for temporary 1/4 Sec Cor.

80.00 Intersect Rand S line 14 lks N of Cor
to Secs 25, 26, 35 and 36 from which Cor.

I run

N 89° 54' W on true line
between Secs 26 and 35.

Va 13° 58' East

H0.00 Set a limestone 16x16x8 in marked 1/4

Township 10 North Range 28 East

Gila and Salt River Meridian

Chs.

Set $\frac{2}{3}$ in the ground and build mound of earth 2 ft high with pits $2 \times 1 \times 1$ ft for $\frac{1}{4}$ Sec Cor. No trees near

8000 The Cor to Secs 26, 27, 34 and 35.

Sand, level mesa, Soil 2nd rate
No timber or undergrowth.

North between Secs 26 and 27.
Ta $13^{\circ}58'$ East.

4000 Set a post marked $\frac{1}{4}$ S 4 ft long flat-topped 3 in wide 1 ft in the ground deposit stone marked + and build mound of earth 2 ft high with pits $2 \times 1 \times 1$ ft for $\frac{1}{4}$ Sec Cor. No trees near.

8000 Set a limestone $10 \times 10 \times 8$ in properly notched set $\frac{2}{3}$ in the ground and on N side build mound of earth 2 ft high with pits $2 \times 1 \times 1$ ft for Cor to Secs 22, 23, 26 and 27
No trees near.

Township 10 North Range 28 East

Chs. Gila ⁴⁵ Salt River Meridian

Land, mostly level mesa. Soil 2nd rate
No timber or undergrowth.

East on random line
between Sec's 23⁴⁵ & 26.
Ta 13° 58' East.

19.50 Begin ascent of S slope of hills bear
E. N. E.

38.00 Summit of S slope and begin descent

40.00 Set a stone for temporary $\frac{1}{4}$ Sec Cor

56.00 Foot of slope bears W. S. W ⁴⁵ E. N. E. and en-
ter mesa gently sloping S.

80.10 Intersect N ⁴⁵ S line 5 lks N of Cor to
Sec's 23 24 25⁴⁵ & 26. from which Cor
I run.

N 89° 58' N on true line
between Sec's 23⁴⁵ & 26.
Ta 13° 58' East.

40.05 Set a volcanic stone 12x12x8 in marked $\frac{1}{4}$
set $\frac{2}{3}$ in the ground and build mound of

Township 10 North, Range 28 East

Gila ⁴⁰ Salt River Meridian

Chs.

stone 2 ft high for $\frac{1}{4}$ Sec Cor. from which
 A Cedar 5 in dia bears N 55° E 215 lks dist
 No other trees near.

80.10

The Cor to Secs 22, 23, 26 ⁴⁰ and 27.

Land, gently rolling and hilly. Soil 2nd and 3^d rate
 Timber, Scrub Cedars on hillides

North between Secs 22 ⁴⁰ and 23

Ta 13058' East

40.00

Set a post marked $\frac{1}{4}$ S 4 ft long flattened
 3 in wide 1 ft in the ground, deposit
 stone marked + and build mound of earth
 2 ft high with pits 2x1x1 ft for $\frac{1}{4}$ Sec Cor.
 No trees near.

80.00

Set a post marked and notched 4 ft long
^{1 ft on the ground}
 3 in squared, deposit stone marked +
 and build mound of earth 2 ft high
 with pits 2x1x1 ft for Cor to Secs 14, 15,
 22 ⁴⁰ and 23. No trees near.

Land mostly level. Soil 2nd rate.

Township 10 North Range 28 East

Gila and Salt River Meridian
chs.

No timber or undergrowth.

East on random line

between Sec's 14th and 23.

Va 13058' East.

40.00 Set a stone for temporary $\frac{1}{4}$ Sec Cor.

80.00 Intersect Nth and S line at Cor to Sec's
13, 14, 23, and 24, from which Cor.

I run

West on true line

between Sec's 14th and 23.

Va 13058' East

40.00 Set a limestone 14x14x10 in marked $\frac{1}{4}$
set $\frac{2}{3}$ in the ground and build mounds
of earth 2 ft high with pits 2x1x1 ft
for $\frac{1}{4}$ Sec Cor. No trees near.

80.00 The Cor to Sec's 14, 15, 22, and 23.

Land gently rolling,

Soil 2nd and 3rd rate

No timber or undergrowth.

Township 10 North Range 28 East

Sila ⁴/₅ Salt River Meridian

Chs.

North between Sec's 14 ⁴/₅ 15
Ta 13° 58' East.

4000 Set a limestone 10x10x10 in marked
¹/₄ set ²/₃ in the ground and build mound
of earth 2 ft high with pits 2x1x1 ft
for ¹/₄ Sec Cor. No trees near.

8000 Set a limestone 16x10x8 in properly
notched set ²/₃ in the ground and on
N side build mound of earth 2 ft
high with pits 2x1x1 ft for Cor to Sec's
10, 11, 14, ⁴/₅ 15. No trees near.

Land gently rolling Soil 2nd rate
No timber or undergrowth.

East on random line
between Sec's 11 ⁴/₅ 14

Ta 13° 58' East

3100 Begin descent from mesa bluff with
gentle slope bears N.W. and S.E.

3500 Foot of bluff and enter valley bears

Township 10 North Range 28 East

Gila and Salt River Meridian

Chs.

N. and S. E.

40.00 Set a post for temporary $\frac{1}{4}$ Sec Cor.43.20 Little Colorado River 40 lks wide flows
N. N. W.80.00 Intersect N and S line 15 lks N of Cor to
Secs 11, 12, 13 and 14, from which Cor I run
N 89° 54' W on true line
between Secs 11 and 14.

Ta 13° 58' East.

40.00 Set a post marked $\frac{1}{4}$ S 4 ft long flat-
tened 3 in wide 1 ft in the ground
deposit stone marked + and build
mound of earth 2 ft high with pile
2x1x1 ft for $\frac{1}{4}$ Sec Cor.

No trees near.

80.00 The Cor to Secs 10, 11, 14, and 15
Land gently rolling. Soil 2nd rate
Timber scattering scrub Cedars.

North between Secs 10 and 11

Township 10 North Range 28 East

Gila and Salt River Meridian

chs.

To $13^{\circ}58'$ East

- 23.00 Begin descent from Mesa gentle slope
bears E and W.
- 26.00 Foot of slope and enter gently rolling
valley bears E and W.
- 40.00 Set a limestone $16 \times 10 \times 10$ in marked $\frac{1}{4}$
set $\frac{2}{3}$ in the ground and build mound
of earth 2 ft high with pits $2 \times 1 \times 1$ ft
for $\frac{1}{4}$ Sec cor. No trees near
- 67.30 Road bears S.W. and E.N.E.
- 80.00 Set a sandstone $16 \times 10 \times 10$ in properly
notched set $\frac{2}{3}$ in the ground and on
at side build mound of earth 2 ft
high with pits $2 \times 1 \times 1$ ft for cor to
Sec's 2, 3, 10 and 11. No trees near.
Land gently rolling. Soil 2nd rate
No timber or undergrowth.

East on random line
between Sec's 2 and 11.

Township 10 North Range 28 East

Gila and Salt River Meridian
chs.

Va 130°58' East

- 11.50 Little Colorado River 40 lks wide flows
N and enters cultivated field bears N⁴⁵ S.
- 21.00 House and corral bears S of this point
about 5 chs dist.
- 33.00 Leave cultivated field and irrigating ditch
flows N.
- 40.00 Set a post for temporary 1/4 Sec Cor.
- 42.90 Road bears N. E. and S. W.
- 79.00 Arroyo flows S. W.
- 80.08 Intersect N. and S. line 7 lks S of Cor to
Sec's 1, 2, 11, and 12 from which Cor I run
S 89°57' W on true line
between Sec's 2 and 11.

Va 130°58' East

- 40.04 Set a post marked 1/4 S 4 ft long flat-
tened 3 in wide 1 ft in the ground
drive charred stake and build mound
of earth 2 ft high with pits 2x1x1 ft
for 1/4 Sec Cor. No trees near.

Township 10 North Range 28 East

Gila and Salt River Meridian

chs.

80.08

The cor to Sec's 2, 3, 10, and 11.
 Land mostly level. Soil 1st rate
 No timber, or undergrowth.

North on random line
 between Sec's 2 and 3.

Va 13° 58' East.

29.75 Creek 10 lks wide flows E.

40.00 Set a stone for temporary 1/4 Sec cor.

58.00 brook 3 lks wide flows E from spring
 1 ch W of this point. Cultivated field
 bears N and S about 5 chs E.

80.00 Intersect N Boundary of Sp at cor
 to Sec's 2 and 3. from which cor I run

South on true line
 between Sec's 2 and 3.

Va 13° 58' East.

40.00 Set a volcanic stone 18x10x10 in marked
 1/4 Set 3/4 in the ground and build
 mound of earth 2 ft high with pits

Township 10 North Range 28 East

Gila and Salt River Meridian

chs.

80.00 2x1x1 ft for $\frac{1}{4}$ Sec Cor. No trees near
the cor to Sec's 2, 3, 10, and 11
Land level. Soil 1st rate
No timber or undergrowth.

November 20 1875

North between Sec's 33 and 34

N $130^{\circ} 58'$ East.

40.00 Set a limestone 12x12x6 in marked
 $\frac{1}{4}$ set $\frac{2}{3}$ in the ground and build
mound of stone 2 ft high for $\frac{1}{4}$ Sec
Cor. No trees near.

40.50 Begin ascent of S slope of volcanic
mountain bears N. N. W and N. E.

80.00 Set a volcanic stone 20x10x10 in prop-
-erly notched set $\frac{3}{4}$ in the ground and
on N side build mound of stone
2 ft high for cor to Sec's 27, 28, 33 & 34
No trees near.

Land S. level mesa, 2nd rate soil N. rough
and rocky slope of mountain with

Township 10 North Range 28 East

Gila and Salt River Meridian

chs.

worthless soil

No timber or undergrowth

East on random line

between Sec's 27 and 34.

Va 13058' East

Begin descent of S.E. slope of mountain
from Cor.

40.00 Set a stone for temporary 1/4 Sec Cor.

40.80 Foot of mountain slope and enter gently
rolling mesa bears N and S.

47.70 Road bears N.W. and S.E.

68.35 Road bears N and S.

80.20 Intersect N and S line 1800 S of Cor to
Sec's 26, 27, 34 and 35. From which Cor
I run

S 89052' N on true line

between Sec's 27 and 34.

Va 13058' East

40.10 Set a volcanic stone 14x10x8 in marked

Township 10 North Range 28 East

Gila and Salt River Meridian

chs.

$\frac{1}{4}$ set $\frac{2}{3}$ in the ground and build mound of stone 2 ft high for $\frac{1}{4}$ Sec Cor.

No trees near.

80.70 The cor to Secs 27, 28, 33 and 34.

Land E of $\frac{1}{4}$ cor gently rolling with 2nd rate soil. W. northless rocky slopes of mountain. There is a large slough in the centre of Sec 34.

No timber, or undergrowth.

North between Secs 27 and 28.

Va 13° 58' East

8.00 Summit of mountain bears N.S. W and slopes and begin descent.

40.00 Set a volcanic stone 16x10x6 in marked $\frac{1}{4}$ set $\frac{2}{3}$ in the ground and build mound of stone 2 ft high for $\frac{1}{4}$ Sec Cor.
No trees near.

58.00 Foot of N slope of mountain bears W and S.E. and enter volcanic land, covered

Township 10 North Range 28 East

Siła and Salt River Meridian

Chs

with loose trap and volcanic scoria

69.60 Road bears N.W. and S.E.

80.00 Set a volcanic stone 12x12x8 in properly notched set $\frac{2}{3}$ in the ground and on N side build mound of stone 2 ft high for cor to Sec's 21, 22, 27 and 28.

No trees near.

Land, rough and worthless mountain in vicinity of cor. level covered with volcanic scoria.

No timber or undergrowth.

East on random line

between Sec's 22 and 27.

Va 13° 58' East.

10.00 Leave volcanic scoria bears N.W. and S.E. and enter open mesa.

40.00 Set a post for temporary $\frac{1}{4}$ Sec cor.

52.25 Road bears N and S.

79.80 Intersect N and S line at cor to Sec's

Township 10 North Range 29 East

chs Gila and Salt River Meridian

22 23 26⁴⁰ 27 from which Cor I run
West on true line

between Sec's 22⁴⁰ 27.

Va 13° 58' East.

39.90 Set a post marked 1/4 S 4 ft long flattened
3 in wide 1 ft in the ground deposit stone
marked + and build mound of earth
with pits 2x1x1 ft for 1/4 Sec Cor.
No trees near.

79.80 The Cor to Sec's 21, 22, 27, & 28.
Land, level; Soil, generally 2nd rate
No timber or undergrowth.

North between Sec's 21⁴⁰ 22

Va 13° 58' East

11.00 Leave volcanic scoria bears N. N. and S. E.

40.00 Set a volcanic stone 14x8x8 in marked 1/4
set 2/3 in the ground and build mound
of stone 2 ft high for 1/4 Sec Cor
No trees near.

Township 10 North Range 28 East

Gila and Salt River Meridian

Chs.

- 64.00 Enter volcanic land bears S. W. and N. E.
 80.00 Set a volcanic stone $12 \times 10 \times 10$ in properly
 notched set $\frac{2}{3}$ in the ground and on
 N side build mound of stone 2 ft
 high for Cor to Sec's 15, 16, 21, and 22.
 No trees near.
 Land level, soil generally 2nd rate.
 No timber or undergrowth.

East on random line
 between Sec's 15 and 22.

$\text{Var } 13^{\circ} 58'$ East

- 14.00 Leave volcanic land bears S. W. and ends
 a short distance N of this point.
 40.00 Set a stone for temporary $\frac{1}{4}$ Sec Cor.
 48.20 Road bears N and S.
 79.90 Intersect N and S line 18 M's N of Cor to
 Sec's 14, 15, 22 and 23, from which Cor
 I run
 $\text{N } 89^{\circ} 52'$ W on true line

Township 10 North Range 28 East

Gila and Salt River Meridian

chs

Between Sec's 15th & 22.

Ta 13° 58' East

39.95 Set a limestone 10x10x10 in marked $\frac{1}{4}$
 set $\frac{2}{3}$ in the ground and build mound
 of earth 2 ft high. with pits 2x1x1 ft
 for $\frac{1}{4}$ Sec Cor. No trees near.

79.90 The Cor to Sec's 15. 16. 21st & 22
 Land level. Soil 2nd rate
 No timber or undergrowth.

North between Sec's 15th & 16

Ta 13° 58' East

8.00 Leave volcanic land bears S.W. and ends a short
 distance E of this point

40.00 Set a limestone 10x10x10 in marked $\frac{1}{4}$ set
 $\frac{2}{3}$ in the ground and build mound of stone
 2 ft high for $\frac{1}{4}$ Sec Cor. No trees near.

80.00 Set a volcanic stone 16x10x10 in properly
 notched set $\frac{2}{3}$ in the ground and on N
 side build mound of stone 2 ft high

Township 10 North Range 28 East

Gila and Salt River Meridian

Chs.

For Cor to Sec's 9 10 15th & 16. No trees near
Land mostly level Soil 2nd rate.
No timber, or undergrowth

East on random line
between Sec's 10th & 15.

Va 13° 58' East

40.00 Set a post for temporary 1/4 Sec Cor.

51.18 Road bears N and S.

80.00 Intersect N and S line 28 lks N of Cor.
to Sec's 10, 11, 14th & 15. From which Cor
I run

at 89° 48' N on true line
between Sec's 10th & 15.

Va 13° 58' East.

40.00 Set a post marked 1/4 S 4 ft long
flattened 3 in wide 1 ft in the ground
deposit stone marked + and build
mound of earth 2 ft high with pits
2x1x1 ft for 1/4 Sec Cor. No trees near.

Township 10 North Range 28 East

Gila and Salt River Meridian

chs.

80.00 The Cor to Sec's 9, 10, 15, ⁴/₅ 16.
 Land gently rolling. Soil 2nd rate
 Timber a few scrub Cedars

North between Sec's 9th & 10.T_a 13° 58' East

- 36.75 Road bears E ⁴/₅ N.
- 40.00 Set a volcanic stone 24x24x12 in marked
 $\frac{1}{4}$ set $\frac{3}{4}$ in the ground and build mound
 of stone 2 ft high for $\frac{1}{4}$ Sec Cor.
 No trees near.
- 42.38 Creek 1000s wide flows N.E.
- 80.00 Set a post marked and notched 4 ft long
 3 in square 1 ft in the ground, deposit stone
 marked + and build mound of earth 2 ft
 high with pits 2x1x1 ft for Cor to Sec's
 3, 4, 9, ⁴/₅ 10. No trees near.
 Land gently rolling. Soil 2nd rate
 Timber a few scrub Cedars.

Township 10 North Range 28 East

Gila and Salt River Meridian
chs.

East on random line
between Sec's 3rd & 10.

Va $13^{\circ}58'$ East

19.10 Creek 10 lks wide flows N.E.

26.00 Enter lava beds bear E & N. containing
numerous ruins of ancient stone buildings
of various sizes.

40.00 Set a stone for temporary $\frac{1}{4}$ Sec Cor.

70.00 Leave lava beds and enter open valley

80.00 Intersect N & S line 14 lks S of Cor to
Sec's 2, 3, 10, & 11 from which Cor I run
S $89^{\circ}54'$ N on true line
between Sec's 3rd & 10.

Va $13^{\circ}58'$ East

80.00 Set a volcanic stone 16x16x14 in
marked $\frac{1}{4}$ set $\frac{2}{3}$ in the ground and build
mound of stone 2 ft high for $\frac{1}{4}$ Sec Cor
No trees near.

80.00 The Cor to Sec's 3, 4, 9, & 10

Land gently rolling. Soil 1st and 2nd late

Township 10 North Range 28 East

chs. Gila and Salt River Meridian

except in lava beds where it is worthless
No timber or undergrowth.

North on random line
between Sec's 3rd & 4.

Va 13° 58' East.

- 3.00 Circular pans bears N at this point 1. ch dist.
- 40.00 Set a stone for temporary $\frac{1}{4}$ Sec Cor.
- 80.10 Intersect N Boundary of Sp 12 lks W of
Cor to Sec's 3rd & 4 from which Cor I run
S 0° 5' N on true line
between Sec's 3rd & 4.
- 140.10 Set a limestone 14x14x12 in marked $\frac{1}{4}$
set $\frac{2}{3}$ in the ground and build mound of
earth 2 ft high with pits 2x1x1 ft for
 $\frac{1}{4}$ Sec Cor. No trees near.
- 80.10 The Cor to Sec's 3, 4, 9, & 10
Land gently rolling Soil 2nd rate
No timber or undergrowth.
- November 22 1875

Township 10 North Range 28 East

chs. Gila and Salt River Meridian

except in lava beds where it is worthless
No timber or undergrowth.

North on random line
between Sec's 3rd & 4.

Va $13^{\circ}58'$ East.

- 3.00 Circular pond bears N at this point 1 ch dist.
- 40.00 Set a stone for temporary $\frac{1}{4}$ Sec Cor.
- 80.10 Intersect N Boundary of Sp 12 lks W of
Cor to Sec's 3rd & 4 from which Cor I run
 $50.5'$ N on true line
between Sec's 3rd & 4.
- 40.10 Set a limestone $14 \times 14 \times 12$ in marked $\frac{1}{4}$
set $\frac{2}{3}$ in the ground and build mound of
earth 2 ft high with pits $2 \times 1 \times 1$ ft for
 $\frac{1}{4}$ Sec Cor. No trees near.
- 80.10 The Cor to Sec's 3, 4, 9, & 10
Land gently rolling Soil 2nd rate
No timber or undergrowth.
- November 22 1875

Township 10 North Range 28 East

Gila and Salt River Meridian

Chs.

North between Sec's 32nd & 33.

Ta 13°58' East

40.00 Set a post marked $\frac{1}{4}$ S 4 ft long flattened
3 in wide 1 ft in the ground deposit
stone marked + and build mound of earth
2 ft high with pits 2x1x1 ft for $\frac{1}{4}$ Sec
Cor. No trees near.

64.00 Enter volcanic land bears E⁴⁵W.

80.00 Set a volcanic stone 12x10x10 in prop-
-erly notched set $\frac{2}{3}$ in the ground and on
N side build mound of stone 2 ft high
for Cor to Sec's 28, 29, 32nd & 33.

No trees near.

Land mostly level; Soil generally 2nd rate
Timber, a few scrub Cedar in Sec 33.

East on random line

between Sec's 28th & 33

Ta 13°58' East.

14.00 Begin ascent of volcanic mountain

Township 10 North Range 28 East

Gila and Salt River Meridian

cks.

- 38.00 Summit bears E. N. E. and slopes W.
 40.00 Set a stone for temporary $\frac{1}{4}$ Sec Cor
 80.10 Intersect N and S line 32 cks S of Cor.
 to Sec's 27, 28, 33, & 34, from which Cor.
 I run.

S $89^{\circ}46'$ W on true line
 between Sec's 28 & 33.
 Va $13^{\circ}58'$ East.

- 40.05 Set a volcanic stone $14 \times 8 \times 8$ in marked
 $\frac{1}{4}$ set $\frac{2}{3}$ in the ground and build mound
 of stone 2 ft high for $\frac{1}{4}$ Sec Cor.

No trees near.

- 80.10 The Cor to Sec's 28, 29, 32, & 33.

Land, rough and mountainous
 Soil worthless.

No timber or undergrowth

North between Sec's 28 & 29.

Va $13^{\circ}58'$ East

Line continues along Volcanic land

Township 10 North Range 28 East

Tila and Salt River Meridian

cks.

40.00 Set a volcanic stone 16 x 16 x 10 in marked $\frac{1}{4}$ set $\frac{2}{3}$ in the ground and build mound of stone 2 ft high for $\frac{1}{4}$ Sec Cor.

No trees near.

80.00 Set a volcanic stone 18 x 10 x 8 in properly notched set $\frac{3}{4}$ in the ground and on N side build mound of stone 2 ft high for cor to Secs 20, 21, 28, and 29.

No trees near.

Land, level covered with volcanic scoria. As it contains a heavy growth of splendid bunch grass, it can be used it can be used for grazing purposes only. No timber or undergrowth.

East on random line
between Secs 21 and 28

7a 13058' East.

40.00 set a stone for temporary $\frac{1}{4}$ Sec Cor

72.65 Road bears N. W. and S. E.

Township 10 North Range 28 East

Gila and Salt River Meridian

chs.

80.00 Intersect N^{th} & S^{th} line 16 lks S of Cor
to Sec's 21, 22, 27, and 28. from which Cor
I run

$S 89^{\circ}53'$ N on true line
between Sec's 21 & 28.

Va $13^{\circ}58'$ East.

40.00 Set a volcanic stone $20 \times 10 \times 10$ in mark-
ed $1/4$ set $3/4$ in the ground and build
mound of stone 2 ft high for $1/4$ Sec Cor
No trees near.

80.00 The Cor to Sec's 20, 21, 28 & 29
Land, level, covered with volcanic scoria
suitable only for grazing purposes.
No timber, or undergrowth.

North between Sec's 20 & 21

Va $13^{\circ}58'$ East.

20.00 Leave volcanic land bears $N.E.$ & $S.W.$

40.00 Set a limestone $12 \times 12 \times 12$ in marked
 $1/4$ set $2/3$ in the ground, and build

Township 10 North Range 28 East

Gila and Salt River Meridian

chs.

- 'mound of earth 2 ft high with pits
2x1x1 ft. for $\frac{1}{4}$ Sec Cor. No trees near
- 60.50 Little rocky hill 2 ch wide 20 ft high
bears S. E. and N. W. about 4 chs long
- 80.00 Set a limestone 12x10x6 in properly
notched set $\frac{2}{3}$ in the ground and on it
side build mound of stone 2 ft high
for cor to Sec's 16, 17, 20, and 21.
No trees near.
Land gently rolling, Soil 2nd rate.
No timber or undergrowth.

East on random line
between Sec's 16 and 21.

To $13^{\circ}58'$ East.

- 20.75 Ascend rocky Bluff 40 ft high bears
N and S. S. E.
- 37.90 Road bears N. W. and S. S. E.
- 40.00 Set a stone for temporary $\frac{1}{4}$ Sec Cor.
- 42.75 Spring bears S of this point 1 ch dist.

Township 10 North Range 28 East

Gila and Salt River Meridian

Chs.

- 77.00 Enter volcanic land bears N.E. and S.W.
 80.00 Intersect N and S line at Cor to Sec's 15
 16, 21, and 22, from which Cor I run
 West on true line
 between Sec's 16 and 21.
 Va $13^{\circ}58'$ East.

- 40.00 Set a limestone $10 \times 8 \times 8$ in marked $\frac{1}{4}$
 set $\frac{2}{3}$ in the ground and build mound
 of earth 2 ft high with pits $2 \times 1 \times 1$ ft
 for $\frac{1}{4}$ Sec Cor. No trees near.
 80.00 The Cor to Sec's 16, 17, 20, and 21
 Land gently rolling and sloping N.
 Soil generally 2nd rate
 No timber or undergrowth.

North between Sec's 16 and 17.

Va $13^{\circ}58'$ East.

- 40.00 Set a limestone $14 \times 8 \times 4$ in marked
 $\frac{1}{4}$ set $\frac{2}{3}$ in the ground and build
 mound of earth 2 ft high with pits

Township 10 North Range 28 East

Gila and Salt River Meridian

chs.

2x1x1 ft for $\frac{1}{4}$ Sec Cor. No trees near.

44.80 Road bears N.W. and S.E.

80.00 Set a limestone 12x10x6 in properly
notched set $\frac{2}{3}$ in the ground and on N
side build mound of earth 2 ft high
with pit 2x1x1 ft for Cor to Sec's 8.

9, 16, and 17. No trees near.

Land N of $\frac{1}{4}$ Cor level with 1st rate soil
S. gently rolling, with 2nd rate soil
No timber or undergrowth.

East on random line

between Sec's 9 and 16.

Var 13° 58' East.

20.00 Enter grove of stunted cedars bears
N and S.

36.00 Leave cedars and enter open land bears N and S.

40.00 Set a stone for temporary $\frac{1}{4}$ Sec Cor.

80.20 Intersect N and S line 24 Mts N of Cor to
Sec's 9, 10, 15 and 16. From which Cor I run

Township 10 North Range 28 East

Sila and Salt River Meridian

Chs.

N $89^{\circ}50'$ Now true line
between Secs 9 & 16.
Va $13^{\circ}58'$ East

40.10 Set a limestone $20 \times 16 \times 6$ in marked $\frac{1}{4}$
set $\frac{3}{4}$ in the ground and build mound
of earth 2 ft high with pits $2 \times 1 \times 1$ ft
for $\frac{1}{4}$ Sec Cor. No trees near.

80.20 the cor to Secs 8, 9, 16, and 17.
Land mostly level Soil 1st and 2nd rate
Timber, a grove of stunted cedars N of
 $\frac{1}{4}$ Sec Cor.

North between Secs 8 and 9.

Va $13^{\circ}58'$ East

27.90 Road bears East N.

40.00 Set a post marked $\frac{1}{4}$ S 4 ft long flat=
tens 3 in wide 1 ft in the ground
drive charred stake, and build mound
of earth 2 ft high with pits $2 \times 1 \times 1$ ft
for $\frac{1}{4}$ Sec Cor. No trees near.

Township 10 North Range 28 East

Gila and Salt River Meridian
chs.

a small lake bears W of this cor about
1/4 mile dist.

42.20 Creek or outlet to lake 10 lks wide flows E.

80.00 Set a post marked and notched 4 ft long
3 in squares 1 ft in the ground drive
sharps stake and build mound of
earth 2 ft high with pits 2x1x1 ft
for cor to Sec's 4, 5, 8, and 9.

No trees near.

Land mostly level bottom

Soil 1st rate

No timber or undergrowth.

November 23rd

East to random line
between Sec's 4 and 9.

N 13° 58' East

40.00 Set a post for temporary 1/4 Sec Cor

79.00 Small circular pond bears W of this point
about 50 lks dist.

80.00 Intersect N and S line 4 lks W of cor.

Township 10 North Range 28 East

Gila and Salt River Meridian

chs.

to Secs 3, 4, 9 and 10. from which Cor
I run

N $89^{\circ}58'$ W on true line
between Sec's 4 and 9
W $13^{\circ}58'$ East.

40.00 Set a limestone $10 \times 8 \times 8$ in marked $1/4$
set $2/3$ in the ground and build mound
of earth 2 ft high with pits $2 \times 1 \times 1$ ft
for $1/4$ Sec Cor. No trees near.

80.00 The Cor to Sec's 4, 5, 8, and 9.
Land, gently sloping S. Soil 1st and 2nd rate.
No timber or undergrowth.

North on random line

between Sec's 4 and 5.

W $13^{\circ}58'$ East

40.00 Set a stone for temporary $1/4$ Sec Cor.

67.00 E bank of pond bears N 6 chs by 3 chs
wide

80.00 Intersect N Boundary of Sp at Cor to

Township 10 North Range 28 East

Gila and Salt River Meridian

chs.

Sec's 4 and 5 from which cor. I run
South on true line

between Sec's 4 and 5.

Va 13° 58' East.

40.00 Set a volcanic stone 12x10x8 in marked $\frac{1}{4}$
set $\frac{2}{3}$ in the ground and build mound of
earth 2 ft high with pits 2x1x1 ft for $\frac{1}{4}$
Sec Cor. No trees near.

80.00 The Cor to Sec's 4, 5, 8, and 9.
Sand level. Soil 1st rate
No timber or undergrowth.

North between Sec's 31 and 32.

Va 13° 58' East.

40.00 Set a post marked $\frac{1}{4}$ S 4 ft long flat=
tened 3 in wide, 1 ft in the ground
deposit stone marked S+ and build mound
of earth 2 ft high with pits 2x1x1 ft
for $\frac{1}{4}$ Sec Cor. No trees near.

80.00 Set a post marked S and notched 4 ft

Township 10 North Range 28 East

Gila and Salt River Meridian

Chs.

long 3 in squares 1 ft in the ground
deposit stone marked + and build
mound of earth 2 ft high with pits
2x1x1 ft for Cor to Sec's 29, 30, 31, & 32.

No trees near.

Land, level Soil 2nd rate. grass ab-
-undant.

No timber or undergrowth.

East on random line
between Secs 29 and 32.

Va 13° 58' East

21.00 Enter volcanic land bears N.W. and E.S.E.

40.00 Set a stone for temporary 1/4 Sec Cor.

80.00 Intersect Rand S line 15 lks. N of Cor to
Secs 28, 29, 32 & 33. from which Cor
I run.

N 89° 54' W on true line
between Secs 29 and 32.

Va 13° 58' East

Township 14 North Range 28 East

Gila and Salt River Meridian

Chs.

40.00 Set a volcanic stone $12 \times 10 \times 8$ in marked $\frac{1}{4}$ set $\frac{2}{3}$ in the ground and build mound of stone 2 ft high for $\frac{1}{4}$ Sec Cor.

No trees near.

80.00 The Cor to Secs. 29, 30, 31 and 32.

Land, level covered mostly with volcanic scoria suitable only for grazing purposes.

No timber or undergrowth.

West on random line

between Secs 30 and 31.

Va $13^{\circ}58'$ East

40.00 Set a post for temporary $\frac{1}{4}$ Sec Cor.

79.30 Intersect W Boundary of Sp 24 N 3 S of Cor to Secs 30 and 31 from which Cor.

I run

S $89^{\circ}51'$ E on true line

between Secs 30 and 31

Va $13^{\circ}58'$ East.

Township 10 North Range 28 East

Gila and Salt River Meridian

Chs.

40.00 Set a post marked $\frac{1}{4}$ S 4 ft long flat-topped 3 in wide 1 ft in the ground, deposit stone marked + and build mound of earth 2 ft high with pits 2x1x1 ft for $\frac{1}{4}$ Sec Cor. No trees near.

79.30 The Cor to Secs 29, 30, 31 and 32.
Land mostly level. Soil 2nd rate
No timber or undergrowth.

North between Secs 29 & 30
Ta 13° 58' East.

21.00 Enter volcanic land bears N. W. & S. E.

40.00 Set a volcanic stone 14x10x8 in marked $\frac{1}{4}$ set $\frac{2}{3}$ in the ground and build mound of stone 2 ft high for $\frac{1}{4}$ Sec Cor.
No trees near.

56.00 Leave volcanic land bears N. E. & S. W.

80.00 Set a limestone 14x8x8 in properly notched set $\frac{2}{3}$ in the ground and on N side build mound of stone 2 ft high for.

Township 10 North Range 28 East

Gila and Salt River Meridian

Chs

Cor to Sec's 19, 20, 29 and 30.

No trees near.

Land, level; Soil 2nd and 3^d rate

No timber or undergrowth.

East on random line

between Sec's 20 and 29.

Val 13° 58' East.

- 37.00 Enter volcanic land bears N.E. $\frac{1}{4}$ S.W.
 40.00 Set a stone for temporary $\frac{1}{4}$ Sec Cor.
 80.20 Intersect Nth S line 28 lks S of Cor to
 Sec's 20, 21, 28 and 29 from which Cor
 I run

S 89° 48' N on true line

between Sec's 20 and 29

Val 13° 58' East

- 40.10 Set a volcanic stone 24x20x20 in marked
 $\frac{1}{4}$ set $\frac{3}{4}$ in the ground and build mound
 of stone 2 ft high for $\frac{1}{4}$ Sec Cor.
 No trees near.

Township 10 North Range 28 East

Gila and Salt River Meridian

Chs.

80.70 The Cor to Sec's 19, 20, 29 and 30

Land, level; Soil 3^d rate

No timber or undergrowth.

West on random line
between Sec's 19 and 30
Ta 13° 58' East

40.00 Set a stone for temporary $\frac{1}{4}$ Sec Cor.

79.10 Intersect W Boundary of Sp. 14 lks S of Cor
to Sec's 19 and 30. From which Cor I run

S 89° 54' E on true line

Ta 13° 58' East.

39.10 Set a limestone 16x8x8 in marked $\frac{1}{4}$ set
 $\frac{2}{3}$ in the ground and build mound of
earth 2 ft high with pits 2x1x1 ft
for $\frac{1}{4}$ Sec Cor. No trees near.

79.10 The Cor to Sec's 19, 20, 29 and 30.

Land gently slopes E. Soil generally 2nd rate

No timber or undergrowth

Township 10 North Range 28 East

Gila and Salt River Meridian

cks.

North between Sec's 19th & 20.

Va 13° 58' East

40.00 Set a limestone 14x10x6 in marked $\frac{1}{4}$ set $\frac{2}{3}$ in the ground and build mounds of earth 2 ft high with pits 2x1x1 ft for $\frac{1}{4}$ Sec Cor. No trees near.

80.00 Set a limestone 12x8x8 in properly notched set $\frac{2}{3}$ in the ground and on et side build mounds of stone 2 ft high for Cor to Sec's 17. 18. 19. & 20. No trees near.

Land, mostly level; Soil 2nd rate.

No timber, or undergrowth.

For corner 24 - 1875

East on random line

between Sec's 17th & 20

Va 13° 58' East.

30.50 Arroyo 30 lks wide flows N.

40.00 Set a stone for temporary $\frac{1}{4}$ Sec Cor.

80.00 Intersect N and S line 21 lks S of Cor to Secs 16. 17. 20. & 21 from which Cor I run

Downship 10 North Range 28 East

Gila and Salt River Meridian

Chs.

S $89^{\circ}51'$ W on true line
 between Sec's 17 and 20
 Va $13^{\circ}58'$ East

40.00 Set a limestone $12 \times 10 \times 5$ in marked $\frac{1}{4}$ sec
 $\frac{2}{3}$ in the ground and build mound of earth
 2 ft high with pits $2 \times 1 \times 1$ ft for $\frac{1}{4}$ sec cor.
 No trees near.

80.00 The cor to Sec's 17 18 19 & 20
 Land, gently sloping N.
 Soil 2nd rate, grass abundant.
 No timber or undergrowth.

West on random line

between Sec's 18th and 19

Va $13^{\circ}58'$ East.

40.00 Set a stone for temporary $\frac{1}{4}$ Sec Cor.

79.05 Intersect W Boundary of Sp 11 Mk S of
 cor to Sec's 18th & 19 from which Cor
 I run

S $89^{\circ}55'$ E on true line.

Township 10 North Range 28 East

Gila and Salt River Meridian

chs.

Between Secs 18th & 19

Ta 13° 58' East

39.05 Set a limestone 16x10x6 in marked $\frac{1}{4}$
 set $\frac{2}{3}$ in the ground and build mound
 of earth 2 ft high with pits 2x1x1 ft
 for $\frac{1}{4}$ Sec Cor. No trees near.

79.05 The Cor to Sec's 17, 18, 19, & 20.
 Land, gently slopes N.E. Soil 2nd rate.
 No timber or undergrowth.

North between Secs 17 and 18

Ta 13° 58' East

40.00 Set a post marked $\frac{1}{4}$ S 4 ft long flattened
 3 in wide 1 ft in the ground, deposit
 stone marked + and build mound of
 earth 2 ft high with pits 2x1x1 ft
 for $\frac{1}{4}$ Sec Cor. No trees near.

49.60 Arroyo 50 kts wide flows E.

80.00 Set a limestone 18x12x10 in properly notched
 set $\frac{3}{4}$ in the ground and on N side build

Township 10 North Range 28 East

Gila and Salt River Meridian

chs

Mound of stone 2 ft high for Cor to Secs
7, 8, 17, and 18. No trees near
Land, gently rolling, Soil 2nd rate
No timber or undergrowth.

East on random line

between Secs 8 and 17

Va 13° 58' East

40.00 Set a stone for temporary 1/4 Sec Cor.

50.00 House bears N. of this point about 10 chs
dist.

56.15 Road bears N.N.W. and S.S.E.

80.00 Intersect Rand S line at Cor to Secs
8, 9, 16 and 17. From which Cor I run

West on true line

between Secs 8 and 17.

Va 13° 58' East.

40.00 Set a limestone 16x12x11 in marked
1/4 set 2/3 in the ground and build
mound of earth 2 ft high with pits

Township 10 North Range 28 East

Gila and Salt River Meridian

Chs.

2 x 1 x 1 ft for $\frac{1}{4}$ Sec Cor. No trees near.

80.00 The cor to Sec's 7, 8, 17, and 18.

Land gently slopes N. Soil 2nd rate

No timber or undergrowth.

West on random line

between Sec's 7 and 18.

\backslash $130^{\circ}58'$ East

40.00 Set a post for temporary $\frac{1}{4}$ Sec Cor.

78.90 Intersect W Boundary of $\frac{3}{4}$ 9 lks N of
cor. to Sec's 7 and 18 from which cor. I run

\backslash $89^{\circ}56'$ E on true line

between Sec's 7 and 18.

\backslash $130^{\circ}58'$ East

38.90 Set a post marked $\frac{1}{4}$ 54 ft long flat =
= ^{two 3 in wide} 1 ft in the ground de
posed stone marked $\frac{1}{4}$
and build mound of earth 2 ft
high with pits 2 x 1 x 1 ft for $\frac{1}{4}$ Sec
Cor. No trees near.

78.90 The cor to Sec's 7, 8, 17, and 18.

Township 10 North Range 28 East

Gila and Salt River Meridian

Chs.

Land, level, mostly; soil 2nd rate
grass abundant.

No timber or undergrowth.

North between Sec's 7 and 8.

$7\frac{1}{2}$ 13° 58' East

40.00 Set a limestone 10x10x8 in marked $\frac{1}{4}$
set $\frac{2}{3}$ in the ground and build mound
of earth 2 ft high with pile 2x1x1 ft
for $\frac{1}{4}$ Sec Cor. No trees near.

80.00 Set a limestone 18x12x4 in properly notched
set $\frac{3}{4}$ in the ground and on N side
build mound of stone 2 ft high for
Cor to Sec's 5, 6, 7 & 8. No trees near.

Land gently slopes E. Soil 1st and 2nd rate.
No timber or undergrowth.

East on random line
between Secs 5 and 8.

$7\frac{1}{2}$ 13° 58' East

Township 10 North Range 28 East

Gila and Salt River Meridian

Chs.

- 10.30 Road bears N.W. and S.E.
Pond bears S of this point about 10 Chs dist
- 17.80 Road bears N.N.W. and S.S.E.
- 24.00 Pond bears S of this point about 6 Chs dist.
- 40.00 Set a stone for temporary $\frac{1}{4}$ Sec Cor.
- 79.90 Intersect N and S line 12 lks N of Cor to Secs
4, 5, 8, and 9. From which Cor I run
N $89^{\circ}55'$ W on true line.
between Secs 5 and 8.
N $13^{\circ}58'$ East.
- 39.95 Set a limestone $12 \times 12 \times 10$ in marked $\frac{1}{4}$
set $\frac{2}{3}$ in the ground and build mound of
earth 2 ft high with pile $2 \times 1 \times 1$ ft for
 $\frac{1}{4}$ Sec Cor. No trees near.
- 79.90 The Cor to Secs 5, 6, 7, and 8.
Land mostly level; Soil 1st and 2nd rate
No timber or undergrowth.

West on random line
between Secs 6 and 7.

Township 10 North Range 28 East.

Gila and Salt River Meridian

Chs.

Va 13° 58' East

40.00 Set a post for temporary 1/4 Sec Cor.

79.10 Intersect the W Boundary of 36 100k's N of
Cor to Sec's 6 and 7, from which Cor I run
N 89° 56' E on true line
between Sec's 6 and 7.

Va 13° 58' East.

39.10 Set a post marked 1/4 S 4 ft long flattened
3 in wide 1 ft in the ground deposit stone
marked + and build mound of earth 2 ft
high with pits 2 x 1 x 1 ft for 1/4 Sec Cor.
No trees near.

79.10 The Cor to Sec's 5, 6, 7, and 8.

Land level; Soil 2nd rate; grass ab-
undant.

No timber or undergrowth

North on random line
between Sec's 5 and 6

Va 13° 58' East.

Township 10 North Range 28 East

Gila and Salt River Meridian

chs.

- 9.40 Road bears N.W. and S.E.
 28.10 Road bears N.W. and S.S.E.
 40.00 Set a post for temporary $\frac{1}{4}$ Sec Cor
 79.90 Intersect N Boundary of 36 1/2 Acs E of Cor to
 Secs 5 and 6 from which Cor I run
 S. $0^{\circ} 7'$ E on true line
 between Secs 5 and 6.

Va $13^{\circ} 58'$ East

- 39.90 Set a post marked $\frac{1}{4}$ S 4 ft long flattened
 3 in wide 1 ft in the ground deposit stone
 marked + and build mound of earth 2 ft
 high with pits $2 \times 1 \times 1$ ft for $\frac{1}{4}$ Sec Cor.
 No trees near.

- 79.90 The Cor to Secs 5, 6, 7 and 8.
 Land mostly level; Soil 2nd rate
 No timber, or undergrowth.

November 25 1875

General Description

Of Township 10 North, Range 28 East.

This Tp contains some very good far-

Township 10 North Range 28 East

Gila and Salt River Meridian

ming land in the northern and north-eastern portions thereof. The balance of the Sp. is suitable only for grazing purposes being covered with an abundant growth of nutritious grasses.

The Little Colorado River flows through the N.E. portion of the Sp. A small creek being the outlet to a small lake in Sec 8. Flows thence easterly and empties into the Little Colorado River in Sec 2.

The Sp. contains but very little timber which consists of scrub cedars suitable only for fuel. A settler engaged in farming and stock-raising having a herd of about 800 cattle is located in the N.W. 1/4 of Sec 11.

W. Buxton Foster,
Deputy Surveyor.

List of Names.

A List of the Names of Individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the survey of the Subdivision Lines of Township 8, North Range 28, East.

" 10. " " 28. "

Gila Salt River Meridian
Territory of Arizona

Showing the respective capacities in which they acted.

John S. Nelson Chairman.
Peter Thompson Chainman,
Henry Winningshoff Axeman.
William C. Foster Flagman.

Final Oath of Assistants.

We hereby certify that we assisted W. D. Burton
Master U. S. Deputy Surveyor, in
 surveying the Subdivision Lines of
Townships 8, North, Range 28, East,
and " 10, " " 28, "
Gila and Salt River Meridian
Territory of Arizona

and that said Survey has been in all respects, to
 the best of our knowledge and belief, well and
 faithfully executed, and the boundary monuments
 planted according to the instructions furnished by
 the Surveyor-General.

John S. Nelson Chainman.
Peter Thompson Chainman,
Henry Wainwright Axeman.
William C. Foster Flagman.

Sworn to and subscribed before me, this 29th
 day of December, 1875

William McKesson
 Clerk Dist Court Terr
 Deal out of our office at

Final Oath of Deputy Surveyor.

I, O. Burton Dozier

U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the 16th day of August

1875. I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of the

Subdivision Lines of
Township 8. North Range 28. East.
and Secⁿ 10. " " 28. "
Gila and Salt River Meridian
Territory of Arizona

as are represented in the foregoing Field Notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements con-

tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

Edw. Foster
Deputy Surveyor.

Sworn to and subscribed before me, this 29th
day of December, 1875

William McKean
Clerk Dist Court
Thos Judd Dist
Yavapai Co. A.T.

U. S. Surveyor General's Office,

TUCSON, ARIZONA, July 7, 1876,

The foregoing Field Notes of the Survey of the

The Subdivision Lines of
 Township 10 North,
 Range 28 East,

Of the Gila and Salt River Base and Meridian, Arizona, executed by C. Burton Hoster,

Deputy Surveyor, under his contract of the 16th
 day of August, 1875, having been

critically examined and the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

John Nasson
 Surveyor General.