

No-86

Field Notes

OF THE SURVEY OF THE

Subdivision Lines

-OF-

Township *9 N.* Range *25 E.*

Gila and Salt River Base and Meridian

ARIZONA.

By *A. P. Johnson* D.S.

Under contract dated *July 7th 1882*

Survey commenced *Oct. 27th 1882*

Survey completed *Nov. 2nd 1882*

No-86

*Lat. 10
long 100
changed*

86

INDEX DIAGRAM.

Township 9 NorthRange 25 East

6	92	5	67	4	⁵⁰ 50	3	33	2	17	1
90	89			65		49		32		15
7	87	8	64	9	47	10	31	11	13	12
86		84		63		46		29		12
18	82	17	61	16	44	15	28	14	10	13
81		79		60		42		26		8
19	77	20	58	21	41	22	25	23	7	24
76		75		57		40		23		5
30	73	29	55	28	38	27	22	26	4	25
72		70		53		37		20		2
31	68	32	52	33	35	34	19	35	1	36

Gila and Salt River, Arizona.

ARIZONA.

No-86

13

For description of instrument
and preliminary work
see book no. 1.

Survey commenced Oct. 27th 1882
Survey completed Nov. 2nd 1882

Before proceeding to Subd. 2^d
this Tp. I set my solar compass
at ^{Lat} $34^{\circ} 5'$ Nearing that used in
the Estlinions and at noon
verified and corrected same
by observation on the sun.
I also further tested instrument
by reversing

T. 9. N. R. 25 E. G & S. 1. M

ch.

From the Standard cor to sees
 35 ^{and} ^{previously established by me} 36 on South boundary. Drive
 North to sees 35 ^{and} 36
 Va 14° 15' E.

Dissent.

- 40.00 Set a Lava Rock 19+16+11. 12 ins
 in the ground for 1/4 sec cor marked
 14 on N. face ^{and} raised a mound
 of stone along side of pits imperceptible.
- 55.41 Foot of dissent ^{and} ascent
- 80.00 Set a Post 4 ft long 4 ins square
 with marked stone 12 ins in the
 ground for the cor to sees 25. 26
 35 ^{and} 36. marked.
- T. 9 N. S. 25. on 71 E.
 R. 25 E. S. 36. on 8. E.
 S. 35. on S. W. ^{and}.
- S 26 on NW faces. with 1 notch on
 S. ^{and} E edges. ^{and} raised a mound
 of stone along side of pits imperceptible

T. 9. N. R 25 E G. & S. R. M

chs

Land Hills ^{and} Rocks
 Soil, 2nd rate.
 Timber, Lense Pine.
 Vegetation Buffalo ^{and} Bush
 -grass.

East on a random line let
 see's 25^{and} 36

Va 14.12' E.

Ascend

16.42 Top of spur base N. 13' E ^{and} descend

40.00 Set temporary 1/4 sec cor

80.23 Intersect. E. Boundary ^{of} ^{the} ^{NE} ^{1/4} ^{sec} ²⁰ ³⁰ cor to see's 20:30

31 ^{and} 36, which is;

A Basalt stone 12+8 in's
 firmly set in the ground
 marked with 1 notch on
 S ^{and} 5' notches on N edges
 with mound of stone
 along side

T. 9. N. R. 25 E G & S 1 M

ch's

Thence Iron.

N. 89° 52' W. on a true line
see's 25^{and} 36. same rate,

40.12 Set a Basalt Rock 16 + 8 + 6 ins
11 ins in the ground for 1/4 sec
cor marked 14 on N. face, from which
A Yellow Pine 14 ins diam. bears
N. 11° E. 42. lbs dist. Marked.

114 S. B. T.

A Yellow Pine 15 ins diam bears
S 43° W. 46 lbs dist.

Marked 114 S. B. T.

80.23 To cor to see's 25 + 26. 35^{and} 36.

Sand Hills and Rocky.

Soil, 2nd rate.

Timber. Dense Yellow Pine
Vegetation. Buffalo and Bunch grass

T. 9. N. R. 25 E G & S R M

Clos''

North W-cues 25^{and} 26
 Ea 14° 12' E

Ascend.

40.00 Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins, in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$ S. on W face, dug pits 18 x 18 x 12 ins. N and S of post 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high. 3 $\frac{1}{2}$ ft. base around post.

40.90 Top of spar bears N. 47° W. 10 ft high.

80.00 ~~marked~~ a Yellow Pine,
 36 ins diam, ^{marked} T. 9. N. S. 29
 on N.E. R. 25 E. S. 25; on S E
 S. 26 on S. W ^{and} S. 23 on W W.
 faces with 2 notches on S.
^{and} 1 notch on E edges,
 from which

A Yellow Pine 30 ins diam bears
 S. 61° W. 95-lbs dist
 Marked. T. 9 N. R. 25 E. S 26 B. T.

T. 9 N. R. 25 E G & S R. M

chs

A Yellow Pine 20 ins diam bears
 N. 23° W. 20 lbs dist
 Marked T. 9 N. R. 25 E S. 23
 B. T.

A Yellow Pine 16 ins diam bears
 S. 10° E. 1.67 lbs dist.

Marked T. 9 N. R. 25 E. S. 25 B. T.

A Yellow Pine 9 ins diam. bears
 N. 69° E. 112 lbs dist

Marked T. 9 N. R. 25 E. S. 24 B. T.

Land. Broken ^{and} Heavy
 Soil; 2nd rate.

Timber. Damp Pine.

East on a random line
 bet sees 24 ^{and} 25 -
 on 14° 05' E

Ascend

40.00

Set a temporary 1/4 sec cor

T. 9 N. R. 25 E G & S. 11 M. T

ch's

- 43.90 Top of round peak 4.00 ch's mid.
and descend.
- 76.20. Cross Silver Creek 30 lbs mid.
S. $71^{\circ} 10'$ E. and ascend.
- 79.94 Intersect. ^{E. Bdry Sp.} 4 lks N. of cor to sees
19.24.25 and 30. which is
A Basalt Stone 13+5" in
formerly set in the ground, marked
with 2 notches on S^W of it
notches on N. edge. and mound
of stone raised alongside;
Thence I run
N. $89^{\circ} 58'$ N. on a true line in
at sees. 24 and 25 - same run
- 39.97. Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins, in the ground for $\frac{1}{4}$ Sec, Cor,
marked $\frac{1}{4}$ S. on N face, dug pits 18 x 18 x 12
ins. E and W of post $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. around
post.

T. 9 N. R. 25 E G & S R M

Chis

79.94

To. cor. sees 23-24. 23^{and} 24^{and} 26.

Sand Broken Hills

Soil. 2nd sale.

Twin. L. D. Wise Jr

North lot sees 23^{and} 24

Ca 14° 10' E

40.00

Set a Lava Rock 23 + 17 + 16

ins. 16 ins in the ground for

1/4 see cor marked 1/4 on W

face. All raised a mound
of stone along with ditto impaled

51.30

Top of Spur bears N. N. All raised

80.00

Set a Post 4 ft. long. 4 ins square

with marked stone 12 ins in
the ground for the cor loces.13. 14. 23^{and} 24. marked. with

T. 9 N. S. 13 on N. E. R. 25 E. S.

24 on S. E. S. 23 on S. W^{and} S.

T. 9 N. R. 25 E G & S R M

ch⁶

14 on N.W. face with 3 notches
 on S. ^{and} 1 notch on E edges
 All raised a row of stone
 along side; ^{It's impracticable} No trees in limits
 Land, Shilly, ^{and} Broken
 Soil, 2nd & 3rd rate.
 Timber, Dense pine

East on a random line 74
 sec 13 ^{and} 24.
 EA 13° 32' E.

33.45 Cross road 26 lbs mi; Co. 210° W
 and ascend

40.00 Set temp - 1/4 sec cor.

54.36 Top of ridge, bears 21 ^{and} 8 and
 the descend.

80.04 Intersect E Big Tp 10. N. of cor to sec
 13, 18, 19 ^{and} 24, which is
 a limestone. 9+3 in set firmly in the

T. 9. N. R. 25 E G & S. M

chs'

North let see's 13nd 14
 Ja 13° 32' E.

Ascent

16.00 Top of hill 320 ft high bears
 E ^{and N.} ^{and} descent

40.00 Set a post 3 ft long. 3 in
 square. with marked stone
 12 in in the ground. for 10
 see con. marked 14th on N. face
 and raised a mound of stone
 along side ^{of impracticable} from which
 A Yellow Pine 14 in diam bears
 N 63° W. 52 lbs dist.

Marked 14 S. B. T.

A Yellow Pine 10 in diam bears
 S 67° E. 48 lbs dist. Marked
 14 S. B. T.

63.10 Cross mark 35 lbs with
 Co N. 50° W. ^{and} ascent

72.00 Top of spur bears N 47° W. ^{and} descent

T. 9 N. R. 25 E. G & S. R. M

cks'

80.00

Set a Sandstone 17. + 14 + 5' in
 11' in in the ground for the
 cor to see 11, 12, 13^{and} 14. marked
 with 4 notches on S. and 1 notch
 on E. Edges. from which

A Yellow Pine 12' in diam base S. 74° W
 39 lbs dist. Marked T. 9 N. R. 25 E
 S. 14 B. J.

A Yellow Pine 12' in diam
 base N. 69° W. 27 lbs dist

Marked T. 9 N. R. 25 E. S. 11 B. J.

A Yellow Pine 10' in diam base
 N. 33° E. 31 lbs dist

Marked T. 9 N. R. 25 E. S. 12 B. J.

A Yellow Pine 13' in diam base
 S. 30° E. 37 lbs dist.

Marked T. 9 N. R. 25 E. S. 13 B. J.

Land' Broken and Hilly
 Soil. 3rd rate

Timbered Dense Pine
 vegetation, good grass for stock

T. 9. N. R. 25 E G & S R M

chs

Thence I run

S 89.5' 2' W on a true line bet-
sees 12 ^{and} 13 same run

89.93

Set a Basalt Rock. 23 + 16 + 9 ins
17 ins in the ground for '14 see
cor marked '14 on N face
^{and} raised a mound of stone
alongside. P to impracticable

79.86

To cor trees 11, 12, 13 ^{and} 14.

Sand Broken Hills

Soil, 8th runTimber Alder, aspen ^{and} oak
Vegetation. Bush-grassNorth bet sees 11 ^{and} 12

Ea 11° 30' E

Descend gradually

40.00

Set a Sandstone 19 + 11 + 9 ins

12 ins in the ground for '14 see

T. 9. N. R. 25 E. G & S. R. M

Chs'

- cor marked 14 on N face
 and raised a mound of stone
 alongside Pitts impracticable
- 42.50 Cross mark 35 lbs diam 60
 N 12° W and ascends!
- 80.00 Set a Baratt Rock 20 + 9 + 7
 15 ins in the ground for the
 cor to see's. 1. 2. 11 and 12.
 marked with 5 notches on S.
 and 1 notch on E. edge and
 raised a mound stone alongside
 Pitts impracticable
 from which
 A Yellow Pine 20 ins diam bears
 S. 34° W. 68 lbs dist.
 Marked T. 9 N. R. 25 E. S. 11 B. T.
- A Yellow Pine 6 ins diam bears
 S 66° E. 61 lbs dist.
 Marked T. 9 N. R. 25 E. S. 12 B. T.
 No other trees within limits
 Land. Secs 11 and 12 are broken covered
 with dense pine timber

T. 9. N. R. 25 E. G. & S. 1 M

chs

Thence Iron

N. 89.57' W on a true line bet
sees 1 ^{Aug} 12 same ea

39.79

Set a Basalt Rock 16+8+4 in
11 in in the ground for '14 see

cor. marked '14 on N face

^{Aug} rassist a mound of stone
along side. It's impractical

79.59

To cor to sees 1, 2, 11 ^{Aug} 12

Land Rolling Hills

Soil, 3rd rate

Timber, Dense Pine

Vegetation New Grass

T. 9 N. R. 25 E G & S R M

ch's

North on a random line bet sees
1^{and} 2. " In $14^{\circ} 00' E$

Descend

38.50

Road bears E and W .

40.00

Set temp - $1/4$ sec cor

79.78

Intersect. N Boundary. Tp .

16 lks E of cor to sees 1, 2, 35^{and} 36

recently established to me

Three Irons.

$S. 0^{\circ} 7' E$ on a true line bet sees

1^{and} 2 same run.

89.78

Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins. in the ground for $1/4$ Sec, Cor,
marked $1/4 S.$ on W face, dug pits 18 x 18 x 12
ins. N and S of post $5 1/2$ ft. dist. and raised
a mound of earth $1 1/2$ ft. high. $3 1/2$ ft. base. around
post.

79.78

To cor to sees 1, 2, 11^{and} 12,

Land Broken and Hills

Soil. 3rd rate.

T. 9. N. R 25 E G & S R M ⁸⁶

ch:

Printer: Louse Pine
Vegetation, Bush - 1922

Carefully examined the
adjustments of my solar
Compass today. Particularly
the Latitude and bearing
apparatus and found them
correct.

G. M. Carson Compass man
Oct. 27th 1882

T. 9. N. R. 25 E G & S 1 M

chs

From the ^{Stand} cor to sees 34 and 35 on
 South line. ^{TP} recently established
 by me. [↑] Run
 North bet sees 34 and 35 -
 Va 14° 12' E

Descent

31.00 Foot of hill ^{up} ascent

40.00 Set a post 3 ft. long 3 ins. diam with marked
 stone, 12 ins, in the ground for $\frac{1}{4}$ Sec, Cor,
 marked $\frac{1}{4}$ S. on W face, dug pits 18 x 18 x 12
 ins. N and S of post $5\frac{1}{2}$ ft. dist. and raised
 a mound of earth $1\frac{1}{2}$ ft. high. $8\frac{1}{2}$ ft. base. around
 post.

80.00 Set a post 4 ft long 4 ins square
 with marked stone 12 ins on
 the ground for cor to sees 26, 27.

34 and 35, marked. S. 9 N.

S. 26 on N.E. R. 25 E. S. 35 on S.E.

S. 34 on S. W ^{face} S. 27. on N. W. with

1 notch on S. and 2 notches on E

Edges are raised a mound of stone along each
 side impracticable

T. 9 N. R. 25 E G & S R M

cks

from which

An *Quercus aspera* 4 mis drain bars
 N. 94° W. 38 lbs dist. Market
 T. 9 N. R. 25 E. S. 24 B. T.

An *Aspen* 18 mis drain bars S. 60° W
 62 lbs dist. Market T. 9 N. R. 25 E
 S. 34 B. T.

An *Aspen* 13 mis drain bars S. 20° E
 52 lbs dist. Market T. 9 N. R. 25 E
 S. 35 B. T.

Land' Mountains ^{and} Broken
 Trib., 3rd val. .
 Timb. - Dense pine.

Easton a random line lat sees
 26 ^{and} 35.

to 14: 00' E.

Ascend.

16.70

Top of Hill 275' ft high bars

T. 9 N. R. 25 F. G. & S. R. M.

cks

N 90° E ^{and} descend

40.00 Set temp - 1/4 sec cor

75.00 Cross Barner 20 lks mid: to N
^{and} ascend79.94 Intersect N ^{and} S line 4 lks
S of cor to sec's 25.26.35 ^{and} 36
Thence downS 89: 68' W on a true line hit sec:
26 ^{and} 35, same w.39.97. Pine 35 ins diam. for 1/4 sec cor
marked 1/4 S. on N side.

from which

A Yellow pine 60 ins diam brass S 21° E
50 lks dist. Marked 1/4 S. B. F.A Yellow pine 20 ins diam brass N 21° E
98 lks dist. Marked 1/4 S. B. F.79.94 To cor to sec's 26.27.34 ^{and} 35 -
Sand Mountainous
Soil; 50' rule -

Timber. Bruce pine

T. 9 N. R 25 F G & S R M

chs'

Vegetation. Good Grass

North lot sees 26 ^{and} 27.
Ta 14:00' E

Ascend

40.00 Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins, in the ground for $\frac{1}{4}$ Sec Cor marked $\frac{1}{4}$ S. on W face, dug pits 18 x 18 x 12 ins. N and S of post 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high. 3 $\frac{1}{2}$ ft. base. around post.

45:90 Top of hill bears E ^{and N. ^{and}}
Descend

80.00 Set a Lava Rock 24 x 16 x 8. ins
18 ins in the ground. for the
corn. to sees 22. 23. 26 ^{and} 27.
marked with 2 notches on S ^{and} E
edges ^{and} raised a mound of stone
along side E.
from which

T, 9 N. R 25 E G & S R M

chs

A Yellow Pine 9 in diam
 base S. 23° N. 13 lbs dist

Marked T. 9 N. R. 25 E. S 27 B T.

A Yellow Pine 16 in diam base
 N. 30° W. 15 lbs dist.

Marked T. 9 N. R 25 E. S. 22 B. T.

A Yellow Pine 18 in diam base
 N. 24° E. 25 lbs dist.

Marked T. 9 N. R 25 E. S. 23 B. T.

Land; Hilly ^{and} Broken
 Timber base pine
 Soil; 2nd rate

Cast on a random line between

23 ^{and} 26

Jan 13. 20' E

7.64

A Yellow Pine 16 in diam

13.17

Rainie 9 lbs wide Co. N 27° W ^{and}

ascend

T. 9. N. R 25 E G & S R M

BOOK

86

cks'

- 32.60 Spruce Pine 20 vis Bean
- 36.20 Top of Ridge, 300 ft high has
N and S. and descend
- 40.00 Set a temp - 114 see cor.
- 74.59 Cross Ravine 10 lbs mts led N
7° E and ascend.
- 80.25 Intersect ^{N+S line} 72 lbs N of cor to
see's 23-24-25 - and 26.
Thence I run.
789.56' N on a true line to see's
23 and 26 same m
- 40.3 Set a Basalt Stone 19 + 12 + 7 vis
12 vis in the ground for 14 see
cor. marked 14 on N face
and raised a mound of stone
along side. It's impracticable
- 80.25 To cor to see's 22-28-26 ^{and 27}.
Sand, Broken and Heavy
Soil 3rd rate
Timber, Dense Pine and oak

T. 9 N. R. 25 E G & S R M

cho

- North lot sees 22 ^{and 23}
 In 13:20' E
- 13.00 Wash 12 lbs mid: low N.W. ^{and}
 ascend.
- 35.80 Top of spur bears E ^{and W} and
 ascend.
- 40.00 Set Post 4 ft long. 4 in square
 with marked stone 12 in in
 the ground. for 14 sec cor
 'Marked' 14 S. on W face ^{and}
 raised a mound of stone along side
- 80.00 ^{Pls imprudently}
 Set a Barrett Rock 21+9+5 in
 15 in in the ground for the cor
 to sees 14, 15, 22 ^{and 23} marked
 with 3 notches on S. ^{and 2} notches
 on E. edges, from which
 a Yellow pine 30 in diam bears
 S. 45° N. 149 lbs det. Marked T.

T. 9. N. R 25 E G & S R M

chs

9 N. R. 25 E. S. 22 B. T.

A Yellow pine 8 in diam base

N 30° E. 70 lbs dist

Marked. T. 9 N. R. 25 E. S. 14 B. T.

Burr Oak 16 in diam base S 39° E

37 lbs dist.

Marked. T. 9 N. R. 25 E. S. 22 B. T.

Burr Oak 9 in diam base N

31° W. 69 lbs dist

Marked T. 9 N R 25 E S. 15 B. T.

Sand sees 22 ^{and} 23 and 25

Soil, 3rd soil.

Timber, Dense pine ^{and oak}

Vegetation good grass

East on a random line at see

14 ^{and} 23.

In 13. 25-E

Ascend

T. 9 N. R. 25 E. G & S R M

chs

- 18.00 Top of spur 200 ft high and
ascend. (bars N^{and} S.)
- 40.00 Set temp- 1/4 sec cor
- 49.12 Cross head of track to N^{and} W
Ascend
- 79.82 Intersect N^{and} W line 30 lbs
South of cor to see's 13, 14, 23^{and} 24
Thence I run S 89° 47' W on
a true line bet see's 14^{and} 23
same run
- 39.91. Set a Basalt Rock 17 + 9 + 8 ins
11 ins in the ground for 1/4 sec
cor marked 1/4 on N^{and} face.
raised a mound of stone
alongside. Sets impracticable
- 79.82 To cor to see's 14, 15, 22^{and} 23
Sand Broken
Soil, 8th rule.
Timber. Dense fine
Vegetation good grass

T. 9 N. R. 25 E. G & S. R. M

chis

North lot sees 14 ^{July} 15 -
14 13: 25 'E

Descend

40.00 Set a Basalt Rock, 14 + 11 + 4 in
10 in ^{in ground}
for 1/4 sec cor marked 14 on

W face, from which

A Burr oak 18 in diam base
N 61° W. 43 lbs dist. marked
14 S. B. T.A Burr oak 12 in diam base
N 45° E. 28 lbs dist. Marked
14 S. B. T.80.00 Set a Sandstone 22 + 15 + 9 in
16 in in the ground for the
cor to sees 10 + 11. 14 ^{July} 15.
marked with 4 notches on S.
and 2 notches on E edge
from whichA Yellow Pine 22 in diam base
N. 42.30 W. 41 lbs dist.

T. 9 N. R. 25 E. G & S. R. M

cks

- Marked T. 9 N. R. 25 E. S. 10 B. T.
 A Burr Oak 12 in diam base
 N. 14° E. 43 lbs dist.
- Marked T. 9 N. R. 25 E. S. 11 B. T.
 A Yellow Pine 10 in diam base
 S. 46° E. 18 lbs dist.
- Marked T. 9 N. R. 25 E. S. 14 B. T.
 A Burr oak 9 in diam base
 S. 15° N. 75 lbs dist.
- Marked T. 9 N. R. 25 E. S. 15 B. T.
 Larch trees 14th & 15th and Rolling
 Soil, ~~and~~ rule.
 Timber Dense Pine

East on a random line bet trees
 11th & 14.

On 13° 31' E

Loess

2.50

Cross mark 21 lbs mid, E. N

T. 9 N. R. 25 E G & S R M

chs

- ascend'
- 40.00 Set temporary 1/4 sec cor
- 57.30 Top of spur 60 ft high bears
N 40 S. ascend'
- 65.00 Cross creek 9 lks N 10° W
ascend.
- 79.96 Intersect N 40 S line 9 lks
N of cor to sees 11, 12, 13 and 14
Thence I run
N 89° 56' W on a true line
Int sees 11 and 14 same way.
- 39.98 A Pine 12 ins diam. for 1/4 sec
which I
cor, marked 14 S. on N face
from which
A Yellow pine 16 ins diam bears
N 9° W. 14 lks dist marked 14
S.B.T.
A Yellow pine 11 ins diam
bears S 16° E 18 lks dist
marked 14 S.B.T.

T. 9. N. R. 25 E G & S R M

cho

79.96 The cor to sec's 10, 11, 14 ^{and 15} -
 Sans Shilly ^{and} Rolling
 Soil, 3rd rate
 Timber: Douse pine ^{and} scrubby
 oak.

North 1st sec's 10 ^{and} 11
 to 13° 31' E

37.00 Cross wash 30 lbs with ^{to} 749² N
 and ascend.

40.00 Set a Basalt Rock, 17 x 10 x 4 ins
 11 ins in the ground for '14 sec
 cor. marked '14 on N face,
 from which,

A Yellow pine 20 ins diam base
 S 62° E. 65 lbs dist. marked '14
 S.B. I.

A Yellow pine 16 ins diam base
 N. 10° W. 48 lbs dist marked '14 S.B. I.

T. 9 N. R. 25 E. G & S. R. M

ch's

80.00 Set a Basalt Rocker 16 + 11 + 4 in
 11 in in 'the ground' for the cor
 to see's 2, 3, 10 ^{and} 11, marked
 with, 5 notches on S. ^{and} 2 notches
 on E edges. ^{and} raised a mid
 of stone along side. Pits
 Impracticable
 Sand, Rollins ^{and} Hells
 Soil; 2nd rate
 Timber, Dense pine
 Vegetation. Good grass.

Back on a random line let
 see's 2 ^{and} 11.
 In 130. on E.

Ascend

34.00 Top of spur 130 ft high base
 N. 34° W. ^{and} descend

40.00 Set temp - '14 see cor.

T. 9 N. R. 25 E G & S R M

Chs

N + S line

80.26

Intersect. 16 lks South of cor
to sees 1. 2. 11. ^{and} 12.

Thence I run

S 89.53' N on a true line bet
sees 2 ^{and} 11 same run.

40.13

Set a Buato stone 17 + 10 + 5 in
11 in in the ground for 14 see cor
marked 14 on N face. ^{and} raised

80.26

a mound of stone along side of pits into -
to cor by sees 2. 7. 10. 11
Land Pulling Hills

Soil. 3rd rate

Timber Loose Pine.

North on a random line bet
sees 2 ^{and} 3.

Ea 13.00 E

Ascend.

31.45

Top of spur bears S ^{and} N. ^{and} descend

29.47

Cross creek 35 lks mid. Co 761° N

T. 9 N. R. 25 E. G & S. R. M

BOOK 34
86

ch's

all ascended,

40.00 Set a temporary $1/4$ sec cor.

42.00 Cross Road bears $N. 85^{\circ} W.$

79.94 Intersect ^{N. 130th St} 50 lks west of cor
to sees 2, 3, 34 and 35 - recently
established by me.

Thence I run.

$S 0^{\circ} 4' N.$ on a true line bet-
sees 2 and 3. same way.

39.94 Set a Basalt Rock 12+14+7 mis
12 mis in the ground for $1/4$
sec cor. marked $1/4$ on N.

face. from which

A Yellow pine 18 mis diam.

bears $N 10^{\circ} E.$ 51 lks dist

Marked $1/4$ S B T.

A Yellow pine 20 mis diam

bears $N. 85^{\circ} W.$ 59 lks dist.

Marked $1/4$ S B T.

79.94 To cor to sees 2, 3, 10 and 11

T. 9 N. R. 25 E G & S R M

As:

Land: see 2nd & 3rd rolling ^{and broken}
 Soil 2nd rate
 Timber: Danse Pine

I carefully examined the
 adjustments of my solar compass
 today. Particularly the latitude
 and meridian apparatus ^{and found}
 them correct

G. M. Carson Compassman
 Oct 28th 1889.

From the Standard cor to sea
 33. ^{and 34} on the south B. & F. T. P.
 recently established by me
 I run

North to sea 33 ^{and 34}
 to $14^{\circ} 15' E$

Ascend

37.90

Top of Spur bears N. $38^{\circ} E$ ^{and} 37.90

T. 9 N. R. 25 E G & S R M

chs'

- 40.00 Set a Lava Rock 17+10+6 in
11 in in the ground for '101
see cor marked '14 on W face
and raised a mound of
stone alongside. P is impracticable
- 20.00 Set a Basalt Rock 30+14+10 in
22 in in the ground for the
cor to see's 27, 28, 33 ^{and} 34
marked, with 1 notch on S.
^{and} 3 notches on E edge, ^{and}
raised a mound of stone
alongside. P is impracticable
Sand Rolling Hills
Soil, 3rd rate
Timber. Dense pine
vegetation. Good grass.

T. 9 N. R. 25 E G & S R M

chs

East on a random line bet
 sees 27 ^{and} 34
 Va 12° 10' E

Ascent

- 1875- Top of spur. Years N ^{and} S.
 and descent
- 40.00 Set temp - '14 see cor
- 49.00 Cross wash 8 lbs with 60
 S 21 N. ^{and} ascent.
- 79.95 Intersect N ^{and} S. line 14 lks
 N of cor to sees 27, 28, 33 ^{and} 34
 Thence down
 N 89.5-4' W on a true line bet -
 sees 27 ^{and} 34 same as
- 39.98 Set a Basalt Rock 16+13+12
 ins 11 ins in the ground for '14
 see cor marked '14 on N.
 face. and raised a mound
 of stones along side.
- 79.95 To cor to sees 27, 28, 35 ^{and} 34.
 S. l. intractable

T. 9. N. R. 25 E G & S R M

chs

Land ^{and Rocky} Hills
Soil, 3rd val.
Timber, Dense pine
Vegetation. Bunch grass

North bet sees 27 ^{and 28}
to 12° 10' E

Ascend

40.00 Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins, in the ground for 1/4 Sec. Cox
marked 1/4 S. on N face, dug pits 18 x 18 x 12
ins. N and S of post 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft. high. 3 1/2 ft. base. around
post.

41.20 Top of ridge 4.0 ft high bears E
and W. and descends.

74.52 Ravine 7 chs wide bears N 70° W.
and ascends.

80.00 Set a Basalt Rock 20 x 12 x 7
ins 15 ins in the ground further

T. 9 N. R. 25 E G & S R M

chs

cor to see's 21. 22. 27 ^{and} 28.
 marked with 2 notches on S. ^{and}
 3 notches on S edges. from which
 A Yellow pine 12 mis diam base. 59° N
 42 lbs dist.

Marked T. 9 N. R. 25 E S. 28 B. T.
 A Yellow pine 5 mis diam base
 76 6° N. 90 lbs dist. Marked
 T. 9 N. R. 25 E S. 21 B. T.

A Yellow pine .4 mis diam base 21.
 240 E 63 lbs dist Marked
 T. 9 N. R. 25 E S. 22 B. T.

A Yellow Pine 24 mis diam base
 S. 190 E. 118 lbs dist. Marked
 T. 9 N. R. 25 E S. 27 B. T.

Land Broken ^{and} Hilly
 Soil; 84. rule.

Timber, 10 mis pine

T. 9 N. R. 25 E. G. & S. R. M

chs.

East on a random line let see's
22nd and 27.

In 10° 05' E

Ascent

33.21 Yellow pine 12 ins diam

34.07 Top of ridge 400 ft high br
N W and S. E. and descent.

40.00 Set a temporary 1/4 sec cor

79.61 Intersect ~~5th~~ S. line

23 lbs South of cor to see's

22-23-26th and 27.

Thence I run.

S 89° 50' N on a true line let-
see's 22nd and 27. same on

39.81 Set a Basalt Rock 20 + 13 + 10 ins

15 ins in the ground for 1/4 sec

cor marked 1/4 on N face

From which

An Aspen 8 ins diam diam S 4 W

11 lbs dist. marked 1/4 S. B. T.

T. 9 N. R. 25 E G & S R M

Chs

- 79.61 An Aspen fire claim base N 27°
E. 21 lbs dist. Marked '44 S. B. T.
To cor to sees 21. 22. 27 ^{and} 28
Lands Rough ^{and} rocky
Soil; 3rd run
Timber. 10 acre piece.
-
- North lot sees 21 ^{and} 22
on 10° 15' E
- Ascent
- 23.14 Top of ridge 65 ft. high base N 11°
and S. E. ^{and} descent
- 40.00 Set a Basalt rock 17+12+9 mi
11 mi in the ground for 14 sec
cor marked 14 on W face ^{and} raised
a mound of stone along side
Pile impacticable.
- 80.00 Set a Basalt Rock 44+20
+18 mi 33 mi in the ground

T. 9 N. R. 25 E. G & S. R. M

chs

from the cor to sees 15; 16; 21
 Aug 22, marked with 3 nolets
 on ~~East~~ ^{S. Aug. 8} edges and raised
 a mound of stone alongside
 This Impracticable
 Sand Rolling
 Soil, 3rd rali
 Timber, Dense Pine
 Vegetation Govt. grass

Just on a random line bet
 sees 15 ^{Aug 22}
 in 14'.00' E

Descend.

26.00 Cross wash 30 lbs more to
 N. 18° W. ^{Aug} ascend.

40.00 Set temporary 1/4 sec cor

48.00 Top of Spur 100 ft high
 near N ^{and S.} ^{Aug} descend.

T. 9 N. R. 25 E G & S R M

chs

- 67.20 Cross wash 20 lks with S, Co
 N 22° N ^{and ascent,}
- 79.90 ^{127.5 lks}
 Intercept ^{15 lks N of cor to see}
 14.15.22 ^{and} 23.
- Thence Iron
 N 89° 5-4' N on a true lat see
 15 ^{and} 22. same cor
- 79.95 Set a Basalt Rock 18+13+7 in
 12 in in the ground for '14
 see cor marked '14 on
 N face ^{and} raised a mound
 stone alongside. ^{It's impractical}
- 79.90 To cor to see 15.16.21. ^{and} 22.
 Sand Broken
 Soil, Stony & gravel.
 Timber Louse pine.

T. 9 N. R. 25 E. G & S. R. M

chs

North lot sees 15^{and} 16
Pa 14°. 00' E

Levelled Gradually.

16.40 Cross mark 40th ridge Co
N. 43°. E. and ascend

33.00 Top of spur 70 ft. high
E and W ^{and} descend.

40.00 Set a Basalt Rock. 25 + 10 + 7 mi
18 ins in the ground for '14 see
cor. marked. '14 on W face
from which

A Yellow Pine 12 ins diam base
N 32° N. 24 lbs dist.

Marked '14 S. B. T.

A Yellow Pine 6 ins diam base
S 20° E. 20 lbs dist. Marked
'14 S. B. T.

80.00 Set a Basalt Rock 18 + 10 + 6 mi
12 ins in the ground for the
cor to sees. 9. 10. 15^{and} 16. marked

T. & N. R 25 E G & S R M

cks

with 4 notches on S. ^{and} 3 notches
on E edges. from which
A Yellow pine 14 ins diam
ears N 38° W. 103 lbs dia
Marked T 9 N. R 25 E sec
9. B. T.

A Yellow pine 16 ins diam. ears
S 22° W. 78 lbs dia. Marked
T 9 N. R. 25 E. S. 16 B. T.

A Yellow Pine 15 ins diam
ears N 35° E. 66 lbs dia
Marked T. 9 N. R. 25 E. S. 10 B. T.

A Burr oak 10 ins diam
ears S 54° E. 41 lbs dia
Marked T. 9 N. R. 25 E. S. 15
B. T.

Liquid Rallying

Soil 2nd rail -

Timber, Dense pine

Vegetation Good grass

T. 9 N. R. 25 F. G. & S. R. M.

chs.

East on a random line let
 sees 10^{and} 15 -
 to 14° 00' E

Descent

25.40 Cross wash 20 lbs ridge to
 N. ^{and} ascent.

40.00 Set a temp - 1/4 sec cor

58.7 Top of spur dr's N 60° W. ^E descent

80.14 Intersect. N ^{and} S. line 14 lbs
 South of cor to sees 10.11.14^{and} 15 -
 Thence I run

S 89° 5-4' W on a true line let
 sees 18^{and} 15 - with same to

40.07. Set a Basalt Rock, 20 + 10 + 7 mi
 15 mi in the ground for 1/4 sec
 cor marked 1/4 on N face
 from which

A Yellow Pine 16 mi diam
 bears N. 30° W 20 lb dist
 marked 1/4 S. B. T.

T. 9 N. R. 25 E. G & S. R. M

ch's

- 80.14 A Yellow pine 12 in diam
ears S 17° W. 5-9 lbs dist
Marked '14 S. B. F.
To cor to sees 9.10.15 ⁹W 16
Land. Sec 15 - in Rolling
Soil. 5th zone.
Timber. ~~Yellow pine~~
Vegetation. good grass
-
- 40.00 North bet sees 9 ⁹W 10
Id 14° 07' E
Set a Basalt Rock. 20 + 10 + 7 in
15 in in the ground for '14 see cor
marked '14 on N face from which
A Yellow pine 15 in diam ears
S 63° W. 120 lbs dist marked '14
S. B. F.
A Yellow pine 14 in diam ears
N. 38° E. 38 lbs dist marked

T. 9 N. R. 25 E. G & S. 1. M

chs

14 B.T.

80.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins, in the ground for Cor, to Sec.

3. 4. 9 $\frac{9}{10}$ marked T. 9 N. S. 3 on
N. E. R. 2 68 S. 10 on S. E, S, 9 on
S, W, and S, 4 on N, W, face, with 6- notch
on S, and 3 notches on E. edges, deep
pits 18 x 18 x 12 ins. in each Sec., 5 1/2 ft. dist
and raised a mound of earth 2 ft, high. 4 1/2 ft
base around post. from which

A Yellow pine 30 ins diam base
S 75 N. 158 lbs dwt.

Marked T. 9 N. R. 25 E. S. 9 B.T.

A Yellow pine 24 ins diam base
S 21 E. 167 lbs dwt.

Marked T. 9 N. R. 25 E. S. 10 B.T.
no other trees in limits
Lamb Rollers

Soil; 3rd rate.

Timber: 10000 feet

T. 9 N. R. 25 E. G & S. R. M

ch's

East on a random line bet sees
3^{and} 10.

To 14° 35' E.

Descend gradually.

40.00

Set benchmark - 1/4 sec cor

45.25

Cross wash 20 lks mid^s 6^{and} 7
N 8° E. ^{and} ascend gradually.

79.80

Intersect N^{and} S lines 4 1/2 lks

South of cor to sees' 2, 3, 10^{and} 11

Thence Drive

S. 89. 42' N on a true line bet
sees 3^{and} 10 same as

89.90

Set a Basalt stone, 18 x 7 x 5 ins. / 2 ins.
in the ground for 1/4 Sec, Cor, marked 1/4. on N
face, dug pits 18 x 18 x 12 ins. E and W
of stone 5 1/2 ft. dist. and raised a mound of earth
1 1/2 ft. high. 3 1/2 ft. base. alongside.

79.80

To cor to sees' 3, 4, 9^{and} 10.

Land Rolling

Soil. 3rd row

T. 9 N. R. 25 E G & S R M

ch's

Winter. Dense fair
Vegetation Bunch-grass

North on a random line to see's
3^{and} 4.

In 144 35' E

Descend gradually

10.30 Cross wash to N. 83° W ^{and ascend}

21.70 Road bears E ^{and N.}

40.00 Set trap - 1/4 sec cor.

40.16 Intersect North B^{ing} 23 lbs

N of cor to see's 3. 4. 33 ^{and} 34.
recently established by me
Thence I run.

S 0° 10' N. on a true line to
see's 3 ^{and} 4 same as

40.16 Set a Basalt stone, 18 x 17 x 10 ins. 12 ins.
in the ground for 1/4 Sec, Cor, marked 1/4 on N
face, dug pits 18 x 18 x 12 ins. N and S.
of stone 5 1/2 ft. dist. and raised a mound of earth

T. 9 N. R. 25 E G & S R M

chis

80.16

$1\frac{1}{2}$ ft, high. $3\frac{1}{2}$ ft. base. alongside.
 To cor to seei 3. 4. 9 and 10

Land. The 3 is rolling
 Soil 2nd row.

Timber. Dense pine.
 Good grazing

I carefully examined the
 adjustments of my solar
 compass today. Particulars
 the latitude. ^{and} reversing
 apparatus ^{and} found them
 correct

G. M. Caren Compassman
 Oct. 30th 1882.

T. 9 N. R. 25 E G & S R M

From the Standard Cor
 to sees 32^{and} 33 on the S. Edge of
 recently established by me. Iron.
 North lat sees 32^{and} 33.
 In 14' 30' E

Descent.

- 40.00 Set a Basalt stone, 20 x 14 x 6 ins. 15 ins.
 in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$ o. W
 face, dug pits 18 x 18 x 12 ins. N and S
 of stone 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth
 1 $\frac{1}{2}$ ft, high. 3 $\frac{1}{2}$ ft. base. alongside.
- 60.00 Cross mark 7 lbs with 60 S.
 40' N^{and} descent.
- 80.00 Set a Basalt Rock 23 x 17
 + 9 ins 18 ins in the ground for the
 Cor to sees 28. 29. 32^{and} 33.
 marked with 1 notch on S^{and} 4
 notches on E edges. from which
 A Yellow pine 31 ins diam bear
 S. 55' N 150 lbs dist. Marked

T. 9 N. R. 25 F G & S R M

chs

T. 9 N. R. 25 E. S. 32 B. T.

A Yellow pine 20 wis beam bars
S 11° E. 128 lbs dist. Marked

T. 9 N. R. 25 E. S. 33 B. T.

A Yellow pine 12 wis beam bars
N 30° W. 20 lbs dist. Marked

T. 9 N. R. 25 E. S. 29 B. T.

A Yellow pine 15 wis beam bars
N. 65° E. 144 lbs dist Marked

T. 9 N. R. 25 E. S. 28 B. T.

Sand Hilly ^W Rocky
Soil 3rd row.Louse pine timber
Good grazingEast on a random line at sec
28 ^W 33

W 14° 27' E

Descend'

T. 9 N. R. 25 E. G & S. R. M

chis

- 40.00 Set temp $\frac{1}{4}$ sec cor
A Pond near South 4 chis dist
- 52.00 Cross Ravine 7 chs nit & tes
S 36° W. ^{and} ascend.
- 79.92 Intersect. ^{of} $\frac{1}{4}$ S. line 8 lks
N of cor to sees 27. 28. 33. ^{and} 34
Thence I run
N 89° 57' W on a true line bet.
sees 28 ^{and} 33 same cor
- 89.96 Set a post 3 ft long 3 in square
with marked stone 12 in
in the ground. for $\frac{1}{4}$ sec cor
marked $\frac{1}{4}$ on N. face
from which
A Quaking Aspen 29 in diam
base S 22° E. 43 lks dist.
marked $\frac{1}{4}$ S. B. T.
A Yellow Pine 13 in diam base
N. 31° E. 50 lks dist. Marked.
 $\frac{1}{4}$ S. B. T.

T. 9 N. R. 25 E G & S R M

chs:

79.92 To Cor to see's 28. 29. 32 ^{and} 30.
 Sand Hill ^{and} Rocky
 Soil ^{and} rate.
 Timber. Dense Pine

Work bet see's 28 ^{and} 29
 N 17 27 E
 Ascend

40.00 Set a post 3 ft. long 3 ins. diam with marked
 stone, 12 ins, in the ground for $\frac{1}{4}$ Sec. Cor,
 marked $\frac{1}{4}$ S. on W face, dug pits 18 x 18 x 12
 ins. N and S of post 5 $\frac{1}{2}$ ft. dist. and raised
 a mound of earth 1 $\frac{1}{2}$ ft. high. 3 $\frac{1}{2}$ ft. base. around
 post.

74.00 Top of mt 408 ft high Dams
 S ^{and} W ^{and} Ascend

80.00 Set a Basalt Rock 19+10+8 ins
 12 ins in the ground for cor
 to see's 20. 21. 28 ^{and} 29. marked
 with 2 notches on S. ^{and} 4 notches

T. 9 N. R. 25 E G & S R M

chs

on E edge, from which

A Yellow pine 16 mis drain cross

S. 35° W. 81 lbs dist - Marked

T. 9 N. R. 25 E. S. 29 B. T.

A Yellow pine 6 mis drain

cross S 20° E. 11 lbs dist.

Marked T. 9 N. R. 25 E. S. 28 B. T.

A Yellow pine 4 mis drain cross

N 60° E. 28 lbs dist Marked

T. 9 N. R. 25 E. S. 21 B. T.

A Yellow pine, 20 mis drain

cross N 50° W. 39 lbs dist

Marked T. 9 N. R. 25 E. S. 20

B. T.

Land Mountainous ^{and broken}
Soil, 8th zone

Timber Dense pine
Vegetation Fine grass

T. 9 N. R. 25 E G & S R M

chs

East on a random line bet sees
21^{and} 28

29 13° 20' E

Ascent

23.50 Top of spur 50 ft high near N
30° W. ^{also} descent

40.00 Set a temporary 1/4 sec cor

48.50 Cross wash 19 lks wide to N 30° W
and ascent

72.46 Yellow pine 40 vis beam

79.96 Intersect. N and S lines 10 lks
W of cor to sees 21. 22. 27^{and} 28

Thence down

N. 89.° 58' W on a true line bet sees
21^{and} 28 same va.

89.98 Set a Basalt Stone 20 + 9 + 4 vis
15 vis in the ground for 1/4 sec
cor marked 1/4 on N face from
which

A Yellow pine 10 vis beam near S

T. 9 N. R 25 E G & S R M

this

10° E. 34 lks dist - Marked 1/4 S B D.

An Aspen 20 m. diam bears 42° E.

5 lks dist. Marked 1/4 S B D.

7996 To cor to see 20, 21, 28^{and} 29

Lans Rolling

Soil, 8th rule.

Timber, 10 ruse pine.

Vegetation, good grass

North lat. see 20^{and} 21

In 13° 20' E

Descend gradually

40.00 Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins, in the ground for 1/4 Sec, Cor. marked 1/4 S. on W face, dug pits 18 x 18 x 12 ins. N and S of post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high. 3 1/2 ft. base. around post.

80.00 Set a Basalt Stone, 20 x 8 x 7 in. 15 ins in the ground for the

T. 9 N. R 25 E G & S R M

chs

cor to sees 16, 17, 20^{and} 20. marked
 with 3 notches on S and 4 notches
 on E edges. and raised ^{its impracticable,}
 of stone along side ^N from which
 A Yellow pine 23 ins diam base
 S 50° E. 68 lks dist. Marked T.
 971 R 25 E S 21 B. T.

A Yellow pine 6 ins diam base
 N 30° E. 101 lks dist marked
 T. 971. R 25 E. S. 16 B. T.

A Yellow pine 14 ins diam base
 N. 30° W. 176 lks dist.

Marked T. 971 R 25 E. S. 17 B. T.

No other trees within belt
 Land rolling

Soil 3rd run -

Timber. Dense pine
 vegetation good grass

T. 9 N. R. 25 E G & S R M

this

East on a random line bet sees
16 ^{and} 21.

to 14° 00' E

Ascend

40.00 Set temporary 1/4 sec cor.

56.00 Top spur bears ^{and} ~~N~~ ^W ~~S~~ ^E descends.

73.00 Cross wash 2 1/2 lks N.W. to N 1/4 E
and ascend

79.68 Intersect ^{and} N line 18 lks

South of cor to sees 15-16, 21, ^{and} 22

Thence I run

S 89° 52' N on true line bet
sees 16 ^{and} 21, same ra.

89.84 Set a Basalt Stone 18 + 10 + 6 ins
12 ins in the ground for 1/4 sec
cor. marked 1/4 on N face.

^{and} raised a mound of ^{Pls} ~~Pls~~ ^{impractical} ~~pl~~
along it from which

A Yellow pine 24 ins diam bears
N 50° E. 70 lks dist marked 1/4 B.S.

T. 9 N. R. 25 E G & S R M

Chs

- 79.68 No other trees within limits
To cor to sees 16. 17. 20^{and} 21
Sand. Rough and Rocky
Soil. 3rd rate.
Timber, Clear pine.
-
- North lot-sees 16^{and} 17.
La 14:00' E
Ascend
- 40.00 Set a Basalt stone, 15 x 10 x 6 ins., 10 ins.
in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$. on ~~SW~~
face, dug pits 18 x 18 x 12 ins. N and S.
of stone 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth
1 $\frac{1}{2}$ ft. high. 3 $\frac{1}{2}$ ft. base. alongside.
- 62.00 Top of spur brass E^{and} descend
- 80.00 Set a Basalt Rock 14 x 10
+ 6 in 9 in in the ground for
the cor to sees 8. 9. 16^{and} 17.
marked with 4 notches on S^{and}
E edges, and raised a mound
of stone along set, ^{Practically} from where.

T. 9 N. R. 25 E. G & S R M

chs

A White Oak 10 mi drain base $N 65^{\circ} W$
 38 lbs dist. Marked T. 9 N. R.
 25 E. S. 8 B. T.

A White Oak 12 mi drain base
 $S 21^{\circ} E$. 28 lbs dist. Marked
 T. 9 N. R. 25 E. S. 16 B. T.

A Yellow pine 15 mi drain base
 $N 14^{\circ} E$. 32 lbs dist. Marked
~~with this~~ ^{with this} ~~with this~~ ^{with this}
 T. 9 N. R. 25 E. S. 9 B. T.

Land Rough ^{and} Rocky
 Soil, 3rd rate.

Trunk disease free

East on a random line let
 sees 9 ^{and} 16.

Ja 14:00 E

40.00 Set temp - 14 sec cor

79.84 Intercept ^{on line} 1/2 South of cor
 to sees 9, 10, 16 ^{and} 16.

T. 9 N. R. 25 E G & S R M

Ohio

Thence I run

S 89.42' W. on a true line 81.
secs 9th & 16. same cor.

39.91

Set a Bassett Stone 14+10+7 in's
9 in's in the ground for 1/4 sec cor
marked 14 on N face. ⁹th raised
a mound of stone along side of its impact
from whichA Yellow pine 12 in's diam base
N. 19° W. 41 lbs dist. Marked 148. B.F.A Yellow pine 10 in's diam base
S 29° E. 135 lbs dist. Marked

114 S. B. T.

~~79.89~~

79.89.

The cor. to secs. 9. 10. 15th & 16.

Land: Rolling

Soil: 3rd rate

Timber: Dense pine.

T. 9 N. R. 25 E G & S R M

ch's

North lot sec's 8^{and} 9

In 14° 00 E

Descent: gradually.

40.00

Set a Basalt Stone 15 + 10 + 7
ins. 10 ins in the ground for
1/4 Sec cor. marked 1/4 on W

Incr. from which

A Pine 15 ins diam bears S 70° W. 94
lbs dist. Marked 1/4 S B T.A Pine 12 ins diam bears S 55° E
87 lbs dist. Marked 1/4 S B T.

44.30

Road bears N. E.

80.00

Set a Basalt stone 14 + 7 + 7 ins
9 ins in the ground for the cor
to sec's 4, 5, 8^{and} 9. marked with
5 notches on S. ^{and} 4 notches on

E edges, from which

A Yellow pine 14 ins diam bears N 17° W

87 lbs dist. Marked S. 9 21 R 25 E
S. C B. T.

T. 9 N. R. 25 E G & S R M

ch's

A Yellow pine 12 in diam
 bears N. 14° E. 42 lbs dist
 Marked T. 9 N. R. 25 E. S. 4 B. T.

A Yellow pine 16 in diam bears
 S 66° E. 117. dist. Marked. T. 9
 N. R. 25 E. S. 9. B. T.

A Yellow pine 18 in diam
 bears S 12° N. 100 lbs dist Marked
 T. 9 N. R. 25 E. S. 8 B. T.

Land. Rolling
 Soil, 8th oak

Timber, Dense pine

East on a run from line lat.
 sees 4th 9.

lat 140.10' E

Descent gradual.

40.00 Set temporary 1/4 sec cor

46.50 Cross Road brs N E

T. 9. N. R 25 E G & S R M

chis

- 58.91 Road bears N 8^{and} S. W.
- 58.70 Catni bears South 6 chis dist
- 77.25 Cross mark to N 40° W. ^{and}
asemb.
- 80.30 Interest. N ^{and} S line 18 lbs
N of cor to see's 4. 5. 8 ^{and} 9.
Thence down
N 89° 52' W on a true line
bet. see's. 4 ^{and} 9. same 20
- 40.15- Set a Basalt stone 24 + 10 + 9 in
18 in in the ground for 1/4 see cor
marked 14 on N. face. and
raised a mound of close
alongside. ^{deep impracticable} from which
A White Oak 14 in diam bear S.
72° W. 33 lb bet. marked 1/4
S. B. G.
No other trees within limits
80.30 To cor to see's 4. 5. 8. 9.
Land Rolling
Soil; 2nd race.

T. 9 N. R. 25 E G & S R M

chis

Timber. Dense pine
Vegetation Good grass

Went on a random line det-sec's
4th & 5.

to 14° 10' E

Descend gradually

29.94

Road bears S⁸² W.

40.08

Set temp. 14 sec cor

80.30

Intersect ^{N. B. P.} 17 lbs West of cor
to sec's 4.5. 3.2 ⁹ 33.

Thence down

S. 0° 7' W on a true line det-sec's

4th & 5 same cor.

40.30

Set a Basalt Rock 15 + 10 + 7 in

10 in in the ground for 14 sec

cor. marked 14 on N face

from which.

A Yellow pine 12 in diam bears

T. 9 N. R. 25 E. G & S. R. M

ok's

N 45° W 30 lbs dist. marked
1/4 S. B. T.

A White Oak 10 ins diam. cross
N 32° E. 62 lbs dist.

marked 1/4 S. B. T.

80.00

To cor to sees 4.5. 8 ^{and 9.}

Land Rolling ^{and} Rocky
Soil. 8th rate

Timber & dense pine
vegetation. Good grass

G. M. Carson Compassman

Oct. 31st. 1882.

From the ~~standard~~ cor to sees
31 ^{and} 32 on South B. L. ^{9th} ^{line} ^{recently}
established by me.

Iron.

North set sees 31 ^{and} 32
2014° 15' E

T. 9 N. R. 25 E G & S R M

chs

Descent

40.00

Set a Basaltstone, $19 \times 12 \times 7$ ins., 12 ins. in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$. on *N* face, dug pits $18 \times 18 \times 12$ ins. *N* and *S.* of stone $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. alongside.

61.00

Cross Wash 9 lbs nit & 6 S.N.
and ascent

80.00

Set a Lava stone $6 \times 12 \times 9$ ins, 11 ins. in the ground for Cor, to Secs, 293031²32 marked with 1 notch on *S.* and 5-notch es on *E.* edges, dug pits $18 \times 18 \times 12$ ins. in each Sec., $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft, high. $4\frac{1}{2}$ ft. base. alongside. from which

A Yellow Spruce 11 ins diam
beass. S. 48° E. 5-1 lbs dist

Marked T. 9 N. R. 25 E. S. 32 B. T.

An Aspen 8 ins diam beass. S.

55° N 15-lbs dist. Marked T. 9 N. R. 25

E. S. 31 B. T.

T. 9 N. R. 25 E. G & S R M

ch's

A Yellow pine 15 ins diam, base
N 8° E. 145 lbs dist.

Map of T. 9 N. R. 25 E. S. 29. B. T.
~~no other trees within section~~
Land Broken

Soil. 3rd soil.

Timber. Dense fine
Vegetation Good grass

East on a random line at sees
29th 32.

va 15° 13' E

Desert

19.73 Cross mark 10 lbs near 6 S. W.
and around

40.00 Set trap - 1/4 sec cor.

80.18 Intersect. Nth and S. line. 11
lbs N. of cor trees. 28.29.32^{and 33}

Thence I run

N 89° 55' N on a true line to

T, 9 N. R 25 E G & S P M

Chs

- 40.19 sees, 29^{and} 32. Same as
 Set a Bossatt Rock, 10+10+7 in
 7 in in the ground for 1/4
 see cor, marked 1/4 on No face
 from which
 A Yellow Pine 19 in diam near
 N 30° W. 38 lbs dist. Marked
 1/4 S. B. T.
- 80.18 A Yellow pine, 10 in diam near
 S 8° W. 108 lbs dist. Marked 1/4 S. B. T.
- The cor to sees 29. 30. 31^{and} 32.
 Low Mountains
 Soil, F. 20 lb
 Timber. Dense Pine
 Vegetation Good grass

T. 9 N. R 25 F C & S E M

cks'

Met on a random line at
see ~~24~~³⁰ and 31
Va 13'-13' E

Ascend'

40.00 Set temporary 14 see cor

46.10 Top of Spur bears N 20° E and
descend'

79.20 Intersect W. B. by 10 lbs N.
of cor 25-30-31 and 36. ⁹⁶ Reenter
Established' by me.

Thence I run

N 89.54' E. on a true line at
see 30^{and} 31. same as

89.20 A Yellow pine 4 ins diam. for
14 see cor. marked 14 on N
face. from which

A Yellow pine 6 ins diam
bears S 65° N. 37 lbs dist marked
14 S B. T.

A Yellow pine 17 ins diam bears

T. 9 N. R. 25 E G & S R M

etc

N 51° E 42 lks dist. Marked
74 S. B. F.

79.20

To cor to see's 29.31.31 ^{and} 32

Sand Mountains ^{and} Broken
Soil, 8th rate

Timber. Good dense pine
vegetation. Good grass

North lot see's 29 ^{and} 30

variation 13° 13' E

Ascend

40.00

Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins, in the ground for $\frac{1}{4}$ Sec, Cor.
marked $\frac{1}{4}$ S. on N face, dug pits 18 x 18 x 12
ins. N and S. of post 5 $\frac{1}{2}$ ft. dist. and raised
a mound of earth 1 $\frac{1}{2}$ ft. high. 3 $\frac{1}{2}$ ft. base. around
post.

48.72

Top of ridge 400 ft high. bears
N 70° W. ^{and} descend

T. 9 N. R. 25 E. G & S. R. M. T.

cks

80.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor. to Secs. 19, 20, 29² & 30, marked T. 9 N. S. 20 on N. E. R. 25 E. S. 29 on S. E. S. 30 on S. W. and S. 19 on N. W. sec, with 2 notch es on S, and 5-notch es on E. Holes dug pits 18 x 18 x 12 ins. each See 3/2 ft dist. and raised a mound of earth 2 ft high 4 1/2 ft base. around post. From which

A Yellow pine 19 ins diam base
S 48° E 57 lks dist. Marked
T. 9 N. R. 25 E. S. 29 B. T.

A Yellow pine. 15 ins diam base
S 55° N. 15 lks dist. Marked
T. 9 N. R. 25 E. S. 30 B. T.

Land Mountainous
Soil. 3rd rate

Timber. Ouse Pine ^{and} oak
Vegetation Buffalo ^{and} bunch
grass

T. 9 N. R. 25 E. G. & S. R. M.

chs

East on a random line bet.

20^{and} 24.

Va 18'. 12' S

Assems'

9.38. A Yellow pine 13 in diam

12.70 Cross wash 18 lks wide @ 26.17° N

and assems'

40.00 Set ~~at~~ temp - 1/4 sec cor80.36 Intersect. N^{and} S line 32 lks

S. of apr to sees 20. 21. 28. 29.

Thence down

S 89°. 46' N. on a true line bet

sees 20^{and} 29. same va

40.18 Set a Bussell Rock 20 + 20 + 19 in

15 in in the ground for 1/4 sec
cor. marked 1/4 on N face from whok.

A Yellow pine 14 in diam base

S. 22° N. 20 lks dist. Marked 1/4

S. B. T.

A Yellow pine 11 in diam base

T. 9 N. R. 25 E G & S R M

chs

N. 45° W. 40 lks dist.

Marker 14 S.B.T.

80.36

To cor to sees 19.20.24. ²⁴30

Land: Broken Shells

Soil: 3rd sale

Timber: Dense pine

Vegetation: Good grass.

Nest on a random line bet
sees 19 ^{and} 30

on 13° 12' E

Ascend

31.40

A Yellow pine 14 ins diam

32.12

Top of mountain near N.
23 E. and descend.

40.00

Set temp - 1/4 sec cor.

72.36

A Yellow pine 14 ins diam

78.64

Intersect N.B. line ^{Top} 19 lks N.

of cor to sees 19.24.25. ^{and} 30.

77

T. 9 N. R. 25 E. G & S R M

chs

Thence Drun

North $89^{\circ}52'E$ on a true line
bet sees 19^{and} 30 same 20

38. 64 Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins. in the ground for $\frac{1}{4}$ Sec, Cor,
marked $\frac{1}{4}$ S. on W face, dug pits 18 x 18 x 12
ins. E and W of post $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. around
post. from which

A Yellow pine 16 ins diam bears

North $30^{\circ}E$. 45 lbs wt. Marked 74 S.B.S.78. 64 To cor to sees. 19. 20. 29^{and} 30.Land. Sec 19 is rough ^{and} rockySoil $8\frac{1}{2}$ tall

Denser dense pine

Vegetation good grass

North bet sees 19^{and} 20Ta $13^{\circ}12'E$

L. Osceola

T. 9 N. R. 25 E G & S R M

chs

40.00 Set a Basalt Rock 30 + 16 + 7 ins
 22 ins in the ground for
 1/4 sec cor. marked 1400
 W face ^{and} raised a mound of
 stone alongside *Ptilimnion*

51.00 Set a Basalt Rock 19 + 9 + 6 ins
 12 ins in the ground for the cor
 to sees 17, 18, 19 ^{and} 20 marked
 with 3 notches on S. ^{and} 5 notches
 on E edges. ^{and} raised a mound
 of stone alongside ^{from which} *Ptilimnion*

A Yellow pine 5 ins diam base
 S 45° W. 4. lks dist. Marked
 T. 9 N. R. 25 E. S. 19 B. T.

A Yellow pine 7 ins diam base
 S 33° E. 4.2 lks dist. Marked T.
 9 N. R. 25 E. S. 20 B. T.

A Yellow pine 11 ins diam base
 N 58° W. 5.8 lks dist. Marked T.
 9 N. R. 25 E. S. 18 B. T.

T. 9 N. R. 25 E G & S R M

Chs

No other trees within limits
 Land. Rolling ^{and} Rock
 Soil; 3rd rate.
 Timber. Dense pine.
 Vegetation Bunch grass

East on a random line it sees
 17 ^{and} 20.

to 12° 30' E

5.23

A yellow pine 10 ins d'base

11.20

Cross wash 9 lks mid? Co. 7134° W
 and ascend

32.16

Top of spur 45 ft high ^{and} descend
 (base 71° W)

40.00

Set temp - 1/4 sec cor

41.00

Cross wash 10 lks mid? Co 7139° W
 and ascend

70.53.

Top of spur 100 ft high base 71
 30° E ^{and} descend.
 51° S line

79.88.

Intersect at cor to see 16.

T. 9 N. R. 25 E. G. & S. R. M.

ch's

17. 20. ^{and} 21.

Thence Iron.

West on same line to sec's

17 ^{and} 20. same run

39.94 Set a Lava Rock 20 x 20 x 7 in's

15 in's in the ground for '4

Sec cor. marked '4 in N.

face. from which

An aspen 6 in's diam bears

N 23° E 44 lbs dist Marked

'4 S. B. T.

A Yellow pine 12 in's diam

bears S 47° E 93 lbs dist

Marked. '4 S. B. T.

79.88 To cor to sec's 17, 18, 19 ^{and} 20.Lands Hilly ^{and} RockySoil, $\frac{3}{4}$ silt.

Timber. Dense Pine

Vegetation. Bunch grass

T. 9. N. R. 25 E G & S R M

chs

Meet on a random line let sees
 18th & 19th same
 Va 12° 31' E

Descend

- 40.00 Set temp - 1/4 sec cor.
- 48.91 A Yellow fine 12 in beam
- 68.90 Cross Camp Apache Road
 cross N 30° E ^{and} S. 30° W.
- 78.06 Ravine 8 lbs wide to 7110° E
^{and} ascend.
- 77.86 Intersect N Box ^{TP} 4 lbs south
 of cor to sees 13, 18, 19th & 24,
 recently established by me
 Thence down
 S 89° 5' 8" E on a true line let
 sees 18th & 19th same as.
- 37.86 Set a Basalt Rock 17+10+6 in
 11 in in the ground for 1/4 sec cor
 marked 1/4 on N face. from which
 a White Oak 8 in beam cross

T. 9 N. R 25 F G & S R M

Chis

At 46° N. 23 lbs dist. marked
1/4 S. B. T.

A White Oak. 6 ins diam
ears N 30° W. 5 7 lbs dist
marked 1/4 S. B. T.

77.86 To cor to sees 17. 18. 19 ^{and} 20

Land. Shelly ^{and} Rocky
Soil, 8th rate.

Timber, Dense pine.

Vegetation Bunch grass

North lat sees 17 ^{and} 18

on 12° 31' E

Desert

22.90 Cross Prairie 13 lbs mix 60° N 20° W.
^{and} ascend.

25.50 A Yellow pine. 12 ins diam.

4000 Set a Basalt Rock 30 + 13 + 7 ins
15 ins in the ground for 4 sec

T. 9. N. R. 25 E G & S R M

chs

- cor. marked. '14 on. N face ^{and}
 raised a mound of stone
 along side. Pils impracticable
 69.12 Top of Ridge 90 ft high bears N W
 and S. E.
- 76.40 Yellow pine 11 ins diam
 81.00 Set a Basalt Rock 18+9+7 ins
 12 ins in the ground for. the
 cor. to see's. 7. 8. 17 ^{and} 18. marked
 with 4 notches on S ^{and} 5 notches
 on E edges, ^{and raised a mound of stone along side}
 from which Pils impracticable
- A Yellow pine 13 ins diam bears
 S 23° E. 46 lbs dist marked T. 9
 N. R. 25 E. S. 17 B. T.
- A Yellow pine 10 ins diam bears
 N 38° E. 65 lbs dist. Marked
 T 9 N. R. 25 E. S. 8 B. T.
- A Yellow pine 6 ins diam bears
 S. 36° W. 100 lbs dist
 Marked T. 9 N. R. 25 E. S. 18 B. T.

T. 9. N. R. 25 E. G & S. R. M

als⁶

no other trees within limits
 Sand Sec's 17th & 18th are rolling
 Soil, 8th rate.
 Timber Dense pine.
 Vegetation Bunch grass

East on a random line bet
 sees 8th & 17th.

In 12°.30 E.

Ascend gradually.

- 40.00 Set temp — 1/4 sec cor.
- 51.00 Top of ridge cross N. 20° N. 60ft high ^{and} descend.
- 50.30 Intersect N. ^{and} S line 24 lbs N of cor to sees 8, 9, 16 ^{and} 17.
- Thence down
 N 89°, 6' 0" N on a true line bet sees, 8 ^{and} 17, same ra
- 40.15 Set a Basalt Rock 30 x 16 x 9 ins. 22 ins in the ground for 1/4 sec

T. 9 N. R. 25 E G. & S R M

chs

cor. marked $\frac{1}{4}$ on N face ^{and}
 raised a mound of stone along-
 side. It's impracticable

80.30

Cor to see 7, 8, 17 ^{and} 18

Land, Rolling

Soil 3rd val

Timber, Dense pine

Vegetation, Bunch grass.

G. M. Carson Comptroller
 Nov. 12th 1882.

Set on a random line, bet. see
 7 ^{and} 18.

to 12° 20' E

27.18

Ascend
 Camp
 Cross Apache Road bet. 71308
^{and} S. 30° N.

40.00

Set temp $\frac{1}{4}$ see cor.

T. 9 N. R. 25 E. G & S R M

Chis

- 42.70 Top of Ridge 50 ft high bears N.
30 W. ^{and} descends.
- 76.78 Intersect N Boring ^{TP 4} N. of cor to
secs 7, 12, 13 ^{and} 18. recently
Established by me.
Thence I run
N. 89.54° E on a true line
bet secs. 7 ^{and} 18, same run.
- 36.78 Set a Basalt. Stone. 21 + 11 + 10 in
15 in in the ground for 1/4 sec
cor. marked 1/4 on N face
from which
A White Oak 5 in diam bears
N. 73° E. 20 lbs dist. Marked
1/4 S. B. T.
A Yellow Pine 4 in diam
bears. S. 62° E. 22 lbs dist
Marked 1/4 S. B. T.
- 76.78 Co. bar. to secs 7, 8, 17 ^{and} 18.
Land. Rollins

T. 9 N. R. 25 E G & S R M

chs

Soil. 1st ⁹/₁₆ of 2nd rate
 Timber. Dense pine
 Vegetation, good grass

North Mt sees 7th & 8.

In 12° 80' E

Ascent

5.75

A Yellow pine 10 mis drain

32.11

Top of spur bet's N 30° E ^{and}
 descent

40.00

Set A. Baratt Rock. 20 + 12 + 7¹/₂
 15 mis in' the ground for '14 see
 cor marked '14 on N face.

from which

A Yellow pine 24 mis drain base

S 60° N. 66 lbs dist Marked '14 S.B.T.

A Yellow pine 24 mis drain base

N 84° E. 65 lbs dist Marked

'14 S.B.T.

T. 9. N. R. 25 E G & S R M

chs

- 46.9 ~~and~~ Apache Road. bears N. 80° E
- 67.12 Corral bears E about 7.20 chs
and Spring. South of corral
about 6.00 chs
- 80.00 Set a Basalt. Rock, 15 ft high
10 ins in the ground for the cor
to see 5. 6. 7. ^{and} 8. marked with
5 notches on S ^{and} E edges.
from which.
A White Oak. 28 ins diam bears
N. 14° E. 105 lbs dist.
Marked. T. 9 N. R. 25 E. S. 5 B. T.
- A Yellow pine 36 ins diam bears
S. 55° E 257 lbs dist.
Marked. T. 9 N. R. 25 E. S. 8 B. T.
- A Yellow pine. 20 ins diam bears
S 10° N. 100 lbs dist. Marked
T. 9 N. R. 25 E. S. 7 B. T.
- A Yellow pine 16 ins diam bears
N 12° N. 100 lbs dist. Marked

T. 9 N. R. 25 E. G & S R M

Chⁱ

T. 9 N. R. 25 E. S. 6 B. T.
 Sand. Secs 7th & 8th Hills, ^{and} Rocky
 Soil; 3rd vale.
 Timber. Deciduous
 Vegetation good grass

East on a random line let see's
 5th & 8

to 11° 30' E

Ascend

47.0

^{Camp} Cross Apache Road, cross
 N. 10° E. ^{and} ascend.

32.00

Top of spur 100 ft high cross
 N. 10° S. ^{and} descend

40.00

Set camp - 74 see cor

48.37

Cross Brook 10 lbs more to
 13° E ^{and} ascend.

79.90

Intersect N ^{and} S. Line, 7th
 N of cor to see's 5, 6, 7 ^{and} 8.

T. 9. N. R. 25 E G & S R M

chs

- Thence I run.
- 71 89. 5' W on a true line,
 let sec's 5^{and} 8. same as
- 39.95 Set a Basalt Rock 23 + 14 + 9 mi
 17 mi in the ground for '14 sec
 cor. marked '14 on N. face ^{and}
 raised a mound of stone ^{Pls impractical} along side
- 79.90 To cor to sec's 5: 6. 7 ^{and} 8.
 Land'. See 5 is rolling ^{and} Rocky
 Soil, 3rd zone
 Timber, Dense pine

West on a random line let
 sec's 6 ^{and} 7.
 Va 10° 30' E

- 25.19 Cross mark 13 lbs wide by 21
 15° N ^{and} ascent.
- 40.00 Set temp - '14 sec cor.
- 63.00 Cross Top of round peak

T. 9 N. R. 25 E G & S R M

Chs

100 ft high ^{and} descend.

76.35

Intersect N Boundary ^{of} 4 lksN of cor to sec's 1, 6, 7 ^{and} 12, recently
established by me.

Thence Drive

N 89° 56' E on a true line to sec's

6 ^{and} 7, same as

39.35

Set a Basalt Stone 21 + 10 + 4 in

15' inside ground for 1/4 sec

cor marked 1/4 on N face,

^{and} raised a mound of stone

along side. Pls impracticable

76.35

To cor to sec's 5, 6, 7 ^{and} 8.Land. Broken ^{and} RockySoil, 3rd rate.

Timber. Dense Pine.

T. 9 N. R. 25 E G & S R M

OK's

Went on a random line bet.
secs 5^{and} 6.

Variation 11° 30' E.

Descrip't.

40.00 Set temp $\frac{1}{4}$ sec cor.

53.00 Cross Ravine 9 lks. west of N
17° E ^{and} continue directly

79.72 Intersect N Boundary. 32 lks
E of cor to secs 5, 6, 31 ^{and} 32.
Thence I run,

S 0° 14' E. on a true line bet.
secs 5^{and} 6 same ra'

39.72 Set a Basalt Rock 24 + 17 + 4
nis, 18 nis in the ground for $\frac{1}{4}$
sec. marked $\frac{1}{4}$ on N face.
^{and} raised a mound of stone
alongside. Pls impracticable

79.72 To con. to secs 5, 6, 7 ^{and} 8.
Land: Broken ^{and} Rocky
Soil; 3rd rate.

T. 9 N. R. 25 E G & S R M

Timber; Dense Pine
Vegetation, Good grass.
I carefully examined the
adjustments of my solar compass
today. Particularity the
latitude and reversing operation,
and found them correct.
G. M. Carson. Compa. as above
Nov. 2nd 1882.

General Description

This township is mountainous covered with yellow pine, sugar pine, Spruce fir, aspen and cedar.

There are numerous small springs in the southern part

The northern part has scattering Juniper and a few yellow pine, It also has several ranches with good grazing. Soil - Rock in some places

Arrang. 8th rule

B. H. Wilhelm has a cabin and other improvements in sec. 9. Value about

\$2500.00

FOR FINAL CATHS
SEE BOOK NO. 18.

U. S. Surveyor General's Office,

Tucson, Arizona, November 10, 1883,

The foregoing Field Notes of the Survey of the

Subdivision Line of
Township 9 North
Range 25 East

Of the Gila and Salt River Base and Meridian, Arizona, executed by

A. P. Johnson

Deputy Surveyor, under his contract of the

17th

day of

July

, 1883, having been

critically examined and the necessary corrections and explanations made, the said Field Notes and the surveys they describe

are hereby approved

J. W. Robbins

Surveyor General.