

No-87

# Field Notes

OF THE SURVEY OF THE

*SUBDIVISION LINES*

-OF-

Township 9 N Range 26 E

Gila and Salt River Base and Meridian

**ARIZONA.**

By *A. P. Johnson* D. S.

under contract dated *June 8* 1882

Survey commenced *Sept. 25* 1882

Survey completed *Sept 30* 1882

No-87

87

## BOOK 87

## INDEX DIAGRAM.

Township 9 N.  
 Range R 26 E.

6	117.	5	86	4	66.	3	43.	2	22.	1
117		115		84		64.		41.		20
7	113.	8	83	9	23.	10	40.	11	19.	12
111.		110		82.		61.		38		16.
18	108.	17	81.	16	58.	15	37.	14	15.	13
105		104.		79.		56		35		12
19	101.	20	76.	21	54.	22	33.	23	10.	24
100		98.		74		52.		31		8
30	95	29	72.	28	50.	27	29.	26	6	25
93.		91.		70.		48		27.		4
31	88	32	68.	33	45	34	24.	35	1	36

Gila and Salt River, Arizona.

No-87

Field Notes  
2<sup>th</sup>  
Subdivision

of  
T. 9 N. R. 26 E.  
S. 1. R. W.



Sg. Cr. R 26 E - G. S. R. M.

Survey commenced  
Sept. 25 - 1882

In making this  
survey I used Burt's  
Patent Improved Solar  
Compass - Nearly new  
and in first rate order.  
Made by Otto Fimmel of  
Basel Germany in  
1881

From the bar to box  
1-2-35+36 which is a  
post 4 in sq. set in mound  
of earth, marked S. C. Sg. Cr.  
26 on N. S 36 on E + S 35 on the  
faces with 1 notch on E +  
5 notches on the faces +  
with pits N, W, + S ✓



L. 90. B. 26 E. G. S. R. K.

Chains

of post  $5\frac{1}{2}$  ft. dia.

Run north hls Decs 35736  
to  $10^{\circ}18'E$ .

Decend.

40.00 Set a basalt stone  $18 \times 10$   
by 6 ins 14 ins in the  
ground for  $\frac{1}{4}$  sec. Cor-  
marked  $\frac{1}{4}$  S on W face  
and raised a mound  
of stone alongside  
It is impracticable.

65.53 Cross wash 10 lbs wide  
Course  $N 30^{\circ} E$  + ascend

80.00 Set a basalt stone  
 $26 \times 10 \times 9$  ins 20 ins in  
the ground for Cor to  
Decs 25-26-35+36  
marked with 1 notch ✓

S. 9 A. Co. 26. E. S. & R. Co. No.

Chain.

on S +, notch on E edge  
and raised a mound of  
stone alongside, Pit impracticable  
from which

a pine 18 ins diam has  
N 19° E. 88 lbs dist, marked  
S 9 N R 26 E Δ 25 B.S.

a pine 16 ins diam has Δ 48° E.  
33 lbs dist, marked S 9 N R 26 E  
Δ 36 B.S.

a pine 20 ins diam has Δ 50° W  
16 lbs dist, marked S 9 N R 26 E Δ 35 B.S.

a pine 26 ins diam has N 67° W 08 lbs  
dist, marked S 9 N R 26 E Δ 26 B.S.

Band rolling

Soil 32 rat f

Timber Pine & spruce

Vegetation Bunchgrass ✓

S. 9. N. R. 26 E. Hand S. R. N.

Shannon

East on a road on line  
bet. Secs 25 + 36

bearing  $110^{\circ} 30' E$

Descend

12.00 x Cross wash 12 lbs wide

course  $N 27^{\circ} E$ . + ascend

40.00 Set a temporary  $\frac{1}{4}$  sec Cor.

79.75 Intersect E By of Sp. 18 lbs.  
S of box to Secs. 25-30-31 + 36

which is a basalt stone

18 x 9 x 7 ins - set firmly in the  
ground worked with, notch  
on S + S - notches on N edges -

+ mound of stone alongside -

+ bearing trees S  $47^{\circ} E$

+  $N 45^{\circ} W$  properly  
marked ✓



Lg. P. 26 E. S. rd. P. 16.

Chassis

from which Cor I run -  
 S 49 5-2' W on a true line  
 bet. lines 25+36

to 11° 30' E.

3987 Set a basalt stone 19 x 12 x  
 7 in 14 in in the ground  
 for 1/4 sec Cor marked 1/4 S  
 on the face, and raised a  
 mound of stone alongside  
 Pits unreflectable

7973 The Cor to lines 25-26-35+36  
 to and rolling

Soil 3<sup>rd</sup> rate.

Timber scattering Pine

Vegetation Bushes, grass

---

✓

S. 9th R. 26 E. T. 1. R. No.

Chassis

North hbr. Sec 25 + 26 -

ba 110 30' E.

ascend -

6,000 Top of spur hbr E + W  
+ descend -

23-37 a pine 15' in diam.

31,500 Cross wash 14 lbs wide  
Course N 87° E + ascend

40,000 hit a basalt stone 14x8  
x 7 in 10 in in the ground  
for 1/4 sec low marked  
1/4 on W face + raised  
a mound of stone  
along side, Pits intractable -  
from which -  
yellow pine 20 in diam hbr -  
S 65° E - 14 lbs dib. marked  
1/4 S.B.S.

a yellow pine 14 in diam ✓

L. G. A. B. 26 E. S. + S. B. N. 6.

Chassis

- 7965-  
8000
- brs  $\Delta 17.76$  - 76 lbs diet,  
marked  $\frac{1}{4}$  S. B. -
- Yellow pine 20 in diam - on line,  
hit a basalt stone  $16 \times 4 \times 4$  in  
12 in in the ground for Cor to  
bees 23-24-25+26 - marked  
with 2 notches on S + 1 notch  
on E edges - and raised a  
mound of stone alongside  
Pits unpracticable,  
from which -
- a yellow pine 16 in diam brs  $\Delta 17.76$   
5 lbs diet, marked  $\frac{1}{4}$  R 26 E S 24 B5
- a yellow pine 10 in diam brs  $\Delta 6.50$  E  
4 lbs diet, marked  $\frac{1}{4}$  R 26 E S 25 B5
- a yellow pine 16 in diam brs  $\Delta 17.76$  5 lbs  
diet marked  $\frac{1}{4}$  R 26 E S 26 B5
- a yellow pine 12 in diam brs  $\Delta 12.50$  5 lbs  
diet marked  $\frac{1}{4}$  R 26 E, S 23 B. S.



L. G. C. R. 26 E. S. 1. R. 16.

Shawis

Band rolling

Soil. s<sup>2</sup> rath

Timber pine & cedar.

vegetation Bunchgrass

---

East on a random line  
bet. Secs 24 & 25

ba - 11° 53' E.

Descend - gradually

40.00

Set a temporary  $\frac{1}{4}$  Sec Cor.

40.03

Intersect E boundary  
of Sp- & lks N of cor to  
Secs 19-24-25 & 30 which  
is a basalt stone 18x10x

9 in set firmly in the ground  
marked with 2 notches on S  
& 4 notches on N edges - a  
mound of stone alongside

S. of C. R. 26, E. S. 1, R. 16.

Chassis

+ bearing trees in each  
Sec. properly marked -

from which Cor Down -  
N 89° 57' W on a true line  
bet. Secs - 24 + 25 -

to 11° 50' E.

4001 Set a basalt stone 18 x 13 x  
10 ins 14 ins in the ground  
for 1/4 Sec Cor, marked 1/4 S  
on N face, and raised a  
mound of stone along side  
Pits impracticable.

4003 The Cor to Secs - 23-24-25-  
26 -

band rolling

Soil 3<sup>rd</sup> rate

Timber Pine scattering ✓

S. G. R. 26 E. G. & S. R. No.

Chassis

Vegetation Bushgrass

North bet. Secs 23 + 24

ba.  $110^{\circ} 53' E$ ,

ascend -

40.00

hit a basalt stone  
 $16 \times 11 \times 9$  ins 12 ins in the  
 ground for  $\frac{1}{4}$  Sec Cor.  
 marked  $\frac{1}{4}$  S on W face  
 and raised a mound  
 of stone alongside. Pits  
 impracticable

48.27

Top of ridge bet -  $N 67^{\circ} W +$   
 $S 67^{\circ} E +$  descend -

50.00

hit a foot 4 ft. long  
 $4$  ins sq with marked  
 stone 12 ins in the ground



S. of A. B. 26 E. S. 1 + S. R. 26 E.

chains

for Cor to bees 13-14-23+24  
marked with 3 notches on  
S & 1 notch on E edges -  
+ 597. D 13 on N.E.  
R 26 E. S 24 on S E,  
+ S 23 on S W + S 14 on N W  
faces. Dry pits 18x18x12  
ins in each bee, 5-1/2 ft.  
diam. and raised a mound  
of earth 2 1/2 ft. high 4 1/2 ft.  
base around post, from  
which

A yellow pine 14 ins diam has  
N 71° E. 59 lbs dirt marked  
597. R 26 E. S 13 B.S.

A yellow pine 56 ins diam has  
S 30° E 54 lbs dirt marked 597  
R 26 E S 24 B.S.

A yellow pine 28 ins diam ✓

L. G. A. Co. 26 E. S. + S. R. No.

Chairis

brs S 47° W - 124 lbs dist. marked

S 9° N - R 26 E. S 23 B 5-

a yellow pine 25' mid rain brs-

N 20° W 177 lbs dist marked

S 9° N - R 26 E. S 14 B 5.

Soil and rolled

Soil 2<sup>d</sup> rate

Timber Pine

Vegetation Bunchgrass

---

East on a random line

bet. brs - 13 + 24

brs 120 41' E.

Descent

11, 11

Cross wash 17 lbs wide

Course N 37° W + ascent

31, 20

Top of ridge brs - N + descent

L. 904. Co. 26. E. Gr. Co. Mo.

Chaise.

40.00 Set a temporary  $\frac{1}{4}$  Sec. Cor.

71.60 Cross mark corner  $\frac{1}{4}$  Sec.  $20^{\circ}$  E  
+ ascend.

80.12 Intersect E. boundary of  
Sp 2 & lks  $\frac{1}{4}$  of Cor to Sec  
13-14-19 + 24 which is a  
basalt stone  $24 \times 22 \times 6$  ins  
set firmly in the ground  
marked with 3 notches on  
 $\frac{1}{4}$  + S edges - mound of stone  
along side - with bearing ties  
in each Sec. properly  
marked.

from which Cor. Down  
to 89048' W on a true  
line bet. Secs 13 + 24

to 12041' E ✓

S. G. Ch. R. 26 E. S. 1. d. R. 16.

Chavis

40,06 Set a basalt stone 1879  
 + 7 ins 14 ins in the ground  
 for  $\frac{1}{4}$ " sec cor, marked  $\frac{1}{4}$ " S  
 on the face + raised a  
 mound of stone along side  
 Pits impracticable  
 from which -  
 A yellow pine 14 ins diam has  
 N 45° E 21 lbs dist. marked  $\frac{1}{4}$ " S.B.S.  
 A yellow pine 10 ins diam has S 28° E  
 11 lbs dist. marked  $\frac{1}{4}$ " S.B.S.

80,12 The Cor to Secs 10-14-23  
 + 24 -

Round rolling  
 soil 3<sup>d</sup> rate

Timber Pine

Vegetation Bunchgrass ✓



To H. B. 26. E. G. + S. P. H.

Chassis

North lat. Decs 13 + 14

to 12041' E

Decend.

40.00

Set a basalt stone 16 x 10 x

4 ins 12 ins in the ground  
for  $\frac{1}{4}$  Dec cor. marked  $\frac{1}{4}$  S on  
the face + raised a mound  
of stone alongside, Pits impracticable  
from which

A pine 8 ins drain bro 8 x 2 80 lbs  
dia. marked  $\frac{1}{4}$  S, B, S.

A pine 8 ins drain bro 8 x 7 80 lbs  
dia. marked  $\frac{1}{4}$  S, B, S.

73.90

Cross wash 10 lbs wide  
course N 70° E + ascend

74.40

Cross road course N 80° W.

80.00

Set a basalt stone

15 x 10 x 3 ins 14 ins in the

✓

L. G. C. 26. E. G. + S. R. K.

Schaum

ground for Corbo Decs 11-12  
 13 + 14 marked with 4  
 notches on S + 1 notch  
 on E edge - raised  
 a mound of stone alongside  
 Pits impracticable  
 hard rocky in Northern  
 with some good bottom  
 land in south -

Soil 12 + 13 rates.

Timber pine

vegetation Bunchgrass

East on a road on line bet.  
 Decs 12 + 13.

to 130° 18' E.

Decs 12 + 13.

L. G. A. R. 26. E. S. + S. B. N.

Chaussé

- 27.80 Cross wash 10 lbs wide, Corner  
 N 27 E + ascend -
- 33.50 Cross road Corner S 70° W.
- 35.76 Cross road corner N W.
- 40.00 Dit a temporary 1/4 Sec Cor.
- 40.21 Divergent E. boundary of Sp.  
 20 lbs N of Cor to Sec - 17-12-13+18  
 which is a basalt stone  
 16 x 7 x 5 ins firmly set in the  
 ground marked with 2 notches  
 on N + 4 notches on S edges -  
 and a mound of stone  
 along side

from which Cor Down  
 N 89° 47' W on a true line ✓

L. G. P. 26<sup>o</sup> G. + S. R. N.

Chamni

bet. Secs - 12 + 13 -

to 13° 18' 2.

40, 10

hit a basalt stone  
18 x 10 x 9 ins 14 ins in  
the ground for 1/4 Sec Cor  
marked 1/4 S on N face  
+ raised a mound of  
stone along side - Pts - impracticable  
from which

a pine 10 ins diam bro S 15° E

70 lbs dist. marked 1/4 S B 5

80, 21

The Cor. to Secs 11-12-13 + 14 -

to and rocky -

soil 2<sup>nd</sup> rate

Timber pine

vegetation Birchgrass ✓



L. C. R. 26. E. S. + S. R. 16.

Chain.

North bet. Secs 11 + 12

va 13° 18' E.

Descend gradually.

40.00 hit a basalt stone 25 x 16

x 8 ins 16 ins in the

ground for  $\frac{1}{4}$  Sec con-

marked  $\frac{1}{4}$  S on W face, Dig

pits 15 x 15 x 12 ins N + S off

stone  $5\frac{1}{2}$  ft. dia. and

raised a mound of earth

$1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base

along side.

40.00 hit a basalt stone 13 x 12

x 9 ins 10 ins in the ground

for Cor to Secs 1-2-11 + 12-

marked with 5 notches on

S + 1 notch on E edges-

+ raised a mound of stone ✓

S. A. R. 26. E. S. + S. R. N.

Chamie

alongside, Pits impracticable  
 to rolling  
 Soil 2 → 2 ft  
 Vegetation Bunchgrass  
 Sep 25 - 1882

---

East on road on line  
 bet. Secs 1 + 2  
 on 100 15' E.

7.25 Descend gradually,  
 Cross wash 25 lbs wide  
 C N + ascend

33.30 Top of spur. hrs N + descend

40.00 Hit a temporary 1/4 Sec Cor.

45.88 Cross wash 3 lbs wide

Course N W + ascend

57.00 Top of spur hrs - N → ✓

S. 9. 76. P. 26 E. G. S. C. M.

Shanis

descend -

74.05 - Cross wash 15 lbs wide  
course N. W. + ascend -

80.12 - Intersect E boundary of  
Tp 46 lbs N of cor to this  
1-6-7 + 12 which is a  
basalt stone 16 x 12 x 8 ins  
set firmly in the ground  
marked with 1 notch on  
N + 5 notches on S edges  
+ a mound of stone  
along side

from which cor O run  
N 89° 40' W on a true line  
bet. Decs. 1 + 12,

to 13° 15' E ✓

L. G. A. B. 26. E. G. & S. B. M.

Schwarz

40,06 Hit a basalt stone  $18 \times 12 \times$   
 $5$  ins  $12$  ins in the ground  
 for  $1/4$  sec cor, marked  $1/4$   
 W on N face, Dry pit  
 $18 \times 18 \times 12$  ins E + W of stone  
 $5 \frac{1}{2}$  ft. dia. and raised a  
 mound of earth  $1 \frac{1}{2}$  ft.  
 high  $5 \frac{1}{2}$  ft. base alongside

80,12 The cor to Dec - 1-2 -  $11 \times 12$   
 sand rocky - rough -  
 soil 2<sup>nd</sup> rate  
 vegetation Bunchgrass

North on a random line  
 bet. Decs 1 + 2

to  $150^{\circ} 15' E$ ,

ascend



L. G. C. 26 E. L. + S. R. M.

Observations

40.00 Set a temporary  $\frac{1}{4}$  Sec Cor.  
 79.40 Intersect  $\frac{1}{4}$  boundary of  
 Sp 20 lks w of Cor to Sec -  
 1-2-35+36 - which  
 is a basalt stone 18x15x9  
 ins set firmly in the ground  
 marked with 1 notch on  
 E + 5 notches on the  
 edges - + mounds  
 of stone  
 alongside



from which Cor I run -  
 W - 47' S on a true line  
 bet. Secs - 1 + 2 -

to 15° 15' E

L. G. A. R. 26. E. G. + J. R. K.

Schwan's

39,40

Set a basalt stone  
 $17 \times 9 \times 7$  ins  $12$  ins in the  
 ground for  $\frac{1}{4}$  sec cor.  
 marked  $\frac{1}{4}$  S on W face,  
 Ring pits  $18 \times 18 \times 12$  ins  
 N + S of stone  $5\frac{1}{2}$  ft. dia,  
 and raised a mound of  
 earth  $1\frac{1}{2}$  ft. high  $5\frac{1}{2}$   
 ft. base along side

79,40

Sec cor to Decs 1-2-11+12-

Soil rocky

Soil  $2 \rightarrow$  fat

Vegetation Bunchgrass

From the cor. to  
 Decs - 2-3-35+34 which  
 is a post 4 ins sq set ✓

L. 9th. Co. 26. E. S. + D. B. K.

Chassis

with pits in each side  
in a mound of earth, marked  
D. C. 59 N. R. 26 E on N 335 - on E  
+ S 34 on W faces with 2  
notches on E + 4 notches  
on W edges + bearing lines, N E  
+ S. W. properly marked

I run N. bet. lines 34 + 35 -

to 120.34' E

Descend.

36.45 Cross walk 40 lbs wide  
Course W + ascend.

40.00 Hit a post 3 ft. long  
4 ins sq with marked  
slant 12 ins in the  
ground for  $\frac{1}{4}$  sec Cor.  
marked  $\frac{1}{4}$  S on  
N face, and raised a

L. G. C. R. 26. E. G. S. R. M.

Lebanon

mound of stone alongside  
Pit impracticable, from  
which

a yellow pine 40 mis diam  
has N 46 W - 174 lbs dist,  
marked  $\frac{1}{4}$  S. B. 5.

80,00

Set a basalt stone 16 x 10 x  
4 mis 12 mis in the ground  
for Cor to Dec 26-27-3.4835  
marked with 1 notch  
on S + 2 notches on E  
edges + raised a mound  
of stone alongside Pit  
impracticable, from which  
a spruce 5 mis diam has  
N 25° E 41 lbs dist, marked  
59 N. R 26 E. S 26 B 5  
a pine 10 mis diam has  
S 9° E. 6 lbs dist marked ✓



Sgt. R. 26 E. S. 35- B. S.

Chains

Sgt. R. 26 E. S. 35- B. S.

A yellow pine 4 mis diam hrs -  
S 76° W 14 lbs dist - marked

Sgt. R. 26 E. S. 34. B. S.

A spruce 7 2 mis diam hrs N 55° W  
97 lbs dist, marked Sgt. R. 26  
E. S. 27 B. S.

Band rocky.

Soil 2<sup>nd</sup> rate

Timber Pine, Spruce + Fir

Vegetation Bushy grass ✓

East on a random line  
bet. Secs - 24 + 35 -

On 120 45-1 E.

Over rolling land -

40.00 dit a temporary 1/4 Sec ✓

L. 9. C. B. 26 E. S. + S. B. K.

Shawnee

Cor,

47.30 Top of round peak 500 ft.  
high + descend

80.70 Intercept N + S line 27  
lbs N of Cor to Secs  
25 - 26 - 35 + 34 - from  
which Cor I run -

N 89° 50' W on a true  
line bet. Secs - 26 + 35 -  
to 12045' E.

40.35- Set a basalt stone 18 x  
11 x 5 ins 12 ins in the  
ground for 1/4 Sec Cor.  
Marked 1/4 S on N face  
and raised a mound  
of stone alongside -  
Pts impracticable

80.70 The Cor to Secs 26-27-34 + 35 ✓

L. G. C. R. 26. E. G. S. R. No.

Chassis

Band rocky,  
soil 2<sup>nd</sup> lit  
Timber Pine + Spruce  
vegetation, Bunchgrass

North lat. Dec 26 + 27,  
ba 12045' E,

Ascend gradually

9,000 Top of spur W. - N 5-8° W + descend

40,000 hit a basalt stone 20 x 9 x 6

ins 15 ins in the ground

for 1/4 sec. Cor, marked

1/4 down W face + raised

a mound of stone alongside

Pit impracticable, from which

a pine 8 ins diam br N 21 E 20 lbs

dist - marked 1/4 S. B. 5



S. 9. A. B. 26. E. S. + S. B. 16.

Schauis

An aspen 11 mis drain  
has N 70° W 50 lbs dist  
marked 1/4 S. B. 5.

80.00 hit a basalt stone 15 x 12 x  
4 mis 14 mis in the ground  
for car to Decs 22-23-26 + 27  
marked with 2 notches  
on S + 2 notches on E  
edges + raised a mound  
of stone alongside, Pits  
impracticable, from which  
a pine 10 mis drain has N 32° E  
14 lbs dist marked 59 N. R. 26 E  
S 20 B 5-

An aspen 11 mis drain has S 85° E  
85 lbs dist marked 59 N. R. 26 E  
S 26 B. 5

a pine 15 mis drain has S 35° W



Sq. R. 26 E. T. & S. B. M.

Observations

11 lbs dist. marked Sq. R. 26 E  
S 27. B S

A pine & spruce drain has N 11° W.  
44 lbs dist. marked Sq. R. 26 E  
S 22. B. S.

Sand rolling, rocky,

Soil  $\rightarrow$  silt,

Timber, Pine Fir, Aspen & Spruce

Vegetation Bunchgrass

East on a random line bet.  
lines 23 & 24

to 16° 48' E.

ascend -

15.10

Top of spruce has N + S +

descend -

40.00

Set a temporary  $\frac{1}{4}$  line

L. G. R. 26, E. G. & S. R. H.

Shani

Cor -

40,20 Interval N + S line 40 lbs

N of cor to Secs 23-24-25 + 26  
from which cor. I run -  
N 89° 40' W. on a true line  
bet. Secs - 23 + 26

to 16° 48' E.

40,10

ditto basalt stone -

20 x 11 x 4 ins - 15 ins in the  
ground for 1/4 sec cor -

marked 1/4 S on N face -  
+ raised a mound of stone  
along side, pits impracticable  
from which -

a pine 10 ins diam has N 12° E  
40 lbs dist. marked 1/4 S. B. S.

a pine 12 ins diam has N 85° E  
59 lbs dist. marked 1/4 S. B. S. ✓

S. G. C. 20. S. G. + S. B. K.

Chavis

40.20 She Cor. to Dec. 22-23-26 & 27,  
 Sand rolling,  
 Soil 3<sup>2</sup> - rath,  
 Timber Pine  
 Vegetation Bunchgrass

Youth bet. Dec. 22 & 23 -

ba 16048' 2,

40.00 Set a post 3 ft. long 4 ins  
 sq. with marked side  
 12 ins in the ground for 1/4 Dec  
 Cor. marked 1/4 on W face,  
 Dry pits 18 x 18 x 12 ins UFD  
 of post 5 1/2 ft. dist. and  
 raised a mound of earth  
 1 1/2 ft. high 5 1/2 ft. base  
 alongside

L. G. C. P. 26. E. S. + S. B. M.

Schavis.

80.00 Set a basalt stone 30 x 24  
 x 12 ins 20 ins in the ground  
 for Cor to bees - 14-15 - 22 x 23  
 marked with 3 notches  
 on S + 2 notches on E  
 edges + raised a mound  
 of stone alongside, Pits  
 unpracticable, from which  
 A yellow pine 9 median bro 11.0 E  
 7 lbs dist marked Sg N. R 26 E S 14 B S  
 A yellow pine 10 median bro 16.0 E 26  
 lbs dist, marked Sg N. R 26 E, S 23, B S  
 A yellow pine 11 median bro 16.0 W 9 lbs  
 dist, marked Sg N. R 26 E, S 22 B S.  
 A yellow pine 7 median bro 14.0 W 9 lbs  
 dist, marked Sg N. R 26 E S 15. B. S.

Land rolling  
 Soil 3° rate ✓



S. 9. A. R. 26 E. G. + S. R. 10.

Lehavis

Timber Pine  
Vegetation, Bushy grass

East on a random line bet.  
Dees 14 + 23.

to  $15^{\circ} 42' E$ ,

ascend -

10,30 Top of spur. bet  $N 30^{\circ} W$  + descend

20,00 Cross wash 14 lbs wide course

$N W$  + ascend -

40,00 Hit a temporary  $\frac{1}{4}$  Sec Cor.

42,60 Top of ridge bet -  $N 27^{\circ} W$  +  
descend -

40,40 Intersect  $N$  + S line 34 lbs -

$N$  of Cor to Dees - 14 - 15 - 22 + 23 -

from which Cor I run  
 $N 89^{\circ} 45' W$  - on a true line

S. 9. S. R. 26. E. 1. S. R. 16.

Shannon

bet. Secs - 14 & 23 -

to 15° 42' E,

40.20

A yellow pine - marked  
in place for  $\frac{1}{4}$  Sec Cor,  $\frac{1}{4}$  S  
on the side - from which  
a yellow pine 9 mis. diam has  
N 72° E 5-1 lks dist marked  
 $\frac{1}{4}$  S. B. B.

A yellow pine 10 mis. diam has  
S 35° W. 15 lks dist marked  $\frac{1}{4}$  S. B. B.

80.40

The Cor to Secs - 14 - 15 - 22 & 23.

to and rolling

soil 3<sup>d</sup> rate ✓

Vegetation Bushy grass -  
Siberian Pine. ✓

L. G. A. C. 26 E. G. + S. C. H.

Chaise

YOUTH bet. Secs 14 + 15 -  
 via 15° 42' E.

Descend -

40.00

Set a basalt stone 18 x 10 x 8  
 into 12 ins into the ground for  
 1/4 sec cor. + marked 1/4 S  
 on the face + raised a mound  
 of stone alongside - Pit  
 impracticable - from which  
 a pin - 18 ins diam hrs - N 20° E.  
 17 lbs dist. marked 1/4 S. B. S.

42.05

Cross wash 70 ft. wide, course  
 N. W. + ascend -

46.60

Top of spur hrs - N. W. + ascend -

70.80

Cross wash hrs N. W. + ascend -

80.00

Set a basalt stone 26 x 18 x  
 4 ins 20 ins into the ground for  
 Cor to Secs - 10 - 11 + 14 + 15 -  
 marked with 2 nails

L. G. A. C. 26. E. G. + J. C. M.

Chains

on 2 + 4 notches on S-  
edges + raised a mound  
of blaine along side -  
This impracticable -  
Sand rocky -  
Soil 2<sup>nd</sup> refer -  
Timber, Pine -  
Vegetation Bunchgrass -  

---

East on a road on line  
bet. Secs - 11 + 14

to 14° 18' E,

ascend -

30.00 Top of ridge bet N 20° E +  
descend -

40.00 hit a temporary 1/4 Sec -  
Cor. - ✓



S. G. R. 26. E. S. & S. R. 16.

Observations

6662 Cross road hrs  $N 50^{\circ} W$ .  
 79.90 Intersect  $N + S$  line 21 lbs  
 $N$  of cor to sees 11-12-13+14 -  
 from which cor. I run -  
 $N 89^{\circ} 51' W$  on a true line  
 bet. sees - 11+14 -  
 to 14018' E.

59.95 Set a basalt stone  $14 \times 12$   
 $\times 4$  ins 10 ins in the ground  
 for  $\frac{1}{4}$  sec cor. marked  $\frac{1}{4}$  S on  
 $N$  face + raised a mound  
 of stone alongside -  
 Pits impracticable.

79.90 Dye cor. by sees - 10-11-14+15 -  
 I carefully examined the  
 adjustments of my solar  
 compass - particularly the  
 latitude + reversing apparatus  
 and found them correct  
 Sept. 26-1882

to and rolling - Soil 2 3 water -  
 veg station; buried sees +

## L. G. C. 26 E. G. S. C. M.

Chamie

At the but, Secs 10 &amp; 11

Twp 140 18' E

Ascend -

2180 Cross road hrs N 20° W,

4000 Set a basalt stone 14 x 12 x

4 ins 10 ins in the ground  
for 1/4 Sec Cor, marked 1/4 S  
on W face + raised a  
mound of stone alongside  
Pile impracticable.

5100 Side of Butte. descend -  
to cor - -8000 Set a post 4 ft. long 4 ins  
sq. with marked stone 12  
ins in the ground for cor -  
to Secs - 2 - 3 - 10 & 11 -

marked 39 N, S 2 on N, E,  
R 26 E, S 11 on S E, S 10 on

S W + S 3 on N, W faces - ✓

L. G. A. P. 26. E. G. + S. R. K.

Chassis

and 5 - notches on d + 2  
 notches on E edges - Dry  
 pits 18 x 18 x 12 ins in each  
 Dec 5 1/2 ft. dia, & raised  
 a mound of earth 2 ft.  
 high 4 1/2 ft. base, around  
 post, from which -  
 A yellow fish 18 ins. diam brot 640<sup>2</sup>  
 180 lbs dia. marked 59 U R  
 26 E d 2 - B B,

Band rough + rocky,  
 Soil 2<sup>2</sup> date

Timber Pine -

Vegetation Bunchgrass

East on a random line  
 bet. Dec 2 + 11

va 140 20'2

L. G. R. 26. E. G. J. R. M.

Chamie

Descend -

40,00 Set a temporary  $\frac{1}{4}$  sec. cor.

40,32 Intersect  $N + S$  line 25-

lbs  $N$  of cor to Secs 1-2-11+12  
from which cor. I run  
 $N 89.49' W$  on a true line  
bet. Secs - 2+11

$\text{ba } 140' 20' E,$

40,16 Set a basalt stone  $19 \times 11$

$\times 6$  ins  $14$  ins in the

ground for  $\frac{1}{4}$  sec cor -

marked  $\frac{1}{4}$  S on  $N$  face -

and raised a mound of

stone alongside, Pite

impracticable, from which

a yellow pine 10 ins  $\text{I}$  run

has -  $S 52^\circ E$ , 56 lbs dist -

marked  $\frac{1}{4}$  S. B. S. ✓



L. G. C. P. 26. E. G. S. P. C. M.

Shawnee

80.32 The Cor to Sec. - 2-3-10+11-  
 Road rough & broken  
 Soil 3<sup>rd</sup> rate  
 vegetation Bunchgrass -  
 Timber - Pine

---

North on a random line bet.  
 Secs 2 + 3 -

to 14° 20' E.

Descend gradually,  
 21.50 Cross road bet. N. E. -  
 40.00 Hit a temporary 1/4 Sec Cor.  
 79.20 Intersect N. boundary  
 of Twp - 39 ths - W of Cor  
 to Secs - 2-3-34+35 -  
 which is a basalt  
 slope 15 x 12 x 7 ins ✓



Sgt. P. 26. E. S. S. B. W.

Chamni.

set firmly in the ground  
marked with 2 notches  
+ 4 notches on the  
edges with a mound  
of stone alongside

from which Cor - Dru  
S. - 45° N on a true line  
but, des. 2-3 - Var. 140° 20' E.

39.30 hit a basalt stone 22 x 7 x  
6 ins - 16 ins in the ground  
for 1/4 des cor. marked 1/4 S  
on the face + raised a  
mound of stone alongside  
Pits impracticable

79.30 The Cor to des. 2-3-10+11  
Band rolling  
Soil 3<sup>2</sup> rate ✓

L. 94. R. 26 E. S. 4. S. R. 16

Chamie

Vegetation, Burley grass

From the Cor to Secs 3-4-  
33 + 34 which is a post  
4 mi sq. with marked, stone  
marked D. C. 59 N. R. 26 E. with  
D 34 on E + D 33 on W faces  
+ 3 notches on E + Wedges  
- mounds <sup>around post</sup> 0.5 ft. in each sec 1/2  
ft. dist. with bearing lines  
N. E + N. W. properly  
marked

I run north bet. Secs -  
33 + 34

by 110° 40' E,

D sec -

L. G. A. B. 26. E. G. & S. R. M.

Lehman.

40,00

Set a post 3 ft. long 3 ins  
sq - with marked at  
12 ins in the ground -  
for  $\frac{1}{4}$  sec cor. marked  $\frac{1}{4}$   
on W face - Dig pits  
18 x 18 x 12 ins N & S of post  
5  $\frac{1}{2}$  ft. dist. and raised  
a mound of earth 1  $\frac{1}{2}$   
ft. high 3  $\frac{1}{2}$  ft. base  
around post - from which  
a yellow pine 20 ins diam  
has S 45° E. 70 lbs dist marked  
 $\frac{1}{4}$  S. B. 5.

A yellow pine 18 ins diam  
has N 75° W 125 lbs dist. marked  
 $\frac{1}{4}$  S. B. 5

80,00

Set a post 4 ft. long 4 ins  
sq - with marked at

L. 9th. R. 26. E. H. + S. R. 16

Chassis

12 ins in the ground for con to  
decs 27-28-33 + 34 - marked

S 9 N S 27 on N. E.

R 26 E. S 34 on S E

S 33 on S W + S 25 on N W

faces - with 1 moleth on S  
+ 3 moleth on E edges -

Dug pits 18 x 18 x 12 ins in each  
dec. 5 1/2 ft. dist. + raised a  
mound of earth 2 ft. high  
4 1/2 ft. base around foot -  
from which -

A pine 18 ins diam has N 72° E 66  
lbs dist. marked S 9 N. R 26 E. S  
27 B 5.

A pine 12 ins diam, has S 50° E 69 lbs  
dist. marked S 9 N. R 26 E. S 34 B 5.

A pine 14 ins diam has S 50° W 96  
lbs dist. marked S 9 N. R 26 E S 33 B 5.



L. G. N. Co. 26 E. G. & S. B. M.

Chassis

A pine 12 in dia 2 in dia N 39° W  
70 lbs dia, marked 59 N R 26 E  
S 28 B.S.

Band rolling

Soil 2<sup>nd</sup> rate

Timber heavy, Pine & Spruce

Fur + c.

Vegetation Bunchgrass

East on a random line  
bet. dies - 27 + 34 -

to 11016' E,

Over rolling land -

34.60 cross walk 40 lbs wide

Course N + ascend.

40.00 Set a temporary 1/4 dia  
car -

80.70 Subsequent N + S line



L. G. A. B. 26. E. I. & J. B. M.

Behrens

28 lbs N of Cor to Secs 26-27  
34 + 35 - from which Cor -  
I run

N 89° 48' W on a true line  
bet. Secs 27 + 34,  
by 11° 16' E

40,35 - Set a basalt stone 14 x 10  
+ 9 ins 12 ins in the ground  
for  $\frac{1}{4}$  Sec Cor, marked  $\frac{1}{4}$  S  
in N face, and raised a  
mound of stone alongside.  
Pile - impracticable from which  
a pine 14 ins diam bro N 35° E  
60 lbs dist, marked  $\frac{1}{4}$  S. B. S.  
A pine 12 ins diam bro S 25° W  
75 lbs - dist, marked  $\frac{1}{4}$  S. B. S.

80,70 The Cor to Secs - 27-28-35 +

34

Round rolling

L. G. C. B. 26. E. G. + S. B. N.

Lehman

Soil 2<sup>nd</sup> rate

Timber Pine

Vegetation Bunchgrass

North lat. Dec. 27 + 28

ba 11° 16' E.

Descend gradually,

40.00

Set a post 3 ft. long 4 in  
sq. with marked stakes 12  
in in the ground for  $\frac{1}{4}$   
sec cor. marked  $\frac{1}{4}$  S on W  
face. Dig pits 18 x 18 x 12  
in N + S of post  $5\frac{1}{2}$  ft.  
dist. and raise a mound  
of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$   
ft. base around post  
from which

L. G. A. C. 26. E. G. + J. B. K.

Chassis

a pine 14 ins diam hrs N 57 E  
112 lbs dist. marked 1/4 S. B. S.

a pine 24 ins diam hrs S 47 W  
103 lbs dist. marked 1/4 S. B. S.

51.60 Cross wash 20 lbs wide -  
Course N, W + ascend -

80.00 Set a basalt stone 21 x 10 x 6  
ins 15 ins in the ground for  
cor to base - 21-22-27+28  
marked with 2 notches on  
S + 3 notches on E edges -  
and raised a mound of  
stone alongside. Pits impracticable  
from which

a pine 14 ins diam hrs S 80 E 40 lbs  
dist. marked S 9 N, R 26 E, S 27 BS

a pine 12 ins diam hrs S 69 W 45 lbs  
dist. marked S 9 N, R 26 E, S 28 BS ✓

T. 9. N. R. 26. E. S. 1. R. 16.

Lehman

A pine 15 mi drain hrs N 40° W  
 6 x the dist. marked S 9° N. R  
 26 E. S 21 R. 5,

Sand rolling -

Soil 2<sup>nd</sup> rate

Timber Pine

Vegetation Bushgrass -

East on a random line bet.

Secs 22 + 27

ba 15° 40' E

Ascend -

22.00

Top of ridge hrs. N. E. & descend

40.00

Set a temporary 1/4 Sec Cor.

66.00

Cross head of walk hrs N -

continue to descend -

80.21

Intersect N + S line ✓

L. G. A. R. 26. E. G. + J. R. K.

Chain

19 lbs  $\frac{1}{4}$  of corner to Sec -  
22-23-26+27 from which  
Cor. 9 run -

$\frac{1}{4}$  89° 52' W on a true line  
bet. Secs - 22+27,

ba 150 40' E,

40.10

Set a post 3 ft. long wire  
sq. with marked stake 12 ins  
in the ground for  $\frac{1}{4}$  Sec Cor  
marked  $\frac{1}{4}$  S and  $\frac{1}{4}$  face, Dig  
pits 18 x 18 x 12 ins E + W of  
post 5  $\frac{1}{2}$  ft. dist and raised  
a mound of earth  $\frac{1}{2}$  ft.  
high 3  $\frac{1}{2}$  ft. base around post  
from which -

A pine 16 ins diam bet  $\frac{1}{4}$  60° E  
104 lbs dist marked  $\frac{1}{4}$  S B, S.

A pine 8 ins diam bet S 20° E  
19 lbs dist marked  $\frac{1}{4}$  S B, S.



L. G. R. 26. E. G. + S. R. M.

Chamie

80,21 The Cor to Decs - 21-22-27+28

Round rolling

Soil 2<sup>nd</sup> rate

Timber pine

Vegetation Bushy grass. ✓

North lat. Decs 21+22

va 15° - 2.

Secund -

40,00 Set a post 5 ft. long 4 ins sq.  
with marked stakes 12 ins all

the ground for 1/4 Sec Cor -

marked 1/4 Sec surface -

Dug pits 15 x 18 x 12 ins N + S

of post 5 1/2 ft. dia. and raised

a mound of earth 1/2 ft. high

5 1/2 ft. base around post, ✓

from which -

L. G. A. Co. 26 E. G. S. P. Co.

Chains

a pine 12 ins diam hrs N 45° E  
60 lbs dist. marked 1/4 S. B. S.

a pine 12 ins diam hrs S 62° W  
20 lbs dist. marked 1/4 S. B. S.

40.00 Marked pine tree given diam  
for corner to Secs. 15-16-214  
22 - with 3 notches on S  
+ 3 notches on E sides -  
+ marked stone above it  
from which -

a pine 30 ins diam hrs N 23° E  
40 lbs dist. marked 59 N R 26 E,  
S 15 - B. S.

a pine 20 ins diam hrs S 39° E 48 lbs  
dist. marked 59 N R 26 E. S 22 B. S.

a pine 7 ins diam hrs S 47° W 24  
lbs dist. marked 59 N R 26 E. S  
21 B. S.

L. G. C. R. 26 E. G. & D. R. N.

4

chauss

A pine 26 median hrs N 40 W  
70 thicket. marked 59 N R 26 E  
D 16 B 5

Band rolling  
Soil 2<sup>nd</sup> rath  
Timber pine  
Vegetation Bunchgrass

East on a random line  
bet. Secs 15 + 22  
to 15° 18' E.

ascend-

9.21 Top of ridge hrs N 27 W +  
descend-

40.00 hit a temporary 1/4 sec cor.

67.15 cross wash 10 lbs wide  
Course N 15° W + ascend ✓

## L. G. A. R. 26. E. G. &amp; S. R. M.

Sharris

- 80.26 Interest U + S line 37 lbs  
 N of Cor to Decs - 14-15-22+23  
 from which Cor I run -  
 N  $89^{\circ}44'$  W on a true line  
 bet. Decs - 15+22  
 to  $13^{\circ}15'E$ ,
- 40.15 Marked a yellow pine 10 ins  
 median foot  $\frac{1}{4}$  Dec Cor -  
 $\frac{1}{4}$  S on N side & raised  
 a mound of stone alongside  
 from which  
 a pine 10 ins median has  
 S  $5^{\circ}E$ , 27 lbs dirt, marked  
 $\frac{1}{4}$  S. B. S.  
 A pine 8 ins median has - N  $10^{\circ}W$   
 20 lbs dirt, marked  $\frac{1}{4}$  S. B. S.
- 80.26 Blue Cor to Decs - 15-16-21+22  
 Sand rolling ✓



S. 9. 1. P. 26. E. G. 1. P. 16.

Lehman

Soil 2<sup>nd</sup> rate.

Timber pine

Vegetation bushy grass

D - S 12 1/4 of Sec 15 - bis  
a Saw Mill at 17<sup>8</sup> 5' - west  
and 24' 17' North of Sec Cor -

North bet. Secs 15 + 16

to 130° 18' E

Ascend -

14.18

Top of spur - hrs. N 58° W

+ S 38° E. & descend -

40.00

hit a basalt stone 16 x

8 x 6 ins 12 ins in the

ground for 1/4 Sec Cor -

marked 1/4 S on W face -

raised a mound of ✓



S. G. H. R. 26. E. G. + S. R. H.

Charris

stone alongside, Pit impracticable  
from which -

A fine 56 in dia hole  
87°E 34 lbs dist. marked / 45 B.S.

A fine 10 in dia hole 847°W  
90 lbs dist marked / 48, B.S.

6272 Cross mark of hole and hole  
N 20° W + ascend

8000 Hit a basalt stone 26 x 16  
x 5 in 18 in in the ground

for cor to Dec 9-10-18 + 16 -  
marked with 4 nails on

8 + 3 nails on 2 edges -

and raised a group of stone  
alongside, Pit impracticable  
from which -

A fine 18 in dia hole 807°E  
70 lbs dist marked 597, R. 26 E

8 10 B.S.

L. G. C. P. 26. E. G. & S. P. M.

Chamni.

A pine 19 inches diameter base S 84° E  
24 lbs diet marked 59 N R 26 E  
S 15- B. S.

A pine 14 inches diameter base S 58° W  
23 lbs diet marked 59 N. R  
26 E. S 16 B. S.

A pine 30 inches diameter base N 84° W  
106 lbs diet. marked 59 N. R 26  
E. S 9 B. S.

Ground rough & rocky -

Timber pine -

Soil 3<sup>d</sup> rate,

Vegetation Bushy near -  
Wright Butte in N. E. 1/4 of  
Sec 110 -

Sept 27 - 1882

Sg N. R 26 E. G.S.R.M.

East on a random line  
bet. Secs 10 + 15 -

ba 120 48' E.

ascend -

17.00 Top of spur hrs N + S +  
descend -

36.98 Cross wash 8 lbs wide  
Course N 15° W + ascend -

40.00 Set temporary 1/4 Sec Cor.

41.00 Road to Saw Mill, hrs N 20° W

43.30 Top of spur hrs N + S + descend

70.36 Cross wash 10 lbs wide

Course N 20° W + ascend -

80.60 Intersect N + S line 12  
lbs N of bar to Secs. 10-11-14 + 15 -

from which Car I run -  
N 89° 55' W on a true line  
bet. Secs 10 + 15 -

ba 120 48' E ✓



S. 9. N. R. 26. E. Gr. S. R. 16.

Chassis

40,30

Set a basalt stone 20 x 14  
+ 3 ins 15 ins in the  
ground for 1/4 Sec cor, marked  
N. S on N face + raised  
a mound of stone alongside  
Pits - impracticable -  
from which -

A pine 16 ins diam hrs S 80° W  
102 lbs dist, marked 1/4 S. B. S.

A pine 15 ins diam hrs N 100° W  
65 lbs dist, marked 1/4 S. B. S.

80,60

Tree Cor to Sec. - 9-10-15+16 -

Band rolling  
Soil 2<sup>nd</sup> set

Birch pine -  
Vegetation, Bunchgrass

L. 9th. B. 26. E. G. + S. R. M.

Chassis

North bet. lines 9 + 10 -  
by 120 48' E.

ascend -

23,00 Top of spur bet 20 + 21  
+ descend -

40,00 Set a basalt stone 16 x 8  
x 4 ins 12 ins in the ground  
for 1/4 sec cor. marked 1/4 S  
on W face + raised a  
mound of stone alongside  
Pits impracticable

40,00 Set a basalt stone 18 x 10 x  
4 ins 12 ins in the ground  
for cor to lines 3-4-9 + 10  
marked with 5 notches  
on S + 3 notches on E  
edges + raised a mound  
of stone alongside, Pits  
impracticable

X



L. 9. 1. R. 36. E. 1. S. 1. C. 11.

Shannon

Band rolling  
Soil 2<sup>nd</sup> set  
Timber pine  
Vegetation, Bushy grass

East on a random  
line bet. Secs. 3 + 10

to  $13^{\circ} 23' E$ ,

14,50 Cross wash course

N E + sec. -

24,26 Cross road bet N W,

40,00 Set a temporary  $\frac{1}{4}$  Sec  
Cor.

44,53 Cross road bet N, E.

80,50 Intersect N + S line

28 lbs. N of Cor to Secs.  
2-3-10 + 11 from which

L. G. P. R. 26. E. G. J. R. W.

Wham.

Cor Drum

N 89° 48 W on a true line  
 dit. Dec - 3 + 10

ba 130° 23' E,

40, 25-

dit a basalt stone 21 x  
 10 x 7 ins 15 ins in the  
 ground for 1/4 Dec Cor, marked  
 1/4 S on the face, Dug pits  
 18 x 18 x 12 ins E + W of stone  
 5 1/2 ft. dit., + raised a  
 mound of earth 1/2 ft.  
 high 3 1/2 ft. base alongside

8050

Shut box to Dec - 3-4 9 + 10

Land rough - several  
 high Buttes on each side  
 of line

Soil 2<sup>nd</sup> rate

Vegetation Bunchgrass

66,

L. G. A. R. 26. E. G. J. R. M.

Khamis

North on a random line  
bet. Secs 3 + 4 -

on  $13^{\circ} 20' E$ ,

Descend gradually -

14.60  
30.00  
40.00

Cross road bet. N. W. 1/4  
Cross Wash course N. E.  
Set a temporary 1/4 Sec Cor.

79.68

Entered N. boundary of  
Sp - 5 3 lbs W of Cor. to  
Secs - 3 - 4 - 33 + 34 which  
is a basalt stone  
 $21 \times 17 \times 11$  ins set firmly  
in the ground with  
3 notches on E + 3  
notches on W edges  
and a mound of  
stone alongside



L. 9. 1. P. 26 E. G. + J. P. W.

Chains

from which Cor I run  
W - 57' S on a true line  
bet. Dees - 3 + 4

to 15° 20' E.

39.68

Set a basalt stone 14 x 11  
x 5 ins 11 ins in the ground  
for 1/4 Sec Cor, marked 1/4  
S on W face, & raised  
a mound of stone alongside  
Pits impracticable.

79.68

The Cor to Dees - 3-4-9+10.

Band rolling  
soil 2<sup>nd</sup> rate

Vegetation Bunchy grass



L. 9th. Co. 26. E. S. & D. Co. No.

Chains

From the cor to Decs  
 4-5-32+33. which is an  
 aspen tree 6 ins diam marked  
 S. C 59 N. R 26 E on N, S 33 on E  
 + S 32 on W faces with 4 notches  
 on E + 2 notches on W edges  
 + with bearing trees N. E. +  
 N. W. of tree - properly marked

I run north bet. Decs  
 32 + 33

ba 11° 58 2,

Band rolling -

40,00

Set a bench stone  
 20 x 7 x 6 ins 15 ins in  
 the ground for 1/4 Dec



L. G. A. R. 26. C. G. & S. R. N.

Chamie.

Cor - marked  $\frac{1}{4}$  S on W face  
 + raised a mound of stone  
 alongside. Pits impractical  
 from which -

A pine 15 m. diam bro N 80° E 75-  
 lbs dist. marked  $\frac{1}{4}$  S. B.S

A pine 20 m. diam bro S 45° W  
 65 lbs dist. marked  $\frac{1}{4}$  S. B.S

80,00

but a basalt stone 18  
 + 12 x 7 m. 14 m. in the  
 ground for Cor to bro - 28-  
 29-32 & 33. marked with  
 1 molete on S + 4 moletes on  
 E edged + raised a mound  
 of stone alongside. Pits  
 impracticable, from which  
 a pine 14 m. diam bro N 19° E  
 76 lbs dist marked S 9 N. R. 26 E. S  
 28 B.S.

L. G. B. 26 G. E. + S. R. M.

Lehain

a pine 18' in diam bro S 20° E 90  
 lbs dist marked S 9° N R 26 E  
 S 30 B. S.

A pine 15' in diam bro S 40° W  
 50 lbs dist marked S 9° N R 26 E  
 S 32 B. S.

A pine 12' in diam - bro N 02° W  
 70 lbs dist, marked S 9° N R 26 E  
 S 29 B. S.

Band rolling

Timber pine + spruce + fir

Soil 2<sup>nd</sup> rate

Vegetation Bunchgrass

East on a random  
 line bet. Decs. 28 + 33

ba 120 50' E

L. G. A. R. 26. E. S. + D. C. M.

Chains

Decend-

20,24 Cross wash course N. W. + ascend.  
 40,00 Set a temporary  $\frac{1}{4}$  dec. Cor.  
 80,24 Entered N. + S. line 41 lbs N  
 of bar to Decs. 27-28-33+34-  
 from which Cor D run  
 N  $89^{\circ}42'W$  on a true line  
 bet. Decs. 28+33

to  $120^{\circ}55'E$ ,

40,12 Set a post 3 ft. long 4 ins  
 sq. with marked stow 12 ins  
 in the ground for  $\frac{1}{4}$  dec. Cor.  
 marked  $\frac{1}{4}$  S on N face -  
 Dug pits 18+18+12 ins E+W  
 of post  $5\frac{1}{2}$  ft. dia. and  
 raised a mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base  
 around post, from which

L. G. C. R. 26 E. G. S. C. M.

lehamis

An aspen 12 in diam bro 4002  
 50 lbs diet, marked 1/4 S. B. S  
 A. Pine 22 in diam bro -  
 50 lbs diet, marked  
 1/4 S. S.

8924

The last to Dec 28-29-02000-  
 Band broken -

Heavy timber - Pine &  
 spruce -

Soil 2<sup>nd</sup> rate,

Vegetation Bunchgrass

North bet. Dec 28 & 29  
 on 12° 53' E

Over rolling land -

40,00

Set a post 13 ft long 4 in  
 sq. with marked slots

Sept. 26, E. G. & D. R. M.

Chairs

12 ins in the ground for  $\frac{1}{4}$   
Sec. Cor. marked  $\frac{1}{4}$  S on W  
face, Dig pits 18 + 18 + 12 ins  
N + S of post  $3\frac{1}{2}$  ft. dist.  
+ raised a mound of earth  
 $\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around  
post - from which

A pine 26 ins diam hrs 2782 1.00  
lbs diet. marked  $\frac{1}{4}$  S. B. S.

A pine 12 ins diam hrs 2727 W  
70 lbs diet. marked  $\frac{1}{4}$  S. B. S.

80.00

bit asphalt stone 18 + 9 + 7  
ins 14 ins in the ground for  
Cor to Sec - 20 - 21 + 28 + 29  
marked with 2 notches on S  
+ 4 notches on E edges -  
+ raised a mound of stone  
along side - Pits impenetrable



74.

Sgt. R. 26. E. G. + S. R. 16.

Chami

from which -  
A pine 16 m dia base 167° W.  
94 lbs dia. marked 59 N. R 26 E  
S 28 B, 5.

A pine 15 m dia base 138° W  
92 lbs dia. marked 59 N. R 26 E.  
S 29 B, 5.

Round rolling

Soil 2<sup>nd</sup> rate

Vegetation Bushy grass

---

East on a road on  
line bet. Dec. 21 & 28 -  
ba 15° 17' E.

Descend -

40,000 dit a temporary 1/4 Dec  
can -

S. G. R. 26, E. G. & R. K.

Lehman

55,57 Cross wash 10-lbs wide  
Course N, W. & ascend

40,22 Intersect N + S line 26 lbs  
N of Cor to Dec. 21-22-28  
& 29 - from which Cor Drum  
N & 90° 48' W on a true line  
bet. Dec 21 & 28

to 15° 17' E.

40,11 Set a post 3 ft. long 4 ins  
sq. with marked plane  
12 ins in the ground for  
1/4 Dec Cor marked 1/4 S  
on N face. Dig pits 18 x 18  
x 12 ins E + W of post 5 1/2  
ft. dist. & raised a mound  
of earth 1/2 ft. high 3 1/2  
ft. base around post  
from which

Sgt. C. 26 E. & S. C. 16

Chassis

a pins 14 ins diam bro S 5-5  
 - E 35 lbs dist. marked 1/4 S B, S,  
 a pins 12 ins diam bro U 46 W  
 5-2 lbs dist. marked 1/4 S B, S,

80,22

The car to Decs 20-21-24

29-

Land rough + rocky  
 soil 3<sup>2</sup> rate,

Timber Pine

Vegetation Bunchgrass

North lib. Decs 20 + 21

va 130 14' E

Descent -

1,60

Cross wash 15-lbs wide

course N. W + ascend -

40,00

Set a basalt stones 20 x 10

L. G. M. Co. 26, E. G. + J. B. M.

Chassis

+ 7 ins 15 ins in the ground  
for  $\frac{1}{4}$  sec cor. marked  $\frac{1}{4}$  S  
on W face, Dig pits 18+18  
 $\times$  12 ins N + S of stone  $5\frac{1}{2}$   
ft. dist. + raised a mound  
of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$   
ft. base along side from  
which

A fine 10 ins diam bro N 61° E  
10 lbs dist. marked  $\frac{1}{4}$  S. B. S.

A fine 10 ins diam bro S 66° W 19  
lbs dist. marked  $\frac{1}{4}$  S B. S.

57.51 Top of spur bro - N. W + descend  
71.00 - cross cañon 75 ft. deep corner  
N W + ascend

80.00 Hit a basalt stone 18 x 10 x  
9 ins 14 ins in the ground  
for cor to dies 16-17-20-21

L. G. A. Co. 26. E. G. + S. B. K.

lehamis

marked with 3 notches  
 on S + 4 notches on E  
 edges, Dug pits 18 x 18 x  
 12 ins in each side 5 1/2  
 ft. dia. + raised a  
 mound of earth 2 ft.  
 high 4 1/2 ft. base  
 along side - from which  
 a pit 18 ins diam bro N 10° E  
 17 lbs dirt marked 59 N. R 26 E.  
 S 16 B. S.

A pit 14 ins diam bro S 45° E  
 26 lbs dirt. marked 59 N. R 26 E  
 S 21 B. S.

A pit 14 ins diam bro S 26° W  
 33 lbs dirt marked 59 N R 26  
 E S 20 B S

A pit 16 ins diam bro N 85° W



S. 9th. P. 26 E. & S. R. 16.

Wharfedale

25th Dec. marked 59th. Rec  
e. S 17 B. S.

Board rolling + rough -  
Pine Pine Timber

Vegetation Bunchgrass -  
\_\_\_\_\_

East on a random line  
bet. Secs 16 + 21

to 140 16' E.

ascend -

12.11 Top of spur bis - N 20° E +

descend -

21.80 Cross wash bis N 27° E +

ascend -

40.00 Hit a temporary 1/4 Sec  
Cor.

80.07 Intersect N + S line

S. 9. A. B. 26. E. D. & S. B. 26.

lehamis

25-lbs  $\pi$  of Cor to Dec -  
15-16-21+22 from which  
Cor I run

$\pi$  89°49' W on a true  
line bet. Decs 16-21-

va 14016' E,

40.18

Set a basalt stone  
16 x 8 x 6 ins 12 ins in the  
ground for  $\frac{1}{4}$  Dec Cor -  
marked  $\frac{1}{4}$  S on  $\pi$  face -  
Dug pit 18 x 18 x 12 ins E + W  
of stone  $5\frac{1}{2}$  ft. dist. + raised  
a mound of earth  $1\frac{1}{2}$   
ft. high  $3\frac{1}{2}$  ft. base alongside  
Dec Cor to Decs 16-17-20-21

8907

band rolling

soil 2<sup>nd</sup> rate

vegetation Bushy grass

L. 9th. B. 26. E. S. & N. B. No.

Shanis

Youtte bet. Secs 16 + 17  
Twp 140 16' E.

Descend.

40,00 Hit a basalt stone 14 x 8 x  
4 ins 10 ins in the ground  
for  $\frac{1}{4}$  Sec Cor. marked  $\frac{1}{4}$  S  
on the face, + raised a  
mound of stone alongside  
Pits unpracticable -  
from which -

A pine 9 ins diam has S  
60° E 5 lbs dial, marked  $\frac{1}{4}$  S B.S.

A pine 6 ins diam has S 35° W  
14 lbs dial, marked  $\frac{1}{4}$  S. B.S.

80,00 Hit a basalt stone 20 x 18 x  
12 ins 16 ins in the ground  
at top of open fault cor  
to Secs - 8 - 9 - 16 - 17 - marked

I. G. C. P. 26 E. D. & S. P. N.

Labels

with 4 notches on S  
 & 4 notches on E edges -  
 & raised a mound of  
 stone alongside Pilot  
 impracticable from which  
 a pine 6 inches dia has  
 N 20° E 44 lbs dist. marked  
 S 9 N. R 26 E. S 9 B. S.  
 A pine 30 inches dia has S 130° E  
 140 lbs dist marked S 9 N  
 R 26 E. S 16 B. S.  
 A pine 9 inches dia has  
 S 44° W 30 lbs dist. marked  
 S 9 N R 26 E. S 17 B. S.  
 A pine 20 inches dia has N 65° W  
 145 lbs dist marked S 9 N.  
 R 26 E S 8 B. S.  
 Band holding

S. of A. Co. 26. E. S. + J. Co. No.

Blaine

Soil 3<sup>d</sup> rate -

Timber Price -

Vegetation Birch grass -

I carefully examined  
the adjustments of my Solar  
Compass today - particularly  
the latitude & reversing  
apparatus & found them  
correct,

Sept 28 - 1882.

---

East on a random  
line bet. Dec - 9 + 14

to  $13^{\circ} 30' E$ .

Descend -

14,00

Cross wash 15- lks wide

Course N E + ascend



J. G. A. B. 26. E. G. + J. B. No.

Behamio.

- 20.40 Top of spur hrs  $N 27^{\circ} E$   
 - secured -
- 40.00 Set a temporary  $\frac{1}{4}$  sec  
 cor,
- 71.70 Cross mark 15 lbs wide  
 course  $N 10^{\circ} W$  + secured
- 77.77 Intersect  $N + S$  line  
 18 lbs  $N$  of cor to Decs.  
 9-10-15-16 from which  
 cor. - Done -
- $N 89^{\circ} 52' W$  on a true  
 line bet. Decs. - 9 + 16.  
 Va  $10^{\circ} 30' E$ ,
- 59.98 Set a post 3 ft long 4  
 ins sq - with mark  
 about 12 ins in the  
 ground for  $\frac{1}{4}$  sec cor  
 marked  $\frac{1}{4}$  S on  $N$  face

Sgt. P. 26. 6. E. + J. B. W.

Chanic

raised a mound of  
stone alongside, Pits  
impracticable -

79.77

The Cor to Secs 8-9-16+17

Round rolling

Soil 2<sup>nd</sup> rate

Vegetation Bushy grass

North bet. Secs 8+9.

ba 130 33' E

Descend.

398

a pine 28 ins diam on line,

4090

Set a basalt stone 14x8x

6 ins 10 ins in the ground

for 1/4 Sec. Cor. marked 1/4 S

on the face & raised a

mound of stone alongside

L. G. C. Co. & L. & S. Co. No.

Lehman.

80.00

Pits impracticable -  
 Set a basalt stone  
 17 x 10 x 7 ins 12 ins in  
 the ground for Cor to Secs  
 4-5 & 8-9. marked with  
 4 notches on 8 & 5 notches  
 on 2 edges & raised a  
 mound of stone alongside  
 Pits impracticable  
 Road rolling  
 Soil 3<sup>d</sup> rate  
 Vegetation Bunchgrass

East on a random line  
 bet. Secs 4 & 9 -  
 Va to 45' E,  
 Descend

L. 9. A. B. 26. D. G. 9. B. K.

Lehman

- 40.00 Set a temporary  $\frac{1}{4}$  Sec Cor
- 48.58 Cross wash 20 lbs wide  
course N. W. + ascend
- 40.60 Intersect N + S line  
14 lbs N of Cor - to base -  
3-4-7 + 10 from which  
Cor I run  
N 89° 54' W on a true  
line bet. Secs 4 + 9,  
to 15° 45' E,
- 40.30 Set a basalt stone 18 x 12  
x 6 ins 12 ins in the ground  
for  $\frac{1}{4}$  Sec Cor. marked  
 $\frac{1}{4}$  S on N face + raised  
a mound of stone alongside  
Pits impracticable.
- 40.60 The corner to Secs 4-5  
8 + 9.

S. 9. A. B. 26. E. G. + S. B. N.

Leh. axis

Band rolling, fine valley  
in Sec 4 -

Soil 1<sup>st</sup> + 2<sup>nd</sup> rates

Vegetation Bunchgrass.

A cabin in Sec 4 -

33.50 chains east + 600

chains North of Sec Cor.

Fine spring at this  
place

---

North on a random  
line bet. Secs - 4 + 5.

to 15° 41' E.

Descend.

19.87

Cross road bet E + W.

40.00

Set a temporary 1/4 Sec Cor.

49.50

Cross wash 18 lbs wide



S. 9. 4. P. 26. S. E. + S. P. No.

Schavis

79,25- Corner N + W + road.  
 Delineated Sp at North  
 boundary. 60 lbs west  
 of Cor. to Decs - 4-5-32+33  
 which is a basalt stone  
 19 x 14 x 7 ins set firmly  
 in the ground with 4  
 notches on E + 2  
 notches on W edges  
 and a mound of  
 stone along side

from which Cor D runs  
 W. 26' S on a true line  
 bet. Decs - 4 + 5. Az. 130.41' E.

39,25- Set a basalt stone  
 22 x 10 x 8 ins 16 ins in

L. 9. A. B. 26. E. L. + S. C. No.

Chain.

the ground for  $\frac{1}{4}$  Sec  
Cor. marked  $\frac{1}{4}$  S on the  
face & raised a mound  
of stone alongside -  
Ditto impracticable;

79.25 - The Cor. to Secs 4-5-8+9 -  
Road rolling  
Soil 2nd rate  
Vegetation Bunchgrass

From the Cor. to Secs  
5-6-31+32, which  
is on post 4 mi. sq. set  
in a mound of earth -  
marked S. C. 54 N. R. 26 on N.  
+ S 32 on E + S 31 on W faces -  
with 5 nolets on E + 1 note

Sgt. R. 26 C. G. + S. R. 16

Chamie

on W faces + pits in each  
 Dec.  $5\frac{1}{2}$  ft. dist. + bearing lines  
 N. E. + N. W.  $5\frac{1}{2}$  ft. dist.

from which Cor - Iron  
 North bet. Decs 31 + 32  
 - Va  $12^{\circ} 55' E$ .

Over rolling land -

40,00

Set a basalt stone  
 $19 \times 13 \times 8$  ins  $14$  ins in the  
 ground for  $\frac{1}{4}$  Dec Cor -  
 marked  $\frac{1}{2}$  on W face.  
 Dig pits  $18 \times 18 \times 12$  ins  
 N. S. of stone  $5\frac{1}{2}$  ft. dist.  
 raised a mound of  
 earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft.  
 base alongside -

80,00

Set a post 4 ft. long

Lgt. Co. 26.6 G. & D. Co. No.

Chassis

4 ins sq. with marked  
 stone 2 ins in the  
 ground for Cor to Dec-  
 29-30-31+32, marked  
 59 N. S. 29 on N. E. R 26  
 E. S 22 on S E. S 31 on S W.  
 + S 30 on N W faces + 1  
 notch on S + 5 notches  
 on E edges. Dry pits  
 18 x 18 x 12 ins in each  
 Dec 5 1/2 ft. dia. + raised  
 a mound of earth  
 2 ft. high 4 1/2 ft. base  
 along side from which  
 a pine 2 ins in diam br N 27  
 E 62 lbs dia. marked 59 N R  
 26 E. S 29, B 5,  
 a pine 16 ins diam, br S 47 E

S. G. C. Co. 26. E. G. S. R. M.

Chain

30 lbs diet, marked Sg U. R 2 6 2

S 32 B. S.

A pine 13 inches dia S 8 7 W

41 lbs diet, marked Sg U R 2 6 2

S 31 B. S.

A pine 10 inches dia S 11 9 W

27 lbs diet - marked Sg U  
R 2 6 2, S 30 B. S.

Band rolling

Soil 3<sup>rd</sup> rat

Timber Pine

Vegetation Bunchgrass

East on a random line  
bet. Secs 29 + 32

to 120 48' 2

Over rolling land -



L. 90. R. 26. E. G. 1. Sec. 16.

Behaviors

40.00

Set a temporary 1/4 Sec cor

80.34

Submitt N + S line

13 lks S of cor to Secs -

28-29-32 + 33 - from

which cor I run

S 89° 54' W on a true

line bet. Secs - 29 + 32

ba 12° 48' E

40.17

Set a sand stone 17x13

x 8 in 2 ins in the ground

.

for 1/4 Sec cor, marked

1/4 S on N face + raised

a mound of stone

along side, pits impracticable.

80.34

The cor to Secs - 29-30-31 + 32

Band rolling

Soil 2<sup>nd</sup> rate

Vegetation Bunchgrass

L. 9th. R. 26. E. G. S. R. 16.

Iskani

West on a random  
line bet. Sec. 30-31.

ba  $12^{\circ} 45' E$

Descend

40.00 Set a temporary  $\frac{1}{4}$  Sec Cor.

58.25 - Cross mineral creek -

50 lbs wide Course  $N 10^{\circ} E$   
& ascend.

80.20 Intersect W. boundary  
of Sp 20 lbs  $N$  of Cor to S  
Sec 25--20-31 & 36 which  
is a basalt stone  $16 \times 12$   
 $\times 8$  ins firmly set in the  
ground marked with 1  
nail on S & 5 nails  
on  $N$  edges & with  
a mound of stone  
along side

S. G. A. Co. 26. d. G. S. P. M.

Schamis

from which Cor. Dru-  
 H  $89^{\circ}51'$  E on a true line  
 bet. Secs 30 & 31 -

to  $130^{\circ}48'$  E,

40, ~~40~~<sup>20</sup>

set a post 3 ft. long  
 4 ins sq - with marked  
 stone 12 ins in the  
 ground for  $\frac{1}{4}$  Sec Cor,  
 marked  $\frac{1}{4}$  S on N face  
 Dug pits  $18 \times 18 \times 12$  ins  
 E + W of post  $5\frac{1}{2}$  ft.  
 dist, <sup>x</sup> raised a mound  
 of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$   
 ft. base along side

80, 20

Set Cor. to Secs - 29 - 30  
 31 & 32.

Lg. A. 26 E. G. + S. C. Mc.

Blair

Lo and rolling  
Soil 3<sup>rd</sup> rate

Vegetation Bunchgrass -  
Timber Pine.

North bet. Secs 29 + 30  
Twp 120 48' E,

ascend gradually,

29.79 a yellow pine 36 ins diam at  
40.00 hit a sand stone 18 x 10 x 4 ins  
14 ins in the ground - for 1/4  
Sec Cor. marked 1/4 S on  
W face. Dug pits 18 x 18  
x 12 ins N + S of stone 5/2  
ft. dist + raised a mound  
of earth 1/2 ft. high 3/2  
ft. base along side

Sgt. B. 26. S. & S. B. K.

Chamie

from which -

a fine 20 in diam has  
N 40° E 49 lks dit. marked  $\frac{1}{4}$  S. B. S.

a fine 15 in diam has S 20° W  
30 lks dit. marked  $\frac{1}{4}$  S. B. S.

53,22

Top of ridge has N 10° W +  
descend

40.00

Set a post 4 ft. long 4 in  
sq. with marked slot  
12 in in the ground -

for Cor to Secs - 19 - 20 - 29 + 30  
N. S. 20° W 42. R. S. 29 and S. 20° W +  
marked with 2 notches

on S + W notches on E  
edges, Dig pits 18 + 18 + 12  
in in each Sec 5 1/2 ft.  
dit + raised a mound of  
earth 2 ft. high 4 1/2 ft.  
base around post. from  
which



1904. B. 26. E. H. + S. B. N.

a pine 30 mis diam bro N 30° E  
37 lbs diet, marked 59 U -  
R 26 E. S 20 - B, S.

a Fir 16 mis diam bro S 16° E  
51 lbs diet, marked 59 U. R 26 E  
S 29 B, S.

An ash - 16 mis diam bro S 46° W  
41 lbs diet marked 59 U. R 26 E  
S 30 - B, S.

a pine 5 mis diam bro N 27° W  
40 lbs diet marked 59 U R 26 E  
S 19 B, S.

Band rolling  
Soil 3<sup>rd</sup> rate

Timber, Pine + Cedar

Vegetation Bushgrass

---

L. 94. R. 26. E. G. & S. R. No.

*Lehman*

East on a random  
line bet. Secs - 20 + 29  
on 12036' E.

Ascend.

17.12 Top of ridge bet N 20° W +  
descend.

28.36 Cross wash 15-lks-wide  
Course N 10° W + ascend -

32.21 Top of spur - bet N + descend

40.00 Set a temporary 1/4 Sec Cor.

64.15 Cross wash 10 lks wide  
Course N 11° E + ascend.

70.05 Top of spur bet N + descend

80.78 Substrate - N + S line 17 lks -  
N of Cor to Secs 20-21-28+29  
from which Cor. Drawn  
N 89° 55' W on a true  
line bet. Secs - 20 + 29.

J. G. A. B. 26. E. H. + J. R. M.

blame.

Tr 12056'E.

40.39

Set a basalt stone  $16 \times 8 \times 6$  ins - 12 ins in the ground for  $\frac{1}{4}$  sec Co. marked  $\frac{1}{4}$  Don N. face. Dig pits  $18 \times 18 \times 12$  ins E + W of stone  $5\frac{1}{2}$  ft. dia. & raised a mound of earth  $\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base alongside fish wheel -

A Fir 30 m dia has Neo E 4 lbs dia. marked  $\frac{1}{4}$  S. B. S.

A pine 20 m dia has S 500 W.

3 lbs dia marked  $\frac{1}{4}$  S. B. S.

80.78

The carts bees 19-20-29-30  
to and rolling

Soil 2<sup>nd</sup> rate

Trunk Pine + Fir

Vegetation Bunchgrass

L. 901. Co. 26. S. E. & S. R. 16.

Chassis.

Went on a random line  
bet. Secs - 19 - 30

to  $12^{\circ} 36' E$ ,

40,00

Set a temporary  $\frac{1}{4}$  Sec Cor.

80,92

Intersect W. boundary of  
Sp. 42 lbs  $\frac{1}{4}$  of Cor to Secs

19-24-25+30 which is a  
basalt stone  $16 \times 13 \times 5$  ins

firmly set in the ground  
marked with 4 notches on

$\frac{1}{4}$  + 2 notches on 3 edges  
+ a mound of stones

alongside - with bearing  
lines in each Sec -

properly marked

from which Cor D run  
 $\frac{1}{4}$  +  $9^{\circ} 42' E$  on a line

S. G. A. Co. 26 E. G. + S. C. W.

Chains.

line bet. Decs 19 + 20 -  
 Va 12° 36' E.

40.92  
 40.46

hit a basalt stone 20 x 16  
 x 5 ins 15 ins in the ground  
 for 1/4 Dec Cor, marked  
 1/4 D on N face + raised  
 a mound of stones alongside  
 Pits impracticable.

80.92

The box to Decs 19-20-29+30

board rolling  
 Soil 3<sup>d</sup> rate

Timber Pine + Spruce.

Vegetation Bushy grass

Dep 29-1882

North bet. Decs 19 + 20

Va 12° 36' E



S. of C. 26. S. E. of S. B. 16.

Lehman.

- 40.00 Descend gradually,  
 hit a basalt stone 16 x 10 x  
 8 ins 12 ins in the ground  
 for  $\frac{1}{4}$  Sec Cor, marked  
 $\frac{1}{4}$  S on W face, & raised  
 a mound of stone along side -  
 pits impracticable  
 from which  
 A fine 20 ins diam brs -  
 S 79° E. 89 lbs dist, marked  
 $\frac{1}{4}$  S. B. 5.
- A fine 40 ins diam brs S 75° W  
 38 lbs. dist. marked  $\frac{1}{4}$  S. B. 5.
- 58.16 Cross wash. 9 lbs with brs  
 W 20° W + ascend.
- 80.00 Hit a basalt stone 25 x  
 20 x 17 ins 15 ins in the  
 ground for Cor to Secs 17  
 18, 19 + 20. marked -

Sgt. R. 26. E. H. + S. B. K.

Blauie.

with 3 notches on S &  
5 notches on E edges -  
& raised a mound of  
stone alongside

Pits impracticable -  
from which -

A pine 24 ins diam - hrs N 41° E  
37 lks dist marked Sg U. R  
26 E, S 17, B, S,

A pine 14 ins diam hrs S 68° E 00  
lks dist, marked Sg U. R 26 E  
S 20 B, S,

A pine 6 ins diam hrs S 37° W  
36 lks dist, marked Sg U R  
26 E S 19 B, S,

A pine 8 ins diam hrs N 37° W  
46 lks dist, marked Sg U. R 26  
E S 18 B, S.

Sept. 26. E. G. S. B. K.

Chauss.

Band rolling  
Soil 2<sup>nd</sup> rate  
Vegetation Bunchgrass  
Sierra Pine & Spruce

---

East on a random line  
bet. Secs - 17 + 20

ba 150 18' E,

ascend gradually,

40.00 hit a temporary  $\frac{1}{4}$  Sec Cor.

80.29 Interest N + S. hit 12 lbs

S of Cor to Secs 16-17-20-21  
from which Cor I run -  
S 89.5<sup>5</sup> W on a true line  
bet. Secs - 17 + 20

ba 150 18' E,

40.14 hit a basalt stone 15 x 13 x

L. G. V. P. 26. E. G. S. R. H.

Chassis

11 ms 12 ms in the ground  
 for  $\frac{1}{4}$  Sec Cor. marked  
 $\frac{1}{4}$  down the face & raised  
 a mound of stone along side  
 Pits unapproachable

80.29

The Coasts Secs - 17-18-19-20  
 Sandrolling  
 Soil 2<sup>nd</sup> raft  
 Timber Pine  
 Vegetation Bunchgrass

---

West on a random line  
 bet. Secs 18 & 19  
 to 10018' E

Descent.

1070

Cross wash of the wide  
 Course N 17<sup>th</sup> W & ascend

L. A. R. 26. E. G. S. R. W.

Chain

- 25.13 Top of spur hrs - N + descend -
- 37.64 Cross wash 15 lbs wide corner  
N 20° W + ascend -
- 40.00 Set a temporary  $\frac{1}{4}$  Sec cor
- 81.60 Enter W boundary  
of Sp - 6 lbs N of cor - to  
Secs 13-15-17 + 24 which  
is <sup>quartzite</sup> 2 x 20 x 9 x 3 ins set firmly  
in the ground marked with  
3 mollets on N + S edges  
+ mound of stone alongside  
+ bearing trees in each  
Sec. properly marked

from which Cor I run  
N 89° 5-7' <sup>E</sup> to on a tree



Sect. B26. C. S. D. R. H.

Chassis

line bet. Secs - 18 + 19

to 13° 18' E,

41.60

~~40.30~~

Set a basalt stone 20 x 10  
x 8 ins - 16 ins in the ground  
for 1/4 Sec. Cor., marked 1/4 S  
on N face + raised a mound  
of stone alongside. Pals  
infracticable.

from which

a pine 6 ins diam hrs  
to 13° E. 57 lbs dist. marked 1/4 S B3  
a pine 34 ins diam hrs to 45° W  
49 lbs dist. marked 1/4 S. B. 5.

88.60

The Cor to Secs - 17-18-19 + 20

Round rolling

Soil 3° rate

Pine Timber

Vegetation Bunchgrass

S. 9. S. R. 26. E. R. + S. R. 16.

Chains.

North bet. Decs 18 + 17

on 13° 18' E

Band rolling

40,000 Set a basalt stone 20x10x

9 m 16 m in the ground  
for 1/4 Dec Cor. marked 1/4 S on  
W face & raised a mound  
of stone along side, <sup>Pits</sup> ~~impracticable~~  
from which.

A pine 14 m diam has 841 E  
58 lbs dia. marked 1/4 S. B. S.

A pine 8 m diam has 520 lbs dia  
dia. marked 1/4 S. B. S.

Ascend gradually,

80,000 Set a basalt stone

24x10x8 m 16 m in  
the ground for Cor to Decs-  
7-8-17+18 marked with

L. 9th, R. 26. E. G. & S. R. M.

Chassis

4 notches on S + 5 notches  
on E edges - and raised a  
mound of stone along side -  
Pits intractable  
from which

A pine 18 ins diam hrs N 63° E  
30 lbs diet, marked S 9 N, R 24  
E, S 8, B 5

A pine 26 ins diam hrs S 50° W 56  
lbs diet, marked S 9 N, R 26 B,  
S 18, B 5.

A pine 24 ins diam hrs -  
N 10° W 30 lbs diet - marked  
S 9 N, R 26 E, S 7, B 5.

Band rolling  
soil 2<sup>nd</sup> rate

Timber Pine

Vegetation Bunchgrass

---

L. G. C. B. 26. E. S. J. R. 16.

Schauss.

- + East on a random line  
bet. Sec. 8 + 17.  
ba  $13^{\circ} 38' E$ ,  
Round rolling.
- 40.00 Set a temporary  $\frac{1}{4}$  Sec. Cor.  
80.16 Intersect N + S line 21 lbs  
N of Cor to Secs - 8 - 9 - 16 + 17  
from which Cor. I run -  
N + 9 + 51. W on a true line  
bet. Secs. 8 + 17.  
ba  $13^{\circ} 38' E$ ,
- 40.08 Set a basalt stone  $20 \times 10$   
+ 4 ins 16 ins in the ground  
for  $\frac{1}{4}$  Sec. Corner, marked  
 $\frac{1}{4}$  down the face, + raised  
a mound of stone alongside  
P to impracticable  
from which

Sq. C. P. 26. E. G. + J. P. K.

Observations

A - pine 20 ins diam hrs 87° E  
64 lbs dirt, marked  $\frac{1}{4}$  S. B. S.

A pine 10 ins diam hrs N 56° W 101  
lbs dirt marked  $\frac{1}{4}$  S. B. S.

80, 16

The Cor. to Secs 7-8-17-18.

Land rolling -

Soil 3<sup>d</sup> rath.

Timber Pine

Vegetation Bushgrass

---

Went on a random line  
bet. Secs 7 + 18

on 15° 38' E.

Descend.

435 - Cross wash 5-8 lbs wide  
hrs N. W. + ascend

4000 Set a temporary  $\frac{1}{4}$  Sec Cor



S. G. P. 26, E. G. S. P. 26

Lebanon

42.36 Intersect the W. boundary  
of Sp- 25-lks N of Cor to Sec  
7-12-13+18 which is a lime  
stone 20 x 9 x 4 ins set firmly  
in the ground marked with  
2 notches on N + 4 notches on  
S edges + mound of stone  
along side + bearing trees  
in each Sec. properly  
marked

from which Cor I run  
N 89° 49' E on a true line  
bet. Secs 7 + 18

to 130° 38' E.

42.36 hit a basalt stone 14 x 10 x 6  
ins 14 ins in the ground

L. G. N. P. 26. E. 4. S. R. N.

Chassis

for 1/4 Sec Cor, marked 1/4 S  
on N face + raised a mound  
of stone alongside. Puts  
impracticable - from which  
a fence runs drain hrs S 40° W - 120  
lbs dist. marked 1/4 L. B. S.

82.50

Sec Cor to Decs - 7 - 8 - 17 + 18,  
Road rolling  
Soil 2<sup>nd</sup> rate

Timber Pine

Vegetation Birchgrass

North bet. Decs 7 + 8.

ba 10° 38' E.

35.50

Enter timber hrs N W -

40.00

Marked a pine in place & this  
drain - for 1/4 Sec Cor, marked

L. G. A. C. 26. E. H. + S. R. K.

Chassis

$\frac{1}{4}$  d on W side + raised a mound of stone along side  
Pits impracticable -  
from which -

A pine 10 in dia in hrs.  $700^{\circ}$  E  
18 lbs dia, marked  $\frac{1}{4}$  d. B.S.

A pine 15 in dia in hrs -  $865^{\circ}$  W - 108  
lbs - dia, marked  $\frac{1}{4}$  d. B.S.

46.00

Leave wash 16 lbs wide  
course N W + ascend  
gradually.

40.00

Set a baseball stone  $19 \times 7$   
 $\times 6$  in 12 in in the ground  
for cor to Dec. 5 - 6 - 7 + 8  
marked with 5 notches  
on S + 5 notches on E  
edges - + raised a mound  
of stone along side, Pits

Sgt. R. 26 E. G. S. R. 16.

Chassis

impracticable, from which  
a pine 16 ins diam brod K 52  
— 2147 lbs diab. marked  
Sg N R 26 E S 5 B.S.

a pine 30 ins diam brod 7 E  
71 lbs diab. marked Sg N R 26  
E. S 8. B.S.

a pine 36 ins diam brod 74 W  
70 lbs diab. marked Sg N R 26  
E. S 7. B.S.

to sand rolling  
soil 2<sup>nd</sup> rate.

Pinus Pine

Vegetation Bunchgrass

---

East on a random  
line bet. Secs 8-+8

L. G. A. R. 26. E. L. + J. R. K.

Chain.

ba  $13^{\circ} 22' E$ .

Descend gradually.

6.74 cross-walk of the wide  
course N-W + ascend.

40.00 Set a temporary  $\frac{1}{4}$  sec cor.

80.06 Intersect N + S line 28  
lks N of bar to Secs - 4-5-8+9 -  
from which cor I run  
N  $89^{\circ} 48' W$  on a true line  
bet. Secs - 8 + 5.

ba  $13^{\circ} 22' E$ .

40.03

40.00

Set a basalt stone  
18 x 7 x 6 ins 12 ins in  
the ground for  $\frac{1}{4}$  sec  
cor. marked  $\frac{1}{4}$  S on the  
face + raised a mound  
of stone alongside -  
Pits impracticable.



L. & A. P. 26. C. G. + J. P. 16.

Chawis

80.60 The Cor to Dec. 5-6-7+8, x80.06  
 Band rough  
 Soil 2  $\rightarrow$  pate -  
 Vegetation Bunchgrass -

Went on a random line  
 bet. Decs. 6 + 7 -  
 Ascent gradually Var. 13" 22' E.

23.00 Cross wash - 14 lbs wide  
 Course  $\approx$  10° E.

40.00 Set a temporary 1/4 Dec  
 Cor.

82.77 Intersect W. boundary of  
 Sp - 7 lbs  $\approx$  of Cor to Decs  
 1-6-7+12 which is a  
 basalt stone 14 x 10 x 7 ins set  
 firmly in the ground with  
 7 notches on  $\approx$  4 & 5 notches

L. G. C. B. 26. C. by J. R. W.

Chamie

on Dredges and with a  
mound of stone alongside



from which Cor 9 run -  
N 89.57° E on a true  
hub. Dred 6 + 7 -

the 13° 22' E,

42.97  
41.40

Set a basalt stone 19 x 10 x  
7 ins. 14 in in the ground  
for 1/4 Sec Cor. marked  
1/4 Sec N face & raised a  
mound of stone alongside  
Pit is impracticable

82.97

The Cor to Dred 5-6-7+8,

Bandrolling

Soil 2<sup>nd</sup> rate

Vegetation Beachgrass

L. G. A. B. 26 E. G. S. R. H.

Chassis

Yorth on a random line  
 bet. bees 5 + 6

ba 130 22 E,

Descend gradually,

10,40

Cross road bet W, 1

14,60

Cross wash 22 lbs wide

Course N E + ascend

40,00

Set a temporary 1/4 bee  
 cor

79,20

Intersect N. boundary of Sp

70 lbs E of cor to bees 5-6

xw.

31 + 32, which is a

basalt stone 21 x 15

+ 9 ins set firmly in  
 the ground marked  
 with 5 notches on

E + 1 notch on W

edges + mounds

L. g. C. B. 26 E. G. + S. B. K.

Chamni

and pits alongside

5.0° 30' W.

from which Cor. 9 runs  
S. 30° E. on a true line bet.  
Secs 5 + 6,

to 13° 22' E.

39.20

Set a basalt stone 18 x 9 x 7  
ins 12 ins in the ground for  
1/4 Sec. Cor. marked 1/4 S on  
W face + raised a mound  
of stone alongside. Pits  
unpracticable.

79.20

The Cor. to Secs 5-6-7 + 8.

Land rolling  
Soil 2<sup>nd</sup> rate

Vegetation Bunchgrass.

Sgt. R. E. C. G. + J. R. C.

Lehavis

I carefully examined the  
adjustments of my Solar Compass  
today, particularly the  
latitude & reversing apparatus  
& found them correct.

Sept 30-1882

---

### General Description

This is a mountainous  
Township. Good timber  
is found in all except  
the northern part -  
Yellow pine, sugar pine  
spruce & fir -

There are numerous  
springs in all parts.  
There is a saw-mill



L. G. A. B. 26 E. H. + S. B. N.

Chassis.

S. E.  $\frac{1}{4}$  Sec 15 - owned  
 J. M. Ruelley who has  
 also a farm house,  
 sheep house, corral  
 fence & improvements  
 valued at about \$50

Fine grass in all  
 soil 1st. + 2nd  
 a ranch in Sec 4 -  
 one in Sec 9 -

---

U. S. Surveyor General's Office,  
Tucson, Arizona, *January 12, 1883*

The foregoing Field Notes of the survey of

*Subdivision lines  
of Township 9 North  
Range 26 E.*

of the Gila and Salt River Base and Meridian, Arizona,  
executed by *A. P. Johnson*,

D. S., under his contract of the *8th* day of

*June*, 1882, having been critically examined and the necessary corrections and explanations made, the said Field Notes and the surveys they describe, are hereby approved.

*J. W. Robinson*