

BOOK 90

BOOK 90

BOOK 90

Field Notes

OF THE SURVEY OF THE

SUDIVISION LINES

— OF —

Township 9 N. Range 29 E.

Gila and Salt River Base and Meridian

ARIZONA.

By C. Burton Foster D. S.

under contract dated Aug 16, 1875.

Survey commenced Jan 4, 1875.

Survey completed Apr. 10, 1875.

90

No 90 -

Field Notes, No 90

of the

1

Subdivision Lines

of

Township 9 North Range 29 East

Gila and Salt River Meridian

Territory of Arizona

Surveyed by

C. Burton Foster

U. S. Dep. Surveyor

Under his contract of August 16th 1875

Survey commenced November 4, 1875

" completed " 10th 1875

Township 9 N. Range 29 East.

Gila and Salt River Meridian.

6	61	5	43	4	32	3	21	2	11	1
60		59		42		31		20		10
7	57	8	41	9	30	10	19	11	9	12
56		55		40		29		18		8
18	54	17	39	16	28	15	18	14	7	13
53		51		38		27		17		6
19	51	20	37	21	27	22	16	23	8	24
50		48		36		25		15		4
30	47	29	35	28	24	27	14	26	3	25
46		45		34		23		13		2
31	44	32	32	33	22	34	12	35	1	36

Preliminary Oaths of Assistants.

We, John S. Nelson
 and Peter Thompson
 do solemnly swear that we will faithfully execute
 the duties of Chain Carriers; that we will level the
 chain upon uneven ground, and plumb the tally
 pins, whether by sticking or dropping the same;
 that we will report the true distance to all notable
 objects, and the true length of all lines that we as-
 sist in measuring, to the best of our skill and
 ability.

John S. Nelson
Peter Thompson

Sworn to and subscribed before me, this 17th
 day of September 1873

William Wickerson
 Clerk Dist Court 2nd
 Jud Dist Yavapai Co. Ariz



We, Henry Warminghoff
and William C. Foster

do solemnly swear that we will well and truly per-
 form the duties of Armed and

Flagman

according to instructions given us, and to the best
 of our skill and ability.

Henry Warminghoff

William C. Foster

Sworn to and subscribed before me this 17th
 day of September 1875

William Wickerson
 Clerk Dist Court Third
 Judicial Dist. Yavapai Co.,

Township 9 North Range 29 East

Gila and Salt River Meridian

chs

Begin at the established standard
 cor to Secs 35 & 36 on the S bound-
 ary of 3^d from which cor I run
 North between Secs 35 & 36

Va $13^{\circ}53'$ East

as per Switz Improved Solar Compass

- 11.50 Begin ascent of hill bears N + S,
 20.00 Summit and begin gradual descent
 40.00 Set a volcanic rock $20 \times 12 \times 8$ in
 marked $\frac{1}{4}$ set $\frac{3}{4}$ in the ground and
 build mound of stone 2 ft high for
 $\frac{1}{4}$ Sec Cor from which
 a Cedar 12 in dia bears $S 86^{\circ} W 42$ dist
 No other trees near
 60.00 Enter level bottom land bears E + N
 72.00 Enter Rosa Creek 25 ft wide flows N
 78.00 Begin ascent of bluff bears E. S. E + N
 80.00 Set a lime stone $12 \times 10 \times 8$ in prop-
 erly notched & set $\frac{2}{3}$ in the ground and
 on N side build mound of stone 2 ft

Township 9 North Range 29 East

Gila and Salt River Meridian

As.

high for Cor to Sec's 25, 26, 35 + 36 from which
a cedar 10 in dia bears 71° E. 165 lbs diet

No other trees near

Land S rolling, with 2nd & 3^d rate soil

Land N & W level bottom with 1st rate soil.

Timber - a few scrub cedars

East on random line

between Sec's 25 + 36

Va $13^{\circ}53'$ East.

Begin ascent of steep bluff from Cor

6.40 summit of bluff bears E + N N. N.

19.20 Begin descent from Bluff bears E. N. E

and N. S. W.

30.00 Foot of bluff, and
Nutter Rosa creek 18 lks wide flows
W. S. W.

40.00 Set stone for temporary $1/4$ Sec Cor

52.20 Nutter Rosa Creek flows W. N. N.

79.90 Intersected E Boundary 30 lks N of Cor
to Sec's 25 + 36 from which Cor

Township 9 North Range 29 East

Gila and Salt River Meridian

As

Run

$289^{\circ}47'$ W on true line
between Sec's 25 + 36

$Ta 13^{\circ}53'$ East

39.95 Set a limestone $12 \times 12 \times 10$ in marked $\frac{1}{4}$
set $\frac{2}{3}$ in the ground and build
mound of stone for $\frac{1}{4}$ Sec Cor
No trees near

79.90 The cor to Sec's 25 26 35 + 36
Land rough and broken, Cañon of
Nutter Ross Creek Soil 3^d rate
Timber - a few scrub Cedars

North between Secs 25 + 26

$Ta 13^{\circ}53'$ East

Begin ascent of bluff - bears E & W
from corner

8.20 Summit of bluff and enter level mesa
bears E & N.

40.00 Set a limestone $14 \times 10 \times 8$ in marked $\frac{1}{4}$

Township 9 North Range 29 East

Gila and Salt River Meridian

chs

set $\frac{2}{3}$ in the ground and build mound of earth 2 ft high with pits $2 \times 1 \times 1$ ft for $\frac{1}{4}$ Sec Cor. No trees near

80.00 Set a lime stone $12 \times 12 \times 8$ in properly notched set $\frac{2}{3}$ in the ground and on N side build mound of stone 2 ft high for Cor to Sec's 23 24 25 & 26
No trees near

Land level mesa

Soil 2nd rate

No timber or undergrowth

East on random line

between Sec's 24 & 25

to $130^{\circ}53'$ East

40.00 set a stone for temporary $\frac{1}{4}$ Sec Cor

80.00 Intersected E Boundary of Sp. at Cor to Sec's 24 & 25 from which Cor I run West on true line

between Sec's 24 & 25

Township 9 North Range 29 East

Gila and Salt River Meridian

Chs.

Ta 13° 53' East

40.00 Set a limestone 10x10x8 in marked $\frac{1}{4}$
 set $\frac{2}{3}$ in the ground and build mound
 of stone 2 ft high for $\frac{1}{4}$ Sec Cor
 No trees near

80.00 The Cor to Sec's 23 24 25 + 26
 Land level mesa. Soil 2nd rate
 grasses abundant
 No timber or undergrowth

North between Sec's 23 + 24

Ta 13° 53' East

17.40 Road from New Mexico to Little Colorado
 settlements bears E + W.

40.00 Set a post marked $\frac{1}{4}$ 5 4 ft long flat-
 tened 3 in wide 1 ft in the ground
 deposit stone marked + and build
 mound of earth 2 ft high with pits
 2x1x1 ft for $\frac{1}{4}$ Sec Cor
 No trees near

Township 9 North Range 29 East.

Gila and Salt River Meridian

chs.
 80.00 Set a limestone $16 \times 10 \times 8$ in properly
 notched $\frac{2}{3}$ in the ground and on N
 side build mound of stone 2 ft high
 for Cor to Secs 13, 14, 23 & 24. No trees near
 Land level mesq soil 2nd rate
 No timber or undergrowth

East on random line
 between Secs 13 & 24

Va $130^{\circ}53'$ East

40.00 Set a stone for temporary $\frac{1}{4}$ Sec Cor
 80.00 Intersected E Boundary of Twp 24 Nks
 S of Cor to Secs 13 & 24 from which Cor
 I run $S 89^{\circ}50' W$ on true line
 between Secs 13 & 24.

Va $130^{\circ}53'$ East

40.00 Set a limestone $10 \times 8 \times 8$ in marked $\frac{1}{4}$
 set $\frac{2}{3}$ in the ground and build mound
 of stone 2 ft high for $\frac{1}{4}$ Sec Cor
 No trees near

Township 9 North Range 29 East

Gila and Salt River Meridian

Chs

80.00

The Cor to Sec's 13, 14, 23 & 24

Land level mesa soil 2nd rate, grasses abundant

No timber or undergrowth

North between Sec's 13 & 14

To 13053' East

40.00

Set a limestone 16x6x4 in marked $\frac{1}{4}$ pt $\frac{2}{3}$ in the ground and build mound of stone 2 ft high for $\frac{1}{4}$ Sec Cor
No trees near

48.00

Begin ascent of round hill bears N.E. and N.W.

64.00

Summit of hill

80.00

Set a limestone 18x12x12 in properly notched set $\frac{3}{4}$ in the ground and on N side build mound of stone 2 ft high for Cor to Sec's 11, 12, 13 & 14

No trees near

Land South level mesa, North hilly

Township 9 North Range 29 East

Gila and Salt River Meridian

chs

Soil 2nd & 3^d rate

Timber a few scattering cedars on hill sides

East on random line

between Sec's 12 & 13

Va 13° 53' East

Begin descent of hill from Cor

26.00 Foot of E slope of hill bears S & N.W.

40.00 Set a stone for temporary 1/4 Sec Cor

80.30 Intersected E Boundary of 3/4 35.00 S
of cor to Sec's 12 & 13 from which Cor
I run

S 89° 45' W on true line

between Sec's 12 & 13

Va 13° 53' East

40.15 Set a limestone 20 x 10 x 4 in marked
1/4 set 3/4 in the ground and build
mounds of earth 2 ft high with pits
2 x 1 x 1 ft for 1/4 Sec Cor.

No trees near

Township 9 North Range 29 East

Gila and Salt River Meridian

Chs.

84.00

The Cor to Sec's 11, 12, 13 & 14

Land level East rolling West

Soil 7th & 3^d rate

Timber - a few Cedars along hill sides

North between Secs 11 & 12

Va 13° 53' East

4.00

Begin descent from hill

30.00

Foot of hill and entire level mesa bears
W & S. E.

40.00

Set a post marked $\frac{1}{4}$ & 4 ft long flat-
tened 3 in wide 1 ft in the ground and
deposit stone marked + and build
mound of earth 2 ft high with pits
2 x 1 x 1 ft for $\frac{1}{4}$ Sec cor. No trees near.

80.00

Set a post marked and notched 4 ft
long 3 in square 1 ft in the ground
deposit stone marked + and build
mound of earth 2 ft high with
pits 2 x 1 x 1 ft for Cor to Secs 1, 2, 11 & 12
No trees near.

Township 9 North Range 29 East

Gila and Salt River Meridian

Chs.

Land level mesa North, rolling South

Soil 2nd & 3^d rate

Timber a few scrub Cedars or Pines

East on random line

between Sec's 1 & 12

7a 13° 53' East

40.00 Set a post for temporary $\frac{1}{4}$ Sec Cor

79.80 Intersected East Boundary of Tp 9 N R 29 E of
Cor to Sec's 1 & 12 from which Cor I run
N 89° 56' W on true line

between Sec's 1 & 12

7a 13° 53' East

39.90 Set a post marked $\frac{1}{4}$ S 4 ft long flattened
3 in wide 1 ft in the ground deposit
stone marked + and build mound of
earth with pits 2 x 1 x 1 ft for $\frac{1}{4}$ Sec Cor
No trees near

79.80 The Cor to Sec's 1, 2, 11 & 12

Land level mesa Soil 2nd rate

Township 9 North Range 29 East

Gila and Salt River Meridian

No.

Grasses abundant

No timber or undergrowth

November 4 1875

North on random line

between Sec's 1 & 2

Va 13053' East

40.00 Set a stone for temporary $\frac{1}{4}$ Sec Cor
 79.70 Intersected N. boundary of Tp 16 N & E
 of Cor to Sec's 1 & 2 from which Cor
 I run S $0^{\circ} 7'$ E on true line
 between Sec's 1 & 2.

Va 13053' East

39.70 Set a limestone 16x10x10 in marked $\frac{1}{4}$
 Set $\frac{2}{3}$ in the ground and build mound of
 stone 2 ft high for $\frac{1}{4}$ Sec Cor
 No trees near

79.70 The Cor to Sec's 1.2. 11 & 12
 Land level mesa Soil 2nd rate
 No timber or undergrowth

Township 9 North Range 29 East

Gila and Salt River Meridian

North between Sec's 34 & 35

Va 13° 53' East

- 40.00 Set a post marked $\frac{1}{4}$ S 4 ft long flat-
tened 3 in wide 1 ft in the ground de-
posit stone marked and build
mound of earth 2 ft high with posts
2x1x1 ft for $\frac{1}{4}$ Sec Cor. No trees near
- 61.80 Neuter Rosa Creek 18 lks wide gentle
current and gravelly bottom flows N.
- 70.00 Trail bears E & W
- 72.20 Trail bears E & W.
- 80.00 Set a line stone 12x12x10 in properly
notched set $\frac{2}{3}$ in the ground and on N
side build mound of stone 2 ft high
for Cor to Sec's 26, 27, 34 & 35
No trees near
Land & Neuter Rosa valley
Soil 1st rate
No timber

Township 9 North Range 29 East

Sila and Salt River Meridian

Chs.

East on random line between Sec's 26 & 35
 Va 13° 53' East.

- 18.00 begin ascent of precipitous bluff bears N.W. ²⁴⁰ S.E.
- 20.00 Summit of Bluff and enter Mesa land bears
 N.W. ²⁴⁰ and N.E.
- 36.00 begin descent from Mesa Bluff bears N.E. ²⁴⁰ and N.S.W.
- 38.00 foot of Bluff and enter valley
- 40.00 Set a post for temporary 1/4 Sec. Cor.
- 69.00 Line runs along steep S slope of Bluff
- 77.80 Ascend N slope of Bluff which bears off to
 E.S.E.
- 80.20 Intersect N and S line at Cor to Sec's 25, 26,
 35 and 36 from which Cor I run
 West on true line
 between Sec's 26 and 35.
 Va 13° 53' East
- 80.10 Set a post marked 1/4 S 4 ft long flattened
 3 in wide 1 ft in the ground deposit stone
 marked + and build mound of earth 2 ft
 high with pits 2 x 1 x 1 ft for 1/4 Sec Cor.

Township 9 North Range 29 East

Gila and Salt River Meridian

chs.

No trees near.

80.20 The Cor to Sec's 26, 27, 34 and 35.

Land S of line level bottom with 1st rate soil.Land N of line level Mesa with 2nd rate soil.

No timber or undergrowth.

North between Sec's 26 and 27.

Va 13°53' East.

10.00 Begin ascent of precipitous Bluff
bears N.N.W. and E.S.E.15.60 Summit of Bluff and enter broad level
mesa bears E and N.N.W.

16.50 Old road bears E and N.N.W.

40.00 Set a limestone 18x18x18 in marked 1/4
set 3/4 in the ground and build mound of
stone 2 ft high for 1/4 Sec Cor.

No trees near

58.00 Road to upper Henter Rosas valley bears

Trough 9 North Range 29 East

Gila and Salt River Meridian

ch

E & W.

77.20 Road from Little Colorado to New Mexico
bears E & W.

80.00 Set a limestone $12 \times 12 \times 10$ in properly
notched set $2/3$ in the ground and on
N side build mound of stone 2 ft
high for cor to Sec's 22, 23, 26 & 27
No trees near.

Land level mesa soil 2nd rate with
abundance of nutritious grasses.
No timber or undergrowth.

East on random line
between Sec's 23 & 26.

Ta 13053 East

15.60 Road from Little Colorado to New
Mexico bears E. N. E & W. S. W.

40.00 Set a stone for temporary $1/4$ Sec Cor
80.00 Intersected N & S line 24 dbk S of cor to
Sec's 23 24 25 & 26 from which cor

Township 9 North Range 29 East

Gila and Salt River Meridian

chs.

Run $S 89^{\circ} 51'$ West on true line
between Secs 23 & 26
To $13^{\circ} 53'$ East

- 40.00 Set a line stone $16 \times 10 \times 8$ in marked $\frac{1}{4}$
set $\frac{2}{3}$ in the ground and build mound
of earth 2 ft high with pits $2 \times 1 \times 1$ ft
for $\frac{1}{4}$ Sec Cor. No trees near
- 80.00 the cor to Secs 22, 23, 26, & 27
Land level mesa Soil 2nd rate
No timber or undergrowth

North between Secs 22 & 23
To $13^{\circ} 53'$ East

- 40.00 Set a line stone $10 \times 10 \times 10$ in marked $\frac{1}{4}$
set $\frac{2}{3}$ in the ground and build mound of
stone 2 ft high for $\frac{1}{4}$ Sec Cor.
No trees near
- 80.00 Set a line stone $12 \times 10 \times 10$ in properly
notched set $\frac{2}{3}$ in the ground and on N
side build mound of earth 2 ft high

Township 9 North Range 29 East

Gila and Salt River Meridian

cls.

with pits 2x1x1 ft for Cor to Sec's 14
15. 22x23. No trees near.Land level Mesa Soil 2nd rate.

Grasses abundant.

No timber or undergrowth

East on random line

between Sec's 14 & 23

Ta 13° 53' East

H.A. 00 Set a post for temporary 1/4 Sec Cor

80.30 Intersected N & S line 32 lks N of Cor
to Sec's 13, 14, 23 & 24 from which Cor
I run At 89° 46' W on true line
between Sec's 14 & 23.

Ta 13° 53' East

H.A. 15 Set a post marked 1/4 54 ft long
flattened 3 in wide 1 ft in the ground
deposit stone marked + and build mound
of earth 2 ft high with pits 2x1x1 ft
for 1/4 Sec Cor. No trees near.

Township 9 North Range 29 East

Gila and Salt River Meridian

Chs.

80.30 The Cor to Secs 14, 15, 22 & 23
 Land level mesa Soil 2nd rate
 No timber or undergrowth.

North between Secs 14 & 15

Ta 13053 East

40.00 Set a limestone 12x10x10 in mark-
 =20 $\frac{1}{4}$ set $\frac{2}{3}$ in the ground and build mound
 of stone 2 ft high for $\frac{1}{4}$ Sec Cor.
 No trees near

80.00 set a limestone 14x12x10 in properly notch-
 =20 set $\frac{3}{3}$ in the ground and on it side
 build mound of stone 2 ft high for Cor
 to Secs 10, 11, 14 & 15 No trees near
 Land level mesa Soil 2nd rate
 grasses abundant
 No timber or undergrowth.

East on random line
 between Secs 11 & 14

Township 9 North Range 29 East

Gila and Salt River Meridian

Obs.

Va 13°53' East

- 40.00 Set a stone for temporary $\frac{1}{4}$ Sec Cor.
 47.00 Begin ascent of round hill bears N³⁰ S. E.
 74.00 Summit of hill bears N. W and S.
 80.00 Intersect Kans S line 10th 11th of Cor to
 Sec's 11, 12, 13, and 14 from which Cor I run
 At 89°56' W on true line
 between Sec's 11 and 14.

Va 13°53' East.

- 40.00 Set a limestone 8x8x8 in marked $\frac{1}{4}$ set $\frac{2}{3}$
 in the ground and build mound of
 earth 2 ft high with pits 2x1x1 ft for
 $\frac{1}{4}$ Sec Cor. No trees near.
 80.00 The Cor to Sec's 10, 11, 14, and 15.
 Land N level mesa, E west slope of
 round hill. Soil 2nd rate west;
 3^d rate East.
 Timber, a few scrub Cedars on slope of hill

North between Sec's 10 and 11.

Township 9 North Range 29 East

Gila and Salt River Meridian

Chs.

T_a 13°53' East

H_{0.0} Set a limestone 12x12x10 in marked
 1/4 Set 2/3 in the ground and build
 mound of stone 2 ft high for 1/4 Sec Cor.
 No trees near.

S_{0.0} Set a post marked and notched 4 ft long
 3 in squared 1 ft in the ground deposit
 stone marked + and build mound of earth
 2 ft high with pits 2x1x1 ft for Cor to
 Sec's 2, 3, 10 and 11. No trees near.

Land level mesa or plain.

Soil 2nd rate with good grass

No timber or undergrowth.

November 5 1875

East on random line
 between Sec's 2 and 11.

T_a 13°53' East.

H_{0.0} Set a stone for temporary 1/4 Sec Cor.

S_{0.20} Intersect Rand S line at Cor to Sec's 1, 2,
 11 and 12 from which Cor. I run

Township 9 North Range 29 East

Gila and Salt River Meridian

Ch

West on true line
between Sec's 2 & 11

Ta 13° 53' East

40.10 set a limestone 15x8x5 in marked $\frac{1}{4}$ set $\frac{2}{3}$
in the ground and build mound of stone
2 ft high for $\frac{1}{4}$ Sec Cor.

No trees near

80.20 The Cor to Sec's 2, 3, 10 & 11

Land level Soil 2nd rate with grasses
No timber or undergrowth.

North on random line
between Sec's 2 & 3

Ta 13° 53' East

40.00 set a post for temporary $\frac{1}{4}$ Sec Cor

58.00 begin ascent of bluff W & N.E.

61.00 enter higher bench of mesa land bears
N.E. + W.N.W.

82.20 Intersect N. Boundary of Sp. 12 N.E. of
Cor to Sec's 2 & 3. from which Cor

Township 9 North Range 29 East

Situ and Salt River Meridian

I run S 0° 5' E on true line
between Sec's 2 + 3.

by 13° 53' East

40.20 Set a post marked $\frac{1}{4}$ 54 ft long flattened
3 in wide 1 ft in the ground de-
posit stone marked + and build mound
of earth 2 ft high with pits 2x1x1 ft
for $\frac{1}{4}$ Sec Cor. No trees near

80.21 The cor to Sec's 2, 3, 10 + 11

Land level south gently rolling north
Soil 2nd rate grass good.

No timber or undergrowth

North between Sec's 33 + 34

by 13° 53' East

40.10 Set a post marked $\frac{1}{4}$ 54 ft long flattened
3 in wide 1 ft in the ground deposit
stone marked + and build mound of
earth 2 ft high with pits 2x1x1 ft
for $\frac{1}{4}$ Sec Cor. No trees near

Township 9 North Range 29 East

Gila and Salt River Meridian

Chs.

811.00 Set a post marked and notched 4 ft long
3 in square & 1 ft in the ground deposit
stone marked + and build mound of
earth 2 ft high with pits 2x1x1 ft
for Cor to Secs 27, 28, 33 & 34.

No trees near

Land level bottom of Neuter Rosa valley
with good rich soil

No timber or undergrowth.

East on random line
between Secs 27 & 34

On 13° 53' East

5.10 Neuter Rosa Creek 18 lks wide flows
W. N. W. at this point bed of creek is dry

16.00 Arroyo 20 lks wide flows S.

41.00 Set a post for temporary 1/4 Sec Cor

63.00 Trail bears N. W. & E. S. E.

66.00 Trail bears N. W. & E. S. E.

80.18 Intersected N & S line 16 lks N of Cor

Township 9 North Range 29 East

chs. Gila and Salt River Meridian

to Secs 26, 27, 34, & 35 from which Cor
I run $N 89^{\circ} 53' W$ on true line
between Secs 27 & 34
 $Ta 13^{\circ} 53'$ East

4009 Set a post marked $\frac{1}{4}$ S 4 ft long, flattened
3 in wide 1 ft in the ground drive
chained stake and build mound of
earth 2 ft high with pit 2x1x1 ft
for $\frac{1}{4}$ Sec Cor. No trees near

8018 The Cor to Secs 27, 28, 33, & 34
Land rich, bottom of Kenter Rosa valley
Soil 1st rate
No timber or undergrowth

North between Sec 27 & 28
 $Ta 13^{\circ} 53'$ East

140 Kenter Rosa Creek 180 ft wide channel
dry flows S.W.

2100 Road from Milligans to New Mexico bears
N.E. & S.W.

Township 9 North Range 29 East

Gila and Salt River Meridian

- As.
- 30.00 Begin ascent of Bluff bears N.W. + N.E.
- 34.50 Summit of Bluff and enter Mesa bears E + N.W.
- 40.00 Set a post marked $\frac{1}{4}$ Sec 4 ft long flattened 3 in wide 1 foot in the ground drive charred stake and build mound of earth 2 ft high with pits 2x1x1 ft for $\frac{1}{4}$ Sec Cor. No trees near
- 80.00 Set a limestone 31x24x10 in properly notched set $\frac{3}{4}$ in the ground and on its side build mounds of stone 2 ft high for Cor to Sec's 21 22 27 + 28
Land level bottom south with good rich soil - North level mesa with 2nd rate soil
No timber or undergrowth

East on random line
between Sec's 22 + 27

To 13°53' East

- 13.20 Road to upper Nutter Rosa bears N.W.

Township 9 North Range 29 East

Chs. Gila and Salt River Meridian
+ E.S.E.

40.00 Set a stone for temporary $\frac{1}{4}$ Sec Cor

57.90 Road from New Mexico to Apache
beans N.N.W + E.S.E.

The New Mexico Road forks about 1 ch S.E.
of this point bearing S.W. to "Milligan's"
Settlement

80.10 Intersected N + S line at Cor to Secs
22 23 26 + 27 from which Cor I run
West on true line
between Secs 22 + 27
Va 13° 53 East

40.15 Set a line stone 18x18x12 in marked $\frac{1}{4}$
set $\frac{3}{4}$ in the ground and build mound
of stone 2 ft high for $\frac{1}{4}$ Sec Cor.

No trees near

80.10 The Cor to Secs 21. 22. 27 + 28
Land level. Soil 2nd rate nutritious
grasses abundant
No timber or undergrowth.

Township 9 North Range 29 East

Ch. Gila and Salt River Meridian

North between Sec's 21 + 22

Va 13° 53' East

21.60 Apache & New Mexico Road bears W
& S. E.

47.00 Set a lime stone 12x10x10 in marked
1/4 set 2/3 in the ground and build
mound of earth 2 ft high with pits
2x1x1 ft for 1/4 Sec Cor. No trees near

80.00 Set a limestone 16x12x10 in properly
notched set 2/3 in the ground and on the
side build mound of earth 2 ft high
with pits 2x1x1 ft for Cor to Sec's
15, 16, 21 + 22 No trees near
Land level. Soil 2nd rate
No trees or undergrowth.

East on random line

between Sec's 15 + 22.

Va 13° 53' East

40.00 Set a post for temporary 1/4 Sec Cor

Township 9 North Range 29 East

Gila and Salt River Meridian

- Chs.
80.00 Intersected N + S. line at Cor to Sec's
14.15. 22 + 23.
From which Cor I run
West on true line
between Sec's 15 + 22
Va $13^{\circ}53'$ East
(marked $\frac{1}{4}$ S.)
40.00 Set a post, 4 ft long flattened 3 in wide
1 ft in the ground deposit stone marked
+ and build mound of earth 2 ft high
with pit $2 \times 1 \times 1$ ft for $\frac{1}{4}$ Sec Cor.
No trees near
80.00 ~~The~~ Cor to Sec's 15.16. 21 + 22
Land level mesa or plain
Soil 2nd rate with good grass
No timber or undergrowth

North between Sec's 15 + 16

Va $13^{\circ}53'$ East

- 40.00 Set a limestone $16 \times 10 \times 10$ in marked $\frac{1}{4}$
set $\frac{2}{3}$ in the ground and build mound

Township 9 North Range 29 East

chs. Gela and Salt River Meridian

of stone 2 ft high for $\frac{1}{4}$ Sec Cor
No trees near

80.00 Set a limestone $16 \times 10 \times 8$ in properly
notched & set $\frac{2}{3}$ in the ground and on
N. side build mound of stone 2 ft
high for Cor to Secs 9, 10, 15 & 16.
No trees near

Land level plain Soil 2nd rate
No timber or undergrowth

East on random line
between Secs 10 & 15

Va $13^{\circ}53'$ East

40.00 Set a stone for temporary $\frac{1}{4}$ Sec Cor

80.10 Intersected N & S line 16.00 S of Cor to
Secs 10, 11, 14 & 15

from which Cor I run
 $589053'$ W on true line
between Secs 10 & 15

Va $13^{\circ}53'$ East

Township 9 North Range 29 East

Gila and Salt River Meridian

Obs.

40.05 Set a limestone $10 \times 10 \times 8$ in marked $\frac{1}{4}$ set $\frac{2}{3}$ in the ground and build mound of earth 2 ft high with pits $2 \times 1 \times 1$ ft for $\frac{1}{4}$ Sec Cor. No trees near

80.10 The Cor to Sec's 9, 10, 15, & 16
Land level plain Soil 2nd rate
No timber or undergrowth.

North between Sec's 9 & 10.

Va $130^{\circ} 53'$ East

40.00 Set a limestone $12 \times 10 \times 8$ in marked $\frac{1}{4}$ set $\frac{2}{3}$ in the ground and build mound of stone 2 ft high for $\frac{1}{4}$ Sec Cor
No trees near.

80.00 Set a limestone $18 \times 12 \times 8$ in properly notched set $\frac{3}{4}$ in the ground and on N side build mound of earth 2 ft high with pits $2 \times 1 \times 1$ ft for Cor to Sec's 3, 4, 9, & 10
No trees near

Township 9 North Range 29 East

Gila and Salt River Meridian

chs.

Low level plain Soil 2nd rate
good grass

No timber or undergrowth

November 6 1875

East on random line

between Sec's 3 & 10

To $13^{\circ}53'$ East

411.00 Set a stone for temporary $\frac{1}{4}$ Sec Cor

811.08 Intersected N & S line 28.00 N of Cor
to Sec's 2, 3, 10 & 11 from which Cor
I run North $89^{\circ}48'$ W on true line

between Sec's 3 & 10

To $13^{\circ}53'$ East

411.04 Set a limestone $12 \times 12 \times 6$ in marked $\frac{1}{4}$
Set $\frac{2}{3}$ in the ground and build mound
of earth 2 ft high with pits $2 \times 1 \times 1$ ft
for $\frac{1}{4}$ Sec Cor. No trees near

811.08 The Cor to Sec's 3, 4, 9 & 10

Low level plain Soil 2nd rate. Grasses abundant.
No timber or undergrowth.

Township 9 North Range 29 East

Gila and Salt River Meridian

Ck Chs.

80.

North on random line
between Sec's 3+4

Va 13°53' East.

40.00 Set a post for temporary 1/4 Sec Cor

80.00 Intersected N Boundary of 3p 14 lks E of
Cor to Sec's 3+4 from which Cor

40.

I run S 1°6' E on true line
between Sec's 3+4

Va 13°53' East

40.00 Set a post marked 1/4 S 4 ft long
flattened 3 in wide 1 ft in the ground

8.

Deposit stone marked + and build
mound of earth 2 ft high with
pits 2 x 1 x 1 ft for 1/4 Sec Cor.

No trees near

80.00 The Cor to Sec's 3, 4, 9+10

Land level Soil 2nd rate

No timber or undergrowth

41.

North between Secs 32+33

Township 9 North Range 29 East

Gila and Salt River Meridian

Ch.

T_a 13° 53' East

- 39.80 Road from Milligans to New Mexico
bears N.W. + S.E. Enter cultivated field
bears E + S.S.W.
- 40.00 Set a post marked $\frac{1}{4}$ S 4 ft long flattened
3 in wide 1 ft in the ground drive char-
-red stake and build mound of earth
2 ft high with pit 2x1x1 ft for $\frac{1}{4}$
Sec Cor. No trees near.
- 41.20 Irrigating ditch flows N.E.
- 44.10 Same ditch flows N.W. and farm
buildings of Rica bear East from
this point about 8 chs. distant.
- 55.00 Road bears N.W. + E.
- 71.00 Road bears N.E. + S.W.
- 80.00 Set a post marked and notched 4 ft long
3 in square 1 ft in the ground drive char-
-red stake and build mound of earth
2 ft high with pit 2x1x1 ft for Cor
to Secs 28, 29, 32 + 33 No trees near.

Township 9 North Range 29 East

Gila and Salt River Meridian

chs.

Land cultivated fields of Little Colorado bottom. Soil 1st rate
No timber

East on random line
between Secs 28 + 33
Ta 13° 53' East

- 8.00 Road bears N + S.
18.00 Leave cultivated fields bear NN + S.
40.00 Set a post for temporary 1/4 Sec Cor.
40.80 Enter Rosa Creek 20.00s wide channel dry flows N.W.
62.00 Road from Milligans to New Mexico bears N. N. E + S. W.
78.10 Dry channel of Neuter Rosa Creek 20.00s wide flows S. W. thence W.
80.20 Intersected N + S line 12.00s S of Cor to Secs 27, 28, 33 + 34 from which Cor I run S 89° 55' W on true line between Secs 28 + 33

Township 9 North Range 29 East

Gila and Salt River Meridian

Chs.

T_a 13°53' East

40.10 Set a post marked $\frac{1}{4}$ S 4 ft long flattened
3 in wide 1 ft in the ground drive charred
stake and build mound of earth 2 ft
high with pits 2x1x1 ft for $\frac{1}{4}$ Sec
Cor. No trees near.

80.20 The Cor to Sec's 28. 29. 32 + 33
Land rich bottom with 1st rate soil
No timber or undergrowth

North between Sec's 28 + 29

T_a 13°53 East.

24.20 Irrigating ditch flows N.E. and some
cultivated lands transct N.W.S.E.

38.10 Dry channel of Neuter Rosa Creek 25.00
wide flows N.W.

40.00 Set a post marked $\frac{1}{4}$ S 4 ft long flattened
3 in wide 1 ft in the ground drive charred
stake and build mound of earth 2 ft high
with pits 2x1x1 ft for $\frac{1}{4}$ Sec Cor.

Township 9 North Range 29 East

Gila and Salt River Meridian

Ch.

No trees near

48.00 Road bears N.W. & S. S. E. a farm house bears E of this point about 16 chs distant.

80.00 Set a post marked and notched 4 ft long 3 in square 5 1 ft in the ground drive charred stake and build mound of earth 2 ft high with pits 2x1x1 ft for Cor to Secs 21 21 28 + 29. No trees near Sand level bottom soil 1st rate. No timber or undergrowth.

Easton random line
between Secs 21 + 28

Ta 13553 East.

18.00 Begin ascent of Bluffy bears N.W. and S.E.
24.00 Summit of bluff and enter level
Mesa bears N.W. & S.E.

40.00 Set a stone for temporary 1/4 Sec Cor

80.00 Intersected N & S line 12 chs N of cor

Township 9 North Range 29 East

Gila and Salt River Meridian

Chs.

to Sec's 21, 22, 27 & 28 from which

Cor I run

N 89° 55' W on true line

between Sec's 21 & 28

Ta 13° 53' East

40.00 set a limestone 16 x 16 x 10 in marked 1/4
 set 2/3 in the ground and build mound
 of stone 2 ft high for 1/4 Sec Cor
 No trees near

80.00 The Cor to Sec's 20, 21, 28 & 29
 Land West level bottom with 1st rate soil
 Land East level mesa 2nd rate soil
 No timber or undergrowth

North between Sec's 20 & 21

Ta 13° 53' East

10.00 Begin ascent of bluff bears N.W. & S.E.

14.80 Summit of Bluff and enter level mesa
 bears N.W. & S.E.

21.05 Road from Apache to New Mexico

Township 9 North Range 29 East

Gila and Salt River Meridian

Chs

bears E. N. E & S. W.

40.00 Set a limestone 16x10x8 in marked 1/4 set 2/3 in the ground and build mound of stone 2 ft for 1/4 Sec Cor
No trees near

80.00 Set a limestone 18x15x5 in properly notched set 3/4 in the ground and on it side build mound of stone 2 ft high for Porto Sec's 16, 17, 20 & 21.
No trees near

Land level mesa Soil 2nd rate
No timber or undergrowth

East on random line
between Sec's 16 & 21

Va 13° 53' East

40.00 Set a stone for temporary 1/4 Sec Cor

80.00 Interest N & S line at Cor to Sec's 15, 16.

21422 from which Cor I run
West on true line

Township 9 North Range 29 East

Gila and Salt River Meridian

chs

between Sec's 16 & 21

Ta 13°53' East

40.00 Set a limestone 18x16x10 in marked $\frac{1}{4}$ set $\frac{3}{4}$ in the ground and build mound of stone 2 ft high for $\frac{1}{4}$ Sec Cor.

No trees near

80.00 The Cor to Sec's 16. 17. 20 & 21

Land level mesa Soil 2nd rate; grasses abundant.

No timber or undergrowth

North between Sec's 16 & 17

Ta 13°53' East

35.00 Begin descent from Mesa

38.00 Foot of Bluff bears E & W. and enter valley sloping W.N.W. from point about 15 chs E. to bottom lands W.N.W. of line.

40.00 Set a limestone 16x10x10 in marked $\frac{1}{4}$ set $\frac{2}{3}$ in the ground and build mound of earth 2 ft high with pits 2x1x1 ft

Township 9 North Range 29 East

Gila and Salt River Meridian

Ch

for $\frac{1}{4}$ Sec Cor. No trees near46.00 Leave valley and begin ascent of bluff
bears N.W. & S.E.48.00 Summit of Bluff and enter mesa bears
N.W. & S.E.80.00 Set a limestone $10 \times 10 \times 10$ in properly
notched set $\frac{2}{3}$ in the ground and on N
side build mound of earth 2 ft high
with pits $2 \times 1 \times 1$ ft for Cor to Sec's 8, 9,
16 & 17. No trees nearLand level mesa except when broken
by point of valley. Soil 2nd rate
No timber or undergrowth.East on random line
between Sec's 9 & 16.Va $13^{\circ} 53'$ East40.00 Set a stone for temporary $\frac{1}{4}$ Sec Cor80.00 Intersected N & S line 14 lks N of Cor
to Sec's 9, 10, 15 & 16 from which Cor

Township 9 North Range 29 East

Gila and Salt River Meridian

chs.

I run N 89° 54' W on true line
between Secs 9 + 16
T₁₃ 13° 53' East

40.00 set a limestone 10x10x10 in marked 1/4
set 2/3 in the ground and build mound of
stone 2 ft high for 1/4 Sec Cor.

No trees near

80.00 The Cor to Secs 8, 9, 16 + 17
Land level Mesa. Soil 2nd rate
No timber or undergrowth

North between Secs 8 + 9
T₁₃ 13° 53' East

10.00 begin descent from Mesa

12.20 foot of Bluff bears N.E. + W.S.W. and enters
valley sloping W from point about 12 ch
N.E.

28.00 leave valley and begin ascent of Bluff bears
N.W. + S.E.

31.00 Summit of Bluff and enter level Mesa

Township 9 North Range 29 East

Gila and Salt River Meridian

Chs.

beats N.W. & S. E

40.00 Set a limestone $16 \times 10 \times 8$ in marked $\frac{1}{4}$
set $\frac{2}{3}$ in the ground and build mound of
stone 2 ft high for $\frac{1}{4}$ Sec Cor.

No trees near

80.00 Set a limestone $20 \times 10 \times 10$ in properly
notched set $\frac{3}{4}$ in the ground and on it
side build mound of stone 2 ft high
for Cor to Sec's 4, 5, 8 & 9. No trees near.

Sand level Mesa except when broken by
valley. Soil 2nd rate.

No timber or undergrowth

November 8th 1875

East on random line

between Sec's 4 & 9

To 13053' East

40.00 Set a stone for temporary $\frac{1}{4}$ Sec Cor

80.10 Intersect N & S line 8 lks N of Cor to
Sec's 3, 4, 9 & 10. from which Cor I run
N 89° 57' W on true line

Township 9 North Range 29 East

Gila and Salt River Meridian

Chs.

between Sec's 4 & 9

Va 13° 53' East

40.05 Set a limestone 10x10x10 in marked 1/4
set 2/3 in the ground and build mound of
sand 2 ft high with pile 2x1x1 ft for
1/4 Sec Cor No trees near

80.10 The cor to Sec's 4, 5, 8, & 9.

Land level plain Soil 2nd rate
No timber or undergrowth

North on random line

between Sec's 4 & 5

W 13° 53' East.

40.00 Set a post for temporary 1/4 Sec Cor.

79.80 Intersected N Boundary of T_p 8 R₁₆ E
of cor to Sec's 4 & 5 from which cor
I run S 0° 3' E on true line
between Sec's 4 & 5.

Va 13° 53' East

39.80 Set a post marked 1/4 S 4 ft long flattened

Township 9 North Range 29 East

Gila and Salt River Meridian

Chs.

3 in wide 1 ft in the ground deposit
stone marked + and build mound of
earth 2 ft high with pits 2x1x1 ft for
1/4 Sec Cor. No trees near

79.80

The Cor to Secs 4, 5, 8 & 9

Land level plain Soil 2nd rate

No timber or undergrowth

North between Secs 31 & 32

Va 13°53' East

40.00

Set a volcanic stone 10x10x10 in marked
1/4 set 2/3 in the ground and build mound
of earth 2 ft high with pits 2x1x1 ft
for 1/4 Sec Cor. No trees near

80.00

Set a limestone 16x14x8 in properly
notched set 2/3 in the ground and on it
side build mound of earth 2 ft high
with pits 2x1x1 ft for Cor to Secs
29, 30, 31 & 32 No trees near

Land level mesa Soil 1st & 2nd rate

Township 9 North Range 29 East

Gila and Salt River Meridian

chs.

grasses abundant.
No timber or undergrowth

Easton random line
between Secs 29 & 32
Ta 13° 53 East

- 19.00 Begin descent from Mesa
- 20.00 Foot of Bluff bears N.N.W. & S. extends about 15 chs N.N.W. & ends in the plain. Enter bottom lands of Little Colorado
- 31.00 Road bears N & S.
- 40.00 Set a post for temporary 1/4 Sec Cor.
- 42.00 Heller's house, bears S from this point about 8 chs distant, in cultivated field. S. of line
- 49.00 Little Colorado River 40 yds wide rapid current, gravelly bed flows N.
- 53.50 Same river flows S thence W.
- 57.80 Same river flows N thence W. enter cultivated fields bear N & S
- 61.00 Holding's house bears S from this point

Township 9 North Range 29 East.

Gila and Salt River Meridian

chs.

about 4 chs dist

41.00 Irrigating ditch flows N.W.E.

80.00 Intersect N + S line at Cor to Secs 28
29 32 + 33. from which Cor I run
West on true line
between Secs 29 + 32
Va 13° 53' East40.00 Set a post marked $\frac{1}{4}$ S 4 ft long flat-
tend 3 in wide 1 ft in the ground drive
charred stake and build mound of earth
2 ft high with pits 2 x 1 x 1 ft for $\frac{1}{4}$ Sec
Cor. No trees near.80.00 The Cor to Secs 29. 30. 31 + 32.
Land E of bluff level bottom with
1st rate soil. Land W of bluff
Mesa gently sloping N. 2nd rate soil
No timber or undergrowthWest on random line
between Secs 30 + 31

Township 9 North Range 29 West

Gila and Salt River Meridian

Chs

Va 13°53' East

40.00 Set a post for temporary 1/4 Sec Cor

80.20 Intersected W Boundary of Sp 10 lks Sof
Cor to Sec's 30 & 31 from which Cor I run
S 89°56' E on true line

between Sec's 30 & 31

Va 13°53' East

40.20 Set a post marked 1/4 S. 4 ft long flattened
3 in wide 1 ft in the ground deposit stone
marked + and build mound of earth 2 ft high
with pits 2x1x1 ft for 1/4 Sec Cor.
No trees near

80.20 The Cor to Sec's 29, 30, 31 & 32

Land Mesa gently sloping N Soil 17 ^{ft and} 2 ^{rate}

Nutritious grasses abundant
No timber or undergrowth.

North between Sec's 29 & 30

Va 13°53' East

40.00 Set a post marked 1/4 S. 4 ft long flat-

Township 9 North Range 29 East

Sila and Salt River Meridian

chs

tenes 3 in wide 1 ft in the ground de-
posit stone marked + and build mound
of earth 2 ft high with pits 2x1x1 ft
for 1/4 Sec Cor. No trees near

76.00 Enter little alkali lake with dry bed

80.00 Drive a post marked and notched 4 ft
long 3 in square 2 feet in the ground
deposit stone marked + for Cor to Sec's
19, 20, 29 + 30. No trees near.

At this corner I could not build mound
or dig pits on account of the soft muddy
character of the soil.

Land gently sloping E.

Soil 1st rate

No timber or undergrowth

East on random line
between Sec's 20 + 29

Ta 13053 East

3.00 Spare bed of Lake

Township 9 North Range 29 East

Gila and Salt River Meridian

Chs.

- 21.00 Road to Apache bears W. N. W 4 S. E.
- 22.00 junction of road from Mc Culloughs bears
S. from this point about 2 chs dist
- 40.00 Set a post for temporary 1/4 Sec Cor.
- 42.20 Little Colorado River 35 lks wide, rapid cur-
-rent and gravelly bottom, flows N. and enters
cultivated field bears N. + S.
- 59.00 Irrigating ditch flows N and leaves cultivated
field bears N + S.
- 71.00 Apache and New Mexico road bears N. S. N +
N. N. E.
- 80.00 Intersected N + S line 16 lks N of Cor
to Secs 20, 21, 28 + 29. from which Cor
I run N 89° 53' W on true line
between Secs 20 + 29
T 13° 53' East
- 40.00 Set a post marked 1/4 S 4 ft long flat-
-tened 3 in wide 1 ft in the ground drive
charred stake and build mound of earth
2 ft high with pits 2 x 1 x 1 ft for 1/4

Township 9 North Range 29 East

Chs. Gila and Salt River Meridian

Sec Cor. No trees near.

80.00 The Cor to Sec's 19+20, 29+30
Land mostly level Soil 1st rate
No timber or undergrowth

West on random line
between Sec's 19+30

Va 130° 53' East

2.00 Leave dry bed of alkali lake

40.00 Set a post for temporary $\frac{1}{4}$ Sec Cor

79.60 Intersected W Boundary of Sp at Cor to
Sec's 19+30 from which Cor I run
East on true line

between Sec's 19+30

Va 130° 53' East

39.60 Set a limestone 16x10x10 in marked $\frac{1}{4}$
set $\frac{2}{3}$ in the ground and build mound of
earth 2 ft high with pits 2x1x1 ft for
 $\frac{1}{4}$ Sec Cor. No trees near

79.60 The Cor to Sec's 19+20, 29+30

Township 9 North Range 29 East

Gila and Salt River Meridian

chs
Land gently sloping E. Soil 1st & 2nd rate
No timber or undergrowth

North between Sec's 19 & 20

Va 13° 53' East

- 16.60 Road to Apache bears W & E. S. E
- 40.00 Set a limestone 14 x 10 x 8 in marked $\frac{1}{4}$ set $\frac{2}{3}$
in the ground and build mound of earth
2 ft high with pits 2 x 1 x 1 ft for $\frac{1}{4}$ Sec. Cor
No trees near.
- 80.00 Set a limestone 20 x 10 x 6 in properly notched
set $\frac{3}{4}$ in the ground and on N. side build
mound of stone 2 ft high for Cor to Sec's
17, 18, 19 & 20 No trees near
Land mesa sloping S & S. E. Soil 2nd rate
No timber or undergrowth

East on random line

between Sec's 17 & 20

Va 13° 53' East

Township 9 North Range 29 East

Gila and Salt River Meridian

- Ch.
- 16.00 Begin descent of Bluff bears N + S.
- 19.00 foot of Bluff and enter bottom of Cañon of Little Colorado River bears N + S.
- 20.00 Little Colorado River 40 lks wide rapid current and rocky bed flows N
- 23.00 begin ascent of Bluff bears N + S
- 25.30 Summit of Bluff. leave Cañon bears N + S and enter level Mesa bears N + S.
- 40.00 Set a stone for temporary $\frac{1}{4}$ Sec Cor
- 79.90 Intersected N + S line 28 lks N of Cor to Secs 16, 17, 20 & 21 from which Cor I run N $89^{\circ}48'$ W on true line
 between Secs 17 & 20
 Va $13^{\circ}53'$ East
- 89.95 set a limestone $14 \times 10 \times 6$ in marked $\frac{1}{4}$ set $\frac{2}{3}$ in the ground and build mound of earth 2 ft high with pits $2 \times 1 \times 1$ ft for $\frac{1}{4}$ Sec Cor. No trees near.
- 79.90 the Cor to Secs 17, 18, 19 & 20
 Land level Mesa except where broken by Cañon

Township 9 North Range 29 East

Gila and Salt River Meridian

chs.

Soil 2nd rate

Timber. a few ^{scrub} Cedars along banks of Cañon

November 9 1875

West on random line

between Sec's 18419

Via 13053' East

34.00 Road bears N75

40.00 Set a post for temporary $\frac{1}{4}$ Sec Cor

79.80 Intersected N Boundary of Sp 12 $\frac{1}{4}$ S
of Cor to Sec's 18419 from which Cor
I run

S89°55' E on true line

between Secs 18419

Via 13053' East

79.80 Set a post marked $\frac{1}{4}$ S 4 ft long flat=
tened 3 in wide 1 ft in the ground de-
posit stone marked + and build mound
of earth 2 ft high with pits 2x1x1 ft
for $\frac{1}{4}$ Sec Cor. No trees near

79.80 The Cor to Sec's 17, 18, 19 & 20

Township 9 North Range 29 East

Gila and Salt River Meridian

Chs.

Level Mesa Soil 2nd rate
No timber or undergrowth

North between Sec's 17 & 18
• Va 13053' East

- 40.00 Set a limestone 12x10x10 in marked off
Set $\frac{2}{3}$ in the ground and build mound of
stone 2 ft high for 1/4 Sec Cor
No trees near
- 48.00 Begin descent of Bluff bears N.W. & E.S.E.
- 51.00 Enter valley bears N & E.S.E.
- 51.10 Road bears S.S.W & N.E.
- 84.00 Set a volcanic stone 16x14x12 in properly
notched set $\frac{2}{3}$ in the ground and on N side
build mound of stone 2 ft high for
Cor to Sec's 7, 8, 17 & 18 No trees near.
Land south and west level Mesa 2nd rate soil
Land east level valley 1st & 2nd rate soil
No timber or undergrowth

Township 9 North Range 29 East

Gila and Salt River Meridian

Chs.

East on random line
between Sec's 8 & 17

Va 13°53' East

29.00 Little Colorado River 40 lks wide rapid
current and gravelly bed flows N and enters
cultivated fields

38.20 Road bears N. N. E. + S. W.

40.00 Set a post for temporary 1/4 Sec Cor

49.00 Irrigating ditch flows N.

51.00 Leave valley bears S. E. + N. E. and begin
ascent of point of bluff bears N. E. + S. E.53.00 Summit of bluff and enter level mesa bears
N. E. + S. E.81.20 Intersected N + S line 24 lks S of Cor to
Sec's 8, 9, 16, & 17 from which Cor
I runS 89°50' W on true line
between Sec's 8 & 17

Va 13°53' East

4010. Set a post marked 1/4 5 4 ft long flattened

Township 9 North Range 29 East

Gila and Salt River Meridian

Chs.

3 in wide 1 ft in the ground deposit
stone marked + and build mound of
earth 2 ft high with pile 2x1x1 ft
for $\frac{1}{4}$ Sec Cor. No trees near

80.20 The Cor to Sec's 7, 8, 17 & 18

Land level bottom with 1st rate soil, and
low mesas with 2nd rate soil

No timber or undergrowth

Wellow pond on line

Between Sec's 7 & 18

7^a 13° 53' East.

5.00 Begin ascent of bluff bears N & S.

7.20 Summit of Bluff and enter Mesas bears N & S.

40.00 Set a post for temporary $\frac{1}{4}$ Sec Cor.

79.70 Intersect W Boundary of Sp. 5 M's S of Cor
to Sec's 7 & 18 from which Cor.

Draw

589° 58' E on true line

Between Sec's 7 & 18

Township 9 North Range 29 East

Gila and Salt River Meridian

Chs.

T₁₄ 13°53' East

- 39.70 Set a volcanic stone 10x10x10 in marked $\frac{1}{4}$ set $\frac{2}{3}$ in the ground and build mound of stone 2 ft high for $\frac{1}{4}$ Sec Cor. No trees near.
- 79.70 The Cor to Secs 7, 8, 17 & 18
Level level mesa soil 2nd rate
No timber or undergrowth

North between Secs 7 & 8

T₁₄ 13°53' East

- 12.00 Line runs along E slope of Bluff
- 36.00 Begin ascent of Bluff bears N. N. E + S.
- 37.00 Summit of Bluff and enter Mesa bears E. N. E + S.
- 41.00 Set a volcanic stone 14x12x6 in marked $\frac{1}{4}$ set $\frac{2}{3}$ in the ground and build mound of stone 2 ft high for $\frac{1}{4}$ Sec Cor
No trees near
- 81.00 Set a volcanic stone 20x10x4 in prop-
erly notched set $\frac{3}{4}$ in the ground and

Township 9 North Range 29 East

Gila and Salt River Meridian

Chs.

on N side build mound of stone
2 ft high for Cor to Sec's 5, 6, 7, & 8.

No trees near

Land West level mesa East level
valley soil 1st & 2nd rate.

No timber or undergrowth

East on random line
between Sec's 5 & 8

Va 13053' East

- 18.00 Begin descent from Mesa bears N & S.
20.00 foot of bluff and enter valley bears N & E.
22.00 Little Colorado River 40 ft wide rapid
current and rocky bed flows North
28.00 House bears S from this point 4 Chs
dist
33.00 House bears S from this point 6 Chs
dist
40.00 Set a stone for temporary 1/4 Sec Cor and
begin ascent of Bluff bears N.W. & S.E.

Township 9 North Range 29 East

Gila and Salt River Meridian

- 63.00 Summit and enter Mesa bears N 45° E.
 62.00 Leave Mesa descend into cañon which
 bears N.W. from point about 5 Chs S.E.
 64.00 Bottom of cañon
 66.00 begin ascent of opposite bank of cañon
 68.70 summit of opposite bank of cañon and
 enter Mesa bears N.W. 58.
 80.40 Intersect N + S. line 16 Chs N of Cor to
 Sec's 4, 5, 8, + 9 from which Cor I run
 N $89^{\circ}53'$ W on true line
 between Sec's 5 + 8
 Va $13^{\circ}53'$ East

40.20 Set a line stone $10 \times 9 \times 9$ in marked $\frac{1}{4}$
 set $\frac{2}{3}$ in the ground and build mound of
 stone 2 ft high for $\frac{1}{4}$ Sec Cor.
 No trees near

80.40 The Cor to Sec's 5, 6, 7, + 8
 Land along line, + North rough + broken with
 2nd + 3rd rate soil. ^{Foot of} level valley 1st rate soil
 Timber - a few scrub Cedars along Bluffs.

Township 9 North Range 29 East

Gila and Salt River Meridian

Chs,

West on random line

between Sec's 6 & 7

Va 13°53' East

40.00 set a stone for temporary $\frac{1}{4}$ Sec Cor

79.61 Intersect W Boundary of Sp at Cor to Sec's
6 & 7. from which Cor I run

East on true line

between Sec's 6 & 7

Va 13°53' East

39.60 set a volcanic stone 12x8x8 in marked
 $\frac{1}{4}$ set $\frac{2}{3}$ in the ground and build
mound of stone 2ft high for $\frac{1}{4}$ Sec
Cor. No trees near

79.60 The Cor to Secs 5, 6, 7, & 8

Land level Mesa. Soil 2nd rate

grasses abundant

No timber or undergrowth.

North on random line

between Sec's 5 & 6

Township 9 North Range 29 East

Gila and Salt River Meridian

chs.

Va 13° 53' East

40.00 set a limestone for temporary $\frac{1}{4}$ Sec
Cor

80.10 Intersect N Boundary of Tp 10 Nks W
of Cor to Secs 5+6 from which Cor
I run

S0° 4' W on true line
between Secs 5+6

Va 13° 53' East

40.10 set a limestone 10x8x8 in marked $\frac{1}{4}$
set $\frac{2}{3}$ in the ground and build mound
of stone 2 ft high for $\frac{1}{4}$ Sec Cor.
No trees near

80.10 The Cor to Secs 5, 6, 7+8
Land level. Soil 2nd rate
No timber or undergrowth
November 10 1875

General Description

of Township 9 North Range 29 East.
This Township contains considerable

Township 9 North Range 29 East
Gila and Salt River Meridian

first class land along the Little Colorado and Neuter Rosa bottoms.

The balance of land in the Tp. consists mostly of Mesa lands generally of 2nd quality, covered with grasses good for grazing purposes.

The Little Colorado River, a small stream, furnishing a constant supply of good pure water flows in a northerly direction through the central western portion of the Tp.

The Neuter Rosa Creek flows westerly through the southern portion of the Township emptying into the Little Colorado River in Sec 29.

It has a limited and uncertain supply of water the bed being dry during the dry seasons of the year.

The timber in the Township

Township 9 North Range 29 East

Gila and Salt River Meridian

consists of scattering scrub cedars
suitable only for fuel.

Several engaged in farming and
stock raising have settled along the
Little Colorado bottom.

An irrigating canal is in process
of construction to carry water from
the Little Colorado River to the New-
ter Rosa bottom which will soon
be occupied by farmers.

A. Ruston Foster
Deputy Surveyor

List of Names.

BOOK 64
90

A List of the Names of Individuals employed
to assist in running, measuring, or marking the
lines and corners described in the foregoing Field
Notes of the survey of the Subdivision

Lines of
Township 8, North Range 29, East.

of " 9, " " 29, "

Under Salt River Meridian
Territory of Arizona

Showing the respective capacities in which they
acted.

- John A. Nelson Chainman.
- Peter Thompson Chainman,
- Henry Winninghoff Axeman.
- William C. Foster Flagman.

Final Oath of Assistants.

We hereby certify that we assisted Charles
Foster U. S. Deputy Surveyor, in
 surveying the Subdivision Lines of
 Township 8. North. Range 29. East.
 and " 9. " " 29. "
 Gila and Salt River Meridian
 Territory of Arizona

and that said Survey has been in all respects, to
 the best of our knowledge and belief, well and
 faithfully executed, and the boundary monuments
 planted according to the instructions furnished by
 the Surveyor-General.

John L. Nelson Chairman.
Peter Thompson Chainman,
Henry Williams Axeman.
William Foster Flagman.

Sworn to and subscribed before me, this 29th
 day of December, 1875

William McKersy
 Clerk Dist. Court 7th
 Judl Dist Yavapai Co Ariz

66

BOOK 20

Final Oath of Deputy Surveyor.

I, Burton Foster

U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the 16th day of August

1875 I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of the

Subdivision Lines of
Township 8 North Range 29 East
and 9 " " " 29 "
Gila " Salt River Meridian
Territory of Arizona

as are represented in the foregoing Field Notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements con-

tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

Charles Foster
Deputy Surveyor.

Sworn to and subscribed before me, this 29th
day of December, 1875

William McKinnon
Clerk Dist Court
Thurs Judd Dist
Yavapai Co Ariz.

U. S. Surveyor General's Office,

TUCSON, ARIZONA,

July 7,

1876.

The foregoing Field Notes of the Survey of the

Subdivision lines of
Township 9 N. M.
Range 29 East.

Of the Gila and Salt River Base and Meridian, Arizona, execu-

ted by C. Buxton Hoster,

Deputy Surveyor, under his contract of the

16th

day of

August,

1876, having been

critically examined and the necessary corrections and explana-

tions made, the said Field Notes and the surveys they describe

are hereby approved.

John Masser,
Surveyor General.