

No-99

Field Notes

OF THE SURVEY OF THE

SUDIVISION LINES

— OF —

Township 11 N. Range 28 E.

Gila and Salt River Base and Meridian

ARIZONA.

By C. Burton Foster, D. S.

under contract dated Aug. 16, 1875.

Survey commenced Nov. 26, 1875.

Survey completed Dec. 2, 1875.

66

No-99

Field Notes

Of the

Subdivision Lines.

of No-99

Township 11 North Range 28 East
Gila and Salt River Meridian
Territory of Arizona

Surveyed by

C. Burton Foster

U. S. Depy Surveyor.

Under his Contract of August 16th 1875.

Survey commenced November 26 1875
" Completed December 2 1875.

Township 11 North, R. range 25 East.

Gila and Salt River Meridian.

6	57.	5	42	4	32.	3	21.	2	10.	1
56		55		41		31.		20.		9.
7	54.	8	40	9	30.	10	19.	11	8.	12
53		52.		39.		29.		18.		1.
18	51.	17	38.	16	28.	15	17.	14	6.	13
50		49		37.		27.		16.		5.
19	49	20	36.	21	26.	22	15.	23	5.	24
48		47		34.		25.		14.		4.
30	46	29	34.	28	24.	27	13.	26	3.	25
45		44		33.		23		12.		2.
31	43	32	33.	33	22	34	11.	35	1.	36

We, John S Nelson
and Peter Thompson

do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

John S. Nelson
Peter Thompson

Sworn to and subscribed before me, this 14th
day of September 1875

William Waters
Clerk Dist Court Blunt
Jude Dist Yaoupaies ay

We, Henry Hemminghoff
and William C. Foster

do solemnly swear that we will well and truly per-
form the duties of Axeman and
St. Lagman

according to instructions given us, and to the best
of our skill and ability.

Henry Hemminghoff
William C. Foster

Sworn to and subscribed before me this 17th
day of September 87

William Wilkerson
Clerk Dist Court 2nd
Judl Dist Yavapai Co

Township 11 North Range 28 East

Gila and Salt River Meridian

chs.

Begin at the established cor to Sec's 35th & 36. on S Boundary of Township

from which cor I run

North between Sec's 35 and 36

Va 140 - East

As per Burts Improved Solar Compass
and the bearing of the E Boundary of Sec
36

40.00 Set a post marked $\frac{1}{4}$ S 4 ft long flat-
tened 3 in wide 1 ft in the ground, drive
chained stake and build mound of earth
2 ft high with pits 2x1x1 ft for $\frac{1}{4}$ Sec cor.
No trees near.

58.10 Creek 12 lks wide flows N.

80.00 Set a post marked and notched 4 ft long
3 in squares 1 ft in the ground drive char-
red stake and build mound of earth
2 ft high with pits 2x1x1 ft for cor to
Sec's 25, 26, 35 and 36. No trees near.
Land mostly level. Soil 1st rate

Township 11 North Range 28 East

Gila and Salt River Meridian

cks.

Timber Cedars.

East on random line
between Sec's 25 and 36
Va 140 East

18.60 Road bears N N W. and S.

40.00 Set a post for temporary $\frac{1}{4}$ Sec Cor

80.00 Intersect E Boundary of Sp. 9 lks N of
Cor to Sec's 25 and 36 from which Cor
I run

N 89° 56' W on true line
between Sec's 25 and 36.

Va 140 East

40.00 Set a post marked $\frac{1}{4}$ S 4 ft long flat-
tened 3 in wide 1 ft in the ground
drive charred stake and build mound
of earth 2 ft high with pits 2x1x1 ft
for $\frac{1}{4}$ Sec Cor. No trees near

80.00 The Cor to Sec's 25, 26, 35 and 36

Land rolling valley, Soil 2nd rate.

Township 11 North Range 28 East

Gila and Salt River Meridian

Chs.

Timber, scattering Cedars

North between Sec's 25 and 26
Va 14° East

36.08 Road bears N. 71 and S. S. E.

40.00 Set a post marked $8\frac{1}{4}$ 4 ft long flat =
= ten 3 in wide 1 ft in the ground
drive charred stake and build mound
of earth 2 ft high with pits 2x1x1 ft
for $\frac{1}{4}$ Sec Cor. No trees near.

55.00 Trail bears N. E. and S. W.

80.00 Set a post marked and notched 4 ft long
3 in squares 1 ft in the ground drive
charred stake and build mound of
earth 2 ft high with pits 2x1x1 ft
for Cor to Sec's 23, 24, 25 and 26
No trees near.

Land level. Soil 1st and 2nd rate
No timber or undergrowth.

Township 11 North Range 28 East

Gila and Salt River Meridian

chs

East on random line
between Sec's 24 and 25
Va 14° East

29.75 Trail bears N E and S. W.

40.00 Set a post for temporary 1/4 Sec Cor.

80.12 Intersect E Boundary of Sp 18 Mk's W of
Cor to Sec's 24 and 25. From which Cor
I run

N 89° 52' W on true line
between Sec's 24 and 25
Va 14° East.

40.06 Set a post marked 1/4 S 4 ft long flat =
tens 3 in wide 1 ft in the ground
deposit stone marked + and build
mound of earth 2 ft high with pits
2 x 1 x 1 ft for 1/4 Sec Cor. No trees near

80.12 The Cor to Sec's 23 24 25 and 26
Lands gently sloping W Soil 2nd rate.
No timber or undergrowth.

Township 11 North Range 28 East

Gila and Salt River Meridian

Chs.

North between Secs 23rd & 24

Ta 14° - East

2880 Trail bears E and N.

40.00 Set a post marked $\frac{1}{4}$ S 4 ft long flattened 3 in wide 1 ft in the ground drive chamois stake and build mound of earth 2 ft high with pits 2x1x1 ft for $\frac{1}{4}$ Sec Cor. No trees near.

80.00 Set a limestone 12x10x10 in properly notched set $\frac{2}{3}$ in the ground and on N. side build mound of earth 2 ft high with pits 2x1x1 ft for Cor to Secs 13/4 23rd & 24. No trees near. Land mostly level; Soil 1st and 2nd rate. No timber or undergrowth.

East on random line

between Secs 13rd & 24.

Ta 14° - East

40.00 Set a stone for temporary $\frac{1}{4}$ Sec Cor.

Township 11 North Range 28 East

Gila and Salt River Meridian

cks

80.00 Intersect E Boundary of Sp 22 Lks N
of Cor to Sec's 13 and 24 from which Cor
I run

A 89° 51' N on true line
between Sec's 13 and 24
Va 14° East

40.00 Set a limestone 18x10x10 in marked $\frac{1}{4}$
set $\frac{3}{4}$ in the ground and build
mound of stone 2 ft high for $\frac{1}{4}$ Sec
Cor. No trees near.

80.00 the Cor to Sec's 13, 14, 23, and 24
Land gently rolling and sloping N.
Soil 1st and 2nd rate
Timber a few scattering Cedars.

North between Sec's 13 and 14

Va 14° East

40.00 Set a post marked $\frac{1}{4}$ 5 4 ft long flattened
3 in wide 1 ft in the ground, drive
charred stake and build mound of

Township 11 North Range 28 East

Gila and Salt River Meridian

chs.

earth 2 ft high with pits 2x1x1 ft
for $\frac{1}{4}$ Sec cor. No trees near.

89.00 Set a volcanic stone 14x12x12 in
properly notched set $\frac{2}{3}$ in the ground
and on N side build mound of stone
2 ft high for cor to Sec's 11, 12, 13 and
14. No trees near

Land level 5 1st rate soil. rolling N
2nd rate soil

No timber or undergrowth.

East on random line

between Sec's 12th and 13.

N 14° East.

14.00 Begin ascent of rocky bluff bears N.W. $\frac{1}{2}$ S.E.

24.00 Summit of bluff and enter Mesa bears N.W. $\frac{1}{2}$ S.E.

40.00 Set a stone for temporary $\frac{1}{4}$ Sec cor

80.00 Intersect E Boundary of Sp 201K's N of cor to
Sec's 12th and 13 from which cor I run
N $89^{\circ} 51'$ W on true line

Township 11 North Range 28 East

Gila and Salt River Mendocin

Elev

Between Sec's 12th and 13T_a 14° East

40.15 Set a volcanic stone 16x10x10 in marked 1/4
set 2/3 in the ground, and build mound of
stone 2 ft high for 1/4 Sec Cor. from which
A cedar 12 in dia bears S 15° E 135 lbs dist
No other trees near.

80.30 The Cor to Sec's 11, 12, 13, and 14.

Land E level mesa, 2nd rate soil.

W of mesa broken and worthless bluff.

Timber scattering Cedars.

North between Sec's 11th and 12

T_a 14° East

19.00 Begin ascent of abrupt rocky bluff bears N.W.
and S.E.

27.00 Summit of bluff and enter level mesa bears
N.W. and S.E.

40.00 Set a limestone 14x12x6 in marked 5/4 set
2/3 in the ground and build mound of earth

Township 11 North Range 28 East

Gila and Salt River Meridian

Chs

2 ft high with pits 2x1x1 ft for $\frac{1}{4}$ Sec Cor.

No trees near.

80.00 Set a limestone 10x10x10 in properly notched
set $\frac{2}{3}$ in the ground and on N side build
mound of stone 2 ft high for Cor to Secs
1, 2, 11, and 12. From which

A cedar 6 in dia bears $S 79^{\circ} E 40$ lks dist

No other trees near.

Land N level mesa 2nd rate soil

S of mesa, broken and worthless bluff.

Timber, scattering scrub Cedars.

East on random line
between Secs 1 and 12
to 14° East.

40.00 Set a stone for temporary $\frac{1}{4}$ Sec Cor.

80.20 Intersect E Boundary of $\frac{3}{4}$ 30 lks N
of Cor to Secs 1 + 12 from which Cor
I run

$N 89^{\circ} 47'$ W on true line

Township 11 North Range 28 East

Gila and Salt River Meridian

chs

between Sec's 1 and 2

Ta 14° East

40.10 Set a limestone 10x10x8 in marked $\frac{1}{4}$ sec
 $\frac{2}{3}$ in the ground and build mound of
 earth 2 ft high with pits 2x1x1 ft for
 $\frac{1}{4}$ Sec Cor. No trees near.

80.20 The Cor to Sec's 1, 2, 11, and 12.

Land level mesa. Soil 2nd rate

Timber scattering scrub Cedars.

November 26 1875

North on random line

between Sec's 1 and 2

Ta 14° East

40.00 Set a stone for temporary $\frac{1}{4}$ Sec Cor

79.90 Intersect N. Boundary of Twp. 28 R's N
 of Cor to Sec's 1 and 2 from which Cor
 I run

S 0° 12' N on true line

between Sec's 1 and 2

Ta 14° East

Township 11 North Range 28 East

Gila and Salt River Meridian

Chs.

39.90 Set a limestone $14 \times 10 \times 8$ in marked $\frac{1}{4}$ set $\frac{2}{3}$ in the ground and build mound of stone 2 ft high for $\frac{1}{4}$ Sec Cor. No trees near.

79.90 The Cor to Sec's 1, 2, 11 and 12
Land level mesa. Soil 2nd rate.
Timber a few scrub Cedars.

North between Sec's 34 and 35
Ta 14^o East

H0.00 Set a post marked $\frac{1}{4}$ & 4 ft long flattened 3 in wide 1 ft in the ground drive char-
red stake and build mound of earth 2 ft high with pits $2 \times 1 \times 1$ ft for $\frac{1}{4}$ Sec Cor.
No trees near

45.25 Little Colorado River 35 lks wide flows N.W.N.

54.10 Creek 12 lks wide flows N and empties into Little Colorado about 8 Chs W of this point.

67.00 Leave bottom land and ascend to mesa
Slope bears E and N.

69.00 Summit of slope and enter mesa, slopes E.

Township 11 North Range 28 East

Gila and Salt River Meridian

chs.

80.00 Set a volcanic stone 12x12x10 in properly
notched set $2/3$ in the ground and on N
side build mound of earth 2 ft high
with pits 2x1x1 ft for cor to Secs 26, 27.

34 & 35. No trees near.

Land S. level bottom; Soil 1st rate.

N. mesa slopes gently E Soil 2nd rate

Timber scrub Cedars.

Carton random line

between Secs 26 & 35

Va 14° East

25.00 Trail bears N. E. & S.

40.00 Set a post for temporary $1/4$ Sec Cor.

80.00 Intersect N and S line 12 $1/4$ N of cor to
Secs 25, 26, 35 and 36 from which Cor

I run

N 89° 55' W on true line

between Secs 26 & 35

Va 14° East

Township 11 North Range 28 East

Gila and Salt River Meridian

chs

40.00 Set a post marked $\frac{1}{4}$ S 4 ft long flattened
3 in wide 1 ft in the ground deposit stone
marked + and build mound of earth 2 ft
high with pits $2 \times 1 \times 1$ ft for $\frac{1}{4}$ Sec Cor.
No trees near.

80.00 The Cor to Sec's 26, 27, 34 and 35

Land level and gently sloping E. Soil st and ^{and} 2, etc.
No timber or undergrowth.

North between Sec's 26 and 27

T₁₄₀ East

23.50 Descend into little cañon bears NW and ends
in mesa about 10 chs S.E. from this point.

25.50 bottom of cañon and begin ascent of op-
-posite bank.

28.00 Summit of opposite bank

40.00 Set a volcanic stone $12 \times 12 \times 8$ in marked
 $\frac{1}{4}$ set $\frac{2}{3}$ in the ground and build mound
of stone 2 ft high for $\frac{1}{4}$ Sec Cor.

No trees near.

Township 11 North Range 28 East

Gila and Salt River Meridian

- Chs.
- 68.00 Descends from Mesa bluff bears S.E. and N
- 74.00 foot of bluff and into bottom land bears S.W. and S.E.
- 80.00 Set a limestone $18 \times 8 \times 8$ in properly notched set $\frac{3}{4}$ in the ground and on N side build mound of earth 2 ft high with pits $2 \times 1 \times 1$ ft for Cor to Sec's 22, 23, 26, and 27
No trees near.
Land rolling and sloping E. Soil 2nd and 3rd State
Timber, a few scrub Cedars

Carton random line

between Sec's 23 and 26

T₁₄ 14° East.

- 37.70 Road bears N.W. and S.E.
- 40.00 Set a post for temporary $\frac{1}{4}$ Sec Cor.
- 45.70 Road bears N. and S.
- 79.80 Intersect N. and S. line 30 lks S of Cor. to Sec's 23, 24, 25, and 26 from which Cor
I run

Township 11 North Range 28 East

Gila and Salt River Meridian

Chs.

S 89° 47' W on true line

between Secs 23 & 26

T_W 14° East

3990 Set a post marked $\frac{1}{4}$ S 4 ft long flattened
3 in wide 1 ft in the ground drive
charred stake and build mound of
earth 2 ft high with pits 2x1x1 ft for
 $\frac{1}{4}$ Sec Cor. No trees near

7980 the Cor^rs Secs 22, 23, 26, and 27.
Lands mostly level, Soil 1st rate
No timber or undergrowth.

North between Secs 22 & 23

T_W 14° East

2480 Little Colorado River 35 m^{is} wide flows
N.W.E.

3920 Road bears N.W. and S.E.

4000 Set a limestone 10x10x10 in marked $\frac{1}{4}$
set $\frac{2}{3}$ in the ground and build mound
of earth 2 ft high with pits 2x1x1 ft.

Township 11 North Range 28 East

Chs. Gila and Salt River Meridian

for 1/4 Sec Cor. No trees near
 80.00 Set a sandstone 20x16x6 in properly notch-
 ed set 3/4 in the ground and on N side
 build mound of stone 2 ft high for
 Cor to Sec's 14, 15, 22 and 23 from which
 a cedar 6 in dia bears N 2° N 15 lks dist
 No other trees near
 Land level bottom; Soil 1st rate
 Timber scrub Cedars.

East on random line
 between Sec's 14 and 23
 Va 14° East

23.00 Irrigating ditch flows N.
 26.00 Little Colorado River 30 lks wide flows
 N.
 32.20 Road bears N and S
 40.00 Set a post for temporary 1/4 Sec Cor.
 80.00 Intersect N and S line at Cor to Sec's 13
 14, 23, and 24 from which Cor I run

Township 11 North Range 28 East

Gila and Salt River Meridian

Chs.

West on true line

between Sec's 14 and 23

Ta 14° East.

40.00 Set a limestone 15x10x6 in marked $\frac{1}{4}$
set $\frac{2}{3}$ in the ground and build mound
of earth 2 ft high with pits 2x1x1 ft
for $\frac{1}{4}$ Sec Cor. No trees near

80.00 The Cor to Sec's 14, 15, 22, and 23.

Land level, Soil 1st rate

No timber or undergrowth.

North between Sec's 14 and 15

Ta 14° East

40.00 Set a post marked $\frac{1}{4}$ S 4 ft long flat-
tened 3 in wide, 1 ft in the ground
drive & charred stake and build mound
of earth 2 ft high with pits 2x1x1 ft
for $\frac{1}{4}$ Sec Cor. No trees near.

58.30 Irrigating ditch flows N.

60.00 Mc Gorrisk's house bears E about 4 cts dist

Township 11 North Range 28 East

Gila and Salt River Meridian

chs

61.70 Road bears S. E and W and enter cultivated field bears E and W.

80.00 Set a post marked and notched 4 ft long 3 in square & 1 ft in the ground drive charred stake and build mound of earth 2 ft high with pits 2 x 1 x 1 ft for Cor to Sec's 10, 11, 14, and 15. No trees near. Land, level bottom. Soil 1st rate. No timber or undergrowth

East on random line

between Sec's 11 and 14

Ua 14° East

1.10 Little Colorado River 40 lks wide flows N. W. and leave cultivated field

40.00 Set a stone for temporary 1/4 Sec Cor

53.00 Leave level bottom and enter rolling land sloping S. W.

80.00 Intersect Rand S line 9 lks W of Cor to Sec's 11, 12, 13 and 14 from which Cor I run

Township 11 North Range 28 East

Gibba and Salt River Meridian

Chs.

N 89°56' W on true line

between Sec's 11 and 14.

T₄ 14° East

40.00 Set a limestone 14x8x6 in marked $\frac{1}{4}$ set
 $\frac{2}{3}$ in the ground, and build mound of earth
 2 ft high with pits 2x1x1 ft for $\frac{1}{4}$ Sec Cor.
 No trees near.

80.00 The Cor to Sec's 10, 11, 14, and 15.

Land, level bottom and gently rolling, Soil
 1st and 2nd rate

No timber or undergrowth.

North between Secs 10th & 11T₄ 14° East

- 1.00 Little Colorado River flows N. N. W.
 3.50 Trail bears E and N.
 11.00 Begin ascent of W slope of hill bears E and N.
 28.00 Summit of W slope and begin descent.
 38.00 Foot of slope and enter rocky and broken land
 40.00 Set a volcanic stone 24x24x20 in marked $\frac{1}{4}$

Township 11 North Range 28 East

Gila and Salt River Meridian

Chs.

Set $\frac{3}{4}$ in the ground and build mound of stone 2 ft high for $\frac{1}{4}$ Sec Cor. from which a cedar 8 in dia bears S 39° E 34 LKs dist. No other trees near and line runs over rolling and rocky land.

80.00 Set a volcanic stone $18 \times 16 \times 14$ in properly notched set $\frac{3}{4}$ in the ground and on N side build mound of stone 2 ft high for Cor to Sec's 2, 3, 10, and 11. No trees near. Land, rough and broken; Soil worthless. Timber; an occasional Cedar

East on random line

between Sec's 2 and 11

N 14° East.

Begin ascent from Cor.

22.00 rim of bluff becomes nearly perpendicular wall of rock. bears N. W. thence N. and S. E.

24.00 summit of rim and entire level mesa bears N. W. and S. E.

Township 11 North Range 28 East

Gila and Salt River Meridian

Chs.

4000 Set a stone for temporary $\frac{1}{4}$ Sec Cor.
 8028 Intersect Hand S line 35 lks S of Cor to
 Sec's 1, 2, 11 and 12, from which Cor I run
 $S 89^{\circ}45' N$ on true line
 between Secs 2 and 11
 Va 14° East

4014 Set a limestone $16 \times 10 \times 10$ in marked $\frac{1}{4}$
 Set $\frac{2}{3}$ in the ground and build mound of
 stone 2 ft high for $\frac{1}{4}$ Sec Cor.
 No trees near.

8028 The Cor to Sec's 2, 3, 10, and 11
 Land E of bluff, level mesa 2 mi² pale soil
 W of mesa broken and worthless
 Spruce, scrub Cedars along mesa
 November 27 1875

North on random line
 between Sec's 2 and 3.
 Va 14° East

0.50 Begin ascent of precipitous rocky bluff
 bears E and NW.

Township 11 North Range 28 East

Gila and Salt River Meridian

cks

- 40.00 Summit of bluff and enter mesa from
N. N. W and S. E.
- 40.00 Set a stone for temporary $\frac{1}{4}$ Sec Cor.
- 80.10 Intersect N Boundary of Sp. 22 N. W of Cor
to Sec's 2 and 3 from which Cor I run
 $50^{\circ}9'$ N on true line
between Sec's 2 and 3.
Ta 14° East.
- 40.10 Set a limestone $16 \times 10 \times 6$ in marked $\frac{1}{4}$ act
 $\frac{2}{3}$ in the ground and build mound of earth
2 ft high with pit $2 \times 1 \times 1$ ft for $\frac{1}{4}$ Sec Cor
between near.
- 80.10 The Cor to Sec's 2, 3, 10, and 11.
Land, mostly hard mesa. 2nd rate soil.
No timber or undergrowth.
- North between Sec's 33 & 34
Ta 14° East.
- 40.00 Set a post marked $\frac{1}{4}$ S 4 ft long flat-
tened 3 in wide 1 ft in the ground

Township 11 North Range 28 East

Gila and Salt River Meridian

Chs.

Deposit stone marked + and build mound of earth 2 ft high with pits 2x1x1 ft for $\frac{1}{4}$ Sec Cor. No trees near.

80.00 Set a limestone 10x10x10 in properly notched set $\frac{2}{3}$ in the ground and on N side build mound of earth 2 ft high with pits 2x1x1 ft for Cor to Sec's 27, 28, 33, and 34. No trees near.

Land gently rolling mesa Soil 2nd rate, grass abundant.

No timber or undergrowth.

East on random line

between Sec's 27 and 34.

N 14° East.

32.50 Begin descent of Bluff across N and S

36.00 Foot of bluff and enter rolling valley across N and S.

40.00 Set a stone for temporary $\frac{1}{4}$ Sec Cor.

48.30 Little Colorado River 30 ft wide flows N

65.50 Ascend bluff across N and S

Township 11 North Range 28 East

Gila and Salt River Meridian

Chs

68.00 Summit of bluff and entire mesa bears N and S. E. slopes E.

80.20 Intersect 2nd S line 24 lks N of Cor to Secs 26, 27, 34, and 35. From which Cor I run N $89^{\circ}50'$ W on true line.

between Secs 27 and 34.

Va 14° East.

40.10 Set a limestone $18 \times 10 \times 10$ in marked $\frac{1}{4}$ set $\frac{3}{4}$ in the ground and build mound of stone 2 ft high for $\frac{1}{4}$ Sec Cor. No trees near.

80.20 The Cor to Secs 27, 28, 33, and 34

Land rolling and broken bluffs. Soil 2nd and 3^d rate.

Timber. scrub Cedars.

North between Secs 27 and 28

Va 14° East

40.00 Set a limestone $16 \times 10 \times 8$ in marked $\frac{1}{4}$ set $\frac{2}{3}$ in the ground and build mound of earth 2 ft high with pits $2 \times 1 \times 1$ ft for

Township 11 North Range 28 East

Gila and Salt River Meridian

Chs

1/4 Sec Cor. No trees near.

47.00 begin descent of bluff bears N.W. 40° S.E.53.00 foot of bluff and enter rolling valley bears
N.W. and S.E.80.00 Set a volcanic stone $12 \times 12 \times 8$ in prop-
-only notched set $2/3$ in the ground and
on N side build mound of stone 2 ft
high for Cor to Secs 21, 22, 27, and 28.
No trees near.Land S of Bluff level mesa 2nd rate soil
N of bluff, rolling valley 2nd rate soil
Timber a few scrub Cedars.

East on random line

between Secs 22 and 27.

Vu 14° East.

80.00 Set a post for temporary 1/4 Sec Cor.

80.50 Little Colorado River 35 lks wide flows
N.W.E.

80.10 Intersect N and S line. 24 lks S of Cor.

Township 11 North Range 28 East

Gila and Salt River Meridian
Chs

to Sec's 22, 23, 26⁴⁰ and 27, from which Cor
I run

S 89°50' N on true line

Va 14° East.

40.05 Set a post marked $\frac{1}{4}$ S 4 ft long flattened
($\frac{1}{4}$ ft in the ground)
3 in wide, drive charred stake and
build mound of earth 2 ft high with
pits 2x1x1 ft for $\frac{1}{4}$ Sec Cor.

Notrees near.

80.10 The Cor to Sec's 21, 22, 27 and 28

Land gently rolling valley, Soil 1st and 2nd rate.

Timber, Scrub Cedars.

North between Sec's 21 and 22

Va 14° East

40.00 Set a post marked $\frac{1}{4}$ S 4 ft long flattened
3 in wide 1 ft in the ground drive char-
red stake and build mound of earth 2 ft
high with pits 2x1x1 ft for $\frac{1}{4}$ Sec Cor.
From which

Township 11 North Range 28 East

Gila and Salt River Meridian

Chs

A Cedar 8 in dia bears $N 14^{\circ} W$ 64 lks dist
No other trees near

80.00 Set a post marked and notched 4 ft long
3 in square 1 ft in the ground drive
sharred stake and build mound of
earth 2 ft high with pits $2 \times 1 \times 1$ ft
for Cor to Secs 15, 16, 21, 22. From which
A Cedar 14 in dia bears $S 24^{\circ} W$ 18 lks dist
" " 6 " " " $S 5^{\circ} E$ 50 " "

No other trees near.

Land gently rolling valley, Soil 1st and 2nd rate.
Timber scrub Cedars in abundance.

East on random line

Between Secs 15 and 22

To 14° East.

3390 Road bears $N. W.$ and $S. E.$

40.00 Set a post for temporary $1/4$ Sec Cor.

79.80 Intersect $N.$ and $S.$ line 30 lks $S.$ of Cor to
Secs 14, 15, 21, and 23 from which Cor I run

Township 11 North Range 28 East

Gila and Salt River Meridian
 Chs

S $89^{\circ}47'$ W on true line
 between Sec's 15 and 22.
 Ta 14° East.

3990 Set a post marked $\frac{1}{4}$ S 4 ft long flattened
 3 in wide 1 ft in the ground drive charred
 stake and build mound of earth 2 ft
 high with pile $2 \times 1 \times 1$ ft for $\frac{1}{4}$ Sec Cor
 from which

A Cedar 12 in dia bears N 76° W 30 lbs dist
 No other trees near

7980 The Cor to Sec's 15, 16, 21, and 22.
 Land mostly level. Soil 1st rate
 Timber, scrub Cedars.

North between Sec's 15th & 16.

Ta 14° East.

4000 Set a post marked $\frac{1}{4}$ S 4 ft long flattened
 3 in wide 1 ft in the ground drive char-
 red stake and build mound of earth
 2 ft high with pile $2 \times 1 \times 1$ ft for $\frac{1}{4}$ Sec Cor.

Township 11 North Range 28 East

Gila and Salt River Meridian

Chs.

No trees near.

62.15 Road bears N W and S. E.

73.30 Road bears N. W. and E.

80.00 Set a post marked and notched 4 ft long 3 in squares 1 ft in the ground drive charred stake and build mound of earth 2 ft high with pile 2 x 1 x 1 ft for cor to Secs 9, 10.

15 and 16. No trees near.

Land level. Soil 1st rate

No timber or undergrowth.

East on random line

between Secs 10 and 15.

To 14° East.

40.00 Set a stone for temporary 1/4 Sec Cor and enter cultivated fields bear E and W Brophy's claim N of line. McGorrick's claim S of line.

20.00 Intersect N and S line at cor to Secs 10, 11, 14, and 15 from which cor I run

Texas 11 North Range 28 East
 Gila and Salt River Meridian
 S.S.

West on true line
 between Secs 10 & 15
 Va 14° East

40.00 Set a sandstone 16x10x8 in marked $\frac{1}{4}$ set $\frac{2}{3}$ in
 the ground and build mound of earth ^{2 ft high} with
 pits 2x1x1 ft for $\frac{1}{4}$ Sec Cor. No trees near.

80.00 The Cor to Secs 9, 10, 15 and 16.
 Land level bottom. Soil 1st rate
 No timber, or undergrowth.

North between Secs 9 and 10.
 Va 14° East

24.70 Little Colorado River 35 lks wide flows N.W.

40.00 Set a limestone 18x16x12 in marked $\frac{1}{4}$ set $\frac{3}{4}$
 in the ground and build mound of stone
 2 ft high for $\frac{1}{4}$ Sec Cor. No trees near.
 Land becomes rolling and stony sloping S.

80.00 Set a sandstone 16x12x12 in properly notched
 set $\frac{2}{3}$ in the ground and on N side
 build mound of stone 2 ft high for Cor.

Township 11 North Range 28 East

Gila and Salt River Meridian

Chs.

Secs 3, 4, 9, & 10. No trees near.

Land S of $\frac{1}{4}$ cor level bottom, 1st rate soil

N rolling and sloping S. 3^d rate soil
No timber or undergrowth.

East on random line

between Secs 3 and 10.

Va 14° East.

40.00 Set a stone for temporary $\frac{1}{4}$ Sec Cor.

80.10 Intersect N and S line at cor to Secs 2, 3,

10, and 11. From which Cor I run

West on true line

between Secs 3, 4, 9, & 10.

Va 14° East.

40.05 Set a limestone 18x8x8 in marked $\frac{1}{4}$

set $\frac{3}{4}$ in the ground and build mound
of stone 2ft high for $\frac{1}{4}$ Sec Cor.

No trees near.

80.10 The Cor to Secs 3, 4, 9, and 10.

Land rolling, sloping S Soil 3^d rate and

Township 11 North Range 28 East

Chs Gila and Salt River Meridian

Northless.

No timber or undergrowth.

November 29 1875

North on random line

between Secs 3rd & 4th.

Va 14° East

10.00 Begin ascent of Mesa slope bears E & N.

16.00 Summit of slope and enter mesa sloping S.

40.00 Set a stone for temporary 1/4 Sec Cor.

80.00 Intersect N Boundary of Sp. at Cor to Secs

3rd & 4th from which Cor I run

South on true line

between Sec's 3rd & 4th.

Va 14° East.

40.00 Set a limestone 12x8x8 in marked 1/4 set

2/3 in the ground and build mound of

stone 2 ft high for 1/4 Sec Cor.

No trees near.

80.00 the Cor to Secs 3 4 9 and 10

Land rolling and sloping S. Soil 3rd rate and

Township 11 North Range 28 East.

Gila and Salt River Meridian

chs

worthless.

Timber, a few stunted Cedars.

North between Secs. 32nd & 33,
T. 14^o East.

40.00 Set a post marked 1/4 S. 4 ft long, flattened 3 in wide, 1 ft in the ground, deposit stone marked T, and build mound of earth 2 ft high with pits 2x1x1 ft for 1/4 Sec Cor. no trees near.

80.00 Set a limestone 10x8x8 in^{on N side} properly notched set 2/3 in the ground, and build mound of earth 2 ft high, with pits 2x1x1 ft for Cor. to Secs 28, 29, 32nd & 33. no trees near.

Land level, soil 20 rate:

No timber or undergrowth.

East on random line, between Secs 28th & 33,
T. 14^o East

40.00 set a post for temporary 1/4 Sec Cor.

80.00 Intersect N. & S. line at Cor. to Secs. 27, 28, 33rd & 34, from which Cor. Draw

West on run line, between Secs 28th & 33

Township 11 North Range 58 East,
Gila and Salt River Meridian.

Chs.

T₁₄ 140 East.

- 40.00 Set a post marked 1/4 S. 4 ft long, flattened 3 in. wide
1 ft in the ground, deposit stone marked +, and build mound
of earth 2 ft high with pits 2 X 1 ft. for 1/4 sec. cor. No trees near.
- 80.00 The cor. to Secs. 28, 29, 32, and 33.
Land mostly level. Soil 2^o rate,
No timber or under growth.

North between Secs 28⁴ and 29,T₁₄ 140 East.

- 40.00 Set a post marked 1/4 S. 4 ft long, flattened 3 in. wide, 1 ft in
the ground, deposit stone marked + and build mound of earth
2 ft high, with pits 2 X 1 ft. for 1/4 sec. cor. no trees near,
- 80.00 Set a volcanic stone 20 X 10 X 4 in. properly notched, set 1/2 ft in the ground
and on N side build mound of stone 2 ft high, for 6 to Secs 20, 21, 28 & 29. No trees near.
Land mostly level. Soil 2^o rate. No timber or under growth.

East on random line between Secs 21⁴ and 28T₁₄ 140 East

- 28.50 Begin descent from Mesa. Rim of Bluff

Township 11 North Range 28 East

Gila and Salt River Meridian

As.

40 ft high bears N. W. and S. E.

29.20 Foot of rim and continue descent of bluff

40.00 Set a stone for temporary $\frac{1}{4}$ Sec Cor.41.00 foot of bluff and enter rolling valley bears
N. W. and S. E. and slopes N. E.80.20 Intersect N and S line 12 lks S of Cor to
Sec's 21, 22, 27 and 28 from which Cor
I runS $89^{\circ}55'$ W on true line
between Secs 21 and 28
T_W 14° East.40.10 Set a volcanic stone $18 \times 10 \times 6$ in marked
 $\frac{1}{4}$. Set $\frac{3}{4}$ in the ground and build
mound of stone 2 ft high for $\frac{1}{4}$ Sec
Cor. No trees near.

80.20 The Cor to Secs 20, 21, 28 and 29.

Land, E. of bluff rolling valley. W of bluff
level mesa. Soil generally 3^d rate, Grass-
res abundant.

No timber or undergrowth.

Township 11 North Range 28 East

Gila and Salt River Meridian
chs.North between Secs 20th & 21.

Ta 14° East

- 20.00 Begin descent of rim of bluff bears N and S. E.
- 21.70 Foot of rim and line runs along foot of same parallel thereto.
- 40.00 Set a volcanic stone 18x10x6 in marked 1/4 set 3/4 in the ground and build mound of stone 2 ft high for 1/4 Sec cor. No trees near.
- 40.00 Ascend rim of bluff bears N. E.
- 43.00 Summit of rim and enter Mesa bears N. N. E. & S.
- 80.00 Set a limestone 10x10x8 in properly notched set 2/3 in the ground and on N side build mound of earth 2 ft high with pits 2x1x1 ft for cor to Sec's 16, 17, 20 and 21. No trees near.
- Sand, N of bluff, level mesa. E of bluff rolling valley; Soil generally 2nd rate except along bluff where it is worthless.

Township 11 North Range 28 East

hs Gila and Salt River Meridian

No timber or undergrowth.

East on random line
between Secs 16 & 21

Va 14° East.

10.00 Begin descent of rim of bluff bears N.E. & S.W.

12.00 Foot of rim and slope of bluff becomes more
gentle.

21.00 Foot of slope and enter gently rolling valley
bears N and S.

40.00 Set a stone for temporary $1/4$ Sec Cor.

80.30 Intersect N & S line 28 lks S of Cor to
Secs 15, 16, 21 & 22, from which Cor I run
S $89^{\circ}48'$ N on true line

between Secs 16 & 21.

Va 14° East.

40.15 Set a volcanic stone $10 \times 10 \times 10$ in marked
 $1/4$ pit $2/3$ in the ground and build mound
of stone 2 ft high for $1/4$ Sec Cor
No trees near.

Township 11 North Range 28 East

Gila and Salt River Meridian

Els

80.30 The Cor to Sec's 16, 17, 20th & 21.
 Land E of bluff rolling valley with 2nd
 rate soil. W of bluff level mesa with 2nd
 rate soil. Grasses abundant.
 Timber scrub Cedars in valley.

North Between Sec's 16th & 17.
 Va 14° East

40.00 Set a limestone 14x10x10 in marked 1/4
 set 2/3 in the ground and build mound
 of earth 2 ft high with pits 2x1x1 ft
 for 1/4 Sec Cor. No trees near.

80.00 Set a limestone 14x12x6 in properly
 notched set 2/3 in the ground and on
 N side build mound of stone 2 ft
 high for Cor to Sec's 8, 9, 16th & 17.
 No trees near.

Land Level Mesa Soil 2nd rate
 No timber or undergrowth.

Township 11 North Range 28 East

Gila and Salt River Meridian

Chs

East on random line
between Secs 9th & 16.

Va 14° East.

- 1.20 Begin descent of rim of bluff bears N. N. W.
and S. E.
- 3.00 Foot of rim and descent continues down
rough slope of bluff.
- 32.00 Foot of bluff and enter rolling valley bears
N. W. and S. E.
- 38.30 Gulch 70 lks wide flows N. E.
- 40.00 Set a stone for temporary 1/4 Sec Cor.
Road bears N. N. W. and S. E.
- 68.00
80.10 Intersect Rand S line 7 lks S of Cor
to Secs 9, 10, 15, & 16. From which Cor
I run

S 89° 57' W on true line
between Secs 9th & 16.

Va 14° East.

- 40.05 Set a sandstone 12x10x10 in marked 1/4
set 2/3 in the ground and build mound
of earth 2 ft high with pits 2x1x1 ft

Township 11 North Range 28 East

Chs. Gila and Salt River Meridian

for $\frac{1}{4}$ Sec Cor. No trees near.

80.10 The Cor to Secs 8, 9, 16, & 17.

Land E of bluff rolling valley with 3^d rate soil. Bluff rough and worthless. Timber scrub Cedars.

North between Secs 8 & 9

Va 14° East

1.30 Begin descent of rocky rim of Mesa bears N.W. & S.E.

3.75 Foot of rim and descent becomes more gradual

28.00 Foot of bluff and enter rolling valley bears N.W. & S.E.

40.00 Set a sandstone $15 \times 6 \times 6$ in marked $\frac{1}{4}$ set $\frac{2}{3}$ in the ground and build mound of earth 2 ft high with pit $2 \times 1 \times 1$ ft for $\frac{1}{4}$ Sec Cor. No trees near.

80.00 Set a sandstone $16 \times 8 \times 8$ in properly notched set $\frac{2}{3}$ in the ground and on N

Township 11 North Range 28 East

Gila and Salt River Meridian

chs.

side build mound of earth 2 ft high with pits 2x1x1 ft for Cor to Sec's 4, 5, 8, 9, and 9. No trees near.

Land broken valley, Soil sandy and worthless.

Timber, a few scrub Cedars.

November 30 1875

East on random line

between Sec's 4 and 9

Va 14° East.

18.95 Road bears N.W. 45 S.E.

32.60 Little Colorado River 40 lks wide flows N.W.

40.00 Set a post for temporary 1/4 Sec Cor.

80.16 Intersect N 45 S line 16 lks S of Cor to Secs 3, 4, 9, 10. From which Cor run S 89° 53' W on true line between Secs 4 45 9.

Va 14° East

40.08 Set a post marked 1/4 S 4 ft long

Township 11 North Range 28 East

Gila and Salt River Meridian
chs

flattened 3 in wide 1 ft in the ground
drive chummed stake and build mound of
earth 2 ft high with pit 2x1x1 ft for
1/4 Sec Cor. No trees near

80.16 The Cor to Sec's 4, 5, 8 and 9.

Land gently rolling Soil sandy 2nd and 3rd rate.

Timber a few scrub Cedars.

North on random line

between Sec's 4 and 5.

Va 14° East

27.30 Road bears N.W. and S.E.

40.00 Set a post for temporary 1/4 Sec Cor

67.10 Little Colorado River 45 lks wide flows
N.W.W.80.00 Intersect N Boundary of Sp 5 lks W of
Cor to Sec's 4 and 5. From which Cor
I runS 0° 2' W on true line
between Secs 4 and 5.

Township 11 North Range 28 East

Gila and Salt River Meridian

chs

Ta 14° East

4000 Set a sandstone 16x10x5 in marked $\frac{1}{4}$ set $\frac{2}{3}$ in the ground and build mound of earth 2 ft high with pits 2x1x1 ft for $\frac{1}{4}$ Sec Cor. No trees near.

8000 The Cor to Sec's 4, 5, 8 and 9.

Land valley broken by little sand hills or buttes. Soil 3° rate

Timber a few scrub Cedars.

North between Sec's 31^{and} 32.

Ta 14° East

4000 Set a post marked $\frac{1}{4}$ S 4 ft long flattened 3 in wide 1 ft in the ground deposit stone marked $\frac{1}{4}$ and build mound of earth 2 ft high with pits 2x1x1 ft for $\frac{1}{4}$ Sec Cor. No trees near.

8000 Set a limestone 16x16x10 in properly notched set $\frac{2}{3}$ in the ground and on $\frac{1}{2}$ in build mound of earth 2 ft

Township 11 North Range 28 East

Gila and Salt River Meridian

chs.

high with pits 2x1x1 ft for cor to Sec's 29, 30, 31, and 32. No trees near. Land level mesa. Soil 3^d rate. No timber or undergrowth.

East on random line
between Sec's 29 and 32
Va 14^o East

40.00 Set a post for temporary 1/4 Sec Cor.
80.00 Intersect N and S line 12 lks N of cor to Sec's 28, 29, 32, and 33. From which cor. I run

at 89^o55' W on true line
between Sec's 29 and 32.
Va 14' East

40.00 Set a post marked 1/4 S 4 ft long flattened 3 in wide 1 ft in the ground deposit stone marked + and build mound of earth 2 ft high with pits 2x1x1 ft for 1/4 Sec

Township 11 North Range 28 East

Gila and Salt River Meridian

chs

No trees near.

80.00 The cor to Sec's 29, 30, 31, and 32.

Land level mesa Soil 2nd rate

No timber or undergrowth.

West on random line

between Sec's 30 and 31-

Va 14° East

40.00 Set a post for temporary $\frac{1}{4}$ Sec Cor.

44.20 Road bears N. W. and S. E.

79.00 Intersect N Boundary of Sp 28 dks N
of Cor to Sec's 30 and 31. from which Cor
I run

N 89°48' E on true line

between Secs 30 and 31

Va 14° East.

39.00 Set a post marked $\frac{1}{4}$ S 4 ft long flat-
= tined 3 in wide 1 ft in the ground
deposit stone marked + and build
mound of earth 2 ft high with pits

Township 11 North Range 28 East

Gila and Salt River Meridian

As

79.00 2x1x1 ft for $\frac{1}{4}$ Sec Cor. No trees near.
 The Cor to Secs 29, 30, 31 and 32.
 Land, level mesa. Soil 2nd rate.
 No timber or undergrowth.

North between Secs 29 and 30

Ta 14° East

40.00 Set a limestone 12x12x8 in marked
 $\frac{1}{4}$ set $\frac{2}{3}$ in the ground and build
 mound of earth 2 ft high with
 pits 2x1x1 ft for $\frac{1}{4}$ Sec Cor.
 No trees near.

80.00 Set a limestone 16x14x14 in properly
 notched set $\frac{2}{3}$ in the ground and on
 N side build mound of earth 2
 ft high with pits 2x1x1 ft for
 Cor to Secs 19, 20, 29 and 30.
 No trees near.

Land level. Soil 2nd rate.

No timber, or undergrowth.

Township 11 North Range 28 East

Sida and Salt River Meridian

Chs

East on random line

between Sec's 20 and 29

Va 14° East.

40.00 Set a stone for temporary $\frac{1}{4}$ Sec Cor.

80.10 Intersect N and S line 14 blks N of cor
to Sec's 20, 21, 28, and 29, from which cor.

I run.

At $89^{\circ}54'$ W on true line

between Sec's 20 and 29.

Va 14° East

40.05 Set a limestone $12 \times 12 \times 12$ in marked
 $\frac{1}{4}$ set $\frac{2}{3}$ in the ground and build
mounds of earth 2ft high with pits
 $2 \times 1 \times 1$ ft for $\frac{1}{4}$ Sec Cor.

No trees near.

80.10 The cor to Sec's 19, 20, 29 and 30.

Land level Mesa. Soil 2nd rate

No timber, or undergrowth.

West on random line

Township 11 North Range 28 East

Gila and Salt River Meridian

cks.

between Sec's 19 and 30.

Va 14° East.

40.00 Set a post for temporary $\frac{1}{4}$ Sec Cor.

48.60 Intersect W Boundary of Sp. 23 1/2 N
of Cor to Sec's 19 and 30 from which Cor
I run

N 89° 50' E on true line.

between Sec's 19 and 30.

Va 14° East.

38.60 Set a post marked $\frac{1}{4}$ S 4 ft long
flattened 3 in wide 1 ft in the ground
Deposit stone marked + and build
mound of earth 2 ft high with pits
2 x 1 x 1 ft for $\frac{1}{4}$ Sec Cor.

No trees near.

48.60 The Cor to Sec's 19, 20, 29 and 30.
Land level Mesa Soil 2nd rate
No timber or undergrowth

North between Sec's 19 and 20.

Township 11 North Range 28 East

Gila and Salt River Meridian

cks

Va 14° East

40.00 Set a limestone 18x10x10 in marked 1/4
set 3/4 in the ground, and build mound
of earth 2 ft high with pits 2x1x1 ft
for 1/4 Sec Cor. No trees near.

80.00 Set a limestone 14x8x8 in properly
notched set 2/3 in the ground and on
N side build mound of earth 2 ft
high with pits 2x1x1 ft for Cor to Secs
17, 18, 19 & 20. No trees near
Land level Mesa. Soil 2nd rate
No timber or undergrowth.

December 1 1875

East on random line
between Sec's 17 & 20.

Va 14° East

40.00 Set a stone for temporary 1/4 Sec Cor.

80.06 Intersect Rand S line 5 lks S of Cor to
Sec's 16, 17, 20 & 21. from which Cor I run
S 89° 58' W on true line

Township 11 North Range 28 East

Gila and Salt River Meridian

cks

Between Sec's 17 and 20
T_v 14° East.

40.03 Set a limestone 15 x 8 x 7 in marked $\frac{1}{4}$
set $\frac{2}{3}$ in the ground and build mound
of earth 2 ft high with pits 2 x 1 x 1 ft
for $\frac{1}{4}$ Sec Cor. No trees near.

80.06 The Cor to Secs 17, 18, 19, and 20.
Low level mesa Soil 2nd rate
No timber or undergrowth.

West on random line

Between Sec's 18 and 19
T_v 14° East.

40.00 Set a stone for temporary $\frac{1}{4}$ Sec Cor.

78.70 Intersect W Boundary of 3p at Cor to
Sec's 18 and 19 from which Cor I run
East on true line
Between Sec's 18 and 19.

T_v 14° East

38.70 Set a limestone 12 x 10 x 10 in marked

Township 11 North Range 28 East

Gila and Salt River Meridian

Chs.

$\frac{1}{4}$ set $\frac{2}{3}$ in the ground and build mound of earth 2 ft high with pits $2 \times 1 \times 1$ ft for $\frac{1}{4}$ Sec Cor. No trees near.

78.70 The Cor to Sec's 17, 18, 19 and 20.

Land gently rolling. Soil 2nd rate
No timber or undergrowth.

North between Sec's 17th & 18.

Va 14° East.

40.00 Set a post marked $\frac{1}{4}$ S 4 ft long flat-topped 3 in wide 1 ft in the ground deposit stone marked + and build mound of earth 2 ft high with pits $2 \times 1 \times 1$ ft for $\frac{1}{4}$ Sec Cor. No trees near.

80.00 Set a post marked and notched 4 ft long 3 in squares 1 ft in the ground, deposit stone marked + and build mound of earth 2 ft high with pits $2 \times 1 \times 1$ ft for Cor to Sec's 17, 18, 17th & 18. From which a cedar 8 in dia bears $S 36^{\circ} W 115$ lks dist

Township 11 North Range 28 East

Gila and Salt River Meridian
Eks

A cedar 10 in dia bears $N 70^{\circ} W 124$ lks dist
No other trees near.

Land level, Soil 2nd rate

Timber, a few scrub cedars in Sec 18.

East on random line

between Sec's 8 and 17

$Va 14^{\circ}$ East

40.00 Set a post for temporary $\frac{1}{4}$ Sec Cor.

80.04 Intersect N and S line 10 lks N of cor to Sec's

8, 9, 16 and 17 from which cor I run

$N 89^{\circ} 56'$ W on true line

between Sec's 8 and 17.

$Va 14^{\circ}$ East

40.02 Set a post marked $\frac{1}{4}$ $S 4$ ft long flattened

3 in wide 1 ft in the ground deposit

stone marked $\delta +$ and build mound of

earth 2 ft high with pits $2 \times 1 \times 1$ ft for $\frac{1}{4}$

Sec Cor. No trees near

80.04 The cor to Sec's 7, 8, 17 and 18

Township 11 North Range 28 East

Gila and Salt River Meridian

Chs.

Land level Meas. Soil 2nd rate. grasses abundant.

No timber or undergrowth.

West on random line
between Sec's 7 and 18
Va 14° East

40.00 Set a post for temporary 1/4 Sec Cor.

76.40 Gulch 75 lks wide flows N.E.

78.60 Intersect N Boundary of Sp 12 lks N of Cor
to Sec's 7 and 18. from which Cor I run
at 89°55' East on true line
between Sec's 7 and 18.

Va 14° East.

38.60 Set a post marked 1/4 s 4 ft long flat-
tened 3 in wide 1 ft in the ground de-
posit stone marked + and build mound
of earth 2 ft high with pile 2x1x1 ft for
1/4 Sec Cor. No trees near.

78.60 The Cor to Sec's 7, 8, 17 and 18.

Township North Range 28 East

Tila and Salt River Meridian

Chs.

Land gently rolling, sloping N.W.

Soil 2nd rate, grass abundant

Timber, a grove of scrub cedars on E end of line.

North between Sec's 7 and 8

T_a 14° East.

30.00 Begin descent from Mesa, slope bears N.S. W and E.

39.00 Foot of slope and enter bottom bears E and W.

40.00 Set a sand stone 10x10x8 in marked 1/4 set 2/3 in the ground and build mound of earth 2 ft high with pits 2x1x1 ft for 1/4 Sec Cor.
No trees near.

41.95 Arroyo 1 ch wide flows N. E.

50.00 Begin ascent to Mesa slope bears N.E. & W.

58.00 Summit of slope and enter Mesa bears N.

80.00 Set a sandstone 10x10x10 in properly notched set 2/3 in the ground and on N side build mound of stone 2 ft high for cor.

Township 11 North Range 28 East

Sila and Salt River Meridian

chs.

to Secs 5, 6, 7 & 8. No trees near.
Land rolling. Soil 2nd and 3^d rate.
No timber or undergrowth.

East on random line
between Secs 5 & 8.

Va 14° East

20.00 Begin descent from Mesa slope bears
N and S. W.

29.00 Foot of slope and enter rolling valley
bears N and S.

40.00 Set a post for temporary 1/4 Sec Cor.

49.30 Arroyo 1 ch wide flows N.

80.12 Intersect N and S line 5 1/4 m N of cor to
Secs 4, 5, 8 and 9 from which cor I run
N 89° 58' W on true line
between Secs 5 & 8.

Va 14° East.

40.06 Set a post marked 1/4 S 4 ft long flat-
tened 3 in wide 1 ft in the round

Township 11 North Range 28 East

Gila and Salt River Meridian

Sts.

deposit stone marked + and build mound
of earth 2 ft high with pits 2x1x1 ft
for $\frac{1}{4}$ Sec Cor. No trees near.

80.12 The cor to Sec's 5, 6, 7 and 8.

Land, E, of Mesa rolling and broken valley
Soil 3rd rate. Mesa, Soil 2nd rate
No timber or undergrowth.

West on random line
between Sec's 6 and 7

N 14° East

28.00 Descend ^{bluff} sandstone formation bears
N and S.

34.00 foot of bluff and enter rolling land
bears N and S.

40.00 Set a stone for temporary $\frac{1}{4}$ Sec Cor

44.00 Arroyo 60 lks wide flows N.E.

48.50 Intersect N Boundary of Sp 18 lks N of
cor to Sec's 6 and 7 from which cor I run
N $89^{\circ}52'$ E on true line

Township 11 North Range 28 East

Sida and Salt River Meridian

chs.

between Sec's 6 and 7
Ta 14° East

38.50 Set a sandstone 12x10x10 in marked
1/4 sec. 2/3 in the ground and build
mound of stone 2 ft high for 1/4 Sec
Cor. No trees near.

78.50 the Cor to Sec's 5, 6, 7 and 8.
Land rolling and worthless
No timber or undergrowth.

North on random line
between Sec's 5 and 6
Ta 14° East

40.00 Set a post for temporary 1/4 Sec Cor

62.00 begin descent of bluff sandstone formation
bears E and N.

69.00 foot of bluff and enter rolling valley
bears E and N.

74.00 Arroyo 50 lks wide flows E.

79.80 Intersect N Boundary of 1/4 14 lks E of

Township 11 North Range 28 East

Gila and Salt River Meridian

cks

Cor to Sec's 5 and 6 from which Cor
I run

S 0° 6' E on true line

between Sec's 5 and 6

To 14° East

39.80 Set a limestone 16x8x8 in marked $\frac{1}{4}$
set $\frac{2}{3}$ in the ground and build
mound of stone 2 ft high for $\frac{1}{4}$
Sec Cor. No trees near.

79.80 The Cor to Sec's 5, 6, 7 and 8.

Land mostly level Mesa

Soil 2nd and 3^d rate

No timber or undergrowth.

December 2 1875

General Description.

This township contains considerable
good farming land in the central
and southeastern portion.

The balance of the land is well
adapted for grazing purposes.

Township 11 North Range 28 East

Gila and Salt River Meridian
Chs.

The Township contains considerable Cedar of stunted growth suitable only for fuel.

The Little Colorado River flows in a northerly direction through the central portion of the Township.

A small creek enters the Sp. in Sec. 36. flows Northerly, thence westerly and empties into the Little Colorado River in Sec 34.

There are three settlers in the Sp. engaged in stock raising and farming; One in the S.W. $\frac{1}{4}$ of Sec 36; One in the N.W. $\frac{1}{4}$ of Sec 14, and one in the S.W. $\frac{1}{4}$ of Sec 10.

As this Sp. will support a large settlement it should soon be occupied.

Wm. D. Foster
Deputy Surveyor.

60
BOOK 99
List of Names.

*A List of the Names of Individuals employed
to assist in running, measuring, or marking the
lines and corners described in the foregoing Field
Notes of the survey of The Subdivision Lines of
Township 11 North Range 28 East
Gila and Salt River Meridian
Territory of Arizona*

*Showing the respective capacities in which they
acted.*

John S Nelson Chainman.

Peter Thompson Chainman,

Henry Winnighoff Axeman.

William Foster Flagman.

Final Oath of Assistants.

We hereby certify that we assisted L. Burton...

Foster U. S. Deputy Surveyor, in

surveying The Subdivision Lines of

Township 11 North Range 28 East

Gila and Salt River Meridian

Territory of Arizona

and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor-General.

John S. Nelson Chairman.

Walter Thompson Chairman,

Henry Wittinghoff Assentant.

William C. Foster Flagman.

Sworn to and subscribed before me, this 29th

day of December, 1875

Meliana Wickens

Clk. Wash. Court

Shing dud Wash Yaopca

Final Oath of Deputy Surveyor.

I, *C. Burton Foster*

U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the *16th* day of *August*

187*5*. I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of ~~the~~

Subdivision Lines of
Township 11 North Range 28 East
Gila and Salt River Meridians
Territory of Arizona

..... as are represented in the foregoing Field Notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements con-

tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

W. R. Foster
Deputy Surveyor.

Sworn to and subscribed before me, this 29th
day of December, 1875

William McKersaw
Clark Dist Court
Thos Dudd Dist
Yavapai Co. A. T.

BOOK 99

U. S. Surveyor General's Office,

TUCSON, ARIZONA, July 1, 1876.

The foregoing Field Notes of the Survey of the

Subdivision Lines of
Township 11 North,
Range 25 East,

Of the Gila and Salt River Base and Meridian, Arizona, execu-
ted by C. Burtou Hoster,

Deputy Surveyor, under his contract of the 16th
day of August, 1875, having been

critically examined and the necessary corrections and explana-
tions made, the said Field Notes and the surveys they describe
are hereby approved.

John Mason
Surveyor General.