

No - 105 -

Field Notes

OF THE SURVEY OF THE

SUBDIVISION LINES

- OF -

Township 12 N. Range 2 E.

Gila and Salt River Base and Meridian

ARIZONA.

By C. Burton Foster D. S.

under contract dated Aug 5 1873.

Survey commenced Dec. 19 1873.

Survey completed Dec. 23 1873.

No - 105 -

105

PRELIMINARY OATHS OF ASSISTANTS.WE, George J. Postkrugand Andrew J. Shupe

do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

George J. Postkrug
Andrew Shupe

Sworn to and subscribed before me, this 24th
day of November, 1873

E. W. W. W. W.
Deputy District Clerk
3^d District of Arizona.

Richard Shrope

do solemnly swear that I will well and truly perform the duties of Assessor

according to instructions given ¹⁸⁸⁰ ~~188~~, and to the best of ~~my~~ ^{my} skill and ability.

Richard Shrope

Sworn to and subscribed before me this ... 24th
day of November 18⁷³

E. E. Wells
Clerk District Court
3^d District of Arizona.



Transcribed 10

Field Notes

BOOK 105

of the No-105-

Subdivision Lines

of

Fractional Township

12 North Range 2 East

Gila and Salt River meridian

Territory of Arizona

Surveyed by

C. Burton Foster

U. S. Dep Surveyor

Under his contract of 5th Aug 1873

Survey commenced 19th Decr 1873

Survey completed 23^d Decr 1873

Township 12 North Range 2 East

Gila and Salt River meridians

Ch. Begun at the established cor-
to Secs 35 and 36 on the
South boundary of Tp 12
N. Range 2 E.

Run

North between Secs
35 and 36

To $14^{\circ} 25'$ East as per
Burt's improved Solar Compass
Subdivision commenced
19th Decr. 1873

4000 remote from Stone or Lumber
drive charred stake 12 in
down and build mound of
earth 2 feet high with pits 2 x
1 x 1 ft. for $\frac{1}{4}$ Sec. cor. No
trees near.

8000 remote from Stone or Lumber
drive charred stake 12 in

Township 12 N Range 2 East

Gila and Salt River meridians

Ch^e down and build a mound
of earth $2\frac{1}{2}$ feet high with
pits $2 \times 1\frac{1}{2} \times 1$ ft and in
centre of pit S. E. of corner
drive a stake marked and
notched $2\frac{1}{2}$ feet long 2 in
squared 1 foot in the
ground for the cor to Sec
25, 26, 35 and 36

No trees near

Land level

Soil 1st rate

No timber

East on random line
between Sec 25 and 36
Ta $14^{\circ} 25'$ East

4000 Set a post for temporary $\frac{1}{4}$
Sec cor.

Township 12 N Range 2 East

Gila and Salt River meridians

che
5200 Road from Lower Agua Fria
Valley to Prescott bears N 41°
and S. 40.

8000 Intersected East boundary
of Sp at cor to Secs 25
and 36 from which corner
I run

West on true line
between Secs 25 and 36

To 14° 25' East

4000 Remote from Store or Lumber
drive charred stake 12 in
down and budd mound of
earth 2 feet high with pits
2 x 1 x 1 ft No trees near

8000 The cor to Secs 25, 26, 35 and 36
Sand level

Soil 1st and 2^d water

No timber

Township 12 North Range 2 East

Gila and Salt River meridians

Ch North between Secs 25 and 26
To $14^{\circ} 25'$ East

4000 Remote from Store or Lumber
drive, charred stake 12 ins
down and build a mound
of earth 2 feet high with
pits $2 \times 1 \times 1\frac{1}{2}$ for 1/4 Sec
cor. No trees near

8000 Remote from Store or Lumber
drive, charred stake 12 ins
down and build a mound
of earth $2\frac{1}{2}$ feet high with
pits $2 \times 1\frac{1}{2} \times 1\frac{1}{2}$ and in
centre of pit S. E. of cor
drive a stake marked and
notched $2\frac{1}{2}$ feet long 2 ins
squared 1 foot in the
ground for the cor to Secs
23, 24, 25 and 26

Township 12 North Range 2 East

Gila and Salt River Meridian

Obs No trees near
Sand level
Soil 1st rate
No timber

East on random line
between Secs 24 and 25
Ta 14° 25' East

3500 road from Lower Agua Fria
Valley to Prescott bears N and S.

4000 Set a post for temporary 1/4
Sec. cor.

8000 Intersected east boundary of
Tp at cor to Secs 24 and 25
from which corner

I run

West on true line
between Secs 24 and 25
Ta 14° 25' East

Township 12 North Range 2 East

Gila and Salt River meridians

4000 Che
Set a lime stone $18 \times 12 \times 6$ ins
marked $7 S \frac{3}{4}$ in the ground
and build a mound of
earth 2 feet high with pits
 $2 \times 1 \times 1$ ft for $\frac{1}{4}$ Sec cor
No trees near.

8000 The cor to Sec 23, 24, 25 and
26.

Sand level

Soil 1st rate

No timber

December 19th 1873

North between Sec 23 and 24
Ta $14^{\circ} 25'$ East.

4000 remote from stone or timber
drive charred stake 12 ins
down and build a mound
of earth 2 feet high with
pits $2 \times 1 \times 1$ ft for $\frac{1}{4}$ Sec cor

Township 12 North Range 2 East
Gila and Salt River meridians

Chc No trees near
8000 remote from Stone or Lumber
drive Charred stake 12 ins
down and build mound of
earth 2½ feet high with pits
2 x 1½ x 1ft and in centre of
pit S. E. of cor drive a stake
marked and notched 2½ feet
long 2 ins squared 1 foot
in the ground for the cor
to Secs 13, 14, 23 and 24

No trees near

Land level

Soil 1st rate

No timber

East on random line
between Secs 13 and 24
Va 14° 25' East

Township 12 North Range 2 East

Gila and Salt River meridians

- 17,50 Road from Lower Agua Fria Valley to Camp Verde bears N. and S. E.
- 27,80 Road from Lower Agua Fria Valley to Camp Verde and Prescott bears N. and S.
- 4,000 Set a post for temporary 1/4 Sec. cor
- 5,000 Road from Lower Agua Fria Valley to Camp Verde bears N. E. and S. W.
- 80,10 Intersected East boundary of T₂ at a point 30 links N of cor to Sec 13 and 24 from which corner

I run

N 89° 47' W or true
line between Sec 13 and 24
Ta 14° 35' East

Township 12 North Range 2 East
Gila and Salt River meridian

4005 ^{Chs} Remote from store or lumber
drive charred stake 12 inches
down and build a mound of
earth 2 feet high with pits
2 x 1 x 1 ft. for 1/4 Sec. cor
No trees near.

8010 The cor to Secs 13, 14, 23 and 24
Sand level
Soil 1st rate
No timber

North between Secs 13 and 14
Ta 14° 25' east

740 Road from Lower Agua Fria
Valley to Camp Verde bears
N.W. and S. E

2500 Road from Lower Agua Fria
Valley to Prescott bears N.W.
and S. S. W

Township 12 North Range 2 East

Gila and Salt River meridians

Ch
4000 remote from store or Lumber
drive charred stake 12 ins
down and build mound of
earth 2 feet high with pits
 $2 \times 1 \times 1$ ft for $\frac{1}{4}$ Sec cor
No trees near

8000 remote from Store or Lumber
drive charred stake 12 ins
down and build mound of
earth $2 \frac{1}{2}$ feet high with pits
 $2 \times 1 \frac{1}{2} \times 1$ ft and in centre of
pit S. E. of cor drive a
stake marked and notched
 $2 \frac{1}{2}$ feet long 2 ins squared
1 foot in the ground for the
cor to Secs 11, 12, 13 and 14
No trees near
Land gently rolling
Soil 1st rate. No timber

Township 12 North Range 2 East
Gila and Salt River meridians

Ch¹ East on Random line
between Sec 12 and 13.

To $14^{\circ} 25'$ east

3200 Road from Lower Agua Fria
Valley to Prescott bears N and S.

4000 Set a post for temporary $1/4$ Sec
cor

8000 Intersected the east boundary
of Sp at cor to Sec 12 and 13
from which corner

I run

West on true line
between Sec 12 and 13

To $14^{\circ} 25'$ east

4000 Remote from Stone or Lumber
dave charred stake 12 ins
down and build mound of
earth 2 feet high with pits
 $2 \times 1 \times 1$ ft for $1/4$ Sec cor
No trees near

Township 12 North Range 2 East

Gila and Salt River meridian

Che
8000

The cor to Secs 11, 12, 13 and 14
Land gently rolling
Soil 1st rate
No timber.

North between Secs 11 and 12
Ta 14° 25' east

4000

remote from Stone or Timber
drive charred stake 12 ins
down and build mound of
earth 2 feet high with pits
2 x 1 x 1 ft for 1/4 Sec. cor
no trees near.

8000

remote from Stone or timber
drive charred stake 12 ins
down and build mound
of earth 2 1/2 feet high with
pits 2 x 1 1/2 x 1 ft and in centre
of pit S & E of cor drive a

Township 12 North Range 2 East
Gila and Salt River meridians

The stake marked and notched
2½ feet long 2 in squared
1 foot in the ground for the
cor to Secs 1, 2, 11 and 12
No trees near
Land gently rolling and
sloping South
Soil 1st rate
No timber

East on random line
between Sec 1 and 12

To 14° 25' East

29,50 Road from Lower Agua Fria
Valley to Prescott bears N and S.

40,00 Set a post for temporary ¼
Sec. cor.

80,00 Intersected East boundary
of Sp at a point 12 links

Township 12 Range 2 E

Gila and Salt River Mound

Ch^e South of cor to Sec 1 and 12
from which corner

Run

$S 89^{\circ} 55' W$ on true line
between Sec 1 and 12

$7/8$ a $14^{\circ} 25'$ East

4000 Set a post marked $\frac{7}{8} S$ 4 feet
long flattened 3 in wide
one foot in the ground
and build mound of earth
2 feet high with posts $2 \times 1 \times 1$ ft
for $\frac{1}{4}$ Sec. cor. No trees near

8000 The cor to Sec 1, 2, 11 and 12
Land gently rolling
Soil 1st rate
No timber

Township 12 North Range 2 East
Gila and Salt River meridian

Ch^e North between Sec 1 and 2
Ta 14° 25' East

4000 Set a post marked $\frac{1}{4}$ S 4 feet
long flattened 3 ins wide 1
foot in the ground and build
mound of earth 2 feet high
with pits 2 x 1 x 1 ft. for $\frac{1}{4}$ Sec
cor to trees near

4450 road from Lower Agua Fria
Valley to Prescott bears N. N. W.
and S. E.

8000 Intersected 3^d Standard North
3 ch^e and 70 links West of
Standard cor to Sec 35 and
36 where I set a post marked
and notched 4 $\frac{1}{2}$ feet long 4
ins squared 1 foot in the
ground and build mound
of earth 2 $\frac{1}{2}$ feet high with

Township 12 North Range 2 East

Gila and Salt River meridian

Chc puts $2 \times 1\frac{1}{2} \times 1$ ft for the
closing cor to Sec 1 and
2. No trees near
Land gently rolling hills
sloping South
Soil 1st rate
No timber

North between Sec 34 and 35

To $14^{\circ} 25'$ East

- 2,000 Old road bears N and S. E.
39,40 Wagon road from Upper to
Lower ranches bears S E and N W
4,000 Set a post marked $\frac{1}{4}$ S 4 feet
long flattened 3 in wide
1 foot in the ground and
build mound of earth 2
feet high with puts $2 \times 1 \times 1$ ft
for $\frac{1}{4}$ Sec cor
No trees near

Township 12 North Range 2 East

Gila and Salt River meridians

Chs
7150 Agua Fria Creek 20 links wide
flows S.E. at this point the creek
was dry-

8000 Set a Slate Stone $18 \times 12 \times 8$ ins
marked and notched $\frac{2}{3}$ in
the ground and build a
mound of stone $2\frac{1}{2}$ feet high
for the cor to Secs 26, 27, 34
and 35 No trees near
Sand mostly level
Soil 1st and 2^d rate
No timber

East on random line
between Secs 26 and 35

Var $14^{\circ} 25'$ East

4000 Set a post for temporary $\frac{1}{4}$
Sec cor

8000 Intersected the cor to Secs
25, 26, 35 and 36

Township 12 North Range 2 East
 Gila and Salt River meridian

the from which corner

I run

West on true line
 between Secs 26 and 35

To $14^{\circ} 25'$ East

4000 Remote from Stone or Lumber
 drive Charred stake 12 ins
 down and build mound of
 earth 2 feet high with
 pits $2 \times 1 \times 1$ ft for 1/4 Sec
 cor No trees near -

8000 The cor to Secs 26, 27, 34 and
 35 -

Land level

Soil 1st and 2^d rate

No timber

December 20th 1873

Township 12 North Range 2 East

Gila and Salt River meridians

the North between Sec 26 and 27
 Va $14^{\circ} 25'$ East

4000 Set a post marked $\frac{1}{4}$ S 4 feet
 long flattened 3 ins wide 1
 foot in the ground drive
 charred stake 12 ins down
 and build mound of earth
 2 feet high with pits $2 \times 1 \times 1$
 ft for $\frac{1}{4}$ Sec cor

No trees near

7360 Arroyo 10 links wide flows S. E.

8000 Remote from Stone or Lumber
 drive charred stake 12 ins
 down and build mound of
 earth $2\frac{1}{2}$ feet high with pits
 $2 \times 1\frac{1}{2} \times 1$ ft and in centre of
 pit S. E. of cor drive a
 stake marked and notched
 $2\frac{1}{2}$ feet long 2 ins squared

Township 12 North Range 2 East.

Gila and Salt River meridian

Ch 1 foot in the ground for the
cor to Secs 22, 23, 26
and 27-

No trees near
Land mostly level and
gently sloping South.

Soil 1st rate

No timber

East on random line
between Secs 23 and 26

Ya 14° 25' East

4000 Set a post for temporary 1/4
Sec cor.

8000 Intersected Nevada Stone at a
point 10 links South of cor
to Secs 23, 24, 25 and 26
from which corner

I run

S 89° 56' W on true

Township 12 North Range 2 East

Gila and Salt River meridians

1 Che line between Secs 23 and 26

$\frac{1}{4}$ to $14^{\circ} 25'$ East

4000 remote from Stone or Lumber
drive charred stake 12 inches
down and build a mound
of earth 2 feet high with
post $2 \times 1 \times 1$ ft for $\frac{1}{4}$ Sec cor
No trees near.

8000 The cor to Secs 22, 23, 26 and
27

Sand level

Soil 1st rate

No timber

1 North between Secs 22
and 23

$\frac{1}{4}$ to $14^{\circ} 25'$ East

3500 Road from Lower aqua Tria
to Prescott bears N 6 and S. W.

4000 Set a post marked $\frac{1}{4}$ S 4 feet

Township 12 North Range 2 East

Gila and Salt River meridians

Chk long flattened 3 mi wide
1 foot in the ground drive
charred stake 12 mi down
and build mound of earth
2 feet high with pits 2 x 1 x 1
ft for 1/4 Sec cor
No trees near.

8000 remote from stone or lumber
drive charred stake 12 mi
down and build mound of
earth 2 1/2 feet high with pits
2 x 1 1/2 x 1 ft and in centre
of pit S.E. of cor drive a
stake marked and notched
2 1/2 feet long 2 mi squared
1 foot in the ground for the
cor to Sec 14, 15, 22 and
23. No trees near
Land mostly level and
gently sloping South

Township 12 North Range 2 East

Gila and Salt River meridians

Chas. Lord 1st rate

No timber

East on random line
between Secs 14 and 23

γ a $14^{\circ} 25'$ East

2,100 Arroyo 12 links wide flows S.

3,500 Arroyo 20 links wide flows S.

4,000 Road from Lower Agua Fria
Valley to Prescott bears N.E.
and S.W.

7,980 Intersected N and S line at
cor to Secs 13, 14, 23 and 24
from which corner

Run

West on true line
between Secs 14 and 23

γ a $14^{\circ} 25'$ East

39,900 Remote from stone or timber

Township 12 North Range 2 East

Gita and Salt River meridian

The drive charred stake 12 mi
down and build a mound
of earth 2 feet high with
pits 2 x 1 x 1 ft for 1/4 Sec
cor. No trees near

79.80 The cor to Sec 14, 15 22 and
23.

Sand gently rolling

Soil 1st rate

No timber

North between Sec 14 and
15

To 14° 25' East

4000 Set a Lime Stone 14 x 8 x 6 mi
marked $\frac{1}{4}$ S $\frac{2}{3}$ E in the ground
and build mound of earth
2 feet high with pits 2 x 1 x 1
ft. for 1/4 Sec cor.
No trees near.

Township 12 North Range 2 East

Gila and Salt River meridians

Ch
 7600 Arroyo 10 the wide flows S. S. W.
 8000 Remote from Stone or Lumber
 drive charred stake 12 in
 down and build mound of
 earth 2 1/2 feet high with pits
 2 x 1 1/2 x 1 ft and in centre of
 pit S. E. of cor drive a stake
 marked and notched 2 1/2 feet
 long 2 in squared 1 foot
 in the ground for the cor
 to Sec 10. 11. 14 and 15
 No trees near
 Sand level
 Soil 1st rate
 No timber

East on random line
 between Sec 11 and 14
 Va 14° 25' East

, 25 Arroyo 10 the wide flow S. S. W.

Township 12 North Range 2 East

Gila and Salt River meridians

- Ch
4000 Set a post for temporary $\frac{1}{4}$
Sec cor
- 8000 Intersected N and S line at
a point 30 links S of cor to
Sec 11, 12, 13 and 14
from which corner
I run
S $89^{\circ} 47' 11''$ on true
line between Sec 11 and 14
Ta $14^{\circ} 25'$ east
- 4000 Remote from stone or timber
drive charred stake 12 inches
down and build mound of
earth 2 feet high with pits
 $2 \times 1 \times 1$ ft. for $\frac{1}{4}$ Sec cor
No trees near.
- 8000 The cor to Sec 10, 11, 14 and 15
Land gently rolling
Soil 1st rate
No timber

Township 12 North Range 2 East

Gila and Salt River meridians

- Chc North between Sec 10 and 11
 Va $14^{\circ} 25'$ East
- 3700 Arroyo 12 links wide flow S. to
 4000 Set a post marked $\frac{1}{4}$ S 4 feet
 long flattened 3 ins wide
 1 foot in the ground drive
 charred stake 12 ins down
 and build mound of earth
 2 feet high with pits $2 \times 1 \times 1$ ft
 for $\frac{1}{4}$ Sec cor. No trees near
- 4200 Arroyo 10 links wide flows SW
 8000 kerrote from stone or timber
 drive charred stake 12 ins
 down build mound of earth
 $2 \frac{1}{2}$ feet high with pits $2 \times 1 \frac{1}{2}$
 $\times 1$ ft and in centre of pit
 S. E. of cor drive a stake
 marked and notched $2 \frac{1}{2}$
 feet long 2 ins squared

Township 12 North Range 2 East

Gila and Salt River meridians

Chc 1 foot in the ground for the
cor to Secs 2, 3, 10 and 11

No trees near.

Land gently rolling hills

Soil 1st rate

No timber

East on random line
between Secs 2 and 11

Ya 14° 25' East

4000 Set a post for temporary 1/4
Sec. cor.

8000 Intersected the cor to Secs
1, 2, 11 and 12 from
westerly corner

I run

West on true line
between Secs 2 and 11

Ya 14° 25' East

4000 Remote from store or timber

Township 12 North Range 2 East

Gila and Salt River meridians

The drive charred stake 12 ins
down and build a mound
of earth 2 feet high with
pits 2 x 1 x 1 ft for 1/4 Sec
cor. No trees near.

8000 The cor to Secs 2, 3, 10 and 11
Land gently rolling hills
Soil 1st rate
No timber

North between Secs 2 and 3

by a 14° 25' East

4000 Set a post marked $\frac{1}{4}$ S 4 feet
long flattened 3 ins wide
1 foot in the ground drive
charred stake 12 ins down
and build mound of earth
2 feet high with pits 2 x 1 x 1
ft for 1/4 Sec cor.

No trees near.

Township 12 North Range 2 East

Gila and Salt River meridians

Chs
80,10

Intersected 3^d Standard North
3 chs and 40 links West
of Standard cor to Secs
34 and 35, where I set a
post marked and notched
4 $\frac{1}{2}$ feet long 4 in squared
1 foot in the ground drive
charred stake 12 in down
and build mound of earth
2 $\frac{1}{2}$ feet high with pits 2
 \times $\frac{1}{2}$ \times 1 ft for the closing
cor to Secs 2 and 3
No trees near
Sand, rolling hills
Soil 2^d rate
No timber

Township 12 North Range 2 East

Gila and Salt River meridian

Ch North between Sec 33 and
34 -

To $14^{\circ} 25'$ east

2560 Arroyo 12 links wide flow to

3150 Old road bears to and to

4000 Set a post marked $\frac{1}{4}$ S 4 feet
long flattened 3 ins wide
1 foot in the ground drive
charred stake 12 ins down
and build mound of earth
2 feet high with pits $2 \times 1 \times 1$ ft.
for $\frac{1}{4}$ Sec. cor. No trees
near.

6650 Arroyo 10 links wide flows to

8000 Set a Stone 20 x 20 x 8
ins properly notched $\frac{1}{3}$ in the
ground and build a mound
of stone $2\frac{1}{2}$ feet high for the
cor to Sec 27, 28, 33 and 34

Township 12 North Range 2 East

Gila and Salt River meridians

Ch. No trees near
 Sand rolling
 Soil 1st and 2^d rate
 No timber

Monday December 22 1873

East on random line
 between Sec 27 and 34
 Va 14° 25' East

1785 Arroyo 10 miles wide flows
 S.E. and commence ascent
 of high hill bearing N.W. and
 S.E.

2600 Summit and begin descent

3900 Foot

4000 Set a post for temporary 1/4
 Sec. cor

5340 Road from Upper to Lower
 ranches bears N.W. and S.E.

6690 Agua Fria Creek 25 miles wide
 flows S.E. at this point the

Township 12 North Range 2 East

Gila and Salt-river meridians

Chc the Creek was dry-

79,80 Intersected the cor to Secs
26, 27, 34 and 35 from
westerly corner

I run

West on true line
between Secs 27 and 34

To 14° 25' East

39,90 Set a post marked $\frac{7}{8}$ S 4 feet
long flattened 3 ins wide
1 foot in the ground drive
charred stake 12 ins down
and build mound of earth
2 feet high with post 2 x 1 x 1 ft
for $\frac{1}{4}$ Sec cor. No trees near

79,80 The cor to Secs 27, 28, 33 and
34 -

Land level & hilly W
Soil 1st and 3^d rate
No timber

Lower slope 12 North Range 2 East
Gita and Salt River mudvari

Ch North between Secs 27 and
28

Ya $14^{\circ} 25'$ East

- 100 Arroyo 10 yards wide flow to
2360 Arroyo 10 yards wide flow to
4000 Set lime stone $20 \times 8 \times 8$ ins
marked $\frac{7}{8}$ S $\frac{3}{4}$ mi the
ground and build a mound
of stone 2 feet high for $\frac{1}{4}$
Sec cor. No trees near
Line runs along N.E. slope
of rocky mountain
5200 ravine bears east and
commence ascent of rocky
hill ranging to and to
6400 Summit
6700 Commenced descent
8000 Set a post marked and
notched $4 \frac{1}{2}$ feet long 3 ins
squared 1 foot in the

Township 12 North Range 2 East

Gila and Salt River meridian

the ground and build around it a mound of stones 2 feet high for the cor to Secs 21, 22, 27 and 28.

No trees near

Land broken and hilly
Soil 2^o and 3^o rate

No timber -

East on random line
between Sec 22 and 27

To $14^{\circ} 25'$ East

2000 Foot of hill and enter
Wombers ranch. The House
and buildings bear S 12
E - from this point.

2990 Agua Fria Creek 30 yards
wide flows S. S. E. - at this
point the creek was dry

3600 Leave ranch bearing N.W.

Township 12 North Range 2 East

Gila and Salt River meridians

Chc and S. E

3700 Road from Lower Agua Fria
Valley to Prescott bears
N. E and S. W

4000 Set a post for temporary
1/4 Sec cor.

4750 Arroyo 10 links wide flows
S. thence S. E

8000 Intersected the N and S line
25 links N of the cor to
Secs 22, 23, 26 and 27
from which corner

Run

N $89^{\circ}49'$ W on true
line between Secs 22 and 27
to $14^{\circ}25'$ East

4000 Set a post marked 1/4 S 4 feet
long flattened 3 ins wide
1 foot in the ground drive
charred stake wire down

Township 12 North Range 2 East

Gila and Salt River meridian

Chs and build a mound of earth 2 feet high with pits $2 \times 1 \times 1$ ft. for $\frac{1}{4}$ Sec cor
No trees near.

8000 The cor to Secs 21. 22. 27
and 28.

Land mostly level

Soil 1st and 3^d rate

Timber some Cottonwoods
on ranche and banks of
Creek

North between Secs 21 and 22

To $14^{\circ} 25'$ East

12000 Foot of hill and enter bottom
land.

4000 Set a Lime Stone $10 \times 10 \times 8$ ins
marked $\frac{1}{4}$ S $\frac{2}{3}$ in the ground
and build a mound of stone
2 feet high for $\frac{1}{4}$ Sec cor

Township 19 North Range 2 East

Gila and Salt River meridians

No trees near

4900 Agua Fria Creek 10 links
wide flows to thence S., at
this point the creek was
dry-

enter rolling hills

7850 Arroyo 10 links wide flows S. S. E.

8000 remote from store or lumber
drive charred stake 12 ins
down and build a mound
of earth 2 1/2 feet high with
pits 2 x 1 1/2 x 1 ft and in
centre of pit S. E. of cor drove
a stake marked and notched
2 1/2 feet long 2 ins squared,
foot in the ground for the
cor to Secs 15, 16, 21 and 22

No trees near

Land rolling North level South
Soil 2^o and 3^o rate

Township 12 North Range 2 East
Gila and Salt River meridian

Chc No trees near

East on random line between
Secs 15 and 22

To $14^{\circ} 25'$ east.

4000 Set a post for temporary $1/4$ Sec
cor.

5360 Arroyo 12 rods wide flow S.

8000 Intersected the cor to Secs
14, 15, 22 and 23 from which
corner.

Iron

West on true line
between Secs 15 and 22

To $14^{\circ} 25'$ east

4000 Set a post marked $1/4$ S 4 feet
long flattened 3 ins wide
1 foot in the ground and
build a mound of earth
2 feet high with pits $3 \times 1 \times 1$ ft

Township 12 North Range 2 East

Gila and Salt River meridians

Chc and drive charred stake
12 mi down for $\frac{1}{4}$ Sec cor
No trees near

8000 The cor to Sec 15, 16, 21 and 22
Sand gently rolling
Soil 1st and 2^d rate
No timber

North between Secs 15 and 16
To $14^{\circ} 25'$ east

4000 remote from Stone or Timber
drive charred stake 12 mi
down and build a mound
of earth 2 feet high with
posts $2 \times 1 \times 1$ ft for $\frac{1}{4}$ Sec cor
No trees near

62,10 Arroyo 10 linte wide flows S. E.

8000 remote from Stone or timber
drive charred stake 12 mi
down and build a mound

Township 12 North Range 2 East.

Gila and Salt River meridian

Chk of earth $2\frac{1}{2}$ feet high with
 pits $2 \times 1\frac{1}{2} \times 1$ ft and in centre
 of pit S. E. of cor drive a stake
 marked and notched $2\frac{1}{2}$ feet
 long & in squared 1 foot in
 the ground for the cor to see
 9, 10, 15 and 16. No trees near
 Sand rolling.

Soil 1st and 2^d rate

No timber

East on random line
 between Sec 10 and 15

To $14^{\circ} 25'$ east

4000 Set a post for temporary $\frac{1}{4}$ sec cor

5740 Arroyo 12 links wide flows S.

7960 Intersected the cor to Sec

10, 11, 14 and 15 from

which corner

Run

Township 12 North Range 2 E
 Gila and Salt River meridians

Ch West on true line between
 Sec 10 and 15

To $14^{\circ} 25'$ east

3980 Set a Sand Stone $18 \times 10 \times 8$
 ins marked $\frac{1}{4} S \frac{3}{4} W$ in the
 ground and build a mound
 of earth 2 feet high with
 posts $2 \times 1 \times 1$ ft for $\frac{1}{4}$ Sec cor
 No trees near.

7960 The cor to Sec 9, 10, 15 and 16
 Sand gently rolling
 Soil 1st rate
 No timber

North between Sec 9 and 10

To $14^{\circ} 25'$ east

4000 Set a post marked $\frac{1}{4} S \frac{1}{4} E$ feet
 long flattened 3 ins wide
 1 foot in the ground and
 charred stake 12 ins down

Township 12 North Range 2 East-

Gila and Salt River meridian

Chc and build a mound of earth
2 feet high with pits $2 \times 1 \times 1$
ft. for $\frac{1}{4}$ Sec cor. No trees near
8000 Set a Lime Stone $20 \times 10 \times 8$
ins marked and notched $\frac{3}{4}$
in the ground deposit marked
stone and build a mound
of earth $2 \frac{1}{2}$ feet high with
pits $2 \times 1 \frac{1}{2} \times 1$ ft. for the cor
to Secs 3, 4, 9 and 10.

No trees near

Sand hilly

Soil $\frac{2}{3}$ rate

No timber

East on random line
between Sec 3 and 10

$\text{Va } 14^{\circ} 25'$ east

36,50 Arroyo 10 yards wide flow S

4000 Set a post for temporary $\frac{1}{4}$ Sec

Township 12 North Range 2 East

Gila and Salt River meridian

Chs cor

64.00 Gutch bears South

79.75 Intersected the cor to Secs
2, 3, 10 and 11 from which
corner.

I run

West on true line
between Secs 3 and 10

To $14^{\circ} 25'$ East

39.87 Set a Stone Stone $16 \times 10 \times 10$ ins
marked $\frac{1}{4}$ S $\frac{2}{3}$ in the ground
and build a mound of earth
2 feet high with posts $2 \times 1 \times 1$ ft
for $\frac{1}{4}$ Sec. cor. No trees near

79.75 The cor to Secs 3, 4, 9 and 10
Sand rolling hills
Soil 1st and 2^d rate
No timber

Township 12 North Range 2 East

Gila and Salt River meridian

Ch^e North between Sec 3 and 4
Ta $14^{\circ} 25'$ East

4000 Set a Sunni Stone $14 \times 10 \times 8$ ins
marked $\frac{7}{8}$ S $\frac{2}{3}$ in the ground
and build mound of earth
2 feet high with pits $2 \times 1 \times 1$ ft.
for 1/4 Sec cor. No trees near

7400 Gulch flow S. E.

8000 Intersected 3rd Standard North
2 chains and 98 links West of
Standard cor to Sec 33 and
34. where I set a post marked
and notched $4 \frac{1}{2}$ feet long
4 ins squared 1 foot in
the ground drive charred
stake 12 ins down and
build a mound of earth $2 \frac{1}{2}$
feet high with pits $3 \times 1 \frac{1}{2} \times 1$
ft for the closing cor to
Sec 3 and 4.

Township: 12 North Range 2 ea

Gila and Salt River meridians

Chs. No trees near
Sand hills and sloping S.
Soil 2^o and 3^o rate
No timber

December 23^d 1873

The Western half of this
Sp being covered by
rocky barren hills not
known to contain mineral
therefore coming under
the head of waste or useless.

I extend the subdivision
Lines no further West

Township 12 North Range 2 East
 Gila and Salt River meridians

General Description

The surveyed portion contains considerable 1st class arable land the rolling hills are covered with nutritious grasses well adapted for grazing.

The only timber in the Tr. consists of some few cottonwoods in Sec 27

Agua Fria Creek a stream from 18 to 20 ft wide flowing through the SW portion sinks and rises at intervals except during the wet season when its channel is full.

The unsurveyed portion

Township 12 North Range 2
Gila and Salt River mounds

the West half is covered
by barren rocky hills
not known to contain
mineral.

C. Burton Foster
U. S. Dep. Surveyor

BOOK 106

LIST OF NAMES.

A List of the Names of Individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the survey of the Subdivision Lines of Fractional Township 12 North Range 2 East Gila and Salt River meridians Territory of Arizona

Showing the respective capacities in which they acted.

George J. Roskrug Chairman.

Andrew J. Strope Chainman.

Richard Strope Axeman.

_____ *Flagman.*

50

FINAL OATH OF ASSISTANTS.

WE hereby certify that we assisted C. Burton Foster U. S. Deputy Surveyor, in surveying the subdivision lines of fractional Township 12 North Range 2 East Gila and Salt River meridian Territory of Arizona

and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor-General.

George J. Westraeger Chairman.

Andrew Shupe Chainman.

Richard Shupe Axeman.

Flagman.

Sworn to and subscribed before me, this 31st day of December, 1873.

E. C. Wells

Deputy Dist. Clerk

3rd Dist. of Arizona

FINAL OATH OF DEPUTY SURVEYOR.

I, C. Burton Foster

U. S. Deputy Surveyor do solemnly swear that, in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the fifth day of August

1873 I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of

the Subdivision Lines of
fractional Townships 12 North
Range 2 East Gila and
Salt River meridian Territory
of Arizona

as are represented in the foregoing Field Notes as having

been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements contained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

A. Dutton Foster
Deputy Surveyor.

Sworn to and subscribed before me, this 31st
day of December, 1873.

E. C. Wells
be 10 Dist Court
3rd Dist of Arizona

U. S. Surveyor General's Office,
Tucson, Arizona, July 1, 1874

The foregoing Field Notes of the survey of

The Subdivision lines of

Township 17 N. range 2 E.

of the Gila and Salt River Base and Meridian, Arizona,
executed by C. Burton Foster,
D. S., under his contract of the Fifth day of
August, 1873, having been critically ex-
amined and the necessary corrections and explanations
made, the said Field Notes and the surveys they de-
scribe, are hereby approved.

John Mason