

117

P. 1

F I E L D       N O T E S  
OF THE SURVEY OF THE  
SUBDIVISION LINES

OF

Township 12 North, Range 29 East.

Gila and Salt River Base and  
Meridian,

ARIZONA.

By Milton Santee, D. S., under  
Contract dated April 29, 1882.  
Survey commenced September, 27, 1882.  
Survey completed

117

INDEX DIAGRAM.

Township 12 North  
 Range 29 East

86

6	93	5	47	4	50	3	33	2	17	1
<del>71</del>		90		65		49		32		16
7	89	8	64	9	47	10	31	11	14	12
<del>86</del>	<del>86</del>		85		62		46		29	13
18	83	17	61	16	44	15	28	14	11	13
<del>82</del>		80		59		43		26		10
19	79	20	58	21	41	22	25	23	8	24
77		75		56		40		24		6
30	74	29	55	28	39	27	22	26	5	25
72		71		54		37		21		3
31	69	32	52	33	35	34	19	35	1	36

Gila and Salt River, Arizona.

ARIZONA.

BOOK 117  
1  
No-117

Subdivision, S. 127. R. 29 E.

13

414 S. 127. R. 29 E. Meridian.

Survey commenced  
Sep 27-1882 with a Burt's  
Patent improved Solar  
Compass. nearly new &  
in first rate order,  
made by Otto Fernald  
of Cassel, Germany, in 1881  
Before proceeding to  
subdivide this Sp. I made  
a change of 5 minutes  
in the latitude arc  
of my solar compass  
by subtracting the same  
from the reading previously  
given, and at noon verified  
and corrected same  
by observation on the sun.  
I also further tested instru-  
ment by reversing

S. 2 N. R 29 E. T 5 S R. M

Chains-

From Cor to Sec 35-36-1-2  
 which is a post 4 in square  
 firmly in ground, in mound  
 of earth with pits 18x18x12 ins  
 in each Sec 5 1/2 ft. dia. marked  
 5.2 & 5.6 on N.E. R 29 S 1 on S.E.  
 5.1 N. S 2 on S.W. & 5.5 on N.W.  
 faces, and 5 notches on W &  
 1 notch on E edges. I run  
 North by Sec. 35 & 36  
 to 140 E.

Descend

40.00 Set a sand stone 18x11x11  
 ins, 8 ins in the ground for  
 1/4 Sec Cor marked 1/4 S on  
 W face - dug pits 18x18x12  
 ins. N & S of stone 5 1/2 ft dia  
 and raised mounds of  
 earth 1 1/2 ft. high 3 1/2 ft

S. 2 N. R. 29 E. G. S. S. R. M.

Chains -

- base alongside -
- 69.08 Cross gulch 10 lks wide course  
S. W. Ascend -
- 80.00 Set a sand stone 14 x 11 x 7 ins  
10 ins in the ground for Cor  
to Secs 25 - 26 - 35 - 36 marked  
with 1 notch on Sand notch  
on E edges and raised a  
mound of stone alongside  
Pits unpracticable  
Sand rolling  
Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate  
Timber, Cedar  
vegetation, Bunchgrass & Sagebrush -
- 

East on random line bet. Secs  
25 & 36

To 140 05' E

S 12 N. R 29 E. S 33 T. R. M.

blains

Descend.

40.00 Set temporary  $\frac{1}{4}$  sec cor -  
 8035 Intersect E. B. of Sp 13 lbs  
 S of cor to becs 25-30 517  
 36 which is a Basalt stone  
 set firmly in the ground with  
 mound of stone along side,  
 marked with 1 notch on S  
 and 5 notches on N edges -  
 from which cor I run  
 S 89° 54' W on a true line bet.  
 becs - 25-7 36

to 14° 15' East.

40.19 Set a sand stone, 15 x 10 x 5  
 ins 10 ins in the ground for  
 $\frac{1}{4}$  sec cor marked  $\frac{1}{4}$  S on N  
 face, dug pits 18 x 18 x 12 ins  
 E & W. of stone  $5\frac{1}{2}$  ft dia  
 and raised a mound of earth

S. 2 N. R 29 E. S 3 S. R. M.

Chairs -

4038 1/2 ft. high 3/2 ft. base alongside  
The Cor. to Secs 25-26-35-36.

band rolling

Soil 2' and 3' ft

Timber - Cedar -

vegetation Sagebrush & Bunchgrass

North bet. Secs. 25 & 26.

to 140 05' E.

ascend

4000 Set a band stone 15 x 10 x 8 ins

10 ins in the ground for 1/4 Sec

Cor. marked  $\frac{1}{4}$  on W face

dry pit 18 x 18 x 12 ins N & S

of stone 5 1/2 ft. dia. and

raised a mound of earth 1/2

ft. high 3 1/2 ft. base alongside

5100 Top of spur Sec. E & W + descend.

S. 2 N. R. 29 E. S. 5 S. R. 111

Chains -

40,000 Det. a band stone 14 x 11 x 9 ins 10  
 ins in ground for cor to Secs  
 23-24-25-26 marked with  
 2 notches on S and 1 notch on  
 E edge, dug pits 18 x 18 x 12  
 ins if each for 5 1/2 ft. dia  
 and raised a mound of  
 earth 2 ft. high 4 1/2 ft. dia  
 along side

Band mountains

Soil 2<sup>nd</sup> + 3<sup>rd</sup> rate

Timber - Cedar

Vegetation Bluegrass + Sagebrush

East on random line bet  
 Secs. 24 & 25

to 14° 05' E

Acres



S. 2 N - R 29 E. S 3 S. R. W.

Chains -

13.20 Top of spur, hrs. N E + S. W and descend -

40.00 Set temporary  $\frac{1}{4}$  Sec Cor

80.16 Intersect E. B of Sp. 18 the S of Cor to Secs 19 - 24 - 25 + 30, which is a Basalt stone set firmly in the ground marked with 2 notches on S edge + 4 notches on N edge, with pits 18 x 18 x 12 ins in each Sec.  $5\frac{1}{2}$  ft. dist, and mounds of earth 2 ft. high  $4\frac{1}{2}$  ft. base alongside, from which Cor. Found S 89° 52' W on a true line bet. Secs 24 - 25.

to 140 E.

40.08 Set a sand stone 18 x 10 x 6 ins 10 ins in the ground for  $\frac{1}{4}$  Sec Cor marked  $\frac{1}{4}$  S on N face

S. 27. R 29 E. S 5 S. R. W.

Chains-

dug pits 18x18x12 ins E & W of  
stone 5 1/2 ft. dist and ~~dist~~ <sup>dist</sup> ~~dist~~ <sup>dist</sup>  
of earth 1 1/2 ft. 3/2 ft. base  
along side

80.16 The Cor to Sec. 23-24-25-26

Land mountainous

Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate

Timber Cedar

Vegetation, Sagebrush & Bunchgrass.

---

North bet. Sec. 23 & 24

to 14005' E.

Descent

18.80 Cross gulch 7 lbs wide, Course  
N 17° W. Land ascend.

40.00 Set a band stones 14x11x8  
ins, 8 ins in the ground for  
1/4 Sec Cor, marked 1/4 S & W

S. 2 N. R. 29 E. S. 5 S. R. W

W. face, dug pits 18 x 18 x 12 in  
 N + S of stone 5 1/2 ft. dist.  
 and raised a mound of earth  
 1 1/2 ft. high 3 1/2 ft. base  
 along side

80.00 Set a sand stone, 12 x 10 x 8  
 in x in in the ground for  
 Cor. to bees 13-14-23-24 -  
 marked with 3 notches  
 on 3 & 1 notch on 2 edges  
 dug pits 18 x 18 x 12 in in each  
 S. E. 5 1/2 ft. dist and raised  
 mound of earth 2 ft. high  
 4 1/2 ft. base along side  
 Sand mountains

Soil 2<sup>d</sup> & 3<sup>d</sup> rate

Timber Cedar

Vegetation, Bunchgrass & Sagebrush

S. 2 N. R 29 E. S. 5 S. R. 7 W.

Chassis -

East on a random line bet.  
Secs 13 + 24.

ba 14° 10' E.

Proceed -

40.00 Set temporary 1/4 Sec Cor.  
80.03 Entered E. B of Sp. 10 links N  
of Cor to Secs 13-18-19-24  
which is a Basalt stone set  
firmly in the ground marked  
with 3 notches on S and  
3 notches on N edges - with  
mound of stone flangside  
from which Cor. I run  
N 89° 54' W. on a true line  
bet. Secs. 13 + 24.

ba 14° 05' E.

40.02 Set a post, 3 ft. long - 3 in  
sq. with marked slope, 12  
in in ground for 1/4 Sec Cor

S. 2 N. R. 29 E. S. 5 S. R. 11

Notes -

marked  $\frac{1}{4}$  S on N face, dug  
 pits  $18 \times 18 \times 12$  ins E + W of  
 post  $5\frac{1}{2}$  ft. dist. and raised  
 mound of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base around post,

8003

See Cor to Sec. 13-14-23-24

band mountains

Soil  $2^{\text{nd}}$  +  $3^{\text{rd}}$  rate

Timber Cedar

Vegetation Bunchgrass, Sagebrush.

North bet. Sec 13-14

to  $14^{\circ} 10' E$

across

4000

Set a sand stone  $12 \times 8 \times 8$   
 ins 8 in in the ground  
 for  $\frac{1}{4}$  Sec. Cor. unmarked  $\frac{1}{4}$   
 S on W face, dug pits

S. 2 N. R 29 E. S 3 S. R. M.

Charris

dug pits  $18 \times 18 \times 12$  ins N + S  
 of stone  $5\frac{1}{2}$  ft. dist. and raised  
 a mound of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base alongside  
 78.00 Edge of mesa - bear E & W  
 80.00 Set a sand stone  $12 \times 10 \times 9$  ins  
 8 ins in the ground for con-  
 to Decs - 11, 12-15 + 16, marked  
 with 4 notches on S and 1  
 notch on E edges, dug pits  
 $18 \times 18 \times 12$  ins if each Dec.  $5\frac{1}{2}$   
 ft. dist. and raised a mound  
 of earth 2 ft. high  $4\frac{1}{2}$  ft. base  
 alongside.  
 Sand mounds  
 Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate  
 Timber Cedar  
 vegetation, Bunchgrass & Sagebrush

S. 2 N. R 2 E. S 3 S. R. W.

Chains

East on random line bet. Decs 12-13  
 Va 14° 10' East.

Descend.

40.00 Set temporary  $\frac{1}{4}$  Dec Cor.

79.87 Intersect E. B. of Sp. 19 lts N.  
 of Cor. to Decs 7-12-13-18 which  
 is a Basalt stone set <sup>in</sup> <sup>the</sup> <sup>ground</sup> <sup>marked</sup> <sup>with</sup> <sup>4</sup> <sup>notches</sup>  
 on S and 2 notches on N.  
 edges and pits 15 x 18 x 12  
 ins in each Dec 5  $\frac{1}{2}$  ft.  
 dia and mounds of earth  
 2 ft. high - 4  $\frac{1}{2}$  ft. base -  
 alongside - from which  
 Cor. found

N. 89° 52' W on a true line  
 bet. Decs 12-13

Va 14° 10' East.

39.94 Set a sand stone 12 x 12 x 8

S. 2 N. R. 29 E. S. 3 S. R. W.

Chains -

ris & ris in the ground  
 for  $\frac{1}{4}$  Sec Cor marked  $\frac{1}{4}$  S  
 on N. face dug pits 18x18x12  
 ris E & W of slope  $5\frac{1}{2}$   
 ft. dist and raised mounds  
 of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft.  
 base alongside -

79.87

The Cor to be set 11-12-13-14

band rolling

Soil 2<sup>nd</sup> & 3<sup>rd</sup> fall

Timber Cedar

vegetation, Sagebrush & bunchgrass

---

North bet. Decs 11-12.

va 140.10' East.

40.00

Set a post 3 ft. long 3 in dg -  
 with marked stumps, 12 in  
 in ground for  $\frac{1}{4}$  Sec Cor



S. 2 N. R. 29 E. S. 3 T. R. W.

Chairs

marked  $\frac{1}{4}$  S on W: face - dug  
pits 18 x 18 x 12 - ins N + S  
of post  $5\frac{1}{2}$  ft. dist. and  
raised a mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around  
post.

80.00

Set a sand stone 13 x 9 x 6  
ins 8 ins in the ground for  
con to <sup>see</sup> 1 - 2 - 11 - 12 marked  
with 5 notches on S +  
1 notch on E edges, dug  
pits 18 x 18 x 12 ins in each  
see.  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth 2 ft. high  
 $4\frac{1}{2}$  ft. base along side of

and rolling  
soil 2' + 3' fate  
Similar Cedar  
vegetation, Sagebrush - Bunchgrass -

S. 2 N. R. 29. E. S. 5 S. R. W.

Chains -

East on random line bet. Secs  
11 & 12.

ba 140 10' East.

Ascend

40,00

Set temporary  $\frac{1}{4}$  sec cor

80,15

Intersect E. B of Sp. 10 lbs  
N of cor to Secs 1-6-7-12 -  
which is a Basalt stone  
set firmly in the ground  
marked with 5 notches  
on S and 1 notch on N  
edges - and mound of  
stone along side from  
which cor.  $\odot$  run  
N  $89^{\circ} 56'$  W on a true line  
bet. Secs 11 & 12

ba 140 10' E.

10,08

Set a post, 3 ft. long, 3 in  
sq - with marked stone

D. N. R 29 E. G. S. R. M.

Chains

12 in in the ground for  $\frac{1}{4}$   
Sec Cor. marked  $\frac{1}{4}$  S on  
N face - dug pits 18x18x12  
ins. E + W of post  $5\frac{1}{2}$  ft  
dirt and raised mound  
of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft.  
base around post.

40.15

The Cor - to Secs. 1-2-11-12 -  
band rolling  
Soil 2<sup>nd</sup> + 3<sup>rd</sup> - white  
Vegetation Sagebrush & Bunchgrass -  
Timber cedar.

Sept. 27 - 1882.

North on true line bet. Sec 1 & 2  
to 140 10' E.  
ascend.

40.00

Set a sand stone 12x9x6

S. 2 N. R 29 E. T. 5 S. R. W.

Chains-

ins. 8 ins in the ground  
for  $\frac{1}{4}$  Sec Cor. marked  $\frac{1}{4}$  S  
on W face, dug pits 18 x 18 x 12  
ins N + S of stone  $5\frac{1}{2}$  ft.  
ditch and raised mound of  
earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft  
base alongside.

117. 48

Intersect the 3<sup>d</sup> Standard  
Parallel North at a point  
4.65 chs. West. of Standard  $\frac{1}{4}$   
Sec Cor on S. B. of Sec 35. 5  
13 N. R 29 E at which point  
I set a sand stone 14 x 8 x 6  
ins. 10 ins in the ground for  
closing Cor. to be 1 + 2 -  
marked C. C. with 1  
notch on E and 5 notches  
on W edges - dug pits 18 x 18 x  
12. ins S. E and W of stone

S. 2 N. R. 29 E. S. 3 S. R. M.

Chairs-

5 1/2 ft. dist. and raised a mound  
of earth 2 ft. high 4 1/2 ft.  
base along side

Sand rolling

Soil 2<sup>nd</sup> + 3<sup>rd</sup> rate

Timber of Cedar.

Vegetation Sagebrush + Bunchgrass

North bet. Secs. 34 + 35 from  
cor to Secs. 2-3-34 + 35 which  
is a sand stone set firmly  
in the ground, marked with  
4 notches on W + and 2  
notches on E edges - and  
pits 18 x 18 x 12 in in each  
Sec. 5 1/2 ft. dist and mounds  
of earth 2 ft. high 4 1/2 ft. base  
along side.

S. 27. R 27 E. S 3 S. R. M

Chairs -

ba 140 5' E.

second

40,00

Set a post 3 ft. long 3 in sq. with marked stone 12 ins in ground for  $\frac{1}{4}$  Sec Cor. marked  $\frac{1}{4}$  S on W face. dug pits 18 x 18 x 12 ins W & S of post 5  $\frac{1}{2}$  ft. dia. and raised mound of earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base around post.

80,00

Set a sand stone 16 x 10 x 4 ins 10 ins in ground for Cor to Secs. 26-27-34-35 marked with 1 notch on S and 2 notches on E edges. dug pits 18 x 18 x 12 ins on each side 5  $\frac{1}{2}$  ft. dia. and raised a mound of earth 2 ft. high 4  $\frac{1}{2}$  ft. base alongside

S. 2 N. R 29 E. S. 3 S. R. M.

Claims

Band mountains  
 Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate  
 Timber Cedar,  
 vegetation, Bunchgrass & Sagebrush

East on random line bet Dees  
 26 + 35-

va 140 05' E

ascend

28.00 Top of ridge bet N + S descend

40.00 dit temporary 1/4 Sec Cor.

79.88 Intersect N + S line 27 lbs

N. of Cor to Dees - 25-26-35-36  
 from which Cor I run

N 89° 48' W on a true line bet  
 Dees - 26 + 35-

va 140 05' E

39.94 dit a sand stone 14 x 9 x 5 in

T. 2 N. R. 29 E. S. 4. R. 7. W.

Chains.

10 ins in the ground for  $\frac{1}{4}$   
 Sec. Cor. marked  $\frac{1}{4}$  South  
 face, dug pits  $18 \times 18 \times 12$   
 ins E + W of stone  $5\frac{1}{2}$  ft  
 dist. and raised mound  
 of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$   
 ft. base along side

79,88

The cor. to Secs - 26 - 27 - 34 - 35 -

Land mountainous

Soil 2<sup>nd</sup> 3<sup>d</sup> rate

Timber Cedar

Vegetation, Bunchgrass & Sagebrush

North bet. Secs. 26 - 27.

to 14005' E.

Ascend

14,00

Top of ridge bet E + W descent

40,00

Delta post 3 ft. long 3 in



S. 2 N R 29 E. S 3 S. R. M.

Chains

sq. with marked stone  
for  $\frac{1}{4}$  sec cor. marked  $\frac{1}{4}$  S  
on W face, dug pits  $18 \times 18 \times 12$   
ins N & S of post  $5\frac{1}{2}$  ft  
dist. and raised mound  
of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft.  
base around post

80.00 Set a sand stone  $14 \times 12 \times 8$   
ins 10 ins in ground for  
Cor to Secs - 22-23-26-27  
marked with 2 notches  
on S and 2 notches on E  
edges - dug pits  $18 \times 18 \times 12$   
into in each sec  $5\frac{1}{2}$  ft  
dist. and raised mound of  
earth 2 ft. high  $4\frac{1}{2}$  ft.  
base alongside  
band monofluous  
Soil 2nd 2 rate

S. 2 N. R. 2 E. S. 23 S. R. 7 W.

Chavis -

Timber, Cedar -

Vegetation, Bunchgrass, Sagebrush -

East on random line bet. Secs 23-26  
 Va 140.05' East,

Ascend

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

80.34 Intersect N of S line 38 lbs  
 north of Cor to Secs 23-24-25-26  
 from which Cor Down.

N  $89^{\circ}44'$  W. on a true line bet.  
 Secs 23-26 -

Va 140.05' E.

40.17 Set a sand stone  $13 \times 10 \times 8$   
 ins  $\times$  ins in the ground  
 for  $\frac{1}{4}$  Sec Cor. marked  $\frac{1}{4}$  S  
 on N face, dug pits  $18 \times 18 \times 12$   
 ins E & W of stone  $5\frac{1}{2}$  ft.

S. 2 N. R 29 E. G. S. R. W.

Chains

dist. and raised mound of earth 1 1/2 ft. high 3 1/2 ft. base along side.

80,34

The Cor to lifes. 22-23-26-27

Band rolling,

Soil 2<sup>nd</sup> + 3<sup>rd</sup> Gate

Timber Cedar

Vegetation Bunchgrass & Sagebrush

North bet. Secs 22 & 23-

to 14005' E

40,00

Set a sand stone 16x10x7 in 10 in in the ground

for 1/4 Sec Cor. marked 1/4 S on W face dug pits, N & S

of alone 5 1/2 ft. dist. and raised mound of earth 1 1/2 ft. high 3 1/2 ft. base

S. 27. R 29 E. S 3 S. R. W

chains

along side

61.20 Cross of hole 5 lbs. wide course  $87^{\circ} 0' W$   
and ascend.

80.00 Set a sandstone  $13 \times 12 \times 7$  ins.  
8 ins. in the ground for

Cor to Sec. 14-15-22-23

marked with 4 notches on S

and 2 notches on E edges.

dig pits  $18 \times 18 \times 12$  ins in each

Set  $5\frac{1}{2}$  ft. disk and raised

mound of earth 2 ft. high

$4\frac{1}{2}$  ft. base along side of

band rolling.

Soil  $2^{\circ} + 3^{\circ}$  fat.

Vegetation Sagebrush & Bushy grass

Timber Cedar.

East on random line bet.

Secs. 14-23.

to  $14^{\circ} 10'$  East.

S. 2 N R 29 E. S. 3 S. R. W.

Chassis -

Descent -

- 52.00 Cross low bog & ascend.
- 40.00 Set temporary  $\frac{1}{4}$  sec Cor.
- 61.00 Top of spur. bet N + S & descend.
- 79.95 Interbet N + S line 4 lbs S.  
of Cor to trees 13-14-23-24 -  
from which Cor. Drum.  
S 89° 58' E on a true line bet  
trees 14-23 -

to 14° 10' East.

- 39.95 Set a sandstone 14 x 10 x 5 -  
in 10 in in ground for  $\frac{1}{4}$  sec  
Cor. marked  $\frac{1}{4}$  S on N face  
dig pits 18 x 18 x 12 in E +  
W of stone  $5\frac{1}{2}$  ft. dist. and  
raised mound of earth  $1\frac{1}{2}$   
ft. high  $3\frac{1}{2}$  ft. base alongside
- 79.95 Set Cor to trees - 14-15-22-23  
Band mountainous

S. 27. R 27 E. T. 3 S. R. M.

Observations

Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate

Timber Cedar

Vegetation, Sagebrush & Bluegrass

North bet. Secs. 14-15-

to 14° 10' E.

Over rolling-

40.00 Set a sand stone 10 x 8 x 6 mis 6  
mis in the ground, from  $\frac{1}{4}$   
Sec Cor. marked  $\frac{1}{4}$  on W.  
face and raised around  
of stone alongside

Pits impracticable

80.00 Set a post 4 ft. long 4 mis sq.  
with marked stone, 12 mis  
in the ground for Cor to Sec  
10-11-14-15 marked S. 27 N.  
S. 11 on, N, E. R 27 E. S. 14

S. 27. R 29 E. S. 33. R. W.

blains

on S. E. S. 15 on S. W. and S  
10 on N. W. face with 4 notches  
on S. and 2 notches on E  
edges. dug pits 18 x 18 x 12 ins.  
in each S. & E. 5 1/2 ft. dist.  
and raised mound of earth  
2 ft. high 4 1/2 ft. base around  
pit.

Band rolling

Soil 2 - 3 ft. rate

Timber Cedar

Vegetation, Bunchgrass & Sagebrush

East bet. 11-14 on random line

to 14° 15' E.

ascend -

40.00 Set temporary 1/4 Sec Cor.

75.00 Top of spur. Two 1/4 S & descend

S. 12 N. R. 29 E. S. 3 S. R. M.

Charis.

- 80.16 Intersect N 7 S line 25 lbs. S  
of Cor. to Secs. 11-12-13-14. from  
which Cor. I run -  
S 89° 49' W on a true line  
bet. Secs 11-14  
to a 14° 10' E
- 40.08 Set a sand stone 11 x 9 x 7 ins.  
8 ins in the ground for  $\frac{1}{4}$  sec  
Cor. marked  $\frac{1}{4}$  S on N face  
two pits 18 x 18 x 12 ins E & W  
of stone 5  $\frac{1}{2}$  ft. dist. and  
raised a mound of earth  
 $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base  
along side.
- 80.16 The Cor. to Secs. 10-11-14-15-  
Band manumans  
Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate  
Timber Cedar  
Vegetation, Bunchgrass Sagebrush



S. 2 N. R 27 E. S. S. R. M.

Chairs-

North bet. Secs. 10 & 11.

to 14° 15' E.

Ascend -

40.00 Set a sand stone 8 x 8 x 8 ins  
6 ins in the ground for  $\frac{1}{4}$  Sec  
Cor. marked  $\frac{1}{4}$ , S on W face  
dug pits 18 x 18 x 12 ins N + S.  
of stone 5  $\frac{1}{2}$  ft. dist. and  
raised mound of earth  
1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base along side

40.00 Set a sand stone 12 x 8 x 8 ins 8 ins  
in the ground for Cor to Secs.  
2-3-10-11 marked with 5 notches  
on S and 2 notches on E edges.  
dug pits 18 x 18 x 12 ins in each  
rec 5  $\frac{1}{2}$  ft. dist. and raised  
mound of earth 2 ft. high  
4  $\frac{1}{2}$  ft. base along side  
Sand mountains

S. 2 N. R. 29 E. G. &amp; S. R. M.

Charris -

Soil 2<sup>nd</sup> & 3<sup>d</sup> rate

Timber cedar.

Vegetation, Sagebrush & Bushgrass  
Sep - 28 - 1882East on random line bet. Secs 2-11  
to a 14020' E.

Descend

40.00 Set temporary 1/4 Sec Cor.

72.00 Leave timber

80.32 Intersect N &amp; S line 30 lbs

N of Cor to Secs. 1-2-11-12

from which Cor. Iron -

N 89° 47' W on a true line

bet. Secs. 2-11.

to 14° 10' E.

40.16 Set a post, 3 ft. long 3 in  
sq. with marked above -

S. 2 N. R. 29 E. G. 3 S. R. 11.

Chains

for  $\frac{1}{4}$  Sec Cor. marked  $\frac{1}{4}$  S  
 on N face, dug pits  $18 \times 18 \times$   
 $12$  ins E + W of post  $5\frac{1}{2}$  ft  
 dia. and raised mound of  
 earth  $1\frac{1}{2}$  ft. high  $5\frac{1}{2}$  ft  
 base around post.

40.32 The Cor to Secs 2-3-10-11.

Band rolling  
 Soil 2<sup>nd</sup> 3<sup>rd</sup> rate  
 Timber Cedar.

Vegetation, Bluegrass & Dogbrush

North on line bet. Secs 2 & 3  
 to  $140^{\circ} 20' E.$

Ascend.

40.00 Set a sand stone  $12 \times 9 \times 6$   
 ins  $8$  ins in the ground  
 for  $\frac{1}{4}$  Sec Cor - marked

S. 2 N. R. 27 E. S. 5 S. R. M.

Chairs-

$\frac{1}{4}$  down W face - dug pits  
 $18 \times 18 \times 12$  ins N + S - of stone  
 $5\frac{1}{2}$  ft. dist. and raised a mound  
of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft.  
base alongside

116.87

Subtract the  $B^2$  Standard  
Parallel north - at a point  
4.22 chs. W of the Standard  
 $\frac{1}{4}$  Sec Cor on S. B. Sec 54  
S. 1 S. N. R. 27 E. - at which  
point - I set a sand  
stone  $10 \times 8 \times 8$  ins 6 ins  
in the ground for closing  
Cor to Secs 2 + 3 - marked  
C C with 2 nails on  
E + 4 nails on Wedges  
dug pits  $18 \times 18 \times 12$  ins -  
S. & N. W of stone  $5\frac{1}{2}$  ft.  
dist. and raised mound

S. 2 N. R. 29 E. S. 3 S. R. M.

Chamis

of earth 2 ft. high  $4\frac{1}{2}$  ft  
base along side

Sand rolling

Soil 2nd & 3rd rate

Timber Cedar

Vegetation; Bunchgrass & Sagebrush

From Corlo Secs 3-4-33-34  
which is a sand stone  
set firmly in the ground  
marked with 3 noleties  
on W and 3 noleties on E  
edges and mound of stone  
along side - From north  
bet. Secs 33 & 34.

to  $140^{\circ} 15' E.$

Descend

40,00 Det a sand stone  $18 \times 11 \times 5$

T. 2 N. R. 29 E. S. 3 S. R. W.

Chairs

is 12 ins in the ground  
for  $\frac{1}{4}$  Sec Cor. marked  
by S on W face. dug  
pits  $18 \times 18 \times 12$  ins N of S  
of stone  $5\frac{1}{2}$  ft. dist. &  
raised mound of earth  
 $1\frac{1}{2}$  ft.  $3\frac{1}{2}$  ft. base  
along side

63.40 Cross pile 5 lbs wide  
Course of S. & W. and around

80.00 Set a sand stone  $13 \times 12 \times 9$   
ins 8 in in the ground  
for Cor to Secs. 27-28-30-  
34 marked with 1 notch  
on 2 & 3 notches on E edges.  
dug pits  $18 \times 18 \times 12$  ins  
in each Sec  $5\frac{1}{2}$  ft. dist.  
raised mound of earth  
2 ft. high  $4\frac{1}{2}$  ft. base

S. 2 N R 29 E. S. 3 S. R. W.

Chassis

alongside

band mountainous

Soil 2<sup>nd</sup> - 3<sup>rd</sup> rate

Timber Cedar.

Vegetation, Bunchgrass & Sagebrush.

---

East on random line bet Secs

27-34

to 140° 20' E.

Descend

- 40.00 Set temporary 1/4 Sec Cor.
- 62.65 Cross gulch 10 lks wide course  
S 35° W and ascend
- 80.29 Intersect N + S line 2 lks  
S. of Cor to Secs. 26-27-34-35  
from which Cor I run  
S 89° 51' W on a true line  
bet Secs 34-35

S. 2 N. R. 29 E. S. 33 S. R. 2 W

Chains

to 140 10' E.

40.15- Set a sand stone 16 x 11 x 5  
 ins 10 ins in the ground  
 for  $\frac{1}{4}$  Sec cor marked  
 $\frac{1}{4}$  S on N face, dug pits  
 18 x 18 x 12 ins E & W of  
 stone  $5\frac{1}{2}$  ft. dist and  
 raised mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft base  
 alongside

80.29 The Cor to Secs. 27-28-33-34  
 Band rolling  
 Soil 2<sup>nd</sup> 3<sup>rd</sup> rate

Timber Cedar -

Vegetation, Sagebrush & Bushy grass -



S. 2 N R 29 E. 53 S R M.

Chairs-

North bet. Secs. 27 & 28  
 to 14° 20' E.

Ascend

- 28.00 Top of spur. Bes E & W descend
- 40.00 Set a sand stone 24 x 14 x 4  
 ins 8 ins in the ground  
 for 1/4 Sec Cor marked 1/4  
 Down W face raised mound  
 of stone alongside. Pits  
 Dipractic abt. from which  
 A cedar 9 ins diam thro N 45 1/2° W  
 40 lbs dist. marked 1/4 S. B. 5.
- 58.80 Cross gulch 6 lbs wide course  
 W and ascend
- 80.00 Set a sand stone 15 x 12 x 4  
 ins 10 ins in ground for  
 Cor to Secs. 21-22-27-28  
 marked with 2 notches  
 on S & 3 notches on E edges.

S. 2 N. R 29 E S 5 S. R M.

bluffs

and raised a mound  
of stone alongside  
Pits unpracticable  
Band mountainous  
Soil 2<sup>nd</sup> + 3<sup>rd</sup> rates.

Timber Cedar

Vegetation Sagebrush & Bunchgrass

---

East on random line bet. Secs

22 + 27 -

ba 14° 20' E.

Over level land.

40.00

Set temporary  $\frac{1}{4}$  Sec Cor.

79.88

Intersect NW  $\frac{1}{4}$  S line 22 lbs

S of Cor to Secs 22-23-26-27

from which Cor Run -

S 89° 05' W on a true line

bet. Secs - 22 + 27 -

ba 14° 05' E -

S. 2 N R 29 E, S 3 S. R M.

Chains

39,94 Set a sand stone 15x11x6  
11000 in ground for  
1/4 Sec Cor. Marked 1/4 S  
on N face and raised  
mound of stone alongside  
Pits unpracticable.

79,88 The Cor to Secs. 21-22-27-28  
Band level.  
Soil 2<sup>nd</sup> 3<sup>rd</sup> rate  
vegetation Bunchgrass & Sagebrush

North bet. Secs 21-22  
to 14° E

Ascend

40,00 Set a sand stone 14x11x8  
11000 in ground for  
1/4 Sec Cor marked 1/4 S  
on W face, dug pits

S. 2 N. R 29 E. S. 3 S. R M

Chassis -

- 18 x 18 x 12 ins N & S of stone  
5 1/2 ft. dist and raised  
mound of earth 1 1/2 ft high  
3 1/2 ft. base along side -
- 48.61 Cross gulch 10 lbs wide course  
West,
- 80.00 Set a sand stone 15 x 8 x 10  
ins 10 ins in the ground  
for cor to bees - 15 = 16 - 21 -  
21 - marked with 3 notches  
on S & 3 notches on E edges  
dig pits 18 x 18 x 12 ins -  
in each bee 5 1/2 ft  
dist and raised mound  
of earth 2 ft. high 4 1/2  
ft. base along side  
Sand mounds  
Soil 2nd & 3rd rate  
Timber cedar -

S. 2 N R 29 E. S 3 T. R 111

Chains

vegetation, Bunchgrass & Sagebrush -

East on random line bet bees  
15 + 22.  
ba 140 E.

ascend

- 40.00 Set temporary 1/4 Sec Cor
  - 67.00 Top of spur bro N + S + descend
  - 80.14 Interval - N + S line 14 lbs
- N of cor to bees - 14 - 15 - 22 - 23  
from which cor I run.  
N 89° 5' 4" W on a true line  
bet bees 15 + 22.  
ba 140 10' E.

- 40.07 Set a sand stone 16 x 11 x 4  
ins 10 ins in the ground  
for 1/4 Sec Cor. marked  
1/4 Sec on N face deep pits.

S 12 N R 29 E. S 3 S R W.

Charris.

E + W of stone  $5\frac{1}{2}$  ft. dist  
and raised mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base  
along side

80.14

The Cor to Secs 15-16-21-22

Land mountainous

Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate

Timber cedar

Vegetation, Bunchgrass & Sagebrush

Yattle bet. Secs. 15 & 16.

to 14010' E.

Ascend.

40.00

Set a sand stone 12x10x5

ins & ins in the ground

for  $\frac{1}{4}$  sec cor. marked

$\frac{1}{4}$  S on W face dug

pits 15x15x12 ins  $\frac{1}{4}$  S.

S. 2 N. R. 29 E. S. 3 S. R. W.

Chairs-

of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base along side

80.00 Set a post 4 ft. long 4 in sq. with marked points 12 in in the ground for cor to Sec 9-10-15-16 marked S. 2 N. S. 10 on N. E. R. 29 E. S. 15 on S. E. S. 16 on S. W. & S. 9 on N. W. faces and 4 notches on S and 3 notches on E edges. dug pits 18x18x12 in in each Sec  $5\frac{1}{2}$  ft. dist. and raised mound of earth 2 ft high  $4\frac{1}{2}$  ft. base around post.

S. 2 N R 29 E. S. 5 S. R. W.

Chassis-

Band rolling  
 Soil 2<sup>nd</sup> 3<sup>rd</sup> raft  
 Timber Cedar  
 Vegetation, Bunchgrass & Sagebrush.

---

East on random line bet.  
 Secs 10 & 15-

ba 140° 05' E.

Descend.

40.00 Set temporary  $\frac{1}{4}$  Sec Cor.

79.82 Intersect N of line 24 lbs  
 N of Cor. to Secs. 10-11-14-15-  
 from which corner Descend.  
 N 89° 50' W, on a true line  
 bet. Secs 10 & 15.

ba 140° 15' E.

39.91 Set 2 line stakes 10 x 10  
 x 5' and 6' in the



S. 2 N R 29 E. G. S. R. M.,

Charris -

ground for  $\frac{1}{4}$  Sec Cor marked  
 on N face, dug pits  
 18 x 18 x 12 ins E & W of stone  
 $5\frac{1}{2}$  ft. dist, and raised a  
 mound of earth  $1\frac{1}{2}$  ft.  
 high,  $3\frac{1}{2}$  ft. base alongside

79.82

Shel corner to Secs. 9-10-14-16  
 to and rolling  
 Soil 2<sup>nd</sup> & 3<sup>rd</sup> feet  
 Timber Cedar

Vegetation Sagebrush & Bunchgrass

North bet. Secs 9-10

to  $14^{\circ}05' E$ ,

Ascend

40.00

Set a post 3 ft. long 3 in sq  
 12 ins from the ground  
 with marked stone, for  
 $\frac{1}{4}$  Sec Cor. marked  $\frac{1}{4}$  S on

S. 2 N. R. 29 E. S. 3 S. R. W.

Chains

- 18x18x12 ins
- W face, dug pits, N & S  
of post  $5\frac{1}{2}$  ft. dist and  
raised mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base  
around post
- 80.00 Set a sand stone  $16 \times 14 \times$   
7 ins 10 ins in the ground  
for cor to bees 3-4-9-10  
marked with 5 notches  
on S & 3 notches on E  
edges. dug pits  $18 \times 18 \times 12$   
ins in each bee and  
raised mound of earth  
2 ft. high  $4\frac{1}{2}$  ft. base  
along side.
- Band rolling  
soil  $2\frac{1}{2}$  &  $3\frac{1}{2}$  ft  
Dunker Cedar
- Vegetation, Bluegrass & Dogwood

S. 2 N. R 27 E, S 3 S. R W.

Chains -

East on random line bet. Secs  
8 & 10

to  $140^{\circ} 10' E$

Over rolling land,

40.00 hit temporary  $\frac{1}{4}$  Sec Cor.

79.96 Intersect N + S line 12 lbs

N. of Cor, to Secs 2-3-10-11

from which Cor. I run,

$89^{\circ} 55' W$  on a true line  
bet. Secs 8 & 10.

to  $140^{\circ} 20' E$

39.98 hit a sand stone  $18 \times 8 \times 4$   
ins  $12$  ins in the ground for

$\frac{1}{4}$  Sec Cor marked  $\frac{1}{4}$  Sec

N face, dug pits  $18 \times 18 \times 12$

ins E & W of stone  $5\frac{1}{2}$  ft  
dirt and raised mound

of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft  
wide alongside.

S. 2 N. R 29 E. S 5 S. R. W.

Chains

79.96 S. 2 N. R 29 E. S 5 S. R. W.

Band rolling

Soil 2<sup>nd</sup> + 3<sup>rd</sup> part

Timber Cedar.

Vegetation, Bunchgrass & Sagebrush.

North on true line bet. Secs 3 &amp; 4

to 14° 10' E.

Decend.

6.50 Cross Road. bet. E &amp; W.

40.00 Set a sand stone 12x8x8  
 ins & ins in ground for  
 1/4 Sec Cor. marked 1/4 S on  
 W face. dug pits 18x18x12  
 ins N & S of stone 5 1/2 ft.  
 diam. raised mound of  
 earth 1 1/2 ft. high 3 1/2 ft.  
 base alongside

T 12 N. R 29 E. S 33 S. R. M.

Chains -

80.50 Cross Road hrs. N.W. + S.E.  
 116.83 Entered - 3<sup>d</sup> Standard Parallel  
 North at a point - 3.40 chs  
 West of the Standard  $\frac{1}{4}$  Sec  
 Cor in S.B. Sec. 33, S. 33 N. R  
 29 E. at which point I  
 set a sand stone 14 x 12 x 4 ins  
 10 ins in the ground for  
 closing Cor to Sec 33 &  
 marked C.C. with 3 notches  
 on E and 3 notches on W  
 edges and raised mound  
 of stone alongside. Pits  
 impracticable.  
 Band rolling  
 Soil 2<sup>nd</sup> & 3<sup>d</sup> Gate  
 Timber Cedar  
 Vegetation, Bunchgrass & Sagebrush

T. 2 N. R. 29 E. S. 3 S. R. M.

Chassis-

From Cor. to Secs. 4-5-32-33.  
 which is a sand stone  
 set firmly in the ground  
 marked with 2 notches on  
 W and 4 notches on E  
 edges - with pits 18x18x12  
 ins in each sec 5 1/2 ft.  
 dia. and mounds of earth  
 2 ft. high 4 1/2 ft. base, along side  
 thru both bet. Secs. 32 & 33  
 Va 14010.2.

Decend

40.00 Set a sand stone 13x12x6  
 ins 8 ins in the ground  
 for 1/4 sec cor. marked 1/4 S  
 on W face - dug pits 18x18x  
 12 ins N + S of stone 5 1/2 ft.  
 dia. and raised mound  
 of earth 1 1/2 ft. high 3 1/2 ft.

D. 12 N. R 29 E. S. 8 S. R. W.

Chains

- base along side
- 65,18 Cross gulch 10 lks W. Corner  
N 70. W.
- 80,00 Set a sand stone 15 x 12 x 6  
ins 10 ins in the ground  
for Cor - to lines - 28/29-32  
33 marked with 1 notch  
on S and 4 notches on E  
edges dug pits 18 x 18 x 12 ins  
in each the. 5 1/2 ft. dia. &  
raised mound of earth 2  
ft. high 4 1/2 ft. base alongside  
Bank rolling  
Soil 2<sup>nd</sup> & 3<sup>rd</sup> ft  
Timber Cedar -  
vegetation, Bunchgrass & Sagebrush

S. & N. Range E. G. S. R. M.

Chassis -

East on random line bet. Secs -  
28-33-

to 14010' East.

Ascend.

40.00 Set Temporary  $\frac{1}{4}$  Sec Cor.

80.48 Intersect N & S line 17 lbs.

South of Cor. to Secs. 27-28

33 & 34 from which Cor. Iron

S  $\times 90^{\circ} 53'$  W. on a true line

bet. Secs 28 & 33.

to 14020' E.

40.24 Set a sand stone 15  $\times$  8  $\times$  6

ins 10 ins in the ground

for  $\frac{1}{4}$  Sec Cor. marked  $\frac{1}{4}$  S

on N face - dug pits 15  $\times$  15

$\times$  12 ins E & W of stone  $5\frac{1}{2}$

ft. dist and raised a

mound of earth  $1\frac{1}{2}$  ft high

$3\frac{1}{2}$  ft. base alongside -



T. 2 N. R. 29 E. S. 5 S. R. M.

Chains -

80.48 The Co. to Sec. - 28 - 29 - 32 + 33

Band rolling  
soil 2<sup>nd</sup> + 3<sup>rd</sup> rate

Timber Cedar

Vegetation, Bluegrass & Sagebrush

North bet. Secs - 28 + 29 -

to 14010' E.

Ascend -

40.00 Set a basalt <sup>stone</sup> 13 x 12 x 6 ins &

ins in the ground for 1/4 Sec

Co. marked 1/4 S. on W. face

dig pits 18 x 18 x 12 ins <sup>th</sup> 4 S

of about 5 1/2 ft. dist and

raised mound of earth

1 1/2 ft. high 3 1/2 ft. base <sup>along side</sup>

69.00 Top of ridge bet. E + W + descend

80.00 Set a basalt stone 16 x 14 x 4

S. 27. R 29 E. S. 3 S. R. M.

Chains -

is 10 is in the ground  
 for cor to Dec. 20-21-28-29  
 marked with 2 notches  
 on S 4 notches on E  
 edges, dry pits 18x18x12 in  
 in each Dec. 5 1/2 ft. dist  
 and raised a mound of  
 earth 2 ft. high 4 1/2 ft.  
 base along side.  
 Soil mountainous  
 Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate  
 Timber, Cedar -  
 Vegetation, Bunchgrass, Sagebrush.

---

East on random line bet Dec.  
 21 & 28

to 14° 00' E.

Ascend

S. 2 N. R. 29 E. S. 3 S. R. M.

Chairs -

40.00 Set temporary  $\frac{1}{4}$  Sec Cor.  
 80.06 Intersect  $\frac{1}{4}$  Sec line 16 lbs  $\frac{1}{4}$   
 of Cor to Secs. 21-22-27-28  
 from which Cor I run  
 $\frac{1}{4}$  S 90° 53' W on a true line  
 bet. Secs 21 & 28.

to 140 20' E.

40.03 Set a sand stone 13x9x8 ins  
 8 ins in the ground for  $\frac{1}{4}$  Sec  
 Cor. marked  $\frac{1}{4}$  Sec  $\frac{1}{4}$  face  
 dug pits 18x18x12 ins E  
 & W of stone 5 1/2 ft. dist  
 and raised mound of earth  
 1 1/2 ft. high 3 1/2 ft. base  
 alongside

80.06 The Cor to Secs. 20-21-28-29  
 Sand mountainous  
 Soil 2nd & 3rd rate  
 Dumber Cedar -

E. 2 N. R 29 E. S 8 S. R. M.

Chassis

Vegetation, Bunchgrass & Sagebrush

---

North bet. Secs 20-21  
to 14° 00' E.

Descend.

- 12.00 Enter timber.
- 40.00 Set a basalt stone 16 x 12 x 4  
 vis 10 vis in the ground  
 for 1/4 Sec Cor - marked  
 1/4 on W face, dug pits  
 18 x 18 x 12 vis - N + S of stone  
 5 1/2 ft. dia., raised a mound  
 of earth 1 1/2 ft. high 3/4 ft.  
 base alongside -
- 45.50 Cross Wash 40 lbs wide course  
 went and ascend -
- 80.00 Set a basalt stone 14 x 12  
 + 5 vis 10 vis in the ground

D. 27. R 29 E. S. 1. R. W.

Chains -

for Cor to Secs - 16-17-20-  
 21 - marked with 3 notches  
 on S and 4 notches on E  
 edges - dug pits 18x18x12 ins  
 in each Sec 5 1/2 ft. dia -  
 and raised a mound of  
 earth 2 ft. high 4 1/2 ft.  
 base along side  
 Sand rolling  
 Soil 2<sup>nd</sup> + 3<sup>rd</sup> rfts.  
 Timber, Cedar.

Vegetation, Bunchgrass & Sagebrush

---

East on random line bet. Secs

167 21.

va - 14000' E

Ascend,

40.00 Set temporary 1/4 Sec Cor

S. 2 N. R. 29 E. S. 3 S. R. M.

Claims -

- 58.10 Beave timber.
- 79.83 Subtract N & S line 28 lbs  
S of cor to Secs. 15, 16, 21 & 22  
from which cor. I run  
S 89° 45' W. on a true line bet  
sections 16-21  
to 14010' E.
- 89.92 Set a sand stone 14x8x8  
ins 10 ins in the ground  
for 1/4 Sec cor marked  
1/4 S on N face, dug pits  
18x18x12 ins E & W of stone  
5/8 dia and raised a  
mound of earth 1 1/2 ft.  
high 3/4 ft. base along side.
- 79.83 Sub cor. to Secs 16-17, 20, 21  
Sand rolling.  
Soil 2<sup>nd</sup> & 3<sup>rd</sup> rafter.  
Timber - Cedar.

S. 2 N R 29 E. S 3 S. R. M.

Chains

Vegetation, Sagebrush & Bushgrass  
Sep. 30 - 1882

North bet. Decs. 16717 -  
Va 14° 0' E.

ascend.

31.80 Top of spur. bet. E + W + descend

40.00 bet a basalt stone 18712 x 6  
ins. 12 ins in the ground -  
for 1/4 Sec Cor. marked 1/4 S  
In W face. dug pits 18718 x  
12 ins. N + S of stone 5 1/2 ft.  
diam. and raised a mound  
of earth 1 1/2 ft. high 5 1/2 ft.  
diam. along side

42.20 Cross gulch 5 lbs. wide. Course  
N 78° W and ascend -

80.00 bet a lime stone stone  
20 x 16 x 3 ins 24 ins in the

5.24. Reg E. by S. R. M.

Chairs -

ground for Cor to Dec -  
 8-9-10 + 11 marked with  
 4 notches on 8 and 4 notches  
 on 9 edges, dug pits 18x18x12  
 ins in each side. 5 1/2 ft dish  
 and raised a mound of earth  
 2 ft. high 4 1/2 ft. base -  
 along side -

board rolling  
 Soil 2<sup>nd</sup> + 3<sup>rd</sup> roller

Timber Cedar.

Vegetation, Sagebrush + Bunchgrass -

East on random line bet. Decs  
 9 + 16 -

to a 140' 0" E.

40,000 Set temporary 1/4 Dec Cor -  
 80,24 Interest to + 2 line 31 lbs



S. 27. R 29 E. S. S. R. M.

Chains

north of cor to bees 9-10-15-16  
 from which Cor I run -  
 N 89° 47' W. on a true line  
 bet. bees 9-16.  
 Va 140° 05' E.

40,12 Set a line stone 12 x 8 x 8 ins  
 8 ins in the ground for  $\frac{1}{4}$  the  
 cor. marked  $\frac{1}{4}$ , set the  
 face, dug pits 18 x 18 x 12  
 ins E & W of stone  $5\frac{1}{2}$  ft.  
 dist. and raised a mound  
 of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft.  
 base alongside

80,24 The Cor. to bees 8-9-16 & 17.  
 Band level.  
 Soil 2  $\rightarrow$  3 rate  
 Timber, Cedar  
 Vegetation, Bushgrass & Sagebrush

T. 2 N. R. 29 E. S. 3 S. R. 11 W.

Chains

North bet. Sec. 8-9  
to 140.10<sup>+</sup> E.  
ascend.

40.00 Set a sand stone 14 x 10 x 6  
ins 10 ins in the ground for  
1/4 Sec Cor. marked 1/4 S on  
W face - dug pits 18 x 18  
x 12 ins N + S of stone 5 1/2 f  
diab. and raised a mound  
of earth 1 1/2 ft. high 3 1/2 ft.  
base - along side

56.00 Top of spur bet E + W + descend

78.00 Cross gulch 6 lbs wide, course  
N. W. and ascend.

80.00 Set a sand stone 30 x 20 x 6  
ins - 2 1/2 ins in the ground  
for cor. to Sec. 4-5-8-9  
marked with 5 notches  
on S end = 4 notches on E

S. 2 N. R 29 E. S 33. R. M.

Chairs -

edges. dug pits  $15 \times 15 \times 12$   
 ins in each dir.  $5 \frac{1}{2}$  ft  
 dia and raised a mound  
 of earth 2 ft. high  $4 \frac{1}{2}$  ft.  
 base along side.

Band - unobtrusive

Soil 2' - 3' rate

Timber. Cedar.

Vegetation, Bluegrass & Sagchuck.

East on random line bet. Secs  
 4 and 9.

$\approx 14010' \text{ E.}$

Second.

15.00

Top of mesa - bet. N & S.

40.00

Set temporary  $\frac{1}{4}$  Sec Cor.

80.36

Intersect N & S line 8 lbs -  
 South of Cor to Sec -

S. 27. R 29 E. S 5 S. R. M.

Chains -

3-4-9510 from which Cor  
I run -

S 89057. W on a true line  
bet. Secs 4 & 9 -

to 14010' E.

40,18

Set a sand stone  $4 \times 12 \times$

4 ins 10 ins in the ground

for  $\frac{1}{4}$  Sec Cor. marked

to on the face, dig pits

$18 \times 18 \times 12$  ins E & W of stone

$5\frac{1}{2}$  ft. dist and raised

a mound of earth  $1\frac{1}{2}$  ft.

high  $3\frac{1}{2}$  ft. base alongside

80,36

The Cor to Secs. 4-5-8 & 9

Band rolling

Soil 2<sup>nd</sup> & 3<sup>rd</sup> rates

Timber - Cedar -

vegetation Sagebrush & Bunchgrass

S 12 N. R 29 E. S 3 S. R. W.

Chain -

North on a true line bet. Secs 4 and 5.

to 140 10' E.

ascend.

16.00 Edge of Mesa bet. N.W. + S. E.

40.00 Set a sand stone 24 x 14 x 4

ins 18 ins in the ground for 1/4 sec cor - marked 1/4 in W face - dug pits 18 x 18 x 12 ins N + S of stone 5 1/2 ft dia. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base alongside.

61.00 Cross Road bet. N.W. + S. E.

95.00 Top of spur bet. N.W. + S. E. + ascend.

116.42 Intersect the 3<sup>d</sup> Standard Parallel North at a point 3.46 chs West of the Standard 1/4 sec cor on S. B. Sec 32

S. 27. R 29 E. S. S. R. M.

Chains

and S. 10 N. R 29 E. at which  
point D.

Set a sand stone  $14 \times 12 \times 6$   
ins 10 ins in the ground  
for closing. Car to Decs 4  
and 5 marked C. C. with  
4 notches on E and 2 notches  
on W edges. dug pits  $18 \times 18 \times$   
 $12$  ins. N. E. & W. of stone  $5 \frac{1}{2}$   
ft. dist, and raised a mound  
of earth 2 ft. high  $4 \frac{1}{2}$  ft. base  
along side.

Band rolling

Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate

Vegetation, Sagebrush & Bunchgrass

---

5.27. Reg E. 53 S.R.M.

Chairs

From the cor. to Dec-5-6-31  
 + 32 which is a sand  
 stone set firmly in the  
 ground marked with  
 notches on W and S  
 notches on E edges  
 with pits  $18 \times 18 \times 12$  ins  
 in each Dec.  $5\frac{1}{2}$  ft. dia.  
 and mounds of earth  
 2 ft. high  $4\frac{1}{2}$  ft. base  
 alongside. I run  
 north between Dec-31 & 32  
 to 14010' E.

Descend.

40.00 Hit a sand stone  $17 \times 9 \times$   
 $5$  ins,  $12$  ins - in the ground  
 for  $\frac{1}{4}$  Dec cor. marked  $\frac{1}{4}$   
 on W face, dug pits  
 $15 \times 15 \times 12$  ins N & S of stone

S. 2 N. R. 29 E. 35 S. R. M.

Chains-

5 1/2 ft. dist and raised mounds  
of earth 1 1/2 ft. high 3 1/2 ft.  
base alongside

66.00 Crosswash 5 lbs wide course  
N 70° E and ascend

80.00 Site basalt stone 14 x 12 x 8  
ins. one in the ground for  
Cor to Secs. 29-30-31-32  
marked with 1 notch on  
S and 5 notches on E edges  
dug pits 18 x 18 x 12 ins if  
each sec. 5 1/2 ft. dist.  
and raised mound of  
earth 2 ft. high 4 1/2 ft.  
base alongside -  
Band rolling  
Soil 2<sup>nd</sup> & 3<sup>rd</sup> Gate  
Vegetation, Bunchgrass & Sagebrush



S. 2 N. R 29 E. S + S. R. M.

Chains -

East on random line bet.  
Dees 29-32 -

ba 140° 05' E.

Proceed,

12.15 Cross gulch 15 lbs wide  
Course  $\nabla$  200 W and ascend -

40.00 Set temporary  $\frac{1}{4}$  Sec Cor.

79.73 Intersect N + S line 43 lbs  
North of Cor to Dees. 28-29-32  
+ 33 from which Cor. Run  
N  $\nabla$  90° 42' W on a true line  
bet. Dees. 29-32

ba 140° 10' E

39.87 Set a sand stone 13 x 10 x 5  
ins 8 ins in the ground  
for  $\frac{1}{4}$  Sec Cor. unmarked  
 $\frac{1}{4}$  on N face, dug pits 18 x 18  
x 12 ins E + W of stone 5  $\frac{1}{2}$  ft  
east and raised a mound.

S. 27. R 29 E. G. S. D. R. M.

Chains

79.73 of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft.  
 base along side  
 Sec Cor to Secs - 29-30-31 & 32  
 Band mountains  
 Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate  
 Timber Cedar -  
 Vegetation Birch grass & Sagebrush.

West on random line bet  
 Secs. 30 & 31

to 140.05' E.

ascend.

40.00 Set temporary  $\frac{1}{4}$  Sec Cor.

85.27 Intersect W. Boundary of Sp.

57 lbs S of Cor to Secs 29-30-31

736 which is a post 4 ins.

sq. set firmly in mound of earth  
 with marked stone.

S. 2 N. R 27 E. S 3 S. R. M.

Chains.

marked - S. 2 N. S 30 on N. E. R 29  
E S 31 on S. E. R 28 E. S 36 on  
SW + S 25 on N. W. faces -  
with 1 notch on S and 5  
notches on N edges - 4  
pits  $5\frac{1}{2}$  ft. dia. in each sec  
 $18 \times 18 \times 12$  ins. from which  
Cor S run -  
S 89° 07' E on true line bet,  
secs 30 + 31 -

to 140, 15' E.

45.27 Set a sandstone  $15 \times 11 \times 6$   
ins 10 ins in the ground for  
 $\frac{1}{4}$  sec cor. marked  $\frac{1}{4}$  on  
N face. dug pits  $18 \times 18 \times 12$   
ins. E + W of stone  $5\frac{1}{2}$  ft.  
dia. and raised mound  
of earth  $1\frac{1}{2}$  ft. high  $5\frac{1}{2}$   
ft. base along side

S. 2 N. R. 29 E. 55 S. R. W.

Chains

85.27 The Cor. to Secs. 29-30-31+32.

Band rolling

Soil 2<sup>nd</sup> + 3<sup>rd</sup> rate

Vegetation, Sagebrush &amp; Bunchgrass.

North bet. Secs. 29 + 30

to 140° 05' E.

Desert

40.00

Set a basalt stone 14 x 11 x 8

ins in the ground for

1/4 sec cor. marked 1/4 on

W face. dug pits 18 x 18 x 12

ins. N + S of stone 5 1/2 ft.

and raised mound of earth

1 1/2 ft. high 3 1/2 ft. base

along side -

43.00

Top of ridge bet. E + W + desert.

80.00

Set a basalt stone 15 x 12 x

S. 27 R 29 E. S. S. R. M.

Chains

6 ins - 10 ins in the ground for  
 Cor to - Secs 19 - 20 - 29 - 30 -  
 marked with 2 notches on  
 S & 5 notches on E edges -  
 dug pits 18 x 18 x 12 ins -  
 in each sec. 5 1/2 ft. dia.  
 and raised a mound of  
 earth 2 ft. high 4 1/2 ft. base  
 along side -

Sand mountains.

Soil 2<sup>nd</sup> + 3<sup>rd</sup> rate.

Timber Cedar,

Vegetation Sagebrush & Bunchgrass.

---

East on random line bet -

Secs. 20 + 29 -

to 14° 00' E.

Descend.

S. 2 T. R 29 E. S 5 S. R. W.

Chains-

- 30.50 Cross Wash 30 lks wide, course  
N. W + ascend.
- 40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.
- 80.12 Intersect N + S line 15 lks  
N. of Cor to Secs 20-21-28 + 29  
from which Cor I run.  
N 89° 54' W on a true line  
bet. Secs - 20 + 29.  
to 14° 00' E.
- 40.06 Set a basalt stone 14 x 11 x 6  
ins 10 ins in the ground  
for  $\frac{1}{4}$  Sec Cor, marked  
 $\frac{1}{4}$  on N face. dug pits  
18 x 18 x 12 ins E + W of  
stone 5  $\frac{1}{2}$  ft. dia and  
raised mound of earth  
1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base  
alongside.
- 80.12 The Cor. to Secs 19-20-29 + 30.

S. 27. R 29 E. S 1 S. R. M.

Charris -

Band rolling -  
Soil 2<sup>nd</sup> + 3<sup>d</sup> natly.  
Vegetation, Sagebrush + Bunchgrass -

Went in random line  
bet. Secs. 19 - 30 -  
to 14000' E.

Ascend.

40.00 Set temporary 1/4 Sec Cor.  
84.88 Intersect W. B of Sp. 25 lbs  
south of cor. to Secs. 19-24-  
25-30 which is a sand  
stone set firmly in the  
ground with pits 18x18x  
12 ins in each Sec 5 1/2 ft.  
dist. and mounds of earth  
2 ft. high 4 1/2 ft. base alongside  
marked with 2 notches on S

S. 2 N. R 29 E. S 33. R M.

Chassis -

and 4 notches on N.  
edges - from which Cor

is run -  
S 89° 49' E on a true line  
bet. Decs. 19-20

to 11° 05' E.

44.88 Set a basalt stone 16 x 11 x 5  
ins. 10 ins in the ground  
for  $\frac{1}{4}$  sec cor. marked  $\frac{1}{4}$   
on N face, dug pits 18 x  
18 x 12 ins E + W of stone  
5  $\frac{1}{2}$  ft. dia. and raised  
a mound of earth 1  $\frac{1}{2}$   
ft. high 3  $\frac{1}{2}$  ft. base  
alongside -

84.88 The Cor to Decs. 19-20-29 + 30.  
Band rolling  
Soil 2<sup>nd</sup> + 0<sup>th</sup> date

Vegetation, Sagebrush + Bluegrass



S. 2 N. R 29 E. S. 3 S. R. M.

Chains

I carefully examined the adjustments of my solar-compass to-day, particularly the latitude & reversing apparatus and found them correct.

Oct. 2<sup>nd</sup> 1882.

North bet. Secs 19-20-  
to 14° 00' E.

Ascend -

40.00 Det. a basalt stone 15 x 12 x  
5-in. 10-in. in the ground  
for 1/4 Sec. Cor marked 1/4 in  
18 X 18 X 12 in 5 1/2 dia  
to face - dug pits N & S of  
stone 15 x 18 x 12 in - 5 1/2 ft.  
dia. and raised a mound  
of earth 1/2 ft - high 3/2 ft.

S. 27. R 29 E. N 3 S. R. M.

Chairs

80.00 base alongside  
 Set a sandstone 18 x 14 x 6  
 ins 12 ins in the ground  
 for cor to Secs. 17 & 18-19-20  
 marked with 3 notches  
 on S & 5 notches on E  
 edges and raised a mound  
 of stone alongside. Pits  
 impracticable.

Band rolling  
 soil 2<sup>nd</sup> & 3<sup>rd</sup> feet

vegetation, Bunchgrass & Sagebrush

---

East on random line bet. Secs  
 17 & 20-

to 140 10' E.

Ascend-

40.00 Set temporary 1/4 Sec Cor-

S. 27. R 29 E. S 3 D. R. M.

Chains

80.27 Intersect N + S line 16 lbs South  
of Cor to Secs 16-17-20-21 - from  
which cor. I run  
S 89° 53' W on a true line bet.  
Secs. 17 + 20

to 14000' E

40.14 Set a sand stone 10x12x  
4 ins, 8 ins in the ground  
for  $\frac{1}{4}$  Sec Cor. marked  $\frac{1}{4}$   
on N face, dug pits 18x18x  
12 ins E + W of stone  $5\frac{1}{2}$  ft.  
dist. and raised a mound  
of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft.  
base along side.

80.27 The Cor. to Secs. 17-18-19 + 20  
Sand rolling  
Soil 2<sup>nd</sup> + 3<sup>rd</sup> rate  
Timber Cedar

Vegetation, Bunchgrass + Dogbrush

S. 2 N R 29 E. S. 5 S. R. M.

Chains -

Went on random line bet-  
 Secs. 18-19  
 Va 140 - E

ascend.

40.00 Set temporary  $\frac{1}{4}$  Sec Cor.  
 84.62 Intersect W. boundary of  
 Sp. 18 lbs N. of Cor to Dept.  
 10-18-19-24 which is a  
 sand stone set firmly  
 in the ground marked  
 with 2 notches on S  
 and 3 notches on N edges  
 and with mound of  
 stone alongside, from  
 which Cor I run  
 N 89° 52' E on a true line  
 bet. Secs. 18-19  
 Va 140 10' E.

44.62 Set a sand stone 14 x 8 x 8

S. 2 N. R. 2 E. S. 3 S. R. W.

Chains -

is 10 ins in the ground for  
 $\frac{1}{4}$  Sec Cor. marked  $\frac{1}{4}$  S  
 on N face, dug pits 18x18  
 x 12 ins E + W of flow  $5\frac{1}{2}$   
 ft. dist and raised a mound  
 of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft.  
 base alongside, from which  
 a Cedar 10 ins diam has -

N  $26^{\circ}$  E. 30 lbs dist. marked  $\frac{1}{4}$  S. B. S.

8462 The Cor to Secs 17-18-19-20.

Band rolling

Soil 2<sup>nd</sup> + 3<sup>rd</sup> feet

Vegetation, Bunchgrass & Sagebrush.

North bet. Secs. 17 & 18.

to  $14^{\circ} 10'$  E.

Descend.

36.20 Cross Wash - 30 lbs wide, lower

S. 24. R 29 E. S. 3 S. R. M.

Chains -

- 40.00 N 70° W. and ascend  
 Set a sand stone 15-7-12-6 ins  
 10 ins in the ground for  
 1/4 Sec Cor. marked 1/4 on  
 W face dug pits 18-18-12  
 ins N + S of stone 5 1/2 ft.  
 dist and raised a mound  
 of earth 1 1/2 ft. high 3 1/2 ft.  
 base alongside.
- 40.00 Set a sand stone 15-7-12-9  
 ins 10 ins in the ground  
 for Cor to Secs. 7-8-17-18  
 marked with 4 notches  
 on S & 5 notches on E  
 edges. dug pits 18-18-  
 12 ins in each Sec 5 1/2  
 ft. dist and raised a  
 mound of earth 2 ft.  
 high 4 1/2 ft. base alongside.

S. 27. R 29 E. S 3 S. R. W.

Chains -

Band rolling  
 Soil 2<sup>nd</sup> + 3<sup>rd</sup> path  
 vegetation, Bunchgrasses & Sagebrush

---

East on random line bet.  
 Secs - 8 + 17  
 to 14000' E.

Descend.

8.70 Cross bulch. 15 lbs wide  
 course N. W. + ascend

40.00 Set temporary 1/4 Sec Cor.

78.77 Top of head bro. N. W. + S. E.

79.95 Subtract N + S line 28 lbs  
 north of Cor to Secs 8-9-16-17  
 from which Cor I run -  
 N 89.48 W. on a true line  
 bet. Secs. 8 + 17  
 to 14110' E

S. 2 N. R 29 E. S 3 S. R. M.

## Chairs

39.98

Set a sand stone  $14 \times 10 \times 4$   
 ins 10 ins in the ground  
 for  $\frac{1}{4}$  Sec Cor - marked  
 $\frac{1}{4}$  on N face. dug pits  
 $18 \times 18 \times 12$  ins E + W of  
 stone  $5 \frac{1}{2}$  ft. dist and  
 raised a mound of  
 earth  $1 \frac{1}{2}$  ft. high  $3 \frac{1}{2}$  ft.  
 base along side -

79.95

The Cor to Secs 7-8-17+18.  
 Sand rolling  
 Soil 2<sup>nd</sup> + 3<sup>rd</sup> of the  
 Timber Cedar -  
 Vegetation Sagebrush + Bunchgrass

---

West on random line  
 bet. Secs. 7 + 18 -

Tran 14200' E



S. 27. R 29 E S S S. R. M.

chains

Descend

- 40.00 Set temporary  $\frac{1}{4}$  Sec Cor.
- 45.32 Cross gulch 15 lks wide  
Course  $\frac{1}{2}$  20. W + ascend.
- 84.27 Intersect W. boundary of  
Sp 24 lks south of Cor  
to Secs. 7-12-13+14 which  
is a base stone set firmly  
in the ground marked with  
4 notches on S + 2 notches  
on W edges and with  
pile 18 x 18 x 12 ins in  
each Sec  $5\frac{1}{2}$  ft. dist  
with mound of earth  
2 ft. high  $4\frac{1}{2}$  ft. base  
along side, from which  
Cor S curve -  
S 89° 50' E on a true line  
bet. Secs 7-18-

S. 27. R 29 E. S 5 S R 3 W.

Chains -

va 140 10' E

44.27 Set a post 3 ft. long 3 in sq. with marked stone 12 in in ground for  $\frac{1}{4}$  Sec cor - marked  $\frac{1}{4}$  on N face dug pits 18 x 18 x 12 in E + W of post 5  $\frac{1}{2}$  ft. dirt and raised mound of earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base ground post.

84.27 Sec cor to Secs. 7-8-17-18  
Band rolling  
Soil 2<sup>nd</sup> + 3<sup>rd</sup> feet  
Vegetation, (Bunchgrass) Sagebrush

---

S. 27. R. 27 E. S 3 & R M.

Chains

North bet. Secs 7 & 8.  
 to 14000' E.

Descend

8,95 Cross gulch 15 lbs wide  
 corner NW & ascend

11,00 Top of ridge bet. E & W & descend

40,00 Set a sand stone 12 x 10 x 8

ins 8 ins in the ground

for 1/4 sec cor - marked 1/4

on W face. dug pits 18 x

18 x 12 ins N & S of stone

5 1/2 ft. dist. and raised

marked of earth 1/2 ft.

high 5 1/2 ft. base alongside

70,50 Before timber

80,00 Set a sand stone 14 x 12 x 8

ins 10 ins in the ground

for cor to Sec. 5-6-7 & 8

marked with 5 notches

S. 24. R. 29 E. S. 1. R. 11.

## Chains

on S and 5 notches on E  
edges and raised a mound  
of stone alongside. Pits  
impracticable  
Band mountains  
Soil 2<sup>nd</sup> + 3<sup>rd</sup> rate.

Vegetation Sagebrush + Bunchgrass.

---

East on random line bet.  
Dees - 5 + 8 -

to 140° 05' E -

across -

40.00 Set temporary 1/4 Sec. Cor.  
79.93 Submerged N + S line 34 lbs  
South of Cor to Dees - 4 - 5 - 8 + 9  
from which Cor. Down -  
S 89° 45' W on a true line  
bet. Dees - 5 + 8 -

S. 2 N. R 29 E. S 3 S. R M.

Chairs

ba 14010' 2.

39,97 Set a line stone 14x12x4  
 ins 10 ins in the ground  
 for  $\frac{1}{4}$  Sec Cor - marked  $\frac{1}{4}$  on  
 N. for dug pits 18x18x12  
 ins E + W of stone  $5\frac{1}{2}$   
 ft. dist. and raised a  
 mound of earth  $1\frac{1}{2}$  ft.  
 high  $3\frac{1}{2}$  ft. base, alongside -

7995. The bar to Secs. 5-6-7 + 8.  
 Band rolling  
 Soil 2<sup>nd</sup> + 3<sup>rd</sup> rate  
 vegetation, Sagebrush + Bunchgrass

---

West on random line bet.  
 Secs 6 + 7.

ba 14005' 2

Ascend

S. 2 N. R 29 E. S. 5 - S. R. M

Chains -

- 40.00 Set temporary  $\frac{1}{4}$  Sec Cor -
- 84.51 Intersect W boundary of  
Sp - 20 lbs N. of Cor to West  
1-6-7 + 12 which is a  
sand stone set firmly  
in the ground marked  
with 5 nolets on sand  
1 nolet on N edges and  
pits 18 x 18 x 12 in in  
each Sec  $5\frac{1}{2}$  ft. dia,  
with mounds of earth  
2 ft. high  $4\frac{1}{2}$  ft. base  
along side - from which  
Cor I run -
- N 89° 50' E on a true line  
bet. Secs - 6-7 -  
to 14° 20' E.
- 44.51 Set a post 3 ft. long 3 in  
sq. with marked stone.

5.2 N. R 27 E. 55 S. R. M.

Chairs

12 ins in the ground  
for  $\frac{1}{4}$  Sec cor. marked  
 $\frac{1}{4}$  on N face, dug pits  
15 x 15 x 12 ins E & W of  
post  $5\frac{1}{2}$  ft. dist and  
raised a mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base  
around post.

84,5-1

The Cor to Secs. 5-6-7 & 8.

Band rolling  
Soil 2<sup>nd</sup> & 3<sup>rd</sup> ft

vegetation, Bluegrass & Sagebrush

North on a true line bet. Secs.  
5 & 6

to 14005' E.

Descend

40.00

Set a sand stone 12 x 10 x

S. 27. R 29 E S. 3 S. R. W.

blains

8 ins 8 ins in the ground  
for  $\frac{1}{4}$  sec cor marked  $\frac{1}{4}$   
on W face dug pits 18x  
18x12 ins N & S of stone  
 $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$   
ft. high  $3\frac{1}{2}$  ft base along  
side of

100.80 Enter timber.

111.00 Leave timber.

116.34 Intersect the 3<sup>d</sup> Standard  
Parallel north, at a  
point 3.23. chs. west of  
the Standard  $\frac{1}{4}$  sec cor.  
on S. B. sec. 31. S. 3 N. R  
29 E. at which point I  
set a post 4 ft. long  
4 ins sq. with marked  
stone 12 ins in the



S. 27. R 29 E. S 3 J. R. W.

Charis -

ground for closing Cor-  
No Secs. 5 + 6 - marked  
S. 27. R 29 E. on S. 3  
5 on E and 56 on W  
fence with 5 notches  
on E and 1 notch on W  
edge-  
fence. dug pits 18 x 18 x 12 in  
S. E + W of post 5 1/2 ft. dia.  
and raised a mound of  
earth 2 ft. high 4 1/2 ft.  
base around post.

Band rolling

Soil 2<sup>nd</sup> + 3<sup>rd</sup> feet

Timber Cedar

Vegetation, Bunchgrass + Sagebrush

Oct. 3<sup>rd</sup> 1882.

## General Description

The land in this Township is rolling and mountainous.

The soil is 2<sup>nd</sup> & 3<sup>rd</sup> rate.

The vegetation consists of bunchgrass & sagebrush.

The land is watered by numerous creeks and is well adapted to grazing purposes - some parts being good for agriculture.

There is considerable scattering Cedar throughout the Township.

There are a number of roads in the Northern part of the Township.

Boris Behaves has a house, fencing

and about 20 acres  
cultivated in grain in  
Section 7-

Improvements valued  
at upwards of \$1,000-

U. S. Surveyor General's Office,  
Tucson, Arizona, Dec. 20, 1882

The foregoing Field Notes of the survey of

Subdivision Lines  
of Township 12 North  
Range 29 East

of the Gila and Salt River Base and Meridian, Arizona,  
executed by Milton Bantee,  
D. S., under his contract of the 29th day of  
April, 1882, having been critically ex-  
amined and the necessary corrections and explanations  
made, the said Field Notes and the surveys they de-  
scribe, are hereby approved.

J. W. Robbins  
Surveyor General.