

No-120

Field Notes

OF THE SURVEY OF THE

SUBDIVISION LINES

-OF-

Township 13^N Range 2^E

Gila and Salt River Base and Meridian

ARIZONA.

By C. Burton Foster D. S.

under contract dated Oct. 11, 1876.

Survey commenced April 13, 1877.

Survey completed April 18, 1877.

No-120

120

1A

PRELIMINARY OATHS OF ASSISTANTS.


W.E. *Amos S. Skinkle*
 and *Richard Shrope*
 do solemnly swear that we will faithfully execute
 the duties of Chain Carriers; that we will level the
 chain upon uneven ground, and plumb the tally
 pins, whether by sticking or dropping the same;
 that we will report the true distance to all notable
 objects, and the true length of all lines that we as-
 sist in measuring, to the best of our skill and
 ability.

Amos S. Skinkle
Richard Shrope

Sworn to and subscribed before me, this *17th*
 day of *March*, 1877

William C. Foster

William C. Foster
 Notary Public



17th March 1877

WE, I Paul Brutsche

I do solemnly swear that ~~we~~ I will well and truly perform the duties of Fireman

according to instructions given ~~us~~ ^{me}, and to the best of ~~our~~ ^{my} skill and ability.

Paul Brutsche

Sworn to and subscribed before me this 17th day of March 1877

William C. Foster
Notary Public

William C. Foster

Field Notes No. 10

Township 13 N R. 2 E

Gila and Salt River Meridian.

6	5	46	4	35	3	24	2	11	1
			45		34		23		10
7	8	44	9	33	10	22	11	10	12
			43		32		21		9
18	17	42	16	31	15	20	14	7	13
			41		30		18		6
19	20	40	21	29	22	18	23	5	24
			39		28		16		4
30	29	38	28	27	27	15	26	3	25
			37		26		13		2
31	32	36	33	25	34	13	35	1	36

Under his Contract of
October 11th 1876.

Survey commenced at
completed

BOOK 120 © 10
a.
b.

Field Notes

of the No-120

Subdivision Lines

of

Fractional Township, 13.
North, Range 2. East.

Gila and Salt River Meridian.

Territory of Arizona.

Surveyed by

C. Burton Foster
U.S. Depy. Surveyor

Under his Contract of
October 11th 1846.

Survey commenced, April 13th 1847.
" completed, " 18th 1847.

Township 13. North Range 2. East

Gila and Salt River Meridian

chs Begin at the established Standard Corner to Secs 35 and 36. the corner a mound of earth with pits, with stake marked and notched in E. pit thereof.

From this corner

I run

North between Secs 35, ^{and} 36.

On $14^{\circ}23'$ East

as per Burts Improved solar Compass.

40.00 Remote from stone or timber; drive charred stake 12 ins down, and build mound of earth 2 ft high with pits $2 \times 1 \times 1$ ft. for 1/4 sec cor. No trees near.

66.00 Arroyo 30 lks wide flows S.E.

69.50 Wagon road bears S.E. ^{and} N.W.

80.00 Set a post marked and notched, 4 ft long, 3 ins squared, 1 ft in the ground, deposit stone marked +, and build mound of earth 2 ft

Township 13 North Range 2 East
Gila^{and} Salt River Meridian

Chs high, with pits 2x1x1 ft. for Cor 40
Secs 25, 26, 35 and 36. No true nat.
Land. rolling, and hilly S.
Soil. 2^d rate.
No timber or undergrowth.

East on random line
Between Secs. 25^{and} 36
Va 14° 23' East

40.00 Set a stone for temporary 1/4
sec. cor.

80.00 Intersect E. Boundary of Sp. 30
lks S. of cor 40 Secs 25 and 36,
from which cor. I run

S 89° 47' W on true line
Between Secs 25^{and} 36.
Va 14° 23' East.

40.00 Set a limestone 14x12x10 ins.
marked 1/4, set 2/3 in the ground
and build mound of stone 2 ft

Township 13 North Range 2 East.

Gila and Salt River Meridian.

80.00 high. for $\frac{1}{4}$ sec. cor. No trees near.
 The cor. to secs 25, 26, 35, and 36,
 Land. gently rolling
 Soil 2^d rate
 No timber or undergrowth.

North between Secs 25th & 26th
 N^{74°23'} East

4.60 Old road. bears C.N.E. and S.W.
 20.00 begin ascent of hills, bear N.N.W.
 40.00 Set a granite stone 12x10x8 ins.
 marked $\frac{1}{4}$ set $\frac{2}{3}$ in the ground, and
 build mound of stone 2 ft high, for
 $\frac{1}{4}$ sec. cor. No trees near.
 42.00 Summit of hills bears N.W. and
 begin descent.
 51.00 Foot of slope, and enter gently
 rolling land bears N.W. and E.
 80.00 Set a granite stone 18x10x6 ins.
 properly notched, set $\frac{3}{4}$ in the

Township 13 North Range 2. East
Gila and Salt River Meridian

Chs ground, and on N. side build mound of stone 2 ft high. for Cor to Secs 23, 24, 25 and 26. No trees near. Land rolling, soil 1st and 2^d rate No timber or undergrowth

Cast on random line
between Secs 24 and 25
Va $14^{\circ} 23'$ East

40.00 Set a stone for temporary $\frac{1}{4}$ sec. cor.

79.80 Intersect E. Boundary of Sp. 16 blks S of Cor to Secs 24 and 25 from which Cor I run

S. $89^{\circ} 53' N.$ on low line
between Secs 24 and 25
Va $14^{\circ} 23'$ East

39.90 Set a volcanic stone $14 \times 10 \times 4$ ins marked $\frac{1}{4}$, set $\frac{2}{3}$ in the ground and build mound of stone 2 ft high.

Township 13 North, Range 2 East,
Gila and Salt River Meridian

No for $\frac{1}{4}$ sec Cor. No trees near
79.80 The Cor. to Sec 23, 24, 25 and 26.
Land gently rolling,
Soil 1st and 2^d rate
No timber or undergrowth.

North between Sec 23^W & 24
Va $\frac{1}{4}$ to 23' East

46.00 Set a limestone 14x12x6 ins, marked
 $\frac{1}{4}$ ft. set $\frac{1}{3}$ in the ground and build
mound of stone 2 ft high for $\frac{1}{4}$
sec Cor. No trees near

80.00 set a post marked and notched,
4 ft long, 3 ins squared, 1 ft in the
ground, deposit stone marked +
and build mound of earth 2 ft
high with pits 2x1x1 ft. for
Cor to Secs 13, 14, 23, and 24,
No trees near.
Land level and gently rolling

Township 13 North Range 2 East
 Tila and Salt River Meridian

Soil 1st and 2^d rate
 Timber and occasional Juniper

East on random line
 Between Secs 13th and 21st
 γ^a $14^{\circ} 23'$ East

- 3.50 Enter level bottom, bears NW and SE.
 cultivated lands bearing N and S. 5
 chs. S. of line
- 4.80 Farm road bears NNE and S.
- 11.50 Ash Creek, flows SE. 30 lks wide
- 13.00 Leave bottom and enter low mesa
- 33.20 New road from Camp Verde to Phoenix
 bears NE and S. thence SE.
- 37.00 Begin ascent of little rocky hill, bears
 N and S.W.
- 40.00 Set a stone for temporary 1/4 sec cor
- 40.00 Summit of hill, and line contin-
 ues over rolling stony land
- 80.20 Intersect E. Boundary of Sp 20

Township 19 North, Range 2 East.
Gila and Salt River Meridian.

Chs lks S of corner to secs 13 and 24
from which cor I run

S. $89^{\circ}51'$ W on true line

Between Secs 13th and 24th

via $14^{\circ}23'$ East

40.10 Set a volcanic stone 12x12x12 ins
marked $\frac{1}{4}$ set $\frac{1}{3}$ in the ground, and
build mound of stone 2 ft high, for
 $\frac{1}{4}$ sec cor. No trees near

80.20 The cor to Secs 13, 14, 23, and 24.
Land, S of $\frac{1}{4}$ cor. level with 1st
rate soil; W, rolling with 3rd
rate soil.

Timber, some ash and Cottonwood
along creek.

April 13th 1877

North between Secs 13th and 14th

via $14^{\circ}23'$ East

12.10 Enter level bottom, bears N.W. and S.E.

17.12 Farm road, bears N. N. E. and S. S. W.

Township 13 North, Range 2 East
Gila and Salt River Meridian

- | | |
|-------|--|
| Chs | |
| 35.50 | Ash Creek, flows S.E., 30 lks wide |
| 37.20 | Leave bottom, and enter gently rolling mesa. |
| 40.00 | Set a granite stone, 12x10x6 ins marked $\frac{1}{4}$, set $\frac{2}{3}$ in the ground, and build mound of stone 2 ft high for $\frac{1}{4}$ sec. Cor. No trees near |
| 45.00 | East end of cultivated field, extending N.W. about 10 chs W of line. |
| 57.00 | Arroyo 12 lks wide flows S.W. |
| 80.00 | Set a granite stone, 12x12x10 ins properly notched, set $\frac{2}{3}$ in the ground and on N side build mound of earth 2 ft high with pits 2x1x1 ft. for Cor to Secs 11, 12, 13, and 14.
No trees near.
Land mostly level
Soil 1 st and 2 ^d rate
Timber, a few Ash and Cedar. No undergrowth |

Township 13 North Range 2 East.

Gila and Salt River Meridian

See

East on random line
Between Secs 12 and 13
Va 140° 23' East

- 34.00 Arroyo 25 lks wide flows S. E.
40.00 Set a post for temporary 1/4 sec Cor.
80.00 Intersect E Boundary of Sp 24
lks S of Cor to Secs 12 and 13.

From which corner I run
S. 89° 50' W. on true line
Between Secs 12 and 13
Va 140° 23' East.

- 40.00 Set a post marked 1/4 S. 4 ft long
flattened 3 ins. wide, 1 ft in the
ground, deposit stone marked +, and
build mound of earth 2 ft high with
pits 2 x 1 x 1 ft, for 1/4 sec cor.
No trees near

- 80.00 The Cor. to Secs 11, 12, 13 and 14
Land gently rolling. Soil 1st and 2^d rate
No timber or undergrowth.

Township 13 North Range 2 East
Gila and Salt River Meridian

Chs

North between Secs 11 and 12

Va 14° 23' East

40.00 Set a granite stone 14 x 10 x 10 ins -
properly notched, set $\frac{2}{3}$ in the ground
and build mound of stone 2 ft high
for $\frac{1}{4}$ sec Cor. No trees near.

80.00 Set a post, marked and notched, 4
ft long, 3 ins. squared, 1 ft in the
ground, drive charred stake 12 ins down
and build mound of earth 2 ft high
with pits 2 x 1 x 1 ft, for cor to secs
1, 2, 11, and 12 No trees near.

Land gently rolling

Soil 1st and 2^d rate

No timber or undergrowth

East on random line
Between Secs 1 and 12.

Va 14° 23' East

38.00 Arroyo 30 lks wide. flows S.E.

Township 13 North, Range 2 East.
Gila and Salt River Meridian

As

40.00 Set a stone for Temporary 1/4 sec Cor.

80.20 Intersect E. Boundary of Tp 12 lks
S. of Cor. to Secs 1 and 12, from which
Cor. I run.

S. $89^{\circ}55'$ W. on true line

Between Sect. 1, and 12,

via $14^{\circ}23'$ East

40.10 Set a limestone $12 \times 12 \times 8$ ino. marked
1/4, set 2/3 in the ground, and build mound
of earth 2 ft high with pits $2 \times 1 \times 1$ ft
for 1/4 sec Cor. No trees near.

80.20 The cor. to Secs 1, 2, 11, and 12,

Land gently rolling and sloping S.
Soil 2^o rate

No timber, considerable under-
growth of oak brush.

North on random line
Between Secs 1 and 2.
via $14^{\circ}23'$ East

Township 13 North Range 7 East
Gila and Salt River Meridian

Chs

- 37.20 Gulch 20 lks wide, flows S. E.
- 40.00 Set a stone for temporary $\frac{1}{4}$ sec Cor
- 62.40 U.S. Military Telegraph Line, bears $E^{\frac{1}{2}}W$.
- 65.50 Road from Camp Verde to Prescott
bears E and W.
- 80.25 Intersect N. Boundary of Sp. 18 lks
W. of Cor to Secs 1 and 2, from which
cor. I run
S. $0^{\circ} 8' W$. on true line
Between Secs 1 and 2.
N^a $14^{\circ} 23' East$
- 40.25 Set a granite stone $14 \times 6 \times 6$ ins
marked $\frac{1}{4}$, set $\frac{2}{3}$ in the ground,
for $\frac{1}{4}$ sec. cor. from which
a Cedar 10 ins dia bears $N. 4^{\circ} E$, 146 lks dist
" " 12 " " " $S. 1^{\circ} E$, 212 " "
- 80.25 The Cor to Secs 1, 2, 11, and 12.
Land rolling and sloping S.
Soil 2^d and 3^d rate.
Timber scattering Cedar, Undergrowth, Oak brush.

Township 13 North Range 2 East
Gila and Salt River Meridian

Chs

North between Secs 34th & 35.
V^a 14° 23' East.

- 40.00 Set a granite stone 12x12x8 ins marked
1/4 set 2/3 in the ground, and build
mound of stone 2 ft high, for 1/4
Sec Cor. No trees near
- 46.10 Road to Ash Creek bears NW and
SE.
- 48.00 Gulch 25 lks wide flows S. E.
- 80.00 Summit of rolling Mesa bears
NW and SE.

Set a volcanic stone, 18x12x10 ins
properly notched, set 3/4 in the ground
and on N. side. build mound of stone
2 ft high for Cor to secs 26, 27,
34 and 35. No trees near
Land rolling, Soil 2^d and 3^d rate
No timber or undergrowth

East on random line

Township 13 North Range 2 East
Gila and Salt River Meridian

chs

Between Sec 26 and 35,
N^o 14° 23' East.

- 3.00 Begin descent of N. E. slope from
Mesa.
- 40.00 set a stone for temporary 1/4 sec
cor.
- 45.00 Foot of slope, and enter level land
bears S. E. and N. W.
- 54.00 Wash 25 lks wide, flows S. E.
- 55.00 Road bears S E and N W.
- 80.00 Intersect Namd S line 28 lks N. of
cor to Secs 25, 26, 35 and 36.
from which cor. I run
N 89° 48' W. on true line
Between Secs 26 and 35
N^o 14° 23' East
- 40.00 Set a limestone 12 x 10 x 8 ins marked
1/4. set 2/3 in the ground, and build
mound of stone 2 ft high, for 1/4
sec cor. No trees near.

Township 13 North Range 2. East
Gila and Salt River Meridian

chs
80.00 The cor to secs 26, 27, 34 and 35.
Land W of 1/4 cor rolling mesa; 3^d
rate soil, E. level and gently rolling
with 1st and 2^d rate soil.
No timber or undergrowth.

North between Secs 26th & 27th
Va 14° 23' East.

- 2.20 Begin descent from mesa bears
NW. and S E.
- 30.00 Foot of slope and enter level land
bears S E. and NW.
- 34.00 Willow Spring, a large flowing spring
of pure water, bears W of this point,
about 5 chs dist.
- 35.00 Osbornes building bears W of this
point. 5 chs. dist.
- 40.00 Set a post marked 1/4 S. 4 ft long
flattened 3 ins wide, 1 ft in the ground,
drive charred stake, and build mound

Township 13, North Range 2 East
Gila and Salt River Meridian

Chs

of earth 2 ft high with pits 2x1x1
ft. for $\frac{1}{4}$ sec cor. No trees near

40.15 Road bears S E. and N.W.

48.00 Begin ascent of hills bear E and N.

80.00 Set a granite ^{stone} 12x10x6 ins. properly
notched. set $\frac{2}{3}$ in the ground, and on
N. side build mound of stone 2 ft
high for cor to Secs. 22, 23, 26, and 27.

No trees near

Land rolling and hilly, except a
narrow bottom S. of $\frac{1}{4}$ cor.

Soil in bottom 1st rate: on hills
3rd rate.

Timber scattering Cedar.

East on random line

Between Secs 23 and 26.

va $14^{\circ} 23'$ East.

4.00 Summit of S. E. end of hills bear
N.W.

Township 13 North Range 2 East Gila and Salt River Meridian

- | | |
|-------|---|
| Chs | |
| 26.00 | Gulch 20 lks wide flows S. E. |
| 40.00 | Set a post for temporary 1/4 sec Cor. |
| 45.00 | Begin descent of N.E. slope of hills. |
| 56.00 | Foot of slope, and enter gently rolling land. |
| 80.10 | Intersect N. and S. line, 20 lks N. of Cor to secs 23, 24, 25, and 26, from which cor. I run
$N 89^{\circ} 51' W$, on true line
Between Secs 23 rd & 26,
$N 14^{\circ} 23' East$ |
| 40.05 | Set a post marked 1/4 S. 4 ft long flattened 3 ins wide 1 ft in the ground deposit stone marked + and build mound of earth 2 ft high, with pits 2x1x1 ft. for 1/4 sec Cor. No trees near |
| 80.10 | The Cor to secs 22, 23, 26, and 27. Low Summit of S.E. end of hills, Soil 2 ^d rate. |

Township 13 North. Range 2 East
Gila and Salt River Meridian

Chs

Timber an occasional cedar

North between Secs 22nd and 23rd
N^o 14^o 23' East

- 3.00 Summit of hills. bear N. and E.
- 40.00 Set a granite stone 14x10x6 ins.
marked 74. set $\frac{2}{3}$ in the ground and
build mound of stone 2 ft high for $\frac{1}{4}$
Sec Cor. No trees near
- 80.00 Set a post marked and notched 4 ft
long. 3 ins squared, 1 ft in the ground,
drive charred stake, and build mound
of earth 2 ft high. with pits 2x1x1 ft
for cor to Secs 14, 15, 22, and 23.
No trees near.
Laud summit of hills
Soil 2nd rate
Timber cedars, mostly in Sec 22.

East on random line

Township 13 North Range 2 East
Gila and Salt River Meridian

kts

Between Secs 14th and 23rd
Va 14° 23' East.

- 5.00 Begin descent from hills, slope bears
NW and SE.
- 16.00 Foot of slope and enter gently rolling
land. bears NE.
- 40.00 Set a post for temporary 1/4 sec cor.
- 80.00 Intersect N. and S. line at cor to secs
14, 14, 23, and 24, from which cor.
I run

West on true line
Between Secs 14th and 23rd
Va 14° 23' East

- 40.00 Set a post marked 1/4 S. 4 ft long
flattened 3 ins wide, 1 ft in the
ground. deposit stone marked +^{and}
build mound of earth 2 ft high with
pits 2 x 1 x 1 ft. for 1/4 sec cor.
No trees near.
- 80.00 The cor to secs 14, 15, 22, and 23,

Township 13 North Range 2 East
Gila and Salt River Meridian

Chs

Land mostly gently rolling
Soil 1st and 2^d rate
Timber an occasional Cedar
April 14th 1877

North between Secs 14th and 15.
Va 14° 23' East.

- 3.00 Begin descent of N.W. end of hills.
Slope bears N^o and S.
- 21.00 Foot of slope and enter gently
rolling land.
- 40.00 Set a post marked 1/4 S. 4 ft long
flattened 3 ins wide, 1 ft in the ground
deposit stone marked + and build
mound of earth 2 ft high, with pits
2x1x1 ft, for 1/4 sec cor. No trees near.
- 80.00 Set a volcanic stone, 18x10x8 ins,
properly notched, set 3/4 ft in the ground,
and on N side build mound of stone
2 ft high, for cor to Secs 10, 11, 14, and
15. No trees near.

Township 13 North Range 2 East
Gila and Salt River Meridian

chs

Land gently rolling.
Soil 1st and 2^d rate
No timber or undergrowth

East on random line
Between Secs 11 and 14.
W. 14° 23' East.

- 10.00 Enter level bottom lands of Ash
Creek.
- 20.50 Enter N.E. Corner of cultivated land
bears S.E.
- 24.20 Leave cultivated field, and Ash Creek
flows S.E. 30 lks wide.
- 26.50 Road bears S.E. and N.W., and Stemmers
cabin bears S, about 12 chs distant.
- 30.00 Leave bottom and enter rolling land.
bears S.E. and N.W.
- 40.00 Set a stone for temporary 1st sec Cor.
- 80.12 Intersect N and S line. 15 lks S. of
Cor to Secs. 11, 12, 13 and 14. from

Township 13. North Range East
Gila and Salt River Meridian

Chs

which cor. I run

S. $89^{\circ}54'$ W. on true line

Between Secs 11. and 14

Pa $14^{\circ}23'$ East.

- 40.06 Set a granite stone $12 \times 12 \times 12$ ins.,
marked 14. set $\frac{1}{3}$ in the ground, and
build mound of stone 2 ft high for
14 sec cor. No trees near.
- 80.12 The Cor to Secs 10, 11, 14 and 15.
Land level bottom with 1st rate soil,
and rolling mesa with 2nd rate soil
Timber Ash and scattering Cedars.

North between Secs 10 and 11.

Va $14^{\circ}23'$ East

21.10 Ash Creek. 30 lks wide flows S.E.

40.00 Set a granite stone $20 \times 16 \times 12$ ins
marked 14. set $\frac{3}{4}$ in the ground and
build mound of stone 2 ft high for
14 sec cor. No trees near.

Township 13 North, Range 2 East
Gila and Salt River Meridian

- 79.60 Road bears S.E. and N.N.W.
80.00 Set a granite stone. 14x10x8 ins properly notched. Set $\frac{2}{3}$ in the ground, and on N. side build mound of stone 2 ft high for Post to Secs. 2, 3, 10 and 11.
No trees near.
Land gently rolling
Soil 2^d rate
No timber or undergrowth.

East on random line
Between Secs 2 and 11.

wa $14^{\circ} 23'$ East

- 40.00 Set a stone for temporary $\frac{1}{4}$ sec Cor
80.00 Intersect N and S line 7 lks S. of Cor to Secs 1, 2, 11, and 12, from which cor. I run.

S. $89^{\circ} 57'$ W. on true line

Between Secs 2 and 11.

wa $14^{\circ} 23'$ East

Township 13 North. Range 2. East
Gila and Salt River Meridian

Chs

- 40.00 Set a limestone 10x10x10 ins marked
1/4, set 2/3 in the ground, and build
mound of earth 2 ft high, with pits
2x1x1 ft. for 1/4 sec cor. No trees near.
- 80.00 The cor to Secs 2, 3, 10, 2^d 11.
Land gently rolling
Soil 20 rate
No timber; Undergrowth Oak brush.

North on random line

Between Secs 2 and 3

or 14° 23' East

- 8.00 Farm road bears SSW and NNE.
- 12.00 Same road bears NNW and SSE.
- 40.00 Set stone for temporary 1/4 sec cor.
- 55.80 U.S. Telegraph Line bears E and W.
- 71.50 Road from Prescott to Camp Verde
bears E and W.
- 80.10 Intersect N. Boundary of Sp. 117 lks
W. of Cor to Secs 2 and 3. From

Township 13 North, Range 2 East
 1 Gila ^{4th} Salt River Meridian

chs

which cor. I run.

S. 0° 6' W. on true line

Between Secs 2 and 3

via 140° 23' East

40.10 Set a granite stone 18 x 16 x 10 ins
 marked 1/4. set 3/4 in the ground
 and build mound of stone 2 ft high
 for 1/4 see cor. No trees near.

80.10 The cor to Secs 2, 3, 10, and 11.
 Land rolling and sloping S.
 Soil 2^d rate. No Timber.
 Undergrowth. oak brush,

North between Secs 30th & 31st
 via 140° 23' East.

40.00 Set a post marked 1/4 S. 4 ft long, flat,
 tened 3 ins wide, 1 ft in the ground,
 deposit stone marked + and build mound
 of earth 2 ft high, with pits 2 x 1 x 1 ft
 for 1/4 see cor. No trees near.

Township 13 North Range 2 East
Gila and Salt River Meridian

Chs

80.00 Set a post, marked and notched 4 ft long. 3 ins squared. 1 ft in the ground deposit stone marked + and build mound of earth 2 ft high with pits 2 x 1 x 1 ft for Cor to Secs 27, 28, 33 and 34.

No trees near

Land rolling mesa

Soil 20 rate

No timber or undergrowth

East on random line
Between Secs 27 and 34.

via 140 23' East

27.00 Road from Lower Agua Fria Valley to Prescott bears NWN. and S.

140.00 Set a stone for temporary pt sec Cor.

54.50 Road to Lower Ash Creek, bears S. E. and NW.

59.15 Gulch 20 lks wide flows S. E.

79.90 Intersect N. and S line 10 lks S

Township 13 North Range 2 East

Gila Salt River Meridian

cho

of cor to Secs 26, 27, 34 and 35,
from which cor I run,

S. $89^{\circ} 36' W$ on true line

Between Secs 27th & 34

by $14^{\circ} 23' East$

39.95 Set a limestone $12 \times 12 \times 10$ ins marked
 $\frac{1}{4}$, set $\frac{2}{3}$ in the ground, and build
mound of earth 2 ft high with pits
 $2 \times 1 \times 1$ ft. For $\frac{1}{4}$ see cor.

No trees near.

49.90 The cor to Secs 27, 28, 33 and 34
Land: high mesa, sloping N.
Soil 2^d rate
No timber or undergrowth

North between Secs 27th & 28th
by $14^{\circ} 23' East$.

40.00 Set a granite stone $14 \times 12 \times 8$ ins
marked $\frac{1}{4}$, set $\frac{2}{3}$ in the ground
and build mound of earth 2 ft

Township 13 North, Range 2 East
Gila and Salt River Meridian

to

high with pits 2x1x1 ft. for 1/4
sec cor. No trees near

63.55 Road to Prescott, bears N.W. and
S.E.

80.00 Set a granite stone 12x10x6 ins
properly notched, set 2/3 in the ground,
and on N side build mound of earth
2 ft high with pits 2x1x1 ft. for cor
to Secs 21, 22, 27 and 28.

No trees near.

Land sloping N.

Soil generally 2^d rate.

No timber or undergrowth

East on random line

Between Secs 27 and 27

1/4 14° 23' East

40.00 set a stone for temporary 1/4 sec cor

52.10 Wash 60 lbs wide flows S. E.

52.30 Road bears S.E. and N.W.

Township 13 North, Range 2 East
Gila and Salt River Meridian

- 68.00 Begin ascent of S. End of hill, bears N.
- 80.00 Intersect N and S line 18 lks N of Cor to Secs 24, 25, 26 and 27, from which Cor I run
N. $89^{\circ} 52'$ W on true line
Between Secs 22 and 27
Va 140 23' East
- 40.00 Set a granite stone $12 \times 10 \times 8$ ins, marked 1/4, set $2/3$ in the ground, from which a Cedar 4 ins dia bears S. 37° W, 28 lks dist.
" " 6 " " " N 32° W, 60 " "
- 80.00 The Corner to Secs 21, 22, 27, and 28
Land rolling
Soil 1st and 2d rate
Timber Cedar.

North between Secs 21 and 22
Va 140 23' East

- 40.00 Set a granite stone $10 \times 8 \times 8$ ins

Township 13, North, Range 9, East
Gila and Salt River Meridian

chs

- marked $\frac{1}{4}$ pt $\frac{2}{3}$ in the ground, and build mound of earth 2 ft high with pits $2 \times 1 \times 1$ ft. for $\frac{1}{4}$ sec cor. No trees near
- 46.40 Road bears WNW. and S E.
- 80.00 Set a post, marked and notched, 4 ft long 3 ins squared. 1 ft in the ground. drive charred stake, and build mound of earth 2 ft high with pits $2 \times 1 \times 1$ ft. for cor to Secs 15, 16, 21 and 22. No trees near. Land level and gently rolling Soil 1st and 2^d rate. No timber or undergrowth

East on random line
Between Secs 15 and 22.
Va. 140 23' East.

- 40.00 Set a post for temporary $\frac{1}{4}$ sec cor
- 68.00 Begin ascent of hills bear NNE and S.
- 78.00 Summit of N. End of hills
- 80.20 Intersect N and S line 12 lks. S of Cor

Township 13 North. Range 2 East.
 Gila and Salt River Meridian.

Ho

To Secs 14, 15, 22 and 23, from which
 Cor. I run

S. 89° 55' W. on true line

Between Secs 15 and 22

W. 140° 23' East

Ho. 10 Set a post, marked 1/4 S. 4 ft long, flat,
 head 3/4 in wide, 1 ft in the ground, drive
 charred stake, and build mound of
 earth 2 ft high, with pits 2 x 1 x 1 ft, for
 1/4 sec Cor. No trees near

80.20 The cor to Secs 15, 16, 21, and 22.

Land gently rolling
 Soil 1st and 2d rate

Timber, Cedar in Sec 22

April 16th 1877

North between Secs 15 and 16

W. 140° 23' East

Ho. 00

Set a post marked 1/4 S. 4 ft long
 flattened 3/4 in wide, 1 ft in the ground,
 deposit stone marked + and build

Township 13. North Range 2 East
Gila and Salt River Meridian

cks

mound of earth 2 ft high, with pits 2 x
1 x 1 ft. for $\frac{1}{4}$ sec. cor. No brass mark.

80.00 Set a granite stone 18 x 10 x 8 ins. prop-
erly notched, set $\frac{3}{4}$ ft in the ground, and on
N. side build mound of earth 2 ft high
with pits 2 x 1 x 1 ft for Cor to Secs 9, 10,
15 and 16.

Land gently rolling

Soil 1st & 2d rate

No timber or undergrowth

East on random line

Between Secs 10 and 15

va 140° 23' East

40.00 Set a post for temporary $\frac{1}{4}$ sec Cor

80.00 Intersect N and S line 7 lks S. of cor to
Secs 10, 11, 14 and 15. From which Cor
Runs.

S. 89° 37' W. on true line

Between Secs 10 and 15.

Township 13 North Range 2 East
 Tila and Salt River Meridian.

do

va Ho 23' East

- 40.00 Set a post marked $\frac{1}{4}$ S. 1 ft long.
 flattened 3 ins. wide, 1 ft in the ground
 deposit stone marked + and build
 mound of earth 2 ft high with pits
 $2 \times 1 \times 1$ ft. for $\frac{1}{4}$ sec cor. No trees near.
- 80.00 The corner to Secs 9, 10, 15 and 16.
 Land gently rolling
 Soil 1st and 2d rate
 No timber or undergrowth

North between Secs 9th & 10

va Ho 23' East

- 29.20 Road from Agua Fria to Camp Verde
 bears N N E. and S S W.
- 40.00 Set a granite stone $20 \times 12 \times 6$ ins.
 marked $\frac{1}{4}$ S. set $\frac{3}{4}$ ft in the ground and
 build mound of stone 2 ft high for
 $\frac{1}{4}$ sec cor. No trees near
- 73.90 Lower Agua Fria and Verde road

Township 13, North Range 2 East
 Tila^{3rd} Salt River Meridian

Ch^o

bears N N W. and S S E.

80.00

Set a granite stone 20 x 12 x 6 ins
 properly notched. set 2 ft in the ground
 and on N. side build mound of stone
 2 ft high. for Cor to Secs 3, 4, 9, & 10.
 No trees near
 Land gently rolling ^{and} sloping S.
 Soil 1st and 2d rate
 No timber or undergrowth

East on random line
 Between Secs 3rd & 10
 1/4th 1/4th 23' East

37.50

Ash Creek 25 lks wide flows S E.

40.00

Set stone for temporary 1/4 sec cor

80.12

Intersect N and S line 15 lks S of cor
 to Secs 2, 3, 10 and 11. from which cor
 I run

S. 89° 54' W. on town line
 Return Secs 3rd and 10

Township 13. North, Range 2 East
Gila and Salt River Meridian

40.06 Set a limestone 12x8x8 ins. marked
"H set 2/3 in the ground and build mound
of stone 2 ft high. for 1/4 sec Cor.
No trees near.

80.12 The Cor to secs 8, 9, and 10,
Land rolling
soil 2d and 3d rate
No timber, Undergrowth, oak brush,

North on random line
Between secs 3 and 4
va 140 23' East

21.10 Prescott and Verde road bears
Cand W. Road to Lower Agua Fria
about 6 chs. W.

29.50 U.S. Mily Telegraph Line, bears E. W.

32.50 Stemmer's Station, bears E of this
point. 20 chs distant.

40.00 Set a stone for temporary 1/4 sec Cor.

Township 13 North. Range 2 East.
Gila Salt River Meridian

- | | |
|-------|--|
| 65.20 | Old Prescott and Verde road, bears East W. |
| 45.80 | Ash Creek 25 lks wide, flows S. E. |
| 80.16 | Intersect N. boundary of Sp. 9 lks W. of cor to Secs 3 and 4. From which Cor I run
S. 0° 4' W on true line
Between Secs 3 and 4
1/4 to 23' East |
| 40.16 | Set a granite stone 18x6x6 ins. marked 1/4, set 3/4 in the ground, and build mound of stone 2 ft high for 1/4 Sec cor. No trees near. |
| 80.16 | The Cor to Secs 3, 4, 9, and 10. Land somewhat rough
Soil 2d and 3d rate
The only timber consists of ash and cottonwoods along creek. |

North between Secs 32nd & 33

Township 13 North Range 2 East
 Gila and Salt River Meridian

40

Ca. $14^{\circ} 23'$ East.

40.00 Set a volcanic stone $12 \times 12 \times 6$ ins.
 marked $\frac{1}{4}$, set $\frac{3}{4}$ in the ground, and
 build mound of stone 2 ft high for
 $\frac{1}{4}$ sec. cor. No trees near

80.00 Set a limestone $20 \times 10 \times 10$ ins properly
 notched, set $\frac{3}{4}$ in the ground, and
 on N. side build mound of stone
 2 ft high. for cor to Secs 28, 29, 32,
 and 33. No trees near
 Land rough and hilly
 soil mostly 3rd rate
 No timber or undergrowth

East on random line
 Between Secs 28th and 33
 Ca. $14^{\circ} 23'$ East

40.00 Set a stone for temporary $\frac{1}{4}$ sec. cor.
 54.10 Arroyo 20 lks wide flows S.
 80.00 Intersect N and S line at Cor to Sec 4

Township 13 North Range 2 East
Gila and Salt River Meridian

Chs

27, 28, 33 and 34, from which 200
Feet

West on true line
Between Secs 28 and 33
Va 140° 23' East

40.00 Set a granite stone 12x10x6 ins
marked 1/4t, set 2/3 in the ground and
build mound of earth 2 ft high with
pits 2x1x1 ft. for 1/4t sec cor.
No trees near

80.00 The cor to secs 28, 29, 32, and 33.
Land rolling
Soil 2^d and 3^d rate
No timber or undergrowth

40.00 North between Secs 28 and 29.
Va 140° 23' East
Set a post, marked 1/4 S. 4 ft long,
flattened 3 ins. wide, 1 ft in the ground
deposit stone marked + and build
mound of earth 2 ft high with pits

Township 13 North Range 2 East
Gila and Salt River Meridian

Chs

2x1 ft. for $\frac{1}{4}$ sec cor. No trees near.

63.40

Arroyo 30 lks wide, flows S.E.

80.00

Set a limestone, 14x10x4 ins properly
notched, set $\frac{2}{3}$ in the ground, and on
N. side build mound of stone 2 ft
high, for cor to Secs 20, 21, 28 and
29. No trees near

Land rolling and sloping N.E.

Soil 3rd rate

No timber or undergrowth

East on random line

Between Secs 21 and 28

$\approx 14^{\circ} 23'$ East

40.00

Set a post for temporary $\frac{1}{4}$ sec cor.

65.14

Road from Lower Agua Fria Valley
to Prescott and Verde, bears N.W. and
S.S.E.

80.10

Intersect N. and S. line 14 lks N of
Cor to Secs 21, 22, 27, and 28, from

Township 13, North Range 2 East
Tila ^{and} Salt River Meridian

do

which cor Iron

$N 89^{\circ} 54' W$ on true line

Between Secs 21^{and} 28

W $114^{\circ} 23'$ East

40.05 Set a post marked 14 S. 4 ft long
flattened 3 in wide 1 ft in the ground
deposit stone marked $+$ and built
mound of earth 2 ft high with pits
 $2 \times 1 \times 1$ ft. for $1/4$ sec cor. No trees near.

80.10 The cor to Secs 20, 21, 28, and 29.

Land rolling

Soil 2^d and 3^d rate

No timber. Undergrowth Oak brush

North between Secs 20^{and} 21

W $114^{\circ} 23'$ East

40.00 Set a volcanic stone $14 \times 14 \times 14$ in
marked 14 set $1/3$ in the ground, and
build mound of stone 2 ft high for $1/4$
sec cor. No trees near

Township 13 North, Range 7 East.
Gila and Salt River Meridian.

Chs

8000

Set a granite stone 18x14x12 ins properly
notched, set $\frac{3}{4}$ in the ground, and on N,
side build mound of stone 2 ft high for
Cor to Secs 16, 17, 20^{and} 21. No Arus near.
Land rolling, sloping E.
Soil 2^d and 3^d rate
No timber, Undergrowth Oak brush.

East on random line
Between Secs 16^{and} 21,
Va 140 23' East

34.80

Agua Fria^{and} Prescott road, bears N,
and S, S. E.

36.60

Road to Willow Springs bears NNW^{and} S. E.

40.00

Set a post for temporary $\frac{1}{4}$ sec Cor.

80.00

Intersect N^{and} S line at Cor to Secs 15
16, 21^{and} 22, from which Cor. I run.

West on true line

Between Secs 16^{and} 21
Va 140 23' East

Township 13 North, Range 2 East
Gila and Salt River Meridian

40.00 ds
set a post marked 1/4 S. 4 ft long, flattened
3 ins wide, 1 ft in the ground, deposit
stone marked + and build mound of
earth 2 ft high with pits 2x1x1 ft for
1/4 sec cor. No trees near.

80.00 The cor to Sec 16, 17, 20, and 21.
Land gently rolling
Soil 2d rate
No timber, some undergrowth of
Oak brush.

April 17th 1877

North between Secs 16 and 17
or 140 23' East

40.00 set a granite stone, 18x12x12 ins, marked
1/4, set 2 ft in the ground, and build mound
of earth 2 ft high with pits 2x1x1 ft
for 1/4 sec cor. No trees near

42.50 Old road, bears N W. and S E.

77.10 Agua Fria and Prescott road, bears N W.
and S. E.

Township 13. North, Range 2 East
Gila and Salt River Meridian

Chs
80.00 Set a granite stone 14x10x6 ins properly
notched, set $\frac{2}{3}$ in the ground, and on
N. side build mound of stone 2 ft high
for Cor to Secs 8, 9, 16 and 17.
No trees near
Land rolling, sloping E.
Soil 2^d rate
No timber. Undergrowth, oak brush,

East on random line
Between Secs 9 and 16,
W 140° 23' East

40.00 Set a stone for temporary $\frac{1}{4}$ sec cor
53.30 Road from Agua Fria valley to Camp
Verde, bears N N E, and S S W.
80.20 Intersect N and S line 18 lks N of Cor to
secs 9, 10, 15, and 16, from which Cor
I run
N 89° 52' W on true line
Between Secs 9 and 16

Township 13 North Range 2 East
Gila and Salt River Meridian

Ch

Wa 140 23' East

40.10 Set a granite stone 16x10x8 ins. marked $\frac{1}{4}$, set $\frac{2}{3}$ in the ground, and build mound of earth 2 ft high with pits 2x1x1 ft for $\frac{1}{4}$ sec cor. No trees near

80.20 The cor to Secs 8, 9, 16, and 17.

Land gently rolling

Soil 1st and 2d rate

No timber or undergrowth

North between Secs 8. and 9.

Wa 140 23' East

40.00 Set a volcanic stone 15x10x4 ins marked $\frac{1}{4}$, set $\frac{2}{3}$ in the ground, and build mound of stone 2 ft high, for $\frac{1}{4}$ sec cor. No trees near

43.00 Line crosses ledge of volcanic rock 6 ft high, 30 ft long. bears E. and W.

80.00 Set a post marked and notched, 4 ft long, 3 ins squared, 1 ft in the ground,

Township 13. North. Range 2. East
Gila and Salt River Meridian

Chs

deposit stone marked + and build mound
of earth 2 ft high with pits 2 x 1 x 1 ft
for cor to secs 4, 5, 8, and 9,

No trees near

Land gently rolling, soil ^{1st} and 2^d rate
No timber or undergrowth

East on random line

Between Secs 4 and 9

wa 14° 23' East

40.00 Set a stone for temporary 1/4 sec cor.

76.10 Agua Fria and Camp Verde road, bears
S.E. and N.W.

80.00 Intersect N and S line at cor to secs 3,
4, 9, and 10, from which cor. I run

West on true line

Between Secs 4 and 9

wa 14° 23' East.

40.00 Set a granite stone 18 x 15 x 8 ins, marked
1/4, set 3/4 in the ground, and build mound

Township 13 North, Range 25 East
Gila and Salt River Meridian

Chs
of earth 2 ft high, with pits 2x1x1 ft,
for $\frac{1}{4}$ sec Cor. No trees near
80.00 The Cor to Secs 4, 5, 8, and 9.
Land rolling
soil 2^d and 3^d rate
No timber. Undergrowth, Oak brush

North on random line
Between Secs 4 and 5
to $\frac{1}{4}$ sec 23' East.

34.60 Old road, bears S.W. and E.
38.00 Prescott and Camp Verde road, bears
E and W.
40.00 Set a stone for temporary $\frac{1}{4}$ sec Cor.
46.20 U.S. Mily. Telegraph Line, bears
E and W.
62.00 Begin ascent of hills, bear N.W.
80.00 Summit of hills, and intersect
N. Boundary of Sp. 16. 1/4 sec W of
Cor to Secs 4 and 5. From which Cor

Township 13 North, Range 2 East
 Gila and Salt River Meridian

do

Iron

S. $0^{\circ} 4' W$ on true line
 Between Secs 4 and 5
 on $1/4^{\circ} 23'$ East

40.00 Set granite stone 16 x 12 x 6 ins. marked
 $1/4$, set $2/3$ in the ground, and build
 mound of earth 2 ft high, with pits
 2 x 1 x 1 ft. for $1/4$ sec cor.

No trees near

80.00 The cor. to Secs 4, 5, 8, and 9.
 Land rolling and sloping S.

No timber. Undergrowth, oak brush,
 April 18th 1877

The two tiers of sections in
 the western portion of this
 Township are covered with
 barren hills, and coming under
 the head of waste and useless

Township 13, North, Range 2 East
Gila and Salt River Meridian

land, I extend the lines no
further West.

General Description.

This Township contains consid-
erable agricultural land, and
an abundance of good grazing
land.

The Timber consists of seat-
-storing Cedars, and some Ash,
Cottonwoods, and Sycamores,
along the banks of Ash Creek,
a small stream flowing South-
Easterly through the Eastern
portion of the Township.

Four settlers have located
in different parts of the

Township 13 North, Range 2, East,
Gila and Salt River Meridian

Township.

Ed. Austin Foster
US Deputy Surveyor

List of Names.

BOOK 120

50

A List of the Names of Individuals employed
to assist in running, measuring, or marking the
lines and corners described in the foregoing Field
Notes of the survey of the Subdivision lines
of Fractional Township 13 North
Range 2 East
Gila and Salt River Meridian
Territory of Arizona

Showing the respective capacities in which they
acted.

Almerin Schukle Chainman.

Richard Shrope Chainman,

Paul Routschke Axeman.

Flagman.



Final Oath of Assistants.

BOOK 120

We hereby certify that, we assisted *Murton*

John U. S. Deputy Surveyor, in
 surveying *the subdivision lands of*
Fractional Township 13 North
Range 2 East
Gila and Salt River Meridian
Territory of Arizona

and that said Survey has been in all respects, to
 the best of our knowledge and belief, well and
 faithfully executed, and the boundary monuments
 planted according to the instructions furnished by
 the Surveyor-General.

Richard G. Giff Chairman.
Alvin S. Shinkle Chainman,
Paul Brutsche Axeman.

William O'Fallon Flagman.

Sworn to and subscribed before me, this *31st*
 day of *May*, 1877.

William O'Fallon
 Notary Public



Final Oath of Deputy Surveyor.

BOOK

BOOK

120

120

I, *P. Burton Foster*

U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the *11th* day of *October*

1876. I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of the

subdivision lines of Fractional Township 13 North

Range 2 East

Gila and Salt River Meridian

Territory of Arizona



as are represented in the foregoing Field Notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements con-

53

BOOK 120

tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

Albion Foster
Deputy Surveyor.

Sworn to and subscribed before me, this *31st*
day of *May*, 187*7*

William C Foster
Notary Public



U. S. Surveyor General's Office,

TUCSON, ARIZONA, December 27, 1876.

The foregoing Field Notes of the Survey of the

Subdivision Lines of
Township 13 North,
Range 2 East.

Of the Gila and Salt River Base and Meridian, Arizona, executed by L. Benton Foster.

Deputy Surveyor, under his contract of the 11th
day of October, 1876, having been

critically examined and the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

John Masson
Surveyor General.