

BOOK 130

~~25.~~ BOOK 130

No 130

130

4-671

FIELD NOTES
GENERAL LAND OFFICE.

Subdivision

of

T13N., R14E

No-130

No- 130

BOOK

130

1

Field Notes
of the survey of
Subdivisions

of
Township No 3 N. R. No 14 East.
of the
Gila and Salt River Basins and Meridians
in the
Territory of Arizona
as surveyed by
Philip Cantzen,
U. S. Deputy Surveyor
Under his Contract No 27.
Dated Feb. 10, 1893.

Survey Commenced Oct. 24, 1893.
Survey Completed Oct. 30, 1893.

BOOK 130

(4-674.)

Township 13 N R. 14 E

Index for Books 130 and 151

6	96	5	76	4	57	3	43	2	28	1
94		93		74		55		41		27
7	92	8	72	9	54	10	40	11	25	12
90		89		71		53		38		24
18	88	17	69	16	51	15	37	14	22	13
86		84		67		50		36		20
19	83	20	66	21	48	22	34	23	18	24
82		80		61		47		32		16
30	78	29	59	28	45	27	31	26	15	25
4		5	<i>Aux.</i>	7	<i>Base</i>	8		10		12
31	77	32	58	33	44	34	29	35	14	36

At 12 M. Oct. 24 '93. at cor to secs 25-30-31
 and 36 on E. boundary of 13 N. R. 14 E. Stake
 an observation on the sun and find
 my instrument in perfect adjustment
 Lat. $34^{\circ}29' N$. Mean Variation $13^{\circ}46' E$.
 Thence I run W on a random line and set
 temporary half mile and mile corners at
 each 40^{and} 80 chs and find the line to be 6
 miles 6 chs and 29 lks long and the falling
 to be 14 chs. N of cor to secs 25-30-31^{and} 36 on W
 boundary the correction of the true line will
 therefore be $2\frac{1}{3}$ lks S. per mile and its
 course will be $N. 89^{\circ}59' E$. from the cor
 to secs. 25-30-31^{and} 36 on W
 boundary as herein before
 described
 I run

Amilliant Base

Chains N 89° 59' E on a true line bet pces. 30^{and} 31

N 13° 46' E.

Through Timber

42.36 Gulch 100 lks wide course N.

46.29 Set a lime stone 18x16x8 ins 12 ins in the ground for 1/4 sec cor marked 1/4 on N face from which

A Pine 27 ins diam br. N 88° W 88 lks
Dist marked 1/4 S. B.T.

A Pine 8 ins diam br. S 71° E. 73 lks
Dist marked 1/4 S. B.T.

56.30 descend into Alder Creek Cañon course N. E.

63.40 Bottom

64.80 Creek 10 lks wide and ascend

70.00 top Pine 15 ins diam. on line marked with 2 notches on E. and W. sides.

74.32 Gulch. 100 lks wide course N.

86.29 Set a Lime stone 18x12x8 ins 12 ins in the ground for cor to pces. 29-30-31^{and} 32 marked with 5 notches on E^{and} 1 notch on S edge.

R. 13 T. 14 R. 14 East.

Chains from which

A Pine 28 ins diam br. N 67° E. 39 lks
Dist marked Sp. 13 T. R. 14 E. S. 29 B.T.

A Pine 20 ins diam br. S 50° E. 73 lks
Dist marked Sp. 13 T. R. 14 E. S. 32 B.T.

A Pine 15 ins diam br. S 45° W 98 lks
Dist marked Sp. 13 T. R. 14 E. S. 31 B.T.

A Pine 26 ins diam br. N 39° W. 42 lks
Dist marked Sp. 13 T. R. 14 E. S. 30 B.T.

Land Broken

Soil Worthless

86.59 chs Pine Timber.

Heavily timbered land 86.29 chs

N. 89° 59' E on a true line between 29^{and 32}

W. 13° 47' E

Through Timber

40.00 Set a Lime stone 18 x 10 x 3 ins 12 ins in the ground for true cor marked 1/4 on N face from which.

Auxiliary Base

- Chains A Pine 14 ins diam br. N. 52° E. 51 lks
 Dist marked $\frac{1}{4}$ S. B. T.
- A Pine 18 ins diam br. S. 87° W 29 lks
 Dist marked $\frac{1}{4}$ S. B. T.
- 56.10 Gulch 75 lks wide course N. N. E.
- 65.50 Descend into small Gulch course N. E.
- 76.50 bottom ^{and ascend}
- 79.90 top
- 80.00 Set a sandstone $18 \times 12 \times 4$ ins 18 ins in the
 ground for cor to pss 28-29-32 ^{and} 33
 marked with 4 notches on E. ^{and} 1 notch
 on S edges. from which
- A Pine 7 ins diam br. N. 32° E. 14 lks
 Dist marked Sp. 13 N. R. 14 E. S. 38 B. T.
- A Pine 8 ins diam br. S. 51° E. 57 lks
 Dist marked Sp. 13 N. R. 14 E. S. 33 B. T.
- A Pine 6 ins diam br. S. $37^{\circ} 30'$ W 16 lks
 Dist marked Sp. 13 N. R. 14 E. S. 33 B. T.
- A Pine 8 ins diam br. N. 33° W 28 lks
 Dist marked Sp. 13 N. R. 14 E. S. 29 B. T.

Sp. 13 T. E. 14 East

Chains Land, Broken,

Soil 3rd rate

80chs Pine timber

Heavily timbered land 80chs

$N. 89^{\circ} 59' E$ on a true line bet. nos. 28 and 33.

$N. a 13^{\circ} 47' E$.

through timber.

8.40 Road to Winslow N.E.

40.00 Set a sandstone $18 \times 16 \times 6$ ins 12 ins in the ground for $\frac{1}{4}$ sec corner marked $\frac{1}{4}$ on N face, from which.

A Pine 16 ins diam br. $N. 47^{\circ} E$ 71 lbs
Sist. marked $\frac{1}{4}$ S.B.T.

A Pine 10 ins diam br. $S. 57^{\circ} W$ 43 lbs
Sist. marked $\frac{1}{4}$ S.B.T.

67.00 descend into gulch course S.E.

73.00 bottom^{and} ascend

78.00 top and descend into Cañon

80.00 Set a lime stone $12 \times 10 \times 10$ ins 8 ins in the

Auxiliary Base

Chains ground for cor to sec. 27-34-33^{and}34
 marked with 3 notches on E^{and} notch
 on S edges from which.

A Cedar 24 ins diam br. N. 55° E. 97 lks
 dist marked Sp. 13 N. R. 14 E. S. 27 B.T.

A Pine 16 ins diam br. S. 58° E. 26 lks
 dist marked Sp. 13 N. R. 14 E. S. 34 B.T.

A Pine 12 ins diam br. S. 30° W 3 lks
 dist marked Sp. 13 N. R. 14 E. S. 33 B.T.

A Pine 6 ins diam br. N. 47° 30' W 6 lks
 dist marked Sp. 13 N. R. 14 E. S. 28 B.T.

Land, high. Rolling.

Soil, 3rd rate

80 lks Pine^{and} Cedar Timber.

Heavily timbered land 80 lks

N. 89° 59' E. on a true line bet sec. 27^{and}34

Va 13° 48' E.

Through Timber descend into Cañon
 course N.E.

Sp. 13 N. R. 14 East.

Chains

16.00 bottom

18.00 ascend

23.00 top

26.00 descend into Cañon course N.E.

29.00 bottom

34.00 ascend

38.00 top

40.00 Set a sandstone 24x10x10 ins in the ground for 1/4 sec cor marked 1/4 on N face, from which.

A Pine 17 ins diam br. N. 63° W 73 lbs
Sist marked 1/4 S.B.T.

A Pine 28 ins diam br. S 41° E. 90 lbs
Sist marked 1/4 S.B.T.

+8.00 Head of bulch br. W

80.00 Set a Lime stone 12x10x8 ins in the ground for cor to secs. 26-27-34 and 35 marked with 2 notches on E, and 1 notch

Auxiliary Base

Chains on S. Edges from which

2 Pine 14 ins diam br. N 77° E. 34 lks

Sist marked Sp. 13 N. R. 14 E. S. 26 B.T.

A Pine 16 ins diam br. S. 75° E. 64 lks

Sist marked Sp. 13 N. R. 14 E. S. 35 B.T.

A Pine 15 ins diam br. S. 30° W 81 lks

Sist marked Sp. 13 N. R. 14 E. S. 34 B.T.

A Pine 20 ins diam br. N 14° W 60 lks

Sist marked Sp. 13 N. R. 14 E. S. 27 B.T.

Land Broken

Soil 4th rate

80 chs. Pine Timber

Heavily timbered land, rocks

Oct 24 93

N 89° 59' E on a true line bet sees. 26 and 35

Ta. 13° 46' E.

Through Timber

24.50 descend into Branch Cañon of Cheolm
joins Main Cañon rocks S. E.

29.00 bottom and ascent

chamis *U* 13 *N.E.* 14 East.

31.00 top

36.00 Gulch 100 lks wide, joins main cañon 20 chs. S.E.

40.00 Set a lime stone 36x30x15 ins 7 ins in the ground for 1/4 sec cor, marked 1/4 on N face from which a Pine 14 ins diam br. N. 26° W 18 lks S. 1/4 marked 1/4 S.B.T.

a Cedar 13 ins diam br. S. 30° 30' E. 25 lks S. 1/4 marked 1/4 S.B.T.

44.00 descend into Chevelon Cañon course N.E.

60.00 bottom

63.00 Creek 30 lks wide, flows N.E.

65.00 ascend

77.50 top.

80.00 Set a sand stone 36x12x6 ins 7 ins in the ground for cor to, secs. 25-26-35 and 36 marked with notch on E. and S. edges, from which.

Quillinary Base.

Chain A Pine 12 ins diam br. N. 54° E. 39 lks

Sist marked Sp. 13 N. R. 14 E. S. 25 B. T.

A Pine 11 ins diam br. S. 58° E. 53 lks

Sist marked Sp. 13 N. R. 14 E. S. 36 B. T.

A Cedar 18 ins diam br. S. 50° W. 46 lks

Sist marked Sp. 13 N. R. 14 E. S. 35 B. T.

A Cedar 10 ins diam br. N. 49° W. 109 lks

Sist marked Sp. 13 N. R. 14 E. S. 26 B. T.

Land Broken

Soil 3rd and 4th rate

rocks Pine and Cedar Timber.

Heavily timbered land rocks

N. $89^{\circ} 59'$ E. on a true line bet secs 25^{and} 36.

7a. $13^{\circ} 47'$ E.

Through Timber, descend into Gulch

course N. E.

4.00 bottom^{and} ascend.

15.00 top

28.00 descend into Cañon course N. N. W.

Apr 13 N.R. 14 East.

chain

37.00 bottom ^{and} along Cañon

40.00 Set a Lime stone 15 x 12 x 8 ins 10 ins in
the ground for $\frac{1}{4}$ sec cor marked $\frac{1}{4}$ on
N. face from which

A Pine 8 ins diam brs N 9° E 22 lks
Sist marked $\frac{1}{4}$ S. B. T.

A Pine 15 ins diam brs S 48° W 33 lks
Sist marked $\frac{1}{4}$ S. B. T.

50.00 ascend

58.00 top

76.00 ^{Descend into}
Gulch 100 lks wide course N. W.

78.00 bottom ^{and} ascend

80.00 The cor to sec. 25-30-31 ^{and} 36 on E. form

Say of township

Land Broken

Soil 3rd rate

80 cl. Pine ^{and} Cedar Timber.

Heavily timbered land rocks

Subdivisions

- chains 80' E on a random line to sec 35^{and} 36
 Va. $13^{\circ}46' E$
- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 74.35 Intersect 3rd Standard parallel
 N. $\frac{3}{4}$ E. of cor to sec. 35^{and} 36 as here
 in before described
 thence run
 N on a true line to sec. 35^{and} 36.
 Va. $13^{\circ}46' E$
 through timber
- 1.50 Gulch 1 ch wide course E
- 18.50 Gulch 1 ch wide course N W
- 34.35 Set a lime stone $15 \times 12 \times 5$ ins 10 ins in the
 ground for $\frac{1}{4}$ sec. cor marked $\frac{1}{4}$ on W face
 from which.
 An Oak 3 ins diam br. $30^{\circ} E$ 45 lbs
 dist marked $\frac{1}{4}$ S. D. T.
 A Pine 6 ins diam br. $S 16^{\circ} W$ 17 lbs
 dist marked $\frac{1}{4}$ S. D. T.

chains. *Apr 13 N. R. 11th East.*

54.98 Pine tree 14 ins diam on line with 2 watches

74.35 The cor to sec. 25-26-35 and 36 (R) on N 4th sides

Land Rolling

Soil. 3rd and 4th strata

74.35 chs Pine and Cedar

Heavily timbered land 74.35 chs

N. 0° 1' W lat. sec. 25th and 26th.

Pa. 13° 46' E.

Through Timber

8.00 descend into Cañon br Wy.

40.00 bottom and ascend and 1/4 cor. point

43.00 top and descend along East Slope of Cañon

44.00 The ground at 1/4 cor point being so broken

at this point I set a lime stone 15 x 5

x 5 ins in the ground for 1/4 sec corner

marked 1/4 W. C. in 7th face and raised a mound

of stone 1/2 ft high 2 ft base along side

It is impracticable.

60.00 bottom; Cañon here br. N. N. W.

chains Subdivisions

- 68.00 Frigating Ditch N. E^{and} ascend
 70.00 Trail br. N. E.
 80.00 Set a sand stone 24x16x3 ins in
 the ground for cor to pces. 23-24-25
 and 26. marked with 2 notches on S.
 and 1 notch on E edges ^{and} from which
 A Pine 24 ins diam br N. 25° E. 28 lks
 Dist marked Sp. 13 N. R. 14 E. S. 24 B. T.
 A Pine 6 ins diam br S. 85° E. 228 lks
 Dist marked Sp. 13 N. R. 14 E. S. 25. B. T.
 A Pine 30 ins diam br. S. 70° W. 181 lks
 Dist marked Sp. 13 N. R. 14 E. S. 26. B. T.
 A Pine 26 ins diam br. N. 28° W. 113 lks
 Dist marked Sp. 13 N. R. 14 E. S. 23 B. T.
 Land Broken
 Soil 2nd and 4th rate
 80 chs Pine Timber.
 Heavily timbered land 80 chs

N 89° 54' E on a random line bet pces 24^{and} 25

17

R. 13 ... R. 14 East.

Chains Va. $13^{\circ}47'E$.

40.00 Set a temporary $\frac{1}{4}$ sec. cor.

80.06 Intersect E boundary of township at cor
to secs. 19-24-25 and 30 as herein before
described

Hence I run.

S $89^{\circ}59'W$ on a true line bet sec. 24 and 25.

Va. $13^{\circ}47'E$.

Through Timber.

27.00 descend into Branch Cañon of the Cheve-
lon Cr. N W.

35.00 bottom and ascend

40.03 This point falling on a true stone in
place $3 \times 2 \times 3$ ft. I marked a cross (x)
at exact cor point and marked $\frac{1}{4}$ on
N. from which.

A Pine 18 ins diam Cr. $S 50^{\circ}E$. 75 lks
dist marked $\frac{1}{4}$ l. B. L.

A Pine 8 ins diam Cr. $N 35^{\circ}W$ 12 lks

Subdivisions

Chains.	Just marked 4 SBT
41.00	top and descend into Cañon bro Ny
43.00	bottom and ascend
49.00	top and descend into Chevron Cañon
51.00	bottom
67.00	ascend small ridge at Fork
70.00	top and descend into Main Chevron Cañon
74.00	bottom course N.N.E.
78.50	Irrigating ditch bro Ny
80.06	The cor to secs 23-24-25 and 26. Land Rough and Broken. Soil 1st and 2nd rate 80.06 chs Pine and Cedar Timber Heavily timbered land 80.06 chs
	N. 0° 1' W lat secs 23 and 24. Va 13° 49' E. Through Timber
9.00	irrigating ditch bro NW

Chain P. 13 T. 14 East.

- 11.00 irrigation ditch br. N.W.
- 11.30 Enter cultivated fields
- 31.75 Fence S.W. and leave fields.
Enter Chevelon
- 34.50 Creek 50-lks wide flows North
Leave
40.00 1/2 m 50 lks wide flows East
44.00 The cor point being in creek, at a
point chs N. I set a sandstone 18x12x6
ins in the ground for witness cor to 1/4
sec. cor. marked W.C. 1/4 on W face from
which
- A Pine 30 ins diam br. N 75° E. 103 lks.
dist marked 1/4 S. W. C. B. T.
- A Pine 34 ins diam br. S. 63° W 60 lks
dist. marked 1/4 S. W. C. B. T.
- 48.00 ascend
- 65.00 top and descend into Gouche.
- 79.00 bottom course East
- 80.00 Set a sandstone 18x14x4 ins 12 ins in
the ground for cor to sec 13-14-23 and 34
marked with 3 notches on S. and 1

Subdivisions

Chain notch on E. c 5 ges from which a
 Pine 36 ins diam. to S. 55° E. 30 lks
 West marked Sp. 13 N. R. 14 E. S. 24 B. 1
 A Pine 38 ins diam. to S. 64° W. 30 lks
 West marked Sp. 13 N. R. 14 E. S. 23 B. 1
 No other trees within limits
 Land Rough and Broken
 Soil 3rd rate
 Sochs. Pine Timber
 Heavily timbered land of sochs.

N. 89° 59' E on a random line to sec 13 ^{and} 24
 N. a. 13° 48' E.

Through Timber

40.00 Set temporary 1/4 sec cor.

80.04 Intersect E. boundary of township
 8 lks S. of corner to sec. 13-18-19 ^{and} 24
 as herein before described. Thence run
 S. 89° 56' W on a true line to sec 13 ^{and} 24
 N. a. 13° 48' E.

Sp 13 N. R. 14 East.

- Chains Through Timber
- 38.50 Cattle trail bears N.W. - N.E. + S.E.
- 40.02 Set sandstone 24x12x10 ins 16 ins in the ground for $\frac{1}{4}$ sec. cor marked $\frac{1}{4}$ on N face, from which
- A Cedar 6 ins diam br. N. 71° E. 45 lbs dist marked $\frac{1}{4}$ S. D. T.
- A Cedar 17 ins diam br. S. 21° W 35 lbs dist marked $\frac{1}{4}$ S. D. T.
- 44.50 Cattle trail br. N. W.
- 48.00 Cattle trail br. N. W. descent
- 61.50 Gulch course W. S. W. enclosure br. 6 chs. S. W
- 62.50 ascend. at this point or 3 chs S.
- ✓ Chevelon Cañon turns abruptly to the W
- 67.50 top and descent over Bluffs.
- Bottom of Chevelon Creek and ascend
- 79.50 ~~Gulch~~ and ascend
- 79.75 Trail N. E.
- 80.04 The cor to sec. 13-14-23^{and} 24.

Subdivisions

Chains Land Rough^{and} Broken
 Soil Worthless
 80.04 chs Pine^{and} Cedar Timber
~~Heavily timbered land 80.04 chs~~

N. 0° 1' W lat. recs 13^{and} 14

Va 13° 47' E

Through Timber
 Chevelon

1.40 | 1/2 Crnk 30 lks wide br N. 41° W^{and} ascend

10.00 top over Broken ground (Bluff)
 descend

25.00 Chevelon 70 lks wide. course N. E. bottom

34.00 Chevelon Crnk 20 lks wide course N. W ascend

40.00 Set a sand stone 12 x 10 x 8 ins 8 ins in the
 ground for 1/4 sec. cor marked 1/4 on N
 face, from which

A Pine 5 ins diam br N 71° W 15 lks
 distant marked 1/4 S. B. T.

A Pine 6 ins diam. br. S 64° W 30 lks
 dist. marked 1/4 S. B. T.

Chambers. Sp 13 N. R. 14 East

40.50 top and descend

52.00 ~~bulch~~ ~~N. E.~~ chert on creek rocks N. E.

53.00 ascend

58.00 top

64.00 descend

67.00 bulch and ascend S. E.

80.00 ^{Top} a lime stone 18x10x4 ins 12 ins in the ground for corts, recs. 11-12-13 and 14 marked with 4 notches on S. and on E. edges and raised a mound of stone 1/2 ft high 2 ft base alongside it is impracticable from which

A. Cedar 18 ins diam br. S. 73° E. 11 lks. Dist. marked Sp. 13 N. R. 14 E. S. 13 B. T.

A Cedar 14 ins diam br. N. 53° W. 139 lks. Dist. marked Sp. 13 N. R. 14 E. S. 11 B. T. No other trees within limits.

Land Rough and Broken Soil. Worthless.

Subdivisions

Chains 80 chs Pine ^{and} Cedar Timber
Heavily timbered land 80 chs

N. $89^{\circ}56'E$ on a random line to secs. 12 ^{and} 13

Va. $13^{\circ}47'E$.

Through Timber

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.12 Intersect E. boundary of Township
6 chs. S. of cor to secs. 7-12-13 ^{and} 18-20
herein before described

Thence S. run

S. $89^{\circ}5'3''$ W on a true line to secs. 12 ^{and} 13.

Va. $13^{\circ}47'E$.

Through Timber

6.50 Gulch 130 chs wide c. brs by

33.50 Gulch 150 chs wide brs by

40.00 This point falling on a limestone in
place 16 x 10 x 3 ins I marked a cross
(x) at exact cor point for $\frac{1}{4}$ sec. cor
with $\frac{1}{4}$ on N. from which

Sp 13 T. R. 14 East

Chains A Cedar 18 ins diam br. N 63° W 75 lks
 Dist marked $\frac{1}{4}$ S. B. T.

A Pine 10 ins diam br. S 55° E 148 lks
 Dist marked $\frac{1}{4}$ S. B. T.

63.00 descend

65.00 bottom

66.50 Creek. 30 lks wide flows N. ^W ascend

80.15 The cor to secs. 11-12-13 ^{and 14}

Land Rough and Broken
 Soil. 2nd and 3rd rate

80.15 Cedar and Pine Timber,

heavily timbered land ^{secs 11, 12, 13}

N. 0° W br. sec. 11 ^{and 12}

Va $13^{\circ} 46' E$

Through timber along W bank of
 Cañon

57.00 descend into gulch course S. E.

14.00 bottom and ascend

25.00 top.

Chains Subdivisions

- 40.00 Set a limestone 15 x 10 x 8 ins 10 ins in
the ground for $\frac{1}{4}$ sec cor marked $\frac{1}{4}$
on W face from which
A Pine 13 ins diam br. N 19° E. 75 lks
dist marked $\frac{1}{4}$ S. B. T.
An Oak 3 ins diam br. S 43° W 24 lks
dist marked $\frac{1}{4}$ S. B. T.
- 44.00 Guleh. 75 lks wide course N. E. & ascend
~~Chardon~~
60.00 descend into Cañon. course N. N. W.
- ~~75.00 Chardon Cañon, and ~~along~~~~
W bank of Cañon
- 80.00 Set a sand stone 24 x 24 x 12 ins 10 ins in
the ground for cor to secs. 1-2-11 and 12
marked with 5 notches on S. and on E
edges and raised a mound of stone $1\frac{1}{2}$ ft
high 2 ft base alongside pits, im-
practicable.
Land Rough and Broken
Soil 3rd and 4th rate

Sp 13 N. R. 14 East.

Chain rocks line timber.

~~Heavily timbered land rocks~~

N. $89^{\circ}53'E$ on a random line to sec. 1^{and 12}
 Va. $13^{\circ}46'E$.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.80 Intersect E. boundary of township
 12 lks N of of cor to secs. 1-6-7^{and 12}
 as herein before described
 thence run

S. $89^{\circ}58'W$ on a true line to secs. 1^{and 12}
 Va. $13^{\circ}46'E$

through timber

38.40 The cor point being on Ragged Bluff
 at a point 1.00 lks N I set a sandstone
 $15 \times 12 \times 6$ ins 10 ins in the ground for wit-
 ness cor. to $\frac{1}{4}$ sec. cor. marked W. C. $\frac{1}{4}$
 on N. face. from which
 a Cedar 14 ins diam br. N $79^{\circ}W$ 12 lks
 dist marked $\frac{1}{4}$ W. C. S. B. T.

Subdivisions.

- Chains A Pine Creek Team to S. 33° E. 7 chs
 First marked $\frac{1}{4}$ W. C. S. B. T.
- 65.00 descend into Chevelon Cañon N.
- 73.00 bottom ^{and} Chevelon Creek flows N. E.
- 76.00 ascend.
- 79.80 The cor to secs. 1-2-11 ^{and} 12
 Land, Rough and Broken
 Soil, Worthless
 79.80 chs Pine and Cedar timber.
 Heavily timbered land 4980 chs
 Oct. 25, 93.
-
- N. 0° 1' W on a random line bet secs. 1 ^{and} 2
 Va. 13° 46' E.
 Through Timber
- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 80.07 Intersect N boundary of township
^{ch} 3 ^{1/2} W of cor to secs. 1-2-35 ^{and} 36 as
 herein before described
 Thence run
 South on a true line bet secs. 1 ^{and} 2

Sp 13 N. E. 14 East.

Chains Va $13^{\circ} 46' E$.

Through Timber

12.00 Gulch 100 lks wide. course E.

30.00 Gulch 100 lks wide course E.

40.07 Set a sand stone $18 \times 8 \times 4$ ins 12 ins in
the ground for $\frac{1}{4}$ sec. cor marked $\frac{1}{4}$ on
W face, from which.

A Pine Gins diam br. N $36^{\circ} 30' E$ 68 lks.

Set marked $\frac{1}{4}$ S. B. T.

A Pine Gins diam br. S $36^{\circ} W$ 53 lks

Set marked $\frac{1}{4}$ S. B. T.

42.00 Gulch. 100 lks wide. course E.

70.00 descend along ^{W. bank of} Chevelon Cañon N.E.

80.07 The cor to pieces 1-2-11 and 12

Land Rough and Broken

Soil 2 or less

80.07 Pine Timber

Heavily timbered land 80.07 chs

Set on a random line to pieces 34 and 35

Subdivisions

- Chains Va. $13^{\circ}47' E$
Through Timber
- 40.00 Set temporary $\frac{1}{4}$ sec cor.
- 74.60 Intersect 3rd stand and parallel
North 8 lks. E of cor to secs. 2-3-34 ^{Qu 35}
as herein before described
Thence run
N $0^{\circ}4' W$ on a true line to secs. 34 ^{Qu 35}
Va $13^{\circ}47' E$
Through Timber
- 34.60 Set a lime stone $18 \times 10 \times 8$ ins 12 ins in the
ground for $\frac{1}{4}$ sec cor marked $\frac{1}{4}$ on W face
from which
A Pine 17 ins diam br. N $63^{\circ} W$ 73 lks
Set marked $\frac{1}{4}$ S. B. T.
A Pine 28 ins diam br. S $41^{\circ} E$ 90 lks
Set marked $\frac{1}{4}$ S. B. T.
- 74.60 The cor to secs. 26-27-34 ^{Qu 35}
Land, Rolling.

Sp 13. N. E. 14 East.

Chama Soil 2nd and 3rd rate

74.60 chs Pine and Cedar.

~~Heavily timbered land 74.60 chs~~

N. 0° 1' W lat. sec. 26 and 27

Pa. 13° 48' E.

Through Timber.

40.00 Set a sand stone 24 x 20 x 10 ins in
the ground for $\frac{1}{4}$ sec. cor marked $\frac{1}{4}$ on
W face from which.

A Pine 16 ins diam br. N 13° E. 78 lbs
dist marked $\frac{1}{4}$ S. B. T.

A Pine 27 ins diam br. S 28° W 80 lbs
dist marked $\frac{1}{4}$ S. B. T.

64.00 descend into Cañon N. N. E.

77.00 bottom and ascend

80.00 Set a Granite stone 36 x 12 x 10 ins 37 ins in
the ground for cor to sec 22-23-26 and 27
marked with 2 notches on S. and E.
edges from which.

Subdivisions

- Chains A Pine 6 ins diam br. N 57° E. 103 lks
 Dist. marked Sp. 13 N. R. 1 + E. S. 213. B. T.
- A Pine 18 ins diam br. S. 57° E. 33 lks
 Dist. marked Sp. 13 N. R. 14 E. S. 26 B. T.
- A Pine 15 ins diam br. S. 84° W. 40 lks
 Dist. marked Sp. 13 N. R. 14 E. S. 37 B. T.
- A Pine 14 ins diam br. N 60° W. 102 lks
 Dist. marked Sp. 13 N. R. 14 E. S. 32 B. T.

Land Rolling

Soil 2nd and 3rd rate

rocks. Pine Timber

~~Heavily timbered land rocks~~N $89^{\circ} 59'$ E. on a random line between 23^{and} 26Va. $13^{\circ} 50'$ E.40.00 Set temporary $\frac{1}{4}$ sec. cor.80.00 Intersect N^{and} S line 14 lks. Sof
 cor to sec. 23-24-25^{and} 26. as herein
 before described
 Thence Inm

Sp. 13. N. L. 14 East.

Chains N. 89° 55' W on a true line at sec 23 ^{and 26}

N. 13° 50' E

Through Timber

In Chevelon cañon.

5.50 Creek 50 lks wide flows N. W.

6.00 begin ascent of W bank of Chevelon Creek

30.00 top of Bank

35.00 descend into Cañon branch. N. E.

40.00 This point falling on a limestone in place 30 x 10 x 3 ins I marked a cross (x) at exact cor point. for 1/4 sec. cor marked 1/4 on N. from which

An Oak 6 ins diam br. N. 40° E. 10 lks

Dist marked 1/4 S. B. T.

A Pine 26 ins diam br. S. 42° W 62 lks

Dist marked 1/4 S. B. T.

47.50 bottom ^{and} ascend

60.00 top

73.00 descend into Cañon course N. E.

Chains

Subdivisions

- 79.25 bottom ^{and ascend}
- 80.00 The cor to sec. 22-23-26 ^{and 27.}
Land Rough ^{and Broken.}
Soil Worthless
80chs Pine Timber Some Oak.
~~Heavily timbered land 80chs~~
- N. 0° 1' W lat. sec. 22 ^{and 23.}
- N. 13° 45' E.
- Through Timber, ascend
- 2.00 top ^{and descend}
- 8.00 Gulch ^{and ascend} course. N. E. y.
- 14.00 top
- 40.00 This point falling on a Limestone in place. 24 x 30 x 4 ins I marked across (X) at exact cor point for 1/4 sec. cor marked 1/4 on N. from which
A Cedar 15 ins diam. br. N 76° W 78 lks
Dist marked 1/4 S. D. T.
A Cedar 18 ins diam br. 10° E. 50 lks

Sp. 13 N. R. 14 East.

- Chains dist marked 7 S. B. T.
- 49.75 Gulch. 100 lks wide course N. E.
- 51.95 Cattle trail to NW
- 52.55 Road to Taylor's Ranch to E.
- 80.00 Set a lime stone 24x12x12 ins 16 ins in the ground for cor to sec. 14-15-32^{and} 33 marked with 3 notches on S and 2 notches on E edges and from which
- A. Cedar 14 ins diam to N 81° E. 30 lks dist marked Sp. 13 N. R. 14 E. S. 14 B. T.
- A. Cedar 12 ins diam to S 82° E. 33 lks dist marked Sp. 13 N. R. 14 E. S. 23 B. T.
- A. Cedar 14 ins diam to S. 38° W 6 lks dist marked Sp. 13 N. R. 14 E. S. 22. B. T.
- A. Cedar 16 ins diam to N. 5° W 36 lks dist marked Sp. 13 N. R. 14 E. S. 15 B. T.
- Land Rough and Broken
- Soil Worthless
80. chs Pine and Cedar Timber
- Heavily timbered land 80 chs

Subdivisions

Chain S. 89° 55' E on a random line between ^{Quads 3} 14 & 23

Va. 13° 47' E.

40.00 Set temporary 1/4 sec. cor.

79.80 Intersect N and S line at corners.

13-14-23^{Quads} & 24 as herein before described

Thence True

N. 89° 55' W on a true line between ^{Quads} 14 & 23.

Va. 13° 47' E.

Through Timber ascend along slope

~~8.00 top of hill descend into gulch~~

~~16.00 bottom course N 55°~~

~~20.00 bank to the side of the top of hill ascend~~

30.00 top of hill descend into Gulch

32.00 Gulch course S. E and ascend

39.95 Set a lime stone 12 x 12 x 10 ins in the ground for 1/4 sec cor marked 1/4 on N face, from which

A Pine 13 ins diam br. N 80° W 31 lks
dist marked 1/4 S. B. T.

37

Sp. 13. N. E. 14 East.

Chains a Pine 18 ins diam br. S. 15° E. 56 lks

37.00 Dist marked $\frac{1}{4}$ S. P. T.
top and descend

42.00 Re-cross Gulch NE

57.00 Re-cross Gulch course S. W.

70.00 Recross Gulch course N. E.

79.80 The cor to secs 14-15-22 and 23.

Land Rough and Broken
Soil Worthless

79.80 chs. Pine, Oak and Cedar Timber.

Heavily timbered land 79.80 chs

N. 0° 1' W br sec. 14 and 15

Va 13° 47' E

Through Timber

40.00 Set a lime stone 15 x 12 x 8 ins 10 ins in the
ground for $\frac{1}{4}$ sec cor marked $\frac{1}{4}$ on W face
from which

a Pine 8 ins diam br N 36° E. 33 lks

Dist marked $\frac{1}{4}$ S. P. T.

a Pine 12 ins diam br. S. 33° W. 26 lks

Subdivisions

Chains Dist marked 1/4 S. B. T.

68.50 Road to Taylors Ranch. br N. E. S. W.

80.00 Set a lime stone 15 x 14 x 10 ins 10 ins in
the ground for corners 10-11-14^{and} 15-
marked with 4 notches on S. ^{and} 2
notches on E edges from which

A Pine 18 ins diam br N 50° E 30 lks
Dist marked Sp. 13 N. R. 14 E. S. 11 B. T.

A Cedar 17 ins diam br S 82° E. 54 lks
Dist marked Sp. 13 N. R. 14 E. S. 14 B. T.

A Pine 20 ins diam br. S 14° W 59 lks
Dist marked Sp. 13 N. R. 14 E. S. 15 B. T.

A Pine 16 ins diam br. N 54° W 134 lks
Dist marked Sp. 13 N. R. 14 E. S. 10 B. T.

Land Rolling

Soil 3rd rate

80 cks Pine ^{and} Cedar Timber.

Heavily timbered land 80 cks

189° 55' on a random line br sec 11 ^{and} 14

Sp 13 R.R. 14 East.

Chains Va. 13° 46' E.

40.00 Set temporary 1/4 sec. cor.

79.85 Intersect. N and S line 11 lks. S. of cor to secs. 11-12-13 and 14 as herein before described

Hence run

W on a true line bet secs. 11 and 14 Va. 13° 46' E.

Through Timber ascend

14.00 top and descend

19.00 gulch and ascend course N E.

35.00 top

33.00 gulch 100 lks wide course S. S. E.

39.92 Set a Limestone 21 x 18 x 12 ins 14 ins in the ground for 1/4 sec. cor marked 1/4 on N face from which

a Pine 8 ins diam br. N 28° W 17 lks dist marked 1/4 S. B. T.

a Pine 6 ins diam br. S 55° E. 60 lks

Subdivisions

Chain list marked $\frac{1}{4}$ S. P. T.

48.00 Gulch 100 lbs wide course N.

73.50 Road to Taylor's Ranch br. N 44° E

79.85 The cor to secs. 10-11-14^{and 15}

Land Broken

Soil Worthless

79.85 cho Pine^{and} Cedar Timber

Heavily timbered land 79.85 ch.

N. 0° 1' W - ht 200, 10^{and 11}

Va 13° 45' E

Through Timber

40.00 Set a Limestone 18 x 14 x 4 ins 13 ins in the

ground for $\frac{1}{4}$ sec. cor marked $\frac{1}{4}$ on W

face from which

A Pine 13 ins diam br. N 44° E. 50 lbs

list marked $\frac{1}{4}$ S. P. T.

A Cedar 18 ins diam br. S 36° W 2-3 lbs

list marked $\frac{1}{4}$ S. P. T.

40.50 Gulch 100 lbs wide Course N W 1/2

Chain *P* 13 *N.R.* 14 East.

67.55 Road to Winslow n. N.W.

80.00 Set a sand stone $18 \times 12 \times 4$ ins 12 ins in the ground for cor to piers 2-3-10 and 11 marked with 5 notches on S and 2 notches on E edges and from which

A Pine 5 ins diam br. N. $41^{\circ}30'$ E. 72 lks
Dist marked *P* 13 *N.R.* 14 E. S. 2 B.T.

A Pine 16 ins diam br. S. 78° E. 82 lks
Dist marked *P* 13 *N.R.* 14 E. S. 11 B.T.

A Cedar 12 ins diam br. S. 73° W 32 lks
Dist marked *P* 13 *N.R.* 14 E. S. 10 B.T.

A Pine 4 ins diam br. N. $41^{\circ}30'$ W 69 lks
Dist marked *P* 13 *N.R.* 14 E. S. 3 B.T.

Land Rolling

Soil 4th rate

80 chs Pine and Cedar Timber.

~~to be easily timbered~~ Land 80 chs
Oct. 26. 93.

East on a road on line to piers 2 and 11
Va. $13^{\circ}46'$ E.

Subdivisions

Chains Through Timber

40.00 Set temporary $\frac{1}{4}$ sec cor

80.12 Intersect N^{and} S. line 12 lks N of
cor to secs. 12-11^{and} 12 as herein before
described.

Thence S. run.

S. 89°55' W on a true line bet. secs. 2^{and} 11

Va 13°46' E.

Through Timber. ascend

8.00 top

40.06. A Juniper 10 ins diam which I
marked $\frac{1}{4}$ on N side^{and} raised a
mound of stone $1\frac{1}{2}$ ft high 2 ft
base alongside Pitts, impracti-
cable, for $\frac{1}{4}$ sec. cor.

52.00 Road to Ny

80.12 The cor to secs. 2-3-10^{and} 11

Land Rough Rolling

Soil 3rd^{and} 4th rate

BOOK 43
130

P. 13 N. R. 14 East.

Chains 80.15 chs. Pine, ^{and} Cedar. Timber.
Heavily timbered chs 80.12 chs

N. 0° 1' W on a random line bet. sec. 2 ^{and} 3

Va. 13° 46' E.

40.00 Set temporary 1/4 sec. cor.

80.11 Intersect N boundary of township 8
lks W of cor to sec. 2-3-34 ^{and} 35 as
herein before described

Thence run

S. 0° 2' W on a true line bet. sec. 2 ^{and} 3

Va. 13° 46' E.

Through Timber.

40.11 Set a sand stone 15 x 12 x 5 ins 10 ins in the
ground for 1/4 sec. cor. marked 1/4 on W
face from which

A Cedar 12 ins diam br. N 11° 30' W 29 lks
dist marked 1/4 S. B. T.

A Cedar 11 ins diam br. S. 5° E. 31 lks
dist marked 1/4 S. B. T.

Subdivisions

Chains

49.00 Gulch 1.50 lks wide course S.E.

63.30 Gulch 1.50 lks wide course N.E.

73.10 Gulch 150 lks wide course N.E.

80.11 The cor to secs. 2-3-10^{and} 11

Land Rough Rolling

Soil 3rd rate

80.11 chs Pine^{and} Cedar.~~Heavily timbered land 80.11 chs~~S 0° 2' E on a random line bet. secs. 33^{and} 34

Va. 13° 47' E.

40.00 Set a temporary 1/4 sec. cor.

74.85 Intersect the Third Standard Parallel

North 4 lks. W of cor to secs. 34-33^{and}

34 as herein before described

Thence I run

N on a true line bet. secs. 33^{and} 34

Va. 13° 47' E.

Through Timber.

Summs Sp 13 N.R. '4 East.

10.00 descend into gulch course N.E.

16.00 bottom and ascend

30.50 top

34.85 Set a sandstone 18x12x10 ins 13 in in the ground for $\frac{1}{4}$ sec or marked $\frac{1}{4}$ on W face from which

A. Pine 8 ins diam br. N $75^{\circ}30'$ W 110 lks dist marked $\frac{1}{4}$ S. B. T.

A. Pine 6 ins diam br. S 74° E. 88 lks dist marked $\frac{1}{4}$ S. B. T.

60.00 Gulch to N.E. 50 lks wide & ascend

74.85 The cor to sec. 27-28-33^{and} 34

Land rolling

Soil 3rd rate

75.17 chs Pine Timber -

Heavily timbered land 74.85

N $2^{\circ}11'$ bet sec. 27^{and} 28

W $13^{\circ}48'$ E

descend
Through Timber, along E. slope of ridge

Chains Subdivisions

- 13.00 descend into Gulch course by.
 16.00 bottom ^{and ascend}
 20.00 top
- 40.00 Set a sandstone 15 x 12 x 5 ins 10 ins in
 the ground for $\frac{1}{4}$ sec cor, marked $\frac{1}{4}$ on
 W face from which
 A Pine 14 ins diam br. N. 62° E. 85 lks
 Dist marked $\frac{1}{4}$ S. B. T
 A Pine 18 ins diam br. S. 54° W 41 lks
 Dist marked $\frac{1}{4}$ S. B. T
- 80.00 Set a lime stone 24 x 12 x 8 ins 16 ins in
 the ground for cor to sec 21-22-^{and 28} 27
 marked with 2 notches on S. ^{and 3}
 notches on E. edges from which
 A Cedar 14 ins diam br. N. 52° E. 50 lks
 Dist marked Sp. 13 N. R. 14 E. S. 27 B. T
 A Cedar 14 ins diam br. S. 39° E. 46 lks
 Dist marked Sp. 13 N. R. 14 E. S. 27 B. T
 A Pine 16 ins diam br. S. $47^{\circ} 30'$ W 66 lks

Sp. 13 N. R. 14 East.

- Chains dist marked Sp. 13 N. R. 14 E. S. 28 B. T.
 A Pine 24 ins diam br. N 14° W 43 lks
 Dist marked Sp. 13 N. R. 14 E. S. 21 B. T.
 Land Rolling
 Soil 3rd rate
 80 chs Pine and Cedar timber
~~Heavily timbered land 80 chs~~
-
- N $89^{\circ} 59'$ E on a random line to sec. 22-27
 Va. $13^{\circ} 48'$ E.
- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 80.12 Intersect N and S line 12 lks S. of cor to
 sec. 22-23-26 and 27 as herein before
 described
- Thence I run
 S. $89^{\circ} 54'$ W on a true line to sec. 22-27
 Va. $13^{\circ} 48'$ E.
 Through Timber
 ascend W. bank of Cañon.
- 1.00 top.

Chain Subdivisions

- 23.27 Pine 36 ins diam on line with 2 notches on
(R) E & W sides
- 34.62 Cattle Trail br. N.E.
- 40.06 Set a sand stone $21 \times 10 \times 6$ ins 14 ins in
the ground for $\frac{1}{4}$ sec. cor marked
 $\frac{1}{4}$ on N face from which
A Pine 8 ins diam br. N. 26° E. 69 lks
dist marked $\frac{1}{4}$ S. B. T.
A Cedar 24 ins diam br. S. 56° W 45 lks
dist marked $\frac{1}{4}$ S. B. T.
- 51.00 Gulch 75 lks wide br. N.E.
- 56.18 Pine 36 ins diam on line with 2 notches on
(R) E & W sides
- 80.12 The cor to pccs. 21-22-27^{and} 28
Land Broken
Soil 2nd rate
80.12 Pine^{and} Cedar Timber.
Heavily timbered land rocks
N. $0^\circ 2' W$ br pccs. 21^{and} 22
Va. $13^\circ 47' E$.
Through Timber

Chains

Sp. 13 N. R. 14 East.

- 6.65 Road to Winslow to E.
- 40.00 Set a sand stone $18 \times 10 \times 6$ ins $1\frac{1}{2}$ ins in the ground for $\frac{1}{4}$ sec. cor marked $\frac{1}{4}$ sec cor on N face from which
 A Pine 8 ins diam br. N $52^{\circ}30' E$. 30 lks
 Dist marked $\frac{1}{4}$ S. B. T.
 A Pine 20 ins diam br. S $36^{\circ}30' W$ 37 lks
 Dist marked $\frac{1}{4}$ S. B. T.
- 80.00 Set a Lime stone $18 \times 10 \times 10$ ins $1\frac{1}{2}$ ins in the ground for cor to sec. 15-16-21 and 22 marked with 3 notches on S. and E. edges from which
 A Pine 8 ins diam br. N $61^{\circ}30' E$. 87 lks
 Dist marked Sp. 13 N. R. 14 E. S. 15 B. T.
 A Pine 6 ins diam br. S $70^{\circ} E$. 56 lks
 Dist marked Sp. 13 N. R. 14 E. S. 22 B. T.
 A Pine 18 ins diam br. S $33^{\circ}30' W$ 60 lks
 Dist marked Sp. 13 N. R. 14 E. S. 21 B. T.
 A Pine 20 ins diam br. N $36^{\circ}30' W$ 32 lks

Subdivisions

- Chains. dist marked Sp 13 NR 14 E. 116 B. I.
 Land Rolling
 Soil 2nd rate
 socks Pine Timber
~~Heavily timbered land socks~~
- N. $89^{\circ}54'$ E on a random line to sec. 15^{and 22}
 Va. $13^{\circ}47'$ E
- 40.00 Set a temporary $\frac{1}{4}$ sec. cor.
 79.80 Intersect N^{and S} line 8 lks S. of cor
 to pice. 14-15-22^{and 23} as herein be-
 fore described
 Thence I run
 S. $89^{\circ}51'$ W on a true line to sec. 15^{and 22}
 Va. $13^{\circ}47'$ E
 Through Timber
- 7.00 descend
 15.00 bottom gulch course N.E.
 16.00 old Road to N.E. and ascend
 24.00 top

Chambers

Sp. 13 N. L. 14 East.

- 39.90 Set a sandstone 18x12x8 ins 12 ins in
the ground for $\frac{1}{4}$ sec cor marked $\frac{1}{4}$ on
N face from which
an Oak 16 ins diam br. N 74° E. 58 lks
Dist marked $\frac{1}{4}$ S. B. T.
a Pine 20 ins diam br. S. 24° W 82 lks
Dist marked $\frac{1}{4}$ S. B. T.
- 46.50 Road to Winslow Co. N.Y.
- 79.80 The cor to secs 15-16-21 and 22
Land Rolling
Soil 2nd and 3rd rate.
79.80 chs Pine, Oak and Cedar Timber
Heavily timbered land 79.80 chs
-
- N. 02' W lat secs. 15 and 16
Va. $13^{\circ} 46' E$
through Timber
- 40.00 Set a lime stone 15x8x5 ins 10 ins in the
ground for $\frac{1}{4}$ sec cor marked $\frac{1}{4}$ on W
face from which.

Subdivisions

Chains & Limestone 15 x 8 x 5 ins 0 ins in the ground for 1/4 sec cor marked 1/4 on W face, from which

A Pine 19 ins diam br N 30° E. 31 lks
dist marked 1/4 S. B. J.

A Pine 12 ins diam br S. 33° W 16 lks
dist marked 1/4 S. B. J.

80.00 Set a sandstone 15 x 10 x 8 ins 10 ins in the ground for cor to recs 9-10-15^{and} 16 marked with 4 notches on S^{and} 3 notches on E. edges from which

A Pine 16 ins diam br N 18° E. 79 lks
dist marked Sp. 13 N. R. 14 E. S. 10 B. J.

A Pine 8 ins diam br S 50° E. 80 lks
dist marked Sp. 13 N. R. 14 E. S. 15 B. J.

A Pine 14 ins diam br S. 65° 30' W 134 lks
dist marked Sp. 13 N. R. 14 E. S. 16 B. J.

A Pine 17 ins diam br N 16° W 68 lks
dist marked Sp. 13 N. R. 14 E. S. 9. B. J.

Sp. 13. T. L. 14 East.

Chain Land Rolling
Soil 2nd and 3rd rate
80 chs Pine Timber
Heavily timbered land 80 chs

N. 89° 51' E. on a random line bet secs 10^{and} 15
Va 13° 46' E.

40.00 Set temporary 1/4 sec cor.

80.18 Intersect N^{and} S line 21 lks N of cor to
secs. 10-11-14^{and} 15 as herein before de-
scribed

Thence run

W on a true line bet secs. 10^{and} 15
Va 13° 46' E.

Through Timber

40.09 Set a sandstone 21 x 10 x 4 ins 14 ins in the
ground for 1/4 sec. cor marked 4 on N face
from which

a Cedar 20 ins diam br. N 41° E. 68 lks
dist marked 4 S. B. T.

Subdivisions

Chains An Oak 8 ins diam. br. S. $57^{\circ}W$ 31 lks
 Dist marked $\frac{1}{4}$ S. B. T.

H. 60 Road to Winslow br NE

80.18 The cor topics. 9-10-15^{and} 16.

Land Rolling

Soil 2nd and 3rd rate

80.18^{ch 2} Pine and Cedar Timber Some Oak

~~heavily timbered land 80.18 ch~~

Oct 27. 93

N $0^{\circ}2'W$ bet secs. 9^{and} 10

Va $13^{\circ}46'E$

Through Timber

40.00 Set a sandstone $18 \times 14 \times 6$ ins diam in the
 ground for $\frac{1}{4}$ sec cor marked $\frac{1}{4}$ on W face
 from which

A Pine 4 ins diam. br. N $63^{\circ}30'W$ 48 lks
 Dist marked $\frac{1}{4}$ S. B. T.

A Pine 10 ins diam. br. S. $57^{\circ}30'E$ 40 lks
 Dist marked $\frac{1}{4}$ S. B. T.

80.00 Set a sandstone $21 \times 14 \times 14$ ins 14 ins in

Sp 13 N. R. 14 East.

chains the ground for cor to pccs. 3-4-9 and 10
 marked with 5 notches on S. and 3
 notches on E. edges from which
 A Pine 16 ins diam brs N 41° E 84 lks
 dist marked Sp 13 N. R. 14 East. S 3 B. T.
 A Pine 15 ins diam brs S. 38° E. 30 lks
 dist marked Sp. 13 N. R. 14 E. S. 10 B. T.
 A Pine 17 ins diam brs S. 34° W 79 lks
 dist marked Sp. 13 N. R. 14 East S. 9 B. T.
 A Pine 20 ins diam brs N 34° W, 01 lks
 dist marked Sp 13 N. R. 14 E. S. 4 B. T.

Land Rolling

Soil & rate

80 chs Pine Timber

Heavily timbered of land socks

E. on a rand on line bet pccs. 3 and 10

Va. 13° 46' E.

40.00 Set temporary 1/4 sec cor.

Pa. 20 Intersect N and S. line at cor to pccs.

Subdivisions

Chains 2-3-10^{and} 11 as herein before described.

Then from

W. on a true line bet. sec. 3^{and} 10.

To $13^{\circ}46'E$.

through Timber

3.00 Gulch 100 ft wide course N.E.

20.50 Road to N.W.W.

30.10 Road to Winslow's Hy.

40.10 Set a sandstone $15 \times 12 \times 3$ ins 10 ins in the ground for $\frac{1}{4}$ sec. corner marked 4 on N face from which.

A Pine 10 ins diam to $N 6^{\circ} W 35$ - 120
dist marked $\frac{1}{4}$ S. B. T.

A Cedar 15 ins diam to $S. 83^{\circ} E. 32$ ins
dist marked $\frac{1}{4}$ S. B. T.

58.90 Gulch 100 ft wide to Hy.

80.50 The cor to sec. 3-4-9^{and} 10

Land Rolling

Sp. 131 (1) R. 14 East.

Cham Soil 3rd rate

80.20 chs. Pine Timber

Heavily timbered land 80.20 chs

N. 0° 2' W on a random line bet secs 3^{and} 4

Pa. 13° 46' E.

40.00 Set temporary 1/4 sec. cor.

80.09 Intersect. North boundary of township
at cor to secs. 3-4-33-34 as herein be
for described

Thence run

S 0° 2' E on a true line bet secs. 3^{and} 4

Pa. 13° 46' E.

through Timber

6.50 Wash 30 lks wide course N E.

40.04 Set a sandstone 15 x 12 x 5 in 100 ins in the
ground for 1/4 sec. cor marked 1/4 on W face
and from which

A Pine 20 ins diam br. N 12° 30' E. 79 lks
dist marked 1/4 S. B. T.

Subdivisions

- Chains a Pine 16 ins diam br. S. $50^{\circ}W 69$
 lks dist marked $\frac{1}{4}$ sec. T.
- 80.09 The cor to secs 3-4-9^{and} 10
 Land Rolling
 Soil. 2nd and 3rd rate
 800 lbs. Pine Timber
~~800 lbs. timbered land 800 lbs~~
- S. $02^{\circ}E$ on a random line bet. secs. 32^{and} 33
 Va. $13^{\circ}47'E$.
- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 75.17 Intersect. third stand and Parallel
 north at cor to secs. 4-5-32^{and} 33
 as herein before described
 Hence I run
 N. $02^{\circ}W$ on a true line bet. secs. 32^{and} 33
 Va. $13^{\circ}47'E$
 through timber
- 10.00 descend into gulch course N. E.
 16.00 bottom^{and} ascend

chains

Sp. 13 N. P. 14 East.

20.50 top

35.17 Set a sand stone $24 \times 12 \times 10$ ins / 6 ins in the ground for $1/4$ sec cor. marked $1/4$ on W face from whichA Pine 16 ins diam br. $N 76^\circ E$. 27 lks
Set marked $1/4$ S. B. T.A Pine 14 ins diam br. $S. 58^\circ W$ 41 lks
Set marked $1/4$ S. B. T.

59.10 Road br NE.

75.17 The corners 38-29-32 and 33

Land Rolling
Soil 3rd rate

75.17 lbs Pine Timber.

~~Seavily timbered land 75.17~~N. $0^\circ 2' W$ br sec. 28 and 29Va $13^\circ 48' E$.

Through Timber descend

7.00 Gulch 150 lks wide course NE.

40.00 Set a lime stone $18 \times 12 \times 6$ ins 13 ins in the

Subdivisions

Chains ground for $\frac{1}{4}$ sec cor marked $\frac{1}{4}$ on W face
from which

A Pine 14 ins diam brs. N 43° W 13 lks
dist marked $\frac{1}{4}$ S. B. T.

A. Pine 6 ins diam brs. S $4^{\circ} 30'$ E. 54 lks
dist marked $\frac{1}{4}$ S. B. T.

77.00 Gulch. 100 lks wide. course N. E.

80.00 Set, a sand stone 18×15 ins 13 ins in the
ground for cor to sec. 20-21-28 and 29
marked with 2 notches on S. and 4
notches on E edges from which

A Pine 18 ins diam brs. N 57° E. 68 lks
dist marked $\frac{1}{4}$ p 13 N. R. 14 E. S. 21 B. T.

A Pine 16 ins diam brs. S 43° E. 56 lks
dist marked $\frac{1}{4}$ p 13 N. R. 14 E. S. 28 B. T.

A Pine 8 ins diam brs. S 78° W 69 lks
dist marked $\frac{1}{4}$ p 13 N. R. 14 E. S. 29 B. T.

A Pine 14 ins diam brs. N 62° W 93 lks
dist marked $\frac{1}{4}$ p 13 N. R. 14 E. S. 30 B. T.

Tp 13 R. 14 East

Chain Land Rolling.

Soil 3rd rate

sochs Pine Timber.

Heavily timbered land sochs

N 89° 59' E on a random line to secs 21^{and 28}

Va. 13° 49' E.

40.00 Set temporary 1/4 sec. cor.

79.90 Intersect N^{and} S. line 3 lks S. of cor
to secs. 21-22-27-28 as herein before
described

Thence I run

S. 89° 58' W on a true line to secs. 21^{and 28}

Va. 13° 49' E.

through Timber.

7.00 Winslow Road to N.E.

39.90 Set a sand stone 15 x 14 x 6 ins. in the
ground for 1/4 sec. cor marked 1/4 on N face
from which.

a Pinet. line to N 51° W 54 lks

Subdivisions

Chains dist marked 1/4 S. B. T.

A Pine ss Indian ls S. 41° E. 64 lks
dist marked 1/4 S. B. T.

49.00 bulch 75 lks wide. to NE.

79.90 The corts, secs. 20-21-28^{and} 29

Land Rolling

Soil. 3^d rate

79.90 cho Pine Timber

Heavily timbered land 79.90 lks

P. 13 R. 14 East