

No-136

# Field Notes

OF THE SURVEY OF THE

*SUBDIVISION LINES*

-OF-

Township *13 N.* Range *3 E.*

*Gila and Salt River Base and Meridian*

**ARIZONA.**

By *C. Burton Foster* D. S.

under contract dated *Oct. 29 1874.*

Survey commenced *Dec. 1<sup>st</sup> 1874.*

Survey completed *Dec. 26. 1874.*

No-136

136

Township 13 North R. 3 East

Gila and Salt River Meridian.

6	51	5	39	4	29	3	19	2	9	1
51		50		38		29		18		8
7	49	8	37	9	28	10	17	11	8	12
48		47		36		27		16		7
18	47	17	35	16	36	15	15	14	6	13
46		45		35		24		14		5
19	44	20	34	21	24	22	13	23	4	24
43		43		33		23		12		3
30	42	29	32	28	22	27	12	26	2	25
41		40		31		21		11		2
31	40	32	30	33	20	34	10	35	1	36

**PRELIMINARY OATHS OF ASSISTANTS.**

WE, George Carr  
 and Richard Shrope  
 do solemnly swear that we will faithfully execute  
 the duties of Chain Carriers; that we will level the  
 chain upon uneven ground, and plumb the tally  
 pins, whether by sticking or dropping the same;  
 that we will report the true distance to all notable  
 objects, and the true length of all lines that we as-  
 sist in measuring, to the best of our skill and  
 ability.

George Carr  
Richard Shrope

Sworn to and subscribed before me, this 16<sup>th</sup>  
 day of November, 1874

E. C. Wells  
 Clerk U. S. Dist Court  
 3<sup>d</sup> Dist of Arizona



No. 156

W.C.E. William H Foster

do solemnly swear that <sup>I</sup> will well and truly perform the duties of Axeman

according to instructions given <sup>me</sup> ~~us~~ and to the best of <sup>my</sup> ~~our~~ skill and ability.

William H. Foster

Sworn to and subscribed before me this 16<sup>th</sup> day of November 1874



E. W. Wells  
Clerk U. S. Dist Court 1874  
3<sup>rd</sup> Dist of Arizona 1874

J.R.

No-136

10

Field Notes

Of the  
Subdivision Lines

of

Township 13 North Range 3 East

Gila and Salt River Meridian

Territory of Arizona

Surveyed by

C. Burton Foster

U.S. Dep. Surveyor

Under his contract dated

Oct 29<sup>th</sup> 1874

Survey commenced Dec 17<sup>th</sup> 1874

and completed Dec 26<sup>th</sup> 1874

## Township 13 North Range 3 East

## Gila and Salt River Meridian

chs.

Begin at the established cor to  
Sec's 35 & 36 on the south boundary of  
Township 13 North Range 3 East from  
which cor I run

North between Sec's 35 & 36.

Subdivisions commenced Dec 14<sup>th</sup> 1874  
Va 14° 25' East

As per Burt's Improved Solar Compass

4 1 1 1 Set a line stone 15 x 12 x 8 ins marked  
1/4 set 2/3 in the ground for 1/4 Sec Cor.

No Trees near

72.50 Nail brass N.E. & S.W.

8 1 1 1 Set a post marked and notched 4 ft long  
3 in square 1 ft in the ground deposit  
marked stone 12 in down and build a mound  
of earth 2 ft high with pits 2 x 1 x 1 ft for  
cor to Sec's 25 26 35 & 36

No Trees near

Land gently rolling

Soil 2<sup>nd</sup> rate. An occasional cedar is the only timber



## Township 13 North Range 3 East

## Gila and Salt River Meridian

chs.	
	Eastward run line between Secs 25 & 36 Ta 14° 25' East
25.20	Arroyo 20 lks wide flows S.
40.00	Set stone for temporary $\frac{1}{4}$ Sec Cor
80.00	Intersected the E boundary of Township at - to Secs 25 & 36 - Stone Cor. from which Cor I run West on true line between Secs 25 & 36 Ta 14° 25' East
40.00	Set a line stone 10x10x8 ins marked $\frac{1}{4}$ and set $\frac{2}{3}$ in the ground for the $\frac{1}{4}$ Sec Cor
80.00	The Cor to Secs 25 26 35 & 36 Land gently rolling and sloping east Soil 2 <sup>nd</sup> and 3 <sup>d</sup> rate Grasses abundant but very little timber along line. A few Cedars is all
	North between Secs 25 & 26 Ta 14° 25' East
26.00	Begin ascent of hill
40.00	Set a granite rock 20x12x8 ins set $\frac{3}{4}$

Township 13 North Range 3 East

Gila and Salt River Meridian

cks.

in the ground and marked 1/4 for the 1/4 Sec Cor.

No Trees near

46.00 Summit of hill

49.00 begin descent

74.00 foot and enter level land

80.00 Deposit stone marked + set a post marked  
and notched 4 ft long x 3 in squared 1 ft in  
the ground and build mound of earth 2 ft high  
with pits 2x1x1 ft for the Cor to Secs 23, 24,  
25 + 26.

No Trees near

Land hilly

Soil 2<sup>nd</sup> and 3<sup>d</sup> rate

No Timber

East on random line between Secs 24 + 25

Var 14° 25 East

40.00 Set stone for temporary 1/4 Sec Cor

80.00 Intersected the E boundary of Township  
18 lks S of Cor to Secs 19, 24, 25 + 30



BOOK 136  
Township 13 North Range 3 East

Gila and Salt River Meridian

chs.

from which Cor I run

S 89° 52' W on true line between Secs 24 + 25

7/4 14° 25' East

4 0.0 0

Set line stone 24 x 15 x 8 ins marked 1/4 and  
set 3/4 in the ground for the 1/4 Sec Cor  
No trees near

8 0.0 0

The Cor to Secs 23, 24, 25 + 26

Land rolling

Soil 2<sup>nd</sup> rate

An occasional cedar is the only timber

North between Secs 23 + 24

7/4 14° 25' East

4 0.0 0

Set a line stone 14 x 10 x 4 ins marked 1/4  
set 2/3 in the ground for the 1/4 Sec Cor  
No trees near

5 2.0 0

Enter box cañon 75 ft deep bears E + W

5 4.0 0

Leave cañon

8 0.0 0

Set a post marked and notched 4 ft long 3 in  
squares 1 ft in the ground drive charred

Township 13 North Range 3 East.

Gila and Salt River Meridian

Chs.

stake and build a mound of earth 2 ft high  
with pits 2x1x1 ft for Cor to Secs 13, 14,

23 + 24

No Trees near

Land rolling

Soil 1<sup>st</sup> + 2<sup>nd</sup> rate

Timber a few Cedars.

East on random line between Secs 13 + 24

$\nabla$  14° 25' East

40.00 Set stone for temporary 1/4 Sec Cor

80.00 Intersected the east boundary of Township  
16 lks north of the Cor to Secs 13, 18,

19 + 24 from which Cor I run

N 89° 53' West on true line between Secs 13 + 24

$\nabla$  14° 25' East

40.00 Set line stone 15x12x10 ins marked 1/4  
and set 2/3 in the ground for the 1/4 Sec Cor.  
from which a cedar 10 in dia bears  
N 30° E 20 lks dist. No others near

Township 13 North Range 3 East

Gila and Salt River Meridian

chs.

80.00

The Cor to Sec's 13, 14, 23 & 24

Land mostly level

Soil 1<sup>st</sup> and 2<sup>nd</sup> rate

Timber, scattering cedars

North between Sec's 13 & 14

Var 14° 25' East.

28.00

Descend into Cañon

32.00

Foot of Cañon and Pimego Creek 50 ft  
wide flows N

35.00

Leave cañon and enter mesa

40.00

Set lime stone 16 x 12 x 12 ins marked  $\frac{1}{4}$   
and set  $\frac{3}{4}$  in the ground for  $\frac{1}{4}$  Sec Cor  
No trees near

80.00

Set a granite stone 24 x 10 x 10 ins  $\frac{3}{4}$  in  
the ground notched on north and east edges  
for the Cor to Sec's 11, 12, 13 & 14

No trees near

Land rolling and broken

Soil 2<sup>nd</sup> and 3<sup>d</sup> rate



Township 13 North Range 3 East

Gila and Salt River Meridian

Some Cedars along the line

Eastward one line between Secs 12 & 13  
Va  $14^{\circ}25'$  East

- 12.00 Begin ascent of slope conical hill
- 22.00 Summit to point 4 chains south of rocky butte 25 ft high
- 40.00 Set stone for temporary  $\frac{1}{4}$  Sec Cor
- 80.18 Intersected the east boundary of Township 20 Ms south of the Cor to Secs 7, 12, 13 & 18 from which Cor I run
- $S89^{\circ}51'W$  on true line between Secs 12 & 13  
Va  $14^{\circ}25'$  East
- 40.09 Set granite stone  $18 \times 15 \times 8$  ins marked  $\frac{1}{4}$  and set  $\frac{3}{4}$  in the ground for the  $\frac{1}{4}$  Sec Cor.  
No Trees near
- 80.18 The cor to Secs 11, 12, 13 & 14  
Land rolling  
Soil 2<sup>nd</sup> and 3<sup>d</sup> rate  
Timber scattering Cedars
- 17<sup>th</sup> December 1874

Township 13 North Range 3 East

Gila and Salt River Meridian

chs.

North between Sec's 11 + 12

Pa 14° 25' East

30.50 Trail to Camp Verde through Copper Cañon  
bears E & N.

32.00 U.S. Military Telegraph line bears E. & N.

40.00 Set line stone 12 x 10 x 6 ins marked 1/4 set  
2/3 in the ground for the 1/4 Sec Cor  
No Trees near

80.00 Set a post marked and notched 1/4 ft long 3  
ins squared 1 ft in the ground deposit  
marked stone 12 ins down and build mound  
of earth 2 ft high with pits 2 x 1 x 1 ft for  
Cor to Sec's 1, 2, 11 + 12

No Trees near

Land gently rolling

Soil 2<sup>nd</sup> and 3<sup>d</sup> rate

No Timber

Eastward on line between Sec's 1 + 12

Pa 14° 25' East

## Township 13 North Range 3 East

## Gila and Salt River Meridian

40.00	Set stone for temporary $\frac{1}{4}$ Sec Cor
80.20	Intersected the east boundary of Township 30 lks south of Cor to Secs 1, 6, 7+12 from which Cor I run S $89^{\circ}47'$ West on true line between Secs 1+12 V $14^{\circ}25'$ East
40.10	Set line stone $14 \times 8 \times 8$ ins marked $\frac{1}{4}$ set $\frac{2}{3}$ in the ground for $\frac{1}{4}$ Sec Cor No Trees near
80.20	The Cor to Secs 1, 2, 11+12 Land rolling and sloping S.W. Soil 2 <sup>nd</sup> and 3 <sup>d</sup> rate No Timber
North on random line between Secs 1+2 V $14^{\circ}25'$ East	
10.00	Old Road to Camp Verde bears N.E. & S.W.
18.00	Gulch flo S.W.
36.00	Gulch flows S.W. and begin ascent
40.00	Set stone for temporary $\frac{1}{4}$ Sec Cor.



## Township 13 North Range 3 East

## Gila and Salt River Meridian

ch.

80.00 Intersected the north boundary of Township 18  
 1/4's west of the Cor to Secs 1, 2, 35 & 36  
 from which Cor I run  
 South  $0^{\circ} 8'$  west on true line between  
 Secs 1 & 2

Va  $14^{\circ} 25'$  East.

40.00 Set line stone  $24 \times 18 \times 15$  ins marked  $1/4$   
 set  $3/4$  in the ground for  $1/4$  Sec Cor  
 No Trees near

80.00 The Cor to Secs 1, 2, 11 & 12  
 Land slope south Black Hills  
 Soil 2<sup>nd</sup> and 3<sup>d</sup> rate  
 No Timber

North between Secs 34 &amp; 35

Va  $14^{\circ} 20'$  East

40.00 Set a line stone  $12 \times 10 \times 10$  ins marked  $1/4$   
 and set  $2/3$  in the ground for the  $1/4$  Sec Cor.  
 No Trees near

80.00 Set a line stone  $10 \times 10 \times 10$  ins properly

Township 13 North Range 3 East

Gila and Salt River Meridian

Chs.

Notched set  $\frac{2}{3}$  in the ground and build  
mound of rock 2 ft high on N side for  
the Cor to Sec's 26, 27, 34 & 35

No Trees near

Land high mesa

Soil 2<sup>nd</sup> rate

No Timber

East on random line between Sec's 26 & 35.

$\text{Va } 14^{\circ} 20' \text{ East.}$

39.75 Trail bears north & south

40.00 Set stone for temporary  $\frac{1}{4}$  Sec Cor

80.00 Intersected the north and south line at  
Cor to Sec's 25, 26, 35 & 36 from which  
Cor I run

West on true line between Sec's 26 & 35.

$\text{Va } 14^{\circ} 20' \text{ East.}$

40.00 Set line stone  $12 \times 10 \times 8$  ins marked  $\frac{1}{4}$   
and set  $\frac{2}{3}$  in the ground for  $\frac{1}{4}$  Sec Cor

No Trees near

Township <sup>136</sup> 13 North Range 3 East

Gila and Salt River Meridian

chs.

80.00 The Cor to Secs 26, 27, 34 & 35

Land level

Soil 2<sup>nd</sup> and 3<sup>d</sup> rate

No Timber

North between Secs 26 & 27

74° 23' East

40.00 Set a lime stone 15 x 15 x 12 ins marked  
1/4 set 2/3 in the ground for 1/4 Sec Cor

No Trees near

80.00 Set a lime stone 12 x 10 x 6 ins properly  
notched and set 2/3 in the ground and build  
mound of rock 2 ft high on N side for the  
Cor to Secs 22, 23, 26 & 27.

No Trees near

Land rolling mesa

Soil 2<sup>nd</sup> and 3<sup>d</sup> rate

Timber - a few cedars -

18<sup>th</sup> December 1874

Eastward random line between Secs 23 & 26



Township 13 North Range 3 East.

Gila and Salt River Meridian

Va 14°25' East

- 40.00 Set stone for temporary  $\frac{1}{4}$  Sec Cor  
 80.00 Intersected the N & S line 35 lks south  
 of the Cor to Secs 23 24 25 & 26  
 from which cor I run  
 S 89°45' West on true line between Secs 23 & 26.

Va 14°25' East

- 40.00 Set line stone 12 x 8 x 6 ins marked  $\frac{1}{4}$   
 set  $\frac{2}{3}$  in the ground for  $\frac{1}{4}$  Sec Cor  
 No trees near  
 80.00 The Cor to Secs 22, 23, 26 & 27  
 Land mostly level  
 Soil 2<sup>nd</sup> rate  
 Timber, a few scattering Redars

North between Secs 22 & 23.

Va 14°25' East

- 28.50 Arroyo 20 lks wide flows N.  
 40.00 Set line stone 12 x 12 x 6 ins marked  
 $\frac{1}{4}$  set  $\frac{2}{3}$  in the ground for  $\frac{1}{4}$  Sec Cor from

Township 13 North Range 3 East

Gila and Salt River Meridian

Chs.	
	<p>which a cedar 6 in dia bears S 55° E 70 lks dist. No others near.</p>
80.00	<p>Set a granite rock 24 x 12 x 10 ins properly notched set <math>\frac{3}{4}</math> in the ground for the Cor to Sec's 14, 15, 22 + 23 No Trees near Land gently rolling Soil 2<sup>nd</sup> and 3<sup>d</sup> rate Timber Cedar</p>
	<p>East on random line between Sec's 14 + 23. Val 14° 20' East.</p>
40.00	<p>Set a post for temporary <math>\frac{1}{4}</math> Sec Cor</p>
80.00	<p>Intersect N + S line at post Cor from which I run</p>
	<p>West on true line between Sec's 14 + 23 Val 14° 20' East</p>
40.00	<p>A Cedar 4 in dia blaze and mark it <math>\frac{1}{4}</math> S for <math>\frac{1}{4}</math> Sec Cor from which A Cedar 10 in dia bears S 70° E 18 lks dist</p>

## Township 13 North Range 3 East

## Gila and Salt River Meridian

chs.

- 80.00 A Cedar 6 in dia bears S 10° W 22 1/2 lks dist.  
 The cor to Sec's 14, 15, 22 + 23  
 Land rolling and sloping South  
 Soil 2<sup>nd</sup> and 3<sup>d</sup> rate  
 Timber, Cedar.

North between Sec's 14 + 15  
 Ta 14° 20' East

- 20.00 Enter level bottom land  
 28.00 Cienea Creek 75 lks wide flo W.  
 40.00 Set line stone 10x10x10 ins marked  
 1/4 set 2/3 in the ground for the 1/4 Sec Cor  
 from which  
 An ash 10 in dia bears N 15° W 30 lks dist.  
 No others near
- 40.10 Jamn road bears E + W.  
 43.00 Buildings and stock corral of C. P. Head Co  
 bears W of this point about 10 chs dist.  
 53.00 Old road to Camp Verde bears N. E. + S. W.  
 80.00 Set a post marked and notched 4 ft long



Township 13 North Range 3 East

Gila and Salt River Meridian

Chs.

3 in squared 1 ft in the ground deposit  
stone marked + 12 in down and build  
mound of earth 2 ft high with pits 2x1x1  
ft for Cor to Sec's 10, 11, 14 + 15

No trees near

Land mostly level. Bottom land

Soil 1<sup>st</sup> rate

Timber. Some Cedars and along the banks  
of the creek some ash

East on random line between Sec's 11 + 14.

Va  $14^{\circ} 20'$  East.

- 19.00 Old road to Camp Verde bears N. E + S. W.
- 26.00 Arroyo 30 lks wide flows S. S. W.
- 40.00 Set post for temporary  $\frac{1}{4}$  Sec Cor
- 80.20 Intersected the N + S line 24 lks north of  
the Cor to Sec's 11, 12, 13 + 14 from which  
Cor I run
- N  $89^{\circ} 50'$  West on true line between Sec's 11 + 14  
Va  $14^{\circ} 20'$  East.

Township 13 North Range 3 East.

Gila and Salt River Meridian

chs.

- 40.10 Set a post marked  $\frac{1}{4}$  S 4 ft long flattened 3 in wide 1 ft in the ground drive charred stake and build mound of earth 2 ft high with pits  $2 \times 1 \times 1$  ft for  $\frac{1}{4}$  Sec cor  
No trees near
- 80.20 The cor to Sec's 10, 11, 14 + 15.  
Land rolling on east end of line level on west.  
Soil 1<sup>st</sup> and 2<sup>nd</sup> rate  
Timber. a few cedars -

North between Sec's 10 + 11

$N 14^{\circ} 20'$  East.

- 23.00 Old Road bears N. E. & S. W.
- 26.00 U. S. Military Telegraph line bears E. & W.
- 29.00 Trail bears E. & W.
- 40.00 Set a post marked  $\frac{1}{4}$  Sec 4 ft long flattened 3 in wide 1 ft in the ground, drive charred stake and build mound of earth 2 ft high with pits  $2 \times 1 \times 1$  ft for  $\frac{1}{4}$  Sec cor  
No trees near

AS.  
BOOK 136

Township 13 North Range 3 East.

Gila and Salt River Meridian

chs.

80.00 Set a post marked and notched 4 ft long  
3 in squared 1 ft in the ground drive  
charred stake and build mound of earth  
2 ft high with pits 2 x 1 x 1 ft for Cor to  
Secs 2, 3, 10 + 11

No trees near

Land mostly level

Soil 1<sup>st</sup> and 2<sup>nd</sup> rate

No timber

---

Eastward random line between Secs 2 + 11.

On 14° 20' East.

40.00 Set a post for temporary 1/4 Sec Cor.

62.00 Wash flo South

71.00 Road to Camp Verde bears N. E + S. S. W.

80.00 Intersected the N + S line 30 Mts N of the  
Cor to Secs 1, 2, 11 + 12 from which Cor

I run

at 89° 47' West on true between Secs 2 + 11.

On 14° 20' East.



Township 13 North Range 3 East

Gila and Salt River Meridian

Chs.

40.00 Set a post marked  $\frac{1}{4}$  S 4 ft long flattened  
3 in wide 1 ft in the ground deposit marked  
stone 12 in down and build mound of earth  
2 ft high with pits 2x1x1 ft for  $\frac{1}{4}$  Sec Cor.  
No Trees near

80.00 The Cor to Sec's 2, 3, 10 + 11  
Land gently rolling and sloping South  
Soil 2<sup>nd</sup> rate  
No Timber

North on random line between Sec's 2 + 3.  
Val 14° 20' East.

40.00 Set stone for temporary  $\frac{1}{4}$  Sec Cor.

79.90 Intersected the N boundary of Township  
at Cor to Sec's 2, 3, 34, + 35. from which Cor  
I run

South on true line between Sec's 2 + 3.  
Val 14° 20' East

39.90 Set line stone 15x10x6 ins marked  $\frac{1}{4}$  set  
2/3 in the ground for  $\frac{1}{4}$  Sec Cor.

Township 13 North Range 3 East

Gila and Salt River Meridian

Chs.

No Trees near

79.90 The Cor to Sec's 2, 3, 10 & 11

Land sloping south

Soil 2<sup>nd</sup> and 3<sup>d</sup> rate

No Timber

19<sup>th</sup> December 1874

North between Sec's 33 & 34.

On 14° 20' East

34.50 Old Road to Camp Verde bears N. W. & S. E.

40.00 Set line stone 15 x 10 x 10 ins marked 1/4

Set 2/3 in the ground for 1/4 Sec Cor.

No Trees near

66.00 Gulch bears S. W.

80.00 Set a post marked and notched 4 ft long

3 ins squared 1 ft in the ground drive

charred stake and build mound of earth 2 ft

high with pile 2 x 1 x 1 ft for Cor to Sec's

27, 28, 33 & 34

No Trees near

Land broken and hilly sloping N. W.

Township 13 North Range 3 East,

Gila and Salt River Meridian

chs.

Soil 3<sup>d</sup> rate

No Timber

East on random line between Sec's 27 & 34.

On  $14^{\circ}20'$  East.

40.00 Set stone for temporary  $\frac{1}{4}$  Sec Cor

49.00 Gulch bears S. W.

80.00 Intersected the N + S line 25  $\frac{1}{2}$  lks<sup>S</sup> of the  
Cor to Sec's 26 27 34 & 35 from which Cor  
I run.

89 $^{\circ}$ 49' N on true line between Sec's 27 & 34.

On  $14^{\circ}20'$  East

40.00 Set line stone 16x10x8 ins marked  $\frac{1}{4}$  set  
 $\frac{2}{3}$  in the ground for  $\frac{1}{4}$  Sec Cor.

No Trees near

80.00 The Cor to Sec's 27, 28, 33 & 34.

Land rolling

Soil 2<sup>nd</sup> and 3<sup>d</sup> rate

No Timber



Township 13 North Range 3 East

Gila and Salt River Meridian

Chs.

North between Secs 27 & 28  
 W 14° 20' East.

7

40.00 Set a post marked  $\frac{1}{4}$  S 4 ft long flattened 3 in  
 wide 1 ft in the ground deposit marked stone  
 and build mound of earth 2 ft high with  
 pits 2 x 1 x 1 ft for  $\frac{1}{4}$  Sec Cor.

No Trees near

54.00 Old Road from Agua Fria Valley to Camp  
 Verde bears N. E. & S. W.

3

4 57.00 Begin ascent of rocky hill

77.00 Summit and line continues along same

80.00 Set a line stone 24 x 15 x 10 ins properly

6

notched set  $\frac{3}{4}$  in the ground and on its side

8

build mound of rock 2 ft high for the  
 Cor to Secs 21, 22, 27 & 28.

No Trees near

Land rough and hilly

Soil 2<sup>nd</sup> and 3<sup>d</sup> rate

No Timber

Township 13 North Range 3 East

Gila and Salt River Meridian

Ch.

East on random line between Sec's 22 & 27  
 Va  $14^{\circ}20'$  East

- 7.00 Begin descent of hill
- 30.00 Foot
- 34.50 Old Road Agua Fria Valley to Camp Verde  
 bears S. W. + N. E.
- 40.00 Set stone for temporary  $\frac{1}{4}$  Sec Cor.
- 80.00 Intersected the N. + S. line 40 lks S of the  
 Cor to Sec's 22, 23, 26, & 27, from which Cor  
 I run  
 $S 89^{\circ}43'$  West on true line between Sec's 22 & 27  
 Va  $14^{\circ}20'$  East
- 40.00 Set line stone  $12 \times 12 \times 8$  ins marked  $\frac{1}{4}$  set  
 $\frac{2}{3}$  in the ground for  $\frac{1}{4}$  Sec Cor  
 No trees near
- 80.00 The Cor to Sec's 21, 22, 27, & 28.  
 Land rough and hilly on the west. Level on the East.  
 Soil 2<sup>nd</sup> and 3<sup>d</sup> rate  
 No timber

Township 13 North Range 3 East

Gila and Salt River Meridian

Chs.

North between Sec's 21 + 22

Va  $14^{\circ}20'$  East

38.50 Begin descent via precipitous bank of cañon.

40.00 Set lime stone  $15 \times 10 \times 8$  ins marked  $\frac{1}{4}$  set  $\frac{2}{3}$   
in the ground and build a mound of stone 2 ft  
high for  $\frac{1}{4}$  Sec Cor

No trees near

76.00 Foot or bottom of Cañon bears N. E + S. W.

80.00 Set granite rock  $12 \times 12 \times 8$  ins properly  
notched set  $\frac{2}{3}$  in the ground and on N side  
build mound of rock 2 ft high for the Cor  
to Sec's 15, 16, 21 + 22

No trees near

Land rough and broken

Soil 3<sup>d</sup> rate and worthless

Timber a few Cedars

East on random line between Sec's 15 + 22

Va  $14^{\circ}20'$  East

Begin ascent from Cor



## Ironchip 13 North Range 3 East

## Gila and Salt River Meridian

Chs.	
18.00	Summit and entire stony mesa land
40.00	Set stone for temporary $\frac{1}{4}$ Sec Cor.
64.00	Descend from Mesa via precipitous bluff.
66.75	foot of bluff.
68.00	Old Road bears S + N. W.
69.00	South branch of Piñega Creek flows N. W.
79.80	Trail bears N + S.
80.20	Intersected the N + S line 30 lks S of
	the Cor to Sec's 14, 15, 22, + 23 from
	which Cor I run
	S $89^{\circ}47'$ west on true line between
	Sec's 15 + 22
	On $14^{\circ}20'$ East
40.10	Set a granite stone 15x10x6 ins marked
	$\frac{1}{4}$ set $\frac{2}{3}$ in the ground for $\frac{1}{4}$ Sec Cor
	from which a cedar 15 ins dia bears
	N $80^{\circ}$ W 120 lks dist.
	No others near
80.20	The cor to Secs 15, 16, 21 + 22
	Land broken and hilly

Township 13 North Range 3 East.

Gila and Salt River Meridian

chs.

Soil mostly worthless

Timber a few Cedars

North between Sec's 15 + 16

Ta 14° 20 East.

- 21.00 Picuaga Creek flows S.W. 80 lks wide  
 49.00 Set line stone 12 x 12 x 8 ins marked 1/4  
 set 2/3 in the ground for 1/4 Sec Cor.  
 No Trees near  
 46.50 Gulch bears S.S.W.  
 71.00 do bears S.W.  
 72.00 Trail bears E + W.  
 74.00 Old Road to Camp Verde bears S.E. + N.W.  
 80.00 Set a granite stone 14 x 8 x 5 ins properly  
 notched set 2/3 in the ground and on its side  
 build mound of stone for Cor to Sec's  
 9, 10, 15, + 16.  
 No Trees near  
 land rough and broken South  
 level on the north.

Township 13 North Range 3. East

Gila and Salt River Meridians

chs.

Soil worthless South 2<sup>nd</sup> quality  
on the north

No Timber

East on random line between Sec's 10 + 15.

On 14° 20' East

8.00 Arroyos 100 ft wide flows S. S. W.

40.00 Set stone for temporary 1/4 Sec Cor

54.50 Trail bears N. E. & S.

80.00 Intersected the N + S line at Cor to Sec's  
10, 11, 14, & 15, from which Cor I run  
West on true line between Sec's 10 + 15

On 14° 20' East

40.00 Set a granite stone 12 x 10 x 10 ins  
marked 1/4 and set 2/3 in the ground for  
1/4 Sec Cor

No Trees near

80.00 The Cor to Sec's 9, 10, 15 + 16

Land level

Soil 1<sup>st</sup> and 2<sup>nd</sup> rate



BOOK 136

Township 13 North Range 3 East

Gila and Salt River Meridian

Chs.

A few scattering Cedars is the only timber.

21<sup>st</sup> December 1894

North between Sec's 9 & 10

Va 140 20 East

- 19.50 U.S. Military Telegraph line bears N + East. E.
- 22.00 Trail bears W + E. N. E.
- 40.00 Set granite stone 18 x 12 x 8 ins marked  $\frac{1}{4}$  and set  $\frac{3}{4}$  in the ground for  $\frac{1}{4}$  Sec Cor.  
No trees near.
- 80.00 Set a post marked and notched 4 ft long 3 in squares 1 ft in the ground drive chamed stake and build a mound of earth 2 ft high with pits 2 x 1 x 1 ft for Cor to Sec's 8, 9, & 10.  
Land level  
Soil 3<sup>d</sup> rate suitable  
for grazing  
No timber

Township 13 North Range 3 East.

Gila and Salt River Meridian

chs.

East on random line between Sec's 3 + 10.

On  $14^{\circ} 20'$  East.

13.00 Gulch bears S

40.00 Set stone for temporary  $\frac{1}{4}$  Sec Cor

79.70 Intersected the N + S line 18.00 S of the  
Cor to Sec's 2, 3, 10 + 11. from which Cor  
S run

S  $89^{\circ} 52'$  West on true line between Sec's 3 + 10

On  $14^{\circ} 20'$  East.

39.85 Set a granite stone  $12 \times 12 \times 8$  ins marked  
 $\frac{1}{4}$  and set  $\frac{2}{3}$  in the ground for  $\frac{1}{4}$  Sec Cor.

No Trees near

79.70 The Cor to Sec's 3, 4, 9 + 10.

Land rolling and sloping S.

Soil 2<sup>nd</sup> and 3<sup>rd</sup> rate

No Timber

North on random line between Sec's 3 + 4.

On  $14^{\circ} 20'$  East.

7.00 Begin ascent of S slope of Black Hills

Township 13 North Range 3 East.

Gila and Salt River Meridian

- Chs.
- 19.00 Gulch with rocky sides bears S. S. W
- 40.00 Set stone for temporary  $\frac{1}{4}$  Sec Cor.
- 48.50 Same Gulch bears S. S. E
- 80.20 Intersected the North boundary of Township  
30 lks east of the Cor to Secs 3, 4, 33 + 34.  
from which Cor I run  
S 13' East on true line between Secs 3 + 4.  
W 14' 20' East.
- 40.20 Set a granite stone 15 x 12 x 10 ins  
marked  $\frac{1}{4}$  S + set  $\frac{2}{3}$  in the ground for  $\frac{1}{4}$   
Sec Cor  
No trees near
- 80.20 The Cor to Secs 3, 4, 9 + 10  
Land S slope Black Hills  
Soil 2<sup>nd</sup> and 3<sup>d</sup> rate  
No timber.

North between Secs 32 + 33.

NW 14° 25' East

- 40.00 Set a volcanic rock 18 x 12 x 10 ins marked



Township 13 North Range 3 East

Gila and Salt River Meridian

chs.

1/4 for 1/4 Sec Cor.

No Trees near

80.00, Set a post marked and notched 4 ft long x 3  
in square 1 ft in the ground drive charred  
stake and build mound of earth 2 ft high  
with piles 2 x 1 x 1 ft for Cor to Secs 28.  
29. 32 + 33

No Trees near

Land broken and hilly

Soil volcanic. 3<sup>d</sup> rate

No Timber

Eastward random line between Secs 28 + 33

W 14° 20' East

40.00 Set stone for temporary 1/4 Sec Cor.

56.00 Road to Camp Verde bears N + S.

79.00 Intersected the N + S line 30 Ws N of the  
Cor to Secs 27. 28. 33 + 34 from which  
Cor I run

N 89° 47' West on true line

Township 13 North Range 3 East

Gila and Salt River Meridian.

- cks.
- between Sec's 28 + 33  
 W 14° 20' East.
- 39.90 Set lime stone 24 x 15 x 12 in marked  $\frac{1}{4}$   
 and set  $\frac{3}{4}$  in the ground for  $\frac{1}{4}$  Sec Cor.  
 No Trees near
- 79.80 The Cor to Sec's 28, 29, 32 + 33  
 Land gently rolling  
 Soil 2<sup>nd</sup> rate  
 No Timber.

North between Sec's 28 + 29  
 W 14° 20' East.

- 40.00 Set a granite stone 20 x 15 x 15 in marked  
 $\frac{1}{4}$  set  $\frac{3}{4}$  in the ground for  $\frac{1}{4}$  Sec Cor.  
 No Trees near
- 80.00 Set a granite stone 15 x 8 x 8 in prop-  
 erly notched and set  $\frac{2}{3}$  in the ground and  
 build mound of rock 2 ft high on N  
 side for Cor to Sec's 20, 21, 28 + 29.  
 No Trees near

Township 13 North Range 3 East

Gila and Salt River Meridian

chs.

Land rough and broken south  
mostly level north.Soil 2<sup>nd</sup> and 3<sup>d</sup> rate

No Timber

Eastward on line between Sec's 21+28  
Va 14° 20' East.

40.00 Set a post for temporary 1/4 Sec Cor

52.00 Begin ascent of steep rocky hill

60.00 Summit of hill

80.20 Intersected the N + S line 40 lks N of  
Cor to Sec's 21, 22, 27, + 28, from which  
cor I runN 89° 43' W on true line between Sec's 21+28.  
Va 14° 20' East40.10 Set a post marked 1/4 S 4 ft long flattened  
3 in wide drive charred stake and build  
mound of earth 2 ft high with pits 2 x 1 x  
1 ft for 1/4 Sec Cor.

No trees near



BOOK 136

Township 13 North Range 3 East.

## Gila and Salt River Meridian

chs.

- 80.20 The Cor to Sec's 20, 21, 28, + 29.  
Land on east rocky hill. On the most nearly  
level  
Soil 2<sup>nd</sup> and 3<sup>d</sup> rate  
No Timber.

22 December 1894

North between Sec's 20 + 21  
Ta 14° 20' East.

- 33.00 Rinaga Creek 60 lks wide flows S. W.  
40.00 Set a line stone 14x10x6 ins marked 1/4  
set 2/3 in the ground for 1/4 Sec Cor.  
No Trees near
- 80.00 Set a granite stone 18x15x12 ins properly  
notched set 3/4 in the ground and build a  
mound of rock 2 ft high on N side for  
Cor to Sec's 16, 17, 20 + 21.  
No Trees near  
Land rough and broken  
Soil 3<sup>d</sup> rate and worthless  
No Timber - except a few Ash on Creek bank.

Township 13 North Range 3 East

Gila and Salt River Meridian

Chs.	
	East on random line between Sec's 16 + 21. U <sup>W</sup> 14° 20' East.
17.00	Wash 40 lks wide flows S.
40.00	Set stone for temporary 1/4 Sec Cor.
65.00	Cienega Creek 75 lks wide flows S. W.
80.00	Intersected the N + S line 30 lks S of Cor. to Sec's 15, 16, 21 + 22. from which Cor I run S 89° 47' W on true line between Sec's 16 + 21 U <sup>W</sup> 14° 20' East.
40.00	Set a granite stone 16 x 14 x 12 ins marked 1/4 set 2/3 in the ground for 1/4 Sec Cor. No trees near
80.00	The Cor to Sec's 16, 17, 20 + 21. Land broken and hilly Soil 3 <sup>d</sup> rate and worthless Timber - a very few Cedars.
33.00	North between Sec's 16 + 17. U <sup>W</sup> 14° 20' East. Trail bears E + W.

Township 13 North Range 3 East.

Gila and Salt River Meridian

Chs.	
40.00	Set volcanic rock $18 \times 12 \times 4$ ins marked $\frac{1}{4}$ and set $\frac{3}{4}$ in the ground for $\frac{1}{4}$ Sec Cor. No Trees near
52.00	Cross conical rocky butte
68.00	Trail bears E & W.
80.00	Set a post marked and notched 4 ft long 3 in squared 1 ft in the ground drive charred stake and build mound of earth 2 ft high with pits $2 \times 1 \times 1$ ft for Cor to Sec's 8, 9, 16 + 17. Land rolling and broken South. Level at Cor. Soil worthless South. 1 <sup>st</sup> rate at Cor. No Timber
Easton random line between Sec's 9 + 16.	
Va $14^{\circ} 20'$ East.	
10.50	Arroyo 5 lks wide flows S.
40.00	Set post for temporary $\frac{1}{4}$ Sec Cor
59.50	Road to Prescott bears S. E. & N. W.
80.00	Intersected the N. S. line at Cor to Sec's 9, 10, 15, & 16, from which Cor I run



## Township 13 North Range 3 East

## Gila and Salt River Meridian

chs.	
	West on true line between Sec's 9 + 16. Val 14° 21' East.
40.00	Set a post marked $\frac{1}{4}$ S 4 ft long flattened 3 in wide 1 ft in the ground deposit marked stone and build mound of earth 2 ft. high with pits 2 x 1 x 1 ft for $\frac{1}{4}$ Sec Cor. No Trees near
80.00	The cor to Sec's 8, 9, 16, + 17. Sand level Soil 1 <sup>st</sup> and 2 <sup>nd</sup> rate No Timber
North between Sec's 8 + 9. Val 14° 20' East.	
40.00	Set a granite stone 14 x 10 x 5 ins marked $\frac{1}{4}$ set $\frac{2}{3}$ in the ground for $\frac{1}{4}$ Sec Cor. No Trees near
54.50	U. S. Military Telegraph line bears S. E. + N. N. W.
56.00	Road to Prescott bears S. E. + N. N. W.
80.00	Set granite stone 12 x 10 x 8 ins properly

BOOK 136

Township 13 North Range 3 East

Gila and Salt River Meridian

Chs.

Notched set  $\frac{2}{3}$  in the ground and build  
mound of rock 2 ft high on each side for Cor to  
Sec's 4, 5, 8, + 9.

No Trees near  
Land gently rolling  
Soil 2<sup>nd</sup> and 3<sup>d</sup> rate  
No Timber

East on random line between Sec's 4 + 9.  
Va 14° 20' East.

- 7.50 Gulch bears S.
- 41.00 Set stone for temporary  $\frac{1}{4}$  Sec Cor.
- 80.00 Intersected the N + S line 50 lks south of  
the Cor to Sec's 3, 4, 9, + 10, from which Cor I run  
S 89° 39' West on true line between Sec's 4 + 9.  
Va 14° 20' East.
- 40.00 Set a granite stone 15 x 12 x 8 ins marked  $\frac{1}{4}$   
set  $\frac{2}{3}$  in the ground for  $\frac{1}{4}$  Sec Cor.  
No Trees near
- 80.00 The Cor to Sec's 4, 5, 8, + 9.

Township 13 North Range 3 East.

Gila and Salt River Meridian

chs.

Land rolling and sloping south  
Soil 3<sup>d</sup> rate  
No Timber

North on random line between Sec's 4 & 5.  
Va 14° 20' East

38.00 Gulch bears S. S. W.

40.00 Set stone for temporary 1/4 Sec Cor.

80.20 Intersected the north boundary of Township  
16 1/2 N's east of Cor to Sec's 4 & 5 from which  
Cor I run

S 0° 7' E on true line between Sec's 4. & 5.  
Uw 14° 20' East.

40.20 Set a granite stone 14 x 10 x 8 ins marked 1/4  
set 2/3 in the ground for 1/4 Sec Cor.  
No Trees near

80.20 The Cor to Sec's 4. 5. 8. & 9.  
Sand, a gradual S slope of Black Hills  
Soil 3<sup>d</sup> rate  
No Timber

23<sup>d</sup> December 1874



Township 13 North Range 3 East.

Gila and Salt River Meridian

chs.

North between Sec's 31 + 32  
Va 14° 20' East.

40.00 Set a granite stone 18 x 14 x 10 ins marked 1/4  
set 3/4 in the ground for 1/4 Sec Cor.

No Trees near.

80.00 Set a granite stone 16 x 14 x 12 ins properly  
notched and on N side build a mound of stone  
2 ft high for Cor to Sec's 29, 30, 31 + 32

No Trees near

Land rolling mesal

Soil 3<sup>d</sup> rate

No Timber.

East on random line between Sec's 29 + 32.  
Va 14° 20' East.

8.00 Ash Creek 75 lks wide flows S. Ash and  
Lienega Creeks form a confluence about  
3 chains north of this point

40.00 Set a stone for temporary 1/4 Sec Cor

80.00 Intersected the N + S line 20 lks N of the Cor.

## Township 13 North Range 3 East.

## Gila and Salt River Meridian

- chs.
- to Secs 28, 29, 32 + 33 from which Cor I run  
 N  $89^{\circ}51'$  East on true line between Sec's 29 + 32  
 Val  $14^{\circ}20'$  East
- 40.00 Set a granite stone  $12 \times 10 \times 8$  ins marked  $\frac{1}{4}$   
 set  $\frac{2}{3}$  in the ground for  $\frac{1}{4}$  Sec Cor.  
 No Trees near.
- 80.00 The Cor to Sec's 29, 30, 31, + 32.  
 Land rolling mesa  
 Soil malpais 3<sup>d</sup> rate  
 No Timber
- 
- West on random line between Sec's 30 + 31.  
 Val  $14^{\circ}20'$  East.
- 40.00 Set stone for temporary  $\frac{1}{4}$  Sec Cor.
- 80.00 Intersected the West boundary of Township  
 30  $\frac{1}{2}$  N of the Cor to Sec's 30 + 31 from  
 which Cor I run  
 N  $89^{\circ}47'$  East on true line between Secs 30 + 31.  
 Val  $14^{\circ}20'$  East.
- 40.00 Set a granite stone  $14 \times 8 \times 6$  ins marked  $\frac{1}{4}$  set

Township 13 North Range 3 East.

Gila and Salt River Meridian

Chs.

$\frac{2}{3}$  in the ground for  $\frac{1}{4}$  Sec Cor.

No Trees near

80.00 The Cor to Sec's 29, 30, 31, + 32.

Land rolling mesa

Soil granite 2<sup>nd</sup> & 3<sup>d</sup> rate

No Timber

North between Sec's 29 & 30.

On 14° 20' East.

11.00 Ash Creek 30 lks wide flows N. S. W.

40.00 Set volcanic rock 16x12x6 ins marker  $\frac{1}{4}$   
for  $\frac{1}{4}$  Sec Cor.

No Trees near

80.00 A volcanic rock projecting from the ground  
2 ft high x 20x20 ins which I notch on S & E  
sides and build mound of rock 2 ft high  
on N side for Cor to Sec's 19, 20, 29 & 30.

No Trees near

Land high rolling mesa

Soil malpais 3<sup>d</sup> rate



Township 13 North Range 3 East.

Gila and Salt River Meridian

Timber. a very few Cedars.

East on random line between Sec's 20 + 29  
 Va  $14^{\circ} 20'$  East.

38.00 Pienga Creek 40 ft wide flows S.

40.00 Set a stone for temporary  $\frac{1}{4}$  Sec Cor.

80.20 Intersected the N + S line at Cor to Sec's  
 20, 21, 28, + 29, from which Cor I run  
 West on true line between Sec's 20 + 29.  
 Va  $14^{\circ} 20'$  East.

40.10 Set a volcanic rock  $24 \times 18 \times 15$  ins marked  $\frac{1}{4}$   
 and set  $\frac{3}{4}$  in the ground for  $\frac{1}{4}$  Sec Cor.

No Trees near

80.20 The Cor to Sec's 19, 20, 29 + 30.

Land rolling mesa

Sail 3<sup>rd</sup> rate

No Timber

West on random line between Sec's 19 + 30.

Va  $14^{\circ} 20'$  East.

Township 13 North Range 3 East.

Gila and Salt River Meridian

Chs.

30.00 Enter bottom land

40.00 Set post for temporary  $\frac{1}{4}$  Sec Cor

59.00 Ash Creek 25 lks wide flows S.E.

79.90 Intersected the West boundary of Township 35  
lks south of Cor to Secs 19 + 30 from which  
Cor I run

S  $89^{\circ}45'$  East on true line between Secs 19 + 30.

Ta  $14^{\circ}20'$  East.

39.90 Set a post marked  $\frac{1}{4}$  8 4 ft long flattened 3 in wide  
1 ft in the ground deposit stone marked + and  
build mound of earth 2 ft high with pits  
2 x 1 x 1 ft for  $\frac{1}{4}$  Sec Cor.

No trees near

79.90 The Cor to Secs 19 20 29 + 30

Land mostly level

Soil 1<sup>st</sup> and 2<sup>nd</sup> rate

Timber a few ash trees along creek bank

North between Secs 19 + 20

Ta  $14^{\circ}20'$  East

Township 13 North Range 3 East.

Gila and Salt River Meridian

40.00 Set a volcanic rock  $30 \times 20 \times 18$  ins marked  $\frac{1}{4}$   
set  $\frac{3}{4}$  in the ground for  $\frac{1}{4}$  Sec Cor.  
No Trees near.

80.00 Set a granite stone  $21 \times 16 \times 10$  ins properly  
notched set  $\frac{3}{4}$  in the ground and built mound  
of stone 2 ft high for Cor to Sec's 17, 18,  
19 + 20.  
No Trees near.

Land rolling mesa  
Soil nearly worthless  
Timber a very few Cedars.

Cast on random line between Sec's 17 + 20.  
T<sub>W</sub>  $140^{\circ}20'$  East.

40.00 Set stone for temporary  $\frac{1}{4}$  Sec Cor.

80.00 Intersected the N + S line at Cor to Sec's  
16, 17, 20 + 21, from which Cor I run  
West on true line between Sec's 17 + 20.  
T<sub>W</sub>  $140^{\circ}20'$  East.

40.00 Set a granite stone  $16 \times 10 \times 4$  ins marked  $\frac{1}{4}$



Township 13 North Range 3 East

Gila and Salt River Meridian

chs.

set  $\frac{2}{3}$  in the ground for  $\frac{1}{4}$  Sec Cor.  
No Trees near.

80.00 The Cor to Sec's 17, 18, 19, + 20.

Land rolling and rocky

Soil 3<sup>d</sup> rate and worthless

No Timber

24<sup>th</sup> December 1894

Next on random line between Sec's 18+19

Va  $14^{\circ} 20'$  East

10.00 Ledge of volcanic rock 10 ft high bearing N 60° E

40.00 Set stone for temporary  $\frac{1}{4}$  Sec Cor.

79.80 Intersected the west boundary of Township  
40 lks north of Cor to Sec's 18+19 from  
which Cor I run

N  $89^{\circ} 43'$  East on true line between Sec's 18+19

Va  $14^{\circ} 20'$  East

39.80 Set granite stone 12x10x6 ins marked  $\frac{1}{4}$   
set  $\frac{2}{3}$  in the ground for  $\frac{1}{4}$  Sec Cor.

No Trees near

79.80 The Cor to Sec's 17, 18, 19, + 20.

Township 13 North Range 3 East.

Gila and Salt River Meridian

chs.

Land rolling mesa.

Soil 3<sup>d</sup> rate

No Timber

North between Sec's 17 & 18

Tw 14° 20' East.

40.00 Set a granite stone 15 x 8 x 6 ins marked 1/4 set  
2 3/4 in the ground for 1/4 Sec Cor.

No Trees near.

50.00 Trail bears E & N.

80.00 Set a line stone 18 x 12 x 4 ins properly notched  
set 3/4 in the ground on N side build mound  
of stone 2 ft high for Cor to Sec's 7, 8, 17  
and 18.

No Trees near

Land gently rolling

Soil 2<sup>nd</sup> and 3<sup>d</sup> rate

No Timber

East on random line between Sec's 8 & 17.

## Township 13 North Range 3 East

## Gila and Salt River Meridian

Chs.

T<sub>W</sub> 14° 20' East.

40.00 Set stone for temporary 1/4 Sec. Cor

80.00 Intersected the N & S line 25 lks S of the Cor  
to Sec's 8, 9, 16 + 17 from which Cor I run  
S 89° 49' West on true line between Sec's 8 + 17.T<sub>W</sub> 14° 20' East.40.00 Set line stone 14 x 10 x 8 ins marked 1/4 set 2/3  
in the ground for 1/4 Sec Cor.

No Trees near

180.00 The Cor to Sec's 7, 8, 17 + 18.

Land gently rolling

Soil 2<sup>nd</sup> rate

No Timber

West on random line between Secs 7 + 18

T<sub>W</sub> 14° 20' East.

40.00 Set post for temporary 1/4 Sec Cor.

79.60 Intersected the west boundary of Township  
16 lks South of Cor to Sec's 17 + 18 from  
which Cor I run



Township 13 North Range 3 East

Gila and Salt River Meridian

Chs

S  $89^{\circ}53'$  East on true line between Sec's 7 + 18.

Pa  $14^{\circ}20'$  East.

39.60 Set a post marked  $\frac{1}{4}$  Sec 4 ft long flattened  
3 in wide 1 ft in the ground drive charred  
stake and build a mound of earth 2 ft high  
with pits  $2 \times 1 \times 1$  ft for  $\frac{1}{4}$  Sec Cor.  
No Trees near

79.60 The cor to Sec's 7, 8, 17 + 18.

Land gently rolling

Soil 2<sup>nd</sup> rate

Timber, a few Cedars undergrowth oak brush.

North between Sec's 7 + 8.

Pa  $14^{\circ}20'$  East.

40.00 Set granite stone  $15 \times 12 \times 10$  ins marked  
 $\frac{1}{4}$  set  $\frac{2}{3}$  in the ground for  $\frac{1}{4}$  Sec Cor.

No Trees near.

80.00 Set lime stone  $10 \times 10 \times 10$  ins properly  
notched set  $\frac{2}{3}$  in the ground and on N  
side build mound of stone 2 ft high for Cor.

## Township 13 North Range 3 East

## Gila and Salt River Meridian

chs.

to Sec's 5, 6, 7 + 8.

Land mostly level

Soil 2<sup>nd</sup> rate

No Timber

East on random line between Sec's 5 + 8.

Ta 14° 20' East.

40.00 Set stone for temporary  $\frac{1}{4}$  Sec Cor.

53.00 Road to Prescott bears N. W + S. E.

80.00 Intersected the N + S line 12 lks south of  
Cor to Sec's 4, 5, 8, + 9 from which Cor I run  
S 89° 55' Now true line between Sec's 5 + 8.

Ta 14° 20' East. -

40.00 Set a granite stone 18 x 12 x 10 ins marked  $\frac{1}{4}$   
set  $\frac{3}{4}$  in the ground for  $\frac{1}{4}$  Sec Cor.

No Trees near

80.00 The Cor to Sec's 5, 6, 7 + 8.

Land rolling and sloping south

Soil 2<sup>nd</sup> rate

No Timber

## Township 13 North Range 3 East

## Gila and Salt River Meridian

cks.	West on random line between Sec's 6 & 7. Ta 14° 20' East.
40.00	Set stone for temporary 1/4 Sec Cor.
79.40	Intersected the West boundary of Township 10 M's north of Cor to Sec's 6 & 7 from which Cor. I run At 89° 56' East on true line between Sec's 6 & 7. Ta 14° 20' East.
39.40	Set a granite stone 14x8x6 ins marked 1/4 set 2/3 in the ground for 1/4 Sec Cor. No Trees near Land rolling Soil 2 <sup>nd</sup> and 3 <sup>d</sup> rate No Timber. Undergrowth Oak brush in abundance.
	North on random line between Sec's 5 & 6. Ta 14° 20' East.
34.50	U.S. Military Telegraph Line bears E & N.
36.00	Road to Prescott bears N. & S. E.
40.00	Set a granite stone for temporary 1/4 Sec Cor.



Township 13 North Range 3 East

Gila and Salt River Meridian

chs.

80.20 Intersected the north boundary of Township  
14 Nks West of Cor to Secs 5 & 6 from which  
Cor I run

So' 6' West on true line between Secs 5 & 6

Ta 14° 20' East.

40.20 Set a granite stone 12x10x6 ins marked 1/4  
set 2/3 in the ground for 1/4 Sec Cor.

No trees near

80.20 The Cor to Secs 5, 6, 7, + 8,

Land rolling and sloping South

Soil 3<sup>d</sup> rate

No Timber, but considerable undergrowth of  
Manzanita and oak-bush.

26<sup>th</sup> December 1874

Township 13 North Range 3 East.

Gila and Salt River Meridian

General Description.

The quality of the land in this Township is generally 2<sup>nd</sup> rate and mostly covered with rolling hills. The bottom land in Sec's 14 & 15 and a few little valleys in different parts of the Township contain the only suitable land for farming.

There is an abundance of grass throughout the Township.

**LIST OF NAMES.**

---

A List of the Names of Individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the survey of *The Subdivisions of Township 13 North Range 3 East Gila and Salt River Meridians*

Showing the respective capacities in which they acted.

*George Carr* Chainman.  
*Richard Shupe* Chainman.  
*William H. Foster* Axeman.  
 \_\_\_\_\_ Flagman.



FINAL OATH OF ASSISTANTS.

WE hereby certify that we assisted Charles  
Foster U. S. Deputy Surveyor, in  
 surveying the Subdivision lines  
of Township 13 North  
Range 3 East  
Gland Salt River Meridian

and that said Survey has been in all respects, to  
 the best of our knowledge and belief, well and  
 faithfully executed, and the boundary monu-  
 ments planted according to the instructions fur-  
 nished by the Surveyor-General.

George Carr Chainman.  
Richard Shrop Chainman.  
William Foster Axeman.  
 Flagman.

Sworn to and subscribed before me, this 18<sup>th</sup>  
 day of February, 1875

William Wilkerson  
 Clerk Court County 3rd  
 Judicial Dist. Yavapai  
 County Ar.

**FINAL OATH OF DEPUTY SURVEYOR.**

I, Chas. Dutton Foster

U. S. Deputy Surveyor do solemnly swear that,  
in pursuance of a contract with John Wasson,  
United States Surveyor-General for Arizona, bear-  
ing date the 29<sup>th</sup> day of October

1877 I have well, faithfully and truly, in my  
own proper person, and in strict conformity with  
the instructions furnished by the Surveyor-Gener-  
al, the Surveying Manual, and the laws of the  
United States, surveyed all those portions of

the Subdivision lines  
of Township 13 North  
Range 5 East  
Gila and Salt River Meridian

as are repre-  
sented in the foregoing Field Notes as having

been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements contained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

*C. Austin Foster*  
Deputy Surveyor.

Sworn to and subscribed before me, this 18<sup>th</sup>  
day of February, 1875

*William Wilkerson*  
Clerk Dist Court 3rd  
Judicial Dist Yavapai  
County Ariz.



U. S. Surveyor General's Office,  
Tucson, Arizona, June 3, 1875

The foregoing Field Notes of the survey of

Subdivision Lines of Town-  
ship 13 N. Range 3 E.

of the Gila and Salt River Base and Meridian, Arizona,  
executed by C. Barton Foster,  
D. S., under his contract of the 29 day of  
October, 1874, having been critically ex-  
amined and the necessary corrections and explanations  
made, the said Field Notes and the surveys they de-  
scribe, are hereby approved.

John Masson

Surveyor General.