

Field Notes

of the No-137

Subdivision Lines

of
Fractious

Township 13 North
Range 5 East

Gila and Salt River meridian
Territory of Arizona
Surveyed by
C. Burton Foster
U. S. Dep Surveyor

Under his Contract of 5th Aug 1873

Survey commenced Dec. 2^d 1873

Survey completed Dec. 6th 1873

township 13 North R 5 East Gld
 and Salt River meridian

1

71 66

70	6	65	5	57	4	3	2	1		
	68	63	55							
7	62	8	54	9	38	10	11	12		
		60	52		37		15	11		
18		17	51	16	35	15	25	14	9	13
		59	49		34		23		8	
19		20	47	21	32	22	22	23	7	24
			45		31		21		5	
30		29	44	28	29	27	20	26	4	25
			43		27		18		3	
31		32	42	33	26	34	17	35	1	36

No-137

7A

PRELIMINARY OATHS OF ASSISTANTS.

WE, *George J. Roskrug*
and *Andrew J. Shrope*,
do solemnly swear that we will faithfully execute
the duties of Chain Carriers; that we will level the
chain upon uneven ground, and plumb the tally
pins, whether by sticking or dropping the same;
that we will report the true distance to all notable
objects, and the true length of all lines that we as-
sist in measuring, to the best of our skill and
ability.

George J. Roskrug
Andrew J. Shrope

Sworn to and subscribed before me, this *24th*
day of *November*, 187*3*

E. Jewells
Chief District Court
3^d District of Arizona


~~177~~ d. Richard Shrope

do solemnly swear that ~~we~~ I will well and truly perform the duties of Assessor

according to instructions given ^{me} us, and to the best of ~~our~~ ^{my} skill and ability.

Richard Shrope

Sworn to and subscribed before me this 24th day of November 1873



E. E. Evells
Clerk District Court
3rd District of Arizona.

Township 13 North Range 5 East
 Gila and Salt River meridian

Ch^o Begin at the Standard cor
 between Sec 35 and 36 on
 the 3^d Standard North of
 the Gila and Salt River
 meridian from which cor
 I run

North between Sec
 35 and 36

To $14^{\circ} 23'$ East

Subdivisions commenced
 2^d December 1873

10,75 Rio Verde 1 ch wide flows to
 S. E.

12,00 Begin ascent to mesa

22,00 Summit and line continues
 along level mesa

40,00 Set a post marked $\frac{1}{4}$ S 4 feet
 long flattened 3 ins wide
 1 foot in the ground and
 build around it a mound

Township 13 North Range 5 East

Gila and Salt River meridians

Chk of stone 2 feet high for $\frac{1}{4}$
 Sec. cor. No trees near
 4100 Gulch bears to thence S. to
 4300 Ravine bears to and W
 8000 Set a post marked and notched
 4 feet long 3 ins squared
 1 foot in the ground deposit
 marked stone and build
 a mound of earth 2 feet
 high with pits 2 x 1 x 1 ft for
 the cor to Secs 25, 26, 35
 and 36. No trees near
 Sand rolling rolling South
 Level mesa North
 Soil 1st and 2^d rate
 No timber

Township 13 North Range 5 East

Gila and Salt River meridians

- Chc East on random line
between Secs 25 and 36
Ta $14^{\circ} 23'$ East
- 150 ravine bears South
- 780 rocky gulch bears S. thence
S. W. and leave mesa
- 25,000 ravine 2 chc wide with steep
rocky sides bears South
- 74,000 Set post for temporary $\frac{1}{4}$ Sec
cor.
- 44,000 Arroyo 10 links wide flow S. W
- 8,000 Intersected East boundary
at a point 16 links South of
the cor to Secs 25 and 36
from which corner
- I run
S $89^{\circ} 53'$ W on true line
between Secs 25 and 36
Ta $14^{\circ} 23'$ East
- 4,000 Set a post marked $\frac{1}{4}$ S 4 feet

Township 13 North Range 5 East

Gila and Salt River meridian

Ch. long flattened 3 ins wide
1 foot in the ground and
build around it a mound
of stone 2 feet high for $\frac{1}{4}$
Sec. cor. No trees near
8000 The cor to Sec. 25, 26 35 and 36
Sand rolling and broken
by ravines

Soil 1st and 2^d rate

Timber some few scattering
cedars

North between Sec 25 and 26

To 14° 23' East

4000 Set a post marked $\frac{1}{4}$ S 4 feet
long flattened 3 ins wide
1 foot in the ground deposit
marked stone and build
a mound of earth 2 feet
high with pits 2 x 1 x 1 ft

Township 13 North Range 5 East

Gila and Salt River meridian

Ch for $\frac{1}{4}$ Sec. cor. No trees near
 8000 Set a post marked and notched
 4 feet long 3 in squared 1
 foot in the ground deposit
 marked stone and build a
 mound of earth 2 feet high
 with pits 2 x 1 x 1 ft for the
 cor to Sec 23, 24, 25 and
 26. No trees near
 Sand level and covered
 with grass
 No timber

East on random line
 between Sec 24 and 25

To $14^{\circ} 23'$ East

4000 Set a Stone for temporary $\frac{1}{4}$
 Sec. cor.

8000 Intersected the East boundary
 at cor to Sec 24 and 25

Township 13 North Range 5 East

Gila and Salt River meridians

the from which cor

run

West on true line
between Secs 24 and 25

To $14^{\circ} 23'$ East

4000 Set a corner stone $18 \times 10 \times 6$ ins
marked $\frac{1}{4} S \frac{3}{4}$ in the ground
and build a mound of earth
two feet high with pits $2 \times$
 1×1 ft for $\frac{1}{4}$ Sec cor

No trees near

The cor to Secs 23, 24, 25 and 26
Land level mesa sloping
gently East

Soil 1st rate

No timber

Township 13 North Range 5 East
Gila and Salt River meridians

Ch North between Secs 23 and 24
Va $14^{\circ} 23'$ East

4000 Set a Survey Stone $12 \times 8 \times 6$ in
marked $\frac{1}{4}$ S $\frac{2}{3}$ in the ground
and build a mound of earth
2 feet high with pits $2 \times 1 \times 1$ ft
for $\frac{1}{4}$ Sec. cor. No trees near

8000 Set a post marked and notched
4 feet long 3 in squared 1 foot
in the ground and build
around it a mound of stone
2 feet high for the cor to
Secs 13, 14, 23 and 24.

No trees near

Sand level mesa gradually
sloping North

Soil 1st rate

No timber

Township 13 North Range 5 East

Gila and Salt River meridians

Chase east on random line
between Secs 13 and 24
Ta 14° 23' East

1345 Road from Camp Verde to
Camp Apache bears N.W.
and E.S.E.

4000 Set post for temporary 1/4 Sec cor

7980 Intersected the east boundary
at a point 20 links South of
the cor to Secs 13 and 24
from which corner

I run

S 89° 51' W on true line
between Secs 13 and 24

Ta 14° 23' East

3990 Set a post marked 1/4 S 4 feet
long flattened 3 ins wide
1 foot in the ground deposit
marked stone and build
a mound of earth 2 feet

Township 13 North Range 5 East

Gila and Salt River meridian

Chc high with posts $2 \times 1 \times 1$ ft. for
 $\frac{1}{4}$ Sec. cor. No trees near
 7950 The cor to Sec. 13, 14, 23 and 24
 Sand level and sloping
 gently N. E.
 Soil 1st rate
 No timber

North between Sec 13 and 14
 Va $14^{\circ} 23'$ East.

11,75 Road from Camp Verde to
 Camp Apache bears N W and
 S. E.
 4000 Set a post marked $\frac{1}{4}$ S 4 feet
 long flattened 3 in wide
 1 foot in the ground deposit
 marked stone and build a
 mound of earth 2 feet high
 with posts $2 \times 1 \times 1$ ft. for $\frac{1}{4}$
 Sec. cor. No trees near

BOOK 137

Township 13 North Range 5 East

Gila and Salt River meridians

- 48,75 ^{ch} border creek bottom
 51,00 Clear Creek 1 ch wide flow
 N shallow stream gentle
 current and gravelly
 bottom.
 55,20 Road bears N.W. and S.E.
 59,00 North branch of Clear Creek
 16 to 20 wide flows West
 gentle current and gravelly
 bottom.
 74,25 Road bears N.W. and S.E.
 80,00 Set a post marked and notched
 4 feet long 3 ins squared 1
 foot in the ground deposit
 marked stone and build a
 mound of earth 2 feet high
 with pits 2 x 1 x 1 ft for the
 cor to Sec 11, 12, 13 and 14
 No trees near
 Land level and gently

Township 13 North Range 5 East

Gila and Salt River meridians

the sloping North.

Soil 1st rate

Timber some Cottonwoods and
Ash on banks of creeks

East on random line
between Secs 12 and 13

To 14° 23' East

- 12,50 Old road bears N and S.
- 35,00 Begin ascent to rocky barren
mesa
- 40,00 Set a post for temporary 1/4
Sec. cor
- 40,50 Summit
- 45,00 Ravine bears South
- 76,50 rocky Gutch flow South
- 80,20 Intersected the east boundary
at a point 32 links North
of the cor to Secs 12 and 13
from which corner

BOOK 137

Township 13 North Range 5 East

Gila and Salt River meridian

Chc I run

N 89° 46' 11" on true
line between Sec 12 and 13

Va 14° 23' East

4010 Set a post marked 1/4 S 1/4 feet
long flattened 3 in wide
1 foot in the ground and
build around it a mound
of stone 2 feet high for 1/4
Sec cor. No trees near

8020 The cor to Sec 11, 12, 13 and 14
Land rough and broken
Soil worthless. Limestone
formation.
No timber

North between Sec 11 and 12

Va 14° 23' East

1500 Begin ascent to rocky mesa

Township 13 North Range 5 East

Gila and Salt River meridians

- Ch
21.00 Summit and line continues along mesa
- 34.02 Intersected the South East boundary of the addition to the U. S. Reservation at Camp Verde and set a post marked and notched 4 feet long 3 ins squared 1 foot in the ground and build around it a mound of stone 2 feet high for the cor to fractional Secs 11 and 12.

No trees near.

Land level South rough North Soil 1st rate South. on mesa worthless.

No timber.

From this corner the S W cor of ^{the Addition to the} Reservation bears S 55° W 121.50 chains distant.

BOOK 137
 Township 13 North Range 5 East

Gila and Salt River meridians

The exterior or boundary lines of the addition to the U.S. reservation at Camp Verde having been previously ascertained according to a copy of the plat and field notes of same furnished me by the Surveyor General as follows

From the post at the established N.W. corner

Run

S 35° E along the S.W. boundary of said reservation

To $14^{\circ} 23'$ East

120.00 to the post at the S.W. corner from this corner

Run

N 55° E along the S.E. boundary of said reservation

Township 13 North Range 5 East
Gila and Salt River meridians

Chc for a distance of two miles
I set temporary $\frac{1}{2}$ mile
and mile posts on the
boundary of reservation as
far as retraced, this distance
being sufficient to close
Subdivision lines intersecting
the reservation

December 2nd 1873

West on true line between
Secs 11 and 14

To $14^{\circ} 25'$ East

4000 Set a post marked $\frac{1}{4}$ S 4 feet
long flattened 3 ins wide
1 foot in the ground and
build around it a mound
of stone 2 feet high for $\frac{1}{4}$
Sec cor from which

A Cottonwood 30 ins dia
bears N 30° E 45 North
No others near

BOOK 137

Township 13 North Range 5 East

Gila and Salt River meridian

Ch
4640 North branch of Clear Creek
15 tenths wide gentle current
and gravelly bottom flows
N.W.

4838 Intersected the South East
boundary of the addition
to the U. S. Reservation at
Camp Verde and set a
post marked and notched
4 feet long 3 in squared
1 foot in the ground and
built around it a mound
of stone 2 feet high for the
cor to fractional Sec 11 and 14
No trees near

Sand level

Soil 1st rate. No timber

From this cor the S.W. cor
of reservation bears S 56° W
62.30 chains distant

Township 13 North Range 5 East

Gila and Salt River meridian

Chs North between Sec 34 and 35
 Va $14^{\circ} 23'$ East

6,500 Begin descent from corner
 Gutch flow to and enter
 bottom land

12,75 Arroyo 15 wide flows to

28,00 road bears N. W. and S. E.

4,000 Set a post marked $\frac{1}{4}$ S 4 feet
 long flattened 3 ins wide
 1 foot in the ground deposit
 marked stone and build
 a mound of earth 2 feet
 high with pins $2 \times 1 \times 1$ ft.
 for $\frac{1}{4}$ Sec. cor. No trees
 near.

8,000 Set a post marked and notched
 4 feet long 3 ins squared
 1 foot in the ground and
 deposit marked stone and
 build a mound of earth

Township 13 North Range 5 East

Gila and Salt River meridian

Ch 2 feet high with pits 2 x 1 x 1
ft. for the cor to Secs 26
27, 34 and 35. No trees near
Sand level
Soil 1st rate
No timber

East on random line
between Secs 26 and 35
Ta 14° 23' East

- 9,75 Rio Verde 1 chain wide
flow south, gentle current
and sandy bottom
- 10,50 Begin ascent of rocky bluff
nearly perpendicular
- 15,40 Summit and enter level
mesa
- 4,000 Set a post for temporary 1/4
Sec. cor
- 4,500 Begin descent into deep

Township 13 North Range 5 East

Gila and Salt River meridians

Chavini bearing South
 4700 Foot and commence ascent
 4875 Leave ravine and enter mesa
 8020 Intersected the N and S line
 at cor to Sec. 25, T. 35 and
 36 from which corner

I run

West on true line
 between Sec. 26 and 35.

7a $14^{\circ} 23'$ East

4910 Set a post marked $\frac{1}{4}$ S 4 feet
 long flattened 3 in wide
 1 foot in the ground deposit
 marked stone and build
 a mound of earth 2 feet
 high with pits $2 \times 1 \times 1\frac{1}{2}$
 for $\frac{1}{4}$ Sec. cor. No trees
 near

8020 The cor to Sec. 26, 27, 34 and 35
 Sand mostly level

Township 13 North range 5 East

Gila and Salt River meridians

Chs Soil 1st and 2^d rate
 Timber a few Cottonwoods
 on River banks

North between Secs 26 and 27
 Ta 14° 23' East

- 1100 Rio Verde 1 ch wide flows
 to thence S. gentle current
 and sandy bottom
- 3500 Begin ascent of mesa
- 4000 Set a post marked 1/4 S 4 feet
 long flattened 3 ins wide
 1 foot in the ground and
 build around it a mound
 of stone 2 feet high for
 1/4 Sec. cor. No trees near
- 4300 Summit and enter level mesa
- 5000 Set a post marked and notched
 4 feet long 3 ins squared
 1 foot in the ground

Township 13 North Range 5 East

Gila and Salt River meridians

Chs deposit marked stone and
build a mound of earth 2
feet high with pits 2 x 1 x 1 ft
for the cor to Secs 22, 23,
26 and 27. No trees near
land level bottom & mesa
Soil 1st rate.

Timber some Cottonwoods
on River banks

East on random line
between Sec 23 and 26

7a 14° 23' East

4000 Set a post for temporary
1/4 Sec. cor

8000 Intersected the cor to Secs
23, 24, 25 and 26 from
which corner

I run

West on true line

Township 13 North Range 5 East

Gila and Salt River meridians

Line between Secs 23 and 26
Ta $14^{\circ} 23'$ East

4000 Set a post marked $\frac{1}{4}$ S 4
feet long flattened 3 in
wide 1 foot in the ground
deposit marked stone and
build a mound of earth
2 feet high with pits $2 \times 1 \times 1$
ft. for $\frac{1}{4}$ Sec. cor
No trees near

8000 The cor to Secs 22, 23, 26 and 27
Sand level mesa
Soil 1st rate
No timber

North between Secs 22 and 23
Ta $14^{\circ} 23'$ East

4500 Set a Linn Stone $12 \times 10 \times 6$
in marked $\frac{1}{4}$ S $\frac{2}{3}$ in the
ground and build a

Township 13 North Range 5 East

Gila and Salt River meridian

The mound of earth 2 feet high
with pits 2 x 1 x 1 ft for 14
Sec cor. No trees near
8000 Set a post marked and
notched 4 feet long 3 in
squared 1 foot in the
ground and build around
it a mound of stone 2 feet
high for the cor to Sec
14, 15, 22 and 23.

No trees near

Land level and gently
sloping North

Soil 1st rate

No timber

East on random line
between Sec 14 and 23

To 14° 23' East

4000 Set a post for temporary

Township 13 North Range 5 East

Gila and Salt River meridians

Ch^o $\frac{1}{4}$ Sec. cor

8000 Intersected the cor to Secs
13, 14, 23 and 24 from
which corner

I run

West on true line
between Secs 14 and 23

To $14^{\circ} 23'$ East

4000 Set a post marked $\frac{1}{4}$ S 4 feet
long flattened 3 ins wide
1 foot in the ground and
build around it a mound
of stone 2 feet high for $\frac{1}{4}$
Sec. cor. No trees near

8000 The cor to Secs 14, 15, 22 and
23.

Land level

Soil 1st rate

No timber

Township 13 North Range 5 East

Gila and Salt River meridians

the North between Secs 14 and 15
 Va $14^{\circ} 23'$ East

4000 Set a post marked $\frac{1}{4}$ S 4 feet
 long flattened 3 ins wide 1
 foot in the ground deposit
 marked stone and build a
 mound of earth 2 feet high
 with pits $2 \times 1 \times 1$ ft for $\frac{1}{4}$
 Sec. cor. No trees near

5350 road from Camp Verde to
 Camp Apache bears NW S. E. &

5800 Intersected the S. E. boundary
 of the addition to the U. S.
 reservation at Camp Verde
 and set a post marked
 and notched 4 feet long
 3 ins squared 1 foot in the
 ground deposit marked
 stone and build a mound
 of earth 2 feet high with

Township 13 North Range 5 East

Gila and Salt River meridians

Chc puts $2 \times 1 \times 1$ ft for the corner to fractional Secs 14 and 15. No trees near sand level.

Soil 1st rate.

No timber.

From this cor the S. N. cor of Reservation bears $S 55^{\circ} W$ 24,00 chains distant

North between Sec 33 and 34

$\frac{1}{4}$ Va $14^{\circ} 23'$ East

4000 Set a limestone $14 \times 10 \times 8$ ins marked $\frac{1}{4} S \frac{2}{3}$ in the ground and build a mound of earth 2 feet high with puts $2 \times 1 \times 1$ ft for $\frac{1}{4}$ Sec. cor

No trees near

8000 Set a post marked and notched

Township 13 North Range 5 East

Gila and Salt River meridian

Chc 4 feet long 3 ins squared
1 foot in the ground deposit
marked stone and build
a mound of earth 2 feet
high with posts $2 \times 1 \times 1$ ft
for the cor to Secs 27, 28, 33
and 34. No trees near
Sand rolling and sloping
N.E.

Soil 1st rate

No timber

East on random line
between Sec 27 and 34
Va $14^{\circ} 23'$ east

21,50 road bears N.W. and S.E.

26,00 Rio Verde 120 yards wide
flow S.E., thence to gentle
current and sandy bottom

4,000 Set a post for temporary $1/4$

Township 13 North Range 5 East
Gila and Salt River meridians

Chs 1/4 Sec. cor and enter South
end of Miller's cornfield.

from this point Miller's
Dwelling house and farm
buildings bear N 53 chs

5500 Leave Cornfield bearing N
and enter stony bottom

6875 Rio Verde 120 ft wide
flow N.E. gentle current
and sandy bottom

8000 Intersected the cor to Secs
26, 27, 34 and 35 from
which corner I run

West on true line

between Secs 27 and 34

To 14° 25' East

4000 Set a post marked 1/4 S 4 feet
long flattened 3 ins wide
1 foot in the ground deposit
marked stone and build a

Township 13 North. Range 5 East

Gila and Salt river meridian

On mound of earth 2 feet high
with posts $2 \times 1 \times 1$ ft. for $\frac{1}{4}$
Sec cor. - No trees near.

8000 The cor to Secs 27, 28, 33 and 34
Sand level

Soil 1st and 2^d rate

Timber some Cottonwood along
the river banks

December 3rd 1873

North between Secs 27 and 28
Ta $14^{\circ} 25'$ East

2700 Wagon road bears N. W. and S. E.

3400 Wagon road from Muller's
ranch to Camp Verde bears
N. W. and S. E.

4000 Set a post marked $\frac{1}{4}$ S 4 feet
long flattened 3 ins wide
1 foot in the ground deposit
marked stone and build
a mound of earth 2 feet high

Township 13 North Range 5 East

Gila and Salt River meridians

Chc with pits $2 \times 1 \times 1$ ft for
 1/4 Sec. cor. No trees near
 4400 Old road bears to and N
 7600 Wash 75 to 100 wide flows
 S. E.

8000 Set a post marked and
 notched 4 feet long 3 in
 squared 1 foot in the
 ground and deposit marked
 stone and build a mound
 of earth 2 feet high with
 pits $2 \times 1 \times 1$ ft for the cor
 to Secs 21, 22, 27 and 28
 No trees near
 Sand level
 Soil 1st rate
 No timber

Township 13 North range 5 East

Gila and Salt River meridians

Ch. East on random line
between Secs 22 and 27

$\text{Ta } 14^{\circ} 23' \text{ East}$

2000 Rio Verde 1 ch wide flow S.S.E.
thence South gentle current
and sandy bottom

2700 Begun ascent to mesa

3100 Summit

3900 Gutch flow S.W.

4000 Set a post for temporary $\frac{1}{4}$
Sec. cor.

8000 Intersected the N and S line
at a point 35 links S of cor
to Sec 22, 23, 26 and 27
from which corner

I run

8925' N on true
line between Sec 22 and 27

$\text{Ta } 14^{\circ} 23' \text{ East}$

4000 Set a post marked $\frac{1}{4}$ S 4 feet

Township 13 North Range 5 East
Gila and Salt River meridians

The long flattened 3 ins wide
1 foot in the ground and
build around it a mound
of stone 2 feet high for
1/4 Sec. cor. No trees near
8000 The cor to Secs 21, 22, 27 and 28
Land mostly level
Soil 1st and 2^d rate
Timber some Cottonwoods
on banks of river.

North between Sec 21 and 22
Ta 14° 23' East

2100 Rio Verde 110 yards wide flow
S. by gentle current and
sandy bottom
3600 Enter Henry Webers Cornfield
bearing N. W. and S. by
4000 Set a post marked and notched
4 feet long flattened 3 ins

Township 13 North Range 5 East

Gila and Salt River meridian

- The wide 1 foot in the ground
 deposit marked stone and
 build a mound of earth
 2 feet high with pits 2 x 1 x 1 ft
 for 1/4 sec cor. No trees near
 5500 Leave cornfield bearing to NW
 6200 Henry Weber house and
 farm buildings are situated
 about 8 ch N of this point
 7100 Begin ascent to mesa
 7500 Summit and low contours
 along level mesa
 8000 Set a post marked and notched
 4 feet long 3 in squared
 1 foot in the ground deposit
 marked stone and build
 a mound of earth 2 feet
 high with pits 2 x 1 x 1 ft
 for the cor to Sec 15, 16,
 21 and 22. No trees near

Township 13 North Range 5 East
Gila and Salt River meridians

The land mostly level bottom
land

Soil 1st rate

Timber some Cottonwoods
on banks of river

East on random line
between Secs 15 and 22

∇ a $14^{\circ} 23'$ east

4000 Set a post for temporary $\frac{1}{4}$
Sec. cor

8000 Intersected the cor to Secs
14, 15, 22 and 23 from
which corner

I run

West on true line
between Secs 15 and 22

∇ a $14^{\circ} 23'$ east

4000 Set a post marked $\frac{1}{4}$ S 4 feet
long flattened 3 ins wide

Township 13 North Range 5 East

Gila and Salt River meridians

Ch 1 foot in the ground deposit
marked stone and build a
mound of earth 2 feet high
with pits 2 x 1 x 1 ft. for 1/4
Sec. cor. No trees near
8000 The cor to Sec 15, 16, 21 and 22
Sand level mesa
Soil 1st rate
No timber

North between Sec 15 and 16
Ta 14° 25' East

Begin gradual descent from
corner

2400 Clear Creek 1 ch wide flow S. N.
gentle current and stony bottom
3880 Farm road bears 6 and N
4000 Set a post marked 1/4 S 4 feet
long flattened 3 in wide
1 foot in the ground

Township 13 North range 5 East

Gila and Salt River meridians

- The deposit marked stone and
 build a mound of earth 2
 feet high with pits $2 \times 1 \times 1$ ft
 for 14 Sec cor. No trees near
- 4010 Enter Serp. cornfield
- 5900 Leave cornfield and farm
 road bears S and W
- 5930 Irrigating Ditch bears S and W
- 7400 Road from Camp Verde bears
 S and W
- 8000 Set a post marked and
 notched 4 feet long 3 in
 squared 1 foot in the
 ground deposit marked
 stone and build a mound
 of earth 2 feet high with
 pits $2 \times 1 \times 1$ ft for the cor to
 Secs 9, 10, 15 and 16
 No trees near
 Sand level

Township 13 North Range 5 East

Gila and Salt River meridians

The timber some Ash and Cotton
woods on banks of Clear
Creek.

East on true line
between Sec 10 and 15

To $14^{\circ} 23'$ East

2800 Road from Camp Verde bears
N. 6. and S. W.

2950 Arroyo 50 yards wide, 6 feet
deep flow S.W.

35,30 Intersected the S.W. boundary
of the addition to the U.S.
Reservation at Camp Verde
and set a post marked and
notched 4 feet long, 4 in
squared 1 foot in the
ground deposit marked
stone and build a mound
of earth 2 feet high with

Township 13 North range 5 East

Gila and Salt River meridians

Cher puts $2 \times 1 \times 1$ ft for the cor
to fractional Sec 10 and
15. No trees near

Sand level

Soil 2^d rate

No timber

From this cor the SW cor
of Reservation bears $S 35^{\circ} E$
43.60 chains distant

North between Sec 9 and 10

$\frac{1}{4}$ $14^{\circ} 23'$ East

Begin ascent of hill at cor

700 Summit and begin descent

1400 Foot and gulch flow N. N. W.

1470 Trail bears $S. N. E.$ and N. N. W.

4000 Set a Limer Stone $12 \times 10 \times 8$ ins
marked $\frac{1}{4}$ S $\frac{2}{3}$ in the ground
and build a mound of earth
2 feet high with puts $2 \times 1 \times 1$ ft

Township 13 North Range 5 East

Gila and Salt River meridians

60,40 Chs for $\frac{1}{4}$ Sec cor. No trees near
 intersected the SW boundary
 of the addition to the U. S.
 reservation at Camp Verde
 and set a post marked and
 notched 4 feet long 3 inches
 squared 1 foot in the ground
 deposit marked stone and
 build a mound of earth 2
 feet high with pits $2 \times 1 \times 1$ ft.
 for the cor to fractional
 Secs 9 and 10. No trees near
 From this cor the N. W
 cor of reservation bears

$N 35^{\circ} W 14, 80$ chs distant

I continue the line North
 running thro: the reservation
 on a blank line

62,00 Road from Camp Verde to
 Camp Apache bears N. W.

Township 13 North Range 5 East

Gila and Salt River meridian

Chc and S. R.

68,40 Intersected the N.W. boundary of the addition to the U.S. Reservation at Camp Verde and set a post marked and notched 4 feet long 3 ins squared 1 foot in the ground deposit marked stone and build a mound of earth 2 feet high with pits 2 x 1 x 1 ft for the cor to fractional Sec 9 and 10
No trees near

From this cor the N.W. cor of Reservation bears $S 55^{\circ} W 10.35$ Chc distant

8000 Set a Limestone 12 x 8 x 8 ins properly notched 2/3 in the ground and build a mound of stone 2 feet high for the

Township 13 North Range 5 East

Gila and Salt River meridian

The cor to Sec 3, 4, 9 and 10

No trees near

Land rough and broken

Soil 2^c and 3^c rate

No timber

The Land North^{and E.} of this point being covered by hills broken by ravines and cañons devoid of vegetation and not known to contain any mineral - therefore coming under the head of waste or useless

I extend this line no further North.

Township 13 North Range 5 East

Gila and Salt River meridian

Ch North between Sec 32 and 33

To $14^{\circ} 23'$ East.

- 32,00 Gulch bears East
- 34,00 Begin ascent of hill
- 4,000 Set a Stone (Granite) $14 \times 10 \times 6$ in
marked $\frac{1}{4}$ S $\frac{2}{3}$ in the ground
and build a mound of stone
2 feet high for $\frac{1}{4}$ Sec cor
No trees near.
- 5,000 Line runs along E side of
hill
- 5,600 Begin gradual descent
- 8,000 Set a post marked and notched
4 feet long 3 in square
1 foot in the ground deposit
marked stone and build
a mound of earth 2 feet
high with pits $2 \times 1 \times 1$ ft
for the cor to Secs 28, 29
32 and 33. No trees near

Township 13 North Range 5 East
Gila and Salt River meridian

The Sand rolling and sloping
East

Soil 2^o rate

No timber

East on random line
between Sec 28 and 33

Ya $14^{\circ} 23'$ East

4000 Set a Stone for temporary
 $\frac{1}{4}$ Sec. cor.

8000 Intersected the cor to Sec
27. 28. 33 and 34 from
which corner

I run

West on true line
between Sec 28 and 33.

Ya $14^{\circ} 23'$ East

4000 Set a State Stone $15 \times 15 \times 10$ ins
marked $\frac{1}{4}$ S $\frac{2}{3}$ in the
ground and build a

Township 13 North Range 5 East

Gila and Salt River meridians

Chs mound of stone 2 feet high
for $\frac{1}{4}$ Sec. cor. No trees near
8000 The cor to Secs 28, 29, 30 and 31
Sand gently sloping east
Soil 1st rate

No timber

December 4th 1873

North between Secs 28 and

29

Ba $14^{\circ} 23'$ east

2200 Wash 40 links wide flow to
4000 Set a post marked $\frac{1}{4}$ S 4 feet
long flattened 3 in wide
1 foot in the ground deposit
marked stone and build
a mound of earth 2 feet
high with pits 2 x 1 x 1 ft
for $\frac{1}{4}$ Sec cor. No trees near
4600 Wash 75 the wide flows east
6000 Arroyo 20 the wide flows east

Township 13 North Range 5 East

Gila and Salt River meridian

Chk
7500 Arroyo 15 links wide flow East
and begin ascent of round
rocky hill.

8000 Set a post marked and
notched 4 feet long 3 in
squared 1 foot in the
ground and build around
it a mound of stone 2 feet
high for the cor to Secs
20, 21, 28 and 29

No trees near
Land mostly level and
sloping East
Soil 1st and 2^d rate
No timber

East on random line
between Sec 21 and 28

Ta 14° 23' East
Line runs along South side

Township 13 North Range 5 East

Gila and Salt River meridians

- Che of rocky hill
 19,00 better level band
 21,00 Wash 2 che wide flow N. E.
 4,000 Set a post for temporary $\frac{1}{4}$
 Sec. cor
 50,00 Road from millers ranche
 to Camp Verde bears N. W.
 and S. E.
 77,00 Wash to the wide flow S. E.
 8,000 Intersected the N and S line
 at a point 18 rods South of
 the cor to Secs 21, 22, 27
 and 28. from which corner
 I run
 $S 89^{\circ} 50' N$ on true
 line between Secs 21 and 28
 $\frac{1}{4}$ $14^{\circ} 00'$ East
 4,000 Set a post marked $\frac{1}{4}$ 34 feet
 long flattened 3 mi wide
 1 foot in the ground and

Township 13 North Range 5 East

Gila and Salt River meridian

Ch. deposit marked stone and
 build a mound of earth 2
 feet high with pits 2 x 1 x 1 ft
 for 1/4 Sec. cor. No trees near
 5000 The cor to Secs 20, 21, 28 and 29
 Sand level
 Soil 1st rate
 No timber

North between Sec 20 and 21
 To 14° 23' east

1600 Summit of rocky hill and
 begin descent

2400 foot and enter level land

4000 Set a post marked 1/4 S 4 feet
 long flattened 3 in wide
 1 foot in the ground and
 build around it a mound
 of stone 2 feet high for 1/4
 Sec. cor. No trees near

Township 13 North Range 5 East

Gila and Salt River meridian

Ch

72,00 Rio Verde 1 ch wide flow
S. E. gentle current and
sandy bottom

8000 Set a post marked and
notched 4 feet long 3 in
squared 1 foot in the
ground and build around
it a mound of stone 2 feet
high for the cor to see
16, 17, 20 and 21 from
which corner

A. Cottonwood 30 in dia bears
S 70° W 200 links

A. Cottonwood 36 in dia
bears N 75° W 210 links

No others near

Land mostly level

Soil 1st rate N 3^d rate S.

Timber Cottonwoods on
banks of River

Township 13 North Range 5 East

Gila and Salt River meridians

Chc east on random line
between Secs 16 and 21
Ta $14^{\circ} 23'$ east.

1000 road from Muller's rancho to
Camp Verde bears N and S.

4000 Set a post for temporary $\frac{1}{4}$ Sec
cor

5000 road from Hebens rancho to
Camp Verde bears N and S.

5205 North branch of Clear Creek
25 links wide flow S.W. gentle
current and gravelly bottom

5400 Clear Creek 50 links wide flows
S.W. gentle current and gravelly
bottom

5850 East branch of Clear Creek 20
links wide flow S.W. gentle
current and gravelly bottom

6050 Begin ascent of bluff

6300 Summit and enter level mesa

Township 13 North Range 5 East

Gila and Salt River meridian
the

8000 Intersected the N and S. line
at a point 20 rods N of the
cor to Secs 15, 16, 21 and 22
from which corner

I run

$N 89^{\circ} 51' W$ on true line
between Secs 16 and 21

To $14^{\circ} 23'$ East.

4000 Set a post marked $\frac{1}{4}$ S 4 feet
long flattened 3 ins wide
1 foot in the ground deposit
marked stone and build a
mound of earth 2 feet high
with pits $2 \times 1 \times 1$ ft for $\frac{1}{4}$
Sec cor. No trees near

8000 the cor to Secs 16, 17, 20 and 21
Sand level

Soil 1st rate

Timber some Cottonwoods
on banks of creeks

Township 13 North Range 5 East

Gila and Salt river meridian

Chc North between Secs 16 and 17
Ta $14^{\circ} 23'$ East

2580 Rio Verde 60 to 100 wide high
banks deep and swift current
sandy bottom flow S. S. W.

4000 Set a post marked $\frac{1}{4}$ S 4 feet
long flattened 3 in wide 1
foot in the ground and build
around it a mound of stone
2 feet high for $\frac{1}{4}$ Sec cor
from which

A Cottonwood 10 in dia bears
S. 80° to 110 North.

No others near

8000 Set a post marked and notched
4 feet long 3 in square
1 foot in the ground deposit
marked stone and build
a mound of earth 2 feet high
with pits $2 \times 1 \times 1$ ft for the

BOOK 137

Township 13 North Range 5 East

Gila and Salt River meridian

Ch^e cor to Sec 8, 9, 16 and 17
from which

A. Cottonwood 18 mi dia
bears $N 30^{\circ} W 125$ links

No others near

Sand level

Soil 1st rate

Timber some Cottonwoods
on banks of river

East on random line
between Sec 9 and 16

$\gamma a 14^{\circ} 23'$ East

16,90 Rio Verde 75 links wide flow
South gentle current and
Sandy bottom

30,20 road from Settlements to Camp
Verde bears N and S

31,90 road from Settlements to Camp
Verde bears N.W. and S.E.

Township 13 North Range 5 East

Gila and Salt River meridians

- 35,00 Dwelling house and farm
buildings of Joe Melvin are
situated 15 chs S. of this point
- 40,00 Set a post for temporary $\frac{1}{4}$ Sec
cor
- 44,00 Lerby's ranche and farm
buildings are situated 10 chs
South of this point.
- 8,000 Intersected the Standard line
at a point 15 miles S of the
cor to Secs 9, 10, 15 and 16
from which corner
I run
S $89^{\circ} 53'$ W on true
line between Sec 9 and 16
Ta $14^{\circ} 23'$ East
- 40,00 Set a post marked $\frac{1}{4}$ S 4 feet
long flattened 3 in wide
1 foot in the ground and
deposit marked stone and

Township 13 North range 5 East

Gila and Salt River meridian

8000 The build a mound of earth
2 feet high with pits 2 x 1 x 1
ft. for $\frac{1}{4}$ Sec. cor. no
trees near

8000 The cor to Secs 8, 9, 16 and 17
Sand level

Soil 1st rate

Lumber a few Cottonwoods
on banks of river

North between Secs 8 and 9
Va 14° 23' East

1580 Rio Verde 80 yards wide flow
N.W. and S.E. gentle current
and sandy bottom

2300 Road from Settlements to Camp
Verde bears N.N.W and S.S.E.

4000 Set a post marked $\frac{1}{4}$ S 4 feet
long flattened 3 ins wide
1 foot in the ground deposit

Township 13 North Range 5 East

Gila and Salt River meridians

Ch^o marked stone and build a mound of earth 2 feet high with pits 2 x 1 x 1 ft for $\frac{1}{4}$ Sec cor. - No trees near.

8000 Set a post marked and notched 4 feet long 3 in^s squared 1 foot in the ground drive charred stake 12 in^s down and build a mound of earth 2 feet high with pits 2 x 1 x 1 ft for the cor to Secs 4, 5, 8 and 9. - No trees near

Sand level

Soil 1st rate

No timber

East on random line between Sec 4 and 9

To $14^{\circ} 23'$ East

4000 Set a post for temporary $\frac{1}{4}$

Township 13 North Range 5 East

Gila and Salt River Meridian

Chs Sec. cor

5290 Road from Camp Verde to
Camp Apache bears $S. 8. S. E.$ and
N. W.

5350 Road from Camp Verde to
Camp Apache bears N. N. W.
and S. E.

These roads form a junction
1 ch S of this point

8000 Intersected the N and S line
at a point 16 links S of the
cor to Sec 3, 4, 9 and 10
from which corner

I run

$S 89^{\circ} 53' N$ on true
line between Sec 4 and 9

$\cdot Va 14^{\circ} 35'$ East

4000 Set a post marked $\frac{1}{4}$ S 4 feet
long flattened 3 in wide
1 foot in the ground deposit

Township 13 North Range 5 East.

Gila and Salt River meridian

Place marked stone and build a mound of earth 2 feet high with posts $2 \times 1 \times 1$ ft. for $\frac{1}{4}$ Sec cor. No trees near.

8000 The cor to Secs 4, 5, 8 and 9 Sand level W somewhat broken to.

Soil 1st and 3^d rate

No timber

North between Secs 4 and 5
To $14^{\circ} 23'$ East

2600 Road from Camp Verde to Camp Apache bears N.W. and S.E.

4000 Set a post marked $\frac{1}{4}$ S 4 feet long flattened 3 ins wide 1 foot in the ground drive charred stake 12 ins down and build a mound of earth 2 feet high with posts $2 \times 1 \times 1$ ft.

BOOK 137

Township 13 North Range 5 East

Gila and Salt River meridian

Che for 1/4 Sec cor. No trees near
 4800 road from Camp Verde to
 Camp Apache bears N.W. and S.E.
 5400 Trail bears N.W. and S.E.
 8000 Intersected the N boundary of
 T₁ and set a post marked
 and notched 4 feet long 4
 in squared 1 foot in the
 ground deposit marked stone
 and build a mound of earth
 2 feet high with pits 2 x 1 x
 1 ft for the cor to Secs 4, 5
 32 and 33. No trees near
 Sand level
 Soil 1st rate
 No timber

December 5th 1873

Township 13 North range 5 East
Gila and Salt River meridian

Chc West on true line between
Sec 17 and 20

$\frac{1}{4}$ a $14^{\circ} 23'$ east

5,500 Rio Verde 75 yards wide rapid
current and sandy bottom
flow S W thence S E

4,000 Set a post marked $\frac{1}{4}$ S 4 feet
long flattened 3 ins wide 1
foot in the ground and
build around it a mound
of stone 2 feet high for $\frac{1}{4}$ Sec
cor. No trees near
sand level

Soil 1st rate

Timber a few cottonwoods on
banks of river

As the eastern half of Sec
17 contains ~~contains~~ all the
land fit for any use the
Western half lying in the

Township 13 N Range 5 East

Gila and Salt River meridian

the foot hills of the range of
Black hills and coming
under the head of waste
or useless. I extend this
line no further West.
Sec 20 lies wholly in
barren hills.

West on true line between
Secs 8 and 17

to $14^{\circ} 25'$ East

- 4,000 Set a post marked $\frac{1}{4}$ S 14 feet
long flattened 3 ins wide 1
foot in the ground deposit
marked stone and build
a mound of earth 2 feet
high with pits $2 \times 1 \times 1$ ft for
 $\frac{1}{4}$ Sec cor. No trees near
- 5,700 Enter foot hills of range of
Black Hills

Township 13 North Range 5 East

Gila and Salt River meridians

Ch
5000

Set a Luni Stone $18 \times 10 \times 8$ ins
properly notched $\frac{3}{4}$ in the
ground and build a mound
of stone 2 feet high for the
cor to Secs 7, 8, 17 and 18
Sand level to Gilly W
Soil 1st and 3^d rate
No timber

The land West of this point
being covered by barren hills
coming under the head of
waste or useless I do not
extend the Luni any further
West.

Township 13 North Range 5 East

Gila and Salt River meridians

Chs North between Sec 7 and 8
Ta 14° 25' East

- 3100 Begin descent from corner
Leave foot hills and enter
Valley land.
- 3300 Rio Verde 100 yards wide flow
Sb. gentle current and sandy
bottom
- 4000 Set a post marked 1/4 S 4 feet
long flattened 3 ins wide 1
foot in the ground drive
chared stake 12 ins down
and build a mound of
earth 2 feet high with posts
2 x 1 x 1 ft. for 1/4 Sec cor
No trees near
- 4800 Hay road bears N 6 and
S 11.
- 8000 Set a post marked and
notched 4 feet long 4 ins

Township 13 North Range 5 East

Gila and Salt River meridian

One squared 1 foot in the ground
drive charred stake 12 inches
down and build a mound
of earth 3 feet high with
posts 2 x 1 x 1 ft. for the cor
to Secs 5, 6, 7 and 8

No trees near

Land mostly level Nully
South

Soil 1st rate in Valley in
hills worthless

Lumber some few Ash and
Cottonwoods on banks of
river

East on random line
between Secs 5 and 8

$\frac{1}{4}$ a $14^{\circ} 23'$ East

3990 Flay road bears N 6 and S 11

4000 Set a post for temporary $\frac{1}{4}$ Sec cor

Township 13 North Range 5 East

Gila and Salt River meridians

Ch
58,20 road from Settlements to
Camp Verde bears N and S
79,80 Intersected the cor to Secs
4, 5, 8 and 9 from which
corner

Run

West on true line
between Secs 5 and 8

γ a $14^{\circ} 23'$ east

39,90 Set a post marked $\frac{1}{4}$ S 4 feet
long flattened 3 in wide 1
foot in the ground drive
charred stake 12 in down
and build a mound of
earth 2 feet high with pits
 $2 \times 1 \times 1$ ft for $\frac{1}{4}$ Sec cor
No trees near

79,80 The cor to Secs 5, 6, 7 and 8
Sand level
Soil 1st rate

Township 13 North Range 5 East

Gila and Salt River meridians

Chc No timber

North between Sec 5 and 6
 Va $14^{\circ} 23'$ East

8,000 Flay road bears N 6° and S 11°

4,000 Set a post marked $\frac{1}{4}$ S 4 feet
 long flattened 3 in^e wide 1
 foot in the ground and
 build around it a mound
 of stone 2 feet high for $\frac{1}{4}$
 Sec. cor. from which

An Ash 12 in dia bears N 10° to 110 the

An Ash 4 in dia bears N 3° to 103 the

4,140 Rio Verde 150 yards wide flows
 S.W. gentle current and
 sandy bottom.

8,000 Intersected the N boundary
 of Sp and set a post marked
 and notched 4 feet long
 3 in^e squared 1 foot in the

Township 10 North Range 5 East

Gila and Salt River meridians

The ground deposit marked
stone and build a mound
of earth 2 feet high with
posts 2 x 1 x 1 ft. for the cor-
ners to Secs 5, 11, 31 and 32

No trees near

Sand level

Soil 1st rate

Timber some Ash and
Cottonwood on river banks

East on random line
between Secs 5 and 32

$\frac{1}{4}$ to 14° 23 East

1850 Rio Verde 120 yards wide
flows SW gentle current and
sandy bottom

3700 Road from Settlements to
Camp Verde bears N. W.
and S. E.

Township 13 North Range 5 East.

Gila and Salt River meridian

Ch

4000 Set a post for temporary $\frac{1}{4}$ Sec cor.

4600 Road from Camp Verde to Camp Apache bears N.W. and S.E.

4000 Intersected the cor to Secs 4, 5, 32 and 33 from which corner

Run

West on true line between Secs 5 and 32

To $14^{\circ} 23'$ East

4000 Set a post marked $\frac{1}{4}$ S 4 feet long flattened 3 in wide 1 foot in the ground deposit marked stone and build a mound of earth 2 feet high with pits $2 \times 1 \times 1 \frac{1}{2}$ for $\frac{1}{4}$ Sec cor. No trees near

Township 13 North Range 5 East

Gila and Salt River meridians

Che
8000

The cor to Secs 5, 6, 31 and 32

Sand mostly level

Soil 1st rate

Timber Ash and Cottonwoods
on banks of river

West on true line between
Sec 6 and 7

Va 14° 23' East

600 Flay road bears N.E. and S.

4000 Set a post marked 1/4 S 4 feet

long flattened 3 ins wide

1 foot in the ground deposit

marked stone and build a

mound of earth 2 feet high

with pits 2 x 1 x 1 ft for 1/4

Sec. cor. No trees near

5800 Rio Verde 100 yards wide flow

S.E. gentle current and sandy
bottom

Township 13 North Range 5 East

Gila and Salt River meridians

Ch²
72,50

Old Wagon road from Hay
Camp bears N and S

8000

Intersected the West boundary
of T₂ and set a post marked
and notched 4 feet long &
one squared 1 foot in the
ground deposit marked stone
and build a mound of earth
2 feet high with pits 2 x 1 x 1 ft.
for the cor to Secs 1, 6, 7 and
12. No trees near

Land mostly level

Soil 1st and 2^d rate

Lumber some Ash and Cotton
woods on banks of Creek

Township 13 North Range 5 East

Gila and Salt River meridian

- Ch North between Sec 1 and 6
 Ta $14^{\circ} 23'$ East
- 4000 Set a post marked $\frac{1}{4}$ S 4 feet
 long flattened 3 in wide
 1 foot in the ground drive
 charred stake 12 in down
 and build a mound of
 earth 2 feet high with pits
 $2 \times 1 \times 1$ ft for $\frac{1}{4}$ Sec cor
 No trees near.
- 5200 Wash 1 ch wide flow to
- 6000 Trail bears to and W
- 6550 Old road bears N.W and S.E.
 and enter mesa land
- 8000 Intersected the North boundary
 of T₂ and Set a turn Stone
 $18 \times 10 \times 6$ in properly notched
 $\frac{3}{4}$ in the ground and build
 a mound of stone 3 feet high
 for the cor to Sec 1. 6. 31.

Township 13 North range 5 East.

Gila and Salt River meridian

Che and 36 and of Tpe 13 and
14 N range 4 and 5 East
No trees near
Sand rolling & level N
Soil 2^o rate
No timber

East on random line
between Sec 6 and 31

Wa 14° 23' East

10,50 Leave mesa land and enter
level Valley land

4,000 Set a post for temporary 1/4 Sec
cor

6,900 road to Camp Verde bears
N. N. E. and S W

7,100 Old road to Camp Verde
bears N. N. E. and S W

7,950 Intersected the cor to Sec
5, 6, 31 and 32 from which

Township 13 North Range 5 East
Gila and Salt River meridians

the corner

I run

West on true line
between Sec. 6 and 31

By $14^{\circ} 23'$ east

- 40.00 Set a post marked $\frac{1}{4}$ S 4 feet
long flattened 3 in wide
1 foot in the ground deposit
marked stone and build
a mound of earth 2 feet
high with pits $2 \times 1 \times 1$ ft
for $\frac{1}{4}$ Sec cor. No trees near
- 79.50 the cor to Sec. 1, 6, 31 and 36
Same level
Soil 1st and 2^d rate
No timber

December 6th 1873

Township 13 North Range 5 East
Gila and Salt River Meridian

General Description

The surveyed portion of this Twp contains a large amount of fine farming and grazing lands.

The Rio Verde flowing through the Twp in a S. E. direction is a stream with banks about 3 feet high and of uniform width. The amount of water flowing with gentle current through its channel at an average depth of about 3 feet varies but little during the different seasons of the year and seldom overflows its banks.

Township 13 North Range 5 East

Gila and Salt River meridians

Clear Creek is a broad shallow stream of clear water with gentle current and gravelly bed. The banks being low it forks and joins again at several places through the T₂ and empties into the Rio Verde in Section 21.

Timber chiefly Cotton wood with some Ash and Oak grows all along the river and creek banks in ample quantities for fuel, but very little of it being suitable for building purposes.

There are several farms under cultivation on the east side of the Rio Verde irrigated by

Township 13 North Range 5 East

Gila and Salt River meridians

ditches taken both from the Rio Verde and Clear Creek -

There is now in process of construction a large ditch to irrigate the valley lands in Sp on the N side of the Rio Verde -

The mesa land is covered with various kinds of grasses common to the country and are well adapted for grazing purposes

The unsurveyed portion in the N.E. corner of Sp is covered by the addition to the U.S. Reservation at Camp Verde and a barren range of hills of limestone formation not known to contain any mineral

Township 13 North Range 5 East

Gila and Salt River meridians

and the West portion of
T₁₃ is covered by the Black
Hills a barren range of
mountains not known
to contain mineral in
the vicinity.

L. Burton Foster
U. S. Dep. Surveyor

LIST OF NAMES.

A List of the Names of Individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the survey of the Subdivisions

*Series of fractional Townships
13 North range 6 East Gila
and Salt River meridian
Territory of Arizona*

Showing the respective capacities in which they acted.

George J. Rostruge Chairman.

Andrew J. Shrope Chainman.

Richard Shrope Axeman.

Flagman.

FINAL OATH OF ASSISTANTS.

WE hereby certify that we assisted A. Burton
Foster U. S. Deputy Surveyor, in
 surveying the subdivision lines
of fractional Townships 13
North Range 5 East Gila
and Salt River meridian
Territory of Arizona

and that said Survey has been in all respects, to
 the best of our knowledge and belief, well and
 faithfully executed, and the boundary monu-
 ments planted according to the instructions fur-
 nished by the Surveyor-General.

George J. Rastburg Chairman.

Andrew Shreve Chairman.

Richard Shreve Axeman.

Flagman.

Sworn to and subscribed before me, this 31st
 day of December, 1878.

E. W. Wells

Justice of the Peace

3rd Dist of Arizona

FINAL OATH OF DEPUTY SURVEYOR.

I, *C. Burton Foster*

U. S. Deputy Surveyor do solemnly swear that, in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the *fifth* day of *August* 1873 I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of the *Subdivision Lines of fractional Township 13 North Range 5 East Gila and Salt River meridians Territory of Arizona*

as are represented in the foregoing Field Notes as having

been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements contained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

Burton Foster
Deputy Surveyor.

Sworn to and subscribed before me, this 31st day of *December*, 1873

E. C. Evenden
Deputy County Clerk
3rd Dist of Arizona



U. S. Surveyor General's Office,
Tucson, Arizona, July 1, 1873

The foregoing Field Notes of the survey of

The Subdivision Lines of
Township 13 N. range 5 E.

of the Gila and Salt River Base and Meridian, Arizona
executed by C. Benton Foster

D. S., under his contract of the Fifth day
August, 1873, having been critically e

amined and the necessary corrections and explanations
made, the said Field Notes and the surveys they describe,
are hereby approved.

John Macdon
Surveyor General.