

Book No.

H. A. Coe,

Deputy Surveyor.

T. 13 North, R. 25 East,

Gila and Salt River Meridian.

No. 141  
**FIELD NOTES**

OF

THE SUBDIVISION LINES OF

Township 13 N., Range 25 E.

Gila and Salt River Meridian.

BY

H. A. Coe,

Deputy Surveyor.

Under his Contract of July 25, 1882,

Survey Commenced Jan. 19, 1883,

Survey Completed Jan. 27, 1883.

Platted,  
Copied for Washington,  
Copied for Register,

No. 141

141

Edward Denny & Co., Stationers & Printers, S. F. Cal.

Copyright Secured,

Entered according to Act of Congress, in the Clerk's Office of the Librarian of Congress at Washington, D. C., in the year 1880.

1A

BOOK 141

Township 13 North, Range 25 East,  
Gila and Salt River Base and Meridian.

6	60	5	44	4	33	3	22	2	11	1
59		58		48		32		21		10
7	57	8	43	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

OK

Edward Denny & Co., Stationers & Printers, S. F., Cal.

Copyright Secured,

Entered according to Act of Congress, in the Clerk's Office of the Librarian of Congress at Washington, D. C., in the year 1880.

township

Range

1B

Meridian.

No-141

For preliminary notes  
and description of instrument  
used see book No 1

Survey made with Burt's Patent Improved Solar  
Compass, nearly new, and in first rate order. Made

by Otto Samuel of Cassel  
Germany in 1881,

10 Township  
(See previous page.)

13 N.  
BOOK 141

Range 25 E.  
Gila and Salt River Meridian.

Chains

Standard  
From the corner to Sections 35, 36, on the South boundary,  
which is a sandstone, 16 x 9 x 4 ins. set  
1/2 ins. in the ground, marked  
S. C. with one notch on East  
and five notches on W. edges,  
with mound of stone along-  
side,  
Iron,

27 E.,  
North between sections 35-36.

Variation 13° 36' East.

Descend.

- 15.00 Cross Road, bears N. 65° W. & S. 65° E.
- 40.00 Set a Lava stone 10 x 8 x 4 ins.,  
ins. in the ground, for 1/4 Sec. Cor., marked 1/4 on W.  
face, and raised a mound of stone alongside. Pits  
impracticable.
- 63.30 Cross Gulch, 60 fks. wide, Course N. 30° E. and ascend.
- 75.00 Top of Spur, bears E. & W. and descend.
- 80.00 Set a Lava stone 10 x 8 x 6 ins.,  
ins. in the ground for Cor. to Secs. 25-26-35-36 marked  
with / notch on S. and / notch on E. edges,  
dug pits 18 x 18 x 12 ins. in each Sec., 5 1/2 ft. dist. and  
raised a mound of earth 2 ft. high, 4 1/2 ft. base. alongside.  
Land mountainous.  
Soil 3rd rate  
Vegetation, Bunchgrass

Township

BOOK

13 N,  
141

Range

25 E,

2

Gila and Salt River Meridian.

Chains

27.89°20'

East, on a random line between Sections 25 and 36.

Variation

13°36'

East.

Ascend.

7.00 Top of Spur, bears N.E. &amp; S.W. and descend.

15.10 Cross low Sag and ascend.

28.00 Top of Spur, bears N.40°W. &amp; S.40°E. and descend.

35.00 Cross low Sag and ascend.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

44.50 Top of Spur, bears N.W. &amp; S.E. and descend.

79.40 Intersect E.B. of Tn. 41 N.S. South of cor. to secs.

25-30-31-36, from which corner, I run

S.89°02'W, a true line, between sections 25-36,

Variation

13°36' East.

39.45 Set a Sand stone  $12 \times 10 \times 3$  ins., 8 ins.in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N face,dug pits  $18 \times 18 \times 12$  ins., E and W. of stone  $5\frac{1}{2}$ ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$ 

ft. base alongside.

79.40 The corner to sections 25-26-35-36

Land mountainous.

Soil 3<sup>rd</sup> rate

Vegetation, Bunchgrass.

Township

13 N.

Range

25 E.

BOOK 141

Gila and Salt River Meridian.

Chains

27' 6"  
North, between Sections 25 and 26.

Variation

13° 36'

East.

Descend.

8.50 Cross low Sag and ascend.

15.00 Top of Spur, bears N. 40° W. 9 S. 40 E and descend.

25.00 Enter Flat bears N. &amp; S.

40.00 Set a Lava stone 12 x 4 x 4 ins., 8  
ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on W.  
face, and raised a mound of stone alongside. Pits  
impracticable.61.00 Ramon Jose's Residence and Ranch  
bears East 12.14 chs. dist.80.00 Set a Lava stone 16 x 8 x 5 ins. 11 ins.  
in the ground for Cor. to Secs. 23-24-25-26 marked  
with 2 notches on S. and 1 notch on E. edges,  
dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and  
raised a mound of earth 2 ft. high, 4½ ft. base. alongside.

Land mountainous. &amp; level.

Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate

Vegetation, Bunchgrass.

Township

13 N,

Range

25 E,

BOOK 141

Gila and Salt River Meridian.

Chains

77.89' 20'

East, on a random line between Sections 24 and 25.

Variation

13° 36'

East.

Over rolling land.

38.00 Cross Road, bears, N. W. & S. E.

40.00 Set temporary 1/4 Sec. Cor.

80.28 Intersect E. B. of Twp. 22, N. 3/4 S. of cor. to secs. 19-24-25-30 from which corner I run

S. 89° 11' W on a true line, between sections 24-25.

Variation

13° 36'

East.

40.14 Set a Lava stone 10 x 8 x 3 ins., 7 ins. in the ground, for 1/4 Sec. Cor., marked 1/4 on N, face, and raised a mound of stone alongside. Pits impracticable.

80.28 The corner to sections 23-24-25-26.

Land rolling.

Soil

3rd

rate

Vegetation, Bunchgrass.

Township 13 N., Range 25 E.  
 BOOK 141 Gila and Salt River Meridian.

Chains

27<sup>6</sup>/<sub>100</sub>  
 North, between Sections 23 and 24.

Variation

13° 36'

East.

Over rolling land.

40.00 Set a *Sava* stone  $12 \times 8 \times 2$  ins.,  $8$   
 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N,  
 face, and raised a mound of stone alongside. Pits

impracticable.

74.65 *Holbrook* Cross Road, bears N. 40° W. & S. 40° E.

80.00

Set a *Sava* stone  $15 \times 12 \times 8$  ins /  $10$  ins. in  
 the ground for Cor. to Secs. 13-14-23-24 marked  
 with 3 notches on S. and 1 notch on E. edges and  
 raised a mound of stone alongside. Pits impracticable.

Land rolling.

Soil

*3<sup>rd</sup>*

rate

Vegetation,

*Bunchgrass.*



BOOK 148 N,  
Township

Range 20 E,  
Gila and Salt River Meridian.

Chains  $N 89^{\circ} 20'$   
East, on a random line between Sections 13 and 24.  
Variation  $13^{\circ} 36'$  East.

Over rolling land.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

S 0.12 Intersect  $E, B.$  of T<sub>10</sub> 35  $N$  South of cor. to secs.  
*previously described by me,*  
13-18-14-24 from which corner I run

$S 89^{\circ} 05' N$  on a true line, between sections 13-24,  
Variation  $13^{\circ} 36'$  East.

40.06 Set a Lava stone  $12 \times 10 \times 8$  ins.,  $8$  ins.  
in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on  $N$  face,  
dug pits  $18 \times 18 \times 12$  ins.,  $E$  and  $W$  of stone  $5\frac{1}{2}$   
ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$   
ft. base alongside.

S 0.12 The corner to sections 13-14-23-24.

Land rolling.

Soil 3<sup>rd</sup> rate  
Vegetation, Bunchgrass.

Township 13 N., Range 25 E.,  
BOOK 141 Gila and Salt River Meridian.

Chains 27 1/2  
North, between Sections 13 and 14.  
Variation 13° 36' East.

Descend.

13.00 Cross low Sag and ascend.

38.00 Top of Spur, bears N. 70° E. W. 70° N. and descend.

40.00 Set a Sira stone 24 x 14 x 2 ins., 18 ins.  
in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N face,  
dug pits 18 x 18 x 12 ins., N and S. of stone 5 1/2  
ft. dist., and raised a mound of earth 1 1/2 ft. high, 3 1/2  
ft. base. alongside.

80.00 Set a Sira stone 21 x 16 x 3 ins. 16 ins. in  
the ground for Cor. to Secs. 11-12-13-14 marked  
with 4 notches on S. and 1 notch on E. edges and  
raised a mound of stone alongside. Pits impracticable.

Land mountainous.

Soil 374 rate

Vegetation, Bunchgrass.

Jan. 19, 1883.

Township

13 N.,  
BOOK [4]

Range

25 E.,

Gila and Salt River Meridian.

Chains

N 89° 20'

East, on a random line between Sections 12 and 13.

Variation

13° 36'

East.

Ascend.

10.00 Top of Hill bears N. & S. and descend.

40.00 Set temporary 1/4 Sec. Cor.

79.88 Intersect E. B. of Twp. S 2ks. South of cor. to secs. previously described by me from which corner, I run

S. 89° 17' W. on a true line, between sections 12-13.

Variation 13° 36' East.

39.94 Set a Sand stone 20 x 20 x 2 ins., 15 ins. in the ground, for 1/4 Sec. Cor., marked 1/4 on N face, dug pits 18 x 18 x 12 ins., E and W. of stone 5 1/2 ft. dist., and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base alongside.

79.88 The corner to sections 11-12-13-14.

Land hilly.

Soil 3rd rate

Vegetation, Bunchgrass.

Chains 27<sup>6</sup>/<sub>100</sub>  
 North, between Sections 11 and 12.  
 Variation 13° 36' East.

24.00 Over level land and ascend  
 Top of Spur, bears N. 70° N. 70 E. and descend.

40.00 Set a Sava stone 10 x 4 x 3 ins., 7 ins.  
 in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N face,  
 dug pits 18 x 18 x 12 ins., Hand S. of stone 5 $\frac{1}{2}$   
 ft. dist., and raised a mound of earth 1 $\frac{1}{2}$  ft. high, 3 $\frac{1}{2}$   
 ft. base alongside.

80.00 Set a Sava stone 36 x 20 x 4 ins. 27 ins. in  
 the ground for Cor. to Secs. 1-2-11-12 marked  
 with S notches on S. and 1 notch on E. edges and  
 raised a mound of stone alongside. Pits impracticable.

Land level. & rolling.  
 Soil 3<sup>rd</sup> rate  
 Vegetation, Bunchgrass.

Township

13. N.  
B75K [4]

Range

25 E.

Gila and Salt River Meridian.

Chains

789°20'

East, on a random line between Sections 1 and 12.

Variation

13°36'

East.

Over rolling land.

40.00

Set temporary  $\frac{1}{4}$  Sec. Cor.

79.52

Intersect C. B. of Tp. 4<sup>th</sup> Nks. <sup>South</sup> of cor. to secs.  
*previously described by me*  
1-6-7-12 from which corner, I run

S. 89°17', on a true line, between sections 1-12,

Variation

13°36'

East.

39.76

Set a *Sand* stone 18 x 12 x 6 ins., 12 ins.in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N face,dug pits 18 x 18 x 12 ins., E and W. of stone 5 $\frac{1}{2}$ ft. dist., and raised a mound of earth 1 $\frac{1}{2}$  ft. high, 3 $\frac{1}{2}$ 

ft. base alongside.

79.52

The corner to sections 1-2-11-12,

Land rolling.

Soil

3<sup>rd</sup> rate

Vegetation,

Bunchgrass.

Timber, Juniper.

Township

13 N.

Range

25 E.

BOOK **A1**

Gila and Salt River Meridian.

Chains

27<sup>1</sup>/<sub>6</sub>  
North, on a random line between Sections 1 and 2.

Variation 13° 36' East.

1.50 Descend.

4.00 Enter Flat bears N. 80° E. &amp; S. 80° W.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

80.52 Intersect N. B. of Tn. 445 lks. East of cor. to secs. 1-2-35-36, which is a post, 4 ins. square, set firmly in the ground, marked  $\frac{1}{4}$  N. S. 36 on N. & R. 25 E. S. 1 on S. E. S. 13 N. S. 2 on S. W. and S. 33 on N. W. face, with notch on E. & 5 notches on N. face, pits 18 x 18 x 12 ins. in each sec. and each mound 2 ft high,  $\frac{1}{4}$  ft. base around post,

from which corner, I run

S. 8° W. on a true line, between sections 1-2,

Variation 13° 36' East.

40.52 Set a Sand stone 15 x 12 x 3 ins., 10 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on W. face, dug pits 18 x 18 x 12 ins., N and S. of stone 5 $\frac{1}{2}$  ft. dist., and raised a mound of earth 1 $\frac{1}{2}$  ft. high, 3 $\frac{1}{2}$  ft. base alongside.

80.52 The corner to sections 1-2-11-12,

Land rolling and level.

Soil 3<sup>rd</sup> rate

Vegetation Bunchgrass.

Timber, Juniper.

Township

13 N.

Range

25 E.

12

BOOK [4]

Gila and Salt River

Meridian.

Chains

Standard  
From the corner to sections, 34 - 35 on South  
boundary of Sp., which is a post, 4  
ms. square, set firmly in the ground,  
marked S.C. 13 N. R. 25 E. on N,  
S. 35 on E. and S. 34 on W. faces, with  
2 notches on E. and 4 notches on W. faces,  
pits, 18 x 18 x 12 ins. N. E. & W. of post, 5 1/2 ft.  
dist. and mound of earth 2 ft. high,  
4 1/2 ft. base around post, Iron  
North <sup>27° E.</sup> between sections 34 - 35.

Variation 13° 36' East.

Ascend.

44.00 Top of Spur, bears N. 72° W. 90.72 E. and descend.

26.00 Cross Wash, 75' lks. wide, Course N. E.

40.00 Set a Sand stone 10 x 8 x 8 ins. 7  
ins. in the ground, for 1/4 Sec. Cor., marked 1/4 on W,  
face, and raised a mound of stone alongside. Pits

impracticable.

61.41 Snowflake Cross Road, bears N. 70° W. &amp; S. 70° E.

80.00 Set a Sand stone 10 x 6 x 6 ins. 7 ins.  
in the ground for Cor. to Secs. 26-27-34-35 marked  
with 1 notch on S. and 2 notches on E. edges,  
dug pits 18 x 18 x 12 ins. in each Sec., 5 1/2 ft. dist. and  
raised a mound of earth 2 ft. high, 4 1/2 ft. base. alongside.

Land mountainous.

Soil 2<sup>nd</sup> rate  
Vegetation, Bunchgrass.

Township

13 N,

Range

25 E,

Gila and Salt River Meridian.

BOOK 141

7.89° 20'

Chains

East, on a random line between Sections 26 and 35.

Variation

13° 36'

East.

4.00 Leave Flat bears N. 9 S. and ascend.

28.00 Top of Hill bears N. 40° W. 9 S. 40° E. and descend.

36.90 Cross low Sag and ascend.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

56.00 Cross Gulch, 19 lks. wide, Course N. 30° W.

59.00 Enter Flat bears N. 25° W. 9 S. 25° E.

80.52 Intersect N. &amp; S. line, 10 lks. North of cor. to secs.

25-26-35-36 from which corner, I run

7.89° 24' W. on a true line between sections 26-35.

Variation 13° 36' East

40.26 Set a Lava stone 14 x 8 x 8 ins., 9  
ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N.  
face, and raised a mound of stone alongside. Pits  
impracticable.

80.52 The corner to sections 26-27-34-35,

Land hilly and level.

Soil 3<sup>rd</sup> rate

Vegetation, Bunchgrass.



Township

13 N,

Range

25 E,

BOOK [4]

Gila and Salt River Meridian.

Chains

27 E.

North, between Sections 26 and 27.

Variation

13° 36'

East.

Over level land

40.00 Set a *Sana* stone 10 x 8 x 3 ins., 7 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N face, dug pits 18 x 18 x 12 ins., N and S. of stone  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base alongside.

65.00 *Ascend.*

80.00 Set a *Sana* stone 15 x 12 x 6 ins. 10 ins. in the ground for Cor. to Secs 22-23-26-27 marked with 2 notches on S. and 2 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base. alongside.

Land level.

Soil 3<sup>rd</sup> rate  
Vegetation, *Bunchgrass.*

15 Township 13<sup>N.</sup>,

Range 25<sup>E.</sup>,  
Gila and Salt River Meridian.

Chains

BOOK 140  
n. 89° 20'

East, on a random line between Sections 23 and 26.

Variation 13° 36' East.

Descend. gradually.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

P.O. 37 Intersect N. & S. line, 43 lks. North of cor. to secs.  
23-24-25-26 from which corner, I run

S. 89° 38' W. on a true line between sections 23-26,

Variation 13° 36' East

40.19 Set a Lava stone 12 x 7 x 5 ins., 8 ins.  
in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N face,  
dug pits 18 x 18 x 12 ins., E and W. of stone 5 $\frac{1}{2}$   
ft. dist., and raised a mound of earth 1 $\frac{1}{2}$  ft. high, 3 $\frac{1}{2}$   
ft. base alongside.

P.O. 37 The corner to sections 22-23-26-27.

Land rolling.

Soil 3<sup>rd</sup> rate

Vegetation, Bunchgrass.

Township

13 N,

Range

25 E,

BOOK

[4]

Gila and Salt River Meridian.

Chains

27' E.  
North, between Sections 22 and 23.

Variation

13° 36'

East.

Descend. gradually.

40.00

Set a Lava stone  $16 \times 14 \times 10$  ins., 11 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on W face, dug pits  $18 \times 18 \times 12$  ins., N and S. of stone  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base. alongside.

80.00

Set a Flint stone  $10 \times 8 \times 8$  ins. 7 ins. in the ground for Cor. to Secs. 14-15-22-23 marked with 3 notches on S. and 2 notches on E. edges, dug pits  $18 \times 18 \times 12$  ins. in each Sec.,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base. alongside.

Land rolling.

Soil

125

rate

Vegetation,

Bunchgrass.

Township

13 N,

Range

25 E,

BOOK 141

Gila and Salt River Meridian.

Chains

789°20'

East, on a random line between Sections 14 and 23.

Variation

13°36'

East.

*Over rolling land.*40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.74.84 *Holtbrook* Cross Road, bears N. 40° W. 9 S. 40° E.80.74 Intersect N. & S. line, 13 lks. *South* of cor. to secs.

13-14-23-24 from which corner, I run

S. 89° 14' W. on a true line between sections 14-23.

Variation

13°36'

East

40.37 Set a *Lava* stone 10 x 8 x 6 ins., 7  
 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N  
 face, and raised a mound of stone alongside. Pits  
 impracticable.

80.74 The corner to sections 14-15-22-23.

*Land rolling.*Soil *3<sup>rd</sup>* rateVegetation, *Bunchgrass.*

I carefully examined the adjustments of my solar  
 compass to-day, particularly the latitude and revers-  
 ing apparatus, and found them correct.

Jan. 20, 1883.

Chains

27 <sup>141</sup>/<sub>6</sub>  
North between Sections 14 and 15.

Variation 13° 36' East.

Descend.

- 27.00 Cross Wash, 10 lks. wide, Course N. 40° W.
  - 39.00 Leave Flat bears N. 70° W. & S. 70° E. and ascend.
  - 40.00 Set a Sava stone 10 x 6 x 3 ins., 7 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{2}$  on N. face, and raised a mound of stone alongside. Pits impracticable.
  - 46.00 Top of Spur, bears N. 70° W. & S. 70° E. and descend.
  - 47.50 Cross low Sag and ascend.
  - 59.50 Holbrook Cross Road, bears N. 63° W. & S. 63° E.
  - 63.00 Top of Spur, bears N. 67° W. & S. 67° E. and descend.
  - 70.00 Enter Flat bears N. 70° W. & S. 70° E.
  - 80.00 Set a Sava stone 12 x 8 x 3 ins. 8 ins. in the ground for Cor. to Secs. 10-11-14-15 marked with 4 notches on S. and 2 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base. alongside.
- Land mountainous. & level.
- Soil 3<sup>rd</sup> rate
- Vegetation, Bunchgrass.

Township

13 N.

Range

25 E.

Gila and Salt River Meridian.

BOOK 141

N. 89° 20'

Chains

^ East, on a random line between Sections 11 and 14.

Variation

13° 36'

East.

Ascend.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

57.00 Top of Hill bears N. 72° W. &amp; S. 72° E. and descend.

69.00 Cross flat, 11 chs wide, bears N. &amp; S.

80.42 Intersect N. &amp; S. line, 28 lks South of cor. to secs.

11-12-13-14 from which corner, I run

S. 89° 08' W. on a true line between sections 11-14,

Variation 13° 36' East

140.21 Set a Sand stone 16 x 12 x 2 ins., 11 ins.

in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N face,Dig pits 18 x 18 x 12 ins., E and W. of stone  $5\frac{1}{2}$ ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$ 

ft. base alongside.

80.42 The corner to sections 10-11-14-15.

Land hilly.

Soil

3<sup>rd</sup> rate

Vegetation,

Bunchgrass.

Township

13 N.

Range

25 E.

20

BOOK 141

Gila and Salt River Meridian.

Chains

27<sup>6</sup>/<sub>10</sub> E.  
North between Sections 10 and 11.

Variation

13° 36'

East.

Over rolling land.

33.50 Enter Flat bears E. &amp; W.

40.00 Set a Sand stone 24 x 12 x 4 ins. 18  
ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on W.  
face, and raised a mound of stone alongside. Pits  
impracticable.

41.50 Cross low Sag and ascend.

44.50 Top of Cliff bears N. 70° E. &amp; S. 70° W and descend

54.00 Cross low Sag and ascend.

80.00 Set a Sand stone 16 x 8 x 2 ins. 11 ins. in  
the ground for Cor. to Secs. 2-3-10-11 marked  
with 5 notches on S. and 2 notches on E. edges and  
raised a mound of stone alongside. Pits impracticable.

Land rolling.

Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate

Vegetation, Bunchgrass.

Township

13 N,

Range

25 E,

Gila and Salt River Meridian.

BOOK 141  
789° 20'

Chains

East, on a random line between Sections 2 and 11.

Variation  $13^{\circ}36'$  East.

Ascend gradually.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

80.05 Intersect N. &amp; S. line, 60 lks South of cor. to secs.

1-2-11-12 from which corner, I run

 $S88^{\circ}54'W$ . on a true line between sections 2-11,Variation  $13^{\circ}36'$  East

40.13 Set a post 3 ft. long, 3 ins. diam. with marked stone

12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. onN. face, dug pits, 18 x 18 x 12 ins., E. and W. of  
post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.high,  $3\frac{1}{2}$  ft. base around post.

80.15 The corner to sections 2-3-10-11.

Land rolling.

Soil 3<sup>rd</sup> rate

Vegetation, Bunchgrass.



Township 13 N., Range 25 E.

22

BOOK [4] Gila and Salt River Meridian.

Chains <sup>27<sup>6</sup>/<sub>100</sub></sup> North, on a random line between Sections 2 and 3.  
Variation 13° 36' East.

Over level land

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

80.76 Intersect N. B. of Tp. 23 1/2 m. East of cor. to secs. 2-3-34-35, which is a post, 4 ins. square, set firmly in the ground, marked T. 14 N. S. 35 on N. E. R. 25 E. S. 2 on S. E., T. 13 N. S. 3 on S. W. and S. 34 on N. W. faces, with 2 notches on E. and 4 notches on W. edges, pits, 18 x 18 x 12 ins. in each Sec., 5 ft. dist., and earth mound, 2 ft. high, 4 ft. base around post from which corner, I run

S. 17' N., on a true line, between sections 2-3.

Variation 13° 36' East.

40.76 Set a Sand stone 14 x 10 x 2 ins., 9 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on W. face, dug pits 18 x 18 x 12 ins., N and S. of stone 5  $\frac{1}{2}$  ft. dist., and raised a mound of earth 1  $\frac{1}{2}$  ft. high, 3  $\frac{1}{2}$  ft. base alongside.

80.76 The corner to sections 2-3-10-11.

Land level.

Soil 3<sup>rd</sup> rate

Vegetation Quackgrass.

Timber, Juniper.

Township

13 N,  
BOOK 141

Range

25 E,

Gila and Salt River Meridian.

Chains

Standard  
From the corner to sections, 33-34 on South  
boundary of Township, which  
is a Lava stone, 18 x 16 x 5 ins.,  
set 12 inches in the ground  
marked S. C. with three notches  
on East and three notches  
on West edges, with mound  
of stone alongside,

<sup>27'6"</sup>  
North between sections 33-34.

Variation 13°36' East.

Ascend.

25.00 Top of Bluff bears E. & W. and descend

31.00 Over level land.

40.00 Set a Lava stone 14 x 14 x 8 ins., 9  
ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on W,  
face, and raised a mound of stone alongside. Pits

impracticable.

61.15 Snowflake bears E. & W.  
Cross Road,

80.00 Set a Sand stone 16 x 10 x 4 ins. // ins.  
in the ground for Cor. to Secs. 27-28-33-34 Marked  
with / notch on S. and 3 notches on E. edges,  
dug pits 18 x 18 x 12 ins. in each Sec., 5 $\frac{1}{2}$  ft. dist. and  
raised a mound of earth 2 ft. high, 4 $\frac{1}{2}$  ft. base. alongside.

Land rolling.

Soil 2<sup>nd</sup> rate

Vegetation, Bunchgrass.

Township

13 N,

Range

25 E,

Gila and Salt River Meridian.

BOOK 141

Chains

71.89' 20' 141

East, on a random line between Sections 27 and 34.

Variation 13° 36' East.

Over rolling land.

40.00 Set temporary 1/4 Sec. Cor.

72.00 Enter Flat bears N. & S.

80.76 Intersect N. & S. line, 31 lks. North of cor. to seos.

26-27-34-35 from which corner, I run

S. 89° 33' W. on a true line between sections 27-34,

Variation 13° 36' East

40.38 Set a Lava stone 12 x 10 x 8 ins., 8 ins.

in the ground, for 1/4 Sec. Cor., marked 1/4 on N face,

dig pits 18 x 18 x 12 ins., E and W. of stone 5 1/2

ft. dist., and raised a mound of earth 1 1/2 ft. high, 3 1/2

ft. base alongside.

80.76 The corner to sections 27-28-33-34,

Land rolling.

Soil 2nd & 3rd rate

Vegetation, Bunchgrass.

Township

13 N,

Range

25 E,

Gila and Salt River Meridian.

Chains

North, between Sections 27 and 28.

Variation

13° 36'

East.

Over level land

19.00 Snowflake bears N. 70° W. & S. 70° E.  
Cross Road.40.00 Set a Lava stone 12 x 10 x 6 ins., 8 ins.  
in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on W face,  
dug pits 18 x 18 x 12 ins., N and S. of stone  $5\frac{1}{2}$   
ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$   
ft. base alongside.80.00 Set a Lava stone 16 x 10 x 9 ins. 11 ins.  
in the ground for Cor. to Secs. 21-22-27-28 marked  
with 2 notches on S. and 3 notches on E. edges,  
dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist. and  
raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base alongside.

Land level.

Soil 2<sup>nd</sup> rate

Vegetation, Bunchgrass.

Jan. 22, 1883.

Township

13 N,

Range

25 E,

BOOK 141

Gila and Salt River Meridian.

Chains <sup>N. 89° 20'</sup> East, on a random line between Sections 22 and 27.

Variation 13° 36' East.

5.00 Leave Flat bears N. N. W. S. E. and ascend.

29.00 Top of Spur, bears N. & S. and descend.

35.00 Enter Flat bears N. & S.

40.00 Set temporary 1/4 Sec. Cor.

72.00 Cross Wash, 60 lks. wide, Course N. E. and ascend.

80.45 Intersect N. & S. line, 18 lks. North of cor. to secs.

22-23-26-27 from which corner, I run

S. 89° 28' W. on a true line between sections 22-27.

Variation 13° 36' East

40.23 Set a Lava stone 13 x 8 x 6 ins., 9 ins.

in the ground, for 1/4 Sec. Cor., marked 1/4 on N face,

dug pits 18 x 18 x 12 ins., East & W. of stone 5 1/2

ft. dist., and raised a mound of earth 1 1/2 ft. high, 3 1/2

ft. base alongside.

So. 45 The corner to sections 21-22-27-28,

Land mountainous.

Soil 2nd & 3rd rate

Vegetation, Bunchgrass.

Township 13<sup>n</sup> Range 25<sup>e</sup>,

Gila and Salt River Meridian.

Chains

North, between Sections 21 and 22.

Variation 13° 36' East.

Ascend.

26.00 Top of Spur, bears E. & W. and descend.

40.00 Set a Sava stone 16 x 4 x 8 ins., 11 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on W face, Aug pits 18 x 18 x 12 ins., N and S. of stone 5 $\frac{1}{2}$  ft. dist., and raised a mound of earth 1 $\frac{1}{2}$  ft. high, 3 $\frac{1}{2}$  ft. base alongside.

78.00 Enter Valley, bears E. & W.

80.00 Set a Sava stone 14 x 10 x 6 ins. 9 ins. in the ground for Cor. to Secs 15-16-21-22 marked with 3 notches on S. and 3 notches on E. edges, Aug pits 18 x 18 x 12 ins. in each Sec., 5 $\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high, 4 $\frac{1}{2}$  ft. base. alongside.

Land mountainous. &amp; level.

Soil 3<sup>rd</sup> rateVegetation, Bunchgrass.

Township 13 N. Range 25 E.  
BOOK 141 Gila and Salt River Meridian.

Chains 789°20'  
East, on a random line between Sections 15 and 22.  
Variation 13°36' East.

Across Flat.

40.00 Leave Flat bears N. & S. Over rolling land.

40.00 Set temporary  $\frac{1}{2}$  Sec. Cor.

60.00 Enter Valley, bears N. & S.

80.08 Intersect N. & S. line, 4 lks Souther cor. to secs.

14-15-22-23 from which corner, I run

889°18' W. on a true line between sections 15-22,  
Variation 13°36' East

40.04 Set a Sava stone 10 x 10 x 6 ins., 7 ins.  
in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  on N face,  
dug pits 18 x 18 x 12 ins., E and W. of stone 5 $\frac{1}{2}$   
ft. dist., and raised a mound of earth 1 $\frac{1}{2}$  ft. high, 3 $\frac{1}{2}$   
ft. base alongside.

80.08 The corner to sections 15-16-21-22,

Land level and rolling.

Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate

Vegetation, Bunchgrass.

29  
Township

13 N.

Range

25 E.

BOOK 141

Gila and Salt River Meridian.

Chains

27<sup>6</sup>/<sub>100</sub>  
North, between Sections 15 and 16.

Variation

13°36'

East.

Over Valley.

Leave Valley, bears N.W. <sup>94</sup>/<sub>100</sub> S.E.

40.00 Set a *Sana* stone 13 x 9 x 5 ins., 9 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on W face, dug pits 18 x 18 x 12 ins., N and S. of stone 5 $\frac{1}{2}$  ft. dist., and raised a mound of earth 1 $\frac{1}{4}$  ft. high, 3 $\frac{1}{2}$  ft. base alongside.

80.00 Set a *Sara* stone 12 x 10 x 8 ins. 8 ins. in the ground for Cor. to Secs. 9-10-15-16 marked with 4 notches on S. and 3 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5 $\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high, 4 $\frac{1}{2}$  ft. base. alongside.

Land rolling.

Soil 37d rate

Vegetation, Bunchgrass.



Township 13 N, Range 25 E,

Gila and Salt River Meridian.

141  
7.89° 20'

Chains <sup>1</sup> East, on a random line between Sections 10 and 15.

Variation 13° 36' East.

Over rolling land.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

67.80 *Holtwick* Cross Road, *Leaves* N. 40° E. 9 S. 40° W. and ascend

80.13 Intersect N. & S. line, 36 *uks.* *North* of cor. to *segs.*

10-11-14-15 from which corner, I run

S. 89° 35' W. on a true line between sections 10-15,

Variation 13° 36' East

40.07 Set a *Sava* stone 10 x 6 x 3 ins., 7 ins.

in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on *N* face,

dug pits 18 x 18 x 12 ins., *S* and *W*. of stone 5  $\frac{1}{2}$

ft. dist., and raised a mound of earth 1  $\frac{1}{2}$  ft. high, 3  $\frac{1}{2}$

ft. base. alongside.

80.13 The corner to sections 9-10-15-16.

Land rolling.

Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate

Vegetation, *Bunchgrass.*

Township

13 N.,

Range

25 E.,

Gila and Salt River Meridian.

BOOK 141

27 E.

Chains

North, between Sections 9 and 10.

Variation

13° 36'

East.

Over rolling land.

40.00 Set a *Sand* stone 12 x 10 x 6 ins., 8 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on *W* face, dug pits 18 x 18 x 12 ins., *N* and *S.* of stone  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base. alongside.

49.00 Enter Flat bears *N. 38° W. & S. 38° E.*

57.00 Cross Creek  $\frac{3}{4}$  0 lks. wide, Course *N. 40° W.*

59.00 Cross Creek <sup>*same*</sup> 2 7 lks. wide, Course *N. 10° E.*

63.68 Cross Creek <sup>*same*</sup> 3 1 lks. wide, Course *N. W.* and ascend.

79.00 Top of *Bluff* and descend.

80.00 Set a *Sand* stone 18 x 7 x 2 ins. 2 ins. in the ground for Cor. to Secs. 34-9-10 marked with *5* notches on *S.* and *3* notches on *E.* edges, dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base. alongside.

Land rolling.

Soil <sup>2<sup>nd</sup></sup> & <sup>3<sup>rd</sup></sup> rateVegetation, *Bunchgrass.*

Township 13 N., Range 25 E.  
BOOK [4] Gila and Salt River Meridian.

Chains 10920' East, on a random line between Sections 3 and 10.

Variation 13°36' East.

Ascend.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

42.20 Wolbrots cross road, beav N. & S.

80.36 Intersect N. & S. line, 15 Wks. North of cor. to secs.

2-3-10-11 from which corner, I run

S 89°26' W. on a true line between sections 3-10.

Variation 13°36' East

40.18 Set a Sand stone 10 x 8 x 4 ins., 7 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N face, dug pits 18 x 18 x 12 ins., E and W of stone 5  $\frac{1}{2}$  ft. dist., and raised a mound of earth 1  $\frac{1}{2}$  ft. high, 3  $\frac{1}{2}$  ft. base. alongside.

80.36 The corner to sections 3-4-4-10.

Land rolling.

Soil 3<sup>rd</sup> rate

Vegetation Bunchgrass.  
Timber, Juniper.

Township

13 N.,

Range

25 E.,

Gila and Salt River Meridian.

BOOK 141

Chains

27<sup>6</sup>/<sub>10</sub>  
North, on a random line between Sections 3 and 4.

Variation 13° 36' East.

Over rolling land.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

43.00 Descend.

44.00 Enter Flat bears N. 10° W. &amp; S. 10° E.

80.44 Intersect N. B. of Tp. 17 lks. West of cor. to secs.

3-4-33-34, which is  
a Lava stone, 8 x 6 ins., see  
5 inches in the ground  
marked with 3 notches on  
East and 3 notches on W.  
edges, with mound of stone  
alongside,

from which corner, I run

S. 34° W on a true line, between sections 3-4,

Variation 13° 36' East.

40.44 Set a Sand stone 13 x 9 x 3 ins., 9 ins.

in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on W face,dug pits 18 x 18 x 12 ins., N and S. of stone  $5\frac{1}{2}$ ft. dist., and raised a mound of earth 1 $\frac{1}{2}$  ft. high, 3 $\frac{1}{2}$ 

ft. base alongside.

80.44 The corner to sections 3-4-9-10.

Land rolling.

Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate

Vegetation, Bunchgrass.

Township

13 N,

Range

25 E,

34

BOOK

141

Gila and Salt River Meridian.

Chains

Standard  
From the corner to sections, 32-33 on the South boundary of Township, which is a Sandstone, 14 x 13 x 10 ins., set 9 inches in the ground marked S.C. with two notches on West and four notches on East edges, with mound of stone alongside,

27' E. Iron  
North between sections 32-33.

Variation 13°36' East.

Descend.

35.00 Enter Flat bears E. &amp; W.

40.00 Set a Lava stone 15 x 8 x 6 ins. 10 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on W face, dug pits 18 x 18 x 12 ins., N and S. of stone 5 $\frac{1}{2}$  ft. dist., and raised a mound of earth 1 $\frac{1}{2}$  ft. high, 3 $\frac{1}{2}$  ft. base alongside.

80.00 Set a Sand stone 12 x 12 x 8 ins. 8 ins. in the ground for Cor. to Secs. 28-29-32-33 marked with 1 notch on S. and 4 notches on E. edges and raised a mound of stone alongside. Pits impracticable.

Land rolling.

Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate

Vegetation,

Pinegrass.

Jan. 23, 1885

Township

13 N,

Range

25 E,

Gila and Salt River Meridian.

BOOK 141

Chains

n. 89° 20'

East, on a random line between Sections 28 and 33.

Variation

13° 36' East.

*Over rolling land.*

29.00 Cross Road, bears N. 70° W. 9 S. 70° E.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

50.00 Enter Flat bears N. &amp; S.

80.14 Intersect N. &amp; S. line, 22 lks. South of cor. to secs.

27-28-33-34 from which corner, I run

S. 89° 11' W. on a true line between sections 28-33.

Variation 13° 36' East

40.07 Set a *Sana* stone 18 x 10 x 6 ins. 12 ins.in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N face,dug pits 18 x 18 x 12 ins., E and W. of stone  $5\frac{1}{2}$ ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$   
ft. base. alongside.

80.14 The corner to sections 28-29-32-33.

*Land rolling and level.*

Soil

3<sup>rd</sup> rate

Vegetation, Bunchgrass.

Township 13 N, Range 25 E,  
BOOK [41] Gila and Salt River Meridian.

Chains 27.6, North, between Sections 28 and 29.  
Variation 13° 36' East.

Ascend.

- 4.00 Top of Ridge, bears N. 70° W. 98.706 and descend.
  - 19.00 Foot of same.
  - 40.00 Set a Sand stone 10 x 10 x 6 ins., 7 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on W face, dug pits 18 x 18 x 12 ins., N and S of stone 5 $\frac{1}{2}$  ft. dist., and raised a mound of earth 1 $\frac{1}{2}$  ft. high, 3 $\frac{1}{2}$  ft. base alongside.
  - 76.00 Snowflake Cross Road, bears N.W. and S.E.
  - 80.00 Set a Lava stone 11 x 10 x 10 ins. 7 ins. in the ground for Cor. to Secs. 20-21-28-29 marked with 2 notches on S. and 4 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5 $\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high, 4 $\frac{1}{2}$  ft. base. alongside.
- Land mountainous.  
Soil 3<sup>rd</sup> rate  
Vegetation, "Pinegrass.

Township

13 N,

Range

25 E,

Gila and Salt River Meridian.

Chains

No. 920

BOOK 141

East, on a random line between Sections 21 and 28.

Variation

13° 36' East.

*Over rolling land.*40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

45.00 Enter Valley, bears N. &amp; S.

79.93 Intersect N. &amp; S. line. 39 lks. South of cor. to secs.

21-22-27-28 from which corner, I run

S 89° 03' W. on a true line between sections 21-28.

Variation 13° 36' East

39.97 Set a Lava stone 16 x 12 x 4 ins. //

ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N.

face, and raised a mound of stone alongside. Pits

*impracticable.*

79.93 The corner to sections 20-21-28-29.

*Land rolling and level.*Soil *3rd* rateVegetation, *Bunchgrass.*



Township

13 N.

Range

25 E.

Gila and Salt River Meridian.

Chains

27<sup>6</sup>/<sub>10</sub>  
North, between Sections 20 and 21.

Variation 13° 36' East.

Ascend.

- 34.00 Top of Spur, bears E. & W. and descend.
- 40.00 Set a Sand stone 14 x 12 x 11 ins., 9 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on W face, dug pits 18 x 18 x 12 ins., N and S. of stone 5 $\frac{1}{2}$  ft. dist., and raised a mound of earth 1 $\frac{1}{2}$  ft. high, 3 $\frac{1}{2}$  ft. base alongside.
- 44.00 Cross low Sag and ascend.
- 49.00 Top of Spur, bears E. & W. and descend.
- 80.00 Set a Sand stone 13 x 11 x 8 ins. 9 ins. in the ground for Cor. to Secs. 16-17-20-21 marked with 3 notches on S. and 4 notches on E edges. dug pits 18 x 18 x 12 ins. in each Sec., 5 $\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high, 4 $\frac{1}{2}$  ft. base. alongside.
- Land mountainous.
- Soil 3<sup>rd</sup> rate
- Vegetation, Bunchgrass.

Township

13N,

Range

25E,

Gila and Salt River Meridian.

Chains

N. 19 BOOK 141  
20

East, on a random line between Sections 16 and 21.

Variation

13° 36'

East.

12.50 Leave Flat bears N. 7 S. and ascend.

14.00 Top of Cliff, bears N. and S. and descend

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

43.00 Enter Valley, bears N. 7 S.

79.77 Intersect N. & S. line, 20  $\frac{1}{2}$  *North* of cor. to seos.

15-16-21-22 from which corner, I run

S. 89° 29' W. on a true line between sections 16 - 21,

Variation

13° 36' East

39.89 Set a Lava stone 12 x 8 x 4 ins., 8 ins.

in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N face,dug pits 18 x 18 x 12 ins., E and W. of stone 5  $\frac{1}{2}$ ft. dist., and raised a mound of earth 1  $\frac{1}{2}$  ft. high, 3  $\frac{1}{2}$ 

ft. base alongside.

79.77 The corner to sections 16-17-20-21.

Land level and rolling.

Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate

Vegetation, Bunchgrass.

Township

13 N,

Range

25 E,

BOOK 141

Gila and Salt River Meridian.

Chains

North, <sup>27° E</sup> between Sections 16 and 17.

Variation

13° 36'

East.

Cove Valley,

19.00 Cross Wash, 600 yds. wide, Course N. 20° E. and ascend.

40.00 Set a Lava stone 13 x 10 x 8 ins., 9 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on W face, dug pits 18 x 18 x 12 ins., N and S. of stone  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base alongside.

70.00 Top of Spur, bears E. & W. and descend.

73.00 Enter Flat bears E. & W.

80.00 Set a Sand stone 13 x 10 x 5 ins. 9 ins. in the ground for Cor. to Secs. 9-16-17 marked with 4 notches on S. and 4 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base. alongside.

Land mountainous and level.

Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate

Vegetation, Bunchgrass.

I carefully examined the adjustments of my solar compass to-day, particularly the latitude and reversing apparatus, and found them correct.

Jan. 24, 1883.

Township

13N,

Range

25E,

Gila and Salt River Meridian.

Chains

N. 89° 2' BOOK 141

East, on a random line between Sections 9 and 16.

Variation

13° 36'

East.

Descend gradually,

37.00 Cross Wash, 145 lks. wide, Course N. 40° W.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

80.09 Intersect N. &amp; S. line. 14 lks. South of cor. to secs.

9-10-15-16 from which corner, I run

S. 89° 2' W. on a true line between sections 9-16,

Variation 13° 36' East

40.05 Set a Lava stone 12 x 8 x 5 ins., 8 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N face, dug pits 18 x 18 x 12 ins., E and W. of stone 5  $\frac{1}{2}$  ft. dist., and raised a mound of earth 1  $\frac{1}{2}$  ft. high, 3  $\frac{1}{2}$  ft. base alongside.

80.09 The corner to sections 8-9-16-17.

Land rolling.

Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate

Vegetation, Bunchgrass.

Township

13 N.

Range

25 E.

42

T10K 141

Gila and Salt River Meridian.

Chains

27 E.  
North, between Sections 8 and 9.

Variation

13° 36'

East.

Over rolling land.

40.00 Set a *Sara* stone 10 x 10 x 8 ins., 7 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on *N* face, dug pits 18 x 18 x 12 ins., *N* and *S*. of stone 5 $\frac{1}{2}$  ft. dist., and raised a mound of earth 1 $\frac{1}{2}$  ft. high, 3 $\frac{1}{2}$  ft. base. alongside.

80.00

Set a *Sara* stone 10 x 8 x 8 ins., 7 ins. in the ground for Cor. to Secs. 4-5-8-9 marked with 5 notches on *S*. and 4 notches on *E*. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5 $\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high, 4 $\frac{1}{2}$  ft. base. alongside.

Land rolling.

Soil

3<sup>rd</sup> rateVegetation, *Bunchgrass*.

Township 13 N., Range 25 E.  
Gila and Salt River Meridian.

BOOK 141

Chains 77.89° 20'  
East, on a random line between Sections 4 and 9.

Variation 13° 36' East.

Descend gradually.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

67.00 Cross Wash, 50 fms. wide, Course North.

79.87 Intersect N. & S. line, 28 fms. South of cor. to secs.

3-4-9-10 from which corner, I run

589° 10' W. on a true line between sections 4-9.

Variation 13° 36' East

39.94 Set a Lava stone 16 x 13 x 9 ins., 11 ins.

in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N face,

dig pits 18 x 18 x 12 ins., E and W. of stone  $5\frac{1}{2}$

ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$

ft. base alongside.

79.87 The corner to sections 4-5-8-9.

Land rolling.

Soil 3<sup>rd</sup> rate

Vegetation, Bunchgrass.

Township

13 N,

Range

25 E,

44

BOOK 141

Gila and Salt River Meridian.

Chains

27' 6"

North, on a random line between Sections 4 and 5.

Variation

13° 36'

East.

Over rolling land.

40.00

Set temporary  $\frac{1}{4}$  Sec. Cor.

50.30

Intersect N. B. of Tp. 9  $\frac{1}{2}$  m. East of cor. to secs.

4-5-32-33, which is

a Sandstone, 7 x 4 ins., set  
5 ins. in the ground, marked  
with 4 notches on East  
and 2 notches on N. edges,

and with pits, 18 x 18 x 12 ins.,  
in each Sec.,  $5\frac{1}{2}$  ft. dist., & mound  
of earth alongside,

from which corner, I run

S. 23' N, on a true line, between sections 4-5.

Variation 13° 36' East.

40.30

Set a Lava stone 13 x 10 x 8 ins., 9 ins.  
in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N face,  
dug pits 18 x 18 x 12 ins., N and S. of stone  $5\frac{1}{2}$   
ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$   
ft. base alongside.

50.30

The corner to sections 4-5-8-9.

Land rolling.

Soil

3<sup>rd</sup> rate

Vegetation, Bunchgrass.

Township

13 N,

Range

25 E,

Gila and Salt River Meridian.

Chains

<sup>141</sup>  
 Standard  
 From the corner to sections, 31-32 on S. B. of J.,  
 which is a post, 4 ins. square, set firmly  
 in the ground, marked S. C. T. 13 N. R. 25 E.  
 on N, S. 32 on E. and S. 31 on W. faces,  
 with 5 notches on E. and 1 notch on  
 W. faces, pits, 18 x 18 x 12 ins. N. E. & W. of  
 post, 5 1/2 ft. dist., and earth mound 2 ft.  
 high, 4 1/2 ft. base around post from which  
 it pointed 8 ins. dia. to S. 2 3/4 ft. 17 lbs. dist.  
 marked T. 12 N. R. 25 E., S. 5 B. J., from  
 North between sections 31-32.

Variation 13° 36' East.

Over level land

40.00 Set a Sand stone 16 x 14 x 10 ins., 11 ins.  
 in the ground, for 1/4 Sec. Cor., marked 1/4 on W face,  
 dug pits 18 x 18 x 12 ins., N and S. of stone 5 1/2  
 ft. dist., and raised a mound of earth 1 1/2 ft. high, 3 1/2  
 ft. base along side.

80.00 Set a post 4 ft. long, 4 ins. square, with marked stone  
 12 ins. in the ground, for Cor. to Secs, 29-30-31-32,  
 marked T. 13 N. S. 29, on N, E, R, 25 E., S. 32  
 on S, E, S, 31 on S, W, and S, 30 on N, W, face  
 with / notch on S, and 5 notches on E, edges,  
 dug pits 18 x 18 x 12 ins, in each Sec., 5 1/2 ft. dist.,  
 and raised a mound of earth 2 ft, high, 4 1/2 ft. base  
 around post.

Land level.

Soil

3<sup>rd</sup>

rate

Vegetation,

Bunchgrass.



Township 13 N., Range 25 E.  
Gila and Salt River Meridian.

Chains <sup>7.89' 20'</sup> East, on a random line between Sections 29 and 32.  
Variation 13° 36' East.

*Over Flat.*

12.30 Leave Flat bears N. 75° W. & S. 75° E. and ascend.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

58.00 Descend.

80.80 Intersect N. & S. line, 46 lks. *Mark* of cor. to secs.

28-29-32-33 from which corner, I run

S. 89° 40' W. on a true line between sections 29-32,  
Variation 13° 36' East

40.40 Set a *Sava* stone 18 x 16 x 10 ins., 12  
ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on *N.*  
face, and raised a mound of stone alongside. Pits  
impracticable.

80.80 The corner to sections 29-30-31-32.  
Land level and rolling.

Soil <sup>3<sup>rd</sup></sup> rate  
Vegetation, *Bunchgrass.*

Township

13 N.

Range

25 E.

BOOK

141

Gila and Salt River Meridian.

Chains

S. 89° 20'

West, on a random line between Sections 30 and 31.

Variation

13° 36'

East.

Over level land

40.00

Set temporary  $\frac{1}{4}$  Sec. Cor.

81.96

Intersect N. B. of Tn. 18 <sup>1/2</sup> N. of cor. to secs.

25-30-31-36, which is

a Lava stone 10 x 5 ins., set  
7 ins. in the ground, marked  
with 1 notch on S. and 5 notches  
on N. edges, with pits, 18 x 18 x 12 ins.,  
in each sec. 5  $\frac{1}{2}$  ft. dist.,  
and mound of earth alongside,

from which corner, I run

N 89° 12' E, on a true line, between sections 30-31.

Variation

13° 36' East.

41.96

Set a Lava stone 13 x 8 x 6 ins., 9 ins.  
in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N. face,  
dug pits 18 x 18 x 12 ins., N and S. of stone 5  $\frac{1}{2}$   
ft. dist., and raised a mound of earth 1  $\frac{1}{2}$  ft. high, 3  $\frac{1}{2}$   
ft. base. alongside.

81.96

The corner to sections 29-30-31-32.

Land level.

Soil

3<sup>rd</sup> rate

Vegetation,

Bunchgrass.

Timber of

Juniper.

Township 13 N., Range 25 E.  
41 Gila and Salt River Meridian.

Chains

North, between Sections 29 and 30.

Variation 13° 36' East.

Over level land.

17.00 Loose Timber, E. & W.

40.00 Set a *Sava* stone 10 x 8 x 4 ins., 7 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N face, dug pits 18 x 18 x 12 ins., N and S. of stone  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base. alongside.

80.00

Set a *Sava* stone 16 x 14 x 6 ins. 11 ins. in the ground for Cor. to Secs. 14-20-24-30 marked with 2 notches on S. and 5 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base. alongside.

Land level.

Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate

Vegetation, *Bunchgrass.*

Jan. 25, 1883.

19  
Township

13 N,

Range

25 E,

BOOK

141

Gila and Salt River Meridian.

Chains

789' 20'

East, on a random line between Sections 20 and 29.

Variation

13° 36'

East.

Descend.

36.90 Cross Wash, 20 fms. wide, Course N. 10° E.

40.00 Set temporary 1/4 Sec. Cor.

55.00 Leave Flat bears N. 20° W. & S. 20° E.

76.00 <sup>Shrub</sup> Cross Road, bears N. 55° W. & S. 55° E.

81.12 Intersect N. & S. line, 10 fms. <sup>mark</sup> of cor. to secs.

20-21-28-29 from which corner, I run

S. 89° 24' W. on a true line between sections 20-29.

Variation 13° 36' East

40.56 Set a Sand stone 12 x 10 x 10 ins., 8 ins.

in the ground, for 1/4 Sec. Cor., marked 1/4 on N face,

dug pits 18 x 18 x 12 ins., E and W. of stone 5 1/2

ft. dist., and raised a mound of earth 1 1/2 ft. high, 3 1/2

ft. base alongside.

81.12 The corner to sections 19-20-29-30.

Land rolling.

Soil

3rd rate

Vegetation,

Bunchgrass.

Township

13 N.

Range

25 E.

PROK 141

Gila and Salt River Meridian.

Chains

859' 20'

West, on a random line between Sections 19 and 30.

Variation 13° 36' East.

Ascend.

13.00 Top of Spur, bears N. & S. and descend.

40.00 Set temporary 1/4 Sec. Cor.

83.67 Intersect N. B. of Tp. 23 N. B. of cor. to secs.

19-24-25-30, which is a post 4 in. square set firmly in the ground, marked S. 13 N. on N.E., R. 25 E., S. 30 on S.E., R. 25 E., S. 25 on S.W., and S. 24 on N.W. faces, with 2 notches on S. and 4 notches on N. edges, pits, 18 x 18 x 12 ins. in each. See 5 1/2 ft. dist. 1 mound of earth 3 1/2 ft. high, 4 1/2 ft. base around post, 7 1/2 ft. from which corner, I run

859' 29' E. on a true line, between sections 19-30.

Variation 13° 36' East.

43.67 Set a Lava stone 16 x 11 x 9 ins., 11 ins. in the ground, for 1/4 Sec. Cor., marked 1/4 on N. face, dug pits 18 x 18 x 12 ins., E and W. of stone 5 1/2 ft. dist., and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base alongside.

83.67 The corner to sections 19-20-29-30.

Land mountainous.

Soil 3rd rate

Vegetation, Bunchgrass.

Township

13N,

Range

25E,

Gila and Salt River Meridian.

BOOK 141

27E.  
North, between Sections 19 and 20.

Chains

Variation

13°36'

East.

Ascend.

8.00 Top of Spur, bears E. &amp; W. Over rolling land.

40.00 Set a Lava stone  $12 \times 10 \times 6$  ins., 8 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on W face, dug pits  $18 \times 18 \times 12$  ins., N and S. of stone  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base alongside.

75.00 Snowflake bears N. 20° W. & S. 20° E.  
Cross Road.

30.00 Set a Sand stone  $14 \times 8 \times 6$  ins. 9 ins. in the ground for Cor. to Secs 17-18-19-20 marked with 3 notches on S. and 5 notches on E. edges, dug pits  $18 \times 18 \times 12$  ins. in each Sec.,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base. alongside.

Land mountainous.

Soil: 3<sup>rd</sup> rate

Vegetation, Bunchgrass.

Township

13 N,

Range

25 E,

BOOK 141

Gila and Salt River Meridian.

Chains

789°20'

East, on a random line between Sections 17 and 20.

Variation

13°36'

East.

Ascend.

21.00 Top of Ridge, bears N. &amp; S. and descend.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

61.00 Enter Valley, bears N. 15° E. &amp; S. 15° W.

72.80 Cross Wash, 20 lks. wide, Course N. E.

80.94 Intersect N. &amp; S. line, 52 lks. N. of cor. to seas.

16-17-20-21 from which corner, I run

S. 88° 42' W. on a true line between sections 17-20,

Variation 13° 36' East

40.47 Set a Sand stone 12 x 8 x 4 ins., 8 ins.

in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N face,dug pits 18 x 18 x 12 ins., E and W. of stone 5 $\frac{1}{2}$ ft. dist., and raised a mound of earth 1 $\frac{1}{2}$  ft. high, 3 $\frac{1}{2}$ 

ft. base alongside.

80.94 The corner to sections 17-18-19-20.

Land mountainous and level.

Soil 3<sup>rd</sup> rate

Vegetation, bunchgrasses.

Township

13 N.

Range

25 E.

Gila and Salt River Meridian.

BOOK 141

Chains

1

West, on a random line between Sections 18 and 19.

Variation

13° 36'

East.

Over rolling land

4.50 Snowflake Cross Road, bears N. 15° W. &amp; S. 15° E.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

85.08 Intersect W. B. of Tp. 6 1/2 mls. North of cor. to secs.

13-18-19-24, which is a  
Sandstone, 19 x 9 ins., set  
14 ins. in the ground, marked  
with 3 notches on North  
and 3 notches on South,  
and mound of stone  
alongside,

from which corner, I run

N. 89° 17' E., on a true line, between sections 18-19.

Variation 13° 36' East.

45.08 Set a Sand stone 11 x 11 x 9 ins.,  $\frac{7}{8}$  ins.  
in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N face,  
dug pits 18 x 18 x 12 ins., E and W. of stone  $5\frac{1}{2}$   
ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$   
ft. base alongside.

85.08 The corner to sections 17-18-19-20.

Land rolling.

Soil 3<sup>rd</sup> rate

Vegetation, Bluegrass.

Timber, Juniper.



Township

13 N,

Range

25 E,

BOOK 141

Gila and Salt River Meridian.

Chains

North <sup>27 1/2</sup> between Sections 17 and 18.

Variation

13° 36'

East.

*Over rolling land.*

140.00 Set a post 3 ft. long, 3 ins. diam. with marked stone 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{2}$  S. on W. face, dug pits, 18 x 18 x 12 ins., N and S. of post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post.

80.00 Set a post 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for Cor. to Secs, 7-8-17-18 marked T/37. S,  $\frac{1}{4}$ , on N, E, R, 25 E, S. 17' on S, E, S, 1/8 on S, W, and S, 7' on N, W, face with 4 notches on S, and 5 notch on E, edges, dug pits 18 x 18 x 12 ins, in each Sec.,  $5\frac{1}{2}$  ft, dist,, and raised a mound of earth 2 ft, high,  $4\frac{1}{2}$  ft, base around post.

*Land rolling.*

Soil

*3rd rate*

Vegetation,

*Bunchgrass.*

I carefully examined the adjustments of my solar compass to-day, particularly the latitude and reversing apparatus, and found them correct.

Jan. 26, 1883.

Township

13 N.

Range

25 E.

Gila and Salt River Meridian.

BOOK 141

Chains

N. 89° 20'

East, on a random line between Sections 8 and 17.

Variation

13° 36' East.

Ascend.

32.00 Top of Ridge, bears N. &amp; S. and descend.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

68.00 Enter Flat bears N. &amp; S.

80.68 Intersect N. &amp; S. line, 25 lks. North of cor. to sec.

S-416-17 from which corner, I run

S. 89° 31' W. on a true line between sections S-17,

Variation 13° 36' East

40.34 Set a Lava stone 16 x 10 x 5 ins., 11 ins.

in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N face,dug pits 18 x 18 x 12 ins., E and W. of stone 5 $\frac{1}{2}$ ft. dist., and raised a mound of earth 1 $\frac{1}{2}$  ft. high, 3 $\frac{1}{2}$ 

+ ft. base alongside

80.68 The corner to sections 7-8-17-18.

Land mountainous. and level.

Soil 3<sup>rd</sup> rate

Vegetation, Bunchgrass.

Township 13 N., Range 25 E.,  
Gila and Salt River Meridian.

mk [4]

Chains S. 89° 20'  
1 West, on a random line between Sections 7 and 18.  
Variation 13° 36' East.

Over rolling land.

- 31.00 Cross Wash, 20 lks. wide, Course N. 15° E.
- 40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.
- 49.30 Snowflake Cross Road, bears N. 60° W. and S. 60° E. X
- 50.00 Cross Gulch, 15 lks. wide, Course N. 29° E.
- 56.43 Intersect N.B. of Tp. 19 lks. North of cor. to sec.

7-12-13-18, which is  
 a Sandstone, 12 x 4 ins. Set deep  
 in the ground, marked with  
 2 notches on N. and 4 notches  
 on S. edges, pits, 18 x 18 x 12 ins.  
 in each Sec, 5  $\frac{1}{2}$  ft. dist., and  
 earth mound, 2 ft. high,  
 4  $\frac{1}{2}$  ft. base alongside,  
 from which corner, I run

N. 89° 22' E., on a true line, between sections 7-18,  
 Variation 13° 36' East.

46.43 Set a Sand stone 14 x 14 x 2 ins., 9 ins.  
 in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N. face,  
 dug pits 18 x 18 x 12 ins., E and W. of stone 5  $\frac{1}{2}$   
 ft. dist., and raised a mound of earth 1  $\frac{1}{2}$  ft. high, 3  $\frac{1}{2}$   
 ft. base alongside.

56.43 The corner to sections 7-8-17-18,  
 Land rolling.  
 Soil B<sup>2d</sup> rate Vegetation, Bunchgrass.

Township

13N,

Range

25E,

BOOK 141

Gila and Salt River Meridian.

Chains

North, between Sections 7 and 8.

Variation

13° 36'

East.

*Descend. gradually,*

40.00

Set a post 3 ft. long, 3 ins. diam. with marked stone 12 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  S. on W. face, dug pits, 18 x 18 x 12 ins. N and S. of post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post.

80.00

Set a *Sand* stone 12 x 12 x 8 ins. 8 ins. in the ground for Cor. to Secs. 5-6-7-8 marked with 5 notches on S. and 5 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base. alongside.

Land rolling.

Soil

3<sup>rd</sup> rate

Vegetation,

Bunchgrass.

Township

13 N.

Range

25 E.

20K

141

Gila and Salt River Meridian.

Chains

77.89° 20'

East, on a random line between Sections 5 and 8.

Variation

13° 36'

East.

Ascend.

30.00 Top of Hill bears N. W. S. Over rolling land.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

80.74 Intersect N. & S. line, 5 lks. *back* of cor. to seos.

4-5-8-9 from which corner, I run

S. 89° 18' W. on a true line between sections 5-8.

Variation

13° 36'

East

40.37 Set a *Sava* stone 10 x 10 x 3 ins., 7 ins.

in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N face,

dug pits 18 x 18 x 12 ins., E and W. of stone  $5\frac{1}{2}$

ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$

ft. base alongside.

80.74 The corner to sections 5-6-7-8.

Land rolling.

Soil *3rd* rate

Vegetation, *Bunchgrass.*

Township 13 N.Range 25 E.BOOK 141

Gila and Salt River Meridian.

Chains

S 89.21

West, on a random line between Sections 6 and 7.

Variation

13° 36'

East.

Over level land

S. 26 Cross Wash, 25 lks. wide, Course North40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.S 7.64 Intersect N. B. of Tp. 52 lks. North of cor. to secs.

1-6-7-12 which is a  
Sandstone, 12 x 4 ins. set  
this in the ground, marked  
with notch on N. and 5  
notches on S. edges, pits  
18 x 18 x 12 ins. in each Sec.  
5  $\frac{1}{2}$  ft. dist., and earth mound,  
2 ft. high, 4  $\frac{1}{2}$  ft. base along side,  
from which corner, I run

N 88° 55' E, on a true line, between sections 6-7.

Variation 13° 36' East.

47.64 Set a Sand stone 13 x 9 x 8 ins., 9 ins.  
in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N face,  
dig pits 18 x 18 x 12 ins., E and W. of stone 5  $\frac{1}{2}$   
ft. dist., and raised a mound of earth 1  $\frac{1}{2}$  ft. high, 3  $\frac{1}{2}$   
ft. base alongside.

S 7.64 The corner to sections 5-6-7-8,

Land level.

Soil 3rd rateVegetation, Bunchgrass.

Township

13 N.

Range

25 E.

BOOK

141

Gila and Salt River

Meridian.

Chains

27 E.  
North, on a random line between Sections 5 and 6.

Variation 13° 36' East.

Over rolling land

- 15.00 Foot of Bluff, bears N. 85° W. 7 S. 85° E.
- 19.00 Top of sand bears same and descend
- 24.00 Foot of same
- 40.00 Set temporary 1/4 Sec. Cor.

50.08 Intersect N. B. of Tn. 38 1/2 W. of cor. to secs.

5-6-31-32, which is  
 a Sandstone, 8 x 2 ins., set 5  
 inches in the ground,  
 marked with 5 notches on  
 East and 1 notch on West  
 edges, and mound of stone  
 alongside,

from which corner, I run

S. 43° W. on a true line, between sections 5-6.

Variation 13° 36' East.

- 40.08 Set a Sand stone 18 x 6 x 4 ins., 12 ins.  
 in the ground, for 1/4 Sec. Cor., marked 1/4 on W. face,  
 dug pits 18 x 18 x 12 ins., N and S. of stone 5 1/2  
 ft. dist., and raised a mound of earth 1 1/2 ft. high, 3 1/2  
 ft. base alongside.

3 1/2  
 rule  
 Vegetation, Panchgrass  
 Soil

50. The corner to sections 5-6-7-8.

Land rolling. Jan. 27, 1888.

X

## GENERAL DESCRIPTION.

BOOK 141

This Township is composed for the most part of low hills, broad flats and rolling prairie.

The soil is 2<sup>nd</sup> and 3<sup>rd</sup> rate, producing fine growth of grass which affords good grazing land throughout the Township.

All the flats are well adapted to agriculture.

Ramon Jose's Ranch is situated in N.W.  $\frac{1}{4}$  of Sec. 25.

The Holbrook Road and the Snowflake Road pass through the Tp.

A growth of Juniper timber is found in some portions.

For Trinal matters  
see Book No. 14 -



62

U. S. Surveyor General's Office,

Tucson, Arizona, July 31<sup>st</sup>, 1883,

The foregoing Field Notes of the Survey of the

Subdivision Lines  
of Township 13 North  
Range 25 East

Of the Gila and Salt River Base and Meridian, Arizona, execu-  
ted by W. A. Lee

Deputy Surveyor, under his contract of the 25<sup>th</sup>  
day of July, 1882, having been

critically examined and the necessary corrections and explana-  
tions made, the said Field Notes and the surveys they describe  
are hereby approved

J. W. Robinson  
Surveyor General.

Township 3 north

Range 23 East

M. 63

*Miller and Self River*

