

No - 142

Field Notes

OF THE SURVEY OF THE

SUBDIVISION LINES

- OF -

142

Township 13 N Range 26 E

Gila and Salt River Base and Meridian

ARIZONA.

By C. Burton Foster D. S.

under contract dated May 29, 1875.

Survey commenced July 15, 1875.

Survey completed July 22, 1875.

No - 142

Township 13 North R. 26 East.

Gila and Salt River Meridian.

| | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 6 | 56. | 5 | 43. | 4 | 33. | 3 | 22. | 2 | 11. | 1 |
| 55. | | 54. | | 42. | | 32. | | 21. | | 10. |
| 7 | 53. | 8 | 41. | 9 | 31. | 10 | 20. | 11 | 9 | 12 |
| 53. | | 52. | | 40. | | 29. | | 19. | | 8. |
| 18 | 51. | 17 | 39. | 16 | 29. | 15 | 18. | 14 | 7 | 13 |
| 50. | | 49. | | 38. | | 28. | | 17. | | 6. |
| 19 | 48. | 20 | 37. | 21 | 27. | 22 | 16. | 23 | 5. | 24 |
| 47. | | 47. | | 37. | | 26. | | 15. | | 4. |
| 30 | 46. | 29 | 36. | 28 | 25. | 27 | 14. | 26 | 3. | 25 |
| 45. | | 44. | | 35. | | 24. | | 13. | | 2. |
| 31 | 44. | 32 | 34. | 33 | 23. | 34 | 12. | 35 | 1. | 36 |

PRELIMINARY OATHS OF ASSISTANTS.

WE, George W. Carr
 and William C. Foster
 do solemnly swear that we will faithfully execute
 the duties of Chain Carriers; that we will level the
 chain upon uneven ground, and plumb the tally
 pins, whether by sticking or dropping the same;
 that we will report the true distance to all notable
 objects, and the true length of all lines that we as-
 sist in measuring, to the best of our skill and
 ability.

George W. Carr
William C. Foster

Sworn to and subscribed before me, this 12th
 day of July, 1875

William McKesson
 Clerk Dist Court
 for Judl Dist
 Yavapai Co Ar.

THIRD
 DISTRICT
 YAVAPAI COUNTY, ARIZONA

~~1125~~ I Chas Rice

do solemnly swear that ~~we~~ I will well and truly perform the duties of ~~steward~~

according to instructions given ~~us~~ ^{me}, and to the best of ~~our~~ ^{my} skill and ability.

Chas Rice

Sworn to and subscribed before me this 1st day of July 187 5

William McKenson
Clerk Dist Court
3rd Judl Dist
Yavapai Co Ariz



Field Notes

10

of the No-142

Subdivision lines of Townships
13. North
Range, 26 East.
Gila and Salt River
Meridian
Territory of Arizona

Surveyed by
C. Burton, Inter
U.S. Dep. Surveyor.

Under his contract of
May 29th 1875

Survey commenced July 15th 1875
" completed " 22^d 1875

Field Notes of the subdivision lines of
Township 13. N. Range 26. E. Twp. 1st. Sec. 13. 13. 13.

ds.

Meridian

From the corner to sections 35 & 36.
on the south boundary of the Sp.
Drum.

North between secs. 35 & 36.
Va. $14^{\circ} 16'$ East, as per Buick

improved Solar Compass-

40.00

Set a lime stone $10 \times 8 \times 8$ in marked $\frac{1}{4}$
 $\frac{2}{3}$ in the ground and build mound
of earth 2 ft high on the north side
with pits $2 \times 1 \times 1$ ft for $\frac{1}{4}$ Sec. cor.
No trees near-

80.00

Set a volcanic stone $14 \times 7 \times 6$ in prop-
erly notched on the south and east
edges. $\frac{2}{3}$ in the ground and ^{on N. side} build mound
of earth 2 ft high with pits $2 \times 1 \times 1$ ft for
the cor to secs. 25, 26, 35 & 36. No trees near-
Land gently rolling soil 2^d
rate No timber Splendid
grazing. No under growth.

Township 13. N. Range 26. E

Gila and Salt River Meridians

- Chk. East on random line between
secs. 25 and 36
Va. $14^{\circ} 16'$ East.
- 4000 Set a limestone for temporary $\frac{1}{4}$ Sec.
cor.
- 8000 Intersected East boundary of
Township at post cor to secs. 25th & 36.
from which cor. I run.
West on true line
between secs. 25 + 36.
Va. $14^{\circ} 16'$ East.
- 4000 Set a limestone $16 \times 16 \times 10$ in marked
 $\frac{1}{4}$. $\frac{2}{3}$ in the ground and build
mound of earth 2 ft high on the West
side with pits $2 \times 1 \times 1$ ft for $\frac{1}{4}$ Sec. cor.
No trees near.
- 8000 The cor. to secs. 25, 26, 35, + 36.
Land gently rolling soil 2^d rate
good grazing land No timber
No undergrowth

Township 13. N. Range 26 E.
Gila and Salt River Meridian

- Chs. North between secs. 25 & 26.
Va. $14^{\circ} 16'$ East.
- 3800 Prairie bears. E + N. flows E.
- 4000 Set a volcanic stone $10 \times 10 \times 10$ in marked
 $\frac{1}{4}$. $\frac{2}{3}$ in the ground and build
mound of earth 2 ft high on the
north side with pits $2 \times 1 \times 1$ ft for
 $\frac{1}{4}$ Sec. cor. No trees near.
- 8000 Set a volcanic stone $10 \times 8 \times 4$ in
properly notched on the south and
east edges. $\frac{2}{3}$ in the ground and
build mound of earth 2 ft high on
north side with pits $2 \times 1 \times 1$ ft for the
cor to secs. 23, 24, 25 & 26. No trees near.

Land gently rolling soil
2^d rate good grazing land
Grapes gramma both white & black
blue and bunch grape.
Timber a few scattering cedars -
No undergrowth

BOOK 142
Township 13. N. Range 26 E.

Gila and Salt. River Meridian

Set East on random line, between secs. 24th and 25th.
Va. 14° 16' East.

4000 Set a post for temporary $\frac{1}{4}$ Sec. cor.
8000 Intersected East. boundary
of Township 20 links South
of post cor. to secs. 24th and 25th. from
which cor. Run.

S 89° 51' W on true line
between secs. 24th and 25th

Va. 14° 16' East

4000 Set a volcanic stone 10x8x8 marked
 $\frac{1}{4}$. $\frac{2}{3}$ in the ground and build
mound of earth 2 ft high on west side
with pits 2x1x1 ft for $\frac{1}{4}$ Sec. cor.
No trees near.

8000 The cor to secs 23, 24, 25, & 26,
Land gently sloping east. soil
1st rate - splendid grazing
timber scattering cedars of stunted
growth. No undergrowth

Township 13 N. Range 26 E.
 Gila and Salt River Meridian

- | | |
|------|---|
| As. | North between secs. 23. and 24. Va. 14° 16' East. |
| 2800 | Gulch flows S.E. |
| 4000 | Set a volcanic stone 16x10x4 in marked 1/4. 2/3 in the ground and build a mound of earth 2ft high on north side with pits 2x1x1ft for 1/4 sec. cor. No trees near. |
| 8000 | Set a post marked and notched 4ft long 3in squared 1ft in the ground drive charred stakes and build mound of earth 2ft high with pits 2x1x1ft for the cor. to secs. 13, 14, 23, and 24. - No trees near - Land gently rolling eastward Soil 2 ^d rate |
| | Splendid grazing Timber a few scattering cedars - of bushy growth. No under growth |

Township 13. N. Range 26 E

Gila and Salt River Meridian

| | |
|--------|--|
| chs. | East on random line between sec. 13, 2 ^d 24. Va. 14° 16' East. |
| 38.00 | Begin descent at corner - Ravine flows S E and line follows along south slope of hills |
| 40.00 | Set a line stone for temporary 1/4 sec. cor. |
| 80 25. | Intersected East boundary of Township 32 links North of post cor. to sec. 13 rd 24 from which cor. I run. At 89° 47' W on true line between secs. 13, 2 ^d 24. Wa. 14° 16' East. |
| 40.12 | Set a line stone 12 x 7 x 5 marked 1/4 2/3 in the ground and on N. side build mound of earth 2 ft high with pits 2 x 1 x 1 ft for 1/4 sec cor. from which a cedar 4 in dia bears S. 10° W. 3.00 chs dist No other near - |
| 80 25 | The cor to secs. 13, 14, 23, 24. |

Township 13. N. Range 26. E.
Gila and Salt River Meridian

Chs. Land gently rolling soil 2^d rate
No timber under growth cedar
bushes and sage. Not suitable for farming

North between secs. 13rd and 14

Wa. 14° 16' East.

- 1000 Gulch flows S.E. + beginning of hills bears N.E. by
- 4000 Set a volcanic stone 18x10x8 in marked
1/4 2/3 in the ground and build mound
of earth 2 ft high on north side with pits
2x1x1 ft for 1/4 Sec. cor. No trees near
- 4000 Summit of hills bearing N E by North
- 8000 Set a volcanic stone 20x9x8 in properly
notched on S. and E. edges 2/3 in the
ground and build a mound of earth 2 ft
high on north side with pits 2x1x1 ft
for the cor to secs. 11, 12, 13, and 14. No
trees near.

Land rolling soil 2^d rate No
timber No under growth

BOOK 142
Township 13. N. Range 26 E.

Gila and Salt River Meridian

Chs. East on random line between secs. 12 & 13
Va 14. 16' East.

Begin gradual descent from corner -

40.00 Set a volcanic stone for temporary $\frac{1}{4}$
Sec. cor.

80.00 Intersected East. boundary of Township
24. links N of post cor to secs. 12 + 13,
from which cor. I run.

At 89° 50' W. on true line
between secs. 12 + 13.

Va 14° 16' East.

40.00 Set a limestone 14 X 12 X 6, marked $\frac{1}{4}$
 $\frac{2}{3}$ in the ground and on west side build
mound of earth 2 ft high with pits 2 X 1 X 1
ft for $\frac{1}{4}$ sec. cor. No trees near

80.00 The cor. to secs. 11, 12, 13, and 14,
Land rolling soil 2^d rate
No timber or undergrowth fine
grazing land -

Township 13. N. Range 20 E.

Cedar and Salt River Meridian

- chs. North between secs. 11, ^{and} 12.
Va. 14° 16' East.
- 34.50 Enter rough volcanic sand bears
E + W.
- 40.00 Set a volcanic stone 18 x 12 x 4 in marked
1/4, 2/3 in the ground and on north side
build mound of earth 2 ft high with pits
2 x 1 x 1 ft for 1/4 sec. cor. No trees near.
- 44.00 Begin ascent of conical hill 100 ft high
- 52.00 Summit and begin descent.
- 60.00 Foot and entered rolling level bears E + W
- 80.00 Set a limestone 20 x 18 x 8 in properly
notched on S. and E. edges, 3/4 in the
ground and on the N. side build mound
of earth 2 ft high with pits 2 x 1 x 1 ft for,
the cor to secs. 1, 2, 11, ^{and} 12., No trees
near

Land rolling soil 2^d + 3^d rate

No timber or undergrowth

July 15th 1875

BOOK 742

Township 13. N. Range 26 E

Gila and Salt River Meridian

Chs. East on random line between secs.

1 and 12,

Va. $14^{\circ}16'$ East,4000 Set a limestone for temporary $\frac{1}{4}$
sec. cor.8000 Intersected East boundary of Sp,
38 links North of post cor to secs,
1 and 2, from which cor I run $N 89^{\circ}44' W$, on true line
between secs. 1 and 12,Va $14^{\circ}16' E$,4000 Set a limestone $16 \times 10 \times 6$ marked $\frac{1}{4}$
 $\frac{2}{3}$ in the ground and on West side
build mound of rocks 2 ft high for $\frac{1}{4}$ sec
cor. - No trees near -

8000 the cor. to secs. 1 2 11 and 12

Land very rolling soil 3^d rate
No timber

E 007 142

Township 13. N. Range 26 E.

Cedar and Salt River Meridian

- | | |
|-------|--|
| Chs. | North on random line between secs. 1 and 2, Va 14° 16' East. |
| 10,00 | Gulch flows west, 1 ch wide |
| 20,00 | summit of ridge bears E + W |
| 40,00 | Set a volcanic stone for temporary 1/4 sec. cor. |
| 80,20 | Intersected North Boundary of 1/4 20 links west of post cor to secs. 1 and 2 from which cor. Draw S 0° 8' W. on true line between secs. 1 and 2, Va 14° 16' East. |
| 40,20 | Set a limestone 14x10x10 ins marked 1/4 2/3 in the ground and on the south side build mound of earth 2 ft high with pits 2x1x1 ft for 1/4 sec. cor. No true mar |
| 80,00 | The cor to secs. 1, 2, 11, and 12, Land Rolling said 2 ^d rate No timber |

BOOK 142
 Township 13. N. Range 26. E

Gila and Salt river Meridian

| Elevs. | North. between secs. 34 ^{and} 35 Va. 14° 16' East. |
|--------|---|
| 30.00 | Foot of volcanic hill bears SW + NE |
| 40.00 | Set a volcanic limestone 16x9x6 in. marked $\frac{1}{4}$ $\frac{7}{8}$ in the ground and on north side build mound of rocks 2 ft high for $\frac{1}{4}$ Sec cor. No trees near |
| 41.00 | Begin ascent of grassy hill bears NE + SW |
| 60.00 | Summit and begin descent, bears NW + SE |
| 80.00 | Set a limestone 20x10x10 in. properly notched on the S. and E. edges, ³ / ₄ in ground and build a mound of earth on the north's side 2 ft high with pits 2x1x1 ft for the cor to secs. 26 27 34 and 35 No trees near - |
| | Land rolling soil 2 ^d rate No timber |
| | No undergrowth. |
| | Splendid grazing |

Township 13. N. Range 26 E
Gila and Salt river Meridian

- chs. East on random line between
Secs. 26nd and 35
Va. $14^{\circ}16'$ East.
- 40.00 Set a post for temporary $\frac{1}{4}$ Sec.
cor.
- 80.20 Intersected N + S. line 18 lks
North of post cor to secs. 25 26
35nd and 36 from which cor. Draw
N $89^{\circ}52'$ W. on true line
between secs. 26nd and 35
Va. $14^{\circ}16'$ East.
- 40.10 Set a limestone $14 \times 10 \times 4$ marked $\frac{1}{4}$
 $\frac{2}{3}$ in the ground and on West side
built mound of earth 2 ft high with
pits $2 \times 1 \times 1$ ft for $\frac{1}{4}$ sec. cor.
- 80.20 The cor. to secs. 26 27 34nd and 35
Land rolling soil 2nd rate
No timber no undergrowth
Splendid grazing

BOOK 142

Township 13. N. Range 26 E.

Gila and Salt River Meridian

- Chs. North between secs. 26nd & 27
v. a. 14° 16' East.
- 30.50 Summit of hills bearing N. and SW.
- 34.00 Beginning towards NW
- 40.00 Set a lime stone 18X6X6 marked
1/4 2/3 in the ground and build mound
of earth on north side 2ft high with
pits 2X1X1ft for 1/4 Sec cor - No trees near
- 58.00 Run in flows. west. with cedars in it
- 80.00 Set a volcanic lime stone 14X10X2 in
properly notched on the S. and E.
edges. 2/3 in the ground and build
a mound on north side, of earth 2ft
high with pits 2X1X1ft for the cor.
to secs. 22, 23, 26, & 27. No trees
near.

Land rolling Soil 2^d
gate. Timber Cedar in
run in Good grazing

Township 13. N Range 26 E
Gila and Salt River Meridian

- Chs. East on random line between
Secs. 23rd and 26
- Va. $14^{\circ}16'$ East,
- 20.00 Summit of hills bearing N. + SW
- 4000 Set a post for temporary $\frac{1}{4}$ Sec.
cor.
- 80.16 Intersected N + S line 8 blocks
North of post cor to secs. 23 24
25 + 26 from which cor. Draw.
At $89^{\circ}56'$ W on true line
between Secs. 23rd and 26
- Va $14^{\circ}16'$ East,
- 4008 Set a limestone $18 \times 8 \times 4$ in marked
 $\frac{1}{4}$ $\frac{3}{4}$ in the ground and on west
side build mound of rubble 2 ft high
with pits $2 \times 1 \times 1$ ft. for $\frac{1}{4}$ sec. cor.
No trees near -
- 80.16 The cor. to secs. 22, 23, 26, + 27
Land rolling soil 2^d rate No timber

Township 13. N. Range 26 E.

Gila and Salt River Meridian

| | |
|-------|---|
| Chs. | North between secs. 22, 24 or 25 |
| | va. 14 th 16' East. |
| 24.50 | Arroyo flows west 20 links wide |
| 40.00 | Set a lime stone 10 X 10 X 10 in. marked $\frac{1}{4}$. $\frac{2}{3}$ in the ground and on north side build mound of earth 2 ft high with pits 2 X 1 X 1 ft for $\frac{1}{4}$ Sec cor. No trees near. |
| 43.00 | Line runs along west slope of hills |
| 80.00 | Set a lime stone, 16 X 10 X 4 in properly notched on the S. and E. edges. $\frac{2}{3}$ in the ground, and on north side build mound of earth 2 ft high with pits 2 X 1 X 1 ft for the cor. to secs. 14, 15, 22 and 23. - No trees near - |
| | Land rolling S. 20 rate |
| | No timber. No undergrowth |
| | Splendid grazing |

Township 13. N. Range. 26 E.

Gila and Salt River Meridian

- | | |
|-------|---|
| | East on random line between secs. 14 th and 23. |
| | va 14° 16' East. |
| 10.00 | Begin ascent of hill 150ft high conical |
| 31.00 | Barometer shows NW. |
| 40.00 | Set a post for temporary 1/4 Sec. cor. |
| 50.00 | Summit and begin descent bears N.W. |
| 80.28 | Intersected N + S. line at post cor to secs. 13, 14, 23, and 24 from which cor. I run. West on true line between secs. 14 th and 23 va. 14° 16' East. |
| 40.14 | Set a lime stone 10 x 9 x 8 in marked 1/4, 2/3 in the ground and on west side built mound of earth 2 ft high with pile 2 x 1 x 1 from N. Sec. cor. to true near. |
| 80.28 | The cor. to secs. 14, 15, 22 nd and 23. Land rolling and hilly soil 2 + 3 rd rate Timber a few cypress on brow of hill |

BOOK 142
 Township 13. N. Range 26. E
 Gila and Salt River Meridian

| Chs. | North between secs. 14 th & 15 th Va. 14° 16' East. |
|-------|---|
| 17.50 | Enter little valley bears NW & SE. |
| 20.00 | Arroyo flows NW 20 links wide |
| 24.00 | Enter rolling land bears N. NW. |
| 40.00 | Set a limestone 16 x 10 x 10 in marked 1/4, 2/3 in the ground and on north side build mound of earth 2ft high with pits 2 x 1 x 1 ft for 1/4 sec. cor. No trees near - |
| 62.00 | Arroyo flows west 16 lks wide |
| 80.00 | Set a limestone 16 x 12 x 8 in properly marked on S. and E. edges, 2/3 in the ground and on north side build mound of stone 2ft high for the cor. to secs. 10, 11 14 th & 15 th No trees near - |
| | Land rolling soil 2 ^d rate |
| | Excellent grazing |
| | Timber a few |
| | scattering cedars - |
| | July 16 th 1875 |

Township 13. N. Range 26. E.
 Giles and Salt River Meridian

- Chs. East on random line between sec.
 11. and 14
 Va. $14^{\circ}16'$ East.
 Begin ascent at cor of hills bearing
 N + S.
- 40.00 Set a post for temporary $\frac{1}{4}$ sec. cor -
 60.00 Summit of rolling hills bear N + S.
 80.30 Intersected N + S line 36 lbs South
 of post cor. to sec. 11, 12, 13, and 14 from
 which cor. I run
 $S 89^{\circ}44'W$ on true line
 between sec. 11. and 14
 Va $14^{\circ}16'$ East.
- 40.15 Set a lime stone $16 \times 10 \times 8$ in marked
 $\frac{1}{4} \frac{2}{3}$ in the ground and on west. side
 build mound of stone 2ft high for $\frac{1}{4}$ sec. cor.
 ground to hard to dig pits. No trees near -
- 80.30 The cor. to sec. 10, 11, 14, and 15.
 Land rolling soil 2^d rate
 good grazing no timber

Township 13. N. Range 26 E.
Gila and Salt River Meridian

- Chs. North between Secs. 10^Q and 11,
Va. 14° 16' East,
- 40.00 Set a volcanic stone 16 X 10 X 10 marked
74. 7/8 in the ground and build mound
of earth 2ft high with pits 2 X 1 X 1 ft for 7/4
See cor. from which
A cedar. Gila's bears S. 54° W. 250 Meridian
No others near -
- 48.00 Enter bottom land bears N + SW
- 80.00 Set a post marked and notched 4ft.
long 3 in. squared 1ft in the ground
Drive charred stakes and build
mound of earth 2ft high with pits
2 X 1 X 1 ft. for the cor. to secs.
2, 3, 10^Q and 11. No trees near -
Land rolling south and east of
quarter cor. level N. and west of
same Sec 2^Q and 14^Q rate
No timber No undergrowth.

Township 13. N. Range 26. E.
Gila and Salt River Meridian

| | |
|-------|---|
| Ch. | East on random line between secs. 2 & 11 Va $14^{\circ} 16'$ East. |
| 16.00 | Enter rolling land bars NE + South |
| 40.00 | Set a post for temporary $\frac{1}{4}$ sec. cor. |
| 44.00 | Begin ascent of volcanic hill bars N + S. |
| 48.00 | Summit bar N + S and begin descent. |
| 56.00 | Foot and ravine flows NW. and begin ascent of main range - bars N + SW |
| 74.00 | Summit bars NW then NE in rock - |
| 80.16 | Intersected N. + S. line 28 links South of post cor to secs. 12 & 11 from which cor. Draw. S $89^{\circ} 48' W$ on true line between secs. 2 and 11 Va $14^{\circ} 16'$ East |
| 40.08 | Set a post marked $\frac{1}{4}$ S. 4 ft long flattened 3 in wide 1 ft in the ground drive charred stake and build mound of earth 2 ft high with pile 2 x 1 x 1 ft for $\frac{1}{4}$ Sec cor. No true mar. |

Township 13. N. Range 26 E
Gila and Salt River Meridian

80.16 The cor. to secs. 2, 3, 10, & 11.
Land rolling soil 2^d rate timber

Chs.

North on random line between secs.
2 and 3,

Va. $14^{\circ} 16'$ East.

26.50 Enter rolling land bears NW + SE.

40.00 Set a post for temporary $\frac{1}{4}$ sec cor.

80.30 Intersected north boundary of opp.
at post cor. to secs. 2 and 3 from
which cor. I ran.

South on true line between
secs. 2 and 3,

Va. $14^{\circ} 16'$ East

40.30 Set a limestone $14 \times 8 \times 8$ in marked
 $\frac{1}{4}$, $\frac{2}{3}$ in the ground and on south side
built mound of earth 2 ft high with
pits $2 \times 1 \times 1$ ft for $\frac{1}{4}$ sec. cor. No trees war

80.30 The cor. to secs. 2, 3, 10, & 11.

Land gently rolling soil 2^d

B17K 42

Township 13. N. Range 26 E.

Gila and Salt River Meridian

rate No timber No undergrowth.

- | | |
|-------|--|
| Chs. | North between sec. 33 and 34 Va. 14° 16' East. |
| 12.00 | Begun ascent of hills bears NE + SW |
| 32.00 | Summit bears NE + SW |
| 40.00 | Set a lime stone 18 x 10 x 10 in marked '11. 3/4 in the ground and on north side build mound of earth 2ft high with pits 2 x 1 x 1 ft. for '14 see cor. No trees near - |
| 44.00 | Begun descent bears NE + SW |
| 58.00 | Ravin flows. NW. |
| 65.00 | Enter bottom land, bears NE + SW |
| 80.00 | Set a post marked and marked 4ft long 3in squared 1ft in the ground drive charred stakes and build mound of earth 2ft high with pits 2 x 1 x 1 ft for the cor. to sec. 27. 28. 33. and 34. No trees near. |

Township 13. N. Range 26 E.

Gila and Salt River Meridian

Chs. Land rolling soil 2nd rate
No timber

East on random line between secs.
27 and 34,

Pa. $14^{\circ}16'$ East.

8.00 Enter rolling hills bear N 6° + SW

40.00 Set a post for temporary $\frac{1}{4}$ sec. cor.

44.00 Summit bears N 6° + SW,
and begin descent.

80.40 Intersected N. + S line 34 miles
north of the cor. to secs. 26, 27, 34, ²⁷ and 35
from which cor. to run.

N $89^{\circ}46'$ West, on
true line between secs. 27 and 34.

Pa. $14^{\circ}16'$ East

41.20 Set a post marked $\frac{1}{4}$ S. 4 ft long flattened
3 in wide 1 ft in the ground drive charred stakes
and build mound of earth 2 ft high with pits
2 x 1 x 1 ft for $\frac{1}{4}$ sec cor. No trees near

Township 13. N. Range 26 E.

Gila and Salt River Meridians

| | |
|----------------------|---|
| <p>chs. 8040</p> | <p>The cor. to sec. 27, 28, 33, and 34. Land rolling soil 2^d rate No timber under growth stunted cedars. on west slope of hills</p> |
| | <p>North between sec. 27 and 28.</p> |
| | <p>Wa. 140 16' East.</p> |
| <p>3300</p> | <p>Road from settlements at upper Concho creek to Little Colorado river bears N 64° 31' W</p> |
| <p>4000</p> | <p>Set a lime stone 12 x 12 x 10 ins marked $\frac{1}{4}$ $\frac{2}{3}$ in the ground and on north side build mound of earth 2 ft high with pits 2 x 1 x 1 ft. for these cor. from which a cedar, 12 ins dia bears N 78° E, 86 lbs suit No others near.</p> |
| <p>7800</p> | <p>Concho creek flows N 6° by E 15 lbs wide</p> |
| <p>8000</p> | <p>Set a sand stone 15 x 10 x 3 in properly notched on the S. and E. edges. $\frac{2}{3}$ in the ground and on north side build mound of earth 2 ft high with pits 2 x 1 x 1 ft for the cor. to sec. 21 22 27 & 28. No trees near</p> |

Township 13. N. Range 26. E.

Gila and Salt River Meridian

Chs. Land level soil 1st rate
No timber No undergrowth

East on random line between sec. 22 & 27
Va. $14^{\circ}16'$ East

- 1800 Cactus creek flows N. 1500s wide
1850 Road from upper settlements to Colorado river bears N + S.
4000 Set a post for temporary $\frac{1}{4}$ sec. cor.
4980 Intersected N. + S. line 22 links North of
post cor. to sec. 22 23 26 and 27 from which
cor. Run

$N 89^{\circ}51' W.$ on true line between
secs. 22 and 27.

Va. $14^{\circ}16'$ East

- 3990 Set a post, marked $\frac{1}{4}$ S. 4 ft long flattened
5 in wide 1 ft in the ground deposit stone marked
+ and bench mound of earth 4 ft high with
pile $2 \times 1 \times 1$ ft for $\frac{1}{4}$ sec cor. No trees near.
4980 The cor. is sec. 21 22 27 and 28,
Land level soil 1st and 2^d rate

Township 13. N. Range 26 E
Gila and Salt River Meridian

No timber under growth sage brush -

- Chs. North between secs. 21 and 22
Va. 14° 16' East.
- 40.00 Set a sand stone 20x12x3 in marked
1/4. 3/4 in the ground and on north side
build mound of earth 2 ft high with pits
2x1x1 ft for 1/4 sec cor. No trees near -
- 78.00 Couches creek flows S.W. 15 links wide
- 80.00 Set a volcanic stone 14x10x8 in
properly marked on S. and E. edges,
set 7/8 in the ground and on north side
build mound of earth 2 ft high with
pits 2x1x1 ft. for the cor to secs.
15, 16, 21, and 22, No trees near -
Land level soil 1/2 rate
for farming
- No timber under growth
mesquite and sage brush
- July 17th 1875

Township 13. N. Range 26. E.

Chula and Salt River Meridian

Chs. East on random line between
secs. 15 and 22,
Va. $14^{\circ}16'$ East.

25.00 Road from settlements on Couchs
Creek to Little Colorado river bears N. & S.

35.00 Arroyo flows. SW. 10 Chs wide

40.00 Set a post for temporary $\frac{1}{4}$ Sec. cor.

62.00 Enter rolling land bears N. & S.

80.00 Intersected N. & S. line at post
cor. to secs. 14, 15, 22, and 23, from
which cor. Drum

West on true line between
secs. 15 and 22,

Va. $14^{\circ}16'$ East.

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long flattened
3 in wide from the ground at post marked stone
and build mound of earth 2 ft high with pits
2 x 1 x 1 ft for $\frac{1}{4}$ Sec. cor. No trees near -

80.00 The cor. to secs. 15, 16, 21, and 22
Land level soil at rate of timber

Township 13. N. Range 26 E.
Cedar and Salt River Meridian

Chs. North between secs. 15 and 16.

Va. $14^{\circ} 16'$ East.

4000 Set a post marked $\frac{1}{4}$ S. 4 ft long flattened
3 in wide 1 ft in the ground drive chased
stake and build mound of earth 2 ft high
with pile 2 x 1 x 1 ft for $\frac{1}{4}$ sec. cor. No trees
near.

4800 Arroyo flows NW 10 links wide

8000 Set a Tinostone 12 x 10 x 6 in properly
notched on the S. & E. edges $\frac{2}{3}$ in
the ground and on the north side build
mound of earth 2 ft high with pile 2 x 1 x 1
ft. for the cor. to secs. 9, 10, 15, and 16. No trees near
Land level. Soil 1 $\frac{1}{2}$ gal. No timber

Chs. East on random line between
secs. 10 and 15

Va. $14^{\circ} 16'$ East.

850 Road from settlements on Croucher creek
to Little Colorado river bears N + S.

Township 13. N. Range 26 E.
Gila and Salt River Meridian

- Chs-
18.00 Arroyo flows North-15 Hrs wide
40.00 Set a post for temporary $\frac{1}{4}$ sec. cor.
70.00 Enter rolling land, bears N + S.
79.80 Enter school N. + S. line 36 miles North
of post cor. to secs. 10, 11, 14, + 16 from
which cor. I run.

N $89^{\circ} 44'$ W on true line
between secs. 10 and 15.

N. $14^{\circ} 16'$ East.

- 39.90 Set a limestone $12 \times 12 \times 12$ in marked
 $\frac{1}{4}$, $\frac{2}{3}$, in the ground and on west
side build mound of earth 2 ft high
with pins $2 \times 1 \times 1$ ft for $\frac{1}{4}$ Sec cor.
No trees near.

- 79.80
This cor to secs. 9 10 15 and 16
Land level soil 1 $\frac{1}{2}$ rate No timber
No undergrowth.

Township 13. N. Range 26 E.

Gila and Salt River Meridian

- Chs. North between Secs. 9^a & 10
 Va. $14^{\circ} 16'$ East,
- 4000 Lava lime stone $10 \times 10 \times 10$ in marked
 $\frac{1}{4}$ in the ground and on north side
 built mound of earth 2 ft high with
 pits $2 \times 1 \times 1$ ft for $\frac{1}{4}$ sec cor.
 No trees near.
- 4200 Couche's creek flows NE 15 lks wide
- 5065 Road from upper settlements on Couche's creek
 to Little Colorado river bears NNE + SSW
- 5270 Couche's creek flows NW by W. 15 lks wide
- 5530 " " " NE " E " " "
- 5870 Road from upper settlements on Couche's creek
 to Little Colorado river bears NNE + SSW
- 8000 Lava post marked and notched $\frac{1}{4}$ ft long
 3 in squared $1\frac{1}{2}$ ft in the ground deposit stone marked
 + and built mound of earth 2 ft high
 with pits $2 \times 1 \times 1$ ft for the cor. to Secs. 3, 4,
 9, and 10 No trees near.
 Land level rose 1 $\frac{1}{2}$ mile No timber

Township 13. N. Range 26 E.

Gila and Salt River Meridian

- | | |
|-------|--|
| Chs. | East on random line between secs. 3 and 10 Va 14° 16' East. |
| 10,60 | Road from upper settlements on Couches creek to Little Colorado river bars. N ⁶ + S ^W . |
| 16,70 | Couches creek flows. North-15 lbs wide |
| 2,110 | Road from upper settlements to Little Colorado river bars. N + S ^W . |
| 40,00 | Set a post for temporary 1/4 sec cor. |
| 80,00 | Intersected N & S line at post cor. to secs. 2, 3, 10, and 11 from which cor. Run West on true line between secs. 3 and 10 Va. 14° 16' East. |
| 40,00 | Set a volcanic stone 14x12x10 ins marked 1/4, 2/3 in the ground and on west side buried mound of earth 2 ft high with pits 2x1x1 ft. for 1/4 sec. cor. No trees near. |
| 80,00 | The cor. to secs. 3, 4, 9, and 10, Land level soil 1 st rate No timber |

Township 13. N. Range 26. E.
Gila and Salt River Meridian

- Ch. North on random line between secs. 3rd and 4th
Va $14^{\circ}16'$ East.
- 4.50 Enter rolling land bears NE + SW
- 11.50 Summit of mesa and line continues along
same -
- 18.00 Foot of mesa and enters level land bears
E. + W.
- 40.00 Set a post for temporary $\frac{1}{4}$ sec cor
- 62.80 Wood road bears. NE + SW
- 71.50 " " " " "
- 80.00 Intersected North boundary of Township
at post cor. to secs. 3rd and 4th from which
cor. \mathcal{D} runs.
- South on true line between
secs. 3rd and 4th
Va $14^{\circ}16'$ East.
- 40.00 Set a post marked $\frac{1}{4}$ S. 4ft long flattened
3in wide 1/2 in the ground drive charred stake and
build mound of earth 2ft high with pile 2x1x1ft for $\frac{1}{4}$
sec cor. No true near -

Township 13. N. Range 26 E

Gila and Salt River Meridians

Lbs
80.00

The cor to secs. 349 and 10

Land mostly level soil 1st rate
No timber

North between secs 32 and 33,

va. 14° 16' East.

10.40

Road from upper settlements on Concho creek
to Little Colorado river bears NE + SW

18.00

Entered wheat field bears NE + SW

38.00

Left field bears NE + SW

40.00

Set a post marked $\frac{1}{4}$ S, 4 ft long flattened
and wide 1 ft in the ground drive charred stakes
and built mound of earth 2 ft high with pits
2x1x1 ft for $\frac{1}{4}$ sec. cor. No trees near -

49.00

Concho creek flows NE 15 lbs width

62.00

Entered rolling land bears NE + SW

80.00

Set a sand stone 18x8x6 in properly oriented
on S + E edges, $\frac{3}{4}$ in the ground and on North
side built mound of earth 2 ft high with pits 2x1x1 ft
for the cor to secs. 28, 29, 32, + 33. - No trees near -

Township 13. N. Range 26 E

Gila and Salt River Meridian

| | |
|-------|--|
| Chs. | Land mostly level soil 1 st rate No timber No under growth |
| | East on random line between secs. 28 th & 33. Va. 14° 16' East. |
| 21.00 | Enter bottom land. bears N + S. |
| 40.00 | Set a post for a temporary 1/4 Sec. cor. |
| 41.50 | House 4 ch south of line |
| 44.00 | " " " North " " |
| 46.00 | Cochise creek flows North - 15 lks wide |
| 46.30 | Entered field bears N + S. |
| 58.00 | Leave field bears N + S. |
| 62.50 | Road from upper settlements in Cochise creek to Little Colorado river bears N + S. |
| 80.00 | Intersected N + S line 26 links north of post cor to secs. 27 28 33 and 34 from which cor. I run N 89° 49' W on true line between secs. 28 and 33. Va. 14° 16' East |

Township 13. N. Range 26 E
Gila and Salt River Meridian

40.00 Set a post marked $\frac{1}{4}$ S. 4ft long flattened
3in wide 1ft in the ground deposit marked
stone and build mound of earth 2ft high
with pits 2x1x1 ft for $\frac{1}{4}$ sec. cor. No trees near—
80.00 The cor to sec. 28, 29, 32, and 33,
Land level mostly soil 1st rate No
timber

North between, sec. 28 and 29,

Va. 14° 16' East.

34.50 Sand stone ridge bears E & W. 20ft high

40.00 Set a round stone 16x8x8 in marked
 $\frac{1}{4}$ $\frac{2}{3}$ in the ground and on north side
build mound of earth 2ft high with pits
2x1x1 ft for $\frac{1}{4}$ sec. cor. — No trees near —

80.00 Set a post marked and stretched 4ft long
3in square 1ft in the ground drive cherrid stakes
and build mound of earth 2ft high with pits 2x1x1 ft
for the cor. to sec. 20, 21, 28, and 29. No trees near—
Land pretty rolling soil 1st rate No timber

34

Township 13. N. Range 26 E.

Gila and Salt River Meridian

- Chs. East on random line between secs. 21nd and 28th
Va. 14° 16' East.
- 40.00 Set a post for temporary 1/4 sec. cor.
- 53.20 Entered bottom land bears N+S.
- 79.90 Intersected N+S line 10 lks. North of post
cor to secs. 21, 22, 27, and 28. from which cor
Run
N. 89° 56' W. on true line between
secs. 21nd and 28th
Va. 14° 16' East.
- 34.95 Set a post marked 1/4 S. 4 ft long flattened
3 in wide 1 ft in the ground deposit marked
stone and build mound 2 ft high with pits
2 x 1 ft for 1/4 Sec cor. No trees near—
- 79.90 The cor to secs. 20 21 28 + 29
Land level soil 2^d rate No timber
under growth stunted cedars—
July 19th 1875
North between secs. 20th and 21st
Va 14° 16' East

Township 13. N. Range 26 E.

Cuba and Salt River Meridian

- | | |
|--|--|
| 40.00 | Set a post marked $\frac{1}{4}$ S. 4 ft long flattened 3 in wide 1 ft in the ground driven charred stake and build mound of earth 2 ft high with pits 2 x 1 x 1 ft for $\frac{1}{4}$ sec. cor. No trees near. |
| 48.00 | Cattle trail bears NE + SW |
| 80.00 | Set a limestone 16 x 10 x 8 in properly notched on S. and E. edges. $\frac{2}{3}$ in the ground and on North side build mound of earth with pits 2 x 1 x 1 ft for the cor. to secs. 16, 17, 20, and 21. No trees near. Land gently rolling soil 2 ^d rate. No timber. Under growth a few stunted cedars. |
| East on random line between secs. 16 th and 21 st on 14 th 16' East. | |
| 40.00 | Cattle trail bears NE + SW |
| 40.00 | Set a post for temporary $\frac{1}{4}$ sec. cor. |
| 50.00 | Centered bottom land bears N + S, |
| 70.00 | Cowcho creek flows North 15 ft wide |
| 80.00 | Intersected N. and S. line at post cor. to secs. 15, 16, 21, and 22, from which cor. |

Township 13. N. Range 26 E
 Gila and Salt River Meridian

| Echs. | Drun |
|-------|--|
| | <p>West on true line between Recs. 16^{2d} & 21</p> <p>Va 14° 16' East,</p> |
| 40.00 | <p>Set a post marked 1/4 S. 4 ft long flattened 3 in wide 1 ft in the ground driven charred stakes and build mound of earth 2 ft high with pits 2x1x1 ft for 1/4 S. E. cor. No trees near</p> |
| 80.00 | <p>The cor. to secs. 16, 17, 20 & 21, Land mostly level mesa and bottom land Sec 1st & 2nd flat No timber under growth stunted cedars scattered</p> |
| | <p>North between secs. 16^{2d} & 17, Va 14° 16' East,</p> |
| 18.00 | <p>Call to trail bears N E & S W</p> |
| 40.00 | <p>Set a post marked 1/4 S. 4 ft long flattened 3 in wide 1 ft in the ground driven charred stakes and build mound of earth 2 ft high with pits 2x1x1 ft for 1/4 S. E. cor. No trees near</p> |

BOOK 742

Township 13, N. Range 26 E.

Gila and Salt River Meridian

| Elevs | |
|-------|--|
| 7800 | Sattle trail bears NE + SW. |
| 8000 | Set a post marked and notched 4 ft long 8 in squared ft in the ground deposit marked stone and build mound of corals 2 ft high with pits 2 x 1 x 1 ft for the cor. to sec. 8, 9, 16 + 17. No trees near - Land mostly level mesa soil 2 ^d rate No timber near growth cedars stunted |

East on random line between sec. 9 and 16.
N 140° 16' East

| | |
|--------|---|
| 4.00 | Sattle trail bears NE + SW - |
| 140.00 | Set a post for temporary 1/4 Sec. cor. |
| 64.00 | Entered bottom land bears N + S. |
| 92.20 | Couchu creek flows North 15-20 ft wide |
| 80.10 | Intersected N. + S. line 16 miles south of post cor to sec. 9, 10, 15, and 16. from which cor Draw S 89° 53' W on true line between sec. 9 and 16' |

Township 13. N. Range 26 E.

Gila and Salt River Meridian

- 40.15 Va. $14^{\circ} 16'$ East.
 Set a post marked $\frac{1}{4}$ S. 4 ft long flattened
 3 in wide 2 ft in the ground for $\frac{1}{4}$ S 1 c. cor.
 from which
 A cedar. 4 in dia bears N 20° E 28 lbs dia't
 " " 5 " " " S 25° E 44 " "
- 80.10 The cor to sec. 8, 9, 16, and 17
 Land pretty rolling soil 2^d rate - Timber
 cedar.

North between sec. 8 and 9

Va. $14^{\circ} 16'$ East.

- 36.40 Castle trail bears NE + S W,
- 40.00 Set a post marked $\frac{1}{4}$ S. 4 ft long flattened 3 in wide
 1 ft in the ground drive charred stake and build
 mound of earth 2 ft high with pile 2 x 1 x 1 ft for $\frac{1}{4}$
 sec. cor. No trees near
- 70.00 Wood road bears NE + S W
- 80.00 Set a post marked and notched 4 ft long
 3 in square 1 ft in the ground drive charred

Township 13. N. Range 26 E.

Cedar and Salt River Meridian

Chs. stake and build mound of earth 2 ft high with
pits 2 x 1 x 1 ft for the cor to secs. 4, 5, 8, 9
No trees near

Land gently rolling soil 2^d rate -
Timber scattering cedars.

East on random line between Secs. 4 & 9

70° 14' 16" East,

10,000 Wood road bears N 6° + S W

4,000 Set a post for temporary 1/4 sec cor.

8,000 Intersected N. and S. line at post cor.
to secs. 3, 4, 9 and 10 from which cor drawn

West on true line between secs.

4, and 9,

70° 14' 16" East

4,000 Set a post marked 1/4 S. 4 ft long flattened 3 in wide
1 ft in the ground drive charred stakes and
build mound of earth 2 ft high with pits 2 x 1 x 1 ft
for 1/4 sec cor. - No trees near -

8,000 The cor. to secs. 4, 5, 8, and 9.

Township 13. N. Range 26 E.

Cedar and Salt River Meridian

Chs. Land gently rolling soil 2^d rate
 Timber scattering cedars

North on random line between sec.

4th and 5th

Va 14° 16' East.

40,00 Set a post for temporary 1/4 Sec. cor.

80,10 Intersected N. boundary of Tps. at post
 cor to sec. 4th and 5th from which cor. Draw

South on true line between sec.

4th and 5th

Va 14° 16' East.

40,10 Set a lime stone 12x10x10 in marked 1/4.

2/3 in the ground and on south side
 build mound of earth 2 ft high with pits
 2x1x1 ft for 1/4 Sec. cor. - No trees near

80,10 The cor to sec. 4, 5, 8, and 9.

Land rolling soil 2 + 3^d rate

Timber cedar on south-quarter section
 west of line

Township 13. N. Range 26 E.

Glen and Salt River Meridian

| | |
|------|---|
| Chs. | North between secs 31 ⁹ & 32. Va 14° 16' East. |
| 350 | Arroyo flows. N.E. |
| 3600 | Entered rolling land bears E + N |
| 4000 | Set a post marked $\frac{1}{4}$ S 4 ft long flattened 3 in wide 1 ft in the ground deposit marked stone and build mound of earth 2 ft high with pits 2 x 1 x 1 ft. for $\frac{1}{4}$ Sec. cor. No trees near - |
| 8000 | Set a post marked and stretched 4 ft long 3 in square 1 ft in the ground deposit marked stone and build mound of earth 2 ft high with pits 2 x 1 x 1 ft for the cor. to secs. 29 30 31 and 32 from which A cedar 12 in dia bears N. 30 W. 205 lbs dist No trees near - Land pretty rolling soil 2 ^d rate - No timber |

East on random line between secs. 29⁹ & 32
Va 14° 16' East.

| | |
|-------|--|
| 4000 | Set a post for temporary $\frac{1}{4}$ Sec cor - |
| 79.80 | Entered N. + S. line 20 links |

45.

17 142

Township 13. N. Range 26 E
Cedar and Salt River Meridian

Chs. 1 south of post cor. to secs. 28, 29, 32, and 33.
from which cor. Run.

S 89° 51' W on true line
between secs. 29 & 32

Wa 14° 16' East

39.90 Set a post marked 1/4 S. 4 ft long 3 in flattened
wide, 1 ft in the ground deposit stone marked
+ and built around of earth 2 ft high with
pits 2 x 1 x 1 ft for 1/4 sec cor. No trees near -

79.80 the cor to secs. 29 30 31 and 32

Land gently rolling soil 2^d rate November

July 20 1875

West on random line between secs. 30 & 31

Wa. 14° 16' East.

40.00 Set a post for temporary 1/4 Sec. cor -

80.00 Intersected West boundary of Township
at post cor. to secs. 30 & 31 from which cor. Run

East on true line between secs. 30 & 31

Wa 14° 16' East

40.00 Set a post marked 1/4 S. 4 ft long flattened

Township 13. N. Range 26. E
 Ohio and Salt River Meridian

Chs. 3 in wide 1 ft in the ground drive shared
 stake and build mound of earth 2 ft high with
 pits 2 x 1 x 1 ft for $\frac{1}{4}$ sec. cor. No trees near
 8,000 The cor to sec. 29 30 31 and 32
 Land level soil 1st rate No timber

North between sec. 29 and 30
 Va 117° 16' East.

4,000 Set a lime stone 10 x 10 x 10 in marked
 $\frac{1}{4}$ $\frac{2}{3}$ in the ground and on north side
 build mound of earth 2 ft high with pits
 2 x 1 x 1 ft for $\frac{1}{4}$ sec. cor. - No trees near -

8,000 Set a post marked and notched 4 ft long
 3 in squared 1 ft in the ground deposit stone
 marked + and build mound of earth 2 ft high
 with pits 2 x 1 x 1 ft for the cor to sec. 19, 20, 29, + 30.
 No trees near.

Land level soil 1st rate No timber
 No under growth

Township 13. N. Range 26 E
Gila and Salt River Meridian

Chs. East on random line between secs. 20 + 29
Va. $14^{\circ} 16'$ East

36.00 Enter mesa land bears N. + S.

46.00 Set a post for temporary $\frac{1}{4}$ Sec. cor.

80.00 Intersected N. + S. line 16 lbs North of
post cor to secs. 20, 21, 28, + 29, from which cor.
Drum.

N. $89^{\circ} 53' W.$ on true line between
secs. 20 and 29

Va $14^{\circ} 16'$ East

40.00 Set a post marked $\frac{1}{4}$ S. 4 ft long flattened
3 in wide 1 ft in the ground drive charred
stake and build mound of earth 2 ft high with
pits 2 x 1 x 1 ft for $\frac{1}{4}$ Sec. cor. - No trees near -

80.00 The cor to secs. 19 20 29 and 30

Land mostly level bottom and mesa soil
 1^{st} + 2^{d} rate - No timber No undergrowth

West on random line between secs. 19 + 30

Va $14^{\circ} 16'$ East

Township 13. N. Range. 26 E.
Gila and Salt River Meridian

Chs.

40.00

Set a post for temporary $\frac{1}{4}$ Sec. cor.

49.90

Intersect West boundary of township
14 miles north of post cor to sec. 19 + 30 from
which cor. to run

$N 89^{\circ} 53' E$. on true line between
secs. 19 and 30

Va. $14^{\circ} 16'$ East

39.90

Set a post marked $\frac{1}{4}$ S. 4ft long flattened
3in wide 1/2 in the ground above charred stakes
and build mound of earth 2ft high with
pits $2 \times 1 \times 1$ ft for $\frac{1}{4}$ Sec. cor. No trees near

49.90

The cor. to sec. 19, 20 29 and 30

Land level soil 1st rate - No timber

wonder growth

North between secs. 19 and 20

Va. $14^{\circ} 16'$ East.

40.00

Set a post marked $\frac{1}{4}$ S. 4ft long flattened
3in wide 1/2 in the ground deposit marked
stone + and build a mound of earth 2ft high

Township 13. N. Range 26 E.
Gila and Salt River Meridian

- Chs. with pits - 2 x 1 x 1 ft. for $\frac{1}{4}$ Sec cor. North
near.
- 5800 Cedar cedars. bear E. & W.
- 8000 Set a post marked and notched 4 ft long 3 in
squared 1 ft in the ground, drive charred stake and build mound
of earth - 2 ft high with pits 2 x 1 x 1 ft. for the cor. to
secs. 17, 18, 19, & 20 from which a
Cedar, 8 in dia bears East 356 lbs and
North near -
- Land level 2 in 2 pole timber & scattering
cedars -
- East on random line between secs. 17 & 20
Va. 14° 16' East
- 3150 Cattle trail bears N. E. & S. W.
- 4000 Set a post for temporary $\frac{1}{4}$ Sec. cor -
- 6000 Cattle trail bears. N. E. & S. W.
- 8000 Intersected N. & S. line at post. cor to secs.
16 17, 20 & 21 from which cor. Drive
West on true line between secs.
17 and 20.

Township 13. N. Range 26 E.
Cuba and Salt River Meridian

- | | |
|---|---|
| Lks. | Va. $14^{\circ} 16'$ East. |
| 40.00 | Set a post, marked $\frac{1}{4}$ S. 4 ft long flattened 3 in wide 1 ft in the ground deposit, stone marked + and built mound of earth 4 ft high with pits 2 x 1 x 1 ft for $\frac{1}{4}$ Sec. cor. No trees near. |
| 80.00 | The cor. to secs. 17 18 19 and 20 Land level and 2 pole timber scattering cedars. |
| West on random line between secs. 18 and 19 | |
| Va. $14^{\circ} 16'$ East. | |
| 40.00 | Set a post for temporary $\frac{1}{4}$ Sec. cor. |
| 49.80 | Intersected West boundary of Township 12 lks. North of post cor. to secs. 18 + 19 from which cor. Run. |
| N $89^{\circ} 53'$ E on line line | |
| between secs. 18 + 19 | |
| Va. $14^{\circ} 16'$ East. | |
| 39.80 | Set a post marked $\frac{1}{4}$ S. 4 ft long flattened |

Township 13. N. Range 26 E.

Cedar and Salt River Meridian

79.80
 S. No. 3 in wide 1 ft in the ground deposit stone
 marked + and build mound of earth 2 ft high
 with pits 2 x 1 x 1 ft for 1/4 Sec cor. from which
 a cedar, 12 in dia. bears. N. 10° E 40 lks. dist. No other way -
 the cor. to secs. 17, 18, 19, and 20.

Land gently rolling soil 2^d rate
 Timber Cedars, scattering.

North between secs. 17 and 18
 on 14° 16' East.

40.00
 Set a post marked 1/4 S. 4 ft long flattened
 3 in wide 2 ft in the ground for 1/4 Sec cor.
 from which
 A cedar, 12 in dia bears. S 54 W 45 lks. dist.
 " " 10 " " " N 12° E. 85. " "

42.00
 Sand stone hill bears. E + W.

80.00
 Set a round stone 20 x 12 x 8 in properly notched
 on the S + E edges. 3/4 in the ground and ^{on top} build
 mound of earth 2 ft high with pits 2 x 1 x 1 ft for the
 cor. to secs. 7, 8, 17, and 18 from which

Township 13. N. Range 26 E
 Cedar and Salt River Meridian

Chs. a cedar, 6 in dia, bears S 15° E 24' N. dist
 100 ft near.

Land gently rolling soil 2^d rate
 Timber cedar.

July 21st 1875

East on random line between secs 8 & 17
 Va. 14° 16' East,

40.00 Set a post for temporary 1/4 Sec. cor.

79.90 Intersected N. & S. line 22 links
 south of post cor. to secs 8 & 9 16 & 17
 from which cor. Draw,

S. 89° 51' W. on true line
 between secs. 8 & 17.

Va. 14° 16' East,

39.95 Set a post marked 1/4 S. 4 ft long flattened
 3 in wide 2 ft in the ground for 1/4 Sec cor. from which
 a cedar 8 in dia bears N 20° E 14' N. dist
 " " 10 " " " S 42° E. 16 " "

79.90 the cor. to secs. 7, 8, 17, & 18

Land gently rolling soil 1st rate Timber Cedar

Township 13. N. Range 26 E.

Quai and Salt River Meridian

- | | |
|-------|--|
| Chs. | West on random line between sec. 7 th & 18 |
| | Wa. $14^{\circ}16'$ East. |
| 40.00 | Set a post for temporary $\frac{1}{4}$ Sec. cor. |
| 79.80 | Intersected West boundary of Township 26 links South of post cor. to sec. 7 th & 18, from which cor. Draw $S 89^{\circ}49' E$ on true line between sec. 7 th & 18, Wa. $14^{\circ}16'$ East. |
| 39.80 | Set a post, marked $\frac{1}{4}$ S. 4 ft long flattened 3 in wide 1 ft in dia ground driven silvered stake and build mound of earth 2 ft high with pits except for $\frac{1}{4}$ Sec. cor. from which a cedar, 8 in dia bears $N 12^{\circ} E 16$ lks dist No other was - |
| 79.80 | The cor. to sec. 7, 8, 17, & 18. Land pretty rolling soil 2 ^d rate. Timber Cedar |

North between sec. 7th & 8

Township 13. N. Range 26 E
 Gila and Salt River Meridian

| Elev. | Va. $14^{\circ}16'$ East. |
|-------|--|
| 19.00 | Bluff of sand stone bears E & west, |
| 21.00 | Summit and line continues along same |
| 40.00 | Set a sand stone $18 \times 12 \times 3$, marked $\frac{1}{4}$, in a mound of stone $2\frac{1}{2}$ ft high for $\frac{1}{4}$ Sec cor., ground to solid to dig pits. No trees near - |
| 80.00 | Set a sand stone $30 \times 30 \times 20$ in properly notched on S. and E. edges, $\frac{3}{4}$ in the ground and on north side build mound of earth 2 ft high with pits $2 \times 1 \times 1$ ft for the cor. to secs. 5, 6, 7, and 8 - No trees near - Land rolling soil 3 ^d rate timber scattering cedars |

East on random line between secs. 5 and 8
 Va. $14^{\circ}16'$ East,

| | |
|-------|--|
| 40.00 | Set a post for temporary $\frac{1}{4}$ Sec cor. |
| 80.10 | Intersected N. & S. line at post cor. to secs. 4, 5, 8 & 9, from which cor. - Prun. |

Township 13. N. Range 26. E

Gila and Salt River Meridian

- Chs. West on true line between secs. 5 & 8
 Va. $14^{\circ} 16'$ East.
- 49.05- Set a limestone $10 \times 8 \times 8$ in marked $\frac{1}{4}$
 $\frac{2}{3}$ in the ground and on west side
 build mound of earth 2 ft high with pits $2 \times 1 \times 1$
 ft for $\frac{1}{4}$ Sec. cor. No trees near.
- 80.10 The cor. to secs. 5, 6, 7 & 8
 Land rolling soil 3^d rate - No timber
 on east of quarter cor. West scattering cedars
- West on random line between secs 6 & 7.
 Va. $14^{\circ} 16'$ East
- 49.00 Set a post for temporary $\frac{1}{4}$ Sec. cor.
- 79.70 Intersected West boundary of Township
 20 links north of post cor. to secs. 6 & 7 from
 which cor. Draw
 $N 89^{\circ} 52' E$ on true line between
 secs. 6 & 7
 Va. $14^{\circ} 16'$ East
- 39.70 Set a post marked $\frac{1}{4}$ S. 4 ft long flattened

Township 13. N. Range 26 E.

Gila and Salt River Meridian

Chs. 3 in wide 1 ft in the ground and charred stake
and build mound of earth 2 ft high with pits 2x1x1
ft for $\frac{1}{4}$ Sec. cor. No trees near.

79.70

The cor to secs. 5, 6, 7 and 8,
Land rolling soil 3^d rate Timber
scattering cedars.

North on random line between
secs. 5 and 6.

$\text{Va } 14^{\circ} 16' \text{ East.}$

40.00

Set a post for temporary $\frac{1}{4}$ Sec cor.

81.20

Determined North boundary of township
12 links East of post cor. to secs 5 & 6.
from which cor. Draw

$\text{S } 0^{\circ} 5' \text{ E on true line}$
between secs. 5 and 6.

$\text{Va } 14^{\circ} 16' \text{ East,}$

40.20

Set a post marked $\frac{1}{4}$ S. 4 ft long flattened
3 in wide 1 ft in the ground depth marked
above + and build mound of earth 2 ft high

Township 13. N. Range 26 E.

Cedar and Salt River Meridian

Chs. with pits 2 x 1 x 1 ft for $\frac{1}{4}$ sec. cor. No trees near
8020 The cor. to Secs 5, 6, 7, and 8.

Land rolling soil 3^d rate Timber
scattering cedars.

July 22 1875

General Description

This Township contains considerable fine farming land, on both sides of Couchs creek and the bottom land in the south-western portion of the Township. The uplands are a level mesa and the west of Couchs creek rolling hills East. Couchs Creek is a fine stream of clear pure water with a general width of 15 lbs. Timber chiefly cedar mostly in the western portion of stunted growth and scattering, none fit for building purposes - The Township is well adapted for stock raising. There are several settlers in the Township.

Township 13. N. Range 26 E
Cedar and Salt River Meridian

engaged in farming and stock
raising.

Leighton Foster
M.D. & S. M.D.

LIST OF NAMES.

A List of the Names of Individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the survey of *the Subdivision lines of Township 13 N Range 26 E Gila and Salt River Meridian Territory of Arizona*

Showing the respective capacities in which they acted.

George Wharr Chairman.
William Foster Chainman.
Chas. Rice Axeman.
 _____ Flagman.



FINAL OATH OF ASSISTANTS.

WE hereby certify that we assisted Wm Foster
Foster U. S. Deputy Surveyor, in
 surveying the subdivision lines of
Township 13 N Range 26 E
Gila and Salt River Meridian
Territory of Arizona

and that said Survey has been in all respects, to
 the best of our knowledge and belief, well and
 faithfully executed, and the boundary monu-
 ments planted according to the instructions fur-
 nished by the Surveyor-General.

George W. Carr Chainman.
William Foster Chainman.
Chas Rice Axeman.
 _____ Flagman.

Sworn to and subscribed before me, this 5th
 day of August, 1875

William McKerson
Chief Dist. Court
3rd Judl Dist
Yavapai Co Ariz



FINAL OATH OF DEPUTY SURVEYOR.

I, W. Burton Foster

U. S. Deputy Surveyor do solemnly swear that,
in pursuance of a contract with John Wasson,
United States Surveyor-General for Arizona, bear-
ing date the 29th day of May

1875 I have well, faithfully and truly, in my
own proper person, and in strict conformity with
the instructions furnished by the Surveyor-Gener-
al, the Surveying Manual, and the laws of the
United States, surveyed all those portions of

The subdivision lines of
Township 13 N. Range 26 E
Gila and Salt River Meridian
Territory of Arizona

as are repre-
sented in the foregoing Field Notes as having

been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements contained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

C. Burton Foster
Deputy Surveyor.

Sworn to and subscribed before me, this 5th day of August, 1875

William McKerson
Justice Dist Court
3rd Judl Dist
Yeropai Co Ariz



U. S. Surveyor General's Office,
Tucson, Arizona, Sept. 1st, 1875

The foregoing Field Notes of the survey of the
Subdivision lines of

Township 13 N.

Range 26 E.

of the Gila and Salt River Base and Meridian, Arizona,
executed by C. Burton Foster,
D. S., under his contract of the 29th day of
May, 1875, having been critically ex-
amined and the necessary corrections and explanations
made, the said Field Notes and the surveys they de-
scribe, are hereby approved.

Wm. Mason

Surveyor General.