

No-146

Field Notes

of the Survey of the Sub-
division lines of Town-
 ships 13th 14th N. Range 1 E.
 6th Salt River Meridian

No-146
Arizona

By S. W. Foreman Dep. Sur.

under Contract of May 29th 1871Survey commenced Sept 12th "

Survey completed " 23 "

Note: Return this book in place
 for T. 14 N. R. 1 E., as there is a
 card in T. 13 N. R. 1 E.

1

Preliminary Oaths of Assistants.

I, _____ do solemnly swear that I will well and truly perform the duties of Compassman, according to instructions given me, and to the best of my skill and ability.

Subscribed and sworn to before me, this _____ day of
1877

U. S. Deputy Surveyor.



We, Geo. W. Carr and
Joseph General

do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven

ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines, that we will assist in measuring, to the best of our skill and ability.

George W Carr
Joseph Fennel.

Subscribed and sworn to before me, this 5th day of
Aug 1871

U. S. Deputy Surveyor
Edw. Collins
Clerk Dist Court
3^d Dist Ark.





Mr James Allen & John Riley
do solemnly swear that ~~we~~ will well and truly perform the
duties of ~~Assessors~~ ~~& Collectors~~
according to instructions given me, and to the best of ~~our~~
skill and ability.

John Riley
James Allen

Subscribed and sworn the be before me, this 3rd
day of Aug 1871

U. S. Deputy Surveyor.

Ed. W. Wells
Clerk Dist Court
3rd Dist Ark.



*Index of Subdivisions
of lines of*

T. 13 N., R. 1 E.

7

do.

dit

acce

skil

day



No-146

10

Field Notes

of the survey of the Subdivision
Lines of Townships 13⁹⁰ 14
North. of Range 1 East
Gila and Salt River Meridians

Arizona Territory

By S. H. Foreman. Dep. Surveyor.

Under his contract of.
Survey commenced.
Survey completed.

1E

BOOK 146

Townships 13 North - of
Range 1 East - Gila and
Salt River Meridian.

Township 13 North of Range 1 East

Gila and Salt River Meridian

Chs Begin at the corner to sections 24
25, 19th and 30 on the east boundary of
Township and run. —

West on a true line between sections 24th and 25th
Var. $14^{\circ}02'$ East
(as per east boundary)

40.00 Set a $\frac{1}{4}$ section corner stone $14 \times 10 \times 10$
inches as per instructions.

No trees near.

80.00 Set a stone $18 \times 10 \times 10$ inches as per
instructions for the corner to sections
23, 24, 25th and 26.

No trees near.

Land rough north west slope
of hill. Soil poor.

No timber.

Township 13 North, of Range 1 East
 Gila and Salt River Meridian

Sec North, between sections 23⁴⁰ 24
 Sec. 14° 02' East

40.00 Set a 1/4 section corner stone 14x10
 x 8 inches as per instructions.
 No trees near.

80.00 Set a stone 24x18x8 inches as per
 instructions for the corner to sections
 13, 14, 23⁴⁰ 24.
 No trees near.

Land hilly and stony.
 Soil 3rd rate.
 No timber

Township 13 North. of Range 1 East
Gila and Salt River Meridian

- No East, on a random line between sections 13th & 24th.
Var. 14° 02' East
- 40.00 Set a temporary 1/4 section corner post and
begin to ascend.
- 80.05 Intersect the east boundary at the corner
to sections 13, 24, 18th & 19th,
from which corner I run —
West, on a true line between sections 13th & 24th.
Var. 14° 02' East
- 40.02 Set a 1/4 section corner stone 14 x 10 x 8
inches as per instructions. No trees near.
- 60.00 Enter good rolling land.
- 80.05 The corner to sections 13, 14, 23th & 24th.
Land rough broken west slope of hill.
Soil 2' and 3' rate. No timber.

Township 13 North of Range 1 East
Gila and Salt River Meridian

No. North, between sections 13⁴⁰ 14.
Var. 14° 02' East

40.00 Set a 1/4 section corner post in a mound and pits as per instruction.
No trees near.

80.00 Set a post in a mound and pits as per instructions for the corner to sections
11. 12. 13⁴⁰ 14.
No trees near.

Land rolling.
Soil 2^d rate
No timber

Township 13 North of Range 1 East
 Gila and Salt River Meridian

Go East on a random line between sections 12th & 13.

Sar. $14^{\circ}02'$ East

40.00 Set a temporary $\frac{1}{4}$ section corner post.

47.00 Begin rocky ascent.

80.00 Intersect the East boundary 13 links south
 from the corner to sections 12, 13, 7 & 18.
 from which corner I run —

South $89^{\circ}54'$ West, on true line between sections 12 & 13.

Sar. $14^{\circ}02'$ East

40.00 Set a $\frac{1}{4}$ section corner post as a mound
 and pile as per instructions.

No trees near.

80.00 The corner to sections 11, 12, 13th & 14.

Land east half mile rocky and
 steep then good valley land.
 No timber. Soil poor.

Township 13 North of Range 1 East
Gila and Salt River Meridian

As North, between sections 11^{and} 12.
Var. 14° 02' East.

140.00 Set a 1st section corner stone 14 x 12
x 6 inches as per instructions
No trees near.

78.75 Road to Verde bears north east
and south west.

80.00 Set a stone 10 x 10 x 10 inches as per
instructions for the corner to sections
1, 2, 11^{and} 12.

No trees near.
Land rolling. Soil 2nd rate. No timber.

(Bowie's herd was taken on section
12, thirty minutes after setting this
corner by 75 Indians.)

Township 13 North of Range 1 East.

Gila and Salt River Meridian

As East, on a random line between sections 1^{4th} & 12.

Var. $14^{\circ}02'$ East

- 1.75 Road runs north east to Verde.
 40.00 Set a temporary $\frac{1}{4}$ section corner post.
 70.00 Begin to ascend hill.

80.10 Intersect the East Boundary 17 links
 south from the corner to sections 1.12.6^{3rd} & 7.
 from which corner I run. —

South $89^{\circ}53'$ West.

on true line between sections 1^{4th} & 12.

Var $14^{\circ}02'$ East.

- 140.05 Set a $\frac{1}{4}$ section corner post in a
 mound and pits as per instructions
 No trees near.

80.10 The corner to sections 1.2.11^{4th} & 12.

Land rolling. Soil 2nd rate.
 No timber.

BOOK 146

Township 15 North of Range 1 East

Gila and Salt River Meridian

- No North on a random line between sections 1st & 2nd
 Var. $14^{\circ} 02'$ East
- 40.00 Set a temporary $\frac{1}{4}$ section corner post.
- 80.16 Intersect the north boundary at the
 corner to sections 1, 2, 3 & 4th 36.
 from which corner I run—
South, on true line between sections 1st & 2nd
 Var. $14^{\circ} 02'$ East.
- 40.16 Set a $\frac{1}{4}$ section corner stone $12 \times 12 \times 8$
 inches in mound and pit as per
 instructions. No trees near.
- 80.16. The corner to sections 1, 2, 11th & 12th.
 Land rolling.
 Salt 2nd rate.
 No timber
- X Sept 17th 1871
 Date

Township 13 North. of Range 1 East
Gila and Salt River Meridian

- From the corner to sections 13,
14, 23rd and 24. Iron —
West on true line between sections 14th & 23.
- S. 14° 02' East
- 40.00 Set a 14 section corner stone 18 x 10 x 8
inches as per instructions.
No trees near.
- 43.00 Deep Cañon. Bluff rock bank 100 feet high
- 47.00 Agua Fria Creek 10 miles wide
runs south.
- 50.00 West bank of Cañon
- 63.50 Road to Powers Mill. bears north south.
- 80.00 Set a stone 16 x 10 x 10 inches in
stone mound as per instructions
for corner to sections
14, 15, 22, rd and 23.
- No trees near.
- Land rough. Soil poor
No timber.

Township 13 North of Range 1 East
Gila and Salt River Meridian

From the corner to sections 14, 15, 22
and 23; I run -
South between sections 22nd and 23.
Var. $14^{\circ}02'$ East

11.50 Deep ravine runs south east.

40.00 Set a 1st section corner stone $16 \times$
 10×4 inches on a high hill as
per instructions.

No trees near.

And on account of high rocky
cliffs this line can be run no
farther south.

The Agua Fria here runs through
a deep rocky Cañon with high
rocky mountains on both sides.

Township 13 North of Range 1 East
Gila and Salt River Meridian

- No From the corner to sections 14
15, 22nd and 23, I run -
North, between sections 14th and 15th
Var. $14^{\circ} 02'$ East.
- 28.00 Road bears south west and north east.
- 40.00 Set a $\frac{1}{4}$ section corner stone $10 \times 10 \times 10$ inches in a mound and
set as per instructions. No trees near.
- 70.00 Top of low ridge runs east and west.
- 78.50 Dry ravine runs east.
- 80.00 Set a stone $18 \times 10 \times 10$ inches in a stone
mound as per instructions for the
corner to sections 10, 11, 14th and 15.
No trees near.
- Land rolling.
Soil 2^d rate.
No timber.

Township 15 North of Range 1 East
Gila and Salt River Meridians

No	East on a random line between sections 11 th & 14 th Sar. 14° 02' East.
19.50	Road bears north and south.
30.00	Bowens House bears south 5 chains distant.
32.00	Enter cornfield bears north & south.
38.00	Agua Fria Creek bears south 50 links wide.
40.00	Set a temporary 1/4 section corner post.
58.00	Leave cornfield bears north and south.
80.00	Intersect the North and South line 7 links north of the corner to sections 11. 12. 13 th & 14 th , from which corner, run <u>North 89° 57' West.</u> on true line between sections 11 th & 14 th . Sar. 14° 02' East
40.00	Set a 1/4 section corner post in mound and pits as per instructions. No trees near.
80.00	The corner to sections 10. 11. 14 th & 15.

Land level. Soil 1st rate.
No timber.

BOOK 146

Township 13 North of Range 1 East
Gila and Salt River Meridian

No North, between sections 10th & 11.
Sar. 14° 02' East

40.00 Set a 1/4 section corner post in a
mound and pits as per instructions
No trees near.

42.00 Road bears north west and south east.

42.25 Enter boroufield bears north west and south.

80.00 Set a stone 18 x 10 x 6 inches in a
mound & pits as per instructions
for the corner to sections
2, 3, 10th & 11.

No trees near

Land level.

Soil 1st rate.

No timber.

Township 13 North. of Range 1 East
Gila and Salt River Meridian

- The East on a random line between sections 2nd 11
 Var $14^{\circ} 02'$ East.
- 26.00 Bear cornfield bears north and south.
- 40.00 Set a temporary $\frac{1}{4}$ section corner post.
- 79.86 Intersect the north and south line 10 links
 south from the corner to sections 1, 2,
 11^{and} 12, from which corner I run—
South $89^{\circ} 56'$ West.
 on true line between sections 2nd 11.
 Var. $14^{\circ} 02'$ East.
- 39.93 Set a $\frac{1}{4}$ section corner post in a mound
 and pits as per instructions.
 No trees near.
- 79.86 The corner to sections 2, 3, 10^{and} 11.
 Land level.
 Soil 1st rate.
 No timber

Township 13 North, of Range 1 East
Gila and Salt River Meridians

No North on random line between sections
2nd & 3.

Var. $14^{\circ}02'$ East.

20.00 Aqua Frio or Lynd creek 50 links
wide runs south east.

40.00 Set a temporary $\frac{1}{4}$ section corner post.

55.00 Leave cornfield bears north west & south east.

80.20 Intersect the north boundary 18 links west
of the corner to sections 2, 3, 34 & 35
from which corner I run —
South $0^{\circ}08'$ West.

on true line between sections 2nd & 3.

Var. $14^{\circ}02'$ East

40.20 Set a $\frac{1}{4}$ section corner stone 10×10
 $\times 10$ inches in mound and pits as
per instructions. No trees near.

80.20 The corner to sections 2, 3, 10th & 11.
Land level, Soil 1st rate.
No timber.

15'

15A BOOK 1st 6

Downship 13 North of Range 1 East.
Gila and Salt River Meridian

No West between sections 15th and 22.
var 1st^o 02' East

21.00 Ravine runs south east.

23.00 Road - south west and north east.

40.00 Set a 41 sections corner post in a mound and pits as per instructions.

No trees near.

80.00 Set a stone 16 x 10 x 6 inches as per instructions for the corner to sections 15. 16. 21st and 22.

No trees near.

Land rolling foot hills.

Soil 3rd rate.

No timber

Scattering Oak Bush.

X

Sept. 13th 1871.

Guto

15"
15B

BY ^{L46} Township 13 North, of Range 1 East
Gila and Salt River Meridian

No From the corner to sections 15. 16.
21st 22. - Iron.

South between sections 21st 22.

Var. 14° 02' East

40.00 Set a 4" section corner post in a
mound and pile as per instructions
No trees near.

49.25 Road bears south west $\frac{1}{2}$ north east.

80.00 Set a stone 16 x 10 x 8 inches as per
instructions for the corner to sections
21. 22. 27. nd 28.

No trees near.

Land rolling.

Soil. 2nd & 3rd rate.

No timber.

Township 13 North of Range 1 East
Gila and Salt River Meridians

No East between sections 33 and 37.
Sec. 14° 02' East

40.00 Set a $\frac{1}{4}$ section corner post in
mound and pits as per instructions
No trees near.

And on account of a deep rocky
cañon and high rocky peak
I can run no farther on this line
and the lands south of this line
in this township are worthless,
having no soil.

Township 13 North of Range 1 East
 Gila and Salt River Meridian

- No. North between sections 15th & 16.
 Var. $14^{\circ} 02'$ East
- 35.00 Range runs south east.
- 40.00 Set a $\frac{1}{4}$ section corner post in a mound and pits as per instructions
 No trees near.
- 80.00 Set a stone $18 \times 10 \times 6$ inches as per instructions for the corner to sections
 9, 10, 15th & 16.
 No trees near.

Land rolling foot hills
 Soil 2nd rate. Good grass
 No timber.

Township 13 North of Range 1 East
Gila and Salt River Meridian

- 40.00 East on a random line between sections 10th & 15th
 bearing $14^{\circ} 02'$ East.
- 40.00 Set temporary $\frac{1}{4}$ section corner post.
- 77.00 Dry ravine runs south east.
- 79.80 Intersect the north and south line
 23 links south from the corner to sections
 10, 11, 14th & 15, from which corner I run -
South $89^{\circ} 50'$ West.
 on true line between sections 10th & 15th.
 bearing $14^{\circ} 02'$ East.
- 39.90 Set a $\frac{1}{4}$ section corner post in a
 mound and pits as per instructions
 No trees near.
- 79.80 The corner to sections 9, 10, 15th & 16.
- Sand rolling.
 Soil 2nd rate. No timber.

Township 13 North. of Range 1 East
Gila and Salt River Meridian

Chs	<u>North</u> , between sections 9 th & 10.
	Var. 14° 02' East.
24.00	Dry creek 10 links wide runs south east
40.00	Set a $\frac{1}{4}$ section corner post in a mound and sets as per instructions.
	No trees near.
80.00	Set a post in a mound and sets as per instructions for the corner to sections
	3. 4. 9 th & 10.
	No trees near.
	Land rolling.
	Soil 2 ^d rate.
	No timber.

Township 13 North, of Range 1 East
Gila and Salt River Meridian

40.00 East on a random line between sections 3⁴ & 10
Var. 14° 02' East.

40.00 Set a temporary 1/4 section corner post.

69.00 Road bears north and south.

70.00 Enter field and house 1 chain south.

80.10 Intersect the north & south line 17 links
north of corner to sections 2, 3, 10
and 11, from which corner I run.
North 89° 53' West.

on true line between sections 3⁴ & 10.

Var. 14° 02' East.

40.05 Set a 1/4 section corner post in a
mound and feet as per instructions.

No trees near.

80.10 The corner to sections 3, 4, 9 & 10

Land rolling.

Soil 1st & 2nd rate. No timber

Townships 13 North of Range 1 East
Gila and Salt River Meridian

- 40.00 North on random line between sections 3 & 4.
Var. $14^{\circ}02'$ East
- 80.07 Set a temporary $\frac{1}{4}$ section corner post.
Intersect the north boundary at the
corner to sections 3, 4, 33 & 34.
from which corner land. —
- 40.07 South on true line between sections 3 & 4.
Var. $14^{\circ}02'$ East
- 40.07 Set a $\frac{1}{4}$ section corner post in a mound
and pits as per instructions.
No trees near
- 80.07 The corner to sections 3, 4, 9 & 10.
Land level. Soil 1st rate
No timber.

Township 13 North of Range 1 East
 5th and Salt River Meridian

- No From the corner to sections 21, 22, 27
 and 28 Iron. —
West, on true line between sections 21⁴⁰ & 28
 Var. $14^{\circ} 02'$ East
- 23.50 Old wood road bears north east
 and south west.
- 40.00 Set a $1/4$ section corner post in a
 mound and pits as per instructions
 No trees near.
- 80.00 Set a stone $18 \times 10 \times 6$ inches as per
 instructions for the corner to sections
 20, 21, 28⁴⁰ & 29
 No trees near.
- Land according to coast.
 Soil 2^d and 3^d rate. No timber
- From this corner the line cannot
 be extended south on account of
 impassable cañons.

Township 13 North of Range 1 East
 6th and Salt River Meridian

Sec. North. between sections 20 & 21.

Sec. 14° 02' East

40.00 Set a $\frac{1}{4}$ section corner stone 16 x 8
 x 4 inches as per instructions.
 No trees near.

80.00 Set a stone 18 x 10 x 8 inches as per
 instructions for the corner to sections
 16, 17, 20 & 21.
 No trees near.

Land rolling.

Soil 2nd rate.

No timber.

Good grass land.

Set 1st 1871

Gate

Township 13 North of Range 1 East.

Gila and Salt River Meridian

Go East on a random line between sections
16th & 21.

Sar. $14^{\circ} 02'$ East

40.00 Set a temporary $\frac{1}{4}$ section corner post.

79.90 Intersect the north and south line
at the corner to sections 15, 16.

21st & 22, from which corner I
run —

West on a true line between sections 16th & 21.

Sar. $14^{\circ} 02'$ East

39.95 Set a $\frac{1}{4}$ section corner post in a
mound and pits as per instructions

No trees near.

79.90 The corner to sections 16, 17, 20 & 21.

Land rolling and broken
Soil 2^d rate. No timber.

Township 13 North, of Range 1 East
 Gila and Salt River Meridian

Sec North, between sections 16⁴⁰ and 17.
 Var. $14^{\circ} 02'$ East

40.00 Set a $\frac{1}{4}$ section corner post in a
 mound and pits as per instructions
 No trees near.

45.00 Deep ravine runs east.

80.00 Set a stone $18 \times 16 \times 6$ inches as per
 instructions for the corner to sections
 8, 9, 16⁴⁰ and 17.
 No trees near.

Land broken

Soil 2nd rate.

No timber

Good for grass.

Township 13 North, Range 1 East
 Gils and Salt River Meridians

No	East on a random line between sections 9 th & 16.
	Var. $14^{\circ}02'$ East
40.00	Set a temporary $1/4$ section corner post.
80.08	Intersect the north and south line 11 links south from the corner to sections 9, 10, 15 th & 16. from which corner run - <u>South $89^{\circ}55'$ West.</u>
	on true line between sections 9 th & 16.
	Var $14^{\circ}02'$ East
40.04	Set a $1/4$ section corner post in a mound and pits as per instruction. No trees near.
80.08	The corner to sections 8, 9, 16 th & 17.
	Land rolling, Soil 2 ^d rate. No timber

Township 13 North, Range 1 East
 6th and Salt River Meridian

No North, between sections 8th & 9.

Var. 14° 02' East

40.00 Set a ¹/₄ section corner post in a mound and file as per instructions.
 No trees near.

47.50 Deep ravine runs south east.

80.00 Set a stone 16 x 10 x 8 inches as per instructions for the corner to sections
 4, 5, 8th & 9.
 No trees near.

Land rolling.
 Soil 12th rate.
 No timber.

Township 13 North Range 1 East
Gila and Salt River Meridians

No. East, on a random line between sections 4th & 9.

Var. $14^{\circ}02'$ East

40.00 Set a temporary $\frac{1}{4}$ section corner post.

80.00 Intersect the north and south line
at the corner to sections 3, 4, 9
and 10. from which corner I run
West, on true line between sections 4th & 9.

Var. $14^{\circ}02'$ East

40.00 Set a $\frac{1}{4}$ section corner post in a
meadow and pits as per instructions
No trees near.

80.00 The corner to sections 4, 5, 8th & 9.

Land rolling.
Soil $\frac{1}{2}$ rate.
No timber

Township 13 North Range 1 East
 T4a and Salt River Meridian

No. North on a random line between sections
4⁴⁰ 5.

Var 14° 02' East

40.00 Set a temporary 1/4 section corner post.

80.10 Intersect the north and south line
 19 links east of the corner to sections
 4, 5, 32⁴⁰ & 33, from which corner I run -
South 0° 08' East.

on true line between sections 4⁴⁰ 5.

Var. 14° 02' East

40.10 Set a 1/4 section corner post in a
 mound and pits as per instructions
 No trees near.

80.10 The corner to sections 4, 5, 8⁴⁰ & 9.

Land rolling.

Soil 2nd rate. No timber.

Township 13 North Range 1 East
 Gila and Salt River Meridian

From the corner to sections 20, 21,
 28th & 29. True —
West, on true line between sections 20 & 29.
 var. $14^{\circ} 02'$ Each

25.00 Deep cañon runs south east.

40.00 Set a $\frac{1}{4}$ section corner stone 16×10
 $\times 6$ inches as per instructions.

No trees near

80.00 Set a stone $18 \times 10 \times 6$ inches as per
 instructions for the corner to sections
 19, 20, 29th & 30.

No trees near.

Land broken and rocky.

Soil poor.

No timber.

Township 13 North Range 1 East
 Gila Salt River Meridian

From the corner to sections 19. 20. 29th 30

A run —

West on a random line between sections 19th 30

Var. $14^{\circ} 02'$ East

40.00 Set a temporary $\frac{1}{4}$ section corner post.

79.75 Intersect the west boundary 27 links
 south of the corner to sections 19. 30.

24 & 25. from which corner I run —
South $89^{\circ} 48'$ East.

on true line between sections 19th 30.

Var. $14^{\circ} 02'$ East

39.75 Set a $\frac{1}{4}$ section corner post at a
 mound and sets as per instructions

No trees near.

79.75 The corner to sections 19. 20. 29th 30.

Land broken east slope of
 mountain.

Soil poor & No timber.

Township 13 North Range 1 East

6th & Salt River Meridian

40 North, between sections 19^{and} 20

Var. 14° 02' East

31.20 Deep Gulch runs south east.

40.00 Set a '4 section corner stone 16 x 8
x 6 inches as per instructions.

No trees near.

80.00 Set a stone 18 x 10 x 10 inches as
per instructions for the corner to
sections 17, 18, 19^{and} 20.

No trees near
on summit of high ridge runs
east and west.

Land broken

Soil 2^d and 3^d rate.

No timber.

Sept 15th 1871

Leate

BOOK 146

Township 13 North Range 1 East

Gila Salt River Meridian

No East, on a random line between sections
17th & 20.Var. $14^{\circ}02'$ East

40.00 Set a temporary $\frac{1}{4}$ section corner post.
 80.12 Intersect the north and south line
 15 lines north of the corner to sections
 16, 17, 20 & 21, from which corner draw
North $89^{\circ}55'$ West.
 on true line between sections 17th & 20.

Var. $14^{\circ}02'$ East

40.06 Set a $\frac{1}{4}$ section corner post in a
 mound and pits as per instructions
 No trees near.

80.12 The corner to sections 17, 18, 19 & 20.

Land broken steep east slope
 of mountain. Soil 3rd rate.
 No timber.

BOOK 146

Township 13 North Range 1 East
 5th & 6th Salt River Meridian

- 40.00 West on a random line between sections
 18th & 19.
- 79.63 Set a temporary 1/4 section corner post.
 Intersect the west boundary at the
 corner to sections 18, 19, 13 & 24
 from which corner I run -
East on true line between sections 18th & 19.
 Var. 14° 02' East
- 39.63 Set a 1/4 section corner post in a
 mound and pits as per instructions
 No trees near.
 Var. 14° 02' East
- 79.63 The corner to sections 17, 18, 19 & 20.
- Land broken
 Soil poor. No timber.

BOOK 146

Township 13 North Range 1 East
 Gila & Salt River Meridian

Line North between sections 17th & 18th

Var. 124° 02' East

40.00 Set a 1/4 section corner stone 16 x 12
 x 6 inches as per instructions

No trees near.

44.50 Deep Gulch runs south east

80.00 Set a stone 18 x 10 x 6 inches as per
 instructions for the corner to
 sections.

7. 8. 17th & 18th.

No trees near.

Land broken.

Soil poor. some grass.
 No timber.

Township 13 North Range 1 East
 5th^{1/2} Salt River Meridian

No East. on a random line between sections
 8^{9/16} & 17.

Var. $14^{\circ}02'$ East.

40.00 Set a temporary '4 section corner post.

79.84 Intersect the north and south line
 22 links south from the corner to
 sections 8, 9, 16 & 17. from which corner run
 South $89^{\circ}51'$ West.

on true line between sections 8^{9/16} & 17.

Var. $14^{\circ}02'$ East.

39.92 Set a '4 section corner post in a
 mound and pits as per instructions

No trees near.

79.84 The corner to sections 7, 8, 17 & 18.

Land broken. Soil poor 3rd rate.

No timber.

Township 13 North Range 1 East
6th & Salt River Meridian

to West on a random line between sections
7th & 18.

Sar. 14° 02' East

40.00 Set a temporary 1/4 section corner post.

29.80 Intersect the west boundary 26 links
south of the corner to sections 7, 18.

12th & 13, from which corner I run —
South 89° 19' East.

on true line between sections 7th & 18.

Sar. 14° 02' East

29.80 Set a 1/4 section corner stone 14 x 8
x 6 inches as per instructions

No trees near.

29.80 The banner to sections 7, 8, 17 & 18

Land broken. Soil poor.
No timber.

Township 13 North Range 1 East
 6th & Salt River Meridian

No.	North, between sections 7 th & 8.
	Sar. 14° 02' East
40.00	Set a 1/4 section corner stone 14 x 8 x 4 inches as per instructions. No trees near.
61.00	Deep gulch runs north east.
80.00	Set a stone 18 x 8 x 6 inches as per instructions for the corner to sections 5, 6, 7, & 8. No trees near.
	Land broken and rough. Soil poor. No timber

BOOK 146

Township 13 North Range 1 East
 Gila & Salt River Meridian

As East, on a random line between sections 5 & 8.
 Var. $14^{\circ} 02'$ East

37.00 Random runs south east.

40.00 Set a temporary $\frac{1}{4}$ section corner post.

80.28 Intersect the north and south line
 16 links north of the corner to sections
 4, 5, 8 & 9 from which corner I run —
North $89^{\circ} 53'$ West.

on true line between sections 5 & 8.

Var. $14^{\circ} 02'$ East.

40.14 Set a $\frac{1}{4}$ section corner stone 16×10
 $\times 6$ inches as per instructions

No trees near.

80.28 The corner to sections 5, 6, 7 & 8.

Land broken.

Soil 3rd rate.

No timber.

Township 13 North Range 1 East
 Gila^{no} Salt River Meridian

Go ^{*} North, on a random line between
 sections 5th & 6.

Var. $14^{\circ} 02'$ East

40.00 Set a temporary $\frac{1}{4}$ section corner post.

42.00 Random runs south east.

80.30 Intersect the north boundary 12
 links west of the corner to sections
 5, 6, 31th & 32, from which corner I run
South $0^{\circ} 06'$ West.

on true line between sections 5th & 6.

Var. $14^{\circ} 02'$ East

40.30 Set a $\frac{1}{4}$ section corner post in a
 mound and pits as per instruction.

No trees near.

80.30 The corner to sections 5, 6, 7th & 8.

Land rolling.

Soil 2nd rate. No timber.

Set 16" 18" 1

* 140 would come after the next page.

Township 13 North Range 1 East
 T10th Salt River Meridian

Do West on random line between sections 6th & 7.

Var. 14° 02' East

40.00 Set a temporary $\frac{1}{4}$ section corner post.

79.65 Intersect the west boundary line 25
 rods south of the corner to sections 6, 7.

1st & 12, from which corner I run
South 89° 49' East

on true line between sections 6th & 7.

Var. 14° 02' East

39.65 Set a $\frac{1}{4}$ section corner stone 16
 x 10 x 10 inches as per instructions

No trees near.

79.65 ^{rx} The corner to sections 5, 6, 7th & 8.

Land rolling.

Soil 2nd rate.

No timber.

Date

General Description

This Township embraces the south end of the Agua Fria settlement and the lands along the middle portion of the township are exceedingly fertile, and the adjacent foot hills afford much fine grass.

The unsurveyed portion of this Township is almost a solid mass of Lava, piled up in confused heaps, cones and peaks forming deep cañons and is utterly worthless.

S. W. Foreman
Deputy Surveyor

Surveyor General's Office
Tucson A.T.
October 20th 1871.

The foregoing field notes of the survey of the Subdivision lines of Township 13th. Range 1 E. of the Gila and Salt River Base and Meridian Line in the Territory of Arizona, executed by S.W. Foreman A.J. Deputy Surveyor, under his contract of May 29th 1871, having been critically examined, the necessary corrections and explanations made, the said field notes and the Survey they describe are hereby approved.

John Masson
A.J. Surveyor General
San Arizona

Township 14. North of
Range 1 East. - Gila
and Salt River Meridian.

*Index of Subdivisional
Lines of
T. 14 N. R. 1 E.*

BOOK 146

6	60	5	44	4	33	3	22
59		58		43		32	
7	57	8	42	9	31	10	20
56		55		41		30	
18	54	17	40	16	29	15	18
53		52		39		28	
19	51	20	38	21	27	22	16
50		49		37		26	
30	48	29	36	28	25	27	14
47		46		35		24	
31	45	32	34	33	23	34	12

T. 14 N., R. 1 E., S. & S.R.

4	23	3	22	2	11	1
43		22		21		10
9	31	10	20	11	9	12
41		30		19		8
16	29	15	18	14	7	13
39		28		17		6
21	27	22	16	23	5	24
37		26		15		4
28	25	27	14	26	3	25
35		24		13		2
33	23	34	12	35	1	36

R. 1 E., S. & S. R. B. & M.

Township 14 North Range 1 East
 T14N R01E Salt River Meridian

As Begun on the south boundary at the
 corner to sections 35 & 36 and run
 North, between sections 35 & 36.

Sar $124^{\circ}02'$ East

(as per east boundary)

40.00 Set a $\frac{1}{4}$ section corner post in a mound
 and pits as per instructions

No trees near.

64.50 Road to Swamp Verde bears east $\frac{3}{4}$ west.

80.00 Set a post in a mound and pits as
 per instructions for the corner to
 sections 25, 26, 35 & 36.

No trees near.

Land lev. Soil 2^d rate.
 No timber

Township 14 North Range 1 East
Gila and Salt River Meridian

No East, on a random line between sections
25^{1/2} 36.

Var. 14° 02' East.

40.00 Set a temporary 1/4 section corner post.

80.10 Intersect the east boundary line at
the corner to sections 25, 36, 30
and 31 from which corner I run -
West, on a true line between sections
25^{1/2} 36.

Var 14° 02' East

40.05 Set a 1/4 section corner post in a
mound and pits as per instructions
No trees near.

80.10 The corner to sections 25, 26, 35^{1/2} 36.

Land nearly level.
Soil 2^d rate.

No timber.

Township 14 North Range 1 East
 6thth Salt River Meridian

Rs North. between sections 25th & 26.
 Var. $14^{\circ} 02'$ East

40.00 Set a 4th section corner post in a mound and pits as per instructions
 No trees near.

45.00 Enter rolling hills.

80.00 Set a post in a mound and pits as per instructions for the corner to sections 23, 24, 25th & 26.
 No trees near.

Land level and rolling.
 Soil 2^d rate.
 No timber.

4

49

BOOK 146

Township 14 North Range 1 East

Gila Salt River Meridian

Sec East. on a random line between sections 24th & 25.

Var 14° 02' East

40.00 Set a temporary 1/4 section corner post.

80.00 Intersect the east boundary 8 links north of the corner to sections 24.25 19th & 30 from which corner I run - North 89° 57' West.

on true line between sections 24th & 25.

Var 14° 02' East

40.00 Set a 1/4 section corner post in a mound and pits as per instructions
No trees near.

80.00 The corner to sections 23.24.25 & 26.

Land rolling foot hills.

Soil 2nd rate. No timber

Township 14 North Range 1 East
 Gila and Salt River Meridian

Secs North, between sections 23rd & 24.
 Var. 14° 12' East

40.00 Set a 1st section corner post in a mound and pits as per instructions
 No trees near.

80.00 Set a post in a mound and pits as per instructions for the corner
 to sections 13, 14, 23rd & 24.
 No trees near.

Land rolling hills.
 Soil 2nd rate.
 No timber.

Township 14 North Range 1 East
 6th and Salt River Meridian

Sec East on random line between sections 13rd & 24th.
 Var 14° 02' East

40.00 Set a temporary 1/4 section corner post.
 80.09 Intersect the east boundary 13 lines
 south from the corner to sections
 13, 24, 18th & 19, from which corner I run -
South 89° 54' West.

on true line between sections 13rd & 24th.
 Var. 14° 02' East

40.04 Set a 1/4 section corner post.
 in a mound and file as per
 instructions. No trees near.

80.09 The corner to sections 13, 14,
 23rd & 24th.

Land rolling.
 Soil 2nd rate.

No timber

Township 14 North Range 1 East
 T14S and Salt River Meridian

As North, between sections 13th & 14th
 Var. 14° 02' East

32.50 Range runs south east.

40.00 Set a 1/4 section corner stone 16 x 10
 x 8 inches as per instructions
 No trees near

80.00 Set a post in a mound and file
 as per instructions for the corner
 to sections 11, 12, 13th & 14th.
 No trees near.

Land rolling.
 Soil 2nd rate.

No timber.

Township 14 North Range 1 East
Gila and Salt River Meridians

No. East, on a random line between sections
12^{and} 13.

Var $14^{\circ} 02'$ East

40.00 Set a temporary $\frac{1}{4}$ section corner post.

80.12 Intersect the east boundary line at
the corner to sections 12, 13, 7
and 18, from which corner I run
West.

on true line between sections 12^{and} 13

Var $14^{\circ} 02'$ East

40.06 Set a $\frac{1}{4}$ section corner post in
ground and pits as per instructions

No trees near.

80.12 The corner to sections 11, 12, 13 & 14.

Land rolling.

Soil 2nd rate.

No timber

Township 14 North Range 1 East

Gilw^{and} Salt River Meridian

No North, between sections 11th & 12.

Var. 144° 02' East

5.00 Deep ravine runs south east

40.00 Set a 144 section corner post in mound with pits as per instructions.

No trees near.

80.00 Set a post in a mound and pits as per instructions for the corner to sections

1, 2, 11, ^{and} 12.

No trees near.

Land rolling and ascent getting steeper. Soil 3rd rate.
No timber.

Township 14 North Range 1 East
Gila and Salt River Meridian

- 80.12 East on a random line between sections
1st and 12.
- Var. $14^{\circ} 02'$ East
- 35.00 Steep ascent.
- 40.00 Set a temporary $\frac{1}{4}$ section cor. post.
- 80.12 Intersect the east boundary 9 links
north of the corner to sections
1, 2, 6th and 7, from which corner I run
North $89^{\circ} 56'$ West.
on true line between sections 1st and 12.
- Var. $14^{\circ} 02'$ East
- 40.07 Set a $\frac{1}{4}$ section corner stone
18x10x6 inches as per instructions
No trees near.
- 80.12 The corner to sections 1, 2, 11th and 12.
- Land broken south west slope.
Soil poor. No timber.

Township 14 North Range 1 East

6th & Salt River Meridian

No North on a random line between sections
1 & 2.

Var. $14^{\circ} 02'$ East

- 16.00 Steep ascent begins.
40.00 Set a temporary $\frac{1}{4}$ section corner post & descend.
63.00 Bottom of descent and ascend.
80.15 Intersect the North boundary 21 links
west from the corner to sections 1, 2,
35 & 36. from which corner I run —
South $0^{\circ} 09'$ West.
on true line between sections 1 & 2.

Var. $14^{\circ} 02'$ East

- 40.15 Set a $\frac{1}{4}$ section corner post in a
mound and pits as per instructions
No trees near.
80.15 The corner to sections 1, 2, 11 & 12.

Land broken. Soil poor
No timber

Date Sept 18th 1871

Township 14 North Range 1 East

Gila^{ms} Salt River Meridian

No North, between sections 34^{ms} 35.
 Var. 14° 02' East

40.00 Set a ^{1/4} section corner stone 16 x 10 x 6
 inches as per instructions

No trees near.

72.50 Road to Camp Verde east and west.

80.00 Set a stone 10 x 10 x 10 inches in
 a mound and pits as per instructions
 for the corner to sections

26. 27. 34^{ms} 35.

No trees near.

Land lock.

Soil 1st rate. No timber.

Township 14 North Range 1 East
 6th Salt River Meridian

As East on a random line between sections
 26^{4th} & 35.

Sar. 14° 02' East

40.00 Set a temporary ¹/₄ section corner post.

80.00 Intersect the North and South lines
 at the corner to sections 25, 26, 35
 and 36, from which corner run
West on true line between sections 26^{4th} & 35.

Sar. 14° 02' East

40.00 Set a ¹/₄ section corner stone 10x10x8
 inches in a mound and file as
 per instructions.

No trees near.

80.00 The corner to sections 26, 27, 34^{4th} & 35.

Land gently rolling.
 Soil 1st rate. No timber.

Township 14 North Range 1 East

6th Salt River Meridian

No North. between sections 26th & 27.
Var. $14^{\circ} 02'$ East

40.00 Set a $\frac{1}{4}$ section corner stone 10×10
 $\times 10$ inches as per instructions
No trees near.

80.00 Set a stone $12 \times 10 \times 8$ inches as per
instructions for the corner to sections
22, 23, 26th & 27.
No trees near.

Land rolling.
Soil 2nd rate.
No timber

Township 14 North Range 1 East
 Gila and Salt River Meridian
 Sec. East, on a random line between sections
 23 & 26.

Var. $14^{\circ} 02'$ East

40.00 Set a temporary $\frac{1}{4}$ section corner post.

80.00 Intersect the north & South line of
 the corner to sections 23, 24, 25
 and 26, from which corner I run
West.

on a true line between sections 23 & 26.

Var. $14^{\circ} 02'$ East

40.00 Set a $\frac{1}{4}$ section corner stone 16×8
 $\times 6$ inches as per instructions

No trees near.

80.00 The corner to sections 22, 23, 26 & 27.

Land rolling.

Soil $\frac{1}{4}$ & 2nd rate.

No timber.

Township 14 North Range 1 East
 Gila and Salt River Meridian

As North, between sections 22nd and 23.
 Var. $124^{\circ} 02'$ East

40.00 Set a post in a mound and pits
 as per instructions, for '4 section corner.
 No trees near.

80.00 Set a stone $16 \times 10 \times 8$ inches in a
 mound and pits as per instruc-
 tions for the corner to sections
 14. 15. 22nd and 23.
 No trees near.

Land rolling. Good grazing
 Soil 2nd rate.
 No timber

Downship 14 North Range 1 East ⁶²

6th Salt River Meridian

- 40.00 East, on a random line between sections 14th & 23.
- Var. 14° 02' East
- 79.92 Set a temporary $\frac{1}{4}$ section corner post. Intersect the north and south line 14 links north of the corner to sections 13, 14, 23 & 24, from which corner I run — N. 89° 54' W. on true line between sections 14th & 23.
- Var. 14° 02' East
- 39.96 Set a $\frac{1}{4}$ section corner post in a mound and pile as per instructions
- No trees near.
- 79.92 The corner to sections 14, 15, 22 & 23.
- Sand rolling.
Soil 2nd rate.
No timber.

Township 14 North Range 1 East

6th Salt River Meridian

No North, between sections 14^{and} 15.

Var. $14^{\circ} 02'$ East

14.00 Deep dry ravine runs S. E.

40.00 Set a 4th section corner post in a mound and pile as per instructions

No trees near.

80.00 Set a post in a mound and pile as per instructions for the corner to sections 10, 11, 14^{and} 15.

No trees near.

Land rolling.

Soil 2nd rate.

No timber.

Township 14 North. Range 1 East
 6th & Salt River Meridian

As East on a random line between sections
 11^{and} 14.

Var. $14^{\circ} 02'$ East

40.00 Set a temporary $\frac{1}{4}$ section corner post.

69.75 Range runs S. E.

80.16 Intersect the north and south line
 at the corner to sections 11, 12, 13
 & 14, from which corner I run -
West.

on a true line between sections 11^{and} 14.

Var. $14^{\circ} 02'$ East

40.08 Set a $\frac{1}{4}$ section corner post in a
 mound and pits as per instructions

No trees near.

80.16 The corner to sections 10, 11, 14^{and} 15.

Land rolling. Soil 2nd rate.
 No timber.

Township 14 North Range 1 East
 Gila ^{and} Salt River Meridian

Chs North, between sections 10 ^{and} 11.
 Var. $14^{\circ}02'$ East

40.00 Set a $\frac{1}{4}$ section corner post in a mound and pits as per instructions
 No trees near.

80.00 Set a post in a mound and pits as per instructions for the corner
 to sections
 2, 3, 10 ^{and} 11.
 No trees near.

Land rolling.
 Soil 2^d rate.
 No timber

Township 14 North Range 1 East
Gila and Salt River Meridian

to East on a random line between sections
2nd & 11.

Var. $14^{\circ} 02'$ East

35.00 Begin to ascend.

40.00 Set a temporary $\frac{1}{4}$ section corner post.

80.06 Intersect the Northth & South line

11 links south of the corner to sections

1. 2. 11th & 12. from which corner, run.

S. $89^{\circ} 55'$ W.

on true line between sections 2nd & 11.

Var. $14^{\circ} 02'$ East

40.03 Set a temporary $\frac{1}{4}$ section corner
post in a mound and set a few
instructions. No trees near.

80.06 The corner to sections 2. 3. 10th & 11.

Land rolling and hilly S. W. slope
Soil 2nd & 3rd rate. No timber

22
67

BOOK 146

Township 14 North. Range 1 East.

Gila and Salt River Meridian

No. North, on random line between sections 2nd & 3.

Var. $14^{\circ}02'$ East

40.00 Set a temporary $\frac{1}{4}$ section corner post.

80.17 Intersect the north boundary at the corner to sections 2, 3, 34th & 35th from which corner I run -

South.

on true line between sections 2nd & 3.

Var. $14^{\circ}02'$ East

40.17 Set a $\frac{1}{4}$ section corner post in a mound and pits as per instructions

No trees near.

80.17 The corner to sections 2, 3, 10th & 11 -

Land rolling,

Soil 2nd rate. No timber.

Date Sept. 19th 1871

Township 14 North Range 1 East

Sid and Salt River Meridian

No North between sections 33rd & 34.

var 14° 02' East.

40.00 Set a '44 section corner post in a mound and pits as per instructions
No trees near.

49.00 Range runs S. E.

80.00 Set a stone 14 x 10 x 10 inches as per instructions for the corner to sections 27, 28, 33rd & 34.

No trees near.

Land. book

Soil 1st rate.

No timber.

Township 14 North Range 1 East
Gila and Salt River Meridian

East, on a random line between sections 27th & 34th.

Var. 14° 02' East.

7.00 Road to Verde bears S. E. ⁹⁰ N. W.

7.50 Enter cornfield bears N. W. ⁹⁰ S. E.

15.00 a fence 5 chains north of line

25.00 Lynd Creek 20 links wide runs S. E.

40.00 Set a temporary 1/4 section corner post.

40.25 Leave cornfield bears N. ⁹⁰ S. E.

60.00 Road to camp Verde bears S. E.

80.00 Intersect the north and south line

at the corner to sections 26, 27, 34th & 35th
from which corner I run -

West.

on true line between sections 27th & 34th

Var. 14° 02' East

40.00 Set a 1/4 section corner post in a mound and file
as per instructions. No trees near.

80.00 The corner to sections 27, 28, 33th & 34th

Land lease. Soil 1st rate. No timber

B17K 146

Township 14 North Range 1 East
 Tilsa and Salt River Meridian

No	<u>North</u> , between sections 27 th & 28. Var. 14° 02' East
12.00	Road to Verde bears S. E. ³ / ₄ N. W.
20.00	Entire cornfield bears N. W. ³ / ₄ S. E.
26.50	Lyns Creek 20 chains wide runs S. E.
38.00	Lease cornfield bears E ³ / ₄ N.
40.00	Set a 44 section corner post in a mound and pits as per instructions. No trees near.
40.50	Road to Verde bears E ³ / ₄ N.
47.00	Base of Round hill.
58.00	Top of same 100 feet high.
70.00	Luttrely House bears west 20 chains distant Entire level land at base of hill.
70.50	Old road bears E ³ / ₄ N.
80.00	Set a stone 16 x 10 x 10 inches in a mound and pits as per instructions for the corner to sections 21, 22, 27 th & 28. No trees near. Land level. Soil 1 st rate. No timber

28
71

BOOK 146

Township 14 North Range 1 East
Gila and Salt River Meridian

- | | |
|-------|---|
| | East, on a random line between sections
22 and 27.
Var. $14^{\circ} 02'$ East |
| 40.00 | Set a temporary $\frac{1}{4}$ section corner post |
| 42.00 | Ravine runs S. W. |
| 79.86 | Intersect the north and south line at
the corner to sections 22, 23, 26 and 27.
from which corner I run —
<u>West.</u>
on a true line between sections 22 and 27.
Var. $14^{\circ} 02'$ East |
| 39.93 | Set a $\frac{1}{4}$ section corner post in a
mound and pits as per instructions.
No trees near. |
| 79.86 | Run corner to sections 21, 22, 27 and 28.
Land lev. Soil 1 st rate. No timber. |

BOOK 46

Township 14 North Range 1 East

Gila Salt River Meridian

No North, between sections 21^{no} & 22.

Var. 14° 02' East

40.00 Set a 1/4 section corner stone 14 x 10
x 8 inches as per instructions

No trees near.

43.00 Top of flat knoll 30 feet high.

50.00 Set a stone 16 x 10 x 10 inches as
per instructions for the corner to
sections, 15, 16, 21^{no} & 22.

No trees near.

Land lease.

Soil 1st rate.

No timber.

28
73
Township 14 North Range 1 East
Gila and Salt River Meridian.

No East.

run a random line between sections 15th 22.
Var 14° 02' East

40.00
80.00

Set a temporary 1/4 section corner post
Intersect the north and south line
11 links south from the corner to sections
14, 15, 22nd & 23. from which corner I run
S. 89° 55' W.

run true line between sections 15th 22
Var 14° 02' East

40.00

Set a post in a mound and pits as
per instructions for 1/4 section corner.
No trees near.

80.00

The corner to sections 15, 16, 21st 22.

Land rolling.
Soil 1st and 2nd rate.
No timber.

Township 14 North Range 1 East
Tide ^{and} Salt River Meridian
to North.

between sections 15th and 16.
Var. 14° 02' East

40.00 Set a 1/4 section corner post in a mound and pits as per instructions
No trees near.

80.00 Set a stone 16 x 10 x 8 inches in a mound and pits as per instructions for the corner to sections
9, 10, 15th and 16.
No trees near.

Land rolling.
Soil 1st and 2nd rate.
No timber.

Township 14 North, Range 1 East
 Gila and Salt River Meridian

East.

on a random line between sections 10th 15.

Var. 14° 02' East

40.00 Set a temporary '44 section corner post.

79.80 Intersect the North & South line
 at the corner to sections 10. 11.

14th 15 - from which corner I run -
West.

on a true line between sections 10th 15.

Var. 14° 02' East

39.90 Set a '44 section corner post in a
 mound and sets as per instructions

No trees near.

79.80 The corner to sections 9. 10. 15th 16.

Land rolling. Soil 2nd rate
 No timber.

Township 14 North Range 1 East
 Tilsa Salt River Meridian

No North.

between sections 9th & 10.

Var. 1st° 02' East

40.00 Set a 1/4 section corner post in a mound and set as per instructions
 No trees near.

80.00 Set a stone 24 x 12 x 12 inches as per instructions for the corner to sections 3, 4, 9th & 10.
 No trees near.

Land rolling.

Soil 2nd rate.

No timber.

Township 14 North Range 1 East

5th Salt River Meridian

to East.

In a random line between sections 3rd 10.

Var. 14° 02' East

40.00 Set a temporary 1/4 section corner post

80.00 intersect the north and south line

11 links south of the corner to section

3. 3. 10th 11. from which corner I run

S. 89° 55' W.

on true line between sections 3rd 10.

Var. 14° 02' East

40.00 Set a 1/4 section corner post in a

mound and pits as per instructions

No trees near.

80.00 The corner to sections 3. 4. 9th 10.

Land rolling. Soil 2nd rate.

No timber

Township 14 North, Range 1 East

Gila and Salt River Meridian

North.

on a random line between sections 3rd & 4th
 Var. 14° 02' East

40.00 Set a temporary 1/4 section corner post.

80.00 Intersect the north boundary line at the
 corner to sections 3, 4, 33, & 34.
 from which corner I run —
 South.

on true line between sections 3rd & 4th.

Var. 14° 02' East

40.00 Set a 1/4 section corner stone 14 x 14
 x 8 inches as per instructions.

No trees near.

80.00 The corner to sections 3, 4, 9th & 10.

Land rolling. Soil 2nd rate.

No timber.

Sept. 20th 1871

Date

Township 14 North Range 1 East
 T14S R01E Salt River Meridian
 No North.

between sections 32nd & 33.

Sec. 14° 02' East

40.00 Set a 1st section corner post in a mound and pits as per instructions
 No trees near.

80.00 Set a post in a mound and pits as per instructions for the corner
 to sections 28, 29, 32, nd 33.
 No trees near.

Land rolling.

Soil 2nd rate.

No timber

BOOK 146

Township 14 North Range 1 East.
 T14th Salt River Meridian

Sec East.

on a random line between sections 28th & 33.

Var. $14^{\circ} 02'$ East

40.00 Set a temporary $\frac{1}{4}$ section corner post

80.05 Intersect the north and south line

$\frac{1}{4}$ link south of the corner to sections

27, 28, 33th & 34, from which corner true -

S. $89^{\circ} 54'$ N.

on true line between sections 28th & 33.

Var. $14^{\circ} 02'$ East

40.02 Set a $\frac{1}{4}$ section corner post in a

mound and pits as per instructions

No trees near.

80.05 The corner to sections 28, 29, 33th & 33.

Land rolling.

Soil 2nd rate.

No timber

3881

BOOK 146

Township 14 North Range 1 East.

Gila and Salt River Meridian

No North.between sections 28^{and} 29.

Var. 14° 02' East

40.00 Set a 1/4 section corner post in a mound and pits as per instructions
No trees near.

56.00 Gynn Creek 20 links wide runs E.

61.00 Road bears east and west.

80.00 Set a stone 16 x 10 x 10 inches in a mound and pits as per instructions for the corner to sections
20. 21. 28^{and} 29.

No trees near

Land rolling.

Soil 2nd rate

No timber.

BOOK 146

Township 14 North, Range 1 East

6th Salt River Meridian

Sec East.

on a sandstone line between sections 21^{and} 28.
Var. 14° 02' East

40.00 Set a temporary 1/4 section corner post.

40.05 Road bears south east ⁹⁰ north west.

80.00 Intersect the north and south line at
the corner to sections 21. 22. 27 ^{and} 28
from which corner I run -

West.

on a true line between sections 21 ^{and} 28.
Var. 14° 02' East

40.00 Set a 1/4 section corner stone 14 x 10 x 10
inches in a mound and pits as per
instructions. No trees near

80.00 The corner to sections 20. 21. 28 ^{and} 29.

Land rolling. Soil 2nd rate.
No timber.

Township 14 North. Range 1 East.

6th Salt River Meridian

1/4 North.

between sections 20 and 21.

Var. $14^{\circ} 02'$ East

40.00 Set a 1/4 section corner post in a mound and pits as per instructions
No trees near.

80.00 Set a stone $16 \times 10 \times 10$ inches in a mound and pits as per instructions for the corner to sections
16. 17. 20 and 21.
No trees near.

Land rolling.

Soil 2nd rate.

No timber

Township 14 North Range 1 East
 Sec 4 Salt River Mendocino

BOOK 146

to East.

on a random line between sections 16th & 21.

Var. 14° 02' East

- 7.30 Road runs N. N. $\frac{1}{2}$ S. E.
 12.50 Enter cornfield bears N. $\frac{1}{2}$ S. N.
 24.00 Leave same bears N. $\frac{1}{2}$ S.
 40.00 Set temporary $\frac{1}{4}$ section corner post.
 80.00 Intersect the north and south line
 at the corner to sections 15, 16, 21
 and 22, from which corner I run
West.

on true line between sections 16th & 21.

Var. 14° 02' East

- 40.00 Set a $\frac{1}{4}$ section corner stone 16 x 10
 x 6 inches as per instructions
 No trees near.
 80.00 The corner to sections 16, 17, 20th & 21.
 Land level and rolling. Soil 1st rate.
 No timber.

Township 14 North Range 1 East
 6th and Salt River Meridian
 1st North.

between sections 16th and 17.

Var. $14^{\circ}02'$ East

- 13.00 Road runs S.E. ^{1/2} N. N.
- 23.50 Enter level field bears N. N.
- 40.00 Set a 44 section corner post in a mound and pits as per instructions
 No trees near.
- 44.50 Leave cornfield bears N. N.
- 49.00 A house 2 chains west of line
- 51.00 Enter ploughed ground E ^{1/2} N.
- 73.00 Leave same bears E. ^{1/2} N.
- 80.00 Set a stone $16 \times 10 \times 10$ inches as per instructions for the corner to sections
 8, 9, 16th and 17.
 No trees near.
- Land level.
 Salt 1st rate.
 No timber

Township 14 North Range 1 East
Gila and Salt River Meridian

Sec East.

on a random line between sections 9th 16.

Sar. $124^{\circ} 02'$ East

40.00 Set a temporary $\frac{1}{4}$ section corner post

80.30 Intersect the north and south line

7 links north of the corner to sections

9. 10. 15th 16 from which corner true

N. $89^{\circ} 57'$ W.

on true line between sections 9th 16.

Sar. $124^{\circ} 02'$ East

40.15 Set a $\frac{1}{4}$ section corner stone 12

$\times 10 \times 8$ inches as per instructions

No trees near.

80.30 The corner to sections 8. 9. 16. th 17.

Land rolling.

Soil 3rd rate No timber

Township 14 North Range 1 East

Gila and Salt River Meridian

No North.

between sections 8th and 9.

Sec. 14° 02' East

40.00 Set a 4th section corner stone 10 x 10
x 8 inches as per instructions
No trees near.

80.00 Set a stone 14 x 12 x 10 inches as
per instructions for the corner
to sections

4, 5, 8th and 9.

No trees near.

Land rolling.

Soil Strata.

No timber

Township 14 North Range 1 East
 T. 14th Salt River Meridian

No. East.

on a random line between sections 4th & 9.

Var. $14^{\circ}02'$ East

40.00 Set a temporary $\frac{1}{4}$ section corner post.

80.00 Intersect the north and south line
 12 links south of the corner to sections
 3, 4, 9 & 10, from which corner true
S. $89^{\circ}55'$ N.

on true line between sections 4th & 9.

Var. $14^{\circ}02'$ East

40.00 Set a $\frac{1}{4}$ section corner stone 10×10
 $\times 10$ inches as per instructions

No trees near.

80.00 ^{by} The corner to sections 4, 5, 8 & 9.

Land rolling. Soil 2nd rate.
 No timber.

Township 14 North Range 1 East

Sida ^{no} Salt River Meridian

to North.

on random line between sections 4^{no} & 5.

Var. 14° 02' East.

40.00 Set a temporary '4 section corner post

80.00 Intersect the north boundary at
the corner to sections 4, 5, 32
and 33, from which corner, run

South.

on true line between sections 4^{no} & 5

Var. 14° 02' East

40.00 Set a '4 section corner stone 10
x 10 x 8 inches as per instructions

No trees near.

80.00 ~~14~~ The corner to sections 4, 5, 8^{no} & 9.

Land rolling.

Soil 3" rate.

No timber.

Date Sept. 21 1871

Township 14 North Range 1 East
 Gila Salt River Meridian
 as North.

between sections 31⁹⁰ & 32.
 of ar. 14° 12' East

40.00 Set a $\frac{1}{4}$ section corner post in a
 mound and pits as per instructions
 No trees near.

80.00 Set a post in mound and pits
 as per instructions for the corner
 to sections
 29, 30, 31⁹⁰ & 32.
 No trees near.

Land rolling.
 Soil 3rd rate.
 No timber.

Township 14 North, Range 1 East

Gila and Salt River Meridian

Sec East.

on a random line between sections 29th & 32nd.
 Var. 14° 02' East

40.00 Set a temporary ^{1/4} section corner post.

80.10 Intersect the north and south line
 at the corner to sections 28, 29,
 32nd & 33, from which corner I run -
West.

on true line between sections 29th & 32nd.
 Var. 14° 02' East

40.05 Set a ^{1/4} section corner post in a
 mound and pits as per instruc-
 tions. No trees near.

80.10 The corner to sections -
 29, 30, 31st & 32.

Land rolling. Soil 2nd rate.
 No timber

Township 14 North Range 1 East
Gila and Salt River Meridian

No West.

on a random line between sections 30²⁹ 31
var 14° 02' East

40.00 Set a temporary 1/4 section corner post.

79.56 Intersect the west boundary line 15 links
north of the corner to sections 30:31
25²⁹ 36, from which corner I run —
N. 89° 54' E.

on true line between sections 30²⁹ 31
var. 14° 02' East

39.56 Set a 1/4 section corner post in a
mound and pits as per instructions

No trees near.

79.56 The corner to sections 29, 30, 31²⁹ 32

Land rolling.

Soil 2^o rate. No timber.

Township 14 North Range 1 East
 5th Salt River Meridian
 No North.

between sections 29th & 30

Sec. 14° 02' East

40.00 Set a $\frac{1}{4}$ section corner stone 14 x 10
 x 6 inches as per instructions.

No trees near.

80.00 Set a stone 18 x 10 x 8 inches
 in a mound and fits as per in-
 structions for the corner to sections

19, 20, 29th & 30.

No trees near.

Land rolling.

Soil 2^d rate.

No timber.

Township 14 North Range 1 East
 94
 7th Salt River Meridian

Sec East

on a random line between sections 20th & 29,
 Var. 14° 02' East

- 10.00 Lynx Creek 50 links wide runs S. E.
 40.00 Set a temporary ¹/₄ section corner post.
 41.25 Road bears S. E. ⁹⁰/₁₀₀ N. N.
 50.00 A house 4 chains south of line.
 80.00 Intersect the north and south line
 at the corner to sections 20. 21. 28
 and 29 from which corner I run
West.

on a true line between sections 20th & 29,
 Var 14° 02' East

- 40.00 Set a ¹/₄ section corner stone 14 x 10 x 8
 inches in a mound and pits as per
 instructions. No trees near.
 80.00 The corner to sections 19. 20. 29th & 30.

Land level. Soil 1st rate. No timber.

Township 14 North Range 1 East
 6th and Salt River Meridian
 S. West.

on random line between sections 19th & 30.
 Var. $14^{\circ} 02'$ East

40.00 Set a temporary $\frac{1}{4}$ section corner post.

79.48 Intersect the west boundary line
 9 links south of the corner to section
 19. 30. 24th & 25th, from which corner true -
S. $89^{\circ} 56'$ E.

on true line between sections 19th & 30.

Var. $14^{\circ} 02'$ East

39.48 Set a $\frac{1}{4}$ section corner post in a
 mound and pits as per instructions
 No trees near.

79.48 The corner to sections 19, 20, 29 & 30

Land rolling. Soil 2^d rate.
 No timber

Township 14 North Range 1 East
 6th and Salt River Meridian

Sec North.

Return sections 19th & 20.

Var. 14° 02' East

7.25 Found creek 20 links wide runs S. E.

40.00 Set a 1/4 section corner post in a mound and pits as per instructions

No trees near.

44.00 Road bears S. E. ^{1/2} N. W.

80.00 Set a post in a mound and pits as per instructions for the corner to sections 17, 18, 19th & 20.

No trees near.

Land rolling.

Soil 2nd rate.

No timber.

Township 14 North Range 1 East
 6th Salt River Meridian

No East.

on random line between sections 17th & 20.

Var. $14^{\circ} 02'$ East

40.00 Set a temporary $\frac{1}{4}$ section corner post.

80.18 Intersect the north and south line.

14 links south from the corner to section

16. 17. 20th & 21. from which corner - I run -

S. $89^{\circ} 54'$ N.

on true line between sections 17th & 20.

Var. $14^{\circ} 02'$ East.

40.09 Set a $\frac{1}{4}$ section corner post in a mound, and pits as per instruction

No trees near

80.18 The corner to sections 17, 18, 19th & 20.

Land rolling. Soil 2nd rate.

No timber.

Township 14 North Range 1 East
T14th Salt River Meridian

S. West.

on a random line between sections 18th & 19,
Var. 14° 02' East

40.00 Set a temporary ^{1/4} section corner post.

79.40 Intersect the west boundary line
21 links south of the corner to sections
18, 19, 13th & 24, from which come I run
S. 89° 51' E.

on true line between sections 18th & 19,
Var. 14° 02' East

39.40 Set a ^{1/4} section corner stone 14x14
x 10 inches as per instructions

No trees near.

79.40 ^{1/4} The corner to sections 17, 18, 19th & 20.

Land level. Soil 1st rate.
No timber.

Township 14 North, Range 1 East
 5th Salt River Meridian
 14 North.

between sections 17th & 18.

Var. 14° 02' East

40.00 Set a 1/4 section corner post in
 a mound and pits as per instructions
 No trees near.

80.00 Set a post in a mound and pits
 as per instructions for the corner
 to sections 7, 8, 17th & 18.
 No trees near.

Land level.

Soil 1st rate
 No timber

Sept. 25th 1871.

Seate

Township 14 North Range 1 East
 T14N R01E Salt River Meridian

Sec East.

on a random line between sections 8th & 17th.
 Var. 14° 02' East

40.00 Set a temporary 1/4 section corner post.

46.00 Road bears S. E. ⁹⁰ N. N.

80.00 Intersect the north and south line
 at the corner to sections 8, 9, 16th & 17th.
 from which corner I run -

West.

on true line between sections 8th & 17th.
 Var. 14° 02' East

40.00 Set a 1/4 section corner stone 14 x 10
 x 10 inches as per instructions.

No trees near.

80.00 The corner to sections 7, 8, 17th & 18.

Land lease. Soil 1st rate
 No timber.

Township 14 North. Range 1 East
 6th & Salt River Meridian
 No West.

on a random line between sections 7^{no} 15
 var 14° 02' East

40.00 Set a temporary 1/4 section corner post.
 79.28 Intersect the west boundary line 18 links
 south of the corner to sections 7, 18, 12
 and 13 from which corner true -
South, 89° 52' E.

on true line between sections 7^{no} 18.
 var. 14° 02' East

39.28 Set a 1/4 section corner post in a
 mound and pits as per instructions
 No trees near.

79.28 The corner to sections 7, 8, 17 & 18.

Land level.
 Soil 1st rate.
 No timber

Township 14 North Range 1 East
 Gila ^{and} Salt River Meridian
 S. North.

between sections 7^{and} 8
 Var. $14^{\circ}02'$ East

40.00 Set a $1\frac{1}{2}$ section corner stone $14 \times 10 \times 10$
 inches as per instructions.

No trees near.

80.00 Set a stone $16 \times 10 \times 10$ inches in a
 mound and pits as per instructions
 for the corner to sections

S. 6. 7^{and} 8.

No trees near.

Land level.

Soil 1st rate.

No timber.

Township 14 North. Range 1 East

Gile ^{no} Salt River Meridian.

No East.

on a random line between sections 5th & 8.

Var. 14° 02' East

10.00 Road bears S. E. ^{no} N. N.

40.00 Set a temporary ^{no} section corner post.

80.12 Intersect the north and south line
8 links south of the corner to section
24. 5, 8 ^{no} 9. from which corner I run—
S. 89° 57' W.

on a true line between sections 5th & 8.

Var 14° 02' East

40.06 Set a ^{no} section corner post in a
mound and pits as per instructions

No trees near.

90.12 The corner to sections 5, 6, 7th & 8.

Land lead. Soil 1st rate.
No timber

Township 14 North Range 1 East

5th and Salt River Meridian

No. West.

on a random line between sections 6th & 7th
 Var. 14° 02' East

40.00 Set a temporary 1/4 section corner post.

79.32 Intersect the west boundary line
 at the corner to sections 6, 7, 10th
 12, from which corner I run —
East.

on a true line between sections 6th & 7th
 Var. 14° 02' East

39.32 Set a 1/4 section corner post in a
 mound and pits as per instructions
 No trees near.

79.32 This corner to sections 5, 6, 7th & 8.

Land rolling. Soil 2^d rate.
 No timber

Township 14 North Range 1 East
 6th & Salt River Meridian

No North

on a random line between sections 5th & 6.

Var. 14° 02' East

11.50 Road bears N. N. ^o S. E.

40.00 Set a temporary ^{1/4} section corner post.

80.22 Intersect the north boundary line at
 the corner to sections 5, 6, 31 & 32
 from which corner I run —
South.

on true line between sections 5th & 6.

Var. 14° 02' East

40.22 Set a ^{1/4} section corner stone 14
 x 8 x 6 inches as per instructions

No trees near.

80.22 The corner to sections 5, 6, 7th & 8.

Land level. Soil 1st rate.

No timber.

Sept 23rd 1871.
 date

General Description

The lands in this township are mostly level but part rolling.

The soil is rich and if a good supply of water could be obtained for irrigation, much grain could be raised upon them.

Grass grows in all parts of the township and is well adapted to grazing.

S. W. Foreman.

Deputy Surveyor

List of Names.

A List of the Names of the individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of The Subdivision lines in Townships 13 & 14 North of Range 1 East of Tila & Salt Run Roads

showing the respective capacities in which they acted.

- | | |
|---------------|-------------|
| Geo. W. Carr | Compassman. |
| Joseph Fennel | Chainman. |
| James Allen | Axeman. |
| John Kelly | Placer |



Final Oaths of Assistants.

We hereby certify that we assisted Solomon W.
 Herriman Deputy Surveyor, in surveying
 the Sub division lines in
 Townships, 13 & 14 North
 of
 Range 1 East of 9th & 10th
 Run Base & meridians

and that said Survey has been in all respects, to the
 best of our knowledge and belief, well and faithfully sur-
 veyed, and the boundary monuments planted according to
 the instructions furnished by the Surveyor-General.

John Pily
 James Allen
 George W. Carr
 Joseph F. Hume

Subscribed and sworn to before me
 this 23^d day of Sept a d 1871.

Edw. Wells
 Clerk Dist Court
 3^d dist a.d.

Final Oath of Deputy Surveyor.

I, Solomon W. Foreman
 Deputy Surveyor, do solemnly swear that, in pursuance
 with a contract with John Wasson
 United States Surveyor-General for Arizona, bearing date
 the day of _____, I have well, faithfully
 and truly, in my own proper person, and in strict con-
 formity with the instructions furnished by the Surveyor-
 General, the Surveying Manual, and the laws of the
 United States, surveyed all those parts or portions of
 lines of the Subdivision
 lines in _____
 Townships 0. 13 and 14 N
 of _____
 Range No. 1 East of
 Gila & Salt River
 Base & meridian

as are represented in the foregoing Field Notes as having

been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and that the foregoing are the true and original Field Notes of such Survey.

Solomon W. Foruman
U. S. Deputy Surveyor.

Subscribed and sworn to before me, this
23rd day of Sept 1871

Edw. Wells
Clerk Dist Court
3rd Dist Cal.



Surveyor General's Office
 Tucson Ariz.October 20th 1871

The foregoing field notes
of the Survey of the Subdi-
vision lines of Townships
14 North Range 1 E. of the
Gila and Salt River Me-
ridian and Base line
in the Territory of Arizona
executed by S. W. Foreman
Deputy Surveyor under his
contract dated May 29th 1871
having been critically ex-

amined, the necessary
corrections and explana-
tions made, the said field
notes and the surveys they
describe are hereby approved

John Basson
Adj. Surveyor General
for Arizona