

26.

p.64

No 151

4-671

151

**FIELD NOTES**  
**GENERAL LAND OFFICE.**

*Subdivision*  
*of*

**T13NR14E**

*Indexed, Book 130.*

No-137

Township 13N R. 14E

6	96	5	76	4	3	2	1
94		93		74			
7	92	8	72	9	10	11	12
90		89		71			
18	88	17	69	16	15	14	13
86		84		67			
19	83	20	66	21	22	23	24
82		80					
30	78	29		28	27	26	25
31	77	32		33	34	35	36

## Subdivisions

- 2ains  $90^{\circ} 2'$  Wht pecs. 20 and 21  
 Va  $13^{\circ} 48' E$ .  
 Through Timber.
- 30.00 Descend into Cañon course NEE  
 35.00 bottom and ascend  
 38.00 top  
 40.00 Set a Lime stone  $18 \times 12 \times 10$  ins  $12$  ins in  
 the ground for  $\frac{1}{4}$  sec cor marked  $\frac{1}{4}$  on W  
 face from which  
 A Pine 11 ins diam br. N  $40^{\circ} E$ . 8 lks  
 Dist marked  $\frac{1}{4}$  S. B. T.  
 A Pine 12 ins diam br. S  $54^{\circ} W$  5 lks  
 Dist marked  $\frac{1}{4}$  S. B. T.
- 47.00 descend into Cañon course E. by  
 48.00 bottom and ascend  
 50.00 top  
 53.00 descend into Cañon course W. by  
 59.00 bottom  
 60.00 ascend

chain N. 13 R. 14 East

69.00 top

77.75 Gulch 100 lks wide course. W

80.00 Set a Lime stone 15x10x10 ins 1/2 ins in the ground for cor to sec. 16-17 - 20<sup>ac 21</sup>

marked with 3 notches on S. and notches on E edges from which

A Pine 12 ins diam br. N 84° E. 80 lks  
Dist marked Sp 13 R. 14 E. S. 16 B J.

A Pine 12 ins diam br. S. 52° E 82 lks  
Dist marked Sp 13 R. 14 E. S. 21 B J.

A Pine 24 ins diam br. S. 73° W 38 lks  
Dist marked Sp. 13 R. 14 E. S. 20 B J.

A Pine 24 ins diam br. N 25° W 42 lks  
Dist marked Sp 13 R. 14 E. S. 17 B J.

Land Broken

Soil 4th rate

80 lks Pine Timber.

Heavily timbered land 80 lks

N 89° 58' E on a random line to sec. 16<sup>ac 21</sup>

## Subdivisions

- Chains. Va  $13^{\circ}48'E$
- 40.00 Set temporary  $\frac{1}{4}$  sec cor
- 80.30 Intersect N and S line 15 lks S. of  
cor to secs 15-16 and 21 and 22, as herein  
before described  
Thence S line  
S  $89^{\circ}53'W$  on a true line to sec 16 <sup>Qu. 21</sup>  
Va.  $13^{\circ}48'E$   
Through Timber
- 40.15 Set a lime stone  $12 \times 12 \times 10$  ins 8 ins in  
the ground for  $\frac{1}{4}$  sec cor marked  $\frac{1}{4}$   
on N face from which  
a Pine 30 ins diam br N  $33^{\circ}30'W$  39 lks  
dist marked  $\frac{1}{4}$  S. P. T.
- a Pine 26 ins diam br S.  $45^{\circ}30'E$  100 lks  
dist marked  $\frac{1}{4}$  S. P. T.
- 44.00 Gulch. 100 lks wide course N.E.
- 80.30 The cor to secs 16-17-20 <sup>Qu. 21</sup>  
Land Rolling

Chains Soil 2<sup>nd</sup> and 3<sup>rd</sup> rate

80.30 chs Pine Timber

~~80.30 chs~~ timbered land 80.30 chs

N. 0 2' W lat secs. 16 and 17-

Va. 13 47' E.

through Timber

18.00 Gulch 100 lks wide e course N W

32.50 Gulch 100 lks wide course W y.

36.00 descend into Alder Creek Cañon  
course N. E.

40.00 Set a Limestone 15 x 10 x 5 ins in the  
ground for 1/4 sec cor marked 1/4 on N face  
from which

A. Pine 18 ins diam to N 75° E. 79 lks  
Dist marked 1/4 B. T.

A Pine 24 ins diam to S. 33° W 44 lks  
Dist marked 1/4 B. T.

47.00 bottom and Creek 50 lks wide fl. N. E.

48.50 ascend

chains

## Subdivisions

- 66.00 top <sup>and</sup> along W bank of Canon
- 67.00 lower Bank
- 68.00 gulch 100 lks wide. In E.
- 80.00 Set a lime stone  $27 \times 27 \times 12$  ins 18 in in  
the ground for corners 8-9-16 <sup>and</sup> 17  
marked with 4 notches on S. <sup>and</sup> E  
edges from which
- A Pine 8 ins diam In N  $73^\circ$  E. 34 lks  
dist marked  $\frac{1}{3}$  N.  $\frac{1}{4}$  R.  $\frac{1}{4}$  E.  $\frac{1}{9}$  B. T.
- A Pine 8 ins diam In S.  $64^\circ$  E 50 lks  
dist marked  $\frac{1}{3}$  N.  $\frac{1}{4}$  R.  $\frac{1}{4}$  E.  $\frac{1}{16}$  B. T.
- A Pine 12 ins diam In S.  $53^\circ 30'$  N 75 lks  
dist marked  $\frac{1}{3}$  N.  $\frac{1}{4}$  R.  $\frac{1}{4}$  E.  $\frac{1}{17}$  B. T.
- A Pine 6 ins diam In N  $24^\circ 30'$  W 31 lks  
dist marked  $\frac{1}{3}$  N.  $\frac{1}{4}$  R.  $\frac{1}{4}$  E.  $\frac{1}{8}$  B. T.
- Land Rough <sup>and</sup> Broken  
Soil Worthless
- 80 cho Pine Timber.
- Heavily timbered land 80cks



577K 101

R  
13 N. 14 East.

Chains N  $89^{\circ}53'E$  on a random line bet sec 9<sup>and</sup> 16  
 Va  $13^{\circ}47'E$

40.00 set temporary  $\frac{1}{4}$  sec. cor.

80.00 Intersect N<sup>and</sup> S. line 8 lks. N of cor  
 to sec. 9-10-15<sup>and</sup> 16 as herein before  
 described

Thence run

S.  $89^{\circ}56'W$  on a true line bet sec. 9<sup>and</sup> 16  
 Va  $13^{\circ}47'E$

Through Timber

21.00 Gulch. 100 lks wide course N<sup>y</sup>.

40.00 Set a sand stone  $15 \times 12 \times 5$  ins 10 ins in the  
 ground for  $\frac{1}{4}$  sec cor, marked  $\frac{1}{4}$  on N face  
 from which

A Pine 6 ins diam br. N  $68^{\circ}W$  + 2 lks  
 dist marked  $\frac{1}{4}$  S. B. T.

A Cedar 30 ins diam br. S  $53^{\circ}E$  + 8 lks  
 dist marked  $\frac{1}{4}$  S. B. T.

50.00 descend into Gulch. course N.W.

chain 151

# Subdivisions

- 65.00 bottom <sup>and</sup> ascend
- 70.00 top <sup>and</sup> descend into Canon N.E.
- 75.50 bottom
- 76.00 Creek flows N.E. 50 lks wide
- 76.50 ascend
- 80.00 The cor to sec. 8-9-16 <sup>and</sup> 17
- Land Broken
- Soil 3<sup>rd</sup> <sup>and</sup> 4<sup>th</sup> rate
- Soils Pine Timber
- ~~Heavily timbered land socks~~  
Oct. 28.93.
- 
- N<sup>o</sup>s. W<sup>ht</sup> sec. 8 <sup>and</sup> 9
- N<sup>a</sup>. 13° 46' E.
- Through Timber along West bank <sup>and</sup> of Alder,
- 15.50 Gulch 100 lks wide course E.
- 28.00 Gulch 100 lks wide, course E.
- 40.00 Set a Lime stone 18 x 10 x 10 ins 12 ins in  
the ground for 1/2 sec cor marked 1/4 on  
W face from which  
a Pine 18 ins diam br. N 50° W 11 lks

P. 13 N.R. 14 East.

- Chains Dist marked  $\frac{1}{4}$  S. D. T.  
 a Pine 16 ins diam br. S.  $37^{\circ}$  E. 48 lks  
 Dist marked  $\frac{1}{4}$  S. D. T.
- 50.00 descend into Alder Creek Cañon course  
 W. y.
- 58.00 bottom
- 59.00 Creek - 30 lks wide. flows W. & ascend
- 62.00 along East bank of Cañon
- 68.50 leave Bank and Recross Creek
- 69.89 ascend W bank, at this point the  
 Cañon courses N.E.
- 74.50 top of Bank. + recross creek
- 80.00 Set a Lime stone  $36 \times 20 \times 15$  ins  $27$  ins in  
 The ground for cor to sec. 4-5-8 and 9  
 marked with 5 notches on S. and 4  
 notches on E edges from which  
 a Pine 7 ins diam br. N  $36^{\circ} 30'$  E. 41 lks  
 Dist marked  $\frac{1}{4}$  P. 13 N.R. 14 E. S. 4 D. T.  
 a Pine 14 ins diam br. S.  $76^{\circ}$  E. 23 lks

## Subdivisions

Chains dist. marked Sp 13 N R. 14 E. S. 9 B. 7.  
 A Pine 6 ins diam to S. 59° W 49 lks.  
 Dist. marked Sp 13 N R. 14 E. S. 8 B. 7.  
 A Pine 8 ins diam to N 25° W 40 lks.  
 Dist. marked Sp 13 N R. 14 E. S. 5 B. 7.  
 Land Rough and Broken  
 Soil Worthless  
 Rocks. Pine Timber  
~~Heavily timbered land rocks~~

N 89° 56' E on a random line to trees. 4<sup>and</sup> 9  
 Va. 13° 47' E.

40.00 Set temporary 1/4 sec cor.

79.96 Intersect N<sup>and</sup> line 6 lks N of cor.  
 to secs. 3-4, 9<sup>and</sup> 10 as herein before de-  
 scribed

Thence run

S 89° 59' W on a true line to trees. 4<sup>and</sup> 9  
 Va. 13° 47' E.

Through Timber

75

P 13 N. R. 14 East

- 21.00 Gulch 100 lks wide course N.E.
- 39.98<sup>v</sup> Set a sandstone 15x12x5 ins in the  
ground for 1/4 sec cor marked for N face  
from which  
A Pine 18 ins diam br. N40°E. 34 lks  
dist marked 1/4 S.B. 1  
A Pine 15 ins diam br. S. 63°W 34 lks  
dist marked 1/4 S.B. 1
- 68.00 descend into Alder Creek Cañon course  
N.Y.
- 72.50 bottom
- 73.00 Creek flows N.Y.
- 73.50 ascend
- 78.00 top
- 79.96 the cor to secs. 4-5-8<sup>and</sup> 9.  
Land mostly high Rolling  
Soil 4th rate  
79.96 clo Pine Timber.  
Heavily timbered land sochs

## Subdivisions

Chain N. 0° 5' W on a random line to piece 4 <sup>and 5</sup>

Va. 13° 48' E.

40.00 Set temporary tree cor.

80.17 Intersect N boundary of township  
8 lks E of cor to sec. 4-5-33-<sup>and 33</sup>  
as herein before described

Then run

S. 0° 5' E on a true line to sec. 4 <sup>and 5</sup>

Va. 13° 48' E.

10.00 Through Timber. ascend from Canyon  
40.17. <sup>Top</sup> of East Bank of Alder Creek Canyon  
This point falling on a lime stone

Bluff I marked a cross (x) at exact  
cor point for 1/4 sec cor marked 1/4 on  
W <sup>and</sup> raised a mound of stone 1/2  
ft high 2 ft base alongside. Pits  
impracticable.

68.00 descend into Alder Creek course N. W

73.50 bottom

74.00 Creek flows N. W. 30 lks wide

chains

Sp. 13 T. 14 E. 14 East.

74.50 ascend

79.00 top

80.17 The cor to secs. 4-5-8 <sup>and 9.</sup>

Land Broken

Soil 4th rate

80.17 cho Pine Timber.

~~Heavily timbered land 80.17 ch~~S. 0° 3' E on a random line to secs. 31 <sup>and 32</sup>

Va. 13° 50' E

40.00 Set temporary 1/4 sec. cor.

75.45 Intersect 3rd standard parallel  
north 8 lks. W of cor to secs. 5-6-31 <sup>and 32</sup>  
as herein before described

Hence I run

N 0° 6' W on a true line to secs. 31 <sup>and 32</sup>

Va. 13° 50' E

Through Timber

35.45 Set a sandstone 18 x 12 x 12 in 12 in in the  
ground for 1/4 sec cor marked 1/4 sec W

## Subdivisions

- Cham face, from which  
 a Pine 10 ins diam ls. N75° W 35 lks  
 dist marked  $\frac{1}{4}$  S. B. T.  
 a Pine 10 ins diam ls. S. 51° 30' E. 16 lks  
 dist marked  $\frac{1}{4}$  S. B. T.
- 75.45 The cor to secs 29-30-31<sup>and</sup> 32  
 Land Rolling  
 Soil end rate  
 75.45 Pine Timber.  
~~Heavily timbered land 75.45 ch.~~
- 
- N. 0° 3' W ht secs. 29<sup>and</sup> 30  
 Va 13° 49' E.  
 Through Timber
- 14.00 descend into Alder Creek course N.E.  
 20.00 bottom<sup>and</sup> Creek flows N.E. 30 lks.  
 30.50 ascend  
 25.00 top  
 26.00 descend into Cañon  
 33.50 bottom<sup>and</sup> Creek flows N.E. 30 lks wide  
<sup>and</sup> ascend



40.00 Set a lime stone  $18 \times 10 \times 3$  ins  $12$  ins in the ground for  $\frac{1}{4}$  sec. cor marked  $\frac{1}{4}$  on N face from which

A Pine  $14$  ins diam br. N  $62^\circ$  E.  $51$  lks dist marked  $\frac{1}{4}$  S. B.T.

A Pine  $18$  ins diam br. S  $87^\circ$  W  $29$  lks dist marked  $\frac{1}{4}$  S. B.T.

42.00 top

44.00 Gulch  $100$  lks wide course S. E.

55.00 Gulch  $100$  lks wide course S. E.

80.00 Set a lime stone  $18 \times 10 \times 3$  ins  $15$  ins in the ground for cor to secs.  $19-20-29$  and  $30$  marked with  $2$  notches on S. <sup>and</sup>  $5$  notches on E. Edges from which

A Pine  $20$  ins diam br. N.  $10^\circ$  E.  $62$  lks dist marked Sp. 13 N. R. 14 E. S.  $20$  B.T.

A Pine  $6$  ins diam br. S.  $29^\circ$  E.  $44$  lks dist marked Sp. 13 N. R. 14 E. S.  $29$  B.T.

A Pine  $22$  ins diam br. S.  $53^\circ$  W  $28$  lks

## Subdivisions

- Chains dist. marked Sp. 13 N. R. 14 E. S. 30 B. 1  
 a Pine & Spruce Tract to N 79° W 4 1/2 lks  
 Dist marked Sp. 13 N. R. 14 E. S. 19 B. 1  
 Land Rough <sup>and</sup> Broken  
 Soil Worthless  
 No chs Pine Timber  
~~Heavily timbered land & chs~~
- 
- N. 89° 59' E on a random line to pces <sup>20</sup> and <sup>29</sup>  
 Va 13 48' E.
- 40.00 Set temporary 1/4 sec. cor.
- 79.80 Intersect N <sup>and</sup> S line 14 lks. Sof  
 cor to pces. 30-31-32 <sup>and</sup> 29 as herein  
 before described  
 Thence S. 89° 53' W on a true line to pces 20 <sup>and</sup> 29  
 Va 13° 48' E  
 Through Timber
- 6.75 Gulch 100 lks wide course N. E.
- 32.00 descend into Cañon course N. N. E.

39.90 Set a lime stone 18x12x6 ins in  
the ground for 1/4 sec. cor marked 1/4 on  
W face from which.

A Pine 26 ins diam br N. 24° E. 25 lks  
Sist marked 1/4 S. B. T.

A Pine 24 ins diam br S 63° W 68 lks  
Sist marked 1/4 S. B. T.

40.00 <sup>alder</sup> <sup>Course N. N. E</sup> <sup>and ascend.</sup>  
Creek <sup>bottom</sup>

45.00 top and descend into Cañon course N.E.  
50.00 bottom

51.00 Creek. 30 lks wide flows N.E.  
55.00 ascend

58.00 top and descend into Gulch course N.E.  
60.00 bottom and ascend

78.00 top

79.80 The cor to pccs. 19-20-29 and 30  
Land Broken

Soil 3rd rate

79.80 chs Pine Timber

The only timbered land 79.80 chs

## Subdivisions

Chains 1.89°59' W on a random line to sec. 19<sup>and</sup> 30

Va. 13°47'E.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

86.10 Intersect W boundary of township  
at cor to secs. 19-24-25<sup>and</sup> 30 as here-  
in before described

Thence Run

N 89°59' E on true line to sec. 19<sup>and</sup> 30

Va. 13°47'E.

Through Timber

10.00 descend into Cañon Course N.E.

30.00 bottom<sup>and</sup> Creek 30 lks wide  
flows N.E. W. Chevelon.

31.00 ascend

40.00 top

46.10 Set a Limestone 18 x 10 x 5 ins in  
the ground for  $\frac{1}{4}$  sec cor marked  $\frac{1}{4}$  on  
N face from which  
a Pine 14 ins diam to N. 62° E. 51 lks

Q 13 N. E. 14 East.

Chains sist marked  $\frac{1}{4}$  S. B. T.

A Pine 18 ins diam tr. S  $87^{\circ}$  W 29 lks

sist marked  $\frac{1}{4}$  S. B. T.

86.10 The cor to secs. 19-20-29<sup>and</sup> 30

Land Broken

Soil 3rd rate

86.10 chs Pine Timber

Heavily timbered land 86.10 chs

N. 03' W lat. secs. 19<sup>and</sup> 20

Va  $13^{\circ}$  46' E.

Through Timber.

1.00 Gulch. 100 lks wide. course N. E. y.

40.00 Set a limestone 18x12x10 ins in the  
ground for  $\frac{1}{4}$  sec. cor marked  $\frac{1}{4}$  on W fac  
from which

A Pine 26 ins diam tr. N  $24^{\circ}$  E 25 lks  
sist marked  $\frac{1}{4}$  S. B. T.

A Pine 24 ins diam tr. S  $63^{\circ}$  W 68 lks  
sist marked  $\frac{1}{4}$  S. B. T.

## Subdivisions

- 80.00 Set a Sand stone  $18 \times 14 \times 4$  ins  $13$  ins  
in the ground for coto, sec. 17-18-19<sup>(and)</sup>  
marked with 3 notches on S. <sup>and</sup>  
5 notches on E. edges. from which  
A Pine 8 ins diam br.  $N 51^\circ E. 149$  lks  
Dist marked Sp. 13 N. R. 14 E. S. 17 B. J.  
A Pine 38 ins diam br.  $S. 10^\circ E. 92$  lks  
Dist marked Sp. 13 N. R. 14 E. S. 30 B. J.  
A Pine 20 ins diam br.  $S 51^\circ W 86$  lks  
Dist marked Sp. 13 N. R. 14 E. S. 19 B. J.  
A Pine 8 ins diam br.  $N 32^\circ 30' W 40$  lks  
Dist marked Sp. 13 N. R. 14 E. S. 18 B. J.  
Land Rolling  
Soil 2<sup>nd</sup> rate  
80 chs Pine Timber  
~~80 chs~~ ~~timbered~~ land 80 chs
- 
- $N. 89^\circ 53' E$  on a random line bet sec. 17<sup>and</sup> 20  
 $N. 13^\circ 46' E.$
- 40.00 Set temporary  $1/4$  sec. cor.

- 74.76 Intersect N<sup>th</sup> and S line 6 lks. lower  
to sec. 16-17-30 and 31 as herein before  
described  
then I run  
S. 89° 50' W on a true line to sec. 17 and 20  
2a 13° 46' E.  
Through Timber.
- 5.00 descend into Cañon course N. N. E.
- 10.50 bottom and ascend
- 15.00 top and descend into Cañon course N. E.
- 25.00 bottom alder Creek 30 lks wide. flows N. E.
- 25.75 ascend
- 30.00 top and descend into Same Cañon
- 35.00 bottom alder Creek 15 lks wide, S. E.  
and along Cañon
- 38.00 Recross Creek N. E.
- 39.00 ascend
- 39.88 Set a sand stone 12 x 12 x 12 ins 8 ins in the  
ground for 1/4 sec. cor marked 1/4 on N face

# Subdivisions

Chains from which

A Pine 13 ins diam br. N. 36° E. 54 lks  
1st marked 1/4 S.B.T.

A Pine 10 ins diam br. S 89° W 39 lks  
1st marked 1/4 S.B.T.

49.00 top

70.10 Pine 34 ins diam on line.

77.00 Cattle trail to N.Y.

79.76. The cor to. pces 17-18-19<sup>and 20</sup>

Land Rough<sup>and</sup> Broken

Soil Worthless

79.76 also Pine Timber.

~~Heavily timbered land~~  
~~79.76 ch~~

Oct. 29, 93.

N 89° 59' W on a grade on line to pces 18<sup>and 19</sup>

N a 13° 46' E.

40.00 Set temporary 1/4 sec cor

85.90 Intersect. W. boundary of township at  
cor to pces. 13-18-19<sup>and 24</sup>, as herein  
before described.



Chains Thence down

S 89° 59' E. on a true line to sec. 18<sup>and</sup> 19  
Va. 13° 46' E.

through Timber.

21.50 descend into W. Chevelow Course N.Y.

33.50 bottom and Creek 55 lks wide flowing N.Y.

34.50 ascend

44.90 top

45.90 Set a Limestone 18 x 10 x 8 ins 15 ins in the  
ground for 1/4 sec. cor marked 1/4 on N  
face from which.Pine 14 ins diam br. N 43° W 102 lks  
Dist marked 1/4 S. B. T.a Pine 5 ins diam br. S. 56° E 102 lks  
Dist marked 1/4 S. B. T.80.90 The cor to sec. 17-18-19<sup>and</sup> 20

Land Broken

Soil 3rd<sup>and</sup> 4th rate85.90 cho Pine<sup>and</sup> Cedar Timber.

Heavily timbered land 85.90

## Subdivisions

- Chains N.  $0^{\circ} 3' W$  lat. sees 17<sup>and 18</sup>  
 Va  $13^{\circ} 47' E$   
 Through Timber.
- 9.00 Cattle Trail br. N. N. W
- 16.00 Cattle trail br. N. E.
- 40.00 A Pine 30 ins diam which I marked  
 $1/4 S.$  on W side and raised a mound  
 of stone  $1/2$  ft high 2 ft base along  
 side. Pitts impracticable, for  $1/4$   
 sec cor.
- 80.00 Set a lime stone  $24 \times 12 \times 8$  ins / 6 ins in  
 the ground for cor to sees 7-8-17<sup>and 18</sup>  
 marked with 4 notches on S. and 5  
 notches on E edges. from which  
 A Pine 18 ins diam br. N.  $74^{\circ} E$  87 lks  
 Dist marked Sp. 13 N. R. 14 E. S. 8 B. T.
- A Pine 8 ins diam br. S.  $79^{\circ} E$  64 lks  
 Dist marked Sp. 13 N. R. 14 E. S. 7 B. T.
- A Pine 20 ins diam br. S.  $41^{\circ} 30' W$  46 lks

Chain marked Sp. 13 T. R. 14 E. S. 18 B. T.  
 A Pine 24 ins diam br. N.  $40^{\circ}$  W. 133 lks  
 Dist marked Sp. 13 T. R. 14 E. S. 7 B. T.  
 Land Rolling  
 Soil 2<sup>nd</sup> and 3<sup>rd</sup> rate  
 so cho Pine Timber  
 Heavily timbered land so cho

N  $89^{\circ}50'$  E. on a random line bet pces 8<sup>and</sup> 17

Via  $13^{\circ}48'$  E.

40.00 Set temporary 1/4 sec. cor.

80.50 Intersect N<sup>and</sup> S. line 14 lks N of  
 cor. pces 8-9-16<sup>and</sup> 17 as herein before  
 described

Thence run

S  $89^{\circ}56'$  W on a true line bet pces 8<sup>and</sup> 17

Via  $13^{\circ}48'$  E.

Through Timber ascend bank  
 of Alder Creek

2.00 top.

chamk 151 Subdivisions

- 40.10 Set a lime stone 15 x 14 x 4 ins / 0 ins in the ground for 1/4 sec. cor. marked 1/4 on W. face, from which
  - a Pine 12 ins diam to S 28° E 63 lks. Dist marked 1/4 S. B. T.
  - a Pine 12 ins diam to S 21° W 67 lks. Dist marked 1/4 S. B. T.
- 80.30 The cor to sec. 7-8-17<sup>and</sup> 18  
 Land Rolling  
 Soil 2<sup>nd</sup> and 3<sup>rd</sup> rate  
 80.30 chs Pine Timber  
~~Heavily timbered land 80.20~~
- 80.90 5-9' W on a random line to sec. 7<sup>and</sup> 18  
 Va. 13° 49' E
- 40.00 Set temporary 1/4 sec. cor.
- 85.70 To intersect W boundary of township 12 lks S. of cor to sec. 7-12-13<sup>and</sup> 18 as herein before described  
 Thence due

Sp. 13 N. E. 14 East.

Chains S.  $89^{\circ}54'$  E on a true line to spec. 7<sup>and 18</sup>  
 Va  $14^{\circ}49'$  E.

Through Timber.

3.00 Canon course N. E

00.0 ascend from Canon

17.70 top<sup>and</sup> descend into Canon course N. E

26.00 bottom W. Chevelon.

26.50 Creek flows N. E. 30 lks wide

27.00 ascend

35.00 top

45.70 Set a sand stone  $15 \times 12 \times 6$  ins 13, in the  
 ground for  $\frac{1}{4}$  sec. cor marked from N  
 face from which.

A Pine 8 ins diam br. N  $41^{\circ}W$  80 lks  
 dist, marked  $\frac{1}{4}$  S. B. T.

A Pine 10 ins diam br. S  $18^{\circ}E$  134 lks  
 dist, marked  $\frac{1}{4}$  S. B. T.

55.70 The cor to spec. 7-8-17<sup>and 18</sup>

Land Broken

Soil 3<sup>rd</sup> rate.

# Subdivisions

Chains 85.70 chs Pine <sup>and</sup> Cedar Timber.  
~~Heavily timbered land 85.70 chs~~

N 0° 3' W 1/2 sec 7 <sup>and</sup> 8

Var 13° 48' E

Through Timber

16.00 Gulch 100 lks wide course E of

27.00 Gulch 100 lks wide course E of

40.00 Set a Lime stone 15 x 14 x 5 ins 10 ins  
 in the ground for 1/4 sec cor marked 1/4  
 on W face from which

a Pine 20 ins diam br. N 82° E 33 lks

Dist marked 1/4 S. B. 1

a Pine 12 ins diam br. S. 11° 30' W 53 lks

Dist marked 1/4 S. B. 1

43.50 Cattle Trail br N E

80.00 Set a sandstone 18 x 10 x 8 ins 12 ins in the  
 ground for cor to sec. 5-6-7 <sup>and</sup> 8 marked  
 with 5 notches on S and E edges from  
 which

Chains A Pine 18 diam to N.  $21^{\circ} E$ . 32 lks  
 Dist marked Sp 13 N. R. 14 E. S. 5 P. 1  
 A Pine 23 in diam to S.  $55^{\circ} E$ . 41 lks  
 Dist marked Sp. 13 N. R. 14 E. S. 8 P. 1  
 A Pine 19 in diam to S.  $37^{\circ} 30' W$  66 lks  
 Dist marked Sp 13 N. R. 14 E. S. 7 P. 1  
 A Pine 14 in diam to N.  $50^{\circ} W$  73 lks  
 Dist marked Sp 13 N. R. 14 E. S. 6 P. 1  
 Land Rough Rolling  
 Soil 3rd rate

So cho Pine Timber

~~Heavily timbered land so cho~~

N. 89° 56' E on a random line to trees <sup>and 8</sup> 5

N.  $13^{\circ} 48' E$ .

40.00 Set temporary to see cor.

80.00 Intersect N<sup>and</sup> S line of lks of cor to  
 secs. 4-5-8<sup>and</sup> 9 as herein before de-  
 scribed

Thence I run

## Subdivisions

Chains W on a true line to spec. 5<sup>and 8</sup>

189°52' W  
Va 13°48' E

Through Timber

11.00 descend into Cañon course N E.

16.00 bottom<sup>and</sup> ascend

25.00 top

40.00 Set a sand stone 15 x 12 x 3 ins 10 ins in  
the ground for 1/4 sec cor marked 1/4 on  
N face from which.

A Pine 10 ins diam to N 42°30' E. 63 lks  
dist marked 1/4 S. B. T.

A Pine 28 ins diam to S 26° W. 11 lks  
dist marked 1/4 S. B. T.

80.00 The cor to spec. 5-6-7<sup>and 8</sup>

Land mostly Rolling  
Soil 3rd rate

socks Pine Timber.

~~Heavily timbered land socks~~

189°54' W on a random line to spec. 6<sup>and 7</sup>



- Chains Va  $13^{\circ}47'E$ .
- 40.00 Set a temporary  $\frac{1}{4}$  sec cor.
- 85.50 Intersect W boundary of township  
7 lks. S of cor to pces. 6-7<sup>and</sup> 12, as  
herin before described  
Thence I run  
 $S 89^{\circ}51'E$  on a tree line bet pces. 6<sup>and</sup> 7  
Va  $13^{\circ}47'E$ .
- Through Timber descend  
11.50 bottom<sup>and</sup> ascend course S.E
- 15.50 top<sup>and</sup> descend into W. Chevron Cañon  
course N.N.E.
- 19.50 bottom
- 20.50 Creek 30 lks wide flows N.W.<sup>and</sup>  
ascend
- 31.50 top
- 40.50 Cattle trail In N.Y.
- 45.50 Set a Lime stone  $18 \times 10 \times 4$  ins  $\frac{1}{2}$  ins in  
the ground for  $\frac{1}{4}$  sec. cor marked  $\frac{1}{4}$  on

## Subdivisions

Chains N face from which

A Pine 14 ins diam br. N  $57^{\circ}$  E. 75 lks

dist marked  $\frac{1}{4}$  S. B. T.

A Pine 12 ins diam br. S.  $67^{\circ}$  W. 140 lks

dist marked  $\frac{1}{4}$  S. B. T.

65.50 Gulch 100 lks wide course NE.

71.50 Gulch 100 lks wide course NW

85.50 The cor to secs 5-6-7 and 8.

Land Broken

Soil 4th rate

85.50 class Pine Timber

~~Security timbered land 85.50 ch~~

N.  $0^{\circ} 3' W$  on a random line to sec 5 and 6

N.  $13^{\circ} 46' E$

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.50. Intersect N. boundary of township at  
cor to secs. 5-6-31 and 32 as herein before  
described

Thence run

- Chains S. 0° 31' E on a true line between 5<sup>and</sup> 6.  
 Va. 13° 46' E.
- Through Timber
- 4.00 Gulch. 150 lks wide course N. E.
- 22.00 Gulch 100 lks wide course N. E.
- 40.20 Set a sand stone 15 x 15 x 8 ins 10 ins in  
 the ground for  $\frac{1}{4}$  sec cor, marked  $\frac{1}{4}$  on  
 W face from which.
- A Cedar 12 ins diam br. N 6° E. 48 lks  
 dist marked  $\frac{1}{4}$  S. B. T.
- A Pine 8 ins diam br. S. 29° W 37 lks  
 dist marked  $\frac{1}{4}$  S. B. T.
- 41.00 descend into Cañon course N. E.
- 44.50 bottom<sup>and</sup> ascend
- 50.00 top
- 80.30 The cortopes 5-6-7<sup>and</sup> 8  
 Land Broken  
 Soil 3<sup>rd</sup> rate
- 80.30 chs Pine<sup>and</sup> Cedar Timber.  
 Heavily timbered land sq. 20chs  
 Ct. 30, 93.

60 miles 4 hrs and 56 lbs  
run through ~~scarcely~~  
timbered land

---

## General Description

This Township contains three Canyons, namely the Main Chevelon, West Chevelon<sup>and</sup> Alder Creek, these bring running water, in each one of these, the country is much broken by these three Canyons<sup>and</sup> its minor tributaries. The Pine Timber in this township is of great value. J. H. Bond has settled in the S. E.  $\frac{1}{4}$  of sec. 31, <sup>and</sup> G. Taylor has settled in the E. half of the S. E.  $\frac{1}{4}$  of sec. 23<sup>and</sup> the W. half of S. W.  $\frac{1}{4}$  of sec. 24. Several thousand dollars have been spent on both these ranches, but at present they are from all

appearances deserted.  
The soil is mostly worthless.

Philip Cortzer  
U. S. Dep. Sur.

U. S. Surveyor-General's Office,

TUCSON, A. T., August 9, 1895-

The foregoing Field Notes of the Surveys of  
 the Subdivision lines  
 of Township No. 13  
 North Range 14 East  
 of the Gila and Salt River Meridian  
 in Arizona executed by  
 Philip Contzew

U. S. Deputy Surveyor, under his contract dated

1893 February 10<sup>th</sup> 1894  
 having been critically examined, the necessary correc-

tions and explanations made, the said Field Notes and  
 the surveys they describe are hereby approved.

L. W. Manning  
 U. S. Surveyor-General  
 for the Territory of Arizona.

107  
P. A.  
For Final Qatth

see  
Book No. 40.