

X

No 152

4-671

152

FIELD NOTES
GENERAL LAND OFFICE.

Subdivision

of

T13N.R15E

No - 15-2

1

Field Notes
of the survey of
Subdivisions

Op. 13 N. R. No. 15 East.
of the
Gila ^{and} Salt River Base ^{and} Meridian
in the
Territory of Arizona
passurveyed by
Philip Cortzen
U. S. Deputy Surveyor.
Under his Contract No. 257.
Dated Feb. 10. 93.

Survey Commenced Nov. 16. 1893.
Survey Completed Nov. 24. 1893.

(4-674.)

Township 13 N R. 15 E.

Index for Books 152 and 153

6	95	5	96	4	58	3	43	2	28	1
93		92		75		57		42		27
7	91	8	74	9	55	10	40	11	26	12
89		88		68		54		39		24
18	87	17	67	16	52	15	37	14	23	13
85		84		66		51		36		21
19	83	20	64	21	49	22	34	23	20	24
82		80		63		47		33		19
30	79	29	61	28	46	27	32	26	17	25
5		7	<i>Aux</i>	9	<i>Base</i>	10		12		13
31	78	32	59	33	45	34	30	35	16	36

At 12 M November 15, 1893 at cor. to
 sec. 25-30-31^{and} 36 on E. Boundary
 Twp. 12 N. R. 15 E. Make an observation
 on the sun and find instrument
 in perfect adjustment.
 Lat. $34^{\circ} 35' N$. Mean Variation $13^{\circ} 30' E$.

Thence run N. on a random line, ^{and}
 set temporary half mile ^{and} mile cor-
 ners at each 40 and 80 chs. and find
 the line to be 6 miles 8 chs ^{and} 30 lks
 long, ^{and} the falling to be 5 lks N of cor
 to sec. 25-30-31^{and} 36 on W boundary,
 and therefore its course will be E.
 from the cor. to sec. 25-30-31^{and} 36.
 on W boundary as herein before
 described.

Then

E. on a true line to sec. 30^{and} 31

Auxiliary Base

Chain Va. $13^{\circ}32' E$.

Through Timber

3.05 Gulch 35 lks wide, course N.W.

3.50 ascend mesa.

6.00 top

26.00 descend from mesa.

30.10 Gulch. 30 lks wide course N.N.W.

48.30 A Pine 28 ins diam which I marked
1/4 S on N side, ^{as} raised a mound of
stone 1/2 ft high 2 ft base along guide.
Pits impracticable, for 1/4 sec cot.

52.50 Road hrs N.W.

88.30 Set a sand stone $15 \times 10 \times 10$ ins 10 ins in
the ground for cots, pces. 29-30-31 ^{and} 32
marked with 5 notches on E. ^{and} 1 notch
on S edges. from which.A Pine 27 ins diam hrs N $13^{\circ} E$. 29 lks.

Dist marked Sp. 13 N. R. 15 E. S. 29 B.T.

A Pine 12 ins diam hrs. S. $4^{\circ}30' E$. 34 lks

Sp 13 N. R. 15 E. 15 East.

Chains Dist marked Sp. 13 N. R. 15 E. S. 32 B. T.
 A Pine 10 ins diam br. S. 61° W 74 lks.
 Dist marked Sp. 13 N. R. 15 E. S. 31 B. T.
 A Pine 10 ins diam. br. N. 61° W 74 lks
 Dist marked Sp. 13 N. R. 15 E. S. 31 B. T.
 Land Rough
 Soil 2nd and 3rd rate
 \$830 chs. Pine, Juniper and Oak Timber.
 Heavily timbered land \$830 chs

East on a true line between 29th and 32nd.

Va. $13^{\circ} 51'$ E.

Through Timber

40.00 Set a sandstone $18 \times 12 \times 4$ ins in the
 ground for $\frac{1}{4}$ sec. cor marked $\frac{1}{4}$ on N face
 from which.

A Pine 10 ins diam br. N. 26° E. 46 lks

Dist marked $\frac{1}{4}$ S. B. T.

A Pine 10 ins diam br. S. $80^{\circ} 30'$ W 11 lks

Dist marked $\frac{1}{4}$ S. B. T.

Auxiliary Base

56.10 Gulch. 100 lks wide br. N. N. E.

65.00 ^{into} Second Gulch course N. N. E.

79.00 Bottoming of gulch

79.90 Leave Gulch. - and ascend

80.00 Set a sand stone 15 x 14 x 6 ins 10 ins in the ground for cor to sec. 28-29-33 and 33 marked with 4 notches on E. and 1 notch on S edges from which.

A Pine 4 ins diam br. N. 46° E. 13 lks
Dist marked Sp. 13 N. R. 15 E. S. 28 B. T.

An Oak 10 ins diam br. S. 31° 30' E. 80 lks
Dist marked Sp. 13 N. R. 15 E. S. 33 B. T.

An Oak 4 ins diam br. S. 22° W 79 lks
Dist marked Sp. 13 N. R. 15 E. S. 32 B. T.

A Pine 16 ins diam br. N. 18° 30' W 86 lks
Dist marked Sp. 13 N. R. 15 E. S. 29 B. T.

Land Mostly Rolling
Soil 2nd rate

80 lks Pine and some Oak Timber.
Beautifully timbered land 80 lks

- Chains E ht sees. 38 and 33.
 Va. $13^{\circ} 50' E$
 Through Timber, ascend from Gulch.
- 5.50 top
 6.50 descend
 14.10 Gulch. course N.
 14.50 ascend
 16.50 top and descend
 16.80 bottom, Gulch N. and ascend
 25.50 top
 27.50 descend
 40.00 Set a lime stone $18 \times 15 \times 14$ ins 12 ins in
 the ground 5 for $1/4$ sec cor marked $1/4$ on
 N face, from which
 a Pine 12 ins diam br. $N. 31^{\circ} W$ 41 lks
 dist marked $1/4$ S. B. T.
 a Pine 8 ins diam br. $S. 35^{\circ} 30' E$ 43 lks
 dist marked $1/4$ S. B. T.
- 41.50 bottom of Cañon course N

Auxiliary Base.

- 113.50 Leave Cañon ^{and ascend}
- 57.00 top
- 80.00 Set a sand stone 24 x 10 x 5 ins 16 ins in the ground for cor to sec. 27-28-33 ^{and} 34 marked with 3 notches on E. ^{and} 1 notch on S. edges, from which
- A Pine 8 ins diam br. N. 63° E. 150 cks
Sist marked Sp. 13 N. R. 15 E. S. 27 B. T.
- A Pine 15 ins diam br. S. 31° E. 10 cks
Sist marked Sp. 13 N. R. 15 E. S. 34 B. T.
- A Pine 16 ins diam br. S. 76° W 121 cks.
Sist marked Sp. 13 N. R. 15 E. S. 33 B. T.
- A Pine 14 ins diam br. N. 55° 30' W 121 cks
Sist marked Sp. 13 N. R. 15 E. S. 28 B. T.
- Land Rough ^{and} Broken
Soil 4th rate
80 cks Pine Timber
~~Heavily timbered land~~ 80 cks
Nov. 15. 1893.

East on a true line bet sec. 27 ^{and} 34.

Sp. 13 N.R. 15 East

Chains Va. $13^{\circ}50' E$.

Through Timber

7.30 Road br. N N E.

20.50 Enter small valley br. N. and S.

33.80 Leave Valley

40.00 Set a limestone $24 \times 12 \times 8$ ins in situ in the ground for $\frac{1}{4}$ sec. cor marked $\frac{1}{4}$ on N face, from which

A Pine + ins diam br. N. $74^{\circ}30'$ W 80 lks
Sist marked $\frac{1}{4}$ S. B. T.

A Pine + ins diam br. S. $73^{\circ}30'$ E. 79 lks
Sist marked $\frac{1}{4}$ S. B. T.

80.00 Set a sandstone $15 \times 14 \times 8$ ins in situ in the ground for cor to sec. 26-27-34^{and}35^{marked} marked with 4 notches on E^{and} S edges from which

A Pine 8 ins diam br. N. $54^{\circ}30'$ E. 151 lks
Sist marked Sp 13 N. R. 15 E. S. 26 B. T.

A Pine 18 ins diam br. S. 35° E. 10 lks.

Auxiliary Base.

Chain 51st marked Tp. 13 N. R. 15 E. S. 35 B.T.
 A Pine 18 ins diam br. S. $30^{\circ}30'W$ 51 lks
 51st marked Tp. 13 N. R. 15 E. S. 34 B.T.
 A Cedar 17 ins diam br. N. $18^{\circ}30'W$ 95 lks
 51st marked Tp. 13 N. R. 15 E. S. 27 B.T.
 Land Level and Rolling
 Soil 1st and 2nd rate
 Sochs Pine Timber
 Heavily timbered land sochs

East on a true line to sec. 26 and 35.

Ta. $13^{\circ}50'E$.

Through Timber

40.00 Set a sandstone $15 \times 12 \times 10$ ins 10 ins in the
 ground for $\frac{1}{4}$ sec. cor marked $\frac{1}{4}$ on N face,
 from which.

A Pine 3 ins diam br. N. $22^{\circ}E$ 69 lks
 51st marked $\frac{1}{4}$ B.T.

A Pine 12 ins diam br. S. $61^{\circ}30'W$ 45 lks
 51st marked $\frac{1}{4}$ B.T.

Sp. 13 N. R. 15 East

46.00 Wash 10 lks wide course S E

80.00 Set a lime stone $20 \times 10 \times 8$ ins 14 ins in
 the ground for cor to secs. 25-26-35^{and} 36
 marked with notch on S and E edges
 from which.

A Pine 10 ins diam br. N $28^{\circ} 30'$ E. 24 lks
 Dist marked Sp. 13 N. R. 15 E. S. 26 B. 7.

A Pine 10 ins diam br. S 36° E. 168 lks
 Dist marked Sp. 13 N. R. 15 E. S. 36 B. 9

A Pine 4 ins diam br. S $18^{\circ} 45'$ W 33 lks
 Dist marked Sp. 13 N. R. 15 E. S. 35 B. 7.

A Pine 6 ins diam br. N 20° W 53 lks
 Dist marked Sp. 13 N. R. 15 E. S. 26 B. 7.

Land Level and Rolling
 Soil 1st and 2nd rate

80 chs. Pine Timber.

Heavily timbered land sochs

East on true line bet secs. 25^{and} 36.

Na. $13^{\circ} 50'$ E

Auxiliary Base

Chains Through Timber.

6/50 Enter small Valley course N W

15/81 Cattle Trail W. N. W.

18.50 Leave Valley

40.00 Set a sand stone 18x12x8 ins 13 ins in the
ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on N face,
from which.A Cedar 40 ins diam br. N. 45° W 36 lbs
Dist marked $\frac{1}{4}$ S. B. 1.A Pine 6 ins diam br. S. 48° 30' E. 24 lbs
Dist marked $\frac{1}{4}$ S. B. 4.

80.00 The cor. to sec. 25-30-31 and 36.

Land Level and Rolling
Soil 1st and 2nd rate

Docks. Pine Timber

Heavily timbered land docks

Sp. 13 T. R. 15 East.

At 12 M Nov. 16, 93. Take an observation on the sun and find my instrument in perfect adjustment.

Lat. $34^{\circ}28'N$. Mean Variation $13^{\circ}50'E$.

Subdivisions

- Chains. From cor to sec. 25-26-35^{and} 36 on
 ✓ Auxiliary base, as herein before
 described. Thence
 S. 0° 1' E on a random line to sec 35^{and} 36.
 Va. 13° 51' E.
 Through Timber.
- 40.00 Set temporary 1/4 sec cor.
 72.00 Thence set 3rd standard parallel
 north 3 lks E of cor to sec. 1-2-35^{and} 36.
 as herein before described
 Thence I run
 N on a true line to sec. 35^{and} 36.
 Va 13° 51' E.
 Through Timber
- 32.00 Set a sandstone 15 x 10 x 7 ins 10 ins in the
 ground for 1/4 sec. cor marked 1/4 on W
 face, from which
 a Cedar 16 ins diam lvs. N 57° E. 8 1/2 lks
 dist marked 1/4 S. P. T.

17

Ap 13 T. 15 East.

- Chains A Pine 8 ins diam to S. 28° 30' W 30 lks
 Dist marked $\frac{1}{4}$ S. B. T.
- 72.00 The cor to sec. 35-36-35^{and} 36.
 Land Level
 Soil 1st^{and} 2nd rate
 75 chs Pine^{and} Cedar Timber
 Heavily timbered land 72 chs
-
- N. 0° 11' W to sec. 35^{and} 36.
 Va 13° 52' E
 Through Timber
- 8.00 Enter Valley by Ey¹
 15.50 Cattle trail by Ey¹
 13.00 Leave Valley
 21.00 Re-enter Valley by S. Ey
 34.50 Leave Valley
 40.00 Set a lime stone 15 x 10 x 6 ins 10 ins in the
 ground for $\frac{1}{4}$ sec. cor marked $\frac{1}{4}$ on W face
 from which
 A Pine 20 ins diam to N. 83° E 3-9 lks

Subdivisions

Chains 51st marked $\frac{1}{4}$ S. B.T.

A Pine 14 ins diam hrs. S 9° W 92 lks

51st marked $\frac{1}{4}$ S. B.T.

73.70 Cattle Trail hrs NW

80.00 Set a lime stone 15 x 2 x 8 ins 10 ins in
the ground for cor to sec. 23-24-25^{and 26}
marked with 2 notches on S. ^{and 1}
notch on E edges from which

A Cedar 10 ins diam hrs. N 9° E. 97 lks

51st marked T_p 13 N. R. 15 E. S. 24 B.T.

A Pine 9 ins diam hrs. S $9^{\circ} 30'$ E. 211 lks

51st marked T_p 13 N. R. 15 E. S. 25 B.T.

A Pine 14 ins diam hrs. S 27° W 46 lks

51st marked T_p 13 N. R. 15 E. S. 56 B.T.

A Cedar 4 ins diam hrs. N $37^{\circ} 30'$ W 157 lks

51st marked T_p 13 N. R. 15 E. S. 23 B.T.

Land Rolling

Soil 1st^{and 2nd} rate

socks Pine^{and} Cedar Timber.

Heavily timbered land socks

Pl. 13 T. 15 East

- Chains East on a random line bet sees. 24 ^{and 25}
 Va $13^{\circ} 53' E$
- 40.00 Set temporary $\frac{1}{4}$ sec cor.
- 80.06 Intersect E boundary of township
 8 lks N of cor to sees. 19-24-25 ^{and 30}
 as herein before described
 Thence true
 N $89^{\circ} 57' W$ on a true line bet sees 24 ^{and 25}
 Va $13^{\circ} 53' E$
 Through Timber
- 40.08 Set a sand stone $21 \times 14 \times 5$ ins in the
 ground for $\frac{1}{4}$ sec cor marked $\frac{1}{4}$ on N face
 from which
 a Pine 13 ins diam br. N $66^{\circ} 30' E$ 35 lks
 dist marked $\frac{1}{4}$ S. B. T.
 a Pine 8 ins diam br. S $59^{\circ} W$ 11 2 lks
 dist marked $\frac{1}{4}$ S. B. T.
- 80.06 The cor to sees 23-24-25 ^{and 26}
 Land Rolling.

Subdivisions

Chains Soil and rate

80.06 Pine Timber

~~Seavily timbered land~~ ~~Nov. 16. 93~~

N 0° 1' W lat pccs 23 and 24

N a 13° 50' E

Through Timber

16.00 Enter Valley br. N E

18.30 Cattle trail br. N E

18.35 Leave Valley

26.20 Cattle trail br N E

40.00 Set a lime stone 15 x 15 x 8 ins 10 ins in
the ground for 1/4 sec cor marked 1/4 on
W face from which

A Pine 10 ins diam br N 79° E 23 lks
dist marked 1/4 S B. T.

A Pine 8 ins diam br S 79° W 13 lks
dist marked 1/4 S B. T.

53.40 Road br. N E

80.00 Set a lime stone 18 x 12 x 10 ins 12 ins in

P. 13 N. R. 15 East

Chain the ground for cor to sec. 13-14-33^{and 24}
 marked with 3 notches on S. and 1 notch
 on E edges from which

A Pine 15 ins diam br. N. 35° E. 65 lks
 Dist marked sp. 13 N. R. 15 E. S. 13 B. T.

A Pine 4 ins diam br. S 28° 30' E. 105 lks
 Dist marked sp. 13 N. R. 15 E. S. 14 B. T.

A Pine 16 ins diam br. S. 14° 30' W 55 lks
 Dist marked sp. 13 N. R. 15 E. S. 13 B. T.

A Pine 16 ins diam br. N 59° 30' W 345 lks
 Dist marked sp. 13 N. R. 15 E. S. 14 B. T.

Land Rolling

Soil 1st^{and} 2nd rate

80 chs Pine Timber.

Heavy timbered land sacachs

S 89° 57' E on a random line to sec. 13^{and 24}

Va. 13° 57' E

40.00 Set temporary 1/4 sec. cor.

80.10 Intersect E boundary of township at

Subdivisions

Chain cor. to specs 13-18-19^{and} 24, as herein
before described.

Thence I run

N. 89° 57' W on a true line to spec 13^{and} 24

to 13° 51' E.

through Timber

27.70 Gulch 100 lks wide course N

28.75 Cattle Trail to N

37.40 Gulch 100 lks wide course N

40.05 Set a lime stone 18x15x8 ins 1/2 in in the
ground for 1/4 sec cor marked 1/4 on N
face from which

A Pine 9 ins diam. to N 33° 35' W 200 lks
dist marked 1/4 S. D. T.

A Pine 18 ins diam. to S. 68° E. 63 lks
dist marked 1/4 S. D. T.

40.30 Gulch. 100 lks wide Course N

46.75 Road to N.E.

61.15 Gulch 70 lks wide Course S.E.

Q 13 N. R. 15 East.

80.10 The cortopces. 13-14-23 ^{and} 24

Land Rolling

Soil 1st ^{and} 3rd rate

8010 cho. Pine Timber

Heavily timbered land 80.10 cho

N 0° 1' W lat sec. 13 ^{and} 14

Va. 13° 52' E.

Through Timber

40.00 Set a sand stone 15x12x10 ins in the ground for $\frac{1}{4}$ sec. cor marked $\frac{1}{4}$ on W face, from which

A Pine 4 ins diam br. N 64° 30' E. 73 lks
Sist marked $\frac{1}{4}$ S. D. T.

a Pine 3 ins diam br. S 18° 30' W 25 lks
Sist marked $\frac{1}{4}$ S. D. T.

80.00 Set a lime stone 18x12x10 ins in the ground for cortopces 11-12-13. ^{and} 14 marked with 4 notches on S ^{and} 1 notch on E edges from which

Subdivisions

Chains A Pine 4 ins diam to $N 40^{\circ} 30' E$ 52 lks
 Dist marked $Sp. 13$ $N. R. 15 E.$ $S. 12 B. T.$
 A Pine 6 ins diam to $S. 63^{\circ} E.$ 22 lks
 Dist marked $Sp. 13$ $N. R. 15 E.$ $S. 13 B. T.$
 A Pine 8 ins diam to $S. 86^{\circ} 30' W$ 34 lks
 Dist marked $Sp. 13$ $N. R. 15 E.$ $S. 14 B. T.$
 A Pine 4 ins diam to $N 46^{\circ} 45' W$ 22 lks
 Dist marked $Sp. 13$ $N. R. 15 E.$ $S. 11 B. T.$

Land Level and Rolling
 Soil 2nd rate

8000 Pine Timber

Sparsely timbered land 8000

$S. 89^{\circ} 57' E.$ on a random line bet p. 12^{and} 13

$N. 13^{\circ} 55' E$

40.00 Set temporary $1/4$ sec cor.

80.00 Intersect E boundary of township

12 lks N of cor to p. 7-12-13^{and} 18 as
 herein before described

Thence I run

R. 13 T. 15 E. East.

Chains N 89° 53' W on a true line to sec 12 ^{and 13}
 Va. 13° 51' E

Through Timber

8.00 descend into Valley.

23.00 Enter Valley hrs. N.Y.

35.85 Road hrs. N.Y.

30.00 Leave Valley

40.00 Set a sandstone 15 x 14 x 10 ins in the
 ground for 1/4 sec. cor marked 1/4 on N
 face from which

a Cedar 8 ins diam hrs. N 88° W 33 lbs
 Dist marked 1/4 S.D. T.

a Pine 4 ins diam hrs. S. 54° 30' E 66 lbs
 Dist marked 1/4 S.D. T.

80.00 The cor to sec 11-12-13 ^{and 14}

Land Rolling

Soil 2nd rate

dochs Pine Timber

Heavily timbered land sochs

Subdivisions

Chains N^o 1' W bet sees. 11^{and} 15

N^a 13° 50' E.

Through Timber

40.00 Set a sand stone 15 x 11 x 4 ins 10 ins in the ground for 1/4 sec cor marked 1/4 on W face from which

A Cedar 20 ins diam br. N 38° E. 43 lks
Dist marked 1/4 S. B. T.

A Pine 9 ins diam br. S. 58° W 44 lks
Dist marked 1/4 S. B. T.

80.00 Set a sand stone 15 x 12 x 5 ins 10 ins in the ground for cor to sees. 1-2-11^{and} 15 marked with 5 notches on S. ^{and} notches on E edges from which

A Pine 11 ins diam br. N 10° E. 35 lks
Dist marked 7/13 N. R. 15° E. S. 1 B. T.

A Pine 10 ins diam br. S. 51° 15' E. 25 lks
Dist marked 7/13 N. R. 15° E. S. 12 B. T.

A Pine 12 ins diam br. S. 13° 30' W 20 lks

Sp 13 N. R. 15 East.

Chain Dist marked Sp 13 N R 15 E S 11 B J

A Pine & Spruce tr. N 30° W 26 lks

Dist marked Sp 13 N R. 15 E. S 3 B J.

Land Level and Rolling

Soil 2nd and 3rd rate

Docho Pine Timber

Heavily timbered land each

S 89° 55' E on a random line to sect¹ and 13

va. 13° 49' E

40.00 Set temporary 1/4 sec. cor.

79.90 Intersect E boundary of township 13 lks
S of cor. sec. 1-6-7^{and 8} as herein before
described

Thence due

N 89° 57' W on a true line to sect¹ and 12

va. 13° 49' E

through Timber

8.50 descend into Gulch course N.W.

10.00 bottom^{and} ascend

Subdivisions

- 10.15 Trail to NW.
- 11.35 top
- 12.30 Cattle Trail to N.N.W.
- 39.95 Set a sand stone $18 \times 12 \times 4$ ins 12 ins in the ground for $\frac{1}{4}$ sec cor, marked $\frac{1}{4}$ on N face from which
- A Pine 10 ins diam to N $(+7^{\circ}30' W)$ 7 1/2 lks Dist marked $\frac{1}{4}$ S. B.T.
- A Pine 14 ins diam to S. $40^{\circ} E.$ 30 lks Dist marked $\frac{1}{4}$ S. B.T.
- 45.00 Road to Ny.
- 66.30 Road to Ny
- 79.90 The cor to secs. 1-2-11 ^{and 12}
Land Rolling
Soil 3rd rate
79.90 chs Pine and Cedar Timber.
~~Heavily timbered land 79.90 chs~~
-
- N $0^{\circ} 1' W$ on a random line to sec. ^{and 2}
Va. $13^{\circ} 49' E.$

Sp 13 T. R. 15 East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 80.20 Intersect N boundary of town-
ship at cor to secs. 1-2-35^{and} 36 as
herein before described
Thence run
S $0^{\circ} 11' E$ on a true line to secs. 1^{and} 2.
Ta $13^{\circ} 49' E$
Through Timber, descend into
Wild cat Cañon course N.E.
- 2.10 bottom
- 2.80 Wash 30 lks wide course N.E.
- 3.85 ascend
- 4.10 Cattle Trail N.E.
- 13.00 top
- 30.00 descend into Gulch to W.
- 35.00 bottom^{and} ascend
- 39.00 top
- 40.20 Set a lime stone $24 \times 12 \times 6$ ins 16 ins
in the ground for $\frac{1}{4}$ sec cor marked

Subdivisions

- Chain $\frac{1}{4}$ on W face from which
 A Pine 8, ins diam br. $N 21^{\circ} W$ 48 lks
 dist marked $\frac{1}{4}$ S. B. T.
 A Pine 10, ins diam br. $S 60^{\circ} E$ 20 lks
 dist marked $\frac{1}{4}$ S. B. T.
- 42.00 descend into Gulch course W.
 46.00 bottom and ascend
 49.00 top
 56.00 descend into Gulch course $N 45^{\circ}$
 59.00 bottom
 59.75 ascend
 64.75 top
 80.50 The cor to secs. 1-2-11 and 12
 Land Broken
 Soil 3rd rate
 80.50 cls Pine Timber
 Heavily timbered land 200 achs
 Nov. 17, 1893
-
- $S 10^{\circ} 1' E$ on a random line to sec 34
 $N 13^{\circ} 50' E$

Ap 13 N. E. 15 East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 72.38 Intersect the 3rd stand and parallel
north 3 lks W of cor to sees 2-3-34^{and}
35 as herein before described.
Thence I run
N $0^{\circ} 2' W$ on a true line bet sees 34^{and} 35
Va. $13^{\circ} 50' E$.
Through Timber
- 32.38 Set a sand stone $18 \times 12 \times 8$ ins 13 ins in the
ground for $\frac{1}{4}$ sec. cor marked $\frac{1}{4}$ on W
face^{and} from which
A Pine 18 ins diam br. N $65^{\circ} 30' W$ 30 lks
dist marked $\frac{1}{4}$ S. B. T.
A Pine 7 ins diam br. S $54^{\circ} E$. 47 lks
dist marked $\frac{1}{4}$ S. B. T.
- 52.38 Pine 20 ins diam on line marked with 2 notches
R on N. and S. sides.
- 72.38 The cor to sees 26-27-34^{and} 35
Land Rolling
Soil 1st^{and} 2nd rate.

Subdivisions.

Chains 72.38 chs. Pine Timber
 ✓ Heavily timbered land 72.38 chs

N 0° 01' W hit pieces 26^{and} 27

Va 13° 51' E

Through Timber

40.00 Set a lime stone 24 x 12 x 5 ins / 6 ins
 in the ground for 1/4 sec cor marked
 1/4 on W face, from which

A Pine 5.5 ins diam br. N 7° 15' E. 59 chs
 sist marked 1/4 S. B. T.

A Pine 24 ins diam br. S. 12° 30' E. 30 chs.
 sist marked 1/4 S. B. T.

60.60 Road br N.E.

80.00 Set a lime stone 15 x 12 x 8 ins / 10 ins in the
 ground for cor to pieces 22-23-26^{and} 27
 marked with 2 notches on S and E ed-
 ges from which

A Pine 17 ins diam br. N 41° 30' E. 165
 chs sist marked 1/3 N.R. 15° E. S. 23 B. T.

Sp 13 N. R. 15 East.

Chains A Pine 18 ins diam to S. 84° E 84 lks
 Dist marked Sp 13 N. R. 15 E. S. 26 B. T.

A. Pine 8 ins diam to S. $36^{\circ}30'$ W 95 lks
 Dist marked Sp. 13 N. R. 15 E. S. 27 B. T.

A Pine 9 ins diam to N. 51° W 67 lks
 Dist marked Sp 13 N. R. 15 E. S. 22 B. T.

Land Rolling
 Soil 2nd rate.

✓ 80 chs Pine Timber 80.00
 Heavily timbered land 72.22 chs

E. on a random line to trees 23^{and} 26.

to $13^{\circ}53'$ E.

Through Timber

40.00 Set temporary 1/4 sec cor.

79.80 Intersect N^{and} S. line at cor to trees.
 23-24-25^{and} 26 as herein before de-
 scribed

Hence run

W. on a true line to trees 23^{and} 26.

Subdivisions

Chains Va $13^{\circ} 53' E$.

Through Timber

1.50 descend into Valley br. NW

1.90 bottom

11.70 leave Valley

39.90 Set a sand stone $27 \times 14 \times 8$ ins 18 ins
in the ground for $\frac{1}{4}$ sec cor. marked
 $\frac{1}{4}$ on N face, from whicha Pine 6 ins diam br. $N 51^{\circ} 30' E$ 83 lksdist marked $\frac{1}{4}$ S. B. T.A Cedar 28 ins diam br. $S. 67^{\circ} W$ 51 lksdist marked $\frac{1}{4}$ S. B. T.

66.95 Road br. NE.

79.80 The cor to sees. 22-23-26 ^{and 27}

Land Rolling

Soil 1st ^{and 2} nd rate

79.80 chis. Pine Timber

~~Heavily timbered land 79.80 chis~~

N 01' W br. sees. 22 ^{and 23}.

Sp 13 N. R. 15 East.

Chains Va. 13° 53' E.

Through Timber.

✓ 35.70
40.00

Gulch 30 lks wide brs N. E.
Set a lime 18x14x5 ins 12 ins in the
ground for $\frac{1}{4}$ sec. cor marked $\frac{1}{4}$ on
W face, from which

A Pine 18 ins diam br. N 45° W 319 lks
Dist marked $\frac{1}{4}$ S. B. T.

A Pine 6 ins diam br. S 88° E. 122 lks
Dist marked $\frac{1}{4}$ S. B. T.

~~35.70 Gulch 30 lks wide brs N. E.~~

80.00

Set a lime stone 18x14x5 ins 12 ins in
the ground for cor to pccs 14-15-22^{and}
23 marked with 3 notches on S
and 2 notches on E edges, from which

A Pine 18 ins diam br. N 28° E. 65 lks
Dist marked Sp 13 N. R. 15 E. S 14 B. T.

A Pine 7 ins diam br. S 15° 30' E. 190 lks
Dist marked Sp 13 N. R. 15 E. S 23 B. T.

A Pine 10 ins diam br. S 62° 30' W 95 lks

Subdivisions

- Chains dist marked Sp. 13 N R. 15 E. S. 22 B. T.
 A Cedar 8 ins diam br. N 25° W 88 lks
 dist marked Sp. 13 N R. 15 E. S. 15 B. T.
 Land Rolling
 Soil moderate
 Rocks Pine Timber
 Heavily timbered land rocks
-
- E. on a random line bet secs 14 ^{and} 23
 Va 13° 53' E.
- 40.00 Set temporary 1/4 sec. cor.
- 80.30 Intersect N and S line 8 lks S. of
 cor to secs. 13-14-23 ^{and} 24 as herein
 for described
 Thence S m
 S. 89° 57' W on a true line bet secs 14 ^{and} 23
 Va. 13° 52' E.
 Through Timber
- 2.10 Gulch 100 lks wide. course S. W.
- 40.15 Set a lime stone 15 x 12 x 10 ins 10 ins in

37

Sp 13 T. R. 15 East.

- Chains the ground for $\frac{1}{4}$ sec cor. marked
 $\frac{1}{4}$ on N face, from which
 A Pine 9 ins diam br. N 80° E. 83 lks
 Dist marked $\frac{1}{4}$ S. B. T.
 A Pine 7 ins diam br. S 75° W 58 lks
 Dist marked $\frac{1}{4}$ S. B. T.
- 55.85 Road br. N W
- 78.05 Trail br. N. W.
- 80.30 The cor to secs 14-15-^{and} 22-23
- Land Rolling
 Soil 2 no rate
- 80.30 chs. Pine ^{and} Cedar Timber
 Heavily timbered land ~~rocks~~
-
- 2.001' W bet sec. 14 ^{and} 15.
 Va 130° 51' E.
 through timber.
- 30:00 head of small Gulch course Ey
- 38.50 head of small Gulch course Ey
- 40.00 Set a limestone 15 x 14 x 5 ins 10 ins in

Subdivisions

- Chains the ground for 1/4 sec. as marked 1/4
 on W face from which
 A Pine 16 ins diam. h. 7. 60°30' W 4 1/2 lks
 Dist marked 1/4 S. B. T.
- A Cedar 7 ins diam. h. 5. 66°30' E. 9 lks
 Dist marked 1/4 S. B. T.
- 67.90 Gulch 75 lks wide course N. W.
- 74.00 Trail h. N. W.
- 74.30 ascend to Mesa
- 76.00 top
- 80.00 Set a Lime stone 18 x 12 x 10 ins 1/2 in on the
 ground for cor to pcc. 10-11-14 ^{and 15} marked
 with 4 notches on S. ^{and 2} notches on
 E edges from which
- A Pine 16 ins diam h. 8 33°30' E. 13 1/4 lks
 Dist marked 7/13 N. R. 15 E. 1.11 B. T.
- A Cedar 3 1/2 ins diam. h. 8 84° E. 80 lks
 Dist marked 7/13 N. R. 15 E. 1.14 B. T.
- A Pine 15 ins diam h. 9°30' W 50 lks

Sp 13 T. R. 15 East.

Chains
 S1st marked Sp 13 T. R. 15 E. S. 15 B. T.
 A Pine 18 ins diam to N 31° W 110 lks
 S1st marked Sp 13 T. R. 15 E. S. 10 B. T.
 Land Rolling
 Soil 2nd^{and} 3rd^{rate}
 Sochs Pine^{and} Cedar Timber
 Heavily timbered land sochs

N 89° 57' E on a rand on line bet^{secs} 11^{and} 14
 Va 13° 56' E.

40.00 Set temporary 1/4 sec cor.

80.26 Intersect N^{and} S line sochs of cor to
 secs 11-13-13^{and} 14 as herein before de-
 scribed.

Thence run

N 89° 54' W on a true line bet^{secs} 11^{and} 14
 Va 13° 58' E.

Through Timber

30.18 Pine 16 ins diam on line marked with 2 notches
 on S. 4th side

40.13 Set a limestone 15 x 12 x 10 ins 10 ins in

Subdivisions

Chains the ground for $\frac{1}{4}$ sec cor marked $\frac{1}{4}$ on
 N face from which
 A Cedar 21 ins diam to N $38^{\circ} E$ 21 lks
 Dist marked $\frac{1}{4}$ S. B. T.
 A Pine 11 ins diam to S $28^{\circ} W$ 23 lks
 Dist marked $\frac{1}{4}$ S. B. T.

80.26 The cor to secs 10-11-14^{and} 15
 Land Rolling
 Soil 3 idrate
 80.26 obs. Pine^{and} Cedar.
 Heavily timbered land 80.26 obs

N $0^{\circ} 1' W$ lat secs 10^{and} 11

Va. $13^{\circ} 50' E$.

Through Timber.

17.40 ascend embankment.

22.30 top

40.00 Set a sandstone $10 \times 12 \times 5$ ins in the
 ground for $\frac{1}{4}$ sec cor marked $\frac{1}{4}$ on W
 face from which

41

Sp 13 N. R. 15 East.

- Chains A Cedar 4 ins diam hrs N. 66° W. 30 lks
 Dist marked $\frac{1}{4}$ S. B. T.
- A Pine 3 ins diam hrs. S. 54° 30' E. 30 lks
 Dist marked $\frac{1}{4}$ S. B. T.
- 41.70 descend into Cañon N. W.
 46.00 bottom, stream 80 lks wide, course N. E. & N. W. and
 55.80 top around
- 80.00 Set a lime stone 15 x 10 x 5 ins in the
 ground for cor to recs. 1-3-10 and 11 marked
 with 5 notches on S. and 2 notches on
 E edges from which
- A Pinon 3 ins diam hrs N. 15° E. 25 lks
 Dist marked Sp. 13 N. R. 15 E. S. 2 B. T.
- A Pinon 8 ins diam hrs. S. 35° 30' E. 57 lks
 Dist marked Sp. 13 N. R. 15 E. S. 11 B. T.
- A Pine 4 ins diam hrs. S. 21° 30' W. 54 lks
 Dist marked Sp. 13 N. R. 15 E. S. 10 B. T.
- A Pine 6 ins diam hrs N. 1° 30' W. 37 lks
 Dist marked Sp. 13 N. R. 15 E. S. 3 B. T.

Subdivisions

Chains Land Rough

Soil 3rd and 4th rate

80chs. Pine and dense Cedar timber
 Heavily timbered land
 1/20/78-93

189°54'E on a random line bet pieces 2nd and 11
 Va. 13°50'E

40.00 Set temporary 1/4 sec. cor.

79.90 Intersect Nth and S. line 14 chs. S of cor
 to pieces 1-2-11th and 12 as herein before de-
 scribed

Thence Drive

W on a true line bet pieces 2nd and 11

Va 13°50'E

Through Timber

11.50 descend into gulch course Nth.

13.00 bottom^{and} ascend

15.00 top.

39.95 Set a Lime stone 18x12x5 ins in the
 ground for 1/4 sec. cor marked 1/4 on N face

Pl 13 N. P. 10 East.

Chains from which,

A Pine 12 ins diam br. N 61° 30' E. 31 lks
Dist marked $\frac{1}{4}$ S. P. T.

a Pine 10 ins diam br. S. 50° W 26 lks
Dist marked $\frac{1}{4}$ S. P. T.

79.90 The cor to pces. 2-3-10^{and} 11

Land Rough Rolling
Soil. 3rd and 4th rate

79.90^{lks} Pine and Juniper Timber.

Heavily timbered land 79.90^{lks}

N 0° 1' W on a random line bet pces 2^{and} 3.

ba 13° 51' E.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.00 Intersect. N boundary of township
2 lks W of cor to pces 2-3-34^{and} 35 as
herein before described

Thence S run

S on a true line bet pces 2^{and} 3

ba 13° 51' E.

Subdivisions

Chains Through Timber

35.00 descend into Gulch course E.

40.00 Set a limestone $36 \times 12 \times 13$ ins 27 in on the ground for $\frac{1}{4}$ sec cor marked $\frac{1}{4}$ on W face from whicha Pine Chain beam br. N $20^{\circ} 30'$ W 12 lks
Set marked $\frac{1}{4}$ S. B. T.A Pine Chain beam br. S $31^{\circ} 30'$ E 48 lks
Set marked $\frac{1}{4}$ S. B. T.40.75 bottom ^{and ascend}, joins Wild Cat
Cañon 3 chs. E. of this point

43.00 top

45.00 descend into Wild Cat Cañon course N.E.

49.00 bottom

56.00 Cattle trail to N.E.

58.00 ascend

68.00 top

80.00 The cor to pccs 2-3-10 ^{and 11}

Land Broken

- Chains Soil 3rd and 4th rate
 80 chs Pine and Cedar Timber
 Heavily timbered land 80 chs
-
- S. 0° 2' E on a random line bet secs 33^{and} 34
 Va. 13° 53' E
- 40.00 Set temporary 1/4 sec. cor.
- 75.75 Intersect 3rd standard parallel north
 5 lks. W of cor to secs. 34-33^{and} 34 as
 herein before described
 Thence run
 N 0° 4' W on a true line bet secs. 33^{and} 34
 Va. 13° 53' E.
 through Timber
- 10.00 Head of Gulch course W
- 32.75 Set a sand stone 18 x 14 x 16 ins 12 ins in the
 ground for 1/4 sec. corner marked 1/4 on W
 face from which
 A Pine 18 ins diam to N 0° 30' E. 18 lks
 dist marked 1/4 S. B. T.

Subdivisions

- Chains a Pine 8 ins diam br. S. 37° 15' W 4 lks
Sist. marked 1/4 S. B. T.
- 72.75 The cor to secs. 27-28-33 ^{and} 34.
Land Rolling
Soil 1st ^{and} 2nd rate
72.75 chs Pine Timber
~~Seavily~~ timbered land 72.75 chs

- N 0° W 1/2 sec. 57 ^{and} 28
Va 13° 52' E.
Through Timber
- 40.00 Set a lime stone 18x10x10 ins 1/2 in in the
ground for 1/4 sec cor marked 1/4 on W face
from which
a Pine 18 ins diam br. N 27° 30' E. 49 lks
Sist. marked 1/4 S. B. T.
- a Pine 20 ins diam br. S 53° W 14 lks
Sist. marked 1/4 S. B. T.
- 54.00 Gulch 100 lks wide course N. W.
- 80.00 This point falling on lime stone

Chains in place 15 x 11 x 12 ins I marked a cross (x) at exact cor. point for cor to secs. 21-22-27^{and} 28 with 2 notches S and 3 notches E. from which

A Pine 12 ins diam. br. N 64° 30' E. 34 lks
 Dist marked Sp. 13 T. R. 15 E. S. 22 B. 7.

A Pine 14 ins diam. br. S. 54° E. 80 lks
 Dist marked Sp. 13 T. R. 15 E. S. 27 B. 7.

A Pine 8 ins diam. br. S. 62° 30' W 137 lks
 Dist marked Sp. 13 T. R. 15 E. S. 28 B. 7.

A Cedar 3 ins diam. br. N 69° W 95 lks
 Dist marked Sp. 13 T. R. 15 E. S. 21 B. 7.

Land Rolling

Soil 2nd rate

80 chs Pine Timber.

Heavily timbered land 80 chs

E. on a rand on line bet secs. 22^{and} 27

Va 13° 51' E

40.00 set temporary 1/4 sec. cor

Subdivisions

- 79.90 Intersect N and S line 8 lks S of cor
to sec. 22-23-26 ^{and 27} as herein before
described
Thence run
 $S 89^{\circ} 57' W$ on a true line to sec. 22 ^{and 27}
Va $13^{\circ} 51' E$.
Through Timber
- 39.95 Set a Limestone $18 \times 10 \times 8$ ins 12 ins in the
ground for $\frac{1}{4}$ sec. cor marked $\frac{1}{4}$ on N
face from which
a Pine 6 ins diam to $N 6^{\circ} 15' E$. 80 lks
Dist marked $\frac{1}{4}$ S.B.T.
a Pine 6 ins diam to $S 18^{\circ} W$ 34 lks
Dist marked $\frac{1}{4}$ S.B.T.
- 42.00 descend into gulch course N
43.00 bottom ^{and} ascend
46.00 top
55.00 descend into gulch course N
58.70 bottom ^{and} ascend

49

Sp 13 T. R. 16 East.

- 65.00 top
- 79.90 The cor to secs 21-22-27^{and} 28
 Land Broken
 Soil 3rd ^{and} 4th rate
 79.90 chs Pine Timber
 Heavily timbered land 79.90
-
- N. 0° 2' W lat. sec. 21^{and} 22
 Ta. 13° 50' E.
- Through Timber
- 13.00 bulch 75 lks wide course N.E.
- 21.40 descend into Wild cat Cañon course
 Easterly
- 25.00 bottom
- 26.00 ascend
- 32.00 top
- 37.00 Ravine 25 lks wide br. S.E.
- 40.00 Set a line ^{stone} 18 x 14 x 10 ins 12 ins in the
 ground for 1/4 sec. cor marked 1/4 on W
 faces from which

Subdivisions

Chains A Cedar 6 ins diam hrs. $N 85^{\circ} E$. 18 lks
 Dist. marked $\frac{1}{4}$ S. B. T.

A Pine 10 ins diam hrs. $S. 81^{\circ} 45' W$ 16 lks
 Dist. marked $\frac{1}{4}$ S. B. T.

80.00 Set a line stone 15 x 2 x 10 ins 10 ins in
 the ground for cert to sec 15-16-31^{and} 2
 marked with 3 notches on S. and E
 edges from which

A Cedar 4 ins diam hrs. $N 2^{\circ} 30' E$. 109 lks
 Dist. marked $\frac{7}{13} N. R. 15 - E. S. 15$ B. T.

A Pine 14 ins diam hrs. $S. 4^{\circ} 30' E$. 155 lks
 Dist. marked $\frac{7}{13} N. R. 15 - E. S. 22$ B. T.

A Cedar 7 ins diam hrs. $S. 69^{\circ} 30' W$ 144 lks
 Dist. marked $\frac{7}{13} N. R. 15 - E. S. 21$ B. T.

A Pine 10 ins diam hrs. $N 82^{\circ} 30' W$ 121 lks
 Dist. marked $\frac{7}{13} N. R. 15 - E. S. 16$ B. T.

Land Broken

Soil 3rd and 4th rate

80 cho Pine^{and} Cedar Timber
 & heavily timbered ^{with} ~~large~~ ^{logs} of ~~logs~~ ^{logs}
 10. 19. 93

Sp 13 N. R. 15 East.

- Chains N 89° 57' E on a random line to spec 15 ^{and 52}
 Va 13° 50' E.
- 40.00 Set temporary 1/4 sec cor.
- 80.10 Intersect N and S line 31 lks. S of
 cor to spec. 14-15-33 ^{and 53} as herein
 before described
 Thence I run
 S 89° 48' W on a true line to spec 15 ^{and 52}
 Va 13° 50' E.
 through timber
- 16.75 Cattle trail to N.E.
- 40.05 Set a sandstone 18 x 12 x 3 ins 18 ins in the
 ground for 1/4 sec cor, marked 1/4 on N face
 from which
 a Pine 8 ins diam to N 28° 30' E. 88 lks
 dist marked 1/4 S. B. T.
 a Pine 15 ins diam to S 56° 30' W 49 lks
 dist marked 1/4 S. B. T.
- 52.00 Descend into Gulch course N.
 57.70 bottom and ascend
 60.70 top ^{2d} descend into Wild Cat Cañon

Subdivisions

- 64.10 bottom course N.
 65.00 leave Wild Cat Cañon and ascend
 71.00 top of bank.
 80.10 The cor to pccs. 15-16 ^{and 21} and 22.
- Land Rolling
 Soil 2nd rate
 80.10 ^{ch} Pine and Cedar Timber
 Heavy timbered land 80.10 ch
-
- N 0° 2' W to pccs. 15 ^{and} 16.
 Va 13° 51' E.
 Through Timber
- 35.00 Gulch 20 lks wide course N. E. }
 39.90 Gulch 20 lks wide course E } Join 3 chs E.
 40.00 Set a sand stone 18 x 16 x 4 ins 15 ins in the
 ground for 1/4 sec. cor marked 1/4 on W.
 face, from which
 A Pine 14 ins diam brs N 10° 30' W 25 lks
 dist marked 1/4 S. B. T.
 A Pine 8 ins diam brs S. 13° E. 55 lks
 dist marked 1/4 S. B. T.
- 65.00 Gulch 20 lks wide course S. E.

Sp 13 N. R. 15 East

- 67.00 Gulch 50 lks wide NE
 both of these last Gulches form Lch
 E.
- 80.00 Set a Lime stone 15x10x10 ins in the
 ground for corrs. sec. 9-10-15^{and} 16 marked
 with 4 notches on S. ^{and} 3 notches on
 E edges from which.
- A Pine 18 ins diam to N 54° 30' E. 48 lks
 Sit marked Sp 13 N. R. 15 E. S 10 B. T.
- A Pine 9 ins diam to S. 44° 30' E. 30 lks
 Sit marked Sp 13 N. R. 15 E. S. 15 B. T.
- A Pine 4 ins diam to S. 83° 30' W 22 lks
 Sit marked Sp 13 N. R. 15 E. S. 16 B. T.
- A Pine 8 ins diam to N 51° W 5 lks
 Sit marked Sp. 13 N. R. 15 E. S 9 B. T.
- Land Rough Rolling
 Soil 3rd and 4th rate.
 80 chs Pine Timber
~~80 chs~~ ~~heavily timbered land~~
 80 chs

Subdivisions

Chain N 89° 48' E on a random line to pcc 10 ^{and 15}

Va 13° 52' E.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.80 Intersect N ^{and} S line 14 lks N
of cor to pcc. 10-11-14 ^{and} 15 as herein
before described

Thence from

S 89° 54' W on a true line to pcc 10 ^{and} 15

Va 13° 52' E.

Through Timber

2.00 Draw 1 ch wide course N by

26.00 desc^{end} into Canon course N by

39.90 Set a lime stone 15 x 14 x 8 inches in
the ground for $\frac{1}{4}$ sec. cor marked
 $\frac{1}{4}$ on N face, from which

A Cedar 4 ins diam to N 50° 15' W 33 lks
Dist marked $\frac{1}{4}$ S. B. T.

A Cedar 6 ins diam to S 47° E 38 lks
Dist marked $\frac{1}{4}$ S. B. T.

Sp 13 N. L. 15 East

48.00 along canon bank, which at
this point has E

52.10 bottom

53.10 ascend opposite Bank

58.60 top

65.00 Descend into Gulch course N E

74.40 bottom of Gulch and ascend

~~79.00~~ top

79.80 The cor to secs. 9-10-15 and 16

Land Broken

Soil 3rd and 4th rate

79.80 chs Pine and Cedar Timber.

Heavily timbered land

~~79.80 chs~~

N 0° 5' W to secs 9 and 10

N a 13° 53' E

Through Timber

15.00 Cattle Trail to N E

40.00 Set a sand stone 18 x 12 x 12 ins 12 ins in the
ground for 1/4 sec cor marked 1/4 on W
face, from which.

Subdivisions

- Chain A Cedar 7 ins diam brs N 30° W 30 lks
 Dist marked 1/4 S. B.T.
- A Cedar 4 ins diam brs S. 33° E. 15 lks
 Dist marked 1/4 S. B.T.
- 80.00 Set a sand stone 18x15x5 in 13 ins
 in the ground for cor to pccs 3-4 ^{and 5}
 marked with 5 notches on S and 3
 notches on E ed geo from which
 A Cedar 4 ins diam brs N 70° E. 60 lks
 Dist marked 1/3 N. R. 15 E. S. 3 B.T.
- A Cedar 4 ins diam brs S 44° E. 65 lks
 Dist marked 1/3 N. R. 15 E. S. 10 B.T.
- A Cedar 4 ins diam brs S 30° 30' W 21 lks
 Dist marked 1/3 N. R. 15 E. S. 9 B.T.
- A Cedar 6 ins diam brs N 74° 30' W 47 lks
 Dist marked 1/3 N. R. 15 E. S. 4 B.T.

Land Rolling

Soil 3rd and 4th rate

Docho Pine and Cedar Timber

Beauty timbered land 80cho

57

N 13 R. L. 15 East.

- Chains N 89° 54' E on a random line to secs. 3^{and} 10
 Va 13° 51' E.
- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 79.86 Intersect N^{and} S line 10 lks N of
 cor to secs. 2-3-10^{and} 11 as herein be-
 fore described
- Hence run
 S 89° 58' W on a true line to secs. 3^{and} 10
 Va 13° 51' E.
- Through Timber
- 10.00 descend into Canon, N. S. Cat.
 course. N. E.
- 15.00 bottom
- 16.00 ascend
- 22.00 top
- 28.00 Gulch 100 lks wide course N. E.
- 39.93 Set a Sandstone 15 x 12 x 5 ins in the
 ground for $\frac{1}{4}$ sec. cor marked $\frac{1}{4}$ on
 N face, from which.

Subdivisions

Chains A Pine 14 in stream lrs $N 65^{\circ} W 130$ lks
Dist marked $\frac{1}{4}$ S. B.T.

A Cedar 10 in stream lrs. $S 73^{\circ} 30' E 7$ lks
Dist marked $\frac{1}{4}$ S. B.T.

47.30 Gulch 100 lks wide lrs. N.Y.

50.00 descend into Gulch course N.E.

55.00 bottom ^{and} ascend

62.00 top

79.86 The cor to secs. 3-4-9 ^{and} 10

Land Rough ^{and} Broken
Soil 4th rate

79.86 chs. Pine ^{and} Cedar Timber
~~heavily timbered land 79.86 chs.~~

$N. 0^{\circ} 2' W$ on a range on line to secs 3 ^{and} 4
Va. $13^{\circ} 50' E$.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.00 Intersect N boundary of township
10 lks E of cor to secs 3-4-33 ^{and} 34
as herein before described.

Apr 13 R.L. 15 East.

Chain Hence In

S 0° 6' E on a true line to pines 3 and 4
 Va 13° 5' 0' E.

Through Timber

22.20 Cattle trail to S.E.

25.15 Cattle trail to S.E.

40.00 Set a Limestone 18 x 13 x 3 ins 13 ins in
 the ground for 1/4 sec cor marked 1/4 on
 W face from which

A Pine 7 ins diam to N 35° 6' 55" W 6 lbs
 Dist marked 1/4 S.B.T.

A Pine 3 ins diam to S. 57° W 73 lbs
 Dist marked 1/4 S.B.T.

80.00 The corts nos 3-4-9 and 10

Land Rolling

Soil 3rd rate

80 chd Pine and Cedar Timber
 Heavily timbered land of 80 chd
 Nov. 20, 95.

S 0° 2' E on a random line to pines 32 and 33

Subdivisions

Chains Va. $13^{\circ}50'E$.

40.00 Set temporary $\frac{1}{4}$ sec cor.

73.18 Intersect 3rd standard parallel
north at cor to sec. 4-5-35^{and}33
as herein before described
There is a line

$N0^{\circ}5'W$ on a true line to sec 32^{and}33

Va. $13^{\circ}50'E$.

ascend from Cañon through
timber

5.18 top

125.78: Head of Gulch course N.E.

33.18: A sharp sand stone $15 \times 14 \times 12$ inches in
the ground for $\frac{1}{4}$ sec. corner marked $\frac{1}{4}$
on W face from which

a Pine 6 ins diam br. $N0^{\circ}5'W$ 57 lbs
is marked $\frac{1}{4}$ S. B. 4

a Pine 4 ins diam br. $S77^{\circ}E$ 13 lbs
is marked $\frac{1}{4}$ S. B. 5

Sp 13 N. R. 15 East.

37.18 Gulch 50 lks wide course N.E.

73.18 The cor to pss. 28-29-32 and 33.

Land Broken

Soil 3/4 sate

73.18 chd Pine Timber.

20 cavity timbered land 73.18 chd

N. 0° 3' W lat pss. 28 and 39.

Var 13° 5' E.

Through Timber, descend into
Canon Course N.E.

4.00 Bottom and Cattle Trail to N.E. ascend

10.00 top and along W. bank.

20.00 recross Canon course N.N.W.

24.00 Cattle Trail to N.N.W.

23.00 along East Bank

26.00 Recross canon course N.N.E.

27.00 ascend W bank

34.00 top

39.30 Ravine 150 lks wide course E.

Subdivisions

- 40.00 Set a sand stone 15 x 14 x 10 ins in
 in the ground for $\frac{1}{4}$ sec cor marked
 $\frac{1}{4}$ on W face from which
 A Pine 8 ins diam br. N. 51° E. 103 lks
 Dist marked $\frac{1}{4}$ S.B.T.
 A Pine 22 ins diam br. S. 20° W. 103 lks
 Dist marked $\frac{1}{4}$ S.B.T.
- 53.00 Head of Ravine course E.
- 80.00 Set a Limestone 18 x 15 x 5 ins in
 the ground for cor to sec. 20-21-25 ^{and 29}
 marked with 2 notches on S and
 4 notches on E edges from which
 A Pine 4 ins diam br. N. 67° 30' E. 13 lks
 Dist marked $\frac{7}{13}$ N. R. 15° E. S. 21 B.T.
 A Pine 7 ins diam br. S. 40° E. 18 lks
 Dist marked $\frac{7}{13}$ N. R. 15° E. S. 25 B.T.
 A Pine 8 ins diam br. S. 55° 30' W. 3 lks.
 Dist marked $\frac{7}{13}$ N. R. 15° E. S. 29 B.T.
 A Pine 12 ins diam br. N. 36° 30' W. 3 lks

Sp 13 N. R. 15 East

Chain East marked Sp 13 N. R. 15 E. S. 20 B. 7
 Land Rough and Broken
 Soil 3rd and 4th rate
 Timber 80000 Pine Timber
 Heavily timbered land rocks

On a random line between 21 and 28.

Var. $13^{\circ} 52' E$

40.00 Set temporary $\frac{1}{4}$ sec. cor.

20.10 Intersect N. and S. line 8 lks N of cor
 to sec. 21-25-27 and 28 as herein before
 described

Thence down

N $89^{\circ} 57' W$ on a true line between 21 and 28.

Var. $13^{\circ} 52' E$

Through Timber

8.00 Gulch 80 lks wide course N. N. W.

30.00 Descend into Canon course N. N. E.

40.05 Bottom and Set a Granite stone $18 \times 18 \times 18$ in
 in the ground for $\frac{1}{4}$ sec. cor marked

Subdivisions

Chains 1/4 on N face ^{and} raised a mound of
stones 1/4 ft high 3 ft base along
side. Pits impracticable from
which

A Pine 10 ins diam br. 76° N. 34 W
fish marked 1/4 S.B. 4

No other tree within limits

41.00 ascent

52.00 top

80.10 The cor to nos. 30-31-38 ^{and} 29

Land Broken

Soil 4 the gate

80.10 chs Pine Timber

Heavily timbered land 80.10 chs

Nos. White pccs. 20 ^{and} 31

Va. $13^{\circ} 51' E$.

Through Timber

40.00 Sela sand stone 15 x 12 x 10 ins in
the ground for 1/4 sic corn marked 1/4

Sp 13 N. R. 15 East

- Chains on W face from which
- A Cedar 16 ins diam br. N. 60° W. 31 lks
Dist marked 14 S. B. 5
 - A Cedar 17 ins diam br. S. 60° E. 31 lks
Dist marked 14 S. B. 4
- 79.35 Cattle trail br. Coy.
- 80.00 Set a sand stone 24 x 16 x 4 ins 16 ins in
the ground for cor. to sec. 16-17-20^{and 21}
marked with 3 notches on S^{and 4}
notches on E edges from which
- A Pine 11 ins diam br. N. 33° E. 54 lks.
Dist marked Sp 13 N. R. 15 E. S. 16 P. 7
 - A Pine 17 ins diam br. S. 21° 15' E. 65 lks
Dist marked Sp 13 N. R. 15 E. S. 31 B. 7
 - A Pine 6 ins diam br. S. 81° 30' W. 90 lks
Dist marked Sp 13 N. R. 15 E. S. 20 P. 7
 - A Pine 4 ins diam br. N. 80° W. 94 lks
Dist marked Sp 13 N. R. 15 E. S. 17 B. 7
- Land Rolling.

Subdivisions

Chains Soil 2nd and 3rd rate
 800 lbs Pine Timber.
 Heavily timbered lands etc

N 89° 57' E on a random line to pccs
 16^{and} 21

Va. 13° 51' E

40.00 Set temporary 1/4 ac cor.

79.80 Intersect N^{and} S line at cor to
 sec. 15-16-21^{and} 22, as herein before
 described

Thence S 100

N 89° 57' W on a true line to pccs 16^{and} 21

Va. 13° 51' E

Through Timber

79.90 Set a lime stone 15 x 10 x 8 ins 10 in in
 the ground for 1/4 ac cor marked 1/4
 on N face from which

A Pine 18 ins diam to N 45° 30' E. 154 lbs
 1/4 B.T

Apr 13 N. L. 15 East.

Chain a Pine 9 ins diam br. S. $36^{\circ}30'$ W 83 lks

dist marked $\frac{1}{4}$ S. B. T.

78.70 Cattle trail br. N.E.

79.80 The cor to pccs 16-17-20^{and} 21.

Land Rough Rolling

Soil 3rd^{and} 4th rate

79.80 chs Pine Timber

heavily timbered land 79.80 chs

N. $0^{\circ}2'$ W 1/2 pccs 16^{and} 17.

Na. $13^{\circ}58'$ E.

Through Timber

40.00 Set a lime stone $10 \times 10 \times 5$ ins 10 ins in

the ground for $\frac{1}{4}$ pcc. cor marked $\frac{1}{4}$

on W face from which

a Pine 8 ins diam br. N. $36^{\circ}30'$ W 63 lks

dist marked $\frac{1}{4}$ S. B. T.

a Pine 14 ins diam br. S. 33° E. 40 lks

dist marked $\frac{1}{4}$ S. B. T.

80.00 This point falling on a limestone

Subdivisions

Chains in place $4 \times 3 \times 3$ ft. I marked a cross at exact cor. point for cor. to pccs. 8-9-16 and 17 marked with "notches on S and E ^{faces} from which.

A Pine 10 ins diam br. N 32° E. 54 lks
 Dist marked $\frac{1}{4}$ p. 13 N. R. 15 E. S. 9 P. 1

A Pine 5 ins diam br. S. $31^{\circ} 15'$ E. 48 lks
 Dist marked $\frac{1}{4}$ p. 13 N. R. 15 E. S. 16 P. 1

A Pine 4 ins diam br. S $90^{\circ} 30'$ W 32 lks
 Dist marked $\frac{1}{4}$ p. 13 N. R. 15 E. S. 17 P. 1

A Pine 15 ins diam br. S 35° W 17 lks.
 Dist marked $\frac{1}{4}$ p. 13 N. R. 15 E. S. 18 P. 1

Land Level and Rolling

Soil 1st and 3rd rate

socks Pine Timber

Heavily timbered land socks

Nov 21. 93.

S. $95^{\circ} 7'$ E. 100 paces line to pcc. 9 and 16.
 Va. $13^{\circ} 50'$ E.

Sp. 13 N. L. 15 East.

Chains

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 80.00 Intersect N and S line 14 lks N of cor to sec. 9-10-15 and 16 as herein before described
- Thence down
- N $89^{\circ} 51'$ W on a true line to spec. 9 and 16.
- 1a 13050' E.
- Through Timber
- 55.00 Cattle trail course N. E.
- 36.00 Cattle Trail course N. E.
- 30.00 Cattle Trail course N. E.
- 40.00 Set a sand stone $21 \times 15 \times 10$ ins in the ground for $\frac{1}{4}$ sec. cor marked $\frac{1}{4}$ on N face from which
- a Cedar 4 ins diam br. N 35° W 22 lks dist marked $\frac{1}{4}$ S. C. T.
- a Pine 11 ins diam br. S. $56^{\circ} 30'$ E 60 lks dist marked $\frac{1}{4}$ S. C. T.

OK 752

Subdivisions

Chans

80.00 The cor to pces 8-9-16^{and 17}

Land Rolling

Soil 3rd and 4th p. ate

Timber: sochs Pine.

Heavily timbered land sochs

Concluded, Book 152.