

$\frac{2}{X}$

No-153

4-671

153

FIELD NOTES
GENERAL LAND OFFICE.

Subdivision

of

T13NR15E

Indexed, Book 152.

Township 13 N R. 15 E

6	955	764	3	2	1		
93	93	75					
7	91	8	74	9	10	11	12
89	88						
18	87	17	16	15	14	13	
85	84						
19	83	20	21	22	23	24	
82	80						
30	29	28	27	26	25		
	79						
31	78	32	33	34	35	36	

Subdivisions

- Claim No. 3, Whit. sec. 8 and 9.
 Va $13^{\circ}51'E$.
 Through Timber.
- 1.00 Enter Valley to NE
- 5.00 Leave Valley
- 40.00 Set a sand stone $24 \times 18 \times 8$ inches in the ground
 for $\frac{1}{4}$ sec. cor marked $\frac{1}{4}$ on W face
 from which
 A Pine 14 ins diam to $N45^{\circ}E$ 10 lks
 dist marked $\frac{1}{4}$ N.B.T.
- A Pine 4 ins diam to $S34^{\circ}30'W$ 17 lks
 dist marked $\frac{1}{4}$ N.B.T.
- 80.00 Set a sand stone $31 \times 15 \times 3$ ins 14 ins in
 the ground for cor. sec. 4-5-8 and 9
 marked with 5 notches on S and 4
 notches on E edges from which
 A Cedar 9 ins diam to $N53^{\circ}E$ 44 lks
 dist marked $\frac{1}{4}$ N.B.T. 15 E. S. 4 B.T.
- A Cedar 9 ins diam to $S40^{\circ}30'E$ 63 lks

Sp 13 N. R. 15 East.

Sist marked Sp 13 N. R. 15 E. S. 9 B. T.

A Cedar 5 ins diam. h. 34° W 37 lks

Sist marked Sp 13 N. R. 15 E. S. 8 B. T.

A Cedar 7 ins diam. h. 52° W 44 lks

Sist marked Sp 13 N. R. 15 E. S. 5 B. T.

Land Rolling

Soil 3rd and 3rd rate

rocks Pine and Cedar Timber.

Heavily timbered land rocks

$89^{\circ}51'$ on a true line h. sec. 4 and 9.

h. $13^{\circ}52' E.$

through timber

40.00 Set temporary $1/4$ sec. cor.

80.12 Intersect N. and S. line 13 lks S of
cor to sec. 3-4-9 and 10 as herein before

described

Thence I run

$89^{\circ}56' W$ on a true line h. sec. 4 and 9

h. $13^{\circ}52' E.$

BOOK 753

Subdivisions

Chains Through Timber

1.70 Cattle Trail to N.E.

40.06 Set a sandstone 18x15x4 ins 12 ins in
the ground for $\frac{1}{4}$ sec cor marked $\frac{1}{4}$
on N face from which

A Cedar 7 ins diam to $N60^{\circ}30' E$ 16 lks
dist marked $\frac{1}{4}$ S. D. T.

A Cedar 8 ins diam to $S80^{\circ}30' W$ 18 lks
dist marked $\frac{1}{4}$ S. D. T.

58.00 Gulch 100 lks wide to N.E.

80.12 The cor to sec. 4-5-8 ^{and 9}.

Land Rolling

Soil 3rd ^{and at the rate}

80.12 chs Cedar ^{and Pine} Timber

Heavily timbered land 80.12 chs

$N0^{\circ}3' W$ on a random line to sec 4 ^{and 5}

$Na. 13^{\circ}52' E$

40.00 Set temporary $\frac{1}{4}$ sec cor.

80.30 Intersect N boundary of townships

Apr 13 N. E. 10 East

Chains at cor to sec 4-5-32^{and} 33 as herein before described

thence down

S 02° E on a true line bet sec. 4^{and} 5.

On 13° 52' E.

through timber

35- trail to N. E.

40.30 Set a lime stone 18x12x5 ins in the ground for 1/4th cor marked 1/4 on W face from which.

A Pine 10 ins diam to N 80° W 53 lks
Set marked 1/4 S. E. T.

A Pine 4 ins diam to S. 88° E. 4 lks
Set marked 1/4 S. E. T.

44.00 Gulch 100 lks wide course N. E.

50.30 The cor to sec. 4-5-8^{and} 9

Land Rolling

Soil 3 rods wide

Timber 80³⁰ lks Pine^{and} Cedar

Heavily timbered land 80 rods

Subdivisions

- Chains S. $0^{\circ}3'$ E on a random line to pccs ³¹ and ³²
 Va. $13^{\circ}51'6''$
- 40.00 Set a temporary $\frac{1}{4}$ sec. cor
- 75.60 Intersect 3rd Standard parallel
 north at cor to pccs ³⁰⁻³¹ and ³² as here-
 in before described
 Hence run
 N $0^{\circ}37'$ W on a true line to pccs ³¹ and ³²
 Va. $13^{\circ}51'6''$
 through Timber.
- 5.00 Gulch 100 lks wide course S. 86°
- 33.60 Set a lime stone $12 \times 12 \times 10$ ins in
 the ground for $\frac{1}{4}$ sec cor marked $\frac{1}{4}$
 on N face from which
 A Pine 17 ins diam to N 46° E 45 lks
 dist marked $\frac{1}{4}$ S. B. 7
 A Pine 16 ins diam to S 35° W 30 lks
 dist marked $\frac{1}{4}$ S. B. 7
- 39.56 Road to N. E.

Sp 13 T. R. 15 East.

45.40 Road brs NW

57.56 Road brs NE

62.56 Road brs NW

73.60 The corners 29-30-31 and 32.

Land Rolling

Soil 1st and 2nd rate

⁶⁰ 73.60 chs. Pine Timber.

Heavily timbered land 73.60 chs

N 0° 3' W ht sec. 29^a and 30

va 13° 5' 0" E.

through Timber.

40.00 Set a sandstone 16 x 12 x 6 ins 10 in on

the ground for $\frac{1}{4}$ sec cor marked $\frac{1}{4}$ on

W face from which

a Pine 11 ins diam brs. N 57° 30' W 12 chs

Set marked $\frac{1}{4}$ S. B. T.

a Pine 12 ins diam brs. S 38° E. 8 chs

Set marked $\frac{1}{4}$ S. B. T.

76.30 Road NE.

Subdivisions

80.00 Set a sand stone 18x12x6 ins 1/2 in
in the ground for cor to sec. 19-20
-29^{and} 30 marked with 2 notches
on S and 5 notches on E edges from
which.

A Pine 14 ins diam br. N 79° E. 56 lbs
Dist marked Sp. 13 N. R. 15 E. S. 30 B.T.

A Pine 18 ins diam br. S. 37° E. 74 lbs
Dist marked Sp. 13 N. R. 15 E. S. 29 B.T.

A Pine 20 ins diam br. S. 30° 15' W 81 lbs
Dist marked Sp. 13 N. R. 15 E. S. 30 B.T.

A Pine 6 ins diam br. N 69° W 93 lbs
Dist marked Sp. 13 N. R. 15 E. S. 19 B.T.

Land Rolling

Soil 3 separate

80 chs Pine and Cedar Timber
heavily timbered ~~large~~ 80 chs
Nov. 25. 93.

One a rand on line ht sec 30^{and} 39
Va. 13° 50' E.

Apr 13 N. L. 15 East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 80.12 Intersect N^{and} S. line 14 lks. S. of cor.
to sec. 20-21-28^{and} 29 as herein before
described
thence I run
S 89° 54' W on a true line to sec. 20^{and} 29
N. 13° 50' E.
Through Timber
- 40.00 Set a sand stone 18x12x10 ins 12 ins in the
ground for $\frac{1}{4}$ sec. cor marked $\frac{1}{4}$ on N face
from which
A. Pine 14 ins diam br. N 19° W 12 lks
dist marked $\frac{1}{4}$ S. B. T.
B. Cedar 15 ins diam br. S 34° 30' E. 14 lks
dist marked $\frac{1}{4}$ S. B. T.
- 78.60 Road br. N.E. ^{and} S.W
- 80.12 The cor to sec. 19-20-29^{and} 30
Land Rolling
Soil 3rd ^{and} 4th rate.

BLOCK 153

Subdivisions

Chains Pine and Cedar 80.15 chs. Timber
Heavily timbered land 80.15 chs.

On a random line bet secs. 19^{and} 30

Na. $13^{\circ}52' E$.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

88.15. Intersect W boundary of township at
cor to secs. 19-24-35^{and} 30 as herein be-
fore described

Thence S run

E on a true line bet secs. 19^{and} 30

Na. $13^{\circ}53' E$.

Through Timber

13.10 Gulch 100. lks wide course E. N. E.

48.15 Set a lime stone $12 \times 10 \times 6$ inches in the
ground for $\frac{1}{4}$ sec. cor marked $\frac{1}{4}$ on N
face from which

A Cedar 14 ins diam br. N $83^{\circ} E$. 32 lks

dist marked $\frac{1}{4}$ l. B.T.

A Cedar 30 ins diam br. S $36^{\circ}30' W$ 24 lks

Apr 13 N. E. 15 East

Chains Sicut marked $\frac{1}{4}$ S. B. T.

88.15 The cor to secs. 19-20-29 and 30

Land Rolling

Soil 3rd and 4th rate

88.15 chs. Pine and Cedar Timber

Heavily timbered land 88.15 chs

N. 2° 3' W bet secs 19 and 30

Va. 13° 5' 3" E.

Through Timber

40.00 Set at line, stone 18 x 10 x 4 ins 15 ins in the ground for $\frac{1}{4}$ sec. cor marked $\frac{1}{4}$ on W face from which

A Pine 17 ins diam br. N. 6° 30' E 23 lks

Sicut marked $\frac{1}{4}$ S. B. T.

A Pine 7 ins diam br. S. 45° 30' W 74 lks

Sicut marked $\frac{1}{4}$ S. B. T.

58.00 Wash 2.5 lks wide course E.

80.00 Set a sandstone 18 x 10 x 10 ins 15 ins in the ground for cor to secs 17-18-19 and 20

Subdivisions

Chains marked with 3 notches on S. and 5 notches on E. edges from which

A Pine 13 ins beam br. N $30^{\circ}30' E$. 90 cks
 Sht marked Sp. 13 N. R. 15 E. S. 17 B. J.

A Pine 15 ins beam br. S. $59^{\circ}30' E$. 30 cks
 Sht marked Sp. 13 N. R. 15 E. S. 20 B. J.

A Pine 11 ins beam br. S. $52^{\circ} W$ 42 cks
 Sht marked Sp. 13 N. R. 15 E. S. 19 B. J.

A Cedar 28 ins beam br. N $50^{\circ} W$ 41 cks
 Sht marked Sp. 13 N. R. 15 E. S. 18 B. J.

Land Rolling

Soil 3rd and 4th rate

Rocks Pine and Cedar Timber.

Heavily timbered & land rocks

N $89^{\circ}54' E$ on a random line to p. 17 ^{and 20}

Wa. $13^{\circ}52' E$.

40.00 Set temporary 1/4 sec cor.

79.80 Intersect N ^S and line 3 cks S. of cor to p. 17

16-17-20 and 21 as herein before described

Sp 13. N. L. 15 East.

Chains Thence I run

S 89° 53' W on a true line bet sees. 17^{and} 20

Va 13° 52' E

Through Timber

5.00 Cattle Trail ls. N. and S

39.90 Set a sand stone 18 x 16 x 8 ins 12 ins in the
ground for $\frac{1}{4}$ sec cor marked $\frac{1}{4}$ on N
face from which

A Pine 9 ins diam to N 88° 30' E 5-6 cks
dist marked $\frac{1}{4}$ S. B. L.

A Pine 5 ins diam to S 48° W 4-6 cks
dist marked $\frac{1}{4}$ S. B. L.

79.80 The cor to sees 17-18-19^{and} 20

Land Rolling

Soil 2nd and 3rd rate

79.80 cks Pine^{and} Cedar Timber.

~~Heavily timbered land 79.80 cks~~

W on a random line bet sees. 18^{and} 19.

Va. 13° 57' E.

Subdivisions

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 87.80 Intersect W of boundary of township
131 ebs S of cor to sec 13-18-19^{and} 14
as herein before described
thence S 89° 55' E on a true line bet sec 18^{and} 19
Va 13° 51' E
through Timber
- 47.80 Set a sandstone 15 x 12 x 4 ins in the
ground for $\frac{1}{4}$ sec cor marked $\frac{1}{4}$ on N face
from which
A Pine 4 ins diam br. N 75° 15' E 49 ebs
Set marked $\frac{1}{4}$ S. B. T.
An Oak 6 ins diam br. S 65° 45' W 9 ebs
Set marked $\frac{1}{4}$ S. B. T.
- 62.15 Old Road br. N. N. E.
- 87.80 The cor to sec. 17-18-19^{and} 20
Land Rolling
Soil 2nd and 3rd rate

Sp 13 N. E. 13 East.

Chains 87.80 chs. Pine, Cedar ^{and some} Oak Timber
Heavily timbered land 87.80 chs

N. 0° 3' W lat recs. 17^{and} 18

Va 13° 50' E.

Through Timber

36.80 Cattle Trail to N.W

40.00 Set a sand stone 18x15x4 ins 12 ins in the
ground for $\frac{1}{4}$ sec cor marked $\frac{1}{4}$ on W face
from which

A Pine 14 ins diam to N 74° W 39 lks
Dist marked $\frac{1}{4}$ S. B. T.

A Pine 15 ins diam to S 77° E. 69 lks
Dist marked $\frac{1}{4}$ S. B. T.

68.65 Cattle Trail to E

80.00 Set a Lime stone 18x12x12 ins 12 ins in the
ground for cor to recs. 7-8-17^{and} 18 marked
with 4 notches on S and 5 notches on E
edges from which

A Cedar 4 ins diam. to N 10° E. 36 lks

153

Subdivisions

- Chains first marked Sp 13 N. R. 15 E. S. 8 B. T.
- A Cedar 4 ins diam br. S. 55° E. 37 lks
- first marked Sp 13 N. R. 15 E. S. 17 B. T.
- A Cedar 4 ins diam br. S. 25° W 14 lks
- first marked Sp 13 N. R. 15 E. S. 18 B. T.
- A Cedar 16 ins diam br. N. 56° 30' W 85 lks
- first marked Sp. 13 N. R. 15 E. S. 7 B. T.

Land Rolling

Soil 3rd rate

socks Pine and Cedar Timber

Heavily timbered and good soil

Nov 23, 93.

N 89° 53' E on a true line to pres 8^{and} 17

to 13° 58' E

40.00 Set temporary 1/4 sec. cor.

80.10 Intersect N and S line 7 lks N of cor
to pres 8-9-16^{and} 17 as herein before
described

thence S. in

S 89° 56' W on a true line to pres 8^{and} 17

Pp 13 N.R. 15 East.

Chains Va. 13° 50' E

Through Timber

1.10 Enter Valley br. N.E. and S.W.

4.00 Leave Valley

4.005 Set a sandstone 24 x 12 x 10 ins 1/2 in on the ground for 1/4 sec. cor marked 1/4 on N face from which

A Cedar 12 ins diam br N 28° 30' W 58 lks
Sist marked 1/4 S.B.T.

A Cedar 8 ins diam br. S. 66° 45' E. 24 lks
Sist marked 1/4 S.B.T.

56.00 Gulch 75 lks wide course N

77.00 Indian Wickaupts, 2 chs. N. of line

80.10 The cor to sec 7-8-17 and 18

Land Rolling

Soil 3rd and 4th rate

80.10 chs Pine and Cedar Timber

Heavily timbered land 80.10 chs

N 89° 55' W on a random line to sec 7 and 8

PINK 153

Subdivisions

Chains Va. $13^{\circ}51'E$.40.00 Set temporary $\frac{1}{4}$ sec. cor.87.52 Intersect W boundary of township 8
Eks. N of cor to pces 7-12-13 ^{and 18} as herein
before described

Thence S run

 $89^{\circ}58'E$ on a true line bet pces 7 ^{and} 18.Va. $13^{\circ}51'E$.

Through Timber

47.52 Set a sandstone $5 \times 10 \times 8$ ins in the
ground for $\frac{1}{4}$ sec. cor marked $\frac{1}{4}$ on N
face from whichAn Oak 4 ins diam br. $76^{\circ}W 52$ E.Set marked $\frac{1}{4}$ N.B.T.A Cedar 12 ins diam br. $76^{\circ}E 57$ E.Set marked $\frac{1}{4}$ N.B.T.

57.00 Draw br. N.E. 100 Eks wide.

87.52 The cor to pces 7-8-17 ^{and} 18

Land Rolling

Sp 13 R. L. 15 East.

Chain soil 3rd rate

87.52 chs. Cedar Timber.

Heavily timbered land 87.52 chs.

N. 0° 3' W lat sec 7^{and} 8

Va. 13° 35' E.

Through Timber

40.00 Set a Lime stone 15 x 12 x 4 ins 10 ins in
the ground for $\frac{1}{4}$ sec or marked $\frac{1}{4}$ on N
face. ^{and} raised a mound of stone $\frac{1}{2}$
ft high & 1 ft base alongside Pitts, in
practicable. From which
a Cedar 10 ins diam br. S 13° 30' E 28 chs
set marked $\frac{1}{4}$ S. D. T. - no other trees within
limits.

78.00 Gulch 100 ft wide course E. N. E.

80.00 Set a Lime stone 24 x 12 x 12 ins 16 ins in the
ground for cor to sec. 5-6-7^{and} 8 marked
with 5 notches on S. ^{and} E. edges. From
which

a Cedar 30 ins diam br. N 34° E. 69 chs.

Subdivisions

- Chains first marked Sp 13 N. R. 15 E. S. 5 B. T.
 A Pine 12 ins diam to S. 58° E. 180 lks
 first marked Sp 13 N. R. 15 E. S. 8 B. T.
 A Pine 4 ins diam to S. 41° W 88 lks
 first marked Sp. 13 N. R. 15 E. S. 7 B. T.
 A Cedar 19 ins diam to N. 70° W 85 lks
 first marked Sp. 13 N. R. 15 E. S. 6 B. T.

Land Rolling

Soil 2nd and 3rd rate

80 chs. Pine and Cedar timber

Heavily timbered rocks

N. 89° 56' E. on a random line between 2nd and 3rd
 Va 13° 52' E.

40.00 Set temporary 1/4 sec. cor.

80.00 Intersect N and S line 4 lks S of cor
 to pines 4-5-8 and 9 as herein before
 described

Thence down

S. 89° 54' W on a true line between 5th and 8th

Sp 13 N. E. 15 East.

Chains Va. $13^{\circ} 52' E$.

Through Timber

40.00 Set a limestone 18 x 8 x 4 ins in the ground for $\frac{1}{4}$ sec cor marked $\frac{1}{4}$ on N face from which

a Cedar 14 ins diam to N $70^{\circ} E$ 55 lks dist marked $\frac{1}{4}$ B.T.

a Cedar 7 ins diam to S $65^{\circ} W$ 19 lks dist marked $\frac{1}{4}$ B.T.

52.00 Gulch 100 lks wide course N.

78.50 Gulch 100 lks wide course N.E.

80.00 The cor to sees 5-6-7^{and} 8.

Land Rolling

Soil 3rd ^{and} 4th rate

80 chs Pine ^{and} Cedar Timber

~~Heavily timbered land sochs~~

$789^{\circ} 58' W$ on a random line to sees 6^{and} 7

Va $13^{\circ} 57' E$.

40.00 Set temporary $\frac{1}{4}$ sec cor.

B77K 153

Subdivisions

87.24 Intersect W boundary of township
12 ebs S of cor to sec. 1-6-7^{and 12} as
herein before described

thence run

S 89° 53' E on a true line to spec. 6^{and 7}
Va 13° 51' E.

through Timber

10.00 Draw^{and} Cattle Trail. to N. by

13.00 leave Draw

47.24 A bar lime stone 34 x 14 x 10 ins thick in
the ground for 1/4 sec or marked 1/4 on
N face, from which

A Cedar 4 ins diam to N 63° 30' W 29 ebs
Sist marked 1/4 S. B. T.

A Cedar 4 ins diam to S 48° E. 92 ebs
Sist marked 1/4 S. B. T.

62.84 Cattle Trail to N^{and S}

87.24 Thence cor to sec 5-6-7^{and 8}
Land Rough Rolling

1/3 R. D. 15 East

Chains Soil 3rd and 4th rate

87.24 chs. Pine and Cedar Timber

Heavily timbered land 87.24 chs

N 0° 3' W on a random line b^etween 5th and 6th.

Va. 13° 50' E.

40.00 Set temporary 1/4 sec cor.

80.30 Intersect N boundary of township at
cor to secs 5-6-31 and 32 as herein before
described

Thence Sine

S 0° 3' E on a true line b^etween 5th and 6th.

Va. 13° 50' E.

Through Timber

40.30 Set a lime stone 18 x 12 x 10 ins 15 ins in
the ground for 1/4 sec. cor marked 1/4
on W face, from which

A Cedar 18 ins diam b^etween N. 77° W 46 chs
dist marked 1/4 S. B. S.

A Pine 18 ins diam b^etween S 67° E. 14 1/2 chs

RICK 153

Subdivisions

Chains dist marked $\frac{1}{4}$ S.B.T.80.30 The cor to secs. 5-6-7^{and} 8

Land Rolling

Soil 3rd rate

80.30 chs. Pine^{and} Cedar Timber~~heavily timbered land 80.30 chs~~

100.24.93.

~~60 miles 3 chs and $\frac{1}{4}$ lks.~~~~run through heavily~~~~timbered land~~

BOOK 753

47
V. 13 P. 15 East.

General Description

This township is heavily covered with Pine, Cedar and some Oak Timber, and but for this timber it is worthless, as the soil can never be used for farming or agricultural purposes. Wild Cat Cañon the only large Cañon in this township affords but very little water. This township has been used for sheep grazing but at present it is no longer of any value for that purpose.

Philip Contzen
U. S. Dep. Sur.

U. S. Surveyor-General's Office,

TUCSON, A. T. August 9, 1895-

The foregoing Field Notes of the Surveys of
 the Subdivision lines
 of Township No 13
 North Range 15 East
 of the Gila and Salt River Meridian
 in Arizona executed by
 Philip Contzen

U. S. Deputy Surveyor, under his contract dated
 February 10th 1893.
 having been critically examined, the necessary correc-
 tions and explanations made, the said Field Notes and
 the surveys they describe are hereby approved.

Geo. H. Manning
 U. S. Surveyor-General
 for the Territory of Arizona.

Gov Linal Qatho
In Book No. - 40