

T. 14 N. R. 13 E.

No. 155

Subdivisions

4-671

156

**FIELD NOTES**  
**GENERAL LAND OFFICE**

Tp. 14 N. R. 13 E.

No. 156

No - 136

1

Field Notes.

of the survey of the

Subdivision Lines.

of

Township 14. N. Range 13. East.

of the.

Gila & Salt River Base

And Meridian

in the

Territory of Arizona

as surveyed by

Daniel Drummond

U. S. Deputy Surveyor

under his Contract No. 28.

Dated February 21, 1893.

Survey Commenced Oct. 14, 1893.

Survey Completed Oct. 26, 1893.

(4-074.)

Township 14. N. R. 13. E.

## Index for Books 156 and 157

6	108.	5	80.	4	60.	3	39.	2	19.	1
107.		105		78.		58		38.		17.
7	103.	8	76.	9	56.	10	36.	11	15	12
101.		100.		75.		54		34.		14
18	48.	17	73.	16	52.	15	32.	14	12.	13
96.		94		71.		50		30.		10.
19	93.	20	69.	21	48.	22	28.	23	8.	24
91.		90.		67.		46.		26.		6.
30	88.	29	65.	28	44.	27	24.	26	4.	25
86.		84		63.		43.		23.		3.
31	82	32	61	33	41.	34	21.	35	1.	36

10

BOOK 156  
 Subdivisions T. 14. N. R. 13 E

- ch. From the Cor. to Secs. 1, 2  
 35, & 36. on the S. boundary  
 of T. 14. N. R. 13 E. Iron  
 N 6' 1" W. bet. Secs. 35 & 36.  
 Va. 13° 44' E
- In heavy Pine timber
- 18.55 Pine 20 ins. diam. on line marked  
 with 2 notches on N. & S. sides.
- 40.00 Set a Sandstone 20 x 14 x 3 ins. 15  
 ins. in the ground. for  $\frac{1}{4}$  sec &  
 marked  $\frac{1}{4}$  on W. face. Whence  
 a Pine 12 ins. diam. bears S 56  
 51 lks. dist. marked  $\frac{1}{4}$  S. B. J.
- A Pine 14 ins. diam. bears S 38°  
 16 lks. dist. marked  $\frac{1}{4}$  S. B. J.
- 74.30 Bank bears N. W. & S. E. descend
- 75.60 Enter bottom
- 76.50 Gulch 20 lks. wide runs N. W.<sup>o</sup>
- 79.00 Leave bottom & ascend

## Subdivisions T. 14 N., R. 13, E.

chs.

80.00

Set. a sandstone 18x10x6 ins. 13  
in the ground, for. Cor. to Secs. 25,  
26, 35 & 36, marked with 1 notch  
on S. & E. edges. whence

A Pine 12 ins. diam. bears  
N33° E 25 lks. dist. marked  
T. 14, N., R. 13, E., S. 25 B. Y.

A Pine 11 ins. diam. bears  
S56° E 107 lks. dist. marked  
T. 14, N., R. 13, E., S. 36 B. Y.

A Pine 20 ins. diam. bears  
S10° W 23 lks. dist. marked  
T. 14, N., R. 13, E., S. 35, B. Y.

A Pine 17 in diam. bears  
N20° W 88 lks. dist. marked  
T. 14, N., R. 13, E., S. 26 B. Y.

Land. level

Soil. gravelly 2<sup>d</sup> rate  
Timber heavy Pine 80 chs.

---

Subdivisions. BOOK. 156

- |       |                                                                                                                                                                                                                                      |
|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| chs.  | S $89^{\circ}59'E$ on a random line<br>bet. Secs. 25 & 36.<br>Va. $13^{\circ}44'E$                                                                                                                                                   |
| 40.00 | Set temporary $\frac{1}{4}$ Sec. Cor.                                                                                                                                                                                                |
| 80.28 | Int. E. boundary of Sp. 33 lks. N<br>of Cor. to Secs. 25, 30, 31 & 36. a<br>stone firmly set and properly<br>marked, & witnessed. Thence I run<br>N $89^{\circ}45'W$ on a true line<br>bet. Secs. 25 & 36.<br>Va. $13^{\circ}44'E$ . |
|       | In heavy Pine timber                                                                                                                                                                                                                 |
| 1.58  | Wayon Road bears N.W. & S.E.                                                                                                                                                                                                         |
| 30.00 | Bank bears N. & S. descend                                                                                                                                                                                                           |
| 33.30 | Gulch 20 lks wide runs North                                                                                                                                                                                                         |
| 34.00 | Opposite bank bears N. & S.                                                                                                                                                                                                          |
| 35.10 | Trail bears N. & S.                                                                                                                                                                                                                  |
| 40.14 | Set a Sandstone $16 \times 10 \times 4$ a<br>11 ins. in the ground. for $\frac{1}{4}$ Sec.                                                                                                                                           |

J. 14. N. R. 13. E.

- Ms. Marked  $\frac{1}{4}$  on N. face. whence a Pine  
 6 ins. diam. bears.  $S79^{\circ}E$  13 lks. dist.  
 marked  $\frac{1}{4}$  S. B. I. - A Pine 5 ins  
 diam. bears.  $N68^{\circ}E$  30 lks. dist.  
 Marked  $\frac{1}{4}$  S. B. I. -  
 59.20 Gulch 20 lks. wide runs. N.W.  
 60.00 Trail, bears. N.W. & S.E.  
 64.00 Gulch 20 lks. wide, recross. runs. <sup>S.W.</sup> N.E.  
 77.40  
 77.40 Bank bears. N.W. & S.E. descend  
 80.28  
 80.28 The Cor. to Secs. 25, 26, 35, & 36.

Land nearly level

Soil gravelly 2<sup>d</sup> rate

Timber heavy Pine 80.28 ch.

N  $0^{\circ}1'$  W. bet. Secs. 25 & 26.Va.  $13^{\circ}44'$  E

In heavy Pine timber, ascend

22.75  
2.75

Bank bears. N.W. &amp; S.E.

5.  
BOOK 156  
Subdivisions.

- | chs.  |                                                                                                                                                                                                                                                                                                      |
|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 40.00 | Set a Sandstone 16x10x5 ins. 11 ins. in the ground. for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ on W. face. Whence a Pine 20 ins. diam. bears $N73^{\circ}W$ . 94 lks. dist. marked $\frac{1}{4}$ S. B. S. A Pine 5 ins. diam. bears $N12^{\circ}E$ 55 lks. dist. marked $\frac{1}{4}$ S. B. S. |
| 67.85 | Juniper 24 ins. diam. on line. marked with 2 notches on N. & S. Sides.                                                                                                                                                                                                                               |
| 70.53 | Pine 30 ins. diam. on line. marked with 2 notches on N. & S. Sides                                                                                                                                                                                                                                   |
| 80.00 | Set a Sandstone 30x10x5 ins 22 ins. in the ground. for Cor. to Secs. 23, 24, 25 & 26. marked with 2 notches on S. and 1 notch on E. edges. Whence A Pine 5 ins. diam. bears $N17^{\circ}E$ 67 lks. dist. marked S. 14. N. R. 13. E. S. 24. B. S.                                                     |



T. 14. N. R. 13. E.

- Chs. A Juniper 20 ins. diam. bears  
 S.  $67^{\circ}E$  84 lks. dist. marked  
 T. 14. N. R. 13. E. S. 25. B.Y.
- A Pine 4 ins. diam. bears  
 S  $79^{\circ}W$  30 lks. dist. marked  
 T. 14. N. R. 13. E. S. 26. B.Y.
- A Pine 5 ins. diam. bears  
 N  $75^{\circ}W$  26 lks. dist. marked  
 T. 14. N. R. 13. E. S. 23. B.Y.
- Land. level  
 Soil. gravelly 2<sup>d</sup> rate  
 Timber Pine & Juniper 80 chs.
- 

S  $89^{\circ}45'E$ , on a random line  
 bet. Secs. 24+25,  
 Va.  $13^{\circ}44'E$

- 40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.  
 80.26 Int. E. boundary of Sp 34 lks.

7.  
BOOK 156  
Subdivisions.

- Chs. N. of Cor. to Secs. 19, 24, 25 + 30.  
a. Stone firmly set, and properly  
marked + Witnessed. Thence I run  
N 89° 30' W on a true line  
bet. Secs. 24 X 25  
In heavy Pine timber
- 10.50 Trail bears. N.E. + S.W.
- 40.13 Set a Sandstone 18 X 12 X 4 ins 13 ins  
in the ground. for 1/4 Sec. Co. Marked  
1/4 on N. face. whence a Pine 17 ins  
diam. bears S 5° W 71 lks. dist.  
A Pine 5 ins. diam. bears N 40° E  
79 lks. dist. Marked 1/4 S. Co. -
- 48.40 Gulch 10 lks. wide runs N.W.
- 48.60 Trail. bears. N.W. + S.E. ascnd quarry
- 67.00 Divide bears N.N.W. + S.S.E.
- 80.26 The Cor. to Secs. 23, 24, 25 + 26  
Land. level. nearly  
Soil. gravelly 2<sup>d</sup> rate  
Timber Pine + Juniper. 80.26. chs.

J. 14. N. R. 13. E.

- Chs. N 0° 1' W. Feb Secs. 23, & 24.  
Va 13° 44' E.
- In heavy Pine timber.
- 15.60 Descend gently
- 38.10 Enter bottom
- 39.00 Enter gulch runs N by W, 20 lks. wide <sup>used</sup>
- 40.00 Set a sandstone 20 x 12 x 4 ins. 15 ins  
in the ground. for 1/4 sec. Gr. marked  
1/4 on W. face. Whence a Pine 20 ins  
diam. bears S. 2° W 60 lks. dist.  
marked 1/4 S. P. S. - A Pine 16 ins.  
diam. bears S 85° E 38 lks. dist.  
marked 1/4 S. P. S. -
- 45.00 Ridge bears N. N. E. + S. S. W. descend
- 48.30 Trail bears N. E. + S. W.
- 48.40 Gulch 20 lks. wide runs N. E. <sup>used</sup>
- 52.00 Point. bears E. + W. descend
- 56.70 Trail bears N. W. + S. E.
- 56.80 Gulch 50 lks. wide runs N. W. <sup>used</sup>

Subdivisions.

chs.	
58.80	Point. trans. E + W, descend
59.80	Gulch 10 lks. wide runs S.W. <sup>494d</sup>
61.50	Bank trans. S.W. + N.E.
71.00	Bank trans. N.E. + S.W. descend
80.00	Set a Sandstone 22x12x5 ins. 16 ins. in the ground. for Cor. to Secs. 13, 14, 23, + 24. marked with 3 notches on S. and 1 notch on E. edges. Whence A Pine 6 ins. diam. trans. N 39° E 32 lks. dist. marked T. 14, N. R. 13. E. S. 13. B.S. A Pine 17 ins. diam. trans. S 72° E 49 lks. dist. marked T. 14, N. R. 13. E. S. 24 B.S. A Pine 18 ins. diam. trans. S 15° W 38 lks. dist. marked T. 14, N. R. 13. E. S. 23. B.S. A Pine 16 ins. diam. trans.

T. 14. N. R. 13. E.

chs. N 67° W 41 lks. dist. marked  
 T. 14. N. R. 13. E. S. 14. B. S.  
 Land. nearly level.  
 Soil. gravelly 2<sup>d</sup> rate  
 Simbu Heavy Pine 80. chs.

---

S 89° 30' E on a random line  
 bet. Secs. 13 & 24.  
 Va. 13° 44' E.

40.00 Set. temporary 1/4 Sec. Cor.

80.32 Int. E. boundary of Sp. 36 lks.  
 N. of Cor. to Secs. 13, 18, 19 & 24.  
 a Stone firmly set and prop-  
 erly. marked, & witnessed.

Thence I run

N 89° 15' W. on a true line  
 bet. Secs. 13 & 24,  
 Va. 13° 44' E.

## Subdivisions.

- Chs. In pine timber
- 29.50 Trail, bears. N.W. + S.E.
- 40.16 Set a Sandstone 20x10x5 ins. 15  
ins. in the ground. for:  $\frac{1}{4}$  Sec. 10<sup>th</sup>  
marked  $\frac{1}{4}$  on N. face where a  
Cedar 5 ins. diam. bears. N40°E  
85 lks. dist. marked  $\frac{1}{4}$  S. 13. S.
- A Juniper 4 ins. diam. bears S77°E  
26. lks. dist. marked  $\frac{1}{4}$  S 13. S.
- 73.30 Pine 20 ins. diam. on line. marked  
with 2 notches on E. + W. sides.
- .80.32 The Cor. to Secs. 13, 14, 23 & 24,  
Land. level.  
Soil. gravelly 2<sup>d</sup> + 3<sup>d</sup> rate  
Timber Pine Cedar + Juniper. 80.32  
October 14, 1893.
-

J. 14. N. R. 13. E.

Chs.	N 0' 1" W. bet. Secs. 13 & 14. Va 13° 44' E
	In Pine timber. descend
.80	Gulch 10 lks. wide runs S.W. ascend
2.15	Bank trans. N.E. & S.W.
15.50	Bank trans. E. & W. descend
19.50	Gulch 10 lks wide. runs westerly <sup>bank</sup>
22.50	Bank opposite trans. E. & W.
30.00	Bank trans. N.E. & S.W. descend
35.25	Gulch 10 lks. wide. runs S.W. ascend
37.10	Opposite bank trans. N.E. & S.W.
40.00	Set a Sandstone 18x10x6 ins. 13 ins. in the ground. for 1/4 Sec Cr. marked 1/4 on W. face. whence a Pine & iron drain. trans. S 35° E 25 lks. dist. marked 1/4 S. B. J. - A Pine 6 ins. drain. trans. N 60° W 32 lks. dist. marked 1/4 S. B. J. -
80.00	Set a Sandstone 17x10x4 ins. 12

BOOK 156  
Subdivisions.

Chs. ins in the ground. for Cr. to Secs.  
 11, 12, 13 & 14. Marked with 4  
 notches on S. and 1 notch on  
 E. edges. Whence —  
 An Oak 4 ins. diam. bears  
 N 57° E 63 lks. dist. marked  
 T. 14. N. R. 13. E. S. 12 B. S.  
 A Juniper 6 ins. diam. bears  
 S 47½° E 145 lks. dist. marked  
 T. 14. N. R. 13. E. S. 13. B. S.  
 A Pine 12 ins. diam. bears  
 S 60° W 237 lks. dist. marked  
 T. 14. N. R. 13. E. S. 14 B. S.  
 A Pine 8 ins. diam. bears  
 N 60° W 263 lks. dist. marked  
 T. 14. N. R. 13. E. S. 11 B. S.  
 Land. level  
 Soil gravelly 2<sup>d</sup> rate  
 Timber Pine. Cedar & Juniper 50. chs.

---



T. 14. N. R. 13. E.

Chs. S  $89^{\circ}15'$  E on a random line  
bet. Secs. 12 & 13.  
Va.  $13^{\circ}44'$  E.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

80.40 Int. E. boundary of Tp. 36. Tks. N.  
of Cor. to Secs. 7, 12, 13 & 18. a stone  
firmly set and properly marked  
& witnessed. Thence I run  
N  $89^{\circ}0'$  W on a true line  
bet. Secs. 12 & 13.  
Va  $13^{\circ}44'$  E.

In dense Cedar

2.50 Bank beans N.E. & S.W. descend

3.75 Trail beans. N.E. & S.W.

3.80 Gulch 10 tks. wide runs N.E. ascend

5.30 Opposite bank beans. N.E. & S.W.

34.40 Trail beans. N.E. & S.W.

40.20 Set a sandstone  $16 \times 12 \times 4$  ins. 11 ins.  
in the ground. for  $\frac{1}{4}$  Sec Cor. Marked

## Subdivisions.

chs.  $\frac{1}{4}$  on N. face. where. A Pine 4  
 mis. diam. trans.  $S 12^{\circ} W$  56 lks.  
 dist. marked  $\frac{1}{4}$  S. B.S. — A Cedar  
 10 mis. diam. trans.  $N 63^{\circ} W$  53 lks.  
 dist. marked  $\frac{1}{4}$  S. B.S. —

---

58.70 Learn Cedar

63.00 Euter Cedar

69.00 Learn Cedar

70.80 Trail trans. N.W. & S.E.

80.40 The Cor. to Secs. 11, 12, 13 & 14

Land level

Soil. gravelly 2<sup>d</sup> rate

Timber Pine Cedar & Juniper. 64.70 chs

---

$N 0^{\circ} 1' W$ . bet. Secs. 11 & 12,

$Ta 13^{\circ} 44' E$

In Pine & Cedar timber

J. 14. N. R. 13. E.

- chn.  
 13.60 Trail trans. N.W. & S.E.
- 40.00 Set a Sandstone 16X12X4 ins. 11 ins  
 in the ground. for  $\frac{1}{4}$  Sec. Gr. Mark  
 $\frac{1}{4}$  on W. face. whence A Pine 15 ins  
 diam. trans. S  $38^{\circ}$  E 78 lks. dist.  
 marked  $\frac{1}{4}$  S. B. J. - A Pine 12 ins.  
 diam. trans. N  $26^{\circ}$  W 68 lks. dist.  
 marked  $\frac{1}{4}$  S. B. J. -
- 45.25 Pine 30 ins. diam. on line marked  
 with 2 notches on N. & S. sides
- 47.50 Cotton 18 ins. diam. on line marked  
 with 2 notches on N. & S. sides
- 78.80 Trail trans. N.E. & S.W.
- 80.00 Set a Sandstone 24X14X10 ins. 18  
 ins. in the ground. for Gr. to Secs.  
 1, 2, 11 & 12, marked with 5 notches  
 on S. and 1 notch on E. edges. whence  
 A Cedar 8 ins. diam. trans  
 N  $84^{\circ}$  E 248. lks. dist. marked

## Subdivisions.

chs. T. 14. N. R. 13. E. S. 1. B. J.  
 A Pine 32 ins. diam. trans.  
 S 46° E. 77 lks. dist. marked  
 T. 14. N. R. 13. E. S. 12 B. J.  
 A Pine 6 ins. diam. trans  
 S 18½° W 63 lks. dist. marked  
 T. 14. N. R. 13. E. S. 11. B. J.  
 A Pine 18 ins. diam. trans.  
 N 85½° W. 324. lks. dist. marked  
 T. 14. N. R. 13. E. S. 2 B. J.  
 Land. level.  
 Soil. gravelly 2<sup>d</sup> rate  
 Timber Pine Cedar & Juniper 80. chs.

---

S 89° 0' E on a random line  
 bet. Secs. 1 & 12,  
 Ta 13° 44' E.

40.00 Set. temporary ¼ Sec. Cr.

## J. 14. N. R. 13. E.

- 80.60 Int. E. boundary of Sp. 35 lks. N.  
of Cor. to Secs. 1, 6, 7 & 12, a stone  
firmly set and properly <sup>marked</sup> & Witnessed  
Thence I run.  
N 88° 45' W on a true line.  
cut Secs. 1, 7, 12.  
Va. 13° 44' E.
- In dense Cedar
- 4.50 Leave Cedar
- 5.20 Bank trans. N.W. & S.E. descend
- 7.50 Gulch 10 lks. wide runs. NW ascend
- 7.90 Trail. trans. N.W. & S.E.
- 11.00 Ridge trans. N by W & S by E. descend
- 14.00 Gulch 10 lks wide runs. Northw. <sup>quad</sup>
- 15.60 Trail. trans. N. & S.
- 16.75 Enter Cedar
- 18.40 Bank trans N. & S.
- 25.20 Leave Cedar
- 30.00 Gulch 10 lks. wide runs. N.N.E.

## Subdivisions.

- 40.30 Set. a Sandstone 18x10x3 ins. 13 ins  
in the ground. for.  $\frac{1}{4}$  Sec. Cor. marked  
 $\frac{1}{4}$  on N. face. and raised a mound  
of Stone  $1\frac{1}{2}$  ft. high. 2 ft. base  
alongside. pits impracticable.
- 61.20 Enter Cedar
- 66.20 Leave Cedar
- 80.40 Trail bears N.E. + S.W.
- 80.60 The Cor. to Secs. 1, 2, 11 + 12,  
Land. nearly level  
Timber. Piñon Cedar + Juniper. 17.9500.

---

N  $0^{\circ} 1' W$  on a random line  
bet. Secs. 1 + 2.  
Ta.  $13^{\circ} 44' E$ .

- 40.00 Set. temporary  $\frac{1}{4}$  Sec. Cor.
- 78.24 Sub. N. boundary of Tp. 32 Nks.  
N. of Cor. to Secs. 1, 2, 35 + 36.

T. 14. N. R. 13. E.

Chs. as recently established by me.  
Thence I run

S  $0^{\circ} 13' W$  on a true line

bet. Secs. 1 & 2.

To  $13^{\circ} 44' E$ .

In dense Pine & Cedars.

38.24 Set a Sandstone  $16 \times 10 \times 4$  ins. 11 ins.  
in the ground. for  $\frac{1}{4}$  Sec. Cor.  
marked  $\frac{1}{4}$  on N. face. Whence a Pine  
6 ins. diam. bears  $N 84^{\circ} E$ . 4 lks. dist.  
marked  $\frac{1}{4}$  S. B. L. - A Pine 4 ins.  
diam bears  $N 24^{\circ} W$  8 lks. dist.  
marked  $\frac{1}{4}$  S. B. L. -

45.60 Leave Pinon & Cedars.

78.24 The Cor. to Secs. 1, 2. 11 & 12.  
Land level

Sail. gravelly 2<sup>d</sup> rate

Pinon, Cedar & Juniper

45.60 a. Chs.

October 16, 1893.

70K 158

Subdivisions. ~~70K 158~~

- chs. From the Cor. to Secs. 2 + 3, 34  
+ 35, on the S. boundary of Sp.  
Hereinbefore described I run,  
N 0° 1' W, bet. Secs. 34 + 35.  
Va. 13° 44' E
- In heavy Pine timber descend
- 2.60 Pine 36 ins. diam. on line marked  
with 2 matches on N. & S. Sides.
- 3.20 Into bottom
- 3.95 Trail bears N.E. + S.W.
- 4.50 Gulch 15 lks. wide runs N.E.
- 5.00 Leave bottom + ascend
- 14.50 Bank bears N.E. + S.W.
- 40.00 Set a Sandstone 18 X 14 X 5 ins. 13 ins  
in the ground, for  $\frac{1}{4}$  Sec. Cor. marked  
 $\frac{1}{4}$  on W. face, where a Pine 6 ins.  
diam. bears N 57° E 60 lks. dist.  
marked  $\frac{1}{4}$  S. B. I. - A Pine 14 ins  
diam. bears N 72° W 85 lks. dist.



T. 14. N. R. 13. E.

- Chs. Marked  $\frac{1}{4}$  S. B.T. —
- 80.00 Set a Sandstone  $18 \times 10 \times 6$  ins, 18 ins.  
in the ground, for. Cor. to Secs. 26,  
27, 34, & 35. marked with 1 notch on  
S. and 2 notches on E. edges, whenever  
A Pine 5 ins. diam. bears.  
N  $80^{\circ}$  E 33. lks. dist. marked  
T. 14. N. R. 13. E. S. 26. B.T.  
An Oak 6 ins. diam. bears.  
S  $33^{\circ}$  E. 35 lks. dist. marked  
T. 14, N. R. 13. E. S. 35. B.T. —  
An Oak 6 ins. diam. bears.  
S  $30^{\circ}$  W 64 lks. dist. marked  
T. 14. N. R. 13. E. S. 34. B.T.  
An Oak 10 ins. diam. bears.  
N  $35^{\circ}$  W 88 lks. dist. marked  
T. 14 N. R. 13. E. S. 27. B.T.  
Land nearly level  
Soil. gravelly 2<sup>d</sup> rate  
Timber Pine & Oak. 80. Chs.

## Subdivisions.

- chs. S  $89^{\circ}59'E$  on a random line  
bet. Secs. 26 + 35.  
Va.  $13^{\circ}44'E$ .
- 40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.
- 80.00 Int. N.T.S. line 3 lks. S. of Cor. to  
Secs. 25, 26, 35 + 36, thence I run  
West, on a true line.  
bet. Secs. 26 + 35  
Va.  $13^{\circ}44'E$
- In heavy Pine + Oak timber <sup>down</sup>
- 1.00 Into bottom
- 1.75 Trail bars. N.W. + S.E.
- 2.15 Gulch 20 lks. wide runs N.W. <sup>ascend</sup>
- 5.50 Bank bars. N.W. + S.E.
- 20.30 Bank bars N.E. + S.W. descend
- 26.25 Gulch 10 lks. wide runs N.E. <sup>ascend</sup>
- 26.60 Trail bars. N.E. + S.W.
- 34.00 Opposite bank bars. N.E. + S.W.
- 40.00 Set a sandstone  $18 \times 12 \times 6$  ins. 13 in

## BOOK 56 T. 14. N. R. 13. E.

- Chs. in the ground, for  $\frac{1}{4}$  Sec. 6r. marked  
 $\frac{1}{4}$  on N. face, whence A Pine 8 ins.  
 diam. bears  $S 87^{\circ} E$  29 lks. dist.  
 marked  $\frac{1}{4}$  S. B. T. — A Juniper 10 ins.  
 diam. bears,  $N 48^{\circ} E$ , 47 lks. dist.  
 marked  $\frac{1}{4}$  S. B. T. —
- 45.00 Bank bears. N.E. & S.W. descend  
 49.80 Enter bottom  
 50.00 Trail. bears N.E. & S.W.  
 50.80 Gulch 20 lks. wide runs N.E. <sup>ascend</sup>  
 54.00 Opposite bank bears. N.E. & S.W.  
 80.00 The Cor. to Secs. 26, 27, 34 & 35.  
 Land nearly level.  
 Soil. gravelly 2<sup>d</sup> & 3<sup>d</sup> rate  
 Timber heavy Pine & Oak 80 chs.

---

$N 0^{\circ} 1' W$ . bet. Secs. 26 & 27  
 Va.  $13^{\circ} 44' E$ .

## Subdivisions.

- Chs. SW heavy Pine & Oak timber
- 6.90 Pine 22 ins. diam. on line, marked with 2 notches on N. & S. Sides
- 40.00 Set a Sandstone 18X10X6 ins. 13 ins in the ground. for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  on W. face. whence. A Pine 6 ins. diam. bears. N  $82^{\circ}$  E 31 lks. dist. marked  $\frac{1}{4}$  S. B. I. — An Oak 4 ins. diam. bears. N  $49^{\circ}$  W 25 lks. dist. marked  $\frac{1}{4}$  S. B. I. —
- 47.00 Bank bears. N.E. & S.W. descend
- 49.90 Gulch 20 lks. wide runs N.E. ascend
- 53.50 Opposite bank bears. N.E. & S.W.
- 80.00 Set a Sandstone 18X10X6 ins. 13 ins. in the ground. for. Cor. to Secs. 22, 23, 26. & 27. marked with 2 notches on S. & E. edges. whence A Pine 18 ins. diam. bears. N  $58^{\circ}$  E 65 lks. dist. marked

T. 14. N. R. 13. E.

Chs. T. 14. N. R. 13. E. S. 23 B.S.  
 A Pine 15 ins. diam. trans.  
 S 48° E 45 lks. dist. marked  
 T. 14. N. R. 13. E. S. 26. B.S.  
 A Pine 14 ins. diam. trans.  
 S 15° W 36 lks. dist. marked  
 T. 14. N. R. 13. E. S. 27. B.S.-  
 A Pine 16 ins. diam. trans.  
 N 55° W 27 lks. dist. marked  
 T. 14. N. R. 13. E. S. 22 B.S.-  
 Land. Nearly level.  
 Soil gravelly 2<sup>d</sup> rate.  
 Timber. Heavy Pine & Oak. 80 chs.

East. on a random line.

bet. Secs. 23 & 26.

Va. 13° 44' E.

40.00 Set temporary 1/4 Sec. Cor.

## Subdivisions.

- chs.  
80.24 Int. N. & S. line. 7 lks. N. of  
Cor. to Secs. 23, 24, 25 & 26. From  
N  $89^{\circ} 57' W$  on a true line.  
bet. Secs. 23 & 26.  
Va.  $13^{\circ} 44' E$ .
- In heavy Pine & Oak timber
- 10.80 Gulch. 10 lks. wide runs Northwly
- 24.10 Pine 28 ins. diam. on line. marked  
with 2 notches on E. & W. Sides
- 26.30 Bank bears. Northwly & Southwly descend
- 30.40 Gulch. 20 lks. wide runs Northwly <sup>ascend</sup>
- 31.10 Trail. bears. Northwly & Southwly
- 34.50 Ridge bears. N. & S. descend
- 37.60 Gulch 10 lks. wide runs. N.E. ascend
- 40.12 Set a sandstone  $20 \times 8 \times 5$  ins. 15 ins.  
in the ground. for  $\frac{1}{4}$  Sec. Cor. marked  
 $\frac{1}{4}$  on N. face. whence A Pine 17 ins  
diam. bears.  $S 35^{\circ} W$  8 lks. dist.  
marked  $\frac{1}{4}$  S. B. T. - A Pine 14 ins.

T. 14. N. R. 13. E.

- chs. diam. bears. N 27° W 32 lks. dist.  
marked 1/4 S. B.S.
- 42.80 Opposite bank bears. N.E. + S.W.
- 63.50 Bank bears. N. + S. descend
- 68.25 Entire bottom.
- 68.50 Trail. bears. N. + S.
- 68.75 Gulch 10 lks. wide runs Northward <sup>bank</sup>
- 70.25 Opposite bank bears. N. + S.
- 80.24 The Cor. to Secs. 22, 23, 26 & 27  
Land. nearly level  
Soil. gravelly 2<sup>d</sup> rate  
Timber heavy Pine + Oak. 80.24 chs.
- 

N 0° 1' W. bet. Secs. 22 &amp; 23.

Va. 13° 44' E

In heavy Pine + Oak timber

- 40.00 Set a sandstone 16 x 12 x 6 ins 11 ins  
in the ground. for 1/4 Sec. Cr. Marked

## Subdivisions.

- Chs.  $\frac{1}{4}$  on N. face. Whence a Pine 12 ins diam. bears S  $68^{\circ}$  W 16 lks. dist. marked  $\frac{1}{4}$  S. B.T. - A Pine 13 ins diam. bears S  $55^{\circ}$  E 9 lks. dist. marked  $\frac{1}{4}$  S. B.T. -
- 80.00 Set a Sandstone  $20 \times 10 \times 4$  ins. 15 ins. in the ground. for. Cr. to Secs. 14, 15 22. & 23. Marked with 3 notches on S. and 2 notches on E. edges. Whence A Pine 18 ins. diam. bears N  $12^{\circ}$  E 48 lks. dist. marked S. 14. N. R. 13. E. S. 14. B.T. A Pine 32 ins. diam. bears S  $60^{\circ}$  E 22 lks. dist. marked S. 14. N. R. 13. E. S. 23 B.T. A Pine 12 ins. diam. bears S  $64^{\circ}$  W 39 lks. dist. marked S. 14. N. R. 13. E. S. 22. B.T. A Pine 15 ins. diam. bears



T. 14. N. R. 13. E.

chs. N 75° W 58 lks. dist. marked  
 T. 14. N. R. 13. E. S. 15. B. J.  
 Land. nearly level.  
 Soil. gravelly. 2<sup>d</sup> rate  
 Timber heavy Pine & Oak. 80 chs.

---

S 89° 57' E on a random line  
 bet. Secs. 14 & 23.  
 Va. 13° 44' E.

40.00 Sect. temporary 1/4 Sec Cor.  
 80.10 Int. N. & S. line 6 lks. S. of Cor.  
 to Secs. 13, 14, 23 & 24. True.  
 West. on a true line  
 bet. Secs. 14 & 23.  
 Va. 13° 44' E

In heavy Pine & Oak timber <sup>dead</sup>

3.00 Gulch. 10 lks wide runs S. W.  
 24.00 Bank bars. N. W. & S. E. descend

BOOK 156  
 Subdivisions.

- | chs.  |                                                                                                                                                                                                                                                                                                 |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 33.40 | Gulch 10 lks. wide runs N.W.                                                                                                                                                                                                                                                                    |
| 33.90 | Trail bears. N.W. + S.E.                                                                                                                                                                                                                                                                        |
| 37.50 | Leave bottom + ascend                                                                                                                                                                                                                                                                           |
| 40.05 | Set a Sandstone 18x12x4 ins. 13 ins.<br>in the ground. for $\frac{1}{4}$ Sec. Cor. marked<br>$\frac{1}{4}$ on N. face. whence a Pine 8 ins. diam.<br>bears S36°E 20 lks. dist. marked<br>$\frac{1}{4}$ S. B.S. - A Pine 11 ins. diam. bears<br>N53°W 66 lks. dist. marked $\frac{1}{4}$ S. B.S. |
| 44.00 | Ridge bears. N.N.W + S.S.E. descend                                                                                                                                                                                                                                                             |
| 47.80 | Gulch. 20 lks. wide runs N.N.W. <sup>ascend</sup>                                                                                                                                                                                                                                               |
| 50.40 | Ridge bears N + S. descend                                                                                                                                                                                                                                                                      |
| 51.75 | Pine 20 ins. diam. on line, marked<br>with 2 notches on E. + W. sides                                                                                                                                                                                                                           |
| 52.85 | Gulch 10 lks wide runs N.E. ascend                                                                                                                                                                                                                                                              |
| 60.00 | Bank bears. N.E. + S.W. enter mesa                                                                                                                                                                                                                                                              |
| 73.00 | Bank bears N.E. + S.W. descend                                                                                                                                                                                                                                                                  |
| 80.10 | The Cor. to Secs. 14, 15, 22 + 23.<br>Land, rolling.                                                                                                                                                                                                                                            |

T. 14. N. R. 13. E.

cho. Soil gravelly & sandy 2<sup>d</sup> rate  
 Timber heavy Pine & Oak. 80.10 cho.  
 October 17, 1893.

N 0' 1' W. bet. Secs. 14 & 15.  
 Va. 13° 44' E.

In heavy Pine & Oak timber

- 3.00 Bank trans. N.E. & S.W. descend  
 10.00 Enter gulch. runs N.E.  
 10.70 Leave gulch. runs N.E. ascend  
 12.25 Pine 24 ins. diam. on line marked  
 with 2 notches on N. & S. sides.  
 17.00 opposite bank trans. N.E. & S.W.  
 23.50 Bank trans. N.E. & S.W. descend  
 27.10 Gulch 10 lks wide runs N.E. ascend  
 32.00 opposite bank trans. N.E. & S.W.  
 39.80 Bank trans. N.W. & S.E. descend abruptly  
 40.00 Set a sandstone 17 x 8 x 6 ins. 12 ins

## Subdivisions.

- Chs. in the ground. for  $\frac{1}{4}$  Sec. Cor. marked  
 $\frac{1}{4}$  on W. face. whence A Pine 15 ins.  
 diam. bears. N50°W 6 lks. dist. marked  
 $\frac{1}{4}$  S. B.S. - A Pine 16 ins. diam. bears  
 S16°E 68 lks. dist. marked  $\frac{1}{4}$  S. B.S.
- 41.40 Recross gulch. 100 lks. wide runs <sup>as usual</sup> NW
- 44.20 Opposite bank bears. N.W. & S.E. entrance
- 64.20 Gulch. 40 lks. wide runs N.W.
- 80.00 Set a Sandstone 18x12x5 ins. 13 ins.  
 in the ground. for Cor. to Secs. 10.11.  
 14 & 15. marked with 4 notches on S.  
 & 2 notches on E. edges. whence  
 A Pine 5 ins. diam. bears.  
 N25°E 4 lks. dist. marked  
 T. 14. N. R. 13. E. S. 11 B.S.  
 A Pine 7 ins. diam. bears  
 S17°E 19 lks. dist. marked  
 T. 14. N. R. 13. E. S. 14. B.S.  
 A Pine 10 ins. diam. bears.

T. 14. N. R. 13. E.

Chs. S 76° W 44 lks. dist. marked  
 T. 14. N. R. 13. E. S. 15. B.S. -  
 A Pine 5 ins. diam. bears  
 N 75° W 30 lks. dist. marked  
 T. 14. N. R. 13. E. S. 10. B.S. -  
 Land rough & broken  
 Soil. Stony & gravelly 3<sup>d</sup> rate  
 Timber heavy Pine & Oak 80 chs.

---

East. on a random line.

bet. Secs. 11 & 14.

Ya 13° 44' E.

40.00

Set. temporary 1/4 Sec. Cor.

79.77

Sub. N. & S. line at Cor. to Secs.  
 11, 12, 13 & 14. Thence I run

West. on a true line.

bet. Secs. 11 & 14.

Ya. 13° 44' E

BOOK 156  
 Subdivisions.

- chs. In heavy Pine & Oak timber
- 21.50 Trail, bears N.E. & S.W.
- 39.39 Set a Sandstone 16x12x8 ins. 11 ins.  
 in the ground, for  $\frac{1}{4}$  Sec Cr. marked  
 $\frac{1}{4}$  on N. face. where a Pine 6 ins  
 diam. bears S  $7^{\circ}$  E 25 lks. dist.  
 marked  $\frac{1}{4}$  S. B.T. An Oak 4 ins.  
 diam. bears N  $27^{\circ}$  E 43 lks. dist.  
 marked  $\frac{1}{4}$  S. B.T.
- 47.50 Bank bears N.E. & S.W descend
- 61.65 Gulch 10 lks. wide runs S.W. <sup>and</sup>
- 70.10 Opposite bank bears N.E. & S.W.
- 74.50 Bank bears N.W. & S.E. descend
- 79.77 The Cor. to Secs. 10, 11, 14 & 15  
 Land, broken  
 Soil, stony & gravelly 3<sup>d</sup> note  
 Timber heavy Pine & Oak 79.77<sup>c</sup>
-

J. 14. N. Q. 13. E.

Chs.	N 0° 1' W. bet. Secs. 10 & 11. Va. 13° 44' E
	In heavy Pine Timber
24.00	Banks bears. E. & W. descend
29.30	Pine 14 ins. diam. on line. marked with 2 notches on N. & S. Sides
29.15	Gulch 10 lks wide, runs westerly <sup>at 44</sup>
32.75	Opposite banks bears. E. & W.
40.00	Set a Sandstone 24x14x10 ins, 18 ins. in the ground, for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ on W. face. whence a Pine 5 ins. diam. bears. S 86° $\frac{1}{4}$ W 172 lks dist. marked $\frac{1}{4}$ S B.S. - A Cedar 6 ins. diam. bears N 62° E. 124 lks dist. marked $\frac{1}{4}$ S. B.S.
43.75	Leaves heavy Pine + Entu Cedar
49.00	Leaves Cedar
51.00	Entu Cedar
56.00	Leaves Cedar

BOOK 156  
 Subdivisions.

chs.	
60.50	Enter Cedar
80.00	Set a Sandstone 18 X 10 X 5 ins. 13 ins in the ground for Cor. to Secs. 2, 3 10 X 11. marked with 5 matches on S. and 2 matches on E. edges, where A Pine 4 ins. diam. bears N 14° E 10 lks. dist. marked T. 14, N. R. 13, E. S. 2, B. S. A Pine 5 ins. diam. bears S 53½° E 36 lks. dist. marked T. 14, N. R. 13, E. S. 11. B. S. A Pine 10 ins. diam. bears S 23° W 22 lks. dist. marked T. 14, N. R. 13, E. S. 10 B. S. A Pine 11 ins. diam. bears N 39° W 25 lks. dist. marked T. 14, N. R. 13, E. S. 3 B. S. Land broken Soil. gravelly 2 <sup>d</sup> + 3 <sup>d</sup> rate Timber Pine & Cedar. 73.50. chs.



T. 14. N. R. 13. E.

- |       |                                                                                                                                                                                                                                                                                                                                                            |
|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Chs.  | East on a random line.<br>bet. Secs. 2 & 11.<br>Ta. $13^{\circ}44'E$                                                                                                                                                                                                                                                                                       |
| 40.00 | Set temporary $\frac{1}{4}$ Sec. Cr.                                                                                                                                                                                                                                                                                                                       |
| 79.80 | Int. N.T.S. line 35 lks. N. of<br>Cr. to Secs. 1, 2, 11 & 12. Thence I run<br>$N 89^{\circ}45' W$ on a true line<br>bet. Secs. 2 & 11.<br>Ta $13^{\circ}45'E$                                                                                                                                                                                              |
| 15.50 | Enter Cedar                                                                                                                                                                                                                                                                                                                                                |
| 26.00 | Leave Cedar                                                                                                                                                                                                                                                                                                                                                |
| 39.90 | Set a Sandstone $15 \times 10 \times 6$ ins. 10 ins<br>in the ground. for $\frac{1}{4}$ Sec. Cr. marked<br>$\frac{1}{4}$ on N. face. whence a Pine 5 ins.<br>diam. bears $N 73^{\circ}15' W$ 189 lks. dist.<br>marked $\frac{1}{4}$ S. B. L. - A Pine 6 ins.<br>diam. bears $S 54^{\circ} \frac{1}{4} E$ 203 lks. dist.<br>marked $\frac{1}{4}$ S. B. L. - |
| 43.00 | Enter Cedar                                                                                                                                                                                                                                                                                                                                                |

Subdivisions. BOOK 156

chs.	
60.00	Leary Cedar.
61.10	Trail, beans. N. & S.
62.50	Enter Cedar.
79.80	The Cor. to Secs. 2, 3, 10, & 11. Land, level. Soil, gravelly, 3 <sup>d</sup> rate, Timber Cedar & Piñon. 44.80 chs.

$N 0^{\circ} 13' E$  on a random line

bet. Secs. 2 & 3.

$\gamma a. 13^{\circ} 44' E.$

40.00 Set temporary  $1/4$  Sec. Cor.

78.00 Int. N. boundary of Tp. 30 lks. E. of  
Cor. to Secs. 2, 3, 34 & 35 herein before  
described. Thence I run  
South, on a true line

bet. Secs. 2 & 3.

$\gamma a. 13^{\circ} 44' E.$

T. 14. N. R. 13. E.

- Chs. In dense Cedar & Piñon
- 3.00 Leave Cedar & Piñon
- 14.00 Enter dense Cedar & Piñon.
- 38.00 Set a sandstone 18x10x4 ins, 13 ins.  
in the ground. for  $\frac{1}{4}$  Sec. Cor. Marked  
 $\frac{1}{4}$  on W. face. whence a Pine 12 ins.  
diam. bears. N 81° W 44 lks dist,  
Marked  $\frac{1}{4}$  S. B. S. A Pine 4 ins. diam  
bears. S 38° E 8 lks. dist marked  
 $\frac{1}{4}$  S. B. S. —
- 78.00 The Cor to Secs. 2, 3, 10 & 11.  
Land. level.  
Soil. gravelly. 2<sup>d</sup> + 3<sup>d</sup> rate.  
Timber Cedar & Piñon. 67.00 chs.
- October 18, 1893.
-

## Subdivisions.

- Chs. From the Cor. to Secs. 33 & 34 on  
S. boundary of Sp. Herinbufova  
described, I run.  
N<sup>o</sup> 2' W. bet. Secs. 33 & 34.  
Va. 13° 44' E
- In heavy Pine timber
- 7.75 Pine 30 ins. diam. on line marked  
with 2 notches on N. & S. sides
- 40.00 Set a Sandstone 16x10x4 ins, 11 ins  
in the ground, for 1/4 Sec Cor. marked  
1/4 on W. face, where a Pine 8 ins  
diam. bears N 65° E 38 lks. dist.  
marked 1/4 S. B. I. - A Pine 6 ins,  
diam. bears S 87° W 50 lks. dist.  
marked 1/4 S. B. I. -
- 67.45 Pine 20 ins. diam. on line  
marked with 2 notches on N. & S. sides
- 74.60 Gulch 10 lks. wide runs NNE.
- 80.00 Set a Sandstone 22x10x5 ins

BOOK 756

T. 14. N. R. 13. E.

Chs. 16 ins. in the ground. for. Gr. to Seas  
 27, 28, 33 & 34. marked with 1 notch  
 on S. & 3 notches on E. edges, whence  
 A Pine 4 ins. diam. bears  
 N 69 $\frac{1}{2}$ ° E 53 lks. dist. marked  
 T. 14. N. R. 13. E. S. 27 B.S. -  
 A Pine 6 ins. diam. bears  
 S 55 $\frac{1}{2}$ ° E 73 lks. dist. marked  
 T. 14. N. R. 13. E. S. 34 B.S. -  
 A Pine 4 ins. diam. bears.  
 S 54° W 99 lks. dist. marked  
 T. 14. N. R. 13. E. S. 33. B.S.  
 A Pine 20 ins. diam. bears  
 N 60° W 11 lks. dist. marked  
 T. 14. N. R. 13. E. S. 28 B.S.  
 Land. level  
 Soil. gravelly 2<sup>d</sup> rate  
 Timber heavy Pine 80 chains

---

## Subdivisions.

- chs.  $S 89^{\circ} 59' E$  on a random line  
bet. Secs. 27 & 34  
Va.  $13^{\circ} 44' E$
- 40.00 Set. temporary  $\frac{1}{4}$  Sec. Cor.
- 79.94 Int. N.T.S. line 10 lks. N. of Cor. to  
Secs. 26, 27, 34 & 35. Thence I run  
 $N 89^{\circ} 55' W$ . on a true line  
bet. Secs. 27 & 34  
Va  $13^{\circ} 44' E$
- In heavy Pine timber
- 34.50 Bank bears N.N.E. + S.S.W descend
- 38.50 Gulch 10 lks. wide runs N.N.E. ascend
- 39.97 Set. a Sandstone  $18 \times 10 \times 5$  ins. 13 ins.  
in the ground, for  $\frac{1}{4}$  Sec. Cor. marked  
 $\frac{1}{4}$  on N. face. whence An Oak, 5 ins  
diam. bears  $N 18^{\circ} W 58$  lks. dist.  
marked  $\frac{1}{4}$ . S. B.T. - An Oak 4 ins  
diam. bears  $S 76^{\circ} E 43$  lks. dist.  
marked  $\frac{1}{4}$ . S. B.T. -

T. 14. N. R. 13. E.

Chs.	
43.50	Opposite bank bars. NNE. + S.W.
51.00	Bank bars. N.E. + S.W. descend
54.50	Enter bottom
55.45	Gulch 20 lks wide runs. NE.
55.55	Trail. bars. NE. + S.W.
56.30	Leave bottom + ascend
67.00	Opposite bank bars. NE. + S.W.
71.50	Bank bars. NNE. + S.W. descend
75.90	Gulch 10 lks. wide runs. NNE, ascend
79.20	Opposite bank bars. NNE. + S.W.
79.94	The Cor. to Secs. 27, 28, 33 & 34. Land broken Soil, gravelly. 2 <sup>d</sup> & 3 <sup>d</sup> rate Timber heavy Pine & Oak. 79.94 ch

N 0° 2' W. bet. Secs. 27 & 28.

Va. 13° 44' E

In heavy Pine & Oak timber.

200K 156  
 Subdivisions.

- chs.  
 40.00 Set a Sandstone 18x10x6 ins. 11 ins  
 in the ground, for  $\frac{1}{4}$  Sec. Cor. marked  
 $\frac{1}{4}$  on W. face. whence A Pine 20 ins.  
 diam. bears N30°E 50 lks, dist,  
 marked  $\frac{1}{4}$  S. B. I. - A Pine 16 ins  
 diam. bears N60°W 34 lk dist,  
 marked  $\frac{1}{4}$  S. D. I. -
- 80.00 Set a Sandstone 18x10x6 ins 13 ins  
 in the ground, for Cor. to Secs. 21.  
 22. 27 & 28, marked with 2 notches  
 on S, an 3 notches on E. edges, whence  
 A Pine 5 ins. diam, bears  
 N70°E 30 lks, dist. marked  
 T. 14, N. R. 13, E, S. 22 B. I.  
 A Pine 5 ins. diam, bears  
 S55°E 8 lks. dist. marked  
 T. 14, N. R. 13, E, S. 27, B. I.  
 A Pine 6 ins. diam. bears.  
 S54°W 31 lks. dist. marked



T. 14. N. R. 13. E.

Chs. T. 14. N. R. 13. E. S. 28 B.T.

A double Pine 40 ins. diam. bears  
 N 35° W 126 lks. dist. marked  
 T. 14. N. R. 13. E. S. 21. B.T.

Land level.

Soil gravelly 2<sup>d</sup> rate.

Timber heavy Pine &amp; Oak 80 chs.

S 89° 55' E on a random line

bet. Secs. 22 &amp; 27.

Va 13° 44' E

40.00 bet. temporary 1/4 Sec. Cor.

80.36 Int. N. + S. line 5 lks. S. of Cor. to  
 Secs. 22, 23, 26, + 27. Thence I run  
 N 89° 57' W on a true line.

bet. Secs. 22 + 27

Va 13° 44' E

In heavy Pine &amp; Oak timber, as usual

Subdivisions. BOOK 156

chs.	
2.80	Bank trans. N. & S.
13.50	Bank trans. N. & S. descend
17.20	Gulch 10 lks. wide runs northly. ascend
27.50	Bank, trans. N. & S.
32.20	Bank trans. N.E. & S.W. descend
37.70	Enter bottom
38.05	Gulch 10 lks. wide runs N.E.
38.85	Trail trans N.E. & S.W.
39.50	Leave bottom & ascend
40.18	Set a Sandstone 18x12x6 ins. 13 ins in the ground. for $\frac{1}{4}$ Sec. Co. marked $\frac{1}{4}$ on N. face. whence A Pine 12 ins. diam. trans $S3^{\circ}E$ 12 lks. dist. marked $\frac{1}{4}$ S. B. J. - A Pine 11 ins. diam. trans $N17^{\circ}W$ 10 lks. dist. marked $\frac{1}{4}$ S. B. J.
41.00	Ridge trans. N.E. & S.W. descend
45.00	Gulch 10 lks. wide runs N.E. ascend
48.75	Pine 22 ins. diam. on line, marked with 2 notches on E. & W. sides.

T. 14. N. R. 13. E.

- chs. 49.25 Bank bears. N.E. + S.W.
- 56.40 Pine 20 ins. diam. on line. marked with 2 notches on E. + W. sides
- 64.00 Bank bears. N.E. + S.W. descend
- 67.20 Gulch 10 lks. wide. runs N.E. ascend
- 67.25 Trail bears N.E. + S.W.
- 72.50 Opposite bank bears N.E. + S.W.
- 80.36 The Cor. to Secs. 21, 22, 27 & 28.  
Land. broken  
Soil. gravelly 2<sup>d</sup> + 3<sup>d</sup> rate  
Timber heavy Pine & Oak, 80.36 chs.

N 0° 2' W. bet. Secs. 21 & 22.

Pa. 13° 44' E

In heavy Pine & Oak timber

- 13.40 Pine 16 ins. diam. on line. marked with 2 notches on N. + S. sides.
- 40.00 Set. a Sandstone 22x16x10 ins. 16

Subdivisions.

- Chs.      ris in the ground. for  $\frac{1}{4}$  Sec. Cor.  
 marked  $\frac{1}{4}$  on W. face. Whence a Pine  
 5 ins. diam. bears  $N10^{\circ}E$  18 lks.  
 dist. marked  $\frac{1}{4}$  S. B. I. - A Pine  
 5 ins. diam. bears.  $N55^{\circ}W$  14 lks.  
 dist. marked  $\frac{1}{4}$  S. B. I. -
- 65.00      Bank bears.  $NNW$ . +  $SS.E$ . descend
- 70.00      Gulch 20 lks. wide runs  $NNW$ . <sup>ascend</sup>
- 71.75      Ridge bears.  $NNW$ . +  $SS.E$ . descend
- 74.70      Gulch 20 lks. wide, runs  $NNE$ . <sup>ascend</sup>
- 79.30      Opposite bank bears.  $NNE$ . +  $SS.W$
- 80.00      Set a Sandstone  $18 \times 10 \times 10$  ins. 13 ins  
 in the ground. for Cor. to Secs. 15, 16  
 21 + 22, marked with 3 matches on S.  
 and E. edges. Whence.  
 A Pine 5 ins. diam. bears  
 $N81^{\circ}E$  46 lks. dist. marked  
 S. 14, N. R. 13, E. S. 15. B. I.  
 A double Pine 14 ins. diam. bears

BOOK 156

T. 14. N. R. 13. E.

Chs. S 40° E 88 lks. dist. marked  
 T. 14. N. R. 13. E. S. 22 B.T. -  
 A Pine 12 ins. diam. trans  
 S 75° W 115 lks. dist. marked  
 T. 14. N. R. 13. E. S. 21. B.T.  
 A Pine 28 ins. diam. trans  
 N 54° W 85 lks. dist. marked  
 T. 14. N. R. 13. E. S. 16. B.T. -  
 Land. broken  
 Soil. gravelly 3<sup>d</sup> rate  
 Timber heavy Pine & oak 80 chs.

---

S 89° 57' E on a random line  
 bet. Secs. 15 & 22.

Ya. 13° 44' E

40.00 Sect. temporary 1/4 Sec. Cor.  
 80.40 Int. N. t. S. line 9 lks. N. of Cor. to  
 Secs. 14, 15, 22, & 23. Thru Iron.

## Subdivisions.

Chs. N89°53'W on a true line  
bet. Secs. 15 & 22,  
Va. 13°44'E.

In heavy Pine & Oak timber

6.30 Bank trans. N.E. & S.W. descend

9.55 Gulch 45 lks. wide runs N.E. ascend

18.50 Opposite bank trans N.E. & S.W.

24.00 Learn Cedar

40.20 Set a Sandstone 35 x 12 x 10 ins. 25  
ins. in the ground. for  $\frac{1}{4}$  Sec. Cor.

marked  $\frac{1}{4}$  on N. face. where a Pine  
14 ins. diam. bears. S 33°W 28 lks.

dist. marked  $\frac{1}{4}$  A. B. S. - A Pine 13

ins. diam. bears. N 64°W 19 lks.

dist. marked  $\frac{1}{4}$  S. B. S. -

57.50 Enter Cedars

70.00 Bank trans. N.W. & S.E. descend

74.80 Gulch 20 lks. wide runs N.W. <sup>marked</sup>

75.50 Ridge trans. N. & S. descend

158

T. 14. N. R. 13. E.

- 76.00 Gulch 20 lks. wide, runs northerly. <sup>Bank</sup>
- 79.25 Opposite bank trans. N. & S.
- 80.40 The Cor. to Secs. 15, 16, 21, & 22,  
Land nearly level.  
Soil. gravelly 2<sup>d</sup> & 3<sup>d</sup> rate.  
Timber. Pine, Cedar, & Oaks. 46.90 chs.
- October 19, 1893.
- 

N 0° 2' W. bet. Secs. 15, & 16.  
Va. 13° 44' E

- 15.50 Bank trans. N.E. & S.W. descend abruptly
- 21.80 Enter gulch runs N.E.
- 23.40 Leave gulch runs N.E. ascend
- 23.80 Trail trans. N.E. & S.W.
- 27.00 Opposite bank trans. N.E. & S.W.
- 40.00 Set a sandstone 18x12x4 ins. 13 ins  
in the ground. for 1/4 Sec. Cor marked  
1/4 on W. face. when a Juniper 10

## Subdivisions.

- chs. ins diam. trunks  $N 73^{\circ} E$  72 lks.  
dist. marked  $\frac{1}{4}$  S. B.Y. - A Juniper  
18 ins. diam. trunks.  $S 86^{\circ} W$  60 lks.  
dist. marked  $\frac{1}{4}$  S. B.Y. -
- 44.20 Bank trunks  $N.E. \& S.W.$  descend
- 49.90 Descend abruptly.
- 54.20 Gulch 10 lks wide runs,  $N.E.$  ascend
- 57.00 Enter Cedars.
- 60.10 Opposite bank trunks  $N.E. \& S.W.$
- 70.00 Right bank Willow Cañon trunks  $E \& W$  descend
- 80.00 Set a Sandstone  $18 \times 10 \times 6$  ins. 13 ins  
in the ground. for. Cr. to Secs. 9, 10,  
15, & 16. marked with 4 notches on S.  
and 3 notches on E. edges. whence  
A Fir 10 ins. diam. trunks.  
 $N 30^{\circ} E$  49 lks. dist. marked  
T. 14. N. R. 13. E. S. 10 B.Y. -  
A Fir 16 ins. diam. trunks  
 $S 48^{\circ} E$  59 lks. dist. marked



BOOK 156

T. 14. N. R. 13. E.

- chs. T. 14, N. R. 13, E. S. 15. B. 1. -  
 A Fir 15 ins. diam. bears  
 S 36° W 46 lks. dist. marked
- T. 14, N. R. 13, E. S. 16. B. 1. -  
 A Fir 12 ins. diam. bears  
 N 49° W. 38 lks. dist. marked
- T. 14, N. R. 13. E. S. 9. B. 1. -  
 Land very rough & broken.  
 Soil gravelly & stony. 3<sup>d</sup> & 4<sup>th</sup> rate  
 Timber. Pine Cedar & Juniper 23. chs.

S 89° 53' E on a random line  
 bet. Secs. 10 & 15.  
 Va. 13° 44' E

- 40.00 Set. temporary 1/4 Sec. Cor.
- 80.12 Int. N. & S. line 17 lks. S. of Cor.  
 to Secs. 10, 11, 14 & 15. Thence I run  
 West on a true line.

## Subdivisions.

Chs.

bet. Secs. 10 &amp; 15.

Va. 13° 44' E.

Descend

1.95 Gulch 10 lks. wide, runs S.W. ascend

11.00 Ridge trans. N.W. &amp; S.E. descend

18.30 Gulch 40 lks. wide runs. N.W. ascend

25.25 Ridge trans. N. by W. + S. by E. descend

29.50 Gulch 20 lks. wide. runs. northerly <sup>ascend</sup>

34.70 Opposite bank trans. N. + S.

40.06 Set a sandstone 18x10x8 ins. 13. ins.  
in the ground. for 1/4 Sec. Cor. Marked  
1/4 on N. face. and raised a mound  
of stone 1 1/2 ft. high. 2 ft. base,  
alongside. Pits impracticable.  
No trees, within limits.

44.00 Right Bank Willow Cañon trans  
Northerly + Southerly. descend abruptly

56.10 Willow Cañon 80 lks wide runs N. by E

69.84 Revers Willow Cañon 100 lks. wide

T. 14. N. R. 13. E.

Chs. runs E by South. ascend alongside stream  
 80.12 The Cor. to Secs. 9, 10, 15 & 16.  
 Land very rough & broken  
 Soil, rocky 5<sup>th</sup> rate.  
 Timber, Scattering Cedar & Piñon.

---

N 0° 2' W. bet. Secs. 9 & 10.

Va 13° 44' E

2.10 Willow Cañon 70 lks wide runs Easterly. <sup>ascend</sup>  
 11.20 Opposite bank. bears Easterly & Westerly  
 18.60 Left bank Willow Cañon. bears N.W. & S.E. <sup>descend</sup>  
 26.55 Willow Cañon 65 lks wide. runs N.W. & S.E. <sup>ascend</sup>  
 34.80 Descend  
 40.00 Set a sandstone 20 x 14 x 6 ins. 15 ins.  
 in the ground. for  $\frac{1}{4}$  Sec. Cor. marked  
 $\frac{1}{4}$  on W. face. and raised a mound  
 of stones  $1\frac{1}{2}$  ft. high. 2 ft. base  
 alongside. pits impracticable

57.  
BOOK 156  
Subdivisions.

- |       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Chs.  | No trees within limits.                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| 44.50 | Recross Willow Cañon. 60 lks. wide runs. <sup>as run</sup> N.N.E.                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 60.80 | Recross Willow Cañon 75 lks wide runs. N.N.W.                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 73.00 | Top. Right bank Willow Cañon bears. N.W. & S.E.                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| 78.50 | Gulch 20 lks. wide. runs. S.W.                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| 80.00 | Set. a Sandstone 18x10x10 ins. 13 ins<br>in the ground. for. to Secs. 3, 4, 9 & 10<br>Marked with 5 notches on S. and 3.<br>notches on E. edge. Whence<br>A Cedar 5 in diam. bears<br>N 73° E 57 lks. dist. marked<br>T. 14. N. R. 13. E. S. 3. B. 1.<br>A Pine 6 ins. diam. bears<br>S 81½° E 131 lks. dist. marked<br>T. 14. N. R. 13. E. S. 10. B. 1.<br>A Cedar 5 ins. diam. bears<br>S 75° W 32 lks. dist. marked<br>T. 14. N. R. 13. E. S. 9. B. 1.<br>A Pine 6 ins. diam. bears. |

T. 14. N. R. 13. E. <sup>210K 758</sup>

chs. N 25° W 27 lks. dist marked  
T. 14. N. R. 13. E. S. 4 B. 1.  
Land very rough. 2<sup>d</sup> broken.  
Soil. rocky 5<sup>th</sup> rate.  
Timber Scattering Cedar & Pinon.

---

East. on a random line  
bet. Secs. 3 & 10.  
Va. 13° 44' E

40.00 Sect. temporary 1/4 Sec. Cor.  
80.00 Int. N. & S. line at Cor. to Secs. 2, 2  
10 & 11. Thence I run.  
West. on a true line.  
bet. Secs. 3 & 10,  
Va. 13° 44' E.  
In Cedars  
8.55 Trail, bears N.W. & S.E.  
16.70 Leaves Cedars.  
20.00 Enter Cedars.

## Subdivisions. T. 14. N. R. 13. E.

chs.	
28.30	Leaves Cedars.
40.00	Enter Cedars. <sup>and</sup>
	Set a Sandstone 20x10x4 ins. 15. ins. in the ground, for 1/4 Sec. Cor. marked 1/4 on N. face. when a Cedar 8 ins. diam. bears. N 84° W 17 lks. dist. marked 1/4 S. B.T. A Pine 8 ins. diam. bears. S 47° W 49 lks. dist. marked 1/4 S. B.T.
55.95	Pinon 6 ins. diam. on line. marked with 2 notches on E. & W. sides.
61.50	Leaves Cedars.
61.80	Bank bears. N.E. & S.W. descend
69.90	Descend abruptly.
75.40	Gulch. 20 lks. wide. runs. SW <sup>ward</sup>
80.00	The Cor. to Secs. 3, 4, 9 & 10. Land. broken. Soil. gravelly. 3 <sup>d</sup> part Timber. Cedar & Pinon. 46.50 chs.

Concluded, Book 157.