

27.

1
x

No. 156

158

4-671

FIELD NOTES
GENERAL LAND OFFICE.

Subdivision

Township 14 N 14 East

No-158 1

Field Notes
of the survey of

Subdivisions

Pp. 14 North Range 14 East
of the
Gila ^{and} Salt River Base ^{and} Meridian
in the

Territory of Arizona
as surveyed by
Philip Coutzen

U.S. Deputy Surveyor.
Under his contract No. 27.
Dated Feb'y 1893.

Survey Commenced Feb. 2, 1893.
Survey Completed Nov. 11, 1893.

At 12 M. November 2, 1893. at or to
secs. 1-2-35 and 36 on S. boundary of
Sp. 4 N. R. 14 E. I took an observa-
tion on the sun and find my
instrument in perfect adjust-
ment.

Lat. $34^{\circ} 33' N$. Mean Variation $13^{\circ} 57' E$.

Subdivisions

- Chains N. 0° 1' W h. sec. 35 ^{and} 36.
 Va. 13° 53' E.
 Through Timber ascending Canon
 course E.
- 8.00 bottom
- 18.50 ascent
- 23.00 top
- 40.00 Set a sand stone 18 x 14 x 3 ins 18 ins in the
 ground for 1/4 sec. cor marked 1/4 on W
 face, from which
 A Pine 14 ins diam br. N 21° W 18 lks
 dist. marked 1/4 S.B.T.
- A Pinow 5 ins diam br. S 23° E. 37 lks
 dist. marked 1/4 S.B.T.
- 49.00 Gulch 50 elowise course E. N. E.
- 51.00 Recross Gulch ^{course} N. W.
- 60.00 Recross Gulch ^{and} ascent course N. E.
- 68.00 top
- 80.00 Set a lime stone 37 x 10 x 4 ins 18 ins in the

Sp. 14 N. 14 East.

Chains ground for cor to sec. 25-26-30^{and} 36. marked with notch on S^{and} E. edges from which

A Pinon pins diam br. N. 49° E. 27 lks
Sist marked Sp. 14 N. R. 14 E. S. 25 B. T.

A Pinon pins diam br. S. 41° E. 112 lks
Sist marked Sp. 14 N. R. 14 E. S. 36 B. T.

A Pinon pins diam br. S. 43° W 62 lks
Sist marked Sp. 14 N. R. 14 E. S. 35 B. T.

A Pinon pins diam br. N. 53° W 19 lks
Sist marked Sp. 14 N. R. 14 E. S. 26 B. T.

Land Broken

Soil 3rd^{and} 4th rate

Socks Cedar^{and} Pinon Timber

Heavily timbered land socks

899 58' E on a random line to sec. 25^{and} 36.

N. 13° 15' E.

40.00 Set temporary 1/4 sec. cor.

79.80. Intersect. E. boundary of township 6th
So cor to sec. 25-30-31^{and} 36, as herein

Subdivisions

Chains before described.

Hence I run

S 89° 59' W on a true line to pt. 200 36 ^{and 36.}

On 130° 53' E.

Through timber, descend into Chevelon Cañon, course N.E.

10.50 bottom

18.50 Creek 40 lks wide fls. N.E.

19.60 ascent

32.00 top of bank

39.90 Set a sandstone 21 x 10 x 4 ins 14 ins in the ground for 1/4 sec. cor marked 1/4 on N face from which

A *Cetavicus* stem br. N. 17° W 15 lks dist marked 1/4 S.B.T.

A *Pionoides* stem br. S. 79° E 8 lks dist marked 1/4 S.B.T.

48.00 Ravine 30 lks wide course E.

54.50 Trail br. S.E.

chains Sp 14 N. P. 14 East.

70.50 Trail br. S. E.

79.80. The cor to sees. 25-26-35^{and} 36.

Land Rough^{and} Broken

Soil 3^{and} 4th rate

79.80 chs Cedar^{and} Pinod.

Heavily timbered land 79.80 chs

N. 0° 1' W lat sees. 25^{and} 36.

Va. 13° 54' E.

Through Timber

8.00 Trail br. S. E.

40.00 Set a lime stone 15 x 10 x 10 ins 10 ins in the ground for 1/4 sec cor marked 1/4 on W face from which

A Pinod 5 ins diam br. N. 51° E. 69 lbs
Sist marked 1/4 S. B.T.

A Pinod 4 ins diam br. S. 44° 30' W 59 lbs
Sist marked 1/4 S. B.T.

40.50 Draw 50 lbs wide course E.

64.00 Draw 50 lbs wide course E.

chains **Subdivisions** **BOOK 758**

71.00 Road to N.E.

80.00 Set a lime stone $18 \times 12 \times 6$ ins in the ground for cor to sec. 23-24-25 ^{and 26} marked with 2 notches on S ^{and} notch on E edges, from which.

A Pinon 8 ins diam to N. 72° E. 191 lks
 Dist marked Sp. 14 N. R. 14 E. S. 24 B.T.

A Pinon 7 ins diam to S. 81° E. 218 lks
 Dist marked Sp. 14 N. R. 14 E. S. 25 B.T.

A Cedar 10 ins diam to S. 37° W. 133 lks
 Dist marked Sp. 14 N. R. 14 E. S. 26 B.T.

A Cedar 8 ins diam to N. 59° W. 321 lks
 Dist marked Sp. 14 N. R. 14 E. S. 22 B.T.

Land Rolling

Soil 2nd ^{and} 3rd rate

80 chs. Cedar ^{and} Pinon Timber.

~~Heavily timbered land 80 chs~~

$789^\circ 59'$ On a random line to sec. 24 ^{and 25}

to $13^\circ 54' E$

chains

14 N. 14 East.

40.00 Settlement way $\frac{1}{4}$ sec. cor.

80.10 Intersect. E. boundary of township
3 lks N of cor to secs 19-24-25^{and} 30 as here-
in before described
Thence run

W on a true line to secs 24^{and} 25

to $13^{\circ}54' E$

through timber

40.05 Set a sand stone $27 \times 20 \times 10$ ins in the
ground for $\frac{1}{4}$ sec. cor marked $\frac{1}{4}$ on N face
from which

A Pinon 4 ins diam br. $N 50^{\circ} W$ 78 lks
dist marked $\frac{1}{4}$ S. B. T.

A Greasewood 3 ins diam br. $S 19^{\circ} 30' E$ 44 lks
dist marked $\frac{1}{4}$ S. B. T.

76.10 Road br. N E.

80.10 The cor to secs 23-24-25^{and} 26.

Land Rolling
Soil 3rd rate.

Subdivisions

Chains 80.10chs Cedar ^{and} Pinon timber
 ✓ ~~clearly timbered land 80.10chs~~
 Nov. 2, 1893

N. 0° W lat recs. 23 ^{and} 24.

Va. 3° 50' E.

Through Timber

38.00 descends into gulch course N E.

40.00 Set a Limestone 21 x 12 x 10 ins 14 in in the
 ground for 1/4 sec cor marked 1/4 on W face.
 from which

a Pinon 4 ins diam br. N. 44° W 74 lks
 dist marked 1/4 S.B.T.

a Pinon 6 ins diam br. S. 53° E. 72 lks
 dist marked 1/4 S.B.T.

48.00 bottom ^{and} ascent

45.00 top

80.00 Set a sandstone 18 x 14 x 6 ins 18 ins in the
 ground for cor to recs. 13-14-23 ^{and} 24
 marked with 3 notches on S. ^{and} notches
 on E edges from which

Sp 14 N. R. 14 East.

Chains A Pinon 5 ins diam br N 77° E. 68 lks

Dist marked Sp 14 N. R. 14 E. S. 13 B. T.

A Pinon 6 ins diam br S. 31° E. 36 lks

Dist marked Sp 14 N. R. 14 E. S. 24 B. T.

A Pinon 6 ins diam br S 82° 30' W 46 lks

Dist marked Sp 14 N. R. 14 E. S. 23 B. T.

A Pinon 4 ins diam br N 13° 30' W 78 lks

Dist marked Sp. 14 N. R. 14 E. S. 14 B. T.

Land Rolling

Soil 2nd and 3rd rate

80 chs Cedar ^{and} Pinon Timber.

~~Heavily timbered land 80 chs~~

E on a random line bet secs. 13 ^{and} 24

Va. 13° 00' E.

40.00 Set temporary 1/4 sec. cor.

80.50 Intersect E boundary of township at
corner secs. 13-18-19 ^{and} 24 as herein before

Described

Thence I run

Subdivisions

- Chains Won a true line bet pss 13 ^{and} 24
 Va. $13^{\circ} 50' E$.
 Through Timber
- 29.35 Road bet N.N.E.
- 40.10 Set a Lime stone $18 \times 14 \times 6$ ins 15 ins in the
 ground for $\frac{1}{4}$ sec cor marked from N
 face, from which.
 A Pinon 5 ins diam bet N $71^{\circ} E$. 105-66
 Dist marked $\frac{1}{4}$ S.B.T.
- A Pinon 4 ins diam bet S $72^{\circ} W$ 59-66
 Dist marked $\frac{1}{4}$ S.B.T.
- 49.00 descend into Gulch course N.E.
 53.50 bottom
 55.00 ascend
 58.00 top
- 68.50 Trail bet N.E.
- 80.50 The cor to pss 13-14-23 ^{and} 24
 Land Rolling
 Soil and ^{and} 3rd rate

Sp 14 N. R. 14 East

Chains 80.20 chs Cedar and Pinon Timber
 ✓ ~~Scarcely timbered land 80.20 chs~~

North $0^{\circ} 1' W$ ht sec. 13 ^{and 14}

to $13^{\circ} 53' S$.

through timber

22.50 Nail br. N.E.

40.00 Set a lime stone $15 \times 12 \times 4$ ins 10 ins in the ground for $\frac{1}{4}$ sec. cor marked $\frac{1}{4}$ on W face, from which

a Pinon 8 ins diam br. N. $24^{\circ} E$. 10 lbs
 Set marked $\frac{1}{4}$ S. B.T.

a Pinon 10 ins diam br. S. $63^{\circ} W$. 35 lbs
 Set marked $\frac{1}{4}$ S. B.T.

80.00 Set a lime stone $18 \times 15 \times 10$ ins 12 ins in the ground for cor to sec. 11-12-13 ^{and 14} marked with + notches on S ^{and} notches on E. edges, from which

a Pinon 6 ins diam br. N. $16^{\circ} E$. 49 lbs
 Set marked Sp. 14 N. R. 14 E. S. 12 B.T.

Subdivisions

Chain A Pinon 7 ins diam br. S. $41^{\circ}15'$ E. 20 lks

Submarked Sp. 14 N. R. 14 E. S. 13 B.T.

A Pinon 8 ins diam br. S. $21^{\circ}30'$ W. 15 lks.

Submarked Sp. 14 N. R. 14 E. S. 14 B.T.

A Pinon 8 ins diam br. N. $16^{\circ}W$ 51 lks

Submarked Sp. 14 N. R. 14 E. S. 11 B.T.

Land Rolling

Soil 3rd and 4th rate

80 chs Cedar and Pinon Timber.

~~Heavily timbered land 80 chs~~

On a rant one true line bet secs. 12 and 13

N. $13^{\circ}55'$ E.

40.00 Set temporary 1/4 sec. cor.

79.90 Intersect E boundary of township 12 lks

So of cor to secs. 7-12-13 and 18 as herein before

described

Thence I run

S. $89^{\circ}55'$ W on a true line bet secs 12 and 13

N. $13^{\circ}55'$ E.

Sp. 14 N. L. 14 East

- Chains through timber
- 25.00 bulch 75-lks wide. br. N.W.
- 29.00 bulch 75-lks wide br. N.W.
- 30.00 descend into bulch course N.W.
- 33.00 bottom, trail ^{and} ascent
- 39.00 top
- 39.95 Set a lime stone 15 x 14 x 10 inches in the ground for $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$ on N face, from which
- A Pinon + ins diam br. N. 67° E. 6 lks.
 1st marked $\frac{1}{4}$ S. B. 7.
- A Pinon + ins diam br. S. 49° W 2 8 lks
 1st marked $\frac{1}{4}$ S. B. 7
- 46.50 trail br. N.W.
- 79.90 the cor to sec. 11-12-13 ^{and} 14
- Land Rolling
- Soil 2nd ^{and} 3rd rate
- 79.90 chs Cedar ^{and} Pinon timber.
- ✓ Heavily timbered land 79.90 chs

Subdivisions

hans N. 0° 1' W hts. sec. 11. ^{and 12}

va 13° 51' E.

Through Timber

6.00 descend into gulch. course N.E.

8.00 bottom ^{and} ascent

10.00 top

40.00 Set a lime stone 34 x 12 x 7 ins. in the ground for 1/4 sec. cor marked 1/4 on W face from which

A Pinow 4 ins diam br. N. 62° W 23 lks
Dist. marked 1/4 S. B. T.

A Pinow 8 ins diam br. S. 10° E. 36 lks
Dist. marked 1/4 S. B. T.

46.00 descend into Gulch course N.E.

48.50 bottom ^{and} ascent

51.00 top

80.00 Set a lime stone 15 x 12 x 8 ins 10 ins in the ground for cor to sec. 1-2-11 ^{and 12} marked with 5 notches on S and notch on edges.

Chains from which

a Pinow 8 ins diam br. $N 18^{\circ} E$. 72 lks
 Dist. marked Sp. 14 N. R. 14 E. S. 1 B. T.

a Pinow 7 ins diam br. $S 28^{\circ} E$. 59 lks
 Dist. marked Sp. 14 N. R. 14 E. S. 1 B. T.

a Pinow 6 ins diam br. $S 20^{\circ} 30' W$ 78 lks
 Dist. marked Sp. 14 N. R. 14 E. S. 11 B. T.

a Pinow 10 ins diam br. $N 53^{\circ} 30' W$ 45 lks
 Dist. marked Sp. 14 N. R. 14 E. S. 2 B. T.

Land Rough and somewhat Broken
 Soil 3rd and 4th rate

so close as ^{and} Pinow Timber

~~Heavily timbered land so close~~

$N 89^{\circ} 55' E$ on a random line ht. pccs. 1 and 12
 Va $13^{\circ} 57' E$.

4 000 Set temporary 1/4 sec. cor.

8 000 Intersect E. boundary of township 10
 lks S. of cor to pccs. 1-6-7 and 12 as herein
 before described.

Subdivisions

Chains Thence I run.

S 89° 51' W on a true line to sec. 1 ^{and 12}

to 13° 51' E.

ascending Cañon bank through
Timber

34.00 top

40.10 Set a sand stone 15 x 10 x 5 ins in the
ground for 1/4 sec. cor marked 1/4 on N
face, from which

a Pinon 10 ins diam br. N 18° 30' E. 65 lks
dist marked 1/4 S.B.T.

A Pinon 8 ins diam br. S 8° 30' W 45 lks
dist marked 1/4 S.B.T.

80.50 The cor to sec. 1-2-11 ^{and 12}.

Land Broken

Soil. 3rd ^{and 4th} rate

80.50 chs Cedar ^{and} Pinon Timber.

Heavily timbered land 80.20 chs

N. 0° 1' W on a random line to sec. 1 ^{and 2}

Sp 14 N. L. 14 East.

- Chains Va. $13^{\circ}50'E$.
- 40.00 Set temporary $\frac{1}{4}$ sec cor.
- 80.26 Intersect N boundary of township
at cor to sec. 1-5-35 and 36, as herein be-
fore described
Thence run
S. $0^{\circ}1'E$ on a true line to sec. 1 and
Va. $13^{\circ}50'E$
Through Timber
- 39.55 Road to Muslow br. E. $N^{\circ}E$.
- 40.26 Set a line stone $15 \times 10 \times 5$ ins in the
ground for $\frac{1}{4}$ sec cor marked $\frac{1}{4}$ on W face
from which
A Cedar 12 ins diam br. $N. 68^{\circ}30'E. 28$ lks
Set marked $\frac{1}{4}$ S. P. T.
- A Pinon 4 ins diam br. $S. 45^{\circ} W 35$ lks
Set marked $\frac{1}{4}$ S. P. T.
- 48.00 Enter Cañon course $N.E.$
- 54.00 Bottom of Cañon, 50 lks. wide, course $N.E.$
- 59.00 Leave Cañon

25
BOOK 758
Subdivisions

80.26 The cor to secs 1-3-11 and 13.

Land Broken and Rolling
Soil, and 4th rate

80.26. chs Cedar and Pinon Timber
Heavily timbered land 80.26 chs

7.0° 1' W ht sec. 34 and 35

Na. 13° 50' E.

Through Timber

10.00 Set a sand stone 15 x 10 x 8 ins in the
ground for 1/4 sec cor marked 1/4 on W face
from which.

A Cedar 14 ins diam br. 71° 36' E. 82 lks
dist marked 1/4 S.B.T.

A Cedar 14 ins diam br. S. 27° W 110 lks
dist marked 1/4 S.B.T.

53.05 Road to Winslow br N.E.

80.00 Set a sand stone 18 x 10 x 4 ins 12 ins in the
ground for cor to secs 26-27-34 and 35
marked with 1 notch on S and 2 notches

Sp 14 N. L. 14 East.

Chains on Edges, from which

A Pine Wisconsin Co. S. $10^{\circ}30' E$ 26 lks

Sist marked Sp. 14 N. R. 14 E. S. 36 B. T.

A Pine Wisconsin Co. S. $27^{\circ} E$ 28 lks

Sist marked Sp. 14 N. R. 14 E. S. 35 B. T.

A Cedar Wisconsin Co. S. $7^{\circ}30' W$ 4 lks

Sist marked Sp. 14 N. R. 14 E. S. 34 B. T.

A Pine Wisconsin Co. N. $34^{\circ} W$ 20 lks

Sist marked Sp. 14 N. R. 14 E. S. 37 B. T.

Land Rolling

Soil 3rd rate

Do also Pine, Cedar and Pinus Timber

Heavily timbered land rocks

Nov. 3, 1893

S. $89^{\circ}58' E$ on a random line bet. sec. 36 ^{and 35}

N. $13^{\circ}30' E$.

40.00 Settling for any 1/4 sec. cor.

80.26. Intersect N. and S line 14 lks N. of center
secs. 25-26-35 ^{and 36} as herein before
described.

Subdivisions

Chains Three Inm.

N 89° 52' W on true line ht. sec. 26 ^{and 35}

Va 13° 50' E.

Through Timber

34.00 Draw 1 ch wide course W.

40.13 Set a sand stone 15 x 10 x 4 ins 10 ins in the ground for 1/4 sec or marked 1/4 in face from which.

A Pinowkins diam br. N 32° E. 57 lbs

Set marked 1/4 S.P.T.

A Cedar 15 ins diam br. S 61° W. 68 lbs

Set marked 1/4 S.P.T.

70.55 Road to Winslow br. N E.

80.26 The cor to sec. 26-27-34 ^{and 35}

Land Rolling

Soil 3rd rate

80.26 cls Cedar ^{and} Pinow Timber

Heavily timbered land sec. 26

N 0° W ht. sec. 26 ^{and 37}

Sp. 14 N. R. 14 East.

Chains 7a. $130^{\circ}51'E$.

Through Timber

40.00 Set a sand stone $18 \times 12 \times 10$ ins 18 ins in the ground for $\frac{1}{4}$ sec cor marked $\frac{1}{4}$ on W face from whichA Cedar 7 ins diam br. $N. 50^{\circ} E. 89$ lks
Dist marked $\frac{1}{4}$ S.B.T.A Pinon 8 ins diam br. $S. 65^{\circ} 30' W. 213$ lks
Dist marked $\frac{1}{4}$ S.B.T.80.00 Set a limestone $15 \times 12 \times 2$ ins 10 ins in the ground for cor. sec. 22-23-26^{and} 27 marked with 2 notches on S and E. edges from whichA Pinon 6 ins diam br. $N. 25^{\circ} E. 65$ lks
Dist marked Sp. 14 N. R. 14 E. S. 23 B. T.A Pinon 4 ins diam br. $S. 58^{\circ} E. 69$ lks
Dist marked Sp. 14 N. R. 14 E. S. 26 B. T.A Cedar 4 ins diam br. $S. 55^{\circ} W. 8$ lks
Dist marked Sp. 14 N. R. 14 E. S. 27 B. T.

Subdivisions

Chain A Pinon & ins tiam to N 15° W 43 lks
 Dist. marked sp. 14 N. R. 14 E. S. 22 B.T.

Land Rolling

Soil 2nd and 3rd rate

so chs. Cedar and Pinon Timber.

~~Heavily timbered land so chs~~

89° 55' E on a random line to sec. 23 ^{and 26.}

to 13° 55' E.

40.00 Set temporary 1/4 sec cor.

80.16 Intersect N ^{End} line 6 lks S of cor to
 sec. 23-24-25 ^{and 26} as herein before
 described.

Then I run

N 89° 55' W on a true line to sec. 23 ^{and 26.}

to 13° 55' E.

Through Timber.

33.00 bulch 50 lks wide course W.

40.08 A Pinon & ins tiam which I marked
 1/4 on N side ^{and} raised a mound of

N 14 W L 14 East.

Chains stone $\frac{1}{2}$ ft high $\frac{1}{2}$ ft base alongside

Pits impracticable; for $\frac{1}{4}$ sec. cor.

47.65 Trail br. N W

80.16 The cor to sec. 22-23-26 and 27.

Land Rolling

Soil moderate

80.16 chs Cedar and Pinon Timber.

Heavily timbered land rock

N. 0° 1' W br. sec. 22 and 23.

Va. 13° 53' E.

Through Timber

32.00 Gulch 1 ch wide course N E

40.00 Set a Lime stone 18 x 14 x 14 ins in the ground for $\frac{1}{4}$ sec. cor marked $\frac{1}{4}$ on N face from which

A Cedarous diam br. N 53° W 118 lks
Dist marked $\frac{1}{4}$ S. P. L.

A Pinon leaved diam br. S 54° E. 101 lks
Dist marked $\frac{1}{4}$ S. P. L.

chains BOOK 153
 Subdivisions

- 60.00 Enter Draw course N.E.
- 63.00 Trail bes N.E.
- 66.00 leave Draw
- 80.00 Set a sandstone 15 x 12 x 6 ins 10 ins in the
 ground for corrs sees. 14-15-22 and 23
 marked with 3 notches on S. and 2
 notches on E. edges, from which.
- A Pinon 10 ins diam br. N. 77° E. 70 lks
 Dist marked Sp. 14 N. R. 14 E. S. 14 B. T.
- A Pinon 10 ins diam br. S. 69° E. 45 lks
 Dist marked Sp. 14 N. R. 14 E. S. 53 B. T.
- A Pinon 8 ins diam br. S. 27° W 44 lks
 Dist marked Sp. 14 N. R. 14 E. S. 22 B. T.
- A Pinon 12 ins diam br. N. 82° W 39 lks
 Dist marked Sp. 14 N. R. 14 E. S. 15 B. T.
- Land Rolling
 Soil 2nd and 3rd rate
 Sochs Cedar and Pinon Timber
 Heavily timbered land sochs

Sp. 14 N. P. 14 East.

Chains S. 89° 55' E. on a random line to recs. 14 ^{and 23}
 Va. 135° 54' E.

40.00 Set temporary 1/4 sec. cor.

79.90 Intersect N. end S. line 20 kts S of cor
 to recs. 13-14-23 ^{and 24} as herein be-
 fore described.

Thence I run

S. 89° 56' W on a true line to recs. 14 ^{and 23}
 Va. 135° 54' E.

Through Timber

39.95 Set a lime stone 18 x 8 x 5 ins 15 ins in the
 ground for 1/4 sec cor marked 1/4 on N. face,
 from which.

A Pinon 4 ins diam br. N. 65° 30' W 47 kts
 Dist marked 1/4 S. B. T.

A Pinon 4 ins diam br. S. 43° E 8 kts
 Dist marked 1/4 S. B. T.

52.50 Enter Draw course N. N. E.

57.50 Leave Draw

chains Subdivisions

79.90 The cort pees 14-15-23^{and} 23
 Land Rolling
 Soil 2 no^{and} 3 no^{rate}
 79.90chs Cedar^{and} Piñon Timber
~~Heavily timbered land 79.90chs~~

N 0° 1' W lat. recs. 14^{and} 15
 Va. 13° 53' E.

Through Timber

40.00 Set a Lime stone 15 x 14 x 10 ins 10 ins in the
 ground for 1/4 sec. cor marked 1/4 on W face,
 from which

A Piñon 7 ins diam br. N 30° 30' E. 33 lks
 dist. marked 1/4 S. B. T.

A Piñon 6 ins diam br. S. 75° 30' W 31 lks
 dist. marked 1/4 S. B. T.

70.00 descent into Gulch course N.W.

71.50 bottom^{and} ascend

74.00 top

77.00 descent into same Gulch course N.E.

chains N. 14 W. 14 East

80.00 bottom ^{and} set a lime stone 27x12x15 ins 16 in
in the ground for cor to sec. 10-11-14 ^{and 15}
marked with 4 notches on S. ^{and} 2 notches
on E edge, from which

A Pinon 10 ins diam br. N. 65° E. 44 lks
dist marked sp. 14 N. R. 14 E. S. 11 B. T.

A Pinon 12 ins diam br. S. 34° E. 80 lks
dist marked sp. 14 N. R. 14 E. S. 14 B. T.

A Pinon 9 ins diam br. S. 48° 30' W 68 lks
dist marked sp. 14 N. R. 14 E. S. 15 B. T.

A Pinon 10 ins diam br. N. 26° W 57 lks
dist marked sp. 14 N. R. 14 E. S. 10 B. T.

Land Rolling

Soil 2nd ^{and} 3rd rate

socks Cedar ^{and} Pinon Timber.

Heavily timbered land socks

N. 89° 56' E on a random line to sec. 11 ^{and 14}

N. 13° 52' E.

40.00 Set temporary 1/4 sec. cor.

Chain Subdivisions

80.00 Intersect $N^{40}S$ line 6 lks S of cor to
 recs. 11-12-13 ^{and} 14 as herein before de-
 scribed

Hence I run

$S 89^{\circ} 49' W$ on a true line to recs. 11 ^{and} 14
 Va. $13^{\circ} 52' E$.

Through Timber

3.00 Gulch 100 lks wide course $N. N. W$

4.00 descend into Gulch course $N. N. E$

6.00 bottom ^{and} ascent

7.50 top

40.00 Set a Lime stone $15 \times 10 \times 8$ ins 10 ins in the
 ground for $\frac{1}{4}$ sec. cor marked $\frac{1}{4}$ on N
 face, from which

a Pinow 4 ins diam br. $N. 47^{\circ} W 43$ lks
 dist marked $\frac{1}{4}$ S. B. T

a Pinow 10 ins diam br. $S. 33^{\circ} 30' E 99$ lks
 dist marked $\frac{1}{4}$ S. B. T

78.00 descend

BOOK 158

Range 14 T. 14 R. 14 East

80.00 The cor to sec. 10-11-14 ^{and 15}

Land Rolling

Soil 2nd ^{and 3rd} strata

rocks Cedar ^{and} Pinon Timber.

Heavily timbered land rocks
Nov 4, 1893

71.00 Wht sec. 10 ^{and 11}

to 13° 57' E.

through timber. ascends from Gulch

5.00 top

8.50 Gulch. 100 lks wide course E.

37.00 descent into Gulch course E.

38.50 bottom ^{and} ascends

39.75 top

40.00 Set a Lime stone 12x10x8 ins diam in the ground for 1/4 sec. cor. marked 1/4 on W face, from which

A Pinon 5 ins diam ls. N 67° W 8 lks dist marked 1/4 S.B.T.

A Pinon 5 ins diam ls. S 28° 30' E. 23 lks

BOOK ¹⁵⁸
 Subdivisions

Chains list marked $\frac{1}{4}$ S. B. T.
 41.70 descend into W. Chevelon Cañon course E &
 48.50 bottom of W. Chevelon Creek - 50 lks wide
 course E.
 50.00 ascend
 57.70 top
 80.00 Set a lime stone $18 \times 12 \times 6$ ins in the
 ground for cor to secs. 1-3-10^{and} 11 marked
 with 5 notches on S^{and} 2 notches on E
 edges, from which
 A Pinow 10 ins diam br. $\backslash 67^{\circ}30'$ E. 14 lks
 list marked Sp. 14 N. R. 14 E. S. 2 B. T.
 A Pinow 6 ins diam br. $\backslash 5^{\circ}45'$ E. 89 lks
 list marked Sp. 14 N. R. 14 E. S. 11 B. T.
 A Pinow 10 ins diam br. $\backslash 64^{\circ}$ W 80 lks
 list marked Sp. 14 N. R. 14 E. S. 10 B. T.
 A Pinow 5 ins diam br. $\backslash 63^{\circ}30'$ W 14 lks
 list marked Sp. 14 N. R. 14 E. S. 3 B. T.
 Land Rolling and Broken
 Soil 3rd and 4th rate

Apr 14 N. L. 14 East

Chamys sochs Cesar ^{and} Pinow.

Sparsely timbered land sochs

- N. $89^{\circ}49'E$ on a random line bet secs 2 & 11
 Ya. $13^{\circ}51'E$
 40.00 set temporary $\frac{1}{4}$ sec. cor
 79.80 Intersect N. $\frac{1}{2}$ S. line 12 lks N. of cor. to sec's
 1-2-11 x 12 as hereinbefore described
 Thence I run
 S $89^{\circ}54'W$ on a true line bet secs 2 & 11
 Ya. $13^{\circ}51'E$
 Through scattering timber
 4.50 Descend into West Chevelon Cañon
 10.20 Bottom, West Chevelon Creek 50 lks wide
 course N. E.
 11.00 Ascend
 14.00 ^{Top} Descend into same cañon
 19.00 West Chevelon Creek 30 lks wide, course S. E.
 19.50 Ascend
 24.00 Top and descend
 26.60 West Chevelon creek 30 lks wide course N. E.
 27.00 Ascend
 32.00 Top and along bank of cañon
 39.90 A flat limestone in place, which
 I mark with (X) at exact cor. pt.
 and $\frac{1}{4}$ on W. side for $\frac{1}{4}$ sec. cor
 and raise da mound of stone
 $1\frac{1}{2}$ ft high, 2 ft base alongside.
 Pits impracticable
 43.00 Leave bank of cañon and descend
 44.50 West Chevelon Creek 30 lks wide, course
 S. E. cañon bears here West + S. E.
 49.00 Recross W. Chevelon Creek 50 lks wide
 course N. E.
 49.50 Ascend
 52.50 Top of West. bank of cañon $\frac{3}{4}$ descend
 into Wash

Chains Subdivisions

- 56.00 Wash, 30 lbs wide, course S. E. $\frac{1}{2}$ Ascend
- 66.00 top
- 79.80 The cor to recs 2-3-10 ^{and 11}
rough and broken
- Land level 20.30 chs, mountainous ^{51.50 chs}
- Soil 2 and ^{and} 4 th rate
- 79.90 chs Cedar ^{and} Pinow.
- ~~Mountainous land 51.50 chs~~
-
- N. 0° 1' W on a random line bet recs 2 ^{and} 3
- On 13° 52' E.
- 40.00 Set temporary 1/4 sec. cor.
- 80.20 Intersect N boundary of township 8 ch
E of cor to recs 2-3-34 ^{and} 35 as herein
before described
- Hence I run
- S. 0° 4' E on a true line bet recs 2 ^{and} 3
- On 13° 52' E.
- Through Timber
- 17.00 Road to Winslow by E. N. E.
- 20.00 Wash 20 lbs wide, course N. E. $\frac{3}{4}$ enter
dense Cedar and ^{and} ~~Pinow~~
- 40.30 Set a simple line 108 extends 12 mi into the

BOOK 158

P. 14 N. R. 14 East

Chains ground for 1/4 sec. cor marked 1/4 on W face, from which

a Pinon 7 ins diam br. N. 49° 30' E. 92 lks
dist marked 1/4 B. I.

a Pine 8 ins diam br. S. 37° 30' W 35 lks
dist marked 1/4 B. I.

48.90 Wash 20 lks course N. E
79.85 Road br. E. N. E.

80.20 The cor to secs. 2-3-10 and 11

Land Rolling
Soil 2 no rate

80.20 chs Cedar and Pinon

~~Heavily timbered 60.20 chs~~

No. 2. Whit secs. 33 and 34

Va. 13° 53' E.

Through Timber

40.00 Set a line stone 15 x 14 x 8 ins 10 ins in the ground for 1/4 sec. cor marked 1/4 on W face, from which

a Pinon 10 ins diam br. N. 33° W 20 lks

Subdivisions

- Chains first marked $\frac{1}{4}$ S. B. T.
 A Pine 15 ins diam br. S 49° W 68 lks
 first marked $\frac{1}{4}$ S. B. T.
- 60.00 descend into gulch course N.E.
- 65.00 bottom ^{and} trail
- 65.50 ascend
- 68.00 top
- 77.00 descend into gulch course S.E.
- 77.20 bottom ^{and} ascend
- 80.00 top
- 80.30 The cor to secs 27 28-33 ^{and} 34
 Land Rough Rolling
 Soil. 3rd rate
 80.30 clis Pine timber
 ✓ ~~Heavily timbered land as rocks~~
-
- N 0° 2' W lat secs 37 ^{and} 38
 Va 13° 53' E.
 Through Timber
- 0.25 Enter gulch course E. S. E.

chains P. 14 N. L. 14 East

- 1.50 leave bulch and ascend
- 20.00 top
- 40.00 Set a sandstone $24 \times 8 \times 12$ ins in the ground for $\frac{1}{4}$ sec cor marked $\frac{1}{4}$ on W face, from which
- A Pine 8 ins diam br. N 32° W 175 lbs
 List marked $\frac{1}{4}$ S.B.T.
- A Cedar 20 ins diam br. S 52° E. 59 lbs
 List marked $\frac{1}{4}$ S.B.T.
- 47.50 descend into bulch course W.S.W
- 57.00 bottom and ascend
- 60.00 top
- 67.00 descend into bulch course E.N.E
- 69.50 bottom and ascend
- 72.00 top
- 80.00 Set a sandstone $18 \times 10 \times 10$ ins in the ground for cor to secs. 21-22-27 and 28 marked with 2 notches on S and 3 notches on E edges from which

B70K 758
 Subdivisions

- Chains A Pinon 5 ins diam br. N $72^{\circ}15' E$ 119 cks
 Dist marked Sp. 14 N. R. 14 E. S. 32 B. T.
- A Cedar 5 ins diam br. S. $13^{\circ} E$. 58 cks
 Dist marked Sp. 14 N. R. 14 E. S. 37 B. T.
- A Pine 14 ins diam br. S. $51^{\circ} W$ 141 cks
 Dist marked Sp. 14 N. R. 14 E. S. 28 B. T.
- A Pine 8 ins diam br. N. $45^{\circ} W$ 62 cks
 Dist marked Sp. 14 N. R. 14 E. S. 31 B. T.

Land Rolling

Soil 2nd and 4th rate

80 cks Cedar and Pine and Pinon Timber

~~Heavily timbered land 80 cks~~

S. $89^{\circ}55' E$ on a random line bet pces 22 and 27
 Va $13^{\circ}52' E$.

40.00 Set temporary 1/4 sec cor.

80.00 Intersect N and S line 12 cks S of cur to pces

22-23-26 and 27 as herein before described

Thence S run

W. on a true line bet pces 22 and 27.

Sp. 14 N. L. 14 East.

Chains Va 13° 52' E.

Through Timber

40.00 Set a sand stone 15x14x 6ins 10ins in the ground for 1/4 sec. cor marked 1/4 on N face from which

A Cedar 6ins diam. br. N 77° W 116 lbs
Sist marked 1/4 B.T.

A Pine 15ins diam. br. S 40° E. 179 lbs
Sist marked 1/4 B.T.

47.00 descent into gulch course N.E.

57.50 bottom, trail and ascend

54.00 top

80.00 The cor to sec. 21-22-27 and 28

Land Rolling

Soil 2nd and 3rd rate

80 chs Pine and Cedar Timber.

Heavily timbered land 80 chs
Nov. 6, 1893

N. 0° 2' Wht sec. 21 and 22

Va. 13° 50' E.

BOOK 158
 Subdivisions

Chains Through Timber

35.00 descend into gulch course S. E.

39.00 bottom ^{and} ascent

40.00 Set a sand stone $31 \times 12 \times 10$ ins 14 ins in the ground for $\frac{1}{4}$ sec cor marked $\frac{1}{4}$ on W face from which -

A Cedar 12 ins diam br. $N 57^\circ E$ 15 lks
 dist marked $\frac{1}{4}$ S. B.T.

A Cedar 14 ins diam br. $S 75^\circ W$ 14 lks
 dist marked $\frac{1}{4}$ S. B.T.

41.00 top

45.00 descend into gulch. course E.

46.50 bottom ^{and} ascent

48.00 top

80.00 Set a sand stone $18 \times 12 \times 12$ ins 15 ins in the ground for cor to sec. 15-16-81 ^{and 2}
 marked with 3 notches on S. and E edges
 from which

A Pinon 6 ins diam br. $N 60^\circ E$ 75 lks

Sp. 14 N. R. 14 East.

Chain first marked Sp. 14 N. R. 14 E. S. 15 P. 7.

✓ A Cedar 36 ins diam to S. 35° E. 216 lbs

first marked Sp. 14 N. R. 14 E. S. 22 P. 7.

A Cedar 18 ins diam to S. 66° W 266 lbs

first marked Sp. 14 N. R. 14 E. S. 21 P. 7.

A Pinon 7 ins diam to N. 31° W 75 lbs

first marked Sp. 14 N. R. 14 E. S. 16 P. 7.

Land Rolling

Soil & no rate

✓ 8000 chs. Pine and Cedar

~~Heavily timbered land rocks~~

On a random line bet pces 15^{and} 22

Va. $13^{\circ} 50' E$

40.00 Set temporary 1/4 sec cor.

80.14 Intersect N^{and} S. line at cor to pces. 14-15

22-^{and} 23 as herein before described

Thematium

On a true line bet pces. 15^{and} 22

Va. $13^{\circ} 50' E$.

Subdivisions

- Chains Through Timber
- 36.00 Enter Draw course N.
- 40.07 Set a sand stone $1 \times 8 \times 3$ ins 14 ins in the ground for $\frac{1}{4}$ sec cor marked $\frac{1}{4}$ sec N face, from which
- a Pine 10 ins diam br. N 88° E. 150 lks
 Dist marked $\frac{1}{4}$ S. B. T.
- a Pinon 7 ins diam br. S. 39° W 181 lks
 Dist marked $\frac{1}{4}$ S. B. T.
- 42.00 leave Draw
- 79.47 Cedar 8 ins diam on line marked with 2 notches on E. $\frac{1}{2}$ the stakes.
- 80.14 The cor to sec. 15-16-21 and 22 side
- Land Rolling
 Soil 2nd and 3rd rate
- Do. 140 Cedar and Pinon Timber.
- ~~Heavily timbered land sa. 140 lks~~
-
- N. $0^\circ 2' W$ bet. sec. 15 and 16.
 Va $13^\circ 52' E$.
- Through Timber

Chain N. 14 W. R. 14 East.

40.00 Let a sand stone $15 \times 14 \times 10$ ins 10 ins in the ground for 4 sec cor marked $\frac{1}{4}$ on W face from which.

A Pinon 6 ins diam br. N. 17° W. 117 lks
Sist marked $\frac{1}{4}$ S. B. T.

A Pinon 7 ins diam br. S. 45° E. 87 lks
Sist marked $\frac{1}{4}$ S. B. T.

69.00 Descend into Gulch course E. N. E.

71.00 Bottom ^{and} ascent

73.00 top

80.00 Let a sand stone $21 \times 12 \times 8$ ins 14 ins in the ground for cor to sec. 9-10-15 ^{and} 16 marked with 4 notches on S. ^{and} 3 notches on E. edges from which.

A Pine 18 ins diam br. N. 33° E. 16 lks
Sist marked Sp. 14 N. R. 14 E. S. 10 B. T.

A Pine 6 ins diam br. S. 56° E. 50 lks
Sist marked Sp. 14 N. R. 14 E. S. 10 B. T.

A Pine 10 ins diam br. S. 42° W. 41 lks

Subdivisions

- Chains Dist. marked Sp. 14 N. R. 14 E. S. 16 B. J
 A Pinus resinosa Stam. br. N. 20° W 36 lks
 Dist. marked Sp. 14 N. R. 14 E. S. 9 B. J.
 Land Rolling
 Soil 2nd and 3rd rate
 rocks. Cedars and Pinow Timber.
~~Heavily timbered land rocks~~
-
- E. on a random line ht. pces. 10 and 15
 Va 13° 53' E.
- 40.00 set temporary 1/4 sec. cor.
- 79.80 Intersect N and S line 16 lks N of cor. to
 sec. 10-11-14 and 15 as herein before de-
 scribed
 Thence S run
 N 89° 53' W on a true line ht. pces. 10 and 15
 Va 13° 53' E.
 ascent from Gulch through Timber
 top
 3.00
 21.00 descent into Gulch course N

BOOK 158

Chain 14 N. R. 14 East

- 24.00 bottom ^{and ascent}
- 35.00 top ^{and descend into gulch course N.}
- 26.00 bottom ^{and ascent}
- 32.00 top
- 39.90 Set a lime stone 12 x 12 x 8 ins in the ground for 1/4 sec cor marked 1/4 on N face from which
 - A Pinow 4 ins diam br. N 75° 45' E. 23 lks
 - Set marked 1/4 S.B.T.
 - A Pinow 8 ins diam br. S. 73° 30' W 54 lks
 - Set marked 1/4 S.B.T.
- 72.00 descend into gulch course N. N. E.
- 74.00 bottom ^{and ascent}
- 77.00 top
- 79.80 The cor to secs. 9-10-15 ^{and} 16.
 - Land Rough ^{and} Broken
 - Soil 3rd ^{and} 4th rate
 - 7 qchs. Cedar ^{and} Pinow Timber.
 - Heavily timbered land 79.80 chs

BOOK 758
 Subdivisions

Chains	$N 00^{\circ} 2' W$ at pass 9 ^{and} 10
	Va. $13^{\circ} 54' E$.
	Through Timber
2.00	descend into gulch course E.
3.75	bottom ^{and} ascend
6.00	top
7.50	descend into gulch E.
8.50	bottom ^{and} ascend
10.00	top.
18.50	Edge of W. Chevron Cañon, descend course E.
22.00	bottom of Creek - 60 lbs wide, course E.
22.75	ascend
26.00	top
40.00	Set a sand stone $15 \times 10 \times 15$ ins in the ground for $\frac{1}{4}$ sec cor marked $\frac{1}{4}$ on W face, from which a Pinon 5 ins diam has $N 86^{\circ} W 49$ ebs 51st marked $\frac{1}{4}$ S.B.T.

Tp. 14 N. R. 14 East.

Chains A Pinon 8 ins diam br. S. 60° E. 5 lks
Dist marked 1/4 B.T.

62.60 Road to Hart and Campbell. bears East

80.00 at a post 4 1/2 ft long 4 ins square with
marked stone 12 ins in the ground for
cor to sec. 3-4-9 and 10 marked

Tp. 14 N. S. 3 on N E.

R. 14 E. S. 10 on S E.

S. 9 on S W

S. 4 on N W with 5 notches on S and 3
notches on E edges, from which

A Pinon 6 ins diam br. N. 30° E. 85 lks

Dist marked Tp. 14 N. R. 14 E. S. 3 B.T.

A Pinon 6 ins diam br. S. 65° E. 23 lks

Dist marked Tp. 14 N. R. 14 E. S. 10 B.T.

A Pinon 10 ins diam br. S. 20° W 67 lks

Dist marked Tp. 14 N. R. 14 E. S. 9 B.T.

A Pinon 4 ins diam br. N 50° W 18 lks

Dist marked Tp. 14 N. R. 14 E. S. 4 B.T.

Subdivisions

Chains

Land Rolling

Soil 2nd rate and worthless

Doels Pinon and Cedar Timber

~~Heavily timbered land 40chs~~



$S 89^{\circ} 53' E$ on a range line bet secs. 3 and 10

Va. $13^{\circ} 53' E$.

40.00

Set temporary 1/4 sec. cor.

80.10

Intersect N and S line 4 lks N of cor
to secs. 2-3-10 and 11 as herein before
described

Thence I run

$N 89^{\circ} 51' W$ on a true line bet secs. 3 and 10

Va. $13^{\circ} 53' E$.

Through Timber

0.15

Road E. N. E.

37.30

Trail to S.W.

40.00

Set a line stone 18x12x12 ins 15 ins in

The ground for 1/4 sec cor marked 1/4 cor

N face from which

Sp 14 N. E. 14 East.

chain A Pinon 10 ins diam. ls. N. $57^{\circ}W$ 96 lks
 Dist marked $\frac{1}{4}$ S. B. T.

A Pinon 10 ins diam. ls. S. $49^{\circ}E$ 21 lks
 Dist marked $\frac{1}{4}$ S. B. T.

80.10 The cor to sec. 3-4-9^{and} 10

Land Rolling

Soil 3 rd rate

80.10 chs Cedar^{and} Pinon.

~~Heavily timbered land 80.10 chs~~

$70^{\circ}S$ W on a random line bet. sec. 3^{and} 4.

Va. $130^{\circ}52'E$.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.15 Intersect N. boundary of townships 8 lks
 E of cor to sec. 34-33^{and} 34 as shown before
 described

thence I run

$130^{\circ}51'E$ on a true line bet. sec. 3^{and} 4

Va. $130^{\circ}52'E$.

through timber

Subdivisions

chain

40.15

Set a lime stone $15 \times 10 \times 4$ ins 10 ins in the ground for $\frac{1}{4}$ sec. cor marked $\frac{1}{4}$ on W face, from which.

a Pinon 4 ins diam br. N. $15^{\circ} 30' E$. 17 lks
 Dist marked $\frac{1}{4}$ S. B. T.

a Cedar 4 ins diam br. S. $50^{\circ} W$ 96 lks
 Dist marked $\frac{1}{4}$ S. B. T.

80.15

The cor to secs. 3-4-9^{and} 10
 Land Rolling
 Soil 3rd rate

80.15 chs Cedar^{and} Pinon timber.

~~Beautifully timbered land 80.15~~
 Nov. 7. 1893

N. $0^{\circ} 2' W$ ht. secs 32^{and} 33.

N. $13^{\circ} 50' E$.

Through Timber
 ascent from Gulch

3.75

top

10.00

Descent into Gulch course W

12.50

bottom^{and} ascent

Sp. 14 N. E. 14 East.

chain

16.00 top

17.00 descend into Alder Creek Cañon 76

23.10 bottom

24.00 ascent

38.00 along E. Bank of Cañon (top)

34.00 leave Cañon Bank

40.00 Set a sandstone 18 x 15 x 4 ins 12 ins in the ground for $\frac{1}{4}$ sec. cor marked $\frac{1}{4}$ on N face from which

A pillar 10 ins diam br. N $30^{\circ}30'$ W 53 lbs
 first marked $\frac{1}{4}$ S. B. T.

A pillar 3 ins diam br. S $07^{\circ}6'$ 32 lbs
 first marked $\frac{1}{4}$ S. B. T.

40.30 Enter small gulch, course S. W.

43.00 leave gulch

59.00 descend into Alder Creek course E. N. E.
 of Creek - 80 lbs. wide, course E.

60.00 bottom ¹⁵ ascent

67.00 top

71.75 descend into Alder Creek course W.

Subdivisions

chain

of creek, 30 lks. wide course W.
bottom ^{and} trail, and ascend

7300

8000

Set a lime stone ^{10 ins} 5x15x10 ins in the ground for cor to recs 28-29-32 and 33 marked 1 notch on S. and 4 notches on E edges, from which

A Cedar 15 ins diam br. N 32° 30' E. 104 lks.
Sist marked Sp. 14 N. R. 14 E. S. 28 B. T.

A Cedar 10 ins diam br. S. 37° E. 29 lks
Sist marked Sp. 14 N. R. 14 E. S. 33 B. T.

A Pinon 4 ins diam br. S 10° W 29 lks
Sist marked Sp. 14 N. R. 14 E. S. 32 B. T.

A Pinon 7 ins diam br. N 47° 30' W 97 lks
Sist marked Sp. 14 N. R. 14 E. S. 29 B. T.

Land Rough and Broken

Soil 3rd and 4th rate

80chs Cedar and Pinon Timber

Heavily timbered land 80chs

S 89° 58' E on a random line to spec 28 and 33
Va. 13° 58' E.

Sp. 14 N. R. 14 East

Chains

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 80.20 Intersect N and S line 1/2 lks S. of cor. to sec
27-28-33 and 34 as herein before described
Thence S run
S $89^{\circ}07'W$ on a true line to sec. 28 and 33
Va. $13^{\circ}30'E$
Through Timber
- 40.10 Set a lime stone $18 \times 14 \times 4$ ins $\frac{1}{2}$ ins in the
ground for $\frac{1}{4}$ sec cor marked $\frac{1}{4}$ on N face
from which
A Pine 11 ins diam br. N $64^{\circ} E$. 20 lks
Dist. marked $\frac{1}{4}$ S. B. T.
A Pine 8 ins diam br. S. $32^{\circ} W$ 65 lks
Dist. marked $\frac{1}{4}$ S. B. T.
- 70.00 along bank of Cañon
- 80.50 The Cor. to sec. 28-29-32 and 33
Land Rolling
Soil 2nd and 3rd rate
So. 20 lks Pine and Cedar
Heavily timbered land 80.2000

Subdivisions

Cains	N 00 3/4 W 1/2 sec 28 and 29
	ca. 13° 55' E.
	through timber ascending
2.00	top and descent into Gulch course W
3.25	bottom and ascent
5.00	top
12.00	descent into Gulch course W. W
23.00	bottom and ascent
33.00	top
40.00	Set a lime stone 18 x 14 x 4 ins 12 in on the ground for 1/4 sec. corner marked 1/4 on W face, from which a Pine 12 ins diam br. N. 77° W 187 lbs dist marked 1/4 S. B. T. A. Cedar 28 ins diam br. S. 85° E. 159 lbs dist marked 1/4 S. B. T.
43.00	descent into Cañon along Bank
50.00	ascend
60.00	top of same bank.
68.00	descent into Cañon N E

Sp 14 N. R. 14 East

Chorus of creek 40 lbs. wide course N. E
72.00 bottom ^{and ascend}

76.50 top

80.00 Leta lime stone 15 x 14 x 6 ins 10 ins in the
ground for cor to secs 20-21-38 and 39 man
ed with 2 notches on S. and 4 notches on
E edges from which.

A Pine 8 ins diam br. N. 37° 30' E. 10 4 lbs
Sist marked Sp. 14 N. R. 14 E. S. 31 B. 7.

A Cedar 8 ins diam br. S. 30° E. 4 9 lbs
Sist marked Sp. 14 N. R. 14 E. S. 38 B. 7.

A Pinon 10 ins diam br. S. 55° W 3 2 lbs
Sist marked Sp. 14 N. R. 14 E. S. 29 B. 3.

A Pine 13 ins diam br. N. 68° W 3 2 lbs
Sist marked Sp. 14 N. R. 14 E. S. 30 B. 7.

Land Rough and Broken.

Soil 3, 4 and 4th rate

Socks Pine and Cedar

Heavily timbered land socks

N 89° 57' E. on a random line bet secs 21 and 28.

BOOK 158
 Subdivisions

Chains Va. $13^{\circ}53' E$.

100.00 Set temporary $\frac{1}{4}$ sec. cor.

80.09 Intersect $\frac{1}{4}$ sec. line at cor to sec
 31 53 29 ^{and 31} as here in before de-
 scribed

Thence down

400.5' W in a true line to ^{and 31} sec. 31
 Va. $13^{\circ}53' E$.

Through Timber

20.00 Gulch 100 ft wide, course N. N. E.

20.04 Set sandstone $18 \times 13 \times 4$ in. 3 in. in
 ground for $\frac{1}{4}$ sec. cor marked $\frac{1}{4}$ sec. $\frac{1}{4}$
 face from which

11 Pine 6 in diam $S. 7(24^{\circ}30' E)$
 Dist marked $\frac{1}{4}$ B.T.

1 Pine 14 in diam $S. 53^{\circ} W$
 Dist marked $\frac{1}{4}$ B.T.

56.00 Traverse into ~~canyon~~ course N. N. W.

5.00 Bottom of Creek - 40 ft wide, course N. N. W.

Concluded, Book 139.