

28.

No. 157

159

4-671

FIELD NOTES  
GENERAL LAND OFFICE.

*Subdivisions*  
*of*  
**T.14 N. R. 14 E.**

*Indexed, Book 158.*

No-159

Subdivisions

41.00 ascent

50.00 top <sup>and</sup> the cor to sec. 20-21-28 <sup>and 29.</sup>

Land Broken

Soil 2nd <sup>and 3rd</sup> rate

800 chs Pine <sup>and</sup> Cedar timber.

~~Heavily timbered land 80.09 chs~~

No 3: W lat sec. 20 <sup>and 21</sup>

Na. 13° 54' E.

Through Timber

00 descend into N. Cheveloe Cañon course  
N.E.

30.00 bottom

31.00 ascent

50.00 top <sup>and</sup> the cor. point being on rough  
and broken bank at a point 10 chs

N of cor pt. I marked a Pin on Iron Sill  
beam for witness cor to 1/4 sec cor.

marked N.C. 1/4 S on <sup>the</sup> <sup>and</sup> raised  
a mound of stone 1/2 ft high 2 ft base

## Subdivisions

Chains	along side. Pits impracticable.
66.00	descent into Gulch course N.E.
69.00	bottom <sup>and</sup> ascent
72.00	top
76.00	descent
80.00	Set a Lime stone 15x15x5 ins in in the ground for cor to sec. 16-17-20 <sup>and 21</sup> marked with 3 notches on <del>face</del> <sup>face</sup> <del>4</del> <sup>4</sup> <del>not</del> on E edges from which a Pine 10 ins diam br. N 37° E. 22 chs dist marked Sp 14 N. R. 14 E. S. 16 B. T. a Pinon 4 ins diam br. S. 45° 30' E. 33 chs dist marked Sp 14 N. R. 14 E. S. 21 B. T. a Pinon 4 ins diam br. S. 17° W. 2 chs dist marked Sp 14 N. R. 14 E. S. 20 B. T. A Cedar 30 ins diam. br. N. 19° W. 36 chs dist marked Sp 14 N. R. 14 E. S. 17 B. T. Land Broken. Soil 3 <sup>rd</sup> and 4 <sup>th</sup> rate

Chains docks Pine <sup>and</sup> Cedar Timber.

~~Heavily timbered land socks~~

N 89° 57' E on a random line to sec. 16 <sup>and 21</sup>

7a 13° 53' E.

Through Timber

40.00 set temporary 1/4 sec. cor.

79.80 Intersect N <sup>and</sup> S line 7 lks N of cor

to secs. 15-16-21 <sup>and 22</sup> as herein before

described.

Thence Inne

N on a true line to sec. 16 <sup>and 21</sup>

7a 13° 53' E.

Through Timber

39.90 A Pinon pine stem which I marked

1/4 on N. side for 1/4 sec cor. and raised  
a mound of stone 1 1/2 ft high 2 ft base  
alongside. Pile impracticable.

46.00 descend into gulch course N.

46.50 bottom <sup>and</sup> ascend

64  
BOOK 159  
Subdivisions

48.00 top

50.00 descends into N. Cheylon Cañon  
course N.

70.00 bottom of Creek - 50 lks wide, course N.

72.00 ascent

79.90 the cor to secs. 16-17-50 and 51.

Land Rolling

Soil 2nd and 3rd rate

79.90 chs. Pine and Cedar timber

Heavily timbered land 79.90 chs.

N<sup>o</sup> 2' W lat secs. 16 and 17.

Va. 30 52' E.

Through timber

38.25 descend into Gulch. course N.E.

39.80 bottom and ascent

40.00 Set a limestone 15 x 15 x 3 ins 10 ins in the  
ground for 1/4 sec cor marked 1/4 on W  
face, from which  
a Pine 8 ins diam to N. 57° W 40 lks

Sp. 14 N. R. 14 East

Chains first marked  $\frac{1}{4}$  S. B. T.

A Pine 7 ins diam br. S.  $63^{\circ}30'$  E. 57 lks

first marked  $\frac{1}{4}$  S. B. T.

45.00 top

47.00 descend into gulch. course N. 6.

50.50 bottom and ascend

52.00 top and descend into gulch course E.

55.00 bottom and ascend

58.00 top

77.00 descend

80.00 ~~Set~~ a sandstone 15x10x4 ins 10 ins in the ground for cor. to sees 8-9-16 and 17 marked with 4 notches on S and E edges from which:

A Pine 8 ins diam br. N.  $75^{\circ}$  E. 34 lks

first marked  $\frac{1}{4}$  N. R. 14 & S. 9 B. T.

A Pine 17 ins diam br. S.  $28^{\circ}30'$  E. 17 lks

first marked  $\frac{1}{4}$  N. R. 14 & S. 16 B. T.

A Pine 20 ins diam br. S.  $24^{\circ}$  W. 13 lks

Subdivisions

Chains first marked sp. 14 N. R. 14 E. S. 7 B. 7.  
 a Pine 1/2 in's diam to N. 20° 15' W 40 lks  
 first marked sp. 14 N. R. 14 E. S. 8 B. 7.  
 Land Broken  
 Soil. Worthless  
 Do chs. Pine <sup>and</sup> Cedar timber.  
~~Heavily timbered land rocks~~  
 Nov. 8. 1893

Con a random line bet secs. 9 <sup>and</sup> 16.

to 13° 50' E.

40.00 Set temporary 1/4 sec. cor.

80.00 Intersect N <sup>and</sup> S line 12 lks S of cor  
 to secs. 9-10-15 <sup>and</sup> 16 as hereinbefore  
 described

thence down

S 9° 55' W on a true line bet secs 9 <sup>and</sup> 16

to 13° 50' E.

through timber

15.00 Gulch 50 lks wide course N. N. W

20.00 Descend into Gulch course N.



Sp. 14 N. L. 14 East

- 22.00 bottom and ascent
- 25.00 top
- 40.00 Set a limestone  $15 \times 14 \times 10$  ins in the ground for  $\frac{1}{4}$  sec. cor marked  $\frac{1}{4}$  on N. face from which
- A Pinon cins diam. br. N.  $33^{\circ}$  W 5 lks  
 Dist marked  $\frac{1}{4}$  S. B. T.
- A Pine cins diam br. S.  $12^{\circ}$  30' E 21 lks  
 Dist marked  $\frac{1}{4}$  S. B. T.
- 48.00 Descend into W. Chevelon Cañon course 76
- 54.00 bottom of Creek - 40 lks wide, course N. E
- 55.50 ascent
- 62.00 top.
- 80.00 The cor to secs. 8-9-16 and 17.
- Land Broken
- Soil 3<sup>rd</sup> and 4<sup>th</sup> rate
- socks Pine, Pinon and Cedar Timber.
- Heavily timbered land socks
- 
- No. 2 N. B. T. secs. 8 and 9.

BOOK 159  
Subdivisions

Chains Va. 13° 57' E.

through Timber ascend

4.00 top

16.60 Road br. N. E.

40.00 Set a sand stone 15 x 14 x 8 ins 10 ins in the ground for 1/4 sec cor. marked 4 on W face from which.

A Cedar 18 ins diam br. N. 10° E. 9.0 lks  
Dist marked 1/4 S. P. T.

A Pine 10 ins diam br. S. 75° W 15.3 lks  
Dist marked 1/4 S. B. T.

80.00 Set a sandstone 15 x 14 x 5 ins 10 ins in the ground for cor. to p. 4-5-8 and 9 marked with 5 notches on S and 4 notches on E edges, from which.

A Pine 10 ins diam br. N. 14° E. 15.4 lks  
Dist marked Sp. 14 N. R. 14 E. S. 4 B. T.

A Cedar 14 ins diam br. S. 12° 30' E. 5.6 lks  
Dist marked Sp. 14 N. R. 14 E. S. 9 B. T.

Sp 14 N. R. 14 East.

Chains A Pinon 8 ins diam brs S.  $33^{\circ}W$  44 lks  
 Dist marked Sp. 14 N. R. 14 E. S. 8 B. 1.  
 A Cedar 8 ins diam brs N.  $35^{\circ}W$  58 lks  
 Dist marked Sp. 14 N. R. 14 E. S. 5 B. 1.  
 Lanes Rolling.

Soil 2<sup>nd</sup> and 3<sup>rd</sup> rate.

Soils Cedar and Pinon timber.

Heavily timbered land rocks

N  $89^{\circ}55'E$  on a random line to sec. 4<sup>and</sup> 9  
 Va  $13^{\circ}52'E$ .

4000 Set temporary  $\frac{1}{4}$  sec cor.

8082 Intersect N and S line 14 lks S. of cor to  
 sec. 3-4-9<sup>and</sup> 10 as herein before described  
 thence I run

S  $89^{\circ}49'W$  on a true line to sec. 4<sup>and</sup> 9.  
 Va  $13^{\circ}52'E$ .

through timber

3345 Road brs N. E.

4011 Set a sandstone 18 x 14 x 8 ins in the

70  
BOOK 159  
Subdivisions

Chains ground for  $\frac{1}{4}$  sec cor marked  $\frac{1}{4}$  in  
N face, from which

A Pinion & ins diam br.  $N. 30^{\circ} 30' W 127$  chs  
Set marked  $\frac{1}{4}$  S.B.T.

A Pinion & ins diam br.  $S. 47^{\circ} E. 30$  chs.  
Set marked  $\frac{1}{4}$  S.B.T.

80.23. The cor to sec. 4-5-8<sup>and 9</sup>

Land Rolling

Soil 2<sup>nd</sup> and 3<sup>rd</sup> 15<sup>th</sup> rate

80.24 chs Cedar and Pinon

Heavily timbered land 80.22 chs

$N. 0^{\circ} 2' W$  on a random line to sec 4<sup>and 5</sup>

$N. 13^{\circ} 53' E.$

Through Timber

40.00 Set temporary  $\frac{1}{4}$  sec cor.

79.70 Intersect N. boundary of township at  
cor. to sec. 4-5-32<sup>and 33</sup> as herein  
for described  
Thence S. 100.

N. 14 R. 14 East.

Chain S.  $0^{\circ} 2' E$  on a true line bet sec 4<sup>and</sup> 5.

Va.  $13^{\circ} 53' E$ .

Through Timber

39.70 Set a sandstone  $15 \times 12 \times 12$  ins 10 ins in the ground for  $\frac{1}{4}$  sec cor. marked  $\frac{1}{4}$  on W face<sup>and</sup> from which

A Pinon 5 ins diam br. N  $56^{\circ} 30' E$  52 lks  
Dist. marked  $\frac{1}{4}$  S. B. T.

A Pinon 5 ins diam br. S  $35^{\circ} W$  100 lks  
Dist. marked  $\frac{1}{4}$  S. B. T.

79.70 The cor to sec 4-5-8<sup>and</sup> 9.

Land Rolling

Soil 2<sup>nd</sup><sup>and</sup> 3<sup>rd</sup> rate

79.70 chs. Cedar<sup>and</sup> Pinon Timber  
Heavily timbered land 79.70 chs

N  $0^{\circ} 3' W$  bet sec 31<sup>and</sup> 32.

Va.  $13^{\circ} 54' E$ .

Through Timber

Gradual descent to Chevelon. Pinon com. N.W.

## Subdivisions

- 5.00 Gulch course N.W.  
 12.00 bottom
- 13.00 ascent
- 25.00 top <sup>cut</sup> along E. bank of Cañon
- 35.00 leave Bank.
- 39.00 Gulch 1ch wide joins 13chs. W. W. Chur-  
 lín Cañon
- 40.00 Set a line stone 21 x 20 x 3 ins 14 ins in the  
 ground for  $\frac{1}{4}$  sec. cor marked  $\frac{1}{4}$  on W  
 face, from which  
 A Pinon 8 ins diam br. N. 57° E. 25 lbs  
 dist marked  $\frac{1}{4}$  S. B. 7.  
 A Pinon 15 ins diam br. S. 30° W 33 lbs  
 dist marked  $\frac{1}{4}$  S. B. 9.
- 46.00 Descend into W. Churlín Cañon  
 course N.E.
- 54.00 bottom of creek, 50 lbs. wide course E
- 55.00 ascent
- 68.00 top <sup>cut</sup> descend into gulch course E
- 79.35 bottom ascent

# Sp. 14 N. R. 14 East.

80.00 Set a lime stone 15 x 14 x 8 ins 10 ins on  
 the ground for cor to sec. 29 30-31 <sup>and 32</sup>  
 marked with notch on S <sup>and 5 not-</sup>  
 ches on E edges, from which  
 a Pine 14 ins diam br. N. 82° E. 87 lks  
 Sisk marked Sp. 14 N. R. 14 E. S. 29 B<sup>5</sup>  
 a Pinowens diam br. S 44° 30' E. 41 lks  
 Sisk marked Sp. 14 N. R. 14 E. S. 32 B<sup>5</sup>  
 a Pine 17 ins diam br. S. 59° W 43 lks  
 Sisk marked Sp. 14 N. R. 14 E. S. 31 B<sup>5</sup>  
 a Pine 15 ins diam br. N 52° 30' W 117 lks  
 Sisk marked Sp. 14 N. R. 14 E. S. 30 B<sup>5</sup>  
 Land Broken

Soil 3 rd <sup>and 4</sup> the rate

80 chs Pine Timber.

Heavily timbered land 80 chs

S. 89° 58' E on a random line to sec. 29 <sup>and 32</sup>

via 13° 53' E.

40.00 Set temporary 1/4 sec. cor.

14  
 BOOK 159  
 Subdivisions

- 79.80 Intersect N and S line at a point  
 33 lks N of cortos pss. 28-29. 32<sup>and</sup> 33  
 as herein before described  
 thence S run  
 N 89° 48' W on a true line by pss. 29<sup>and</sup> 35.  
 N. 13° 53' E  
 Through Timber
- 20.00 descends into Cañon course N.W.
- 44.00 bottom of creek 50 lks. wide, course N. N. W.
- 13.00 ascends
- 20.00 top
- 26.00 descends into branch Cañon N.W.
- 30.00 bottom<sup>and</sup> ascends
- 36.00 top
- 39.90 Set a lime stone 15 x 14 x 14 ins 10 ins in the  
 ground for 1/4 sec cor marked 1/4 on N  
 face from which  
 a Pine. 8 ins diam br. N. 44° E. 45 lks  
 5/8 marked 1/4 B.L.



Sp. 14 N. R. 14 East.

Chains A Pine Gins diam 1/2 in. S. 30° 30' W 2.3 lks

Dist marked 1/2 B.T.

40.55 descent into Cañon, course SW <sup>and NE</sup>

47.00 bottom, Creek 25 lks wide. NE

48.00 ascent

55.00 top

59.00 descent into Gulch course NE

65.00 bottom <sup>and ascent</sup>

70.00 top <sup>and descent</sup> into Gulch course E

72.00 bottom <sup>and along bank</sup>

76.00 recross Gulch <sup>and ascent</sup>

79.00 top

79.90 The cots, secs 29-30-31 <sup>and 32</sup>

Land Rough <sup>and Broken</sup>

Soil. Worthless

79.90 chs. Pine <sup>and Pinned</sup> Timber

Heavily timbered land 79.90 chs

N 89° 58' W on a random line to secs 30 <sup>and 31</sup>

Va. 13° 52' E.

## Subdivisions

- 40.00 Set temporary  $\frac{1}{4}$  sec. cor.
- 84.80 Intersect W boundary of township  
12 lks. N of cor to secs. 35-30-31 <sup>and 36.</sup>  
as herein before described  
thence S. 111.  
N 89° 57' E on a true line to secs. 30 <sup>and 31.</sup>  
to 13° 52' E.  
Through Timber
- 35.10 Road to N.E.
- 44.80 Set a lime stone 18 x 14 x 15 ins 15 ins in the  
ground for  $\frac{1}{4}$  sec cor marked  $\frac{1}{4}$  on N face  
from which  
A Pine 17 ins diam to N 45° E. 108 lks  
dist marked  $\frac{1}{4}$  S. B. T  
A Pine 18 ins diam to S. 58° W 17 lks  
dist marked  $\frac{1}{4}$  S. B. T
- 84.80 The cor to secs. 29-30-31 <sup>and 35</sup>  
Land Rolling  
Soil. 2<sup>and</sup> 3<sup>rd</sup> rate

14 N. 14 E. 14 East.

Chains 840 chs. Pine Timber  
 & heavily timbered land 84.800 chs.

N.  $0^{\circ}31'W$  100 paces 29<sup>and</sup> 30

Pa.  $13^{\circ}51'E$ .

Through Timber

2.00 ascent from Gulch.

6.00 top<sup>and</sup> descent into Gulch course S.E.

7.50 bottom<sup>and</sup> ascent

10.00 top

22.00 descent into Gulch course S.E.

27.50 bottom<sup>and</sup> ascent

29.00 top<sup>and</sup> descent into Gulch. course E.

31.00 bottom<sup>and</sup> ascent

40.00 Set a lime stone  $15 \times 12 \times 3$  ins 10 ins in the

ground for  $\frac{1}{4}$  sec. cor marked  $\frac{1}{4}$  on W

face, from which

A Pine 14 ins diam br. N.  $72^{\circ}15'E$  117 lks

Dist marked  $\frac{1}{4}$  S. B.T.

A Pine 24 ins diam br. S.  $55^{\circ}W$  42 lks.

## Subdivisions

- Chains
- 46.00 Dist. marked  $\frac{1}{2}$  S. B. T.
- 46.00 top <sup>and</sup> descent
- 48.00 Bottom of Gulch course S. E.  
and ascent
- 50.00 top
- 80.00 Set a sandstone 15 x 14 x 7 ins 10 ins in  
The ground for cots, sec. 19-20-29 <sup>and</sup> 30  
marked with 2 notches on S. <sup>and</sup> 5  
notches on E edges from which -
- A Cedar 8 ins diam br. N.  $31^{\circ}$  E. 144 lbs  
Dist. marked  $\frac{1}{2}$  14 N. R. 14 E. S. 30 B. T.
- A Pine 17 ins diam br. S.  $79^{\circ}$  E. 19 lbs  
Dist. marked  $\frac{1}{2}$  14 N. R. 14 E. S. 39 B. T.
- A Pine 9 ins ~~in~~ diam br. S.  $18^{\circ}$  W. 55 lbs  
Dist. marked  $\frac{1}{2}$  14 N. R. 14 E. S. 30 B. T.
- A Pine 8 ins diam br. br. N.  $30^{\circ}$  30' W. 64 lbs  
Dist. marked  $\frac{1}{2}$  14 N. R. 14 E. S. 19 B. T.
- Land Rough <sup>and</sup> Broken  
Soil 3 rd <sup>and</sup> 4 th rate

Sp 14 RR 14 East

Chains 80 chs Pine <sup>and</sup> Cedar timber.  
 ✓ ~~Heavily timbered land 80 chs~~

S 89° 48' E. on a random line to p. 250 <sup>and 29</sup>  
 Va. 13° 50' E.

40.00 set temporary 1/4 sec. cor.

80.00 Interest 1/2 ans. line 14 lks. S. of cote  
 sec. 20-21-28 <sup>and 29</sup> as herein before de-  
 scribed

thence S. run.

N 89° 54' W. on true line to p. 250 <sup>and 29</sup>  
 Va. 13° 50' E.

through timber

5.00 descent into Chevalier Canon course  
 S. S. E.

18.00 bottom <sup>and</sup> Creek 30 lks wide.

19.50 ascent

30.00 top

40.00 set a lime stone 15 x 14 x 6 ins in the  
 ground for 1/4 sec. cor marked 1/4 with face

Subdivisions

Chains from which.

A Pine Gins diam. br. N 40° 30' E. 52 lks  
 Dist. marked 1/4 S. B. T.

A Pine Gins diam. br. S. 37° W 39 lks  
 Dist. marked 1/4 S. B. T.

41.50 Descend into gulch course S. E.

43.00 bottom <sup>and</sup> ascend

63.00 top

80.00 The cor to sec. 19-20-29 <sup>and</sup> 30

Land Broken

Soil 3<sup>rd</sup> <sup>and</sup> 4<sup>th</sup> rate

rocks Pine <sup>and</sup> Cedar Timber

~~Heavily timbered land rocks~~

S 89° 57' W on a random line to sec. 19 <sup>and</sup> 30

to Va 13° 50' E.

40.00 Set temporary 1/4 sec. cor.

80.00 Intersect W boundary of township  
 at cor to sec. 19-24-25 <sup>and</sup> 30 as herein  
 before described.

14 R. L. 14 East

Chains Hence Inn

N. 89° 57' E on a true line to spec. 19<sup>and</sup> 30  
 Va. 13° 50' E.

Through Timber

45.00 Set a sand stone 15x10x4 ins 10 ins in the  
 ground for  $\frac{1}{4}$  sec cor. marked  $\frac{1}{4}$  on N face  
 from which

a Pine. *Pinus strobus* br. N. 07° E. 34 lks

Sist. marked  $\frac{1}{4}$  S. B.T.

a Pine. *Pinus strobus* br. S. 20° W 66 lks

Sist. marked  $\frac{1}{4}$  S. B.T.

70.80 Road br. N. E.

85.00 The cor. to spec. 19-30-29<sup>and</sup> 30

Land Rolling

Soil 2nd and 3rd rate

85chs. Pine and Cedar Timber

Heavily timbered land 85chs

N. 0° 37' W br. spec. 19<sup>and</sup> 30

Va. 13° 49' E.

BOOK 159  
Subdivisions

Chains Through Timbers

4.70 Road to N.E.

40.00 Set a sandstone 15x15x4 ins 10 ins in  
the ground for 1/4 sec. cor marked 1/4  
on W face from which

A Pine 4 ins diam br. N. 53° 30' E. 36 lks  
Dist marked 1/4 S. B. T.

A Pine 7 ins diam br. S. 50° 30' W 54 lks  
Dist marked 1/4 S. B. T.

80.00 Set a lime stone 18x12x4 ins 13 ins in  
the ground for 1/4 sec. 17-18-19 <sup>and 20</sup>  
marked with 3 notches on S. <sup>and</sup>  
5 notches on E edges. from which

A Pine 7 ins diam br. N. 15° 30' E. 34 lks  
Dist marked 7/8 14 N. R. 14 E. S. 17 B. T.

A Pine 12 ins diam br. S. 31° 30' E. 99 lks  
Dist marked 7/8 14 N. R. 14 E. S. 20 B. T.

A Pine 7 ins diam br. S. 24° W 52 lks  
Dist marked 7/8 14 N. R. 14 E. S. 19 B. T.



Sp. 14 N. R. 14 East

Chain A Pine 10 ins diam to N 59° 30' W 8 lks  
 Dist marked Sp 14 N. R. 14 E. S. 1883.  
 Land Rolling  
 Soil. 3 rd rate  
 Soaks Pine Timber  
 Heavily timbered land soaks  
 Nov. 9. 1893

89° 54' E on a true line bet recs. 17 and 50  
 Va 13° 50' E

40.00 Set temporary 1/4 sec cor.  
 80.14 Intersect N<sup>th</sup> line 15 lks S of cor.  
 to recs 16-17-50 and 51 as herein before  
 described

Thence run  
 N 89° 59' W on a true line bet recs. 17 and 50  
 Va 13° 50' E  
 through timber

~~90.00 descend into N. Cheyenne Canon~~  
~~and N. E.~~

~~15.00 bottom~~

## Subdivisions

~~15.00~~ ~~as above~~~~22.00~~ ~~top~~

40.07 Set a sand stone 18x15x4 in or 2 in in  
 the ground for  $\frac{1}{4}$  sec cor. marked  $\frac{1}{4}$   
 on N face, from which  
 a Pinon 3 in diam. br.  $N 53^{\circ} 0' W 31$  lts  
 Dist. marked  $\frac{1}{4}$  P.T.  
 A Pine 15 in diam br.  $S. 53^{\circ} 30' E. 49$  lts  
 Dist. marked  $\frac{1}{4}$  P.T.

52.30 Road br. N. N. E.

80.14 The cor. to secs 17-18-19 <sup>and 30</sup>  
 Land Broken  
 Soil 3rd rate

80.14 Pine <sup>and Cedar</sup> as timber~~Heavily timbered land 80.14 chs~~

89.057' Mon a random line br. sec 18 <sup>and 19</sup>  
 Va.  $13^{\circ} 5' E.$

40.00 Set temporary  $\frac{1}{4}$  sec cor.

85.10 Intersect N. boundary of township

# Pt. 14 N.E. 14 East

Chains 7 lks. S of cor to sec. 13-18-19<sup>and 24</sup>  
 as herein before described.  
 thence S. m.

E on a true line bet sec. 18<sup>and 19</sup>  
 Va  $13^{\circ}51'E$ .

through Timber

35.00 Draw 1 ch wide e. course N. N. E.

45.10 Set a sand stone 18x8x6 ins 18 ins in  
 the ground for  $\frac{1}{4}$  sec. cor marked  
 on N face, from which

A Pine 10 ins diam br.  $N 31^{\circ}30' E$  138 lks  
 dist marked  $\frac{1}{4}$  B. 4

A Pine 4 ins diam br.  $S 49^{\circ} W$  35 lks  
 dist marked  $\frac{1}{4}$  B. 4

85.10 The cor to sec. 17-18-19<sup>and 20</sup>  
 Land Rolling

Soil 2<sup>nd</sup> and 3<sup>rd</sup> rate

85.10 chs. Open Timber.

Heavily timbered land 85.10 chs.

## Subdivisions

Chain No 3 Wht recs. 17<sup>and</sup> 18.

Va  $13^{\circ}51'E$ .

Through Timber

40.00 Set a Lime stone  $15 \times 10 \times 6$  ins in  
the ground for  $\frac{1}{4}$  cor marked  $\frac{1}{4}$  on  
W face, from which

Pinon 5 ins diam br.  $N 15^{\circ} W$  15 lks  
Dist marked  $\frac{1}{4}$  S.B.T.

A Pinon 5 ins diam br.  $S 43^{\circ} E$  15 lks  
Dist marked  $\frac{1}{4}$  S.B.T.

80.00 Set a Lime stone  $34 \times 18 \times 10$  ins in  
the ground for cor to recs. 7-8-17<sup>and</sup> 18  
marked with 4 notches on S. and  
5 notches on E edges from which

A Pinon 4 ins diam br.  $N 64^{\circ} 30' E$  15 lks  
Dist marked  $\frac{1}{4}$  N.R. 14 E. S. 8 B.T.

A Pinon 4 ins diam br.  $S 55^{\circ} 15' E$  16 lks  
Dist marked  $\frac{1}{4}$  N.R. 14 E. S. 17 B.T.

A Pinon 6 ins diam br.  $S 7^{\circ} 30' W$  17 lks

Sp. 14 N. R. 14 East.

Chain marked Sp. 14 N. R. 14 E. S. 10 B. 7

A Pinus resinosa br. N 43° 30' W 166 ft

Chain marked Sp. 14 N. R. 14 E. S. 7 B. 7

Land Rolling

Soil 3rd rate

80 chs. Pinus <sup>and Cedar</sup> similar.

Heavily timbered land 80 chs

S 89° 05' 9" E. on a random line bet. sec. 8 <sup>and 17</sup>

to 13° 52' E.

40.00 set temporary 1/4 sec. cor.

79.90 Intersect N <sup>and S</sup> line at cor to sec

8-9-16 <sup>and 17</sup> as herein before described

thence S. run.

N 89° 05' 9" W on a true line bet. sec. 8 <sup>and 17</sup>

to 13° 52' E.

through timber

ascend from Gulch. course N. E.

2.50 top

13.56 Road br. N. E.

## Subdivisions

- 39.95 Set a sandstone 10x10x8 ins 10 ins in the ground for  $\frac{1}{4}$  sec cor marked  $\frac{1}{4}$  on N face from which  
 A Pine 9 ins diam br.  $N 67^{\circ} E. 94$  lks  
 Dist marked  $\frac{1}{4}$  B.T.  
 A Pine 8 ins diam br.  $S 34^{\circ} 30' W 200$  lks  
 Dist marked  $\frac{1}{4}$  B.T.
- 79.90 The cor to sec. 7-8-17<sup>and 18</sup>  
 Land Rolling  
 Soil 2<sup>nd</sup> and 3<sup>rd</sup> rate  
 79.90 chs Cedar<sup>and</sup> Pine<sup>timber</sup>.  
 Heavily timbered land 79.90 chs
- 
- Won a random line to sec. 7<sup>and 18</sup>  
 $N 13^{\circ} 53' E.$
- 40.00 Set temporary  $\frac{1}{4}$  sec cor.
- 85.09 Intersect W boundary of township  
 4 lks N of cor to sec. 7-12-13<sup>and 18</sup>  
 as herein before described  
 Thence I run.

Sp 14 N. E. 14 East

Chains N 89° 58' E on a true line 1/4 sec 7 and 18  
Va. 13° 53' E.

Through Timber

17.00 Small Draw 30 lks. wide to N.

45.09 Scha sandstone 18 x 16 x 8 ins 12 ins  
in the ground for 1/4 sec corner marked  
1/4 on N face from which

A Pine 12 ins diam to N 65° E 58 lks  
dist. marked 1/4 S. B. T.

A Cedar 6 ins diam to S 51° W 16 lks  
dist. marked 1/4 S. B. T.

85.09 The coto sec. 7-8-17 and 18.

Land Rolling

Soil 2<sup>nd</sup> and 3<sup>rd</sup> rate

85.09 chs. Cedar and Pinon Timber

Heavily timbered land 85.09 1/2

N 0° 3' W 1/4 sec. 7 and 8

Va. 13° 54' E.

Through Timber

## Subdivisions

- 40.00 Set a sandstone  $18 \times 12 \times 10$  ins  $15$  ins in the ground for  $1/4$  sec cor marked  $1/4$  on W face from which  
A Pine  $12$  ins diam br.  $N 41^\circ W 35$  lks  
Dist marked  $1/4$  B.T.  
A Cedar  $10$  ins diam br.  $S 34^\circ 30' E 52$  lks  
Dist marked  $1/4$  B.T.
- 80.00 Set a Limestone  $34 \times 16 \times 12$  ins  $16$  ins in the ground for  $1/4$  sec 5-6<sup>7</sup> and 8 marked with 5 notches on S and E edges from which  
A Pine  $14$  ins diam br.  $N 21^\circ 30' E 103$  lks  
Dist marked  $1/4$  N.R.  $14 E. S. 5$  B.T.  
A Pine  $16$  ins diam br.  $S 50^\circ E 27$  lks  
Dist marked  $1/4$  N.R.  $14 E. S. 8$  B.T.  
A Pine  $15$  ins diam br.  $S 30^\circ W 125$  lks  
Dist marked  $1/4$  N.R.  $14 E. S. 7$  B.T.  
A Pine  $16$  ins diam br.  $N 36^\circ W 98$  lks  
Dist marked  $1/4$  N.R.  $14 E. S. 6$  B.T.



N. 14 R. 14 East

Chains Land Rolling

Soil 2nd rate

Soches Cedar, Pine and Piñon Timber

Heavily timbered land soches

S.  $89^{\circ}59'E$  on a random line bet. secs. 5<sup>and</sup> 8  
 Va.  $13^{\circ}53'E$

40.00 Set temporary  $\frac{1}{4}$  sec cor.

80.00 Intersect N and S. line 15 lks N of cor  
 to secs. 4-5-8<sup>and</sup> 9 as herein before de-  
 scribed

Thence I run

N  $89^{\circ}53'W$  on a true line bet. secs. 5<sup>and</sup> 8  
 Va.  $13^{\circ}53'E$

Through Timber

40.00 Set a sand stone  $24 \times 7 \times 6$  ins / 6 ins in  
 the ground for / sec cor marked  $\frac{1}{4}$  cor  
 N face from which  
 a Piñon 4 ins diam. lvs. N  $45^{\circ}E$  5-7 lks  
 dist. marked  $\frac{1}{4}$  S. D. S.

Subdivisions

Chain A Pine is westward by  $S 15^{\circ} W 38$  lks

05.50 Dist marked by B.T. ← Leave dense timber  
75.60 Wash 25 lks course N. W.  
79.85 Road by C. N. G.

80.00 The cor to secs 5-6-7<sup>and</sup> 8

Land Rolling

Soil 3<sup>rd</sup> rate.

Dochs. Cedar and Pine timber  
heavily timbered, <sup>land</sup> 65.50 chs

$S 89^{\circ} 58' W$  on a random line bet secs 6<sup>and</sup> 7

Va.  $13^{\circ} 52' E$

40.00 Set temporary  $\frac{1}{4}$  sec cor

84.95 Intersect. W boundary of township  
5 lks S of cor to secs 1-6-7<sup>and</sup> 13 as  
herein before described  
Thence S run.

On a true line bet secs 6<sup>and</sup> 7.

Va.  $13^{\circ} 52' E$ .

Through Timber

1.00 ascend gradually to mesa.

Sp. 14 N. R. 14 East.

- 14.00 Gulch. 30 lks wide. course SW  
 21.00 top
- 44.95 Set a Lime stone 15 x 14 x 8 ins in  
 the ground for  $\frac{1}{4}$  sec cor. marked  $\frac{1}{4}$   
 on N face, from which  
 a Pinon ceus diam br. N  $53^{\circ}$  E. 67 lks  
 dist. marked  $\frac{1}{4}$  S. B. T  
 a Pinon ceus diam br. S.  $47^{\circ}$  W 33 lks  
 dist. marked  $\frac{1}{4}$  S. B. T
- 44.95 Trail. br. N. W and S. E.
- 84.95 The corto sees 5-6-7 and 8.  
 Land Rolling  
 Soil 3 rd rate
- 84.95 chs. Cedar and Pinon Timber.  
~~Heavily timbered land 84.95 chs~~
- N  $0^{\circ}$  3' W on a random line bet. sec. 5 and 6.  
 Va. 13 $^{\circ}$  5' E.
- 40.00 Set temporary  $\frac{1}{4}$  sec cor.
- 79.80 Intersect N. boundary of township

# Subdivisions

Chain at cor to sec. 5-6-31 <sup>and 35</sup> as herein  
before described

Then a run S. 0° 3' E. at true line  
bet sec. 5 <sup>and</sup> 6.

Th. 13° 5' 16"

through timber

36.00 descent from mesa.

39.80 Set a sand stone 15x10x4 ins in the  
ground for 1/4 sec cor marked 1/4 on W  
face from which

A Pine 10 ins diam br. N 60° E. 34 lbs  
Set marked 1/4 S. B. T.

A Pine 6 ins diam br. S. 15° W 27 lbs  
Set marked 1/4 S. B. T.

44.00 Leave dense timber <sup>50 lbs wide</sup>

68.00 bottom and Wash <sub>1</sub> course N. E

79.80 The cor to sec. 5-6-7 <sup>and</sup> 8.

Sand Rolling

Soil 2<sup>nd</sup> <sup>and</sup> 3<sup>rd</sup> strata.

79.80 chs Pine <sup>and</sup> Cedar timber  
~~beavily timbered land~~ 79.80 chs  
Mar. 10. 1893

14 R. 14 East.

69 miles 42 chs and 6 lks run  
through heavily timbered land

General Description

This township is very rough  
and broken, by Cañons, Hart  
and Campbells are the only  
settlers in this township, having  
a sheep Ranch in the SW 1/4 of  
Sec. 2. Water is found in the  
Cañons. There is an abundance  
of Timber, mostly being Pine,  
and some <sup>Cedar</sup> ~~some~~ Timber.

Philip Cortzen  
U. S. Dep. Sur.

For Final Oaths  
See Book No. 40.

U. S. Surveyor-General's Office,

TUCSON, A. T., August 9, 1895-

The foregoing Field Notes of the Surveys of  
 the subdivision lines of  
 Township 14 North Range  
 14 East of the

Gila and Salt River Meridian  
 in Arizona executed by

Philip Cortzer

U. S. Deputy Surveyor, under his contract dated  
 February 10, 1893

having been critically examined, the necessary correc-  
 tions and explanations made, the said Field Notes and  
 the surveys they describe are hereby approved.

Levi H. Manning

U. S. Surveyor-General  
 for the Territory of Arizona.