

FL.

No-160

4-671

160

FIELD NOTES
GENERAL LAND OFFICE.

Subdivisions

of

T.14 N., R.15 E.

No-160

Indexed, Book 186.

No-160

For index see Book No. 186.

Subdivisions

Chains a Pine 4 in diam br. N 65° 30' W 95 chs.
 West marked Sp. 14 N. R. 15 E. S. 20 B. 1
 Land Rolling
 Soil 2nd rate
 Rocks Cedar ^{and} Pine Timber.
 Heavily timbered land rocks

N. 89° 05' 4" E on a true line ht recs. 31 ^{and 28}
 Pa. 13° 56' E.

40.00 Set temporary 1/4 sec. cor.
 80.20 Intersect N ^{trans} line 14 lks N of cor
 to recs. 21-22-27 ^{and 28} as herein before
 described

Thence run
 N on a true line ht recs. 31 ^{and 28}
 Pa. 13° 56' E.

Through Timber

17.50 Trail br. N.
 40.10 Set a sand stone 15 x 12 x 4 ins 10 ins in the
 ground for 1/4 sec corner marked 1/4 on N face

Sp 14 N. R. 15 East.

Chain from which

A Pinon Pine beam br. N. $40^{\circ}30'$ E. 19 lks

Dist marked $\frac{1}{4}$ S. B. T.

A Cedar 4 in diam br. S $32^{\circ}30'$ W 56 lks

Dist marked $\frac{1}{4}$ S. B. T.

49.00 Trail br NE.

64.00 Trail br NW

80.30 The corners. 30-31-38^{and} 39

Land Rolling

Soil & no rate

80.30 chs. Cedar^{and} Pinon. Timber

Heavily Timbered land 80.20 chs

N $0^{\circ}3'$ W br pccs. 30^{and} 31

N $13^{\circ}55'$ E.

Through Timber

40.00 Set a sand stone $18 \times 14 \times 4$ ins in the ground
for $\frac{1}{4}$ sec cor marked $\frac{1}{4}$ on N face, from which

A Pinon Pine beam br. N 50° E. 14 3 lks

Dist marked $\frac{1}{4}$ S. B. T.

Subdivisions

Chains A Pinon 6 ins diam br. S 30° W 47 cks
Dist marked $\frac{1}{4}$ S. B. T.

80.00 Set a lime stone $15 \times 10 \times 4$ ins 10 ins in the
ground for cor. to sec. 16-17-30^{2nd} 31 marked
with 3 notches on S^{2nd} & 4 notches on E^{2nd}
edges from which.

A Pinon 5 ins diam br. N 70° E. 68 cks
Dist marked Sp. 14 N. R. 15 E. S. 16 B. T.

A Pinon 6 ins diam br. S 41° E. 118 cks
Dist marked Sp. 14 N. R. 15 E. S. 10 B. T.

A Pine 14 ins diam br. S 33° W 45 cks
Dist marked Sp. 14 N. R. 15 E. S. 20 B. T.

A Pinon 5 ins diam br. N 70° W 168 cks
Dist marked Sp. 14 N. R. 15 E. S. 17 B. T.

Land Rolling

Soil 3rd rate

Soils Cedar^{2nd} Pinon Timber

Heavily timbered land sochs

E on a rant on line ht. sec. 16^{2nd} 31

Sp 14 N. E. 15 East.

- Chains Va. $13^{\circ} 54' E$.
- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 79.80 Intersect N⁴⁵ S line at cor to sec. 15-16
 31 ⁴⁵ 32, as herein before described
 thence run
 W on a true line bet sec. 16 ⁴⁵ 31
 Va. $13^{\circ} 54' E$
 through timber
- 31.40 Nail to N.E.
- 39.90 Set a lime stone $18 \times 14 \times 4$ ins in the
 ground for $\frac{1}{4}$ sec cor marked $\frac{1}{4}$ on N face
 from which
 a Pinon 4 ins diam to N $56^{\circ} E$ 31 eke
 dist marked $\frac{1}{4}$ S. B. T.
 a Pinon 6 ins diam to S. $55^{\circ} W$ 89 eke
 marked $\frac{1}{4}$ S. B. T.
- 76.00 descent into Gulch course N.W.
- 77.50 bottom
- 78.00 ascent

Subdivisions **BOOK 180**

- 79.60 top
- 79.80 the cuts, secs 16-17-20 ^{and 21}
- Lands Rolling
- Soil. 3rd rate
- 79.80 chs Cedar ^{and Pine} Timber
- ~~Beautifully timbered land 79.80 chs~~
- Dec. 4. 93.

- No. 2 White secs 16 ^{and 17}
- Var 13° 54' E.
- Through Timber
- 14.00 descent into gulch course NW
- 19.00 bottom
- 19.55 ascent
- 21.00 top
- 34.00 descent into same gulch course NE.
- 37.00 bottom ^{and ascent}
- 38.50 top
- 40.00 Set a Lime stone 18x12x3 ins 18 ins in the ground for 1/4 sec cor marked 1/4 on W face from which

Sp 14 T.R. 15 East.

Chains a Pinon 8 ins diam br. N 13° 30' E. 49 lks

Dist marked 1/4 S. B. T.

a Pinon 10 ins diam br. S. 34° W 86 lks

Dist marked 1/4 S. B. T.

49.00 descent into same gulch course N W

53.25 bottom

53.00 ascend along E bank of gulch.

61.00 recross gulch. course N E. and ascend

67.00 top

80.00 Sela Limestone 15 x 12 x 4 ins / 5 ins in the
ground for cor to recs. 8-9-16⁹ & 17 marked
with 4 notches on S^{and} E edges from
which

a Pinon 6 ins diam br. N 12° 30' E. 66 lks

Dist marked Sp. 14 N R. 15 E. S. 9 B. T.

a Pinon 5 ins diam br. S 5° 0' E. 39 lks

Dist marked Sp. 14 N R. 15 E. S. 16 B. T.

a Cedar 18 ins diam br. S 13° W 45 lks

Dist marked Sp. 14 N. R. 15 E. S. 17 B. T.

Subdivisions

Chains A Run One Team hrs. 72° W 84 lks
 Dist marked Sp. 14 N. R. 15 E. S. 8 P. 7.
 Land Broken

Soil 3rd ^{and} 4th rate

Dochs Cedar ^{and} Pine Timber
 Heavily timbered land sochs

E on a random line hrs. 9° ^{and} 16.

Va. $13^{\circ} 55' E$

40.00 Set temporary $1/4$ sec cor.

80.26 Intersect N ^{and} S line 30 lks S of cor
 to secs. 9-10-15 ^{and} 16 as herein before
 described

Then Inne

S $89^{\circ} 47'$ W on a true line hrs. 9° ^{and} 16.

Va. $13^{\circ} 55' E$

Through Timber across from Gulch.

2.00 top

12.00 Gulch 100 lks wide hrs. N. E.

15.10 Trail to N.

Sp 14 N. R. 15 East. 69

- 17.00 Trail to Ny.
- 40.13 Set a lime stone $18 \times 14 \times 8$ ins 12 ins in the ground for $\frac{1}{4}$ sec cor marked $\frac{1}{4}$ on N face from which.
- A Pinon 10 ins diam fr. N 44° E. 56 lks
 dist marked $\frac{1}{4}$ S. B. T.
- A Pinon 5 ins diam fr. S 24° W 67 lks
 dist marked $\frac{1}{4}$ S. B. T.
- 45.30 Trail to N.E.
- 47.80 Gulch 100 lks wide to N.E.
- 54.30 descend into Gulch course N.E.
- 57.50 bottom ^{and} ascend.
- 61.00 top
- 68.00 descend into Gulch course N.N.E.
- 71.00 bottom
- 71.40 Trail to N.E.
- 71.50 ascend
- 78.00 top
- 80.26 The cor to secs. 8-9-16 ^{and} 17.

Subdivisions

Chains Land Broken

Soil 3rd and 4th the at80.25 chs. Cota ^{4th} Pinar Timber~~Heavily timbered land 80.25 chs~~N 0° 2' W ht sec. 8 ^{4th} 59

Va 13° 56' E.

Through Timber

10.60 Edge of Chevron Cañon descent
course E. N. E.20.00 bottom ^{and} Creek 1 ch wide. fls. E. N. E.

22.00 ascent

40.00 Set a lime stone 24 x 18 x 10 ins / 16 in in
the ground for $\frac{1}{4}$ sec cor marked $\frac{1}{4}$
on W face, ^{and} raised a mound of stone
 $\frac{1}{2}$ ft high x ft base along side Pits
impracticable -

50.00 top

80.00 Set a lime stone 18 x 15 x 3 ins / 2 ins in the
ground for cor to sec. 4-5-8 ^{4th} marked

71

Sp 14 N. R. 15 East.

Chains with 5 notches on S. ^{9th} & 4 notches on E.
 edges ^{9th} raised a mound of stone 1/2 ft
 high 3 ft base alongside. Pits imprac-
 ticable from which
 a Cedar 5 ins diam to S. 33° E. 10 lks
 first marked Sp 14 N. R. 15 E. S. 9 B. 7.
 A Pinon 5 ins diam to N 72° W 36 lks
 first marked Sp. 14 N. R. 15 E. S. 5 B. 7.
 No other trees within limits.

Land Broken

Soil 3rd ^{9th} & 4th rate
 80 chs Cedar ^{9th} & Pinon Timber
~~Heavily timbered land 80 chs~~

N 89° 47' E on a random line to sec. 4 ^{9th} & 9.
 Va. 13° 56' E.

40.00 Set temporary 1/4 sec cor.

79.90 Intersect N ^{9th} & line 12 lks N of cor to
 sec 3-4-9 ^{9th} & 10 as herein before described
 Thence S. run

Subdivisions

- Chains S89°53' W on a true line 4th sec. 4th 9th
 Va. 13°56' E.
 Through timber
- 18.00 descent into Chevron Cañon course
 N.E.
- 26.00 bottom ^{2nd} Creek 100 lks wide flows N.E.
- 27.50 ascent
- 36.00 top
- 38.50 descent into Gulch course N.E.
- 39.95 Set a lime stone 27 x 14 x 5 ins 18 in in the
 ground for 1/4 sec cor marked 4 on N face
 from which
- A Pinon 5 ins diam br. N 61° E. 79 lks
 Dist marked 1/4 S.B.T.
- A Pinon 3 ins diam br. S 86° 30' W 89 lks
 Dist marked 1/4 S.B.T.
- 40.30 bottom ^{and} ascent
- 42.00 top
- 79.90 The cor to secs. 4-5-8 ^{and} 9.

Sp 14 N. P. 15 East.

Chain Land Broken

Soil Worthless

79.90 chs. Cedar and Piñon Timber.

~~Heavily timbered land 79.90 chs~~

No. 2' W on a random line. Lt. sec. 4 ^{and 5}
 Va. $13^{\circ} 55' E$.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.95 Intersect N boundary of township 8 lks
 S. E. of cor to sec. 4-5-32 ^{and 33} as herein
 before described

Hence I run

S. 00' W on a true line to sec. 4 ^{and 5}
 Va. $13^{\circ} 55' E$.

Through Timber

1.20 Road to N.E. ^{and} S.W.

39.97 Set a post 3 ft long 3 ins square with
 marked stone 12 ins in the ground for $\frac{1}{4}$ sec
 cor marked $\frac{1}{4}$ S on W face, from which
 a Piñon line runs to N. $14^{\circ} E$. 133 lks

Subdivisions

- Chains Dist marked $\frac{1}{4}$ S. B. T.
 A Pinon 10 ins diam from cor. S. 38° W 60 lks
 Dist marked $\frac{1}{4}$ S. B. T.
- 79.95 The cor to secs 4-5-8 ^{and} 9.
 Sans Level
 Soil substrate
 79.95 chs Cedar ^{and} Pinon Timbered.
~~The land is timbered and land 79.95 chs~~
 Dec. 5, 93
-
- N. $0^{\circ}3'$ W to sec. 31 ^{and} 32.
 Va. $13^{\circ}54'$ E.
 Through Timber
- 38.00 descend into Cañon course. N.W.
 40.00 Set a lime stone $18 \times 14 \times 12$ ins in
 the ground for $\frac{1}{4}$ sec corner marked $\frac{1}{4}$ on
 W face, from which
 A Cedar 10 ins diam from N. 35° W 10 lks
 Dist marked $\frac{1}{4}$ S. B. T.
 A Pinon 10 ins diam from S. 25° E. 118 lks
 Dist marked $\frac{1}{4}$ S. B. T.

- 46.30 bottom
- 46.00 leave Canon ^{and} along bank
- 57.00 Reenter " course N.E.
- 58.00 leave " ^{and} along bank
- 77.60 Reenter " course N.W.
- 78.00 ascend along bank
- 80.00 Set a lime stone 18x14x10 ins 12 ins in the ground for cor to secs. 29-30-31 ^{and} 32 marked with notch on S. ^{and} 5 notches on E edges from which
- a Pinon 4 ins diam br. N 38° E. 20 lks
Sist marked Sp. 14 N. R. 15 E. S. 29 B. T.
- A Pinon 10 ins diam br. S. 60° E. 17 lks
Sist marked Sp. 14 N. R. 15 E. S. 32 B. T.
- A Pinon 8 ins diam br. S. 27° W 45 lks
Sist marked Sp. 14 N. R. 15 E. S. 31 B. T.
- A Pinon 10 ins diam br. N 34° W 60 lks
Sist marked Sp. 14 N. R. 15 E. S. 30 B. T.
- Land Broken

Subdivisions

- Chains Soil 3.15 ^{and} 4 th rate
 rocks Cedar ^{and} Pinon Timber.
 Heavily timbered land rocks
-
- N 89° 57' E on a random line to sec 29 ^{and} 32
 Va. 13° 55' E.
- 40.00 Set temporary 1/4 sec. cor.
- 80.10 Enter sec N ^{and} S line 10 cks N of coto
 sec. 28-29-32 ^{and} 33 as herein before de-
 scribed
- Thence Run
- N 89° 59' W on a true line to sec 29 ^{and} 32
 Va. 13° 55' E.
- 3.00 Enter Timber
- 40.05 Set a sandstone 31 x 15 x 4 ins 14 ins in
 the ground for 1/4 sec cor marked 1/4 on
 N face, from which.
- A Pinon 6 ins diam to N 67° W 31 cks
 Dist marked 1/4 S. B. T.
- A Pinon 4 ins diam to S 66° E. 29 cks

77
27

P. 14 R. 15 East

Chains first marked $\frac{1}{4}$ S. B. T.

44.00 Trail to N

44.90 " " "

79.00 descend into gulch course N. N. E.

80.10 The cor to secs. 29-30-31 ^{and 32.}

Land Rolling

Soil substrate

80.10 chs Cedar ^{and} Pinow Timber.

~~Heavily timbered land patches~~

S. $89^{\circ} 37'$ W on a true line to secs 30 ^{and 31.}

Va. $15^{\circ} 36' E$.

40.00 Set a temporary $\frac{1}{4}$ sec cor.

87.80 Intersect. W boundary of township 6 lks
N of cor to secs. 30-31 ^{and 32.} as herein be-
fore described

Thence S. 1/4 mi.

N $89^{\circ} 54' E$ on a true line to secs. 30 ^{and 31}

Va. $15^{\circ} 36' E$.

Through Timber.

Subdivisions

Chains

ascend from Chevron Cañon course N6

8.35 top

8.35 Trail to N.W.

32.00 descent into Gulch course N.W.

40.70 Trail to N.W.

41.50 bottom

43.00 ascend

46.80 top ^{and} descend into Gulch course N.W.

47.80 Set a lime stone 15 x 10 x 10 inches in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on N face, from which

A Pinon 4 ins diam to N 34° W 20 lks
 first marked $\frac{1}{4}$ S.B.T.

A Pinon 3 ins diam to S 17° E. 60 lks
 first marked $\frac{1}{4}$ S.B.T.

50.00 bottom ^{and} ascend

56.00 top

82.00 descend into Gulch course N

Sp 14 N. P. 15 East.

86.00 bottom ^{2nd} trail

87.00 ascent

87.80 The cor to secs. 29-30-31 ^{2nd} 32

Land Broken

Soil 3rd ^{2nd} 4th rate

87.80 chs Cedar ^{2nd} Pinow Timber.

~~Heavily timbered land 87.80 chs~~

No. 3 W. ht. sec. 29 ^{2nd} 30

va. 3° 55' E.

through timber

2.50 Enter Cañon course N. E.

3.00 leave Cañon course N. W.

7.50 Re-enter Cañon course N. E.

21.00 bot. ^{2nd} trail to NE ^{2nd} ascent

29.00 top

40.00 Set a lime stone 21 x 16 x 4 ins 14 ins in the ground for $\frac{1}{4}$ sec. corner marked $\frac{1}{4}$ on W face, from which

a Pinow 5 ins diam. to N 75° W 66 chs

Subdivisions

- Claims list marked $\frac{1}{4}$ B.T.
- 41.80 Trail to N.E.
- 54.00 Trail to N.E.
- 55.00 Trail to N.E.
- 59.00 Trail to N.E.
- 80.00 Seta sand stone 18x15x6 ins 12 ins in the
ground for cor to sec. 19-20-29^{and} 30
marked with 2 notches on S and 5
notches on E edges, from which
A Pine 10 ins diam to N 45° E. 78 lks
fish marked $\frac{1}{4}$ N. R. 15 E. S. 20 B.T.
- A Pinewood 8 ins diam to S. 49° E. 62 lks
fish marked $\frac{1}{4}$ N. R. 15 E. S. 20 B.T.
- A Pinewood 8 ins diam to S. 52° 30' W. 58 lks
fish marked $\frac{1}{4}$ N. R. 15 E. S. 30 B.T.
- A Pine 10 ins diam to N 5° W. 84 lks
fish marked $\frac{1}{4}$ N. R. 15 E. S. 19 B.T.
- Land $\frac{1}{2}$ Rolling^{and} Broken
soil 3 rd^{and} 4th rate

Sp. 14 N.R. 15 East

Chains 80 chs Cedar ^{and} Linton Timber.
 Heavily timbered land rocks

S 89° 59' E on a random line h/secs 20 ^{and} 29
 Va 13° 54' E.

40.00 Set temporary 1/4 sec cor.

80.10 Intersect N ^{and} S line 3 lks N of cor to sec
 20-21-28 ^{and} 29 as here in h/secs described.
 Hence Run

N 89° 58' W on a true line h/secs 20 ^{and} 29.
 Va 13° 54' E.

Through Timber

38.00 descend into gulch course N W

40.05 Set a limestone 18 x 16 x 4 ins 12 ins in the
 ground for 1/4 sec cor marked 1/4 on N face
 from which

A Pine 10 ins diam. br. N 49° W 38 lks
 Dist marked 1/4 S. B.T.

A Pinon 10 ins diam. br. S 70° E. 17 lks
 Dist marked 1/4 S. B.T.

Subdivisions

Chains.

45.10 bottom

48.50 ascent

50.00 top

63.00 descent into gulch course NW

66.50 bottom ^{and} ascent

69.00 top

80.10 The cor to secs. 19-20-29 ^{and} 30

Land Broken

Soil 3rd ^{and} 4th rate80.0 chs Cedar ^{and} Pine Timber~~Heavily timbered land 80.10 chs~~
Sec. 6. 1/3.S 89° 54' W on a random line to sec. 19 ^{and} 30

N 13° 54' E.

40.00 Set temporary 1/4 sec. cor.

86.60 Intersect W bound of township
at cor to secs. 19-24-25 ^{and} 30 as herein be-
fore described
Thence run

Sp 14 N. E. 15 East.

Chains N 89° 54' E. on a true line h/sea. 19^{Aug 30}

Va 13° 54' E.

Through Timber

2.00 descent into gulch course E. E.

13.50 bottom^{and} ascent

15.30 Old Road br. N^{and} S

25.00 top

30.00 The corner point being on perpendicular
to Bluffs at a point 1660 chis. E. I set

a lime stone 18x14x3 ins 12 ins in the ground
for witness cor to 1/4 sec cor marked W.C.

1/4 on N face from which

a Pinon & mesquite br. N 27° E. 23 lks.

51st marked 1/4 S.W.C. B.T.

A Pinon + mesquite br. S. 34° W. 15 lks.

51st marked 1/4 S.W.C. B.T.

30.25 descent into Chealon Cañon course N E.

45.00 bottom^{and} Creek flows N.W.

46.00 ascent

Subdivisions

- 60.40 top
- 86.60 The cor to pccs 19-20-29 ^{and 30}
 Land mostly Broken
 Soil Worthless
 86.60 chs Cedar ^{and} Pinon Timber
Heavily timbered land 86.60 chs
-
- 70°3' Wht. pccs. 19 ^{and} 20
 Va. 13°55' E.
 through Timber
- 24.00 descend into gulch course NE.
- 38.50 bottom ^{and} ascend
- 40.00 Set a lime stone 15 x 8 x 8 ins 10 ins in the
 ground for 1/4 sec. cor marked 1/4 on W
 face, from which
 a Pinon 5 ins diam bn N 88° E. 19 chs
 set marked 1/4 S.B.T.
- a Pinon 3 ins diam bn S 84° 30' W 10 chs
 set marked 1/4 S.B.T.
- 42.00 top

T_p 14 N. R. 15 East.

- 52.50 descend into Chevelon Cañon
course N. E. N
- 80.00 Seta sand stone 36x18x10 in x 27 in in the
ground for cuto accs. 17-18-19^{and 20} marked
with 3 notches on S. ^{and 5} notches on E.
edges from which
- A Cottonwood 4 in stem to N. 30° E. 66 lks
Sist marked T_p 14 N. R. 15 E. S. 17 B. T.
- A Fir 2 in stem to S. 52° 30' E 80 lks
Sist marked T_p 14 N. R. 15 E. S. 20 B. T.
- A Cedar 15 in stem to S. 85° W 33 lks
Sist marked T_p 14 N. R. 15 E. S. 19 B. T.
- A Piñon 15 in stem to N. 15° W 77 lks
Sist marked T_p 14 N. R. 15 E. S. 18 B. T.
- Land Broken
- Soil 3^{and 4} Rate
- 80 clus Cedar, Piñon, some Cottonwood ^{and}
- Fir Timber
- Heavily timbered land rocks

Subdivisions

Chains 89°58' E on a true line to sec. 17 ^{Q 450}
 Va. 13°56' E.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.30 Intersect N ^{Q 451} line 14 lks. N of cor
 to sec. 16-17-30 ^{Q 451} as here in before
 described.

Hence run

N 89°52' W on a true line to sec. 17 ^{Q 450}
 Va. 13°56' E.

Through Timber

17.00 descend into gulch course N W

19.00 bottom ^{Q 451} ascend

20.00 top

30.00 descend into Gulch course N W

32.17 the cor point being on perpendicular
 Bluffs at a point ^{ch} 798 ^{Q 451} of cor point
 A. Run distance which I marked
 $\frac{1}{4}$ S. W. C. on N side ^{Q 451} and raise a mound
 of stone $\frac{1}{2}$ ft high 5 ft base along

87

Sp 14 T. R. 15 East.

Chains side. Pils impracticable, for with use
 cor to 1/4 sec cor. -

50.25 bottom, stream 50 lks wide flows N. -

57.00 ascend

60.00 top ^{Chavelon} and descend into ⁿ canon.

77.05 bottom ^{and} Creek 50 lks wide course N

77.55 ascend along South slope of canon

80.30 The cor to secs. 17-18-19 ^{and} 20.

Land Broken

Soil. Worthless

80.30 chs. Cedar ^{and} Piñon Timber.

~~Heavily timbered land 80.30 chs~~

$\angle 87^{\circ} 54' W$ on a random line to sec. 18 ^{and} 19

$\angle a 13^{\circ} 55' E$

40.00 Set temporary 1/4 sec cor.

86.66. Intersect. W boundary of township
 12 lks N of cor to secs. 13-18-19 ^{and} 24

as herein before described

Thence S. m.

BOOK 180 Subdivisions

- Chains $N 89^{\circ} 49' E$ on true line to spec. 18 ^{and 79}
 $N a 13^{\circ} 55' E$ — Descend
 through timber
- 38.00 ascent to mesa.
- 44.00 top
- 46.66. Set a lime stone $15 \times 14 \times 10$ ins in the
 ground for $\frac{1}{4}$ sec or marked $\frac{1}{4}$ on N face
 from which
- A Cedar 12 ins diam br. $N 40^{\circ} E$. 10 lbs
 dist marked $\frac{1}{4}$ S. B. T.
- A Pinon 4 ins diam br. $S. 31^{\circ} W$ 18 lbs
 dist marked $\frac{1}{4}$ S. B. T.
- 50.00 descent into gulch. course N
- 53.00 bottom ^{and} ascent
- 56.00 top ^{and} descent into gulch. course N.W.
- 60.00 bottom ^{and} ascent
- 62.00 top ^{and} descent into gulch course N.W.
- 67.00 bottom ^{and} ascent
- 75.50 top ^{and} descent into ^{Chelou} Cañon course N.W.

Sp 14 T. R. 15 East.

- 82.60 bottom
- 83.46 Creek 50 lks wide. flow N W
- 86.66 The corte, sees. 17-18-19 ^{and} 20
 Land Broken
 Soil 3rd ^{and} 4th rate
 86.66 dis Cedar ^{and} Pinon Timber.
 Heavily timbered land 86.66chs
-
- N. 0° 3' W lat sees. 17 ^{and} 18.
 Va. 13° 54' E.
 through Timber in Chevelon Cañon
- 1.00 Creek 50 lks wide. flows S. E.
- 2.00 ascent
- 9.00 top
- 23.00 descend into gulch course E.
- 24.50 bottom ^{and} ascent
- 26.00 top
- 34.00 descend into gulch course E.
- 36.00 bottom ^{and} along W bank of Chevelon cañon
- 40.00 Set a lime stone 18x18x13 ins 12 ins in the

Subdivisions

Chain ground for 1/4 sec cor marked 1/4 on W face
^{Ans} raised a mound of stone 1/2 ft high
 2 ft base alongside. Pits impracticable.

56.00 leave Bank at top

57.00 descend into Gulch course E.

58.50 bottom ^{Ans} ascent

60.00 top

80.00 Set a lime stone 18x12x5 ins 1/2 ins in the
 ground for cor to sec 7-8-7 ^{Ans} 18 marked
 with 4 notches on S. ^{Ans} 5 notches on
 E edges, from which

A Pinon 4 ins diam br N 61° E. 15 lks
 dist marked Sp. 14 N. R. 15 - E. S. 8. B. T.

A Pinon 6 ins diam br S 43° E. 21 lks
 dist marked Sp. 14 N. R. 15 - E. S. 17. B. T.

A Pinon 15 ins diam br S 13° W 44 lks.
 dist marked Sp. 14 N. R. 15 - E. S. 18. B. T.

A Pinon 7 ins diam br N 19° W 30 lks
 dist marked Sp. 14 N. R. 15 - E. S. 17. B. T.

Chains Land Broken

Soil 3rd and 4th rate

80 cks Cedar and Pine Timber.

Heavily timbered land 80 cks

S 89° 52' E on a random line to p. 8th and 17th

1/4 13° 53' E.

40.00 Set temporary 1/4 sec. cor.

79.80 Intersect N and S line 12 cks S of cor. p. 8

8-9-16th and 17th as herein before described

Thence S run

N 89° 57' W on a true line to p. 8th and 17th

1/4 13° 53' E

Through Timber

16.00 descent into Gulch, course N

19.00 bottom and ascent

20.00 top

22.26 descent into Chevron Curve course N.E.

35.00 bottom

35.50 Creek flows N.E. 50 cks wide.

BOOK 187
Subdivisions

- 36.00 ascent
- 39.90 Set a Lime stone 15 x 12 x 8 inches in the ground for $\frac{1}{4}$ sec corner at $\frac{1}{4}$ on N face
and raised a mound of stone $\frac{1}{2}$ ft high ft base along side pits, impracticable
- 44.25 top and descend into gulch course N W
- 53.00 bottom and ascent
- 59.55 top
- 79.80 The cor to sec. 7-8-17 and 18.
Land Broken
Soil. 3 rd and 4 th rate
- 79.80 chs. Cedar and Pinon timber.
Locality timbered land 79.80 chs.
Sec. 7.93.
-
- S $89^{\circ}49'$ W on a range one line to sec. 7 and 18
N $13^{\circ}54'$ E.
- 40.00 Set temporary $\frac{1}{4}$ sec cor
- 86.16 Intersect W boundary of township 14
chs of cor to sec. 7-12-13 and 18 as herein
before described.

Q. M. East.

Chains Thence from

N 89° 55' E on a true line to sec. 7 ^{and 18}
Va. 13° 54' E.

Through Timber

9.85 Road to N.E.

35.00 descends into gulch course N

46.16 Set a line stone 16 x 12 x 10 ins 10 ins in
the ground for 1/4 sec cor marked 1/4 on N
face from which

a Pine 16 ins diam to N 30° W 24 lks
dist marked 1/4 S. B. T.

A Pine 10 ins diam to S 35° E 81 lks
dist marked 5/4 S. B. T.

67.00 bottom.

78.00 ascends

85.00 top

86.16 The cor to secs. 7-8-17 ^{and 18.}

Land Broken

Soil 3 rd ^{and 4 th} rate.

BOOK 187
 Subdivisions

Chains 86.16 Chs. Cedar and Pinon Timber
 Heavily timbered land 86.16 chs

N 0° 3' W 1/2 sec. 7 and 8.

Var 13° 53' E.

Through Timber

7.00 Cedar 12 ins diam on line marked with 2 notches
 on N. & S. sides of line

33.00 descent into West Cheydon canon brs E.

40.00 Set a Lime stone 18x15x10 ins 12 ins in the
 ground for 1/4 sec cor marked 1/4 on W face
 from which

a Pinon 4 ins diam brs N 31° 30' E. 13 chs
 Dist marked 1/4 S. B.T.

a Pinon 10 ins diam brs S 53° W 16 chs
 Dist marked 1/4 S. B.T.

46.00 bottom

48.00 Trail brs E.

49.00 ascend along opposite bank

60.00 Re-cross Canon course S. S. W.

61.00 Road brs N.

66.00 ascend

71.00 top

71.30 descend into W. Chevron C. ^{course} W

72.50 bottom

73.50 ascend

77.00 top

79.20 descend into Gulch course E.

80.00 bottom ^{and} set a sandstone 21x20x6 ins 14 ins in

the ground for cor. sec 5-6-7 ^{and} marked
with 5 notches on S. ^{and} E. edges from which

A Pine 6 ins diam br. S. 74° 30' E. 44 lks
Sist marked Sp. 14 N. R. 15 E. S. 5 B. T.

A Pinon 10 ins diam br. S. 43° 30' E. 37 lks
Sist marked Sp. 14 N. R. 15 E. S. 8 B. T.

A Pinon 8 ins diam br. S. 19° W 92 lks
Sist marked Sp. 14 N. R. 15 E. S. 7 B. T.

A Cedar 12 ins diam br. N. 20° W 56 lks
Sist marked Sp. 14 N. R. 15 E. S. 6 B. T.

Land Broken

BOOK 160
Subdivisions

- Chains Soil 3.15 ^{and} 4th rate
 socks Cedar ^{and} Pinon Timber.
 Heavily timbered land socks
-
- $\beta 89^{\circ} 57' E$ on a random line hit pccs 5 ^{and} 8.
 $\alpha 13^{\circ} 56' E$.
- 40.00 Set temporary $\frac{1}{4}$ sec cor.
- 80.00 Intersect α ^{and} β line 7 ecks. of cor to pccs
 4-5-8 ^{and} 9 as herein before described
 Thence I run
 W on a true line hit pccs. 5 ^{and} 8.
 $\alpha 13^{\circ} 56' E$.
 Through Timber.
- 1.00 Main Trail. to Chevelon ^{Canon} Crs. S.
- 27.00 Trail Crs. S.
- 40.00 Set a Lime stone $18 \times 15 \times 3$ ins 12 ins in the
 ground for $\frac{1}{4}$ sec cor in arked $\frac{1}{4}$ on α face
 from which.
 A Pinon 5 ins diam Crs. $\alpha 72^{\circ} W$ 26 ecks
 first marked $\frac{1}{4}$ S. B. T.

Sp 14 N. L. 15 East.

Chains A Cedar 5 ins diam br. S. 33° E. 10 lks
 Dist marked $\frac{1}{4}$ S. D. T.

76.58 descends from mesa

76.50 bottom

76.55 Road br. N.

78.35 Gulch 50 lks wid e. br. S. E

79.00 descends into gulch.

80.00 bottom, ^{course S. E.} and the corners 5-6-7-^{and 8.}

Land Mostly Rolling

Soil 3rd rate

sochs. Cedar and Pinon Timber

Heavily timbered land sochs

S 89° 55' W on a random line br. S. E. ^{and 7}

br. 13° 55' E.

40.00 At temporary $\frac{1}{4}$ sec. cor.

86.30 Intersect. N boundary of township
 20 lks S of cor to sec. 1-6-7 ^{and 8} as

herein before described

Thence S. run

Subdivisions

- Chains S $89^{\circ}56'E$ on a true line
bet sees 6 $\frac{2}{7}$
- copy from here N $13^{\circ}55'E$
- Through timber
- 13.00 Gulch joins at this point
West Chevelon Cañon which flows E. N. E.
- 25.00 Top of East Bank of Cañon
- 38.00 Descend again into West Chevelon
Cañon
- 44.00 bottom, course N. E.
- 46.15 set a line stone $18 \times 12 \times 6$
ins, 12 ins in the ground
for $\frac{1}{4}$ sec. cor. marked
 $\frac{1}{4}$ on N. face & raised a
mound of stone $1\frac{1}{2}$ ft high
2 ft. base alongside. Pits
impracticable
- 48.00 ascend along south bank of cañon
- 56.64 top and descend into cañon
- 60.00 bottom, course S. E.
- 61.00 ascend along north bank
- 79.00 descend into Gulch
- 86.30 bottom, course S. E. The cor. sec 5, 6, 7 & 8

14 N. 15 East

Land broken
Chains Soil Worthless

86.30 Cbs Cedar and Piñon Timber

Heavily timbered land 86.30

N^o 3' W on a random line bet. sec. 5^Q 56

To 13° 54' E.

40.00 Set temporary 1/4 sec. cor.

79.75 Intersect N boundary of township at
c. to sec. 5^Q 34^Q 32 as herein before

described. Hence run

S 0° 3' E on a true line bet. sec. 5^Q 56.

To 13° 54' E.

Through Timber

2.50 Road to E. ^Q 5 W.

39.75. Set a lime stone 15 x 14 x 12 x 12 ins in the
ground for 1/4 sec. cor. marked 1/4 on N face
from which

A Pinon 4 ins diam bet. (74°) 15 52 lbs
bet marked 1/4 S.B.T.

A Cedar 14 ins diam bet. S 50° E. 83 lbs

U. S. Surveyor-General's Office,

TUCSON, A. T., August 9, 1895

The foregoing Field Notes of the Surveys of
the subdivision lines of
Township 14 North, Range
15 East of the

Gila and Salt River Meridian
in Arizona executed by
Philip Coutzen

U. S. Deputy Surveyor, under his contract dated
February 10, 1893

having been critically examined, the necessary correc-
tions and explanations made, the said Field Notes and
the surveys they describe are hereby approved.

Levi S. Manning
U. S. Surveyor-General
for the Territory of Arizona.