

No-170

# Field Notes

OF THE SURVEY OF THE

*SUBDIVISION LINES*

-OF-

Township *14 N.* Range *26 E.*

*Gila and Salt River Base and Meridian*

**ARIZONA.**

By *C. Burton Foster* D. S.

under contract dated *May 29, 1875.*

Survey commenced *July 7, 1875.*

Survey completed *July 14, 1875.*

No-170

170

Township 14 North. Range 26 East.

Gila and Salt River Meridian.

6	56	5	43	4	32	3	21	2	11	1
55		54		42		31		20		10
7	54	8	41	9	30	10	19	11	9	12
52		52		40		29		18		7
18	51	17	39	16	28	15	17	14	7	13
50		50		38		27		17		6
19	49	20	37	21	26	22	15	23	5	24
45		47		36		25		14		4
30	46	29	35	28	24	27	13	26	3	25
43		45		34		23		12		2
31	44	32	33	33	22	34	11	35	1	36

1A

**PRELIMINARY OATHS OF ASSISTANTS.**

WE, George W. Carr  
 and William C. Foster  
 do solemnly swear that we will faithfully execute  
 the duties of Chain Carriers; that we will level the  
 chain upon uneven ground, and plumb the tally  
 pins, whether by sticking or dropping the same;  
 that we will report the true distance to all notable  
 objects, and the true length of all lines that we as-  
 sist in measuring, to the best of our skill and  
 ability.

George W. Carr  
William C. Foster

Sworn to and subscribed before me, this 1st  
 day of July, 187 5



William McKenon  
 Clerk Dist Court  
 3rd St & Dudd St  
 Honolulu Co HI

1B

~~W.C.~~ Chas Rice

do solemnly swear that ~~we~~ <sup>I</sup> will well and truly perform the duties of Axman

according to instructions given ~~us~~ <sup>me</sup> and to the best of ~~our~~ <sup>my</sup> skill and ability.

Chas Rice

Sworn to and subscribed before me this <sup>12<sup>th</sup></sup> day of July 18<sup>7</sup> 8

William McKern  
Clerk Dist Court  
3<sup>rd</sup> Judl Dist  
Yavapai Co AZ



No-170

10

Field Notes  
of the  
Subdivision lines of  
Township 14 North Range  
26 East.

Gila and Salt River Meridian  
Territory of Arizona

by  
O. Burton Foster  
US Dep Surveyor

under his contract dated  
May 29<sup>th</sup> 1875

Survey commenced July 7<sup>th</sup> 1875  
" Completed " 14<sup>th</sup> 1875

Township 14 N Range 26 E  
Gila and Salt River Meridian

Begin at the established Cor. bears  
12.35<sup>E</sup> & 36 on the boundary of Tp 14 N  
R 26 E. the cor a line stone 15x10x8 ins  
from which cor Iron  
North between Secs 35<sup>E</sup> & 36  
Ra 14° 16' East

20.00 Runne flows NW and begin ascent  
of Spur bears NW

30.00 Summit of Spur bears NW and SE

40.00 Set a line stone 18x10x8 ins marked 1/4  
set  $\frac{3}{4}$  in the ground and dig pits 2x1x1 ft  
for 1/4 sec cor No trees near  
line continues along rolling hills  
bears N and S

80.00 Set a line stone 15x12x12 ins marked  
on Saw Edges  $\frac{2}{3}$  in the ground and  
on N side build mound of stone 2 ft high  
for cor Secs 25.26.35<sup>E</sup> & 36 No trees near  
Saw rough and hilly Soil 3<sup>rd</sup> class  
No timber or undergrowth

Township 14 N Range 26 E

Gila and Salt River Meridian

East on random line  
between Secs 25<sup>th</sup> & 26<sup>th</sup>  
Ta 14° 16' East

- 8.00 Begin descent hill bears NW and S
- 20.00 Foot of hill bears NW and S
- 30.00 Cattle trail bears NW and SE
- 31.50 Gulch, 1 ch wide flows NW
- 40.00 Set a stone for temporary 1/4 Sec cor
- 74.00 Cattle trail bears NW and SE
- 80.00 Intersect E boundary of Tpat cor to  
Secs 25<sup>th</sup> & 26<sup>th</sup> from which cor draw  
North true line between Secs 25<sup>th</sup> & 26<sup>th</sup>  
Ta 14° 16' East

- 40.00 Set a true stone 24x18x10 in Marked 1/4  
2/3 in the ground and dig pits 2x1x1 ft  
for 1/4 Sec cor No trees near
- 80.00 The cor to Secs 25, 26, 35 & 36  
Sand rolling soil 2<sup>nd</sup> and 3<sup>rd</sup> mile  
No timber no underground

Township 14 N Range 26 E

Gila and Salt River Meridian

North between Secs 25 and 26  
by 14° 16' East

- 38.00 Foot of spur and enter bottom  
land bears W and SE
- 40.00 Set a post marked  $\frac{1}{4}$  A 4 ft long  
flattened 3 in wide 1 ft in the ground  
down chored stake and build mound  
of earth 2 ft high with pits 2x1x1 ft  
for  $\frac{1}{4}$  Sec or No trees near
- 58.00 Road bears E and W and forks 10 ch  
West, one bearing S.W. to Corch's Creek  
and Camp Apache one to Sun set crossing  
bears N W
- 60.00 House of Mexican Settlement about 20 ch E
- 68.50 Little Colorado river 30 ch wide flows NW  
with rapid current and deep channel
- 80.00 Set a volcanic stone 20x10x10 in notched  
on S and E edges and set  $\frac{3}{4}$  in the ground  
and on N side build mound of earth 2 ft high  
with pits 2x1x1 ft for Corch Secs 23, 24, 25 & 26



Township 14 Range 26

BOOK

Eds. Gdn and Salt River Meridian

No trees near  
Sand south hilly with 3<sup>rd</sup> rate soil  
Sand north level bottom with 1<sup>st</sup> rate soil  
No timber or undergrowth

Cut on random line between Secs 24 <sup>40</sup>25  
Va 14° 16' East

24.00 Enter marshy land subject to overflow

40.00 Set a post for temporary 1/4 Sec cor

80.00 Intersect E boundary of 1/4 Sec cor  
to Secs 24 <sup>40</sup>25 from which cor I run  
Historic true line between Secs 24 <sup>40</sup>25

Va 14° 16' East

40.00 Drive chain stake 12 in down and  
Set a post marked 1/4 S 4 ft long flattened  
3 in wide 2 ft in the ground for 1/4 Sec cor  
No trees near - ground to wet to build  
Mound or dig pits from this cor a  
rocky point in hills bears N 50° W old dit

80.00 The cor to Secs 23.24.25 <sup>40</sup>26

Township 14 N Range 26 E

Sec 14 and Salt River Meridian

Sand level bottom Subject to inunda-  
tion to wet for farming - Splendid  
Meadow Soil 1<sup>st</sup> rate No timber

North between Secs 23 <sup>and 24</sup>  
R<sup>an</sup> 14° 16' East

25.00 Troyo 25 1/2 mi wide floors S 22

40.00 Set a post marked 1/4 S 4 ft long

flattened 3 in wide 1 ft in the ground

drive charred stake and build mound

of earth 2 ft high with pits 2 x 1 ft

for 1/4 Sec cor No trees near

45.00 Enter rolling land bears N 27 <sup>and S E</sup>

80.00 Set a lime stone 18 x 14 x 10 in notched

on S and E edges 3/4 in the ground and

on N side build mound of earth 2 ft high

with pits 2 x 1 ft for Cor bears 13, 14, 23 <sup>and 24</sup>

No trees near

Sand level and marshy & rolling N

Soil 1<sup>st</sup> and 2<sup>nd</sup> rate No timber

Township 14 N Range 26 E

Gila and Salt River Meridian

Cast on random line between Secs 13<sup>rd</sup> & 24<sup>th</sup>  
 Va 14° 16' East

16.00 Begin ascent of ridges bear N<sup>45</sup> E S

20.00 Summit and line continues along

Same gradually descending toward east

40.00 Set a stone for temporary  $\frac{1}{4}$  Sec cor

60.00 Begin ascent of hill 200ft high  
 bears N and S

70.00 Summit and line continues along same

80.20 Intersect E boundary of T<sup>1</sup> p 34<sup>th</sup> N S of

Cor to Secs 13<sup>rd</sup> & 24<sup>th</sup> from which bearing

S 89° 46' W on true line

between Secs 13<sup>rd</sup> & 24<sup>th</sup>

Va 14° 16' East

40.10 Set a volcanic stone 10x10x10 in marked

$\frac{1}{4}$  -  $\frac{2}{3}$  in the ground and build mound of stone

2ft high for  $\frac{1}{4}$  Sec cor to trees near

80.20 The Cor to Secs 13.14.23<sup>rd</sup> & 24<sup>th</sup>

Sand valley Soil 2<sup>nd</sup> rate good grow

No timber no undergrowth

Township 14 N Range 26 E

Gila and Salt River Meridian  
chs

North between Secs 13<sup>East</sup> & 14

Ta 14° 16' East

37.20 Arroyo 2500 ft wide flows SW

40.00 Set a lime stone 16x10x7 in marked 1/4

3/4 in the ground and dig pits 2x1x1 ft  
for 1/4 Sugar No trees near

45.00 Gulch 1200 ft wide flows SW

80.00 Set a lime stone 18x8x8 in marked

on Sand & edges 3/4 in the ground and on N side  
built mound of earth 2 ft high with pits

2x1x1 ft for compasses 11. 12. 13<sup>East</sup>

No trees near

Sand valley sloping west to bottom

Sail 2 nd rate No timber

East on random line between Secs 12<sup>East</sup> & 13

Ta 14° 16' East

2.00 Begin ascent of hill bears Sand NE

8.00 Summit and begin descent gentle slope

20.00 Foot and enter valley bears East W about

Township 14 N Range 26 E

Gila and Salt River Meridian  
chs

10 chs wide

25.40 Arroyo 20 lks wide flows N W and  
line continues along N bank

40.00 Set a stone for temporary  $\frac{1}{4}$  Sec Cor

60.00 Begin ascent of high rolling hills  
bear N  $45^{\circ}$  E 200 ft high

77.00 Summit bears N  $45^{\circ}$  E

80.30 Intersect E boundary of  $\frac{1}{4}$  Sec 36  $1/16$  S of  
Cor to Sec 12  $1/16$  from which Cor from  
 $S 89^{\circ} 45' W$  on true line  
between Sec 12  $1/16$  & 13

$N 4^{\circ} 16'$  East

40.15 Set a lime stone  $16 \times 10 \times 8$  in marked  $\frac{1}{4}$   
 $\frac{2}{3}$  in the ground and build mound of earth  
2 ft high with pits  $2 \times 1 \times 1$  ft  
for  $\frac{1}{4}$  Sec Cor No trees near

80.30 The Cor to Sec 11, 12, 13 & 14

Sand mostly rolling Soil 2<sup>nd</sup> rate  
No timber or undergrowth

Township 14<sup>th</sup> Range 26<sup>th</sup>

Gda and Salt River Meridian  
Ch

North between Secs 11 <sup>and 12</sup>  
Tas 14<sup>o</sup> 16 East

- 2.10 Arroyo 12 lks wide flows SW  
3.54 Begin ascent hill bears SW and NE  
10.00 Summit of hill bears N and S and  
Continue along same  
40.00 Set a lime stone 10x10x10 in marked  $\frac{1}{4}$   
 $\frac{2}{3}$  in the ground and build mound of earth 2  
ft high with pits 2x1x1 ft for  $\frac{1}{4}$  sec cor  
No trees near  
50.00 Begin descent bears E and SW  
56.00 Foot of hill and lower bottom land  
bears E and SW  
56.50 Dry Creek 30 lks wide flows W  
80.00 Set a post marked and notched 4 ft  
long 3 in squared 1 ft in the ground  
drive closed state and build mound of  
earth 2 ft high with pits 2x1x1 ft for cor  
to Secs 1, 2, 11 <sup>and 12</sup> No trees near  
Land South rolling and hilly

Township 14 N Range 26 E  
Gila and Salt River Meridian  
chs

North level bottom land  
Soil 1<sup>st</sup> rate north 3<sup>rd</sup> rate south  
No timber or undergrowth

July 7<sup>th</sup> 1875

East on random line between Secs 1 & 12  
Pa 140 16' East

28.00 Arroyo 25 ft wide 8 ft deep flows S  
44.00 Set a stone for temporary 1/4 Sec cor  
80.00 Intersect E boundary of 1/4 Sec cor  
to Secs 1 & 12 from which cor'd run  
West on true line between Secs 1 & 12  
Pa 140 16' East

40.00 Set a line stone 10x8x8 in marked 1/4  
2 3/4 in the ground and build mound of  
earth 2 ft high with pits 2x1x1 ft  
for 1/4 Sec cor No trees near

80.00 The cor to Secs 1, 2, 11 & 12  
Said along line level with good soil  
S and N of line rolling and hilly  
No timber or undergrowth

Township 14 N Range 26 E

Gila and Salt River Meridian

North on random line between Secs 1 and 2  
Pa 14° 16' East

3000 Enter calling land bears @ E of W

4000 Set a stone for temporary 1/4 Sec cor

8020 Intersect N boundary of Twp 30 N R 26 W  
of Cor to Sec 1 E of 2 from wheel Cor down  
So° 12' W on true line  
between Secs 1 and 2

Pa 4° 16' East

4020 Set a line stone 18x8x7 in marked 1/4  
3/4 in the ground and build mound of stone  
2 ft high for 1/4 Sec cor to true near

8020 The Cor to Secs 1.2.11 E of 2  
Soil mostly valley soil 2<sup>nd</sup> and 3<sup>rd</sup> rate  
No timber or underground

North between Secs 34 and 35

Pa 14° 16' East

4000 Set a post marked 1/4 5 ft long  
flattened 3 in wide 1 ft in the ground



Township 14<sup>th</sup> Range 26<sup>E</sup>  
 Gila and Salt River Meridian  
 Chs

Drive cleared stake and build mound  
 of earth 2ft high with pits 2x1x1ft  
 for 1/4 sec cor No trees near  
 8.00 Set a lime stone 24x14x8 in notched  
 on sand edges 3/4 in the ground and on  
 N side build mound of earth 2ft high  
 with pits 2x1x1ft for cor Sec 26.27.34 <sup>Sec 35</sup>  
 No trees near  
 Sand rolling and sloping W  
 Soil 2<sup>nd</sup> and 3<sup>rd</sup> rate  
 No timber or undergrowth

Custom random line between Sec 26 <sup>Sec 35</sup>  
 N at 40° 16' East

10.00 Water rolling land across N and S

14.00 Set stone for temporary 1/4 sec cor

40.00 Begin ascent of hill across sand S

48.00 Summit of hill across sand S

80.24 Intersect N and S line 20 1/2 N of cor  
 to Sec 25.26.35 <sup>Sec 36</sup> from middle cor down

Township 14<sup>th</sup> Range 26<sup>th</sup> E

Edw and Salt River Meridian

N 89° 57' W on true line

between Secs 26<sup>th</sup> and 35<sup>th</sup>

Var 4° 16' East

4612 At a lime stone 15 x 12 x 8 ins

Marked  $\frac{1}{4}$   $\frac{2}{3}$  in the ground and build mound of stone 2 ft high for  $\frac{1}{4}$  Sec Cr

No trees near, ground to land to dip pits

8024 The Cr to Secs 26, 27, 34<sup>th</sup> and 35<sup>th</sup>

Sand rolling Soil 3<sup>rd</sup> rate

No timber no undergrowth

North between Secs 26<sup>th</sup> and 27<sup>th</sup>

Var 4° 16' East

300 Road to Camp Apache via Concho Settlements across N East SW

7000 Enter bottom land across NE E SW

4000 Set a post marked  $\frac{1}{4}$  S 4 ft long flattened 3 in wide 1 ft in the ground drive charred stake and build mound of earth 2 ft high with pits 2 x 1 ft

Township 14 N Range 26 E

As Gila and Salt River Mendocino

for 1/4 Sec Cor No trees near  
58.00 Concho Creek 15 1/2 miles flows NE  
80.00 Set a post marked and rotated 4 ft  
long 3 in square set ft in the ground  
drive closed State and build mound  
of corral 2 ft high with pits 22 x 14 ft  
for corral sees 22.23.26 & 27

No trees near

Said level soil / State for farming  
No timber or undergrowth

East on random line between Sec 23 <sup>40</sup> & 26

Range 16 East

27.00 Concho Creek 15 1/2 miles flows N  
29.00 Road from Sunset Crossing to Upper  
Settlements bears N W and S E  
40.00 Set a post for temporary 1/4 Sec Cor  
55.00 Better Marshy land covered with  
dense growth of tule and rice grass  
62.00 Little Colorado River 3 1/2 miles

Township 14 N Range 26 E

1/4 Sec 26 and Salt River Meridian

rapid current flows N W.

49.90 Intersub N  $\frac{1}{4}$  Sec line at Cor. Secs

23.24.25. <sup>49.26</sup> from which Cord run

West on true line between Secs 23 <sup>49.26</sup> & 26

Var  $40^{\circ} 16'$  East

3995 Set a post marked  $\frac{1}{4}$  S 4 ft long

flattened 3 in wide 1 ft in the ground

drive chored stake and build mound

of earth 2 ft high with pits 2 x 4 ft

for  $\frac{1}{4}$  Sec Cor. No trees near

49.90 The Cor. Secs 22.23.26 <sup>49.26</sup> E of

Land level subject to overflow

Sail 1st rate

No timber

North between Secs 22 <sup>49.26</sup> and 23

Var  $140^{\circ} 16'$  East

22.00 Road to Sunset crossing bears

N W and S E

40.00 Set a post marked  $\frac{1}{4}$  S 4 ft long

Township 14 N Range 26 E  
Gila and Salt River Meridian

flattened 3 in wide 1 ft in the ground,  
drive charred stake and build mound  
of earth 2 ft high with pits 2x1x1 ft  
for  $\frac{1}{4}$  Sec Cor No trees near  
45.00 Little Colorado river 38. lks wide  
with marshy banks and muddy bottom  
flows N W

80.00 Drive a post marked and notched  
4 ft long 3 in squared 2 ft in the ground,  
and deposit stone marked + 1 ft down  
at E side of post for Cor to Secs 14, 15.

22 and 23. No trees near  
Could not build mound or dig pits  
on account of the marshy condition  
of the ground

Land level. marshy bordering on  
river Soil 1<sup>st</sup> rate No timber  
dense growth of tule and  
rice grass along river banks

Township 14<sup>th</sup> Range 26<sup>th</sup> E

Gold and Salt River Meridian

East on random line between Secs 14<sup>th</sup> <sup>Q23</sup> 23

201 4° 16' East

8.00 Leave marsh and enter level land  
bears N <sup>W</sup> E S E

40.00 Set a post for temporary  $\frac{1}{4}$  Sec cor

62.00 Enter rolling land bears N <sup>W</sup> E S

80.00 Intersected N <sup>W</sup> E S line at Cor to  
Secs 13, 14, 23<sup>Q24</sup> from which Cor  
I run

West on true line between Secs 14<sup>th</sup> <sup>Q23</sup> 23

201 4° 16' East

40.00 Set a post marked  $\frac{1}{4}$  S. 4 ft long  
flattened 3 in wide 1 ft in the ground  
drive chisel stake and build mound  
of earth 2 ft high with pits 2 x 1 x 1 ft  
for  $\frac{1}{4}$  Sec cor No trees near

80.00 The cor to Secs 14, 15, 22<sup>Q23</sup> 23

Sand mostly level Soil 1<sup>st</sup> rate  
No timber

Township 14 N Range 26 E

Gila and Salt River Meridian

North between Sec 14 <sup>and 15</sup>  
Tas 4° 16' East

10.00 Less marsh land bears N <sup>and</sup> S E

40.00 Set a post marked  $\frac{1}{4}$  S 4 ft long  
flattened 3 in wide 1 ft in the ground  
drill chared state and build mound  
of earth 2 ft high with pits 2x1x1 ft  
for  $\frac{1}{4}$  Sec cor No trees near

45.40 Arroyo 20 lks wide flows SW

80.00 Set a post marked and notched 4 ft  
long 3 in squared 1 ft in the ground  
drill chared state and build mound  
of earth 2 ft high with pits 2x1x1 ft  
for cor to Sec 10x11x14 <sup>and 15</sup>

No trees near

Sand level Soil 1<sup>st</sup> rate

No timber or underground  
July 8<sup>th</sup> 1875

East on random line between Sec 11 <sup>and 14</sup>  
Tas 4° 16' East

Township 14 N Range 26 E

Ida and Salt River Meridian  
ds

- 3.00 Arroyo 20 M wide flows S W  
 4.00 Set a post for temporary  $\frac{1}{4}$  Sec Cor  
 52.00 Enter rolling land bears N W  $\frac{1}{4}$  S  
 78.20 Arroyo 24 M wide flows S W  
 80.40 Intersect N  $\frac{1}{4}$  S line 28 M. N of Cor  
 Sec 11. 12. 13  $\frac{1}{4}$  from  $\frac{1}{4}$  Sec Cor Iron  
 N  $89^{\circ} 48' 77$  on true line  
 between Sec 11  $\frac{1}{4}$  S  
 Pa  $14^{\circ} 16'$  East
- 4020 Set a post marked "45" 4 ft long  
 flattened 3 in wide 1 ft in the ground  
 driven closed stake and build mound  
 of earth 2 ft high with pits 2 x 1 x 1 ft  
 for  $\frac{1}{4}$  Sec Cor N of true line
- 80.40 The Cor Secs 10. 11. 14  $\frac{1}{4}$  S  
 Land mostly level Soil 1<sup>st</sup> rate  
 N of true line

North between Sec 10  $\frac{1}{4}$  S  
 Pa  $14^{\circ} 16'$  East



Township 14<sup>th</sup> Range 26 East

Gila and Salt River Meridian

Chs

- 38.00 Enter gently rolling land bears  $NW \frac{1}{4} SE$
- 40.00 Set a post marked "45" 4 ft long  
flattened 3 in wide 1 ft in the ground  
drive charred stake and build mound  
of earth 2 ft high with pits 2x1x1 ft  
for  $\frac{1}{4}$  Sec Cor No trees near
- 65.00 Dry creek 35 to 40 miles from NW
- 80.00 Set a post marked and notched 4 ft  
long 3 in square 1 ft in the ground  
drive charred stake and build mound  
of earth 2 ft high with pits 2x1x1 ft  
for Cor & Secs 2, 3, 10  $\frac{1}{4} SE$
- No trees near

Land level about gently rolling north  
Soil 1<sup>st</sup> rate No timber

Cart on random line between Secs 2  $\frac{1}{4} SE$

Ta 140 16 East

- 28.00 Arroyo 20 to 25 miles from SW
- 40.00 Set a post for temporary  $\frac{1}{4}$  Sec Cor

Township 14 N Range 26 E

Gila and Salt River Meridian  
etc

80.20 Intersect N Ed Line at Cor & Sec

12.11 <sup>Qd 12</sup> from which Cor & run

West on true line between Sec 2 & 11

Pa 140° 16' East

40.10 Set a post marked  $\frac{1}{4}$  Sec 4 ft long  
flattened 3 in wide 1 ft in the ground  
done chipped stone and build mound  
of earth 2 ft high with pits 2x14 ft  
for  $\frac{1}{4}$  Sec Cor No trees near

80.20 The Cor & Sec 2 3.10 <sup>Qd 11</sup>

Sand mostly level Soil 1st rate

Timber a few scrub Cedars in

Center of Sec 2

Post on random line between Sec 2 <sup>Qd 3</sup>

Pa 140° 16' East

40.00 Set a post for temporary  $\frac{1}{4}$  Sec Cor

56.50 Arrays 20 ft wide flows S W

80.00 Intersect N boundary of  $\frac{1}{4}$  Sec 24.11.11 of

Cor & Sec 2 & 3 from which Cor & run

BOOK 170

Township 14 N Range 26 E

Gila and Salt River Meridian

S 0° 10' W on true line  
between Secs 2 and 3

Was 4° 16' East

40.05 Set a lime stone 15x10x6 ins marked 1/4  
2 in the ground and build mound of earth  
2 ft high with pits 2x1x1 ft for 1/4 Sec cor  
No trees near80.05 The cor to Secs 2, 3, 10 and 11  
Land pretty rolling Soil 2<sup>nd</sup> rate  
Timber an occasional Cedar in Sec 2

North between Secs 33 and 34

Was 4° 16' East

38.00 House and field 20 chs E field  
Corns NE and SW40.00 Set a lime stone 14x10x10 ins marked 1/4 at  
2 in the ground and build mound of earth  
2 ft high with pits 2x1x1 ft  
for 1/4 Sec cor No trees near

80.00 Set a lime stone 13x10x8 ins for property

Township 14 N Range 26 E

Gila and Salt River Meridian  
Chs

notched on <sup>East</sup> edges set  $\frac{2}{3}$  in the ground  
and on N side build mound of earth 2 ft  
high with pits 2x1x1 ft for Cor. by 27, 28, 33. <sup>East</sup> set

No trees near  
Land mostly level bottom Soil <sup>1</sup>/<sub>2</sub> prairie  
No timber no undergrowth

Cor. on random line between Secs 27 <sup>East</sup> set  
Twp 14° 16' East

3200 Corcho creek 12 Ws wide flows N

4000 Set a stone for temporary <sup>1</sup>/<sub>4</sub> Sec Cor

7650 Road to Settlements on Corcho and  
Happache bears N E and S W

8000 Intersect N E line at Cor 18 Secs

26, 27, 34 <sup>East</sup> set 35 from which Cor down

Next on true line between Secs 27 <sup>East</sup> set

Twp 14° 16' East

4000 Set a lime stone 12x10x10 in marked <sup>1</sup>/<sub>4</sub>  
set  $\frac{2}{3}$  in the ground and build mound of  
earth 2 ft high with pits 2x1x1 ft

Township 14 N Range 26 E

Gila and Salt River Meridian  
etc

for 1/4 Sec cor No trees near  
8000 The cor to Secs 27. 28. 33 <sup>E</sup> & 34  
Sandy level bottom Soil 1<sup>st</sup> rate  
No timber or undergrowth

North between Secs 27 <sup>E</sup> & 28  
T<sub>14</sub> 14° 16' East

12.50 Enter rolling land bears N and N E

40.00 Set a limestone 10x10x8 ins marked 1/4

Set 2/3 in the ground and build mound of earth

2 ft high with pits 2x1x1 ft for 1/4 Sec cor

No trees near

58.00 Enter level land bears E <sup>E</sup> & N

65.20 Dry creek 20 ft wide left deep flows SE

80.00 Set a post marked and notched 4 ft long

3 in square 1 ft in the ground

drive chowal stake and build mound

of earth 2 ft high with pits 2x1x1 ft

for cor lines 21. 22. 27 <sup>E</sup> & 28

No trees near

Township 14 N Range 26 E  
 Gila and Salt River Meridian  
 chs

Land greatly rolling south with 2<sup>nd</sup>  
 rate soil level bottom at Cor  
 with 1<sup>st</sup> rate soil to 2 miles

Course on meridian between Sec 22 <sup>July 4</sup>  
 was 4° 16' East

28.00 Acres rolling land bears N <sup>July 4</sup> W & E  
 rolling land extends south only 5 chs

40.00 Set a post for temporary 1/4 Sec Cor

56.00 Acres bottom land bears N <sup>July 4</sup> E S W

79.90 Intersect N <sup>July 4</sup> E S line 20 1/2 S of Cor to  
 Sec 1 22. 23. 26 <sup>July 4</sup> from which Cor drawn  
 S 89° 51' W on true line  
 between Secs 22 <sup>July 4</sup>  
 was 4° 16' East

39.95 Set a post marked 1/4 S 4 ft long  
 flattened 3 in wide 1 ft in the ground  
 drive chond stake and built round of  
 cor 2 ft high with pits 2 x 1 x 1 ft  
 for 1/4 Sec cor No trees near

Township 14 N Range 26 E

Gila and Salt River Meridian

49.90 The cor to Secs 21, 22, 27 <sup>Quadr 28</sup>  
 Sand level and rolling  
 Soil 1st rate  
 Timber Scrubbed in Sec 27

North between Secs 21 <sup>Quadr 27</sup>  
 and 22 <sup>Quadr 16 East</sup>

77.00 Enter gently rolling land bears ESE <sup>Quadr 27</sup>

40.00 Set a post marked  $\frac{1}{4}$  8 4ft long  
 flattened 3 in wide 1 ft in the ground  
 drive choned state and build mound  
 of earth 2 ft high 2 pits 2 x 1 x 1 ft  
 for  $\frac{1}{4}$  sec cor to trees near

63.00 Road from Sunset Crossing to  
 Settlements bears E and N

64.00 Shepherd's Cabin bears W 2 d

65.00 Enter bottom land bears E and N

80.00 Set a post marked and notched 4 ft  
 long 3 in square 1 ft in the ground  
 drive choned state and build mound

Township 14 N Range 26 E

Gila and Salt River Meridian  
cks

of coast 2 ft high mill pits 2x14 ft  
for cor & sees 15. 16. 21 <sup>Q 22</sup>

No trees near

Sand gently rolling south of  
road with 1<sup>st</sup> and 2<sup>nd</sup> rate soil

Sand north of road level and good soil

Timber thinned lead ore

July 9<sup>th</sup> 1875

Course random line between sees 15 <sup>Q 22</sup>

Pat 14 ° 16' East

40.00 Set a post for temporary 1/4 Sec 6 or

68.00 Patton land becomes wet and marshy

74.50 Little Colorado river 3 1/2 miles from S. W.

80.00 Intersect 4<sup>th</sup> line 7 1/2 miles from cor to

sees 14. 15. 21 <sup>Q 22</sup> from which course run

N 89° 56' W on true line

between sees 15 <sup>Q 22</sup>

Pat 14 ° 16' East

40.00 Set a post marked 1/4 Sec 4 ft long

flattened 3 in wide 1 ft in the ground



Township 14 N Range 26 E  
 Tada and Sacr River Meridian  
 Chs

Drive cleared state and build mound  
 of earth 2ft high with pits 2x1x1ft  
 for 1/4 sec cor No trees near  
 8.00 The cor & Secs 15, 16, 21. <sup>Q. 22</sup>  
 Sand level bottom marshy at  
 End Sail 1st rate  
 Timber a few Cedars & a few pine

North between Secs 15 <sup>Q. 22</sup> & 16

Ra 14° 16' East

4.00 Set a post marked 45 4ft long  
 flattened 3in wide 1ft in the ground  
 drive cleared state and build mound  
 of earth 2ft high with pits 2x1x1ft  
 for 1/4 sec cor No trees near

7.00 Enter marsh across Wand SE

76.00 Little Colorado river 38ft wide

rapid current and muddy bottom flows W

80.00 Drive a post marked and marked  
 4ft long 3in square 2ft in the ground

Township 14 of Range 26 E

Eds and Sale Prior Meridian  
 ch

and on N side line showed state boundary  
 for cor to Secs 9, 10, 15 Ed 16

No trees near

At this cor the ground was  
 so wet and miry I could not build  
 mound or dig pits

Land level bottom marshy in vicinity  
 of cor Tail 1 at rate

No timber & dense growth  
 of tule along river banks

Cor on random line between Secs 10 <sup>Ed 15</sup>

Pa 14° 16' East

20.00 Cross marsh and enter solid  
 bottom land across N and SE

40.00 Set post for temporary 1/4 Sec cor

80.00 Intersect N & S line at cor to Secs

10, 11, 14 <sup>Ed 15</sup> from which cor'd run

West on true line between Secs 10 <sup>Ed 15</sup>

Pa 14° 16' East

Township 14<sup>th</sup> Range 26<sup>E</sup>

Gila and Salt River Meridian  
chs

40.00 Set a post marked  $\frac{1}{4}$  S 4 ft long  
flattened 3 in wide 1 ft in the ground  
drive charred stake and build mound  
of earth 2 ft high with pits 2x1x1 ft  
for  $\frac{1}{4}$  sec cor No trees near

80.00 The cor lies 9. 10. 15<sup>th</sup> & 16

Land level marshy on W end  
Soil 1<sup>st</sup> rate No timber

North between Secs 9 & 10

Var  $40^{\circ} 16'$  East

12.50 Secs marsh and enter bottom land  
across E and W

34.00 Creek 10 ft wide flows SW. Has its source  
at Spring NE about 10 chs dist

40.00 Set a post marked  $\frac{1}{4}$  S 4 ft long  
flattened 3 in wide 1 ft in the ground  
drive charred stake and build mound of  
earth 2 ft high with pits 2x1x1 ft

Township 14 N Range 26 E

Gila and Salt River Meridian  
chs

for  $\frac{1}{4}$  Sec cor No trees near  
62.00 Cross 300 ft wide flow NW shallow stream  
with sandy bottom water rises about  
20 chs east

74.00 Enter gently rolling land bears E  $33^{\circ}$  W

80.00 Set a lime stone  $18 \times 14 \times 6$  in properly  
notched on S and E edges set  $\frac{3}{4}$  in the  
ground and on N side build a mound  
of earth 2 ft high with pits  $2 \times 1 \times 1$  ft  
for cor to Sec 3.  $4.9^{\circ}$  E  $40^{\circ}$

No trees near

Soil mostly level soil 1<sup>st</sup> rate

No timber or undergrowth

Castor random line between Secs 3.  $4.9^{\circ}$  E  $40^{\circ}$

Pa  $14^{\circ} 16'$  East

40.00 Set stone for temporary  $\frac{1}{4}$  Sec cor

80.10 Intersect A and S line 1200 ft S of cor to  
Secs 2. 3.  $10^{\circ}$  E  $11^{\circ}$  from which cor to run  
N  $89^{\circ} 55'$  W on true line

BOOK 170

Township 14<sup>th</sup> Range 26<sup>th</sup>  
 T14 and Salt River Meridian  
 chs

between Secs 3<sup>rd</sup> & 4<sup>th</sup>

Pat 4° 16' East

40.05 Set a lime stone 10x8x8 in marked 1/4  
 Set 3 in the ground and build mound  
 of corrt 2ft high with pits 2x1x1ft  
 for 1/4 Sec Cor No trees near

80.10 The Cor to Sec 3<sup>rd</sup> & 4<sup>th</sup>

Said gently sloping & Soil 1<sup>st</sup> rate  
 No timber

Work on random line between Secs 3<sup>rd</sup> & 4<sup>th</sup>  
 Pat 4° 16' East

21.00 Amoy. 10 lts wide flows SW

40.00 Set a stone for temporary 1/4 Sec Cor

80.12 Intersect N boundary of 7/10 lts N  
 of cor to Sec 3<sup>rd</sup> & 4<sup>th</sup> from which cor down  
 S 0° 4' W on true line

between Secs 3<sup>rd</sup> & 4<sup>th</sup>

Pat 4° 16' East

40.12 Set a lime stone 24x16x6 in marked 1/4

Township 14 N Range 26 E

Gila and Salt River Meridian  
Chs

Set  $\frac{3}{4}$  in the ground and build mound  
of earth 2ft high with pits 2x4x1ft  
for  $\frac{1}{4}$  sec cor No trees near  
S. 0.12 The Cor Secs 34, 9 E. 10

Land gently rolling soil moderate  
No timber or underground

North between Secs 32 E. 33  
Ta 140 16' East

40.00 Set a lime stone 16x12x8 in marked  $\frac{1}{4}$   
Set  $\frac{3}{4}$  in the ground and build mound  
of earth 2ft high with pits 2x4x1ft  
for  $\frac{1}{4}$  sec cor No trees near

80.00 Set a post marked and notched 4ft  
long 3 in square 1ft in the ground  
deposit stone marked + and build mound  
of earth 2ft high with pits 2x4x1ft  
for Cor Secs 28, 29, 32 E. 33  
No trees near

Land east rolling grassy hills

Township 14 N Range 26 E

Line and Salt Pine Meridian

Chs

Sloping gently to bottom land west  
 Tail East 2<sup>nd</sup> rate west 1<sup>st</sup> rate  
 Timber Cedar Mostly in Sec 32

East on random line between Secs 28<sup>42</sup> & 33

Pat 40 16° East

40.00 Set a post for temporary 1/4 Sec cor

74.00 Enter bottom land bears N 45 E

80.20 Intersect N 45 E line 24 lts S of cor Secs

27.28.33<sup>42</sup> & 34 from which cor d run

S 89° 50' W on true line

between Secs 28<sup>42</sup> & 33

Pat 40 16° East

40.10 Set a post marked 1/4 S 4 ft long

flattened 3 in wide 1 ft in the ground

driv closed state and build mound

of cord 2 ft high with pits 2 x 10 ft

for 1/4 Sec cor No trees near

80.20 The cor to Secs 28.29 32<sup>42</sup> & 33

Land gently rolling Tail 2<sup>nd</sup> rate

Township 14 N Range 26 E

Gila and Salt River Meridian  
chs.

Timber and occasional cedars  
July 10<sup>th</sup> 1875

North between Secs 28<sup>th</sup> and 29<sup>th</sup>

7<sup>th</sup> and 16<sup>th</sup> East

1200 Arroyo 10<sup>th</sup> wide flows N S W

4000 Set a post marked 1/2 S 4 ft long

flattened 3 in wide 1 ft in the ground

drill charr'd stake and build mound

of earth 2 ft high with pits 2 x 1 x 1 ft

for 1/4 Sec Cor No trees near

4800 Enter bottom land across Cand W

4860 Dry Creek 12<sup>th</sup> wide flows E

8000 Set a post marked and notched 4 ft

long 3 in square 1 ft in the ground

drill charr'd stake and build mound

of earth 2 ft high with pits 2 x 1 x 1 ft

for cor Secs 20 21 28<sup>th</sup> and 29<sup>th</sup>

No trees near

Land pretty rolling Soil 2<sup>nd</sup> rate

No Timber or any growth



Township 14 N Range 26 E

Gold and Salt Brine Meridians

East on random line between Secs 21 <sup>E 28</sup> 28  
 Ta 140 16 East

9.50 Dry Creek 12 lks wide flows NE

22.00 Same " " 12 " " " ESE

40.00 Set a post for temporary  $\frac{1}{4}$  Sec Cor

80.00 Intersect N E S line at cor to Secs

21, 22, 24  $\frac{1}{4}$  28 from which cor down  
 North on true line between Secs 21 <sup>E 28</sup> 28

Ta 140 16 East

40.00 Set a post marked  $\frac{1}{4}$  S 4 ft long

flat and 3 in wide 1 ft in the ground

drive down state and build mound

of earth 2 ft high with pits 2 x 1 x 1

for  $\frac{1}{4}$  Sec cor No trees near

80.00 The cor to Secs 20, 21 28 <sup>E 29</sup> 29

Sand along line and North level

gently rolling South Soil 1st rate

No timber or undergrowth

Township 14 N Range 26 E

Gila and Salt River Meridian  
chs

Start between Sec 20 & 21  
Ras 4016 East

40.00 Set a lime stone 20x20x4 in marked 1/4

Set 3/4 in the ground and build mound  
of earth 2ft high with pits 2x1x1ft  
for 1/4 Sec cor to true meridian

43.00 Enter Soda Lake across N E 1/4 S

44.50 Leave " " and enter Cinega land

56.00 Mud Springs E and W of line 10 to 15  
lks dist

58.50 Large Spring of pure water across  
West from this point 60 lks dist

60.00 F. Charis house across W 450 lks dist

65.20 Road from Summit crossing  
to upper settlements across E and W

80.00 Set a post marked and notched 4ft  
long 3rd diagonal 1ft in the ground  
drive the red stake and build mound  
of earth 2ft high with pits 2x1x1ft  
for cor to Sec 16. 17. 21 & 22

Township 14 N Range 26 E  
 5th and Salt River Meridian

ch

No trees near  
 Land mostly level  
 Soil 1<sup>st</sup> rate  
 Timber an occasional scrub cedar

East on random line between Sec 16 <sup>and 21</sup>  
 Twp 14° 16' East

1000 cattle trail bears NE and S W

4000 Set a post for temporary 1/4 Sec cor

80.10 Intersect N East line at Cor to Sec

15. 16. 21 <sup>and 21</sup> from which Cor I run

West on true line between Sec 16 <sup>and 21</sup>

Twp 14° 16' East

4005 Set a post marked 1/4 S 4ft long

flattened 3in wide 1ft in the ground

drive chond state. and build mound

of cont 2ft high milk pits 2x1x1ft

for 1/4 Sec cor No trees near

80.10 The Cor lies 16. 17. 20 <sup>and 21</sup>

Land level Soil 1<sup>st</sup> rate

Township 14 N Range 26 E

Gila and Salt River Meridian

Timber an occasional Cedar in Sec 21

North between Sec 16 E & 14

To 140 16' East

40.00 Set a post marked  $\frac{1}{4}$  54 ft long  
flattened 3 in wide 1 ft in the ground  
drive chisel state and build mound  
of rock 2 ft high with pits 2 1/2 ft  
for Sec 16 & 14 no trees near

66.00 After marshy land bears E & W

74.50 Little Colorado river 600 yds wide  
rapid current flows W

80.00 Drive a post marked and notched 4 ft  
long 3 in squared 2 ft in the ground  
outside drive chisel state 1 ft down  
for Cor & Sec 8, 9, 16, E & 14  
No trees near At this cor  
the ground was so wet and miry  
that I could not dig pits and  
build mound

Township 14 N Range 26 E

Gila and Salt Price Meridian  
chs

Sand level bottom marshy on bend  
Sail 1st rate. No timber  
Some growth of tule and rice  
grass on marsh

Caston random line between Secs 9 <sup>and 16</sup>  
Twp 4° 16' East

Line runs along on N bank  
about 5 chs dist from river

Sand along line wet and marshy  
with water over the surface at inter-  
vals 1 ft deep

4.00 Set a post for temporary  $\frac{1}{4}$  Sec line

6.00 Cross  $\frac{1}{4}$  Sec line wide flows S 20

8.00 Intersect N and S line at cor to Secs

8, 9, 16 <sup>and 14</sup> from which cor down

West on true line between Secs 9 <sup>and 16</sup>

Twp 4° 16' East

4.00 Drive a post marked  $\frac{1}{4}$  S 4 ft long

flattened 3 in wide 2 ft in the ground

Township 14 N Range 26 E

Gila and Salt River Meridian  
chs

Down chond state 1 ft down  
for  $\frac{1}{4}$  Section No trees nor  
ground too wet and mucky to  
build mound or dig pits

8.00 The Cor Secs 8, 9, 16 and 17  
Sand along line and on river banks  
South level marsh, North  
level bottom soil very rich  
No timber. Dense growth of tate  
rice grass and bulrushes on  
marsh land

North between Secs 8 and 9  
Twp 14 N R 26 E

8.00 Low marsh and ext. bottom land  
38.00 Creek 24 ft wide flow N with  
quite current and sandy bottom  
4.00 Set a post marked  $\frac{1}{4}$  5 ft long  
flathead 3 in wide 1 ft in the ground  
Down chond state and build mound

Township 14 N Range 26 E

Gila and Salt River Meridian

of earth 2 ft high with pits 2x1x1 ft  
for  $\frac{1}{4}$  Sec cor No trees near  
40.00 Enter upland bears E & W

greatly sloping S from N  
80.00 Set a post marked and notched  
4 ft long 3 in square 1 ft in the ground  
Drive chisel stake and build mound  
of earth 2 ft high with pits 2x1x1 ft  
for cor to Secs 4, 5, 8, 9 & 9

No trees near

Land mostly level Soil 1<sup>st</sup> rate  
No timber or undergrowth

East on random line between Secs 4 & 9

Pa 140 16° East

40.00 Set Stone for temporary  $\frac{1}{4}$  Sec cor

52.00 Arrays 20 lts wide flours S

80.00 Intersect N & S line at cor to Secs

3, 4, 9 & 9 from which cor to run

West on true line between Secs 4 & 9

Pa 140 16° East

Township 14 N Range 26 E  
Gila and Salt River Meridian

ch

40.00 Set a lime stone 10x8x8 in marked  $\frac{1}{4}$   
Set  $\frac{2}{3}$  in the ground and build mound of earth  
2 ft high with pits 2x1x1 ft for  $\frac{1}{4}$  Sec Cor  
No trees near

80.00 The Cor to Secs 4, 5, 8 E of 9  
Land gently sloping S. Soil 2<sup>nd</sup> rate  
No timber or underground

North on random line between Secs 4<sup>9/15</sup> & 5<sup>9/15</sup>  
Ba  $14^{\circ} 16'$  East

40.00 Set stone for temporary  $\frac{1}{4}$  Sec cor  
79.90 Intersect N boundary of T<sup>14</sup>R<sup>26</sup>E of Cor  
to Secs 4<sup>9/15</sup> & 5<sup>9/15</sup> from which Cor down  
S  $0^{\circ} 6' N$  on true line  
between Secs 4<sup>9/15</sup> & 5<sup>9/15</sup>  
Ba  $14^{\circ} 16'$  East

39.90 Set a lime stone 12x10x8 ins marked  $\frac{1}{4}$   
Set  $\frac{2}{3}$  in the ground and build mound of earth  
2 ft high with pits 2x1x1 ft for  $\frac{1}{4}$  Sec Cor  
No trees near



Township 14 N Range 26 E

6th and 7th Principal Meridian

149.90 The con to Sec 4. S. 8<sup>th</sup> 9

Sand upland sloping gently S Soil 2<sup>nd</sup> rate

No timber or undergrowth

July 12<sup>th</sup> 1875

North between Sec 31<sup>st</sup> and 32<sup>nd</sup>

To a 140' 16" East

3.50 Arroyo 15 1/2 miles from NE

40.00 Set a post marked 1/4 S 4 ft long

flattened 3 in wide 1 ft in the ground

deposit stone marked it and build mound

of earth 2 ft high with pits 2 x 1 x 1 ft

for 1/4 section No trees near

80.00 Set a post marked and notched 4 ft long 3 in

square 2 ft in the ground for con to Secs

29, 30, 31, 32 from which

A cedar 6 in dia S 79° E 18 1/2 ft

" " 12" " S 38° W 30" "

" " 10" " N 48° E 96" "

" " 15" " N 22° W 144" "

Sand quality rolling Soil 2<sup>nd</sup> rate Timber Cedar

Township 14<sup>th</sup> Range 26<sup>E</sup>

Gila and Salt River Meridian  
chs

East on random line between Secs 29<sup>Q</sup> 32<sup>Q</sup>  
70° 14' 16" East

9.00 Arroyo 12 lks wide flows N  
36.00 Enter rolling land Secs 29<sup>Q</sup> 31<sup>Q</sup>  
40.00 Set stone for temporary 1/4 Sec Cor  
69.00 Arroyo 10 lks wide flows SW  
79.80 Intersect N<sup>2</sup> E line at Cor to Secs  
28.29.32<sup>Q</sup> 33<sup>Q</sup> from which Cor down  
West on true line between Secs 29<sup>Q</sup> 32<sup>Q</sup>  
70° 14' 16" East

39.90 Set a line stone 12 x 10 x 4 in marked 1/4  
Set 2/3 in the ground and build mound of cost 2  
2 ft high with pits 2 x 1 x 1 ft for 1/4 Sec Cor  
No trees near

79.80 The Cor to Secs 29.30.31<sup>Q</sup> 32<sup>Q</sup>  
Land gently rolling Soil 2<sup>nd</sup> rate  
Pine & Cedars in wet portions of Secs

West on random line between Secs 30<sup>Q</sup> 31<sup>Q</sup>  
70° 14' 16" East

Township 14 N Range 26 E

Gila and Salt River Meridian

40.00 Set a post for temporary 4 Sec Co  
 79.80 Intersect N boundary of T<sup>25</sup> 25th N of cor  
 to Sec 30 E 31 from which cor run  
 N 89° 50' E on true line  
 between Sec 30 E 31  
 2014° 16' East

39.90 Set a post marked 45 4 ft long flattened 3 in wide  
 2 ft in the ground for 4 Sec Co from which  
 A cedar 10 in dia bears N 56° E 10 1/2 m dist  
 A " 8 " " " S 20° W 40 " "

49.90 The cor Secs 29, 30, 31 E 32  
 Saw quality rolling soil 2<sup>nd</sup> and 3<sup>rd</sup> rate  
 Timber Cedar with an occasional Pinon

North between Secs 29<sup>th</sup> and 30<sup>th</sup>

2014° 16' East

40.00 Set a post marked 45 4 ft long flattened 3 in wide  
 2 ft in the ground for 4 Sec Co from which  
 A cedar 10 in dia bears N 70° E 65 1/2 m dist  
 " " 8 " " " S 44° E 82 " "

170  
47  
Township 14 N Range 26 E

Gila and Salt River Meridian

Ch

48.00 Cattle trail bears N E and S W

80.00 Set a post marked and notched 4 ft long 3 in  
squared 1 ft in the ground drive corner stake  
and build mound of earth 2 ft high with pits 2 x 1 x 1 ft  
for cor & Secs 19, 20, 29 <sup>and 30</sup> No trees near  
land pretty rolling Soil 2<sup>nd</sup> rate  
Timber Cedar Mostly South and S. W

Cattle random line between Secs 20 <sup>and 29</sup>

7<sup>th</sup> 14° 16' East

8.00 Cattle trail bears N E and S W

25.40 Cuts bottom land bears N W and E

40.00 Set post for temporary 1/4 Sec Cor

60.00 Dry Creek 180 yds wide flows from S <sup>to point</sup> 7<sup>th</sup> 14° 16' E  
of line since E nearly parallel to line

80.00 Intersect N and S line 20 1/4 N of Cor & Secs

20.21.28 <sup>and 29</sup> from which cor & Sec

N 89° 52' W on true line

between Secs 20 <sup>and 29</sup>

7<sup>th</sup> 14° 16' East

## Township 14 N Range 76 E

## Gila and Salt Price Meridian

chs

40.00 Set stone (petrified wood)  $16 \times 8 \times 8$  in. Marked  $\frac{1}{4}$   
 set  $\frac{2}{3}$  in the ground and build mound of earth 2 ft high  
 with pit  $2 \times 1 \times 1 \frac{1}{2}$  ft for  $\frac{1}{4}$  Sec Cor. No trees near

80.00 The Cor. Secs 19, 20, 29 <sup>E</sup> & <sup>S</sup> 30

Sand level north, rolling off hill

Sail  $1^{\text{st}}$  and  $2^{\text{d}}$  rate to timber

West on random line between Secs 19 <sup>E</sup> & <sup>S</sup> 30

at  $140^{\circ} 16'$  East

40.00 Set a post for temporary  $\frac{1}{4}$  Sec Cor.

49.40 Intersect. W boundary of T<sup>1</sup> 280 W. S of Cor.

Secs 19 <sup>E</sup> & <sup>S</sup> 30 from which Cor. I run

N  $89^{\circ} 48'$  E on true line

between Secs 19 <sup>E</sup> & <sup>S</sup> 30

at  $140^{\circ} 16'$  East

39.40 Set a post marked  $\frac{1}{4}$  Sec Cor. flattened 3 in wide  
 1 ft in the ground drive closed stake and build mound

of earth 2 ft high with pit  $2 \times 1 \times 1 \frac{1}{2}$  ft

for  $\frac{1}{4}$  Sec Cor. No trees near

49.40 The Cor. Secs 19, 20, 29 <sup>E</sup> & <sup>S</sup> 30

Township 14 N Range 26 E

Gila and Salt River Meridian  
 also

Sand pretty rolling Soil 2<sup>nd</sup> rate  
 Timber Scattering Cedars

Point between Secs 19<sup>th</sup> & 20<sup>th</sup>

70<sup>th</sup> 16' East

30.00 Enter bottom level bears SE and NW

40.00 Set a post marked 1/4 S 4 ft long flat cut

3 in wide drive closed state and build

mound of earth 2 ft high with pts 2x1x1/2 ft

for 1/4 Sec Cor No trees near

80.00 Set a post marked and set 4 ft long 3 in

squared pt in the ground drive closed state

and build mound of earth 2 ft high with pts 2x1x1/2 ft

for Cor to Secs 17, 18, 19<sup>th</sup> & 20<sup>th</sup> from which

at Cedar Point bears N 38° E 106 ft dist

No other trees near

Sand mostly level Soil 1<sup>st</sup> rate

Timber Scattering Scrub Cedars

Township 14 N Range 26 E

Gila and Salt River Meridian  
chs

Carlton random line between Secs 17<sup>Q</sup> & 20<sup>Q</sup>  
Ba 14° 16' East

40.00 Set a post for temporary 1/4 Sec Co

45.00 Road to sunset crossing bears NW<sup>Q</sup> & SE<sup>Q</sup>

80.20 Intersect N<sup>Q</sup> & S line at Cox & Seas

16.17.20<sup>Q</sup> & 21<sup>Q</sup> from which Cond run  
West on true line between Secs 17<sup>Q</sup> & 20<sup>Q</sup>

Ba 14° 16' East

40.10 Set a post marked 1/4 S of long flattened  
3 in wide 1 ft in the ground down around stake  
and build mound of earth 2 ft high with pits 2 x 1 x 1 ft  
for 1/4 Sec Cox No trees near

80.20 The Cox to Secs 17, 18, 19<sup>Q</sup> & 20<sup>Q</sup>

Sand level Soil 1<sup>st</sup> tract

Timber an occasional straggler

Carlton random line between Secs 18<sup>Q</sup> & 19<sup>Q</sup>

Ba 14° 16' East

40.00 Set a post for temporary 1/4 Sec Co

79.30 Intersect W boundary of 1/4 tract to

Township 14 N Range 26 E

Gila and Salt River Meridian  
etc

Sec 18 <sup>E 1/4</sup> 19 from which Cor D run  
East on true line between Sec 18 <sup>E 1/4</sup> 19  
Ta 14° 16' East

3930 Set a post marked 45 4 ft long flattened 3 in wide  
2 ft in the ground for 1/4 Sec Cor from which  
A cedar 10 in dia bears S 76° E 24 lks dist  
" " 4 " " " N 68° E 28 " "

4930 The Cor to Secs 17, 18, 19 <sup>E 1/4</sup> 20  
Sand mostly level Soil 1<sup>st</sup> mte  
Timber Situated Cedars on the west

North between Secs 17 <sup>E 1/4</sup> 18

Ta 14° 16' East

1490 Road to Sunset Crossing bears N 87° W <sup>E 1/4</sup> E S E

4000 Set a post marked 45 4 ft long flattened 3 in  
wide 1 ft in the ground drive charred stake and  
build mound of earth 2 ft high with top 2 x 1 1/2 ft  
for 1/4 Sec Cor No trees near

4600 Enter land somewhat marshy bears <sup>E 1/4</sup> N

4000 Little Colorado river 40 lks wide flows W



Township 14 N Range 26 E

Gila and Salt River Meridian  
Chs

80.00 Set a post marked and notched 4 ft long 3 in  
squared 1 ft in the ground drive cleared state  
and built mound of earth 2 ft high with pits 2 x 1 x 1 ft  
for Cor to Sec 7. 8. 14<sup>th</sup> and 18 No trees near  
said land and slightly marshy in vicinity  
of river Soil 1<sup>st</sup> rate No timber  
July 13<sup>th</sup> 1875

East on random line between Sec 8<sup>th</sup> and 14<sup>th</sup>

Var 140° 16' East

40.00 Set a post for temporary  $\frac{1}{4}$  Sec Cor

70.00 Enter marsh bears W S W and NE

80.00 Intersect N<sup>th</sup> & S line at Cor to Sec

9. 10. 15<sup>th</sup> and 16<sup>th</sup> from whet Cor Drive

West on true line between Sec 8<sup>th</sup> and 14<sup>th</sup>

Var 140° 16' East

40.00 Set a post marked 4.5 ft long flattened 3 in  
wide 1 ft in the ground drive cleared state and  
built mound of earth 2 ft high with pits 2 x 1 x 1 ft  
for  $\frac{1}{4}$  Sec Cor No trees near

80.00 The Cor to Sec 7. 8. 14<sup>th</sup> and 18

Township 14 N Range 26 E

Gila and Salt River Meridian

chs

Sand level meadow wet and marshy  
on E end Soil 1<sup>st</sup> rate  
No Timber

Not on random line between Secs 7 & 8 T18

201 40 16' East

4000 Set a post for temporary  $\frac{1}{2}$  Sec Cor  
N 9.20 Intersect N boundary of T 20 S R of Cor

to Secs 7 & 8 T18 from which Cor from

N 89° 51' E on true line

between Secs 7 & 8 T18

201 40 16' East

39.20 Set a post marked  $\frac{1}{4}$  S  $\frac{1}{4}$  long of flattened 3 in  
wedge 1 ft in the ground driven closed stake and  
built mound of earth 2 ft high with pipe 2 x 1 ft  
for  $\frac{1}{4}$  Sec Cor No trees near

N 9.20 The Cor to Secs 7, 8, 11 T18

Sand level meadow slightly marshy soil

Soil 1<sup>st</sup> rate

No timber or undergrowth

Township 14 N Range 26 E

Gila and Salt River Meridian

ch

Notes between Secs 4<sup>th</sup> & 8

Ta 14° 16' East

20.00 Leave camp Meadow land and Enter  
dry bottom land

30.50 Cross 300 yds wide gentle current flows W

40.00 Set a post marked 45 yft long flattened 3 in  
wide 1 ft in the ground drive chisel stake and  
build mound of earth 2 ft high with pits 2x1x1 ft  
for Sec cor No trees near

52.00 Enter uplands gently sloping S

80.00 Set a post marked and notched 4 ft long 3 in  
square 1 ft in the ground drive chisel stake  
and build mound of earth 2 ft high with pits 2x1x1 ft  
for Cor Secs 5, 6, 7 & 8 No trees near  
Land mostly level with gentle inclination  
toward the S. Soil 1<sup>st</sup> rate  
No Timber or underground

Course on random line between Secs 5<sup>th</sup> & 8

Ta 14° 16' East

Township 14 N. Range 26 E

Gila and Salt River Meridian

cks

40.00 Set a post for temporary  $\frac{1}{4}$  Sec Cor

49.90 Intersect N E S line 20 S of Cor to Sec

45.8<sup>9</sup>/<sub>19</sub> from which Cor I run

S 89° 32' W on true line

between Secs 5<sup>E</sup> & 8

W at 4° 16' East

39.95 Set a line stone 18x9x9 in marked  $\frac{1}{4}$

Set  $\frac{3}{4}$  in the ground and build mound of

earth 2 ft high with pits 2x4x1 ft

for  $\frac{1}{4}$  Sec Cor No trees near

49.90 The Cor to Secs 5, 6, 7<sup>E</sup> & 8

Land gently sloping South Soil 2<sup>nd</sup> rate

No timber or underground

Next on random line between Secs 6<sup>E</sup> & 7

W at 4° 16' East

40.00 Set a post for temporary  $\frac{1}{4}$  Sec Cor

49.20 Intersect N boundary of 1<sup>st</sup> P at Cor to

Secs 6<sup>E</sup> & 7 from which Cor I run

East on true line between Secs 6<sup>E</sup> & 7

Township 14<sup>th</sup> Range 26<sup>th</sup> E

Ida and Salt River Meridian

Var  $4^{\circ} 16'$  East

39.20 Set a post marked  $\frac{1}{4}$  S 4 ft long flattened  
3 in wide 1 ft in the ground drive Chisel Stake  
and build mound of earth 2 ft high with pits 2x1x1 ft  
for  $\frac{1}{4}$  Sec Cor No trees run

49.20 The Cor Dies S. E.  $\frac{1}{4}$  of S

Sand gently sloping South Soil 2<sup>nd</sup> gate  
No timber or underground

North on random line between Secs 5<sup>th</sup> & 6<sup>th</sup>

Var  $4^{\circ} 16'$  East

40.00 Set a Stone for temporary  $\frac{1}{4}$  Sec Cor

49.90 Intersect N boundary of  $\frac{1}{16}$   $\frac{1}{4}$  Sec Cor  
Cor Dies S. E.  $\frac{1}{4}$  from wheel Cor down  
So  $4^{\circ} 16'$  on true line

between Secs 5<sup>th</sup> & 6<sup>th</sup>

Var  $4^{\circ} 16'$  East

39.90 Set a line Stone 10x8x8 ins Marked  $\frac{1}{4}$   
Set  $\frac{2}{3}$  in the ground and build mound of Earth  
2 ft high with pits 2x1x1 ft

Township 14 N Range 26 E

Gila and Salt River Meridian

for 1/4 Sec Cor No trees and  
179.90 The Co. 200000 5. 6. 7 and 8  
Sand upland mostly and Soil 2nd  
No timber or undergrowth  
July 14<sup>th</sup> 1875

General Description

This Township contains a large amount of good farming land and an abundance of good grazing land. The Little Colorado river flows through the Tp from Sec 25 to Sec 18. The land bordering on the river is mostly meadow land somewhat marshy in places along its banks but is covered with a rich growth of fine grasses. Concho Creek enters the Tp in Sec 34 and flows into the Little Colorado river in Sec 23. There is also a creek in the northern part of the Tp which becomes dry

during the dryer part of the season

There are several settlements in  
the T/F

The timber consists mostly of  
cedars of a stunted growth suitable  
only for fuel and are thickest in  
the southwestern portion of the T/F

at Dunton Fort  
as depicted

**LIST OF NAMES.**

A List of the Names of Individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the survey of *the subdivision lines of Township 14 N Range 26 E Gila and Salt River Meridian Territory of Arizona*

Showing the respective capacities in which they acted.

*George W Carr* Chainman.

*William C Foster* Chainman.

*Chas. Rice* Axeman.

Flagman.



**FINAL OATH OF ASSISTANTS.**

WE hereby certify that we assisted W. B. Foster  
Foster U. S. Deputy Surveyor, in  
 surveying the subdivision lines of  
Township 14 N Range 26 E  
Gila and Salt River Meridian  
Territory of Arizona

and that said Survey has been in all respects, to  
 the best of our knowledge and belief, well and  
 faithfully executed, and the boundary monu-  
 ments planted according to the instructions fur-  
 nished by the Surveyor-General.

George W. Carr Chainman.

William Foster Chainman.

Chas Rice Axeman.

Flagman.

Sworn to and subscribed before me, this 5<sup>th</sup>  
 day of August, 1875

William Wilkerson

Clare Dist Court  
3rd Jud Dist  
Yavapai Co Ariz



u

**FINAL OATH OF DEPUTY SURVEYOR.**

---

I, Edwiston Foster

U. S. Deputy Surveyor do solemnly swear that,  
in pursuance of a contract with John Wasson,  
United States Surveyor-General for Arizona, bear-  
ing date the 29<sup>th</sup> day of May

1875 I have well, faithfully and truly, in my  
own proper person, and in strict conformity with  
the instructions furnished by the Surveyor-Gener-  
al, the Surveying Manual, and the laws of the  
United States, surveyed all those portions of

the subdivision lines of  
Township 14 N Range 26 E  
Gila and Salt River Meridian  
Territory of Arizona

as are repre-  
sented in the foregoing Field Notes as having

RECEIVED  
MAY 31 1875  
U. S. DEPT. OF THE INTERIOR  
BUREAU OF LANDS

68  
been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements contained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

*Le Ruston Foster*  
Deputy Surveyor.

Sworn to and subscribed before me, this 5<sup>th</sup>  
day of August, 1873

*William Milkerson*  
Clerk Dist Court  
3<sup>rd</sup> Judl Dist  
Yavapai Co Ariz



The  
of the  
execute  
D. S., u  
7  
amined  
made, u  
scribe, a

I do  
ers of  
etuat-  
Man-  
ccord-  
tained  
veyor-  
73, re-  
ries of  
re the  
s.  
ta  
or.

U. S. Surveyor General's Office,  
Tucson, Arizona, Sept. 1st, 187

The foregoing Field Notes of the survey of the

Subdivision lines of

Township 14 N.

Range 26 E.

54

of the Gila and Salt River Base and Meridian, Arizona

executed by C. Burton Foster

D. S., under his contract of the 29th day

May, 1875, having been critically e-

amined and the necessary corrections and explanation

made, the said Field Notes and the surveys they d-

scribe, are hereby approved.

John Masson

Surveyor General.