

No- 178

Field Notes

OF THE SURVEY OF THE

SUBDIVISION LINES

- OF -

Township 15 N - Range 9 East

Gila and Salt River Base and Meridian

ARIZONA.

By *Thos. F. White* D. S.

under contract dated Aug 5, 1880.

Survey commenced July 9 1881.

Survey completed July 15 1881.

No-- 178

178

Subdivision: Township 15 N. Range 9 E.
S. 1 1 1/2 1/2 M. 1/2

INDEX DIAGRAM.

Township 15 North

1A

Range 9 East.

6	75	5	54	4	40	3	28	2	14	1
74		74		53		39		27		13
7	71	8	52	9	38	10	26	11	12	12
70		68		50		37		25		10
18	67	17	49	16	36	15	23	14	9	13
66		65		48		35		22		8
19	63	20	47	21	34	22	21	23	7	24
62		61		45		33		20		5
30	60	29	44	28	32	27	19	26	4	25
58		57		43		31		17		3
31		32	42	33	29	34	16	35	1	36

river, Arizona.

ONA.

13

Preliminary Oaths of Assistants.

We, *Charles Newton*


and *J. H. McClure*

do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

Chas Newton
J H McClure

Sworn to and subscribed before me, this *16th* day of *June*, 18*81*.

William J. Osborn
Notary Public
Lincoln Co. N.H.



We, Frank Carpenter, John Blake,
Hugh Robbins and C. H. Patchett
do solemnly swear that we will well and truly per-
form the duties of aman, assistant axi-
man, Maundman and Hayman, respectively
according to instructions given us, and to the best
of our skill and ability.

Frank Carpenter
John Blake
Hugh Robbins
C. H. Patchett

Sworn to and subscribed before me this 14th
day of April, 1881

William J. Osham
Notary Public
Tama Co. A. I.



Subdivision: Township 15 N. Rang. 9 E.
Gila and Salt River Meridian

tho.

From the Cor. to Secs. 35 & 36, 1 & 2
on the S. boundary of the township
which is a post, marked and
notched in mid. of earth, with
witness trees marked in each sec.
and which was recently set by me
and is fully described in my
field notes. From this Cor. I run
North between Secs. 35 & 36

Lat. $14^{\circ}16'$ East

by observation with Solar
Compass. This is the same ob-
servation observed on the E. & S. boundary.

I use the same instrument in
making the subdivisional survey
that I used in running the
exterior line, which is a Burt's
Improved Solar Compass.

2. M. Creek 300 yds. wide, course S.

Subdivision: Township 15 N., Range 9 E.
 Gila and Salt River Meridian

Chs.
 40.00

Set a post 4 ft. long, flattened 3 ins. wide, with marked stone 1 ft. in the ground, for 4th Sec. Cor. marked 4 ft. and raised ind. of stone 2 ft. high around post, from which
 A pine 39 fms. diam. brs. S. 35° E. 50 lbs. dist.
 A pine 27 fms diam. brs. N. 40 W. 56 lbs. dist.

80.00

Set a post 4 ft. long, 4 ins. sq. with marked stone 1 ft. in the ground for the cor. to Secs. 25, 26, 35 & 36 marked and notched. raised ind. of stone 2 ft. high, around post, from which
 A pine 16 ins. diam. brs. S. 68° E. 59 lbs. dist.
 A pine 12 ins. diam. brs. S. 43° W. 74 lbs. dist.
 A pine 27 ins. diam. brs. N. 72 W. 64 lbs. dist.
 None near enough to mark N. E.
 Rolling, Soil good along creek
 Having pine & fine undergrowth throughout

Subdivision: Township 15 N., Range 9 E.
Gila & Salt River Meridian

chs.

East on a random line bet. Secs. 25 & 36
Var. $14^{\circ}16'$ East

5.000 Crnk 200 lbs. wide course S.E.

11.000 Leave little pathy along crnk

40.000 Set a temporary $\frac{1}{4}$ Sec. Cor.

80.004 Laterals of the E. boundary of the
township 6 Mts. N. of the Cor.
to Secs. 25, 30, 31 & 36, which was
recently set by me and is fully
described in my field notes
Thence S. run

S. $89^{\circ}57'$ W on true line bet. Secs. 25 & 36
Var. $14^{\circ}16'$ E.

40.002 Set a post 4 ft. long, flattened 3 ins. wide
with marked stone 1 ft. in the ground
for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$, dug
pits, and raised end of earth
2 ft. high around post, from which
a pin 40 ins. diam. brs. S. $58^{\circ}11'$ W $\frac{1}{6}$ Mts. dist

Subdivision: Township 15 N, Range 9 E,
Gla & Salt River Meridian

Obs.

80.04 A pine 30 ins. diam. brs. N. 65° W, 16 lbs. dist,
The cor. to Secs. 25, 26, 35 & 36
Descending SW, Soil good along
Creek, then 2nd rate
Heavy pine throughout with
undergrowth of pine & oak

North between Secs 25 & 26
Var. 14° 16' E.

- 1.00 Creek 300 lbs. wide course S. E.
- 12.00 Same Creek 200 lbs. wide, course S. W.
- 40.00 Set a post 4 ft. long, flattened 4 ins. wide
with marked stone 1 ft. in the
ground for 4th Sec. Cor. marked 45.
dug pits and raised mid. of earth
2 ft. high around post, from which
A pine 25 ins. diam. brs. S 48° E. 65 lbs. dist.
A pine 40 ins. diam. brs. N. 73° W. 27 lbs. dist

Subdivision, Township 15 N., Range 9 E.
Gla & Salt River Meridian

40,
80, 00

Set a post, 4 ft. long, 4 ins. sq. with
marked stone 1 ft. in the ground
for Cor. to Secs. 23, 24, 25 & 26 mark-
ed and notched, dug pits and rais-
ed, ind. o. hearth 12 ft. high around
post, from which

A pine 38 ins. diam. brs. N. 73° E. 5 1/2 mts. dist.

A pine 16 ins. diam. brs. S 60° E. 22 mts. dist.

A pine 10 ins. diam. brs. N. 28° W. 10 1/2 mts. dist.

A pine 28 ins. diam. brs. S. 80° W. 13 1/2 mts. dist.

Rolling, Soil good along Creek
Heavy pine timber throughout
Undergrowth of pine.

East on random line bet. Secs. 24 & 25

Dist. 14' 16" East.

5000 Little valley and stream 300 yds. wide
course E. of S.

6

BOOK 178

Subdivision: Township 15 N. Range 9 E.

Gila and Salt River Meridian

Chs.

44.00

Set a temporary $\frac{1}{4}$ Sec. Cor.

80.14

Intersect the E. boundary of the township 13 tks. N. of the Cor. to Secs. 19, 24, 25 & 30, which was recently established by me and is fully described in my field notes. Thence I run

N. $89^{\circ} 54' W.$ on true line bet Secs. 24 & 25
Var. $14^{\circ} 16' E.$

40.117

Set a post 4 ft. long, flattened 3 ins. wide, with marked stone 1 ft. in the ground for $\frac{1}{4}$ Sec. Cor. marked 4 S. raised end. of stone 2 ft. high around post, from which

A pine 20 ins. diam. brs. N. $18^{\circ} E.$ 30 tks. dist.

A pine 25 ins. diam. brs. S. $60 W.$ 6 tks. dist.

80.14

The Cor. to Secs. 23, 24, 25 & 26

Rolling, Soil good along little valley Heavy pine timber throughout.

Subdivision: Township 15 N, Range 9 E,
Gila and Salt River Meridian
Chs.

North between Secs. 23 & 24
Var. $14^{\circ} 16'$ East

- 34.00 Cruck 50 lbs. wide, course E. & S.E.
- 40.00 Set a post 4 ft. long, flattened 3 ins.
wide, with marked stone 1 ft. in the
ground, for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S.
and raised quad. of stone 2 ft. high
around post, from which
a pine 16 ins. diam. brs. S. 20° E. 62 lbs. dist.
a pine 20 ins. diam. brs. $71^{\circ} 24'$ N. 74 lbs. dist.
- 80.00 Set a post 4 ft. long, 4 ins. sq. with mark-
ed stone 1 ft. in the ground for Cor-
to Secs. 13, 14, 23 & 24 marked and
notched, and raised quad. of stone
2 ft. high around post, from which
a pine 26 ins. diam. brs. N. 20° E. 152 lbs. dist.
a pine 12 ins. diam. brs. S. $43^{\circ} \frac{1}{2}$ E. 90 lbs. dist.
a pine 36 ins. diam. brs. $54^{\circ} 44'$ N. 79 lbs. dist.
a pine 2" ins. diam. brs. $71^{\circ} 41'$ N. 62 lbs. dist.

Subdivision: Township 15 N. Range 9^o E.
Gila & Salt River Meridian

Acres.

Rolling, Soil good along creek
thru 2^d rate.

Heavy pine timber all along with
undergrowth of pine.

July 9, 1881.

East on a random line bet. Secs. 13 & 24
Var. $14^{\circ}16' E.$

16.57 Ravine, water in it from rains
course S.

140.00 Set a temporary $\frac{1}{4}$ Sec. Cor.

77.98 Intersect the E. boundary of the
Township 15th S. of the Cor.
to Secs. 13, 18, 19 & 24 which was
recently set by me and is fully
described in my field notes
Hence I run

189.54 W. on true line bet. Secs. 13 & 24
Var. $14^{\circ}16' E.$

Subdivision: Township 15 N., Range 9 E.
Gila & Salt River Meridian

Chs.
39.94 Set a post 4 ft. long, flattened 3 ins.
wide, with marked stone 1 ft. in the
ground, for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ ft.
and raised mid. of stone 2 ft. high
around post, from which
a pine 2 $\frac{1}{2}$ ins. diam. br. N. 33 E. 61 Ws. dist.
a pine 3 ins. diam. br. S. 27 E. 18 Ws. dist
79.98 The cor. ²²⁰⁰ on 13, 14, 23 & 24
Rolling & some broken. Soil 2nd red
Heavy pine timber throughout

North between Secs 13 & 14
Ther. 14° 16' E.

40.00 Set a post 4 ft. long, flattened 3 ins.
wide, with marked stone 1 ft. in
the ground for $\frac{1}{4}$ Sec. Cor. marked
 $\frac{1}{4}$ S. and raised mid. of stone
2 ft. high, around post, from which

Subdivision: Township 15 N, Range 9 E
Gla & Salt River Meridian

Chs.

80.00

A pine 3 1/2 ins. diam. brs. N. 25° E. 20 kcs. dist.

A pine 3 8/16 ins. diam. brs. S. 31° N. 74 kcs. dist.

Set a post 4 ft. long, 4 ins. sq. with
marked stone 1 ft. in the ground
for the Cor. to Secs. 11, 12, 13 & 14
marked and notched and raised
up. of stone 2 ft. high around
post, from which

A pine 2 4/16 ins. diam. brs. N. 50° E. 117 kcs. dist.

A pine 2 1/16 ins. diam. brs. S. 38° E. 20 kcs. dist.

A pine 2 6/16 ins. diam. brs. S. 18° W. 170 kcs. dist.

A pine 1 9/16 ins. diam. brs. N. 60° W. 21 kcs. dist.

Rolling. Soil 3rd rate
Heavy pine timber throughout
with pine undergrowth.

East on a random line bet. Secs. 12 & 13
Lat. 14° 16' E.

Subdivision: Township 15 N., Range 9 E.
Grand Salt River Meridian

chs.

- 44.111 Set a temporary $\frac{1}{4}$ Sec. Cor.
 79.92 Intersect the E. end of the
 township 14 $\frac{1}{2}$ m. S. of the Cor. to Secs.
 7, 12, 13 & 18 from which I run
 S. $89^{\circ} 34' W.$ on true line bet. Secs. 12 & 13
 Var. $14^{\circ} 16' E.$
- 39.96 Set a post 4 ft. long, flattened pins
 with marked stone 1 ft. in the
 ground, for $\frac{1}{4}$ Sec. Cor. marked
 $\frac{1}{4}$ S. and raised mid. of stone
 2 ft. high around post, from which
 A pine 20 ins. diam. br. S. $40^{\circ} E.$ 2 $\frac{1}{2}$ m. dist.
 A pine 18 ins. diam. br. N. $21' W.$ 34 m. dist.
- 69.90 A pine 45 ins. diam.
 79.92 The cor. to Secs. 11, 12, 13 & 14
 undulating soil 3 $\frac{1}{2}$ rods
 Heavy pine timber all along

Subdivision: Township 15 N., Range 9 E.
Gila and Salt River Meridian

Obs.

North between Sies. 11 & 12

Var. $14^{\circ} 16'$ East

40.1111 Siba post 4 ft. long, flattening 3 ins. wide, with marked stone 1 ft. in the ground, and for 4 Sec. Cor. marked 4 S. and raised md. of stone 2 ft. high around post from which

a pine 30 ins. diam. brs. S. $48^{\circ} E.$ 48 lbs. dist.
a pine 24 ins. diam. brs. N. $50^{\circ} W.$ 112 lbs. dist.

80.00 Siba post 4 ft. long, 4 ins. sq. with marked stone 1 ft. in the ground for the Cor. to Sies. 12, 11 & 12 marked and notched, and raised md. of stone 2 ft. high around post, from which

a pine 24 ins. diam. brs. N. $62^{\circ} E.$ 23 lbs. dist.

a pine 26 ins. diam. brs. S. $14^{\circ} 2' E.$ 17 1/2 lbs. dist.

a pine 23 ins. diam. brs. S. $42^{\circ} W.$ 160 lbs. dist.

Subdivision: Township 15 N Range 9 E.
 Gold and Salt River Meridian
 Chs.

A fine 2nd Meridian. bearing 34° W. 13¹/₂ Mts. dist.
 Mudflatting, Soil 3^c rate
 Heavy pine with oak & pine an-
 dergrowth all along.

East on random line bet. Secs. 18 & 12
 Var. $14^{\circ} 16'$ East.

- 34.51 Dyseend from Rocky bluff.
 40.00 Set a temporary 4th Sec. Cor.
 45.110 Bottom of little valley course S.E.
 87.08 Intersect the E. boundary of the
 township 16 Mts. S. of the Cor. to
 Secs. 1, 6, & 9/12 which was
 recently set by me and is fully
 described in my field notes
 Hence I run
 S. $89^{\circ} 53'$ W. on true line bet. Secs. 18 & 12
 Var. $14^{\circ} 16'$ E.

Subdivision: Township 15 N. Range 9 E.
Gila and Salt River Meridian
Chs.

- 40.04 Set a post 4 ft. long, flattened 3 ins. wide, with marked stone 1 ft. in the ground, for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. and raised med. of stone 2 ft. high around post, from which a pine 20 ins. diam. brs. S. 43 E. 83 lbs. dist. to pine 3 ins. diam. brs. N. 26 W. 71 lbs. dist.
- 80.118 $\frac{1}{4}$ Sec. to Secs. 1, 2, 11 & 12
Rolling. Soil 3rd rate
Heavy pine timber throughout with oak & pine undergrowth

North on random line bet. Secs. 1 & 2
Var. 14° 16' E.

- 26.00 Descend from rocky rim into little valley course S. E.
- 40.111 Set a temporary $\frac{1}{4}$ Sec. Cor.
- 80.19 Intersect N. boundary of the town.

Subdivision: Township 15 N., Range 9 E.
 Gila and Salt River Meridian
 Chs.

Ship 9 lbs. W. of the Cor. to Secs.
 1, 2, 35 & 36 recently set by me.
 Thence I run
 $S 0^{\circ} 4' W.$ on true line bet Secs. 1 & 2
 $Tas. 14^{\circ} 16' E.$

40.14 A stake post 4 ft. long, flattened 3 ins.
 wide, with marked stone 1 ft. in the
 ground for $\frac{1}{4}$ Sec. Cor. marked 4 ft.
 dug pits and raised mid. of earth
 2 ft. high around post, from which
 A pine 38 ins. diam. brs. $N. 44^{\circ} E.$ 181 lbs. dist.
 A pine 34 ins. diam. brs. $S 8^{\circ} W.$ 62 lbs. dist.

87.19 The Cor. to Secs. 1, 2, 11 & 12
 Rolling. Soil 3rd rate & 2nd rate
 Heavy pine timber throughout
 with pine & oak undergrowth.

Subdivision: Township 15 N. Range 9 E.
Gila and Salt River Meridian

Chs.

From the Cor. to Secs. 34 & 35, 2 & 3
at the S. end of the township
which is a post marked and notched
in ind. of earth, with witness
tree in each sec. and which was
recently set by me and is fully
described in my field notes.

From this Cor. I run

North between Secs. 34 & 35

Tap. $14^{\circ}16'$ East.

40.00 Set a post $4\frac{1}{2}$ ft. long, flattened 3 ins.
wide, with marked stone 1 ft. in
the ground, for $\frac{1}{4}$ Sec. Cor. marked
 $\frac{1}{4}$ S. dug pits and raised ind. of
earth 2 ft. high around post
from which

A pine 1 $\frac{1}{2}$ ins. diam. brs. S. 68° E. 20 kcs. dist.

A pine 2 ins. diam. brs. N. 16° W. 22 kcs. dist.

57.00 Dry creek 30 kcs. wide course S. E.

Subdivision Township 15 N. Range 9 E.
 6th and Salt River Meridian

811.011 Set a post 4 ft. ^{long.} 4 ins. sq. with
 marked stone 1 ft. in the ground, for
 the cor. to Secs. 26, 27, 34 & 35, marked
 and notched, dug pits and raised
 mounds of earth 2 ft. high around post,
 from which
 A pine 39 ins. diam. brs. N. 15 E. 101 lbs. dist.
 A pine 20 ins. diam. brs. S. 45 E. 144 lbs. dist.
 A pine 38 ins. diam. brs. S. 67 W. 88 lbs. dist.
 A pine 19 ins. diam. brs. N. 40 W. 64 lbs. dist.
 Rolling soil 2 & 3 c rate
 Heavy pine timber throughout.
 Undergrowth of pine & oak

East on a random line bet. Secs. 26 & 35
 Lat. $14^{\circ} 16' E$.

141.111 Set a temporary $\frac{1}{4}$ Sec. Cor.
 79.999 Subtract the N. & S. line $\frac{1}{4}$ lbs. $\frac{1}{4}$ of.

Subdivision: Township 15 N. Range 9 E.
Gila and Salt River Meridian

Chs.

of the Cor. to Secs. 25, 26, 35 & 36
from which I run
N. 89° 5 1/2' W. on true line bet. Secs. 26 & 35
Var. 14° 16' E.

39999 Set a post 4 ft. long, flattened 3 in.
wide, with marked stone 1 ft. in
the ground for 1/4 Sec. Cor. mark.
10' 1/4 S. and dug pits and raised
mud of earth 2 ft. high around
post, from which

A pine 40 ins. diam. brs. 7 1/2' 1/2' E. 16' W. dist.
A pine 16 ins. diam. brs. South 15' W. dist.

Note

49999 The Cor. to Secs. 26, 27, 34 & 35
Rolling. Soil 3rd rate
Heavy pine timber throughout
Undergrowth of pine

Subdivision: Township 15 N. Range 9 E.
 6th and Salt River Meridian

Chs.

North between Secs. 26 & 27
 Tar. $14^{\circ} 16'$ East.

- 11.57 Dry creek 40 lbs. wide course E.
 40.00 Set a post 4 ft. long, flattened 3 ins.
 wide, with marked stone 1 ft. in the
 ground for $\frac{1}{4}$ Sec. Cor. marked
 $\frac{1}{4}$ S. dug pits and raised ind.
 of earth 2 ft high around post,
 from which
 A pine 36 ins. diam. brs. S. $4^{\circ} E.$ $\frac{1}{4}$ lbs. dist.
 A pine 17 ins. diam. brs. N. $5^{\circ} W.$ $\frac{1}{8}$ lbs. dist.
 17.00 A creek 100 lbs. wide course S.E.
 80.00 Set a post 4 ft. long, 4 ins. sq. with
 marked stone 1 ft. in the ground
 for the Cor. to Secs. 22, 23, 26 & 27
 marked and notched and raised
 ind. of stone 2 ft. high around
 post, from which
 A pine 12 ins. diam. brs. $11.5^{\circ} E.$ $\frac{1}{2}$ lbs. dist.

Subdivision of Township 15 N. Range 9 E,
Gila & Salt River Meridian

Obs.

a pine 25 ins. diam. hrs. S 58° E. 84 lbs. dist.
 a pine 26 ins. diam. hrs. S 23° W. 146 lbs. dist.
 a pine 13 ins. diam. hrs. N 87° W. 69 lbs. dist.
 Rolling, heavy pine timber
 throughout with pine undergrowth
 Soil 2nd rate.

East on a random line bet. Secs. 23 & 26
 Var. 14° 16' E.

23.00 a creek 100 yds. wide course N. of E.

40.00 Set a temporary ¹/₄ Sec. Cor.

79.90 Intersect the M. & S. 11 lbs. S. of
 the Cor. to Secs. 23, 24, 25 & 26
 from which I run

S. 89° 55' W. on true line bet. Secs. 23 & 26

Var. 14° 16' East

39.95 Set a post ~~at~~ ^{corner} post 4 ch. flattened 3 ins.
 wide, with marked stone, 1/4 in

Subdivision: Township 15 N. Range 9 E.
Gila & Salt River Meridian

Chs.

the ground for $\frac{1}{4}$ Sec. Cor, marked
 $\frac{1}{4}$ S. and raised mid. of stone 2 ft.
high around post, from which
a pine 30 ins. diam. brs. S. 14° E. 85 lbs. dist.
A pine 15 ins. diam. brs. N. 53° W. 87 lbs. dist.

49,900

The Cor to Secs. 22, 23, 26 & 27

Rolling Soil 2nd & 3rd rate

Heavy pine timber, some oak
and undergrowth throughout.

North between Secs. 22 & 23
Var. 14° 16' E.

40,000

Set a post 4 ft. long, flattened 3 ins.
wide, with marked stone 1 ft. in
the ground for $\frac{1}{4}$ Sec. Cor marked
 $\frac{1}{4}$ S. and raised mid. of stone 2 ft. high
around post, from which
a pine 14 ins. diam. brs. N. 38° E. 54 lbs. dist.

Subdivision: Township 15 N., Range 9 E.
Gila and Salt River Meridian

Chs.

80.00

A pine 27 ins. diam. brs. N. 22 1/2 W. 44 lbs. dist.
Set a post 4 ft. long, 4 ins. sq. with
marked stone 1 ft. in the ground, for
the Cor. to Sies. 14, 15, 22 & 23
marked and notched and raised
end of stone 2 ft. high around
post, from which

A pine 45 ins. diam. brs. N. 63 E. 137 lbs. dist.
A pine 26 ins. diam. brs. S. 42 E. 110 lbs. dist.
A pine 23 ins. diam. brs. S. 34 W. 100 lbs. dist.
A pine 39 ins. diam. brs. N. 23 W. 33 lbs. dist.
Descending S. & Rolling Soil 3/4 rate.
Heavy pine timber throughout with
undergrowth of pine & oak.

East on a random line bet. Sies. 14 & 23
Var. 14° 16' East

40.00

Set a temporary 1/4 Sec. Cor.

Subdivision: Township 15 N., Range 9 E.
Gila & Salt River Meridian

- chs.
80.06 Intersect the W. S. line 14th Sec. S. of the
Cor. to Secs. 13, 14, 213 & 214 from which I run
S. 89° 54' W. on true line bet. Secs. 14 & 23
Var. 14° 16' E.
- 40.03 Set a post 4 ft. long, flattened 3 ins.
wide, with marked stone 1 ft. in the
ground for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ ft.
and raised red. og. stone 1 ft. high
around post, from which
a pine 29 ins. diam. brs. N. 74° E. 32 kts. dist.
a pine 38 ins. diam. brs. S. 30° W. 32 kts. dist.
- 80.06 The Cor. to Secs. 14, 15, 228 & 23.
Rolling. Soil 2nd & 3rd rate
Heavy pine timber throughout.
min. July 11, 1881
- North between Secs. 14 & 15
Var. 14° 16' E.
- 40.00 Set a post 4 ft. long, flattened 3 ins.

Subdivision: Township 15 N., Range 9 E.
 Gila and Salt River Meridian
 Chs.

wide, with marked stone 1 ft. in
 the ground for 4 Sec. Cor. marked 4 ft.
 deep pits and raised mud of earth
 around post 2 ft. high, from which
 a pine 26 ins. diam. brs. N. 73° E. 104 lbs. dist.

A pine 14 ins. diam. brs. N. 30 W. 36 lbs. dist.

811.110 Set a post 4 ft. long, 4 ins. sq. with
 marked stone 1 ft. in the ground
 for the Cor. to Secs. 10, 11, 14 & 15
 marked and notched, and raised
 mud of stone 2 ft. high around post,
 from which

A pine 18 ins. ^{trns.} N. 75 E. 125 lbs. dist.

A pine 30 ins. diam. brs. S. 11 E. 108 lbs. dist.

A pine 16 ins. diam. brs. S. 46 W. 121 lbs. dist.

A pine 24 ins. diam. brs. N. 58 W. 157 lbs. dist.

Rolling & ascend N. Soil 2nd & 3rd rate
 Heavy pine timber throughout
 Pine undergrowth.

Subdivision: Township 15 N., R. 9 E.,
Gila and Salt River Meridian
etc.

East on random line bet. Secs. 11 & 14
Var. $14^{\circ} 16' E.$

411.110 Set a temporary $\frac{1}{4}$ Sec. Cor.

79.69 Intersect the N. & S. line 24 Wks.

N. of the Cor. to Secs. 11, 12, 13 & 14

from which I run

N. $89^{\circ} 57' W.$ on true line bet. Secs. 11 & 14
Var. $14^{\circ} 16' E.$

39.84 Set a post 4 ft. long, flattened 3 ins.
wide, with marked stone 1 ft. in
the ground for $\frac{1}{4}$ Sec. Cor. marked

$\frac{1}{4}$ S. dug pits and raised rd. of
earth 2 ft. high around post, from which
Open 30 ins. diam. diam. brs. S $56^{\circ} E.$ 50 Wks. dist.
Open 14 ins. diam. brs. N. $15^{\circ} W.$ 61 Wks. dist.

79.69 The Cor. to Secs. 10, 11, 14 & 15

Mudulating, Soil 3rd rate

Heavy pine timber throughout.

Subdivision Township 15 N. Range 9 E.
Gila and Salt River Meridian

Chw.

North between Secs. 10 & 11

Lat. 14° 16' E.

- 24.19 A pine 25 ins. diam.
- 140.00 Set a post 4 ft. long, flattened 3 ins. wide, with marked stone 1 ft. in the ground for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S. and raised med. of stone 2 ft. high around post, from which
 A pine 38 ins. diam. brs. S. 12° E. 14 kcs. dist.
 A pine 39 ins. diam. brs. S. 14° W. 8 kcs. dist.
- 80.00 Set a post 4 ft. long, 4 ins. sq. with marked stone 1 ft. in the ground for the Cor. to Secs. 2, 3, 10 & 11 marked and notched, and raised med. of stone 2 ft. high around post, from which
 A pine 24 ins. diam. brs. N. 60° E. 43 kcs. dist.
 A pine 15 ins. diam. brs. S. 20° E. 94 kcs. dist.
 A pine 16 ins. diam. brs. S. 43° W. 116 kcs. dist.
 An oak 14 ins. diam. brs. N. 64° W. 57 kcs. dist.

Subdivision of Township 15 N., Range 9 E.
 Gila and Salt River Meridian

Chs.

Rolling & ascending H. Soil 3' rate
 Heavy pine with some oak along
 Undergrowth of pine & oak

East on a random line bet. Secs. 2 & 11
 Var. $14^{\circ} 16' E.$

40.00 Set a temporary $\frac{1}{4}$ Sec. Cor.

80.18 Intersect the N. & S. line 17 Mgs.
 N. of the cor. to Secs. 12, 11 & 12, from
 which I run

N. $89^{\circ} 53' W.$ on a true line bet. Secs. 2 & 11
 Var. $14^{\circ} 16' E.$

40.09 Set a post 4 ft. long, flattened 3 in.,
 with marked stone 1 ft. in the ground
 for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. and
 raised and. of stone 2 ft. high
 around post, from which
 a pine 10 in. diam. brs. N. $23^{\circ} E.$ 50 lbs. dist.

Subdivision: Township 15 N, Range 9 E,
Gda & Salt River Meridian

chs.

80/18 A pine 24 in. diam brs. S. 32 E. 40' bendst.
The cor. to Secs. 2, 3, 10 & 11
Rolling. Soil 2nd & 3rd rate
Heavy pine timber throughout
Some undergrowth.

North on a random line bet. Secs. 2 & 3
Var. 14 1/2° E.

40/111 Set a temporary 1/4 Sec. Cor.

80/16 Intersect the N. boundary of the town-
ship 2 1/2 hrs. W. of the Cor. to Secs.
2, 3, 34 & 35, which was recently set
by me and is fully described in
my field notes. Thence I run
S 60° 9' W. on true line bet. Secs. 2 & 3
Var 14 1/2° E.

40/16 Set a post 4 ft. long, flattened 3 in.
wide with marked stone 1/4 in.

Subdivision: Township 15 N. Range 9 E.
Gila & Salt River Meridian

Chs.

The ground for $\frac{1}{4}$ Sec. Cor. marked
 $\frac{1}{4}$ S. and raised w. of stone
2 ft. high around post, from which
an oak Bus. diam. brs. $W. 47\frac{1}{2} E. 2\frac{1}{2}$ krs. dist.
A pine 16 ins. diam. brs. $W. 29\frac{1}{2} N. 43$ krs. dist

44.99

A pine 25 ins. diam

80.16

The Cor. to Secs. 2, 3, 10 & 11

Rolling & ascending N. Soil 3" rate
Pine, with oak and undergrowth
throughout.

From the Cor. to Secs. 33, & 34, 3 & 4
on the S. boundary of the township, which
is a post marked and notched in
sub. of stone with witness tree
marked in each sec. and which
was recently set by me and is fully
described in my field notes. Hence I run

Subdivision: Township 15 N. Range 9 E,
Gila and Salt River Meridian

Chs.

North between Secs. 33 & 34
Twp. 14° 16' E.

- 40.00 Set a post 4 ft. long, flattened 3 ins. wide, with marked stone 1 ft. in the ground for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. and raised pud. stone 2 ft. high around post, from which
An oak 12 ins. diam. brs. S. 68° E. 100 lbs. dist.
A pine 10 ins. diam. brs. S. 78° W. 38 lbs. dist.
- 88.00 Set a post 4 ft. long, 4 ins. sq. with marked stone 1 ft. in the ground for Cor. to Secs. 27, 28, 33 & 34, marked and notched and raised pud. stone 2 ft. high around post, from which
A pine 13 ins. diam. brs. N. 35° E. 65 lbs. dist.
A pine 28 ins. diam. brs. S. 68° E. 67 lbs. dist.
An oak 12 ins. diam. brs. S. 81° W. 157 lbs. dist.
A pine 12 ins. diam. brs. N. 40° W. 105 lbs. dist.
Rolling Soil 3rd rate Heavy pine timber all about

Subdivision: Township 15 N. Range 9 E.
Gila and Salt River Meridian

Obs.

East on a random line bet. Secs. 27 & 34
Cor. $14^{\circ}16' E$.

40,111 Set a temporary $\frac{1}{4}$ Sec. Cor.

81,115 Subdivide the N. & S. line 8 kcs. N.
of the Cor. to Secs. 26, 27, 34 & 35
from which I run

N. $89^{\circ}57' W$, on true line bet. Secs. 27 & 34
Cor. $14^{\circ}16' East$.

4002 Set a post 4 ft. long, flattened 3 ins.
wide, with marked stone 1 ft. in the
ground for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4} S$,
and raised a rod of stone 2 ft. high
around post, from which

A pine 24 ins. diam. brs. N. $34^{\circ} E$ 54 kcs. dist,
A pine 36 ins. diam. brs. $S 53^{\circ} W$. 75 kcs. dist,

8005 The Cor. to Secs. 27, 28 & 33 & 34

Rolling Soil 30' water

Heavy pine timber with some oak
all along and undergrowth of oak & pine.

Subdivision: Township 15 N. Range 9 E.
Sila and Salt River Meridian

Chs.

North between Secs. 27 & 28
Twp. 14° 6' E

- 40.00 Set a post 4 ft. long, flattened 3 in. wide with marked stone 1 ft. in the ground, for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ raised end of stone 2 ft. high around post, from which a pine 1 1/2 in. diam. brs. East, 5 lbs. dist. a pine 2 1/4 in. diam. brs. S 89° W, 116 lbs. dist.
- 80.00 Set a post 4 ft. long, 4 in. sq. with marked stone 1 ft. in the ground for the Cor. to Secs. 21, 22, 27 & 28 marked and notched, and raised end of stone 2 ft. high around post, from which a pine 3 in. diam. brs. N 60° E, 34 lbs. dist. a pine 2 1/2 in. diam. brs. S 70° E, 90 lbs. dist. a pine 3 in. diam. brs. S 25° W, 140 lbs. dist. an oak 1 1/2 in. diam. brs. N 63° W, 35 lbs. dist. Rolling soil 3rd rate. Heavy pine throughout

Subdivision, Township 15 N. Range 9 E
 Gila & Salt River Meridian

Chs

East on random line bet. Secs. 22 & 24
 Var. $14^{\circ}16'$ East

40.111 Set a temporary $\frac{1}{4}$ Sec. Cor.

75.110 On a 100 yds. wide course S. E.

80.111 Intersected the N. & S. line 12 yds.
 N. of the cor. to Secs. 22, 23, 26 & 27
 from which I run

N. $89^{\circ}55'$ W on true line bet. Secs. 22 & 27
 Var. $14^{\circ}16'$ East

40.116 Set a post 4 ft. long, flattened 3 ins.
 wide, with marked stone 1 ft. in
 the ground for $\frac{1}{4}$ Sec. Cor. marked
 $\frac{1}{4}$ S. and raised ridge of stone 2 ft.
 high around post, from which
 a pine 26 ins. diam. hrs. S. $88^{\circ}11'$ W 101 yds. dist.
 a pine 37 ins. diam. hrs. N. 15° W. 54 yds. dist.

80.111 The cor. to Secs. 21, 22, 27 & 28
 Roll of Soil 2nd & 3rd rate
 Heavy pine timber and undergrowth

Subdivision; Township 15 N. Range 9 E.
Gila and Salt River Meridian

chs.

North between Secs. 21 & 22

Cap. 1/4th 1/16th E.

49.00

Set a post 4 ft. long, flattened zinc
with marked stone 1 ft. in the
ground, for 1/4 Sec. Cor., marked 40,
and raised mid. of stone 2 ft. high
around post, from which

A pine 21 ins. diam. brs. N. 12th E. 36 hrs. dist.

A pine 40 ins. diam. brs. N. 74th W. 113 hrs. dist.

80.00

Set a post 4 ft. long, 4 ins. sq. with
marked stone 1 ft. in the ground, for Cor.,
to Secs. 16, 16, 21 & 22, marked & notched
and raised mid. of stone 2 ft. high
around post, from which

A pine 25 ins. diam. brs. N. 49th E. 134^{hrs} dist.

A pine 26 ins. diam. brs. S. 37th E. 131^{hrs} dist.

A pine 23 ins. diam. brs. S 54th W 132 hrs. dist.

A pine 28 ins. diam. brs. N. 65th W. 88 hrs. dist.

Descending N. Soil 3rd rate. Pine timber all along
July 12, 1881

Subdivision: Township 15 N., Range 9 E.,
Gila and Salt River Meridian

East on random line bet. Secs. 15 & 22
Var. $14^{\circ} 16' E.$

21.00 A creek 50 fms. wide course S.

40.00 Set a temporary $\frac{1}{4}$ Sec. Cor.

79.87 Across at the N. & S. line 6 fms. N.
of the Cor. to Secs. 14, 15, 22 & 23 from
which I run

N. $89^{\circ} 57' W.$ on true line bet. Secs. 15 & 22
Var. $14^{\circ} 16' E.$

39.93 Set a post 4 ft. long, flattened 3 ins.

wide, with marked stone 1 ft. in
the ground for $\frac{1}{4}$ Sec. Cor., marked
 $\frac{1}{4}$ Sec. and raised end of stone 2 ft.
high around post, from which

A pine 2 1/2 ins. diam., brs. S. 101 $^{\circ}$ W. 50 fms. dist.,
A pine 2 8 ins. diam., brs. N. 54° W. 88 fms. dist.,

79.87 The Cor. to Secs. 15, 16, 21 & 22

Rolling, Soil 2 $^{\circ}$ rate

Heavy pine & some oak & undergrowth all along.

Subdivision: Township 15 N. Range 9 E.
Gila and Salt River Meridian
chs.

North between Secs. 15 & 16

Cor. $14^{\circ} 16' E.$

- 140.00 Set a post 4 ft. long, flattened 3 ins. wide, with marked stone 1 ft. in the ground for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ ft. and raised end of stone 2 ft. high around post, from which
 a pine 29 ins. diam. brs. $N. 18^{\circ} E.$ 60 lbs. dist.
 a pine 38 ins. diam. brs. $N. 43^{\circ} W.$ 19 lbs. dist.
- 80.00 Set a post 4 ft. long, 4 ins. sq. with marked stone 1 ft. in the ground, for the Cor. to Secs. 9, 10, 15 & 16, marked and notched and raised end of stone 2 ft. high around post, from which
 a pine 19 ins. diam. brs. $N. 41^{\circ} E.$ 145 lbs. dist.
 a pine 28 ins. diam. brs. $S. 57^{\circ} E.$ 42 lbs. dist.
 a pine 24 ins. diam. brs. $S. 46^{\circ} W.$ 148 lbs. dist.
 a pine 30 ins. diam. brs. $N. 39^{\circ} W.$ 40 lbs. dist.
 Descending S. Soil 3rd rat. Heavy pine all along

Subdivision Township 15 N. Range 9 E.
Gila and Salt River Meridian

chs.

East on random line bet. Secs. 10 & 15
Var. $14^{\circ}16'E$.

9.00 Descend into little valley, course S.E.

18.50 Bottom of little valley and creek
30 fms. wide, course S.E.

40.00 Set a temporary $\frac{1}{4}$ Sec. Cor.

79.83 Intersect the N. & S. line 11 fms.
S. of the Cor. to Secs. 10, 11, 14 & 15
from which I run

S. $89^{\circ}55'W$, on true line bet. Secs. 10 & 15
Var. $14^{\circ}16'E$.

39.91 Set a post 4 ft. long, flattened 3 ins.
wide, with marked stone 1 ft. in
the ground, for $\frac{1}{4}$ Sec. Cor. marked
 $\frac{1}{4}$ and raised rd. of stone 2 ft.
high around post, from which
A pin 32 ins. diam. br. N. $28^{\circ}E$, 38 fms. dist.
An oak 16 ins. diam. br. S. $14^{\circ}E$, 40 fms. dist.

73.69 A pin 24 ins. diam

Subdivision: Township 15 N., Range 9 E.
 Gila and Salt River Meridian
 Cho.

77.23 A pine 2 7/8 ins. diam.
 79.83 1/4 Sec. Cor. to Secs. 9, 10, 15 & 16
 Rolling prairie, Soil 3" oak
 Heavy pine throughout, Undergrowth
 of pine and oak.

North between Secs. 9 & 10.

Var. $14^{\circ} 16'$ East

28.00 A dry wash 20 yds. wide course S.E.
 140.00 Set a post 4 ft. long, flat top 3 ins.
 wide, with marked stone 1 ft. in the
 ground for 1/4 Sec. Cor. marked 4 ft.
 and raised mid. of stone 2 ft. high
 around post from which
 An oak 12 ins. diam. brs. S. $58^{\circ} E$. 55 yds. dist.
 A pine 39 ins. diam. brs. S. $64^{\circ} W$. 41 yds. dist.
 80.00 Set a post 4 ft. long, 4 ins. sq.
 with marked stone 1 ft. in the

Subdivision: Township 15 N., Range 9 E.
 Gila and Salt River Meridian
 chs.

ground, for Cor. to Secs. 3, 4, 9 & 10
 marked and notched, and raised
 mt. of stone 2 ft. high around
 post, from which
 An oak 13 ins. diam. br. N. 36° E. 64 lks. dist.
 A pine 28 ins. diam. br. S. 27° E. 113 lks. dist.
 An oak 11 ins. diam. br. S 44 W. 64 lks. dist.
 A pine 26 ins. diam. br. N. 48 W. 132 lks. dist.
 Descending S. Soil 2 & 3 rate
 Heavy pine with some oak
 and undergrowth of pine & oak.

East on random line bet. Secs. 3 & 10
 Var. 14° 16' E.

16.00 Rocky gulch 25 lks. wide course S. E.
 40.00 Set temporary $\frac{1}{4}$ Sec. Corn
 80.13 Intersect the N. & S. line 18 lks. N.
 of the cor. to Secs. 2, 3, 10 & 11

Subdivision, Township 15 N., Range 9 E.
 Gila and Salt River Meridian
 Chs.

from which I run
 N. 89° 52' W., on true line bet. Secs. 3 & 10
 Var. 14° 16' E.

- 40.06 Set a post 4 ft. long, flattened 3 ins
 wide, with marked stone 1 ft. in the
 ground for $\frac{1}{4}$ Sec. Cor, marked $\frac{1}{4}$ ft.
 and raised and of stone 2 ft high
 around post, from which
 an oak 10 ins. diam. br. N. 40° E. 40 yds. dist
 a pine 30 ins. diam. br. S. 22° E. 97 yds. dist
- 80.13 The Cor. to Secs. 3, 4, 9 & 10
 Rolling, soil 3rd rate
 Heavy pine timber all along
 with undergrowth.

North on random line bet. Secs. 3 & 4
 Var. 14° 16' E.

- 19.0 " Rocky gulch 20 yds. wid. course S. E.

Subdivision: Township 15 N. Range 9 E.
Gila and Salt River Meridian

chs.

40.00 Set a temporary $\frac{1}{4}$ Sec. Cor.
 79.82 Intersect the N. boundary of the
 township 12 lbs. W. of the Cor.
 to Secs. 3, 4, 33 & 34, recently
 set by me. Thence Run
 $S 0^{\circ} 5' W.$ on true line bet. Secs. 3 & 4
 747.14 $14^{\circ} 16' E.$

39.82 Set a post 4 ft. long, flattened 3 ins
 wide, with marked stone 1 ft. in
 the ground, for $\frac{1}{4}$ Sec. Cor., marked
 $\frac{1}{4}$ S. and raised circ. of stone 2 ft.
 high around post, from which
 a pine $\frac{3}{4}$ ins. diam. brs. N. $29^{\circ} E.$ 30 lbs. dist.
 through 10 ins. diam. brs. West, 62 lbs. dist.

79.82 The cor to Secs. 3, 4, 9 & 10

Ascending N. Soil B. rate
 Heavy pine timber throughout
 Undergrowth of pine & oak,

Subdivision; Township 15 N. Range 9 E.
Gila and Salt River Meridian

From the Cor. to Secs. 32, 33, 4
& 5, on the S. boundary of the town-
ship which was recently set by
me: From this Cor. I run
North between Secs. 32 & 33
Lat. $14^{\circ}16'$ East

40.00

Set a post 4 ft. long, flattened 3 ins.
wide with marked stone 1 ft. in
the ground, for $\frac{1}{4}$ Sec. Cor. marked
 $\frac{1}{4}$ S. and raised 1/2 in. of stone 2 ft.
high around post, from which
A pipe 10 ins. diam. to S. $71^{\circ}46'$ E. 69 fms. dist.
A pipe 29 ins. diam. to S. $69^{\circ}11'$ 33 fms. dist.

80.00

Set a post 4 ft. long, 4 ins. sq.
with marked stone 1 ft. in the
ground, for the Cor. of Secs. 28, 29
32 & 33, marked and notched
and raised 1/2 in. of stone around
post, from which,

Subdivision: Township 15 N., Range 9 E.
Gila and Salt River Meridian

Obs

A pine 24 ins. diam. brs. N. 56 1/2 E. 40 lbs. dist.
A pine 15 ins. diam. brs. S. 80 E. 14 7/8 lbs. dist.
A pine 18 ins. diam. brs. S. 45 W. 7 1/2 lbs. dist.
An oak 8 ins. diam. brs. N. 62 W. 9 1/2 lbs. dist.
Descending S.E. Soil 3^d rate.
Heavy pine timber throughout
Thick undergrowth of ferns & oak

East on random line bet. Secs. 28 & 33
Var. 14° 16' E.

40.00 Set a temporary 4' Sec. Cor.
80.13 Intersect the N. & S. line 16 lbs
S. of the cor. to Secs. 27, 28, 33 & 34
from which I run
S. 89° 54' W. on true line bet. Secs. 28 & 33
Var. 14° 16' E.

40.06 Set a post 4 ft. long, flattened 3 ins.
wide, with marked stone 1 ft.

Subdivision: Township 15 N. Range 9 E.
 Gila and Salt River Meridian
 Obs.

in the ground, for $\frac{1}{4}$ Sec. Cor.
 marked $\frac{1}{4}$ S. dug pits and raised
 mud. of earth 12 ft. high around
 post, from which

A pine 30 ins. diam. br. S. 46 W. 98 lbs. dist.

A pine 10 ins. diam. br. N. 5 W. 59 lbs. dist.

80.13

The cor. to Secs. 28, 29, 32 & 33

Ascending W. Soil 3rd grade

Heavy pine throughout.

Undergrowth of pine & oak

North between Secs. 28, & 29

Mag. $147^{\circ} 16' E.$

40.00

Set a post 4 ft. long, flattened 3 ins.
 wide, with marked stone 1 ft.
 in the ground, for $\frac{1}{4}$ Sec. Cor. marked
 $\frac{1}{4}$ S. and raised mud. of stone
 2 ft. high around post, from which

Subdivision: Township 15 N. Range 9 E.
 Gilman Salt River Meridian
 etc.

80.00 A pine 10 ins. diam. brs. N. 18 E. 9 lbs. dist.
 A pine 22 ins. diam. brs. S. 87 W. 39 lbs. dist.
 Set a post 4 ft long, 4 ins. sq. with
 marked stone 2 ft in the ground
 for the Cor. to Secs 20, 21, 28 & 29
 marked and notched and raised
 mid. of stone 2 ft high around
 post, from which
 A pine 2 1/2 ins. diam. brs. N. 56 E. 93 lbs. dist
 A pine 16 ins. diam. brs. S. 83 E. 206 lbs. dist
 A pine 12 ins. diam. brs. S. 60 W. 75 lbs. dist
 A pine 20 ins. diam. brs. N. 50 W. 130 lbs. dist.
 Descending South. Soil 3rd rank
 Pine timber all along
 thick undergrowth of pine & oak.

East on a random line bet. Secs. 21 & 28
 Var. 14° 16' E.

Subdivision: Township 15 N, Range 9 E.

Gila and Salt River Meridian

Chs.

- 40.0111 Set a temporary $\frac{1}{4}$ Sec. Cor.
 80.117 Subject to the M. & S. line 14 kds. N.
 of the Cor. to Secs. 21, 22, 27 & 28
 from which I run
 N. $89^{\circ}54'W$, on true line bet. Secs. 21 & 28
 14 $\frac{1}{2}$ 16' E.
- 40.013 Set a post $\frac{1}{4}$ ft. long, flattened 3 ins.
 wide, with marked stone left in
 the ground for $\frac{1}{4}$ Sec. Cor., marked
 $\frac{1}{4}$ S. and dug pits and raised mud,
 of earth 2 ft. high around post,
 from which I
 Open $\frac{1}{2}$ miles diam. bro. S. $70^{\circ}E$ 36 kds. dist.
 An oak 20 ins. diam. bro. N. $4^{\circ}W$. 13 kds. dist.
 80.117 The Cor. to Secs. 20, 21, 28 & 29
 ascending N. Soil 3 or 4
 Heavy pine with oak all along
 thick undergrowth of pine oak
 mine

Subdivision: Township 15 N. Range 9 E
 Gila and Salt River Meridian

chs.

North between Secs. 20 & 21
 Twp. 14° 16' E.

- 51.00 Top of high ridg. 150 ft. high
 extending S.E.
- 40.00 Set a post 4 ft. long, flattened 3 ins.
 wide, with marked stone 1 ft. in
 the ground, for $\frac{1}{4}$ Sec. Cor. mark
 id $\frac{1}{4}$ S., and raised pd. of stone
 2 ft. high around post, from which
 a pine 14 ins. diam. brs. N. 63° E. 30 lbs. dist.
 a pine 20 ins. diam. brs. S. 75° W. 65 lbs. dist.
- 80.00 Set a post 4 ft. long, 4 ins. sq. with
 marked stone 1 ft. in the ground
 for the Cor. to Secs. 16, 17, 20 & 21
 marked and notched and raised
 pd. of stone 2 ft. high around
 post, from which
 a pine 14 ins. diam. brs. N. 43° E. 143 lbs. dist.
 An oak 16 ins. diam brs. S. 75° E. 21 lbs. dist.

Subdivision: Township 15 N. Range 9 E.
 Gila and Salt River Meridian
 Chs.

An oak 10 ins. diam. hrs. S. 52° W. 8 1/2 hrs. dist.

An oak 19 ins. diam. hrs. N. 33° W. 26 hrs. dist.

High rolling land Soil 3^d rate
 Heavy pine with oak and
 thick undergrowth of pine oak.
 July 13, 1881

Eastern random line bet. Secs. 16 & 21
 Var. 14° 16' E.

After observation with Solar Compass.

441.07 Set a temporary 1/4 Sec. Cor.

80.12 Intersect the N. & S. line 15 hrs
 N. of the cor. to Secs. 15, 16, 21 & 22
 from which I run

A. 89° 54' W. on true line bet. Secs. 16 & 21
 Var. 14° 16' E.

441.06 Set a post 4 ft. long, flattened 3 ins.
 wide, with marked stone 1 ft. in
 the ground, for 1/4 Sec. Cor. mark.

Subdivision: Township 15 N, Range 9 E,
Gila and Salt River Meridian

Chs.

1d $\frac{1}{4}$ S. dug pits and raised end,
of earth 2 ft. high around post
from which

Apine 3 1/2 ins. diam. hrs. S. 86° E 149th dist.
Apine 1 1/2 ins. diam. hrs. N. 49° W. 67th dist.

87.12 The Cor. to Sics. 16, 17, 20 & 21

Rolling & broken soil 3' rate
Heavy pine all along. Under
growth of pine & oak

North between Sics. 16 & 17
Cor. 14° 16' East.

149.00 Set a post 4 ft. long, flattened
3 ins. wide, with marked stone
1 ft. in the ground, for $\frac{1}{4}$ Sec. Cor.
marked $\frac{1}{4}$ S. and raised end,
of stone 2 ft. high around post,
from which

Subdivision Township 15 N. Range 9 E.
Gila and Salt River Meridian

Obs.
80.00

A pine 10 ins. diam. brs. S. 1° E. 18 lbs. dist

A pine 12 ins. diam. brs. S. 4° W. 22 lbs. dist

Set a post 4 ft. long, 4 ins. sq. with
marked stone 1 ft. in the ground
for the Cor. to Secs. 8, 9, 16 & 17, mark-
ed and notched and raised and
of stone 2 ft. high around post,
from which

A pine 22 ins. diam. brs. N. 55° E. 32^{lbs.} dist

A pine 24 ins. diam. brs. S. 63° E. 34 lbs. dist

A pine 12 ins. diam. brs. S. 26° 46' 5" lbs. dist,

A pine 19 ins. diam. brs. N. 47° W. 113 lbs. dist,

Rolling and broken. Soil 3/4 oak
heavy pine throughout with
undergrowth of pine & oak

East on a random line bet. Secs 9 & 16
Cor. 14° 16' East,

Subdivision: Township 15 N. Range 9 E.
Gila and Salt River Meridian

- Obs.
440.00 Set a temporary $\frac{1}{4}$ Sec. Cor.
80.18 Entered the N. & S. line 14 Mes.
N. of the cor. to Secs. 9, 10, 15 & 16
from which I run
N. $89^{\circ} 34' 00''$ on true line bet. Secs. 9 & 16
Eas. 14' 16' E.
- 440.09 Set a post 4 ft. long, flatter at 3 in.
wide, with marked stem 1 ft. in the
ground, for $\frac{1}{4}$ Sec. Cor., marked 4 ft.
and raised end of stone 2 ft. high
around post, from which
a pine 2 1/2 ins. diam. brs. S. $85^{\circ} 11' 00''$ W. 72 dist.
a pine 2 1/2 ins. diam. brs. N. $43^{\circ} 30'$ W. 65 the. dist.
- 80.18 The cor. to Secs. 8, 9, 16 & 17 of
Rolling and broken Soil 3rd nat
Heavy pine timber throughout
Undergrowth of pine & oak

Subdivision: Township 15 N. Range 9 E.
 Gila and Salt River Meridian
 Chs.

North between Secs. 8 & 9
 14° 16' East.

- 40.00 Suba post 4 ft. long, flattened 3 ins. wide, with marked stone 1 ft. in the ground, for $\frac{1}{4}$ Sec. cor. marked $\frac{1}{4}$ S. and raised md. of stone 2 ft. high around post from which
 Opine 27 ins. diam. br. S. 36 E. 34 kts. dist.
 Opine 28 ins. diam. br. N. 19 W. 95 kts. dist.
- 80.00 Suba post 4 ft. long, 4 ins. sq. with marked stone 1 ft. in the ground, for Cor. to Secs. 4, 5, 8 & 9, marked and notched and raised md. of stone 2 ft. high around post, from which
 Opine 25 ins. diam. br. N. 37 E. 48 kts. dist.
 Opine 26 ins. diam. br. S. 52 E. 118 kts. dist.
 Opine 28 ins. diam. br. S. 76 W. 198 kts. dist.

Subdivision: Township 15 N., Range 9 E.
 Gila and Salt River Meridian
 chs

A pine 24 ins. diam. brs. $N. 53^{\circ} W.$, 66 lbs. dist.
 Rolling and ascending $\frac{1}{4}$ Soil 3' red-
 Heavy pine with oak and
 fern undergrowth all along.

East row a random line bet. Secs. 4 & 9
 $N. 14^{\circ} 16' E.$

- 31.57 Top of rocky ridge 50 ft. high
 extends S.
- 40.00 Set a temporary $\frac{1}{4}$ Sec. Cor.
- 80.14 Intersect the N. & S. line 15 lbs.
 S. of the cor. to Secs. 3, 4, 9 & 10
 from which I run
 $S. 89^{\circ} 54' W.$ on true line bet. Secs. 4 & 9
 $N. 14^{\circ} 16' E.$
- 40.08 Set a post 4 ft. long, flattened
 3 ins. wide, with unskipped stone
 1 ft. in the ground, for $\frac{1}{4}$ Sec. Cor.

Subdivision: Township 15 N. Range 9 E,
 Grand Salt River Meridian
 Chs.

marked up, dug pits and
 raised end of length 2 ft. high
 around post, from which
 Opine 45 ins. diam. br. S. 25° E. 6 1/2 lbs. dist
 Opine 40 ins. diam. br. N. 53° W. 4 7/8 lbs. dist

8A, 17 The cor. to Secs. 4, 5, 8 & 9.

Rolling and ascending N. E.
 Soil 13° rate

Heavy pine timber with some
 oak and undergrowth.

North or random line bet. Secs. 4 & 5
 Cor. 14° 16' East.

40, 100

8A, 18

Set temporary 4 Sec. Cor.
 Intersect the N. boundary of the
 township 10 lbs. E. of the cor.
 to Secs. 4 & 5, 32 & 33 recently
 set by me. Thence run

Subdivision: Township 15 N. R. 9 E.
Gila and Salt River Meridian

chs

S. 11° 4' E, on true line bet. Secs. 4 & 5

Var. 14° 16' E.

40, 18 Set a post 4 ft. long, flattened 3 in.
wide, with marked stone 1 ft.
in the ground for 1/4 Sec. Cor.

marked 1/4 S. and raised end. of
stone 2 ft. high around post
from which

A pine 3 in. diam. brs. S. 12° E, 44 lbs. dist.

A pine 3 in. diam. brs. S. 15° W 70 lbs. dist.

80, 18 The cor. to Secs. 4, 5, 8 & 9

Rolling & ascending H, Soil Brn
Heavy pine timber all along,
with some oak and under
growth of oak and pine

Subdivision: Township 15 N., Range 9 E.
Gila and Salt River Meridian

Obs.

From the cor. to Secs. 3/8 32, 5 & 6
on the S. boundary of the township
which is a post in mid. of stone
mark, and notched with witness tree
marked in each sec. and which was
recently set by me and is fully
described in my field notes.

From this cor. I run
North between Secs. 3/8 32
Var. $14^{\circ} 16' E.$

- ✓ 49.00 A post 4 ft. long, flattened 3 ins.
wide, with marked stone 1 ft. in the
ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ ft.
and raised mid. of stone 2 ft. high
a pin 28 ins. diam. by. N. $41^{\circ} E.$ 24 lbs. dist.
a pin 10 ins. diam. by. S $30^{\circ} W.$ 14 lbs. dist.
- 80.00 A post 4 ft. long, 4 ins. sq.,
with marked stone 1 ft. in the

Subdivision: Township 15 N. Range 9 E.
Gila and Salt River Meridian
Chas.

ground for the cor. to Secs. 29, 31,
31 & 32 marked and noteped and
raised end of stone 2 ft. high around
post from which

A pine 30 ins. diam. brs. N. 20° E. 12 kcs. dist.

An oak 13 ins. diam. brs. S. 74° E. 37 kcs. dist.

A pine 25 ins. diam. brs. S. 53° W. 28 kcs. dist.

An oak 12 ins. diam. brs. N. 57° W. 24 kcs. dist.

Rolling. Soil 3^d rate

Heavy pine timber throughout
thick undergrowth of pine & oak.

East on a random line bet. Secs. 29 & 32

Var. 1476' East

440.00 Set a temporary $\frac{1}{4}$ Sec. Cor.

65.00 Top of ridge standing N. W.

79.94 Intersection of the N. & W. line 4 kcs
S. of the Cor. to Secs. 28, 29, 33 & 34

58

Subdivision: Township 15 N., Range 9 E.,
Gila and Salt River Meridian

Obs.

from which I run
S. 89° 58' W., on true line bet. Secs. 29 & 32
Dist. 14° 16' East

39,97 Set a post 4 ft. long, flattened 3 ins.
wide, with marked stone 1 ft. in
the ground for $\frac{1}{4}$ Sec. Cor. marked
 $\frac{1}{4}$ S. and dug pits, and built a
rod of sapth 2 ft high around
post, from which
A pine 16 ins. diam. brs. N. 24° E. $\frac{1}{3}$ dist.
A pine 30 ins. diam. brs. S. 46° W. $\frac{1}{8}$ dist.

49,94 The cor. to Secs. 29, 30, 31 & 32
Hilly. Soil 3^d rate
Heavy pine timber throughout
Pine and oak undergrowth.

West on random line bet. Secs. 30 & 31
Dist. 14° 16' E

Subdivision: Township 15 N., Range 9 E.
Gila and Salt River Meridian

Chw.

40.00

Set a temporary $\frac{1}{4}$ Sec. Cor.

48.91

Improve the west boundary of
the township 6 Ws. S. of the
Cor. to Secs. 25, 30, 31 & 36, recently
set by me, thence I run
S. $89^{\circ} 57' E$ on true line bet. Secs. 30 & 31
Tap, $14^{\circ} 6' East$

38.91

Set a post $\frac{1}{4}$ ft. long, flattened 3 ins.
wide, with marked stone 1 ft. in
the ground, for $\frac{1}{4}$ Sec. Cor. marked
 $\frac{1}{4}$ S, and raised up. of stone
2 ft. high around post, from which
a pine 12 ins. diam. brs. $7^{\circ} 32' E$, 14 Ws. dist.
a pine 29 ins. diam. brs. S. $24^{\circ} E$, 65 Ws. dist.

48.91

The Cor. to Secs. 29, 30, 31 & 32,
Rolling Descending N. W.,
Soil 3rd rate

Heavy pine timber throughout
the ~~the~~ undergrowth.

Subdivision: Township 15 N. Range 9 E.
 6th and Salt River Meridian

Chs.

North between Secs. 29 & 30
 Lat. $14^{\circ} 16' E.$

21.00

Top of ridge extending W.

40.00

Set a post 4 ft. long, flattened
 3 ins, with marked stone 1 ft. in
 the ground, for $\frac{1}{4}$ Sec. Cor. marked
 $\frac{1}{4}$ S. and raised mid. of stone
 2 ft. high around post, from which
 a pine 25 ins. diam. brs. N. $17^{\circ} E$ 77 lbs. dist.
 a pine 16 ins. diam. brs. N. $22^{\circ} W$ 50 lbs. dist.

80.00

Set a post 4 ft. long, 4 ins. sq.,
 with marked stone 1 ft. in the
 ground for the Cor. to Secs.
 19, 20, 29, 30, marked and notch-
 ed and raised mid. of stone
 2 ft. high around post, from which
 a pine 28 ins. diam. brs. N. $12^{\circ} E$ 129 lbs. dist.
 a pine 16 ins. diam. brs. S. $5^{\circ} E$ 115 lbs. dist.
 an oak 10 ins. diam. brs. S. $44^{\circ} W$ 30 lbs. dist.

Subdivision: Township 15 N, Range 9 E
 Gila and Salt River Meridian
 chs.

A pine 24 ins. diam. brs. N. 36° W 85' dist.
 W. 1/2th and rolling. Soil 3' rate
 Heavy pine and undergrowth

East on a random line bet. Secs. 20 & 29
 Var. 14° 16' E.

- 5.31 A creek 15 kcs. wide course N.W.
 40.00 Set a temporary 1/4 Sec. Cor.
 61.00 Top of round hill 200 ft high. Descend
 79.95 Intersect the N. & S. line 15 kcs. S.
 of the Cor. to Secs. 20, 21, 28 & 29
 from which I run
 S. 89° 54' W. on true line bet. Secs. 20 & 29
 Var. 14° 16' E.
 39.97 Set a post 4 ft. long, flattened 3 in.
 wide, with marked stone 1/2 in
 the ground for 1/4 Sec. Cor. marked
 1/2 S. and raised rnd. of stone

Subdivision: Township 15 N., Range 9 E
Gila and Salt River Meridian

chs.

2 ft. high around post, from which
A pine 34 ins. diam. brs. S. 70 W. 57 kds. dist.
A pine 36 ins. diam. brs. N. 86 W. 79 kds. dist.
79.95 The Cor. to Secs. 19, 20, 29 & 30
Abounding East. Soil 3rd rate
Heavy pine timber throughout
Dense undergrowth of pine & oak
July 14, 1881

West on random line bet. Secs. 19 & 30
Var. 14° 17' East

As per observation with Solar Com-
pass. This makes an angle of 1 minute
with pine last run.

40.00 Set a temporary 1/4 Sec. Cor.
78.96 Intersect the W. boundary of the town-
ship 13 kds. S. of cor. to Secs. 19, 21,
26 & 30. recently set by me, from
which I run.

Subdivision: Township 15 N. Range 9 E.
 Gibaud Salt River Meridian

S. $89^{\circ} 54' E$. on true line bet. Secs. 19 & 31

Var. $14^{\circ} 14' E$.

78.96 Set a post 4 ft. long, flattened 3 ins.
 wide, with marked stone 2 ft. high
 around post, from which

a pine 20 ins. diam. brs. $N. 11^{\circ} 26' E$. 94 lbs. dist.

A pine 22 ins. diam. brs. S. $76^{\circ} E$. 101 lbs. dist.

78.96 The cor. to Secs. 19, 20, 29 & 31

Descending N. W. Soil 3° rate

Pine timber all along.

Thick undergrowth of pine & oak

North between Secs 19 & 20

Var. $14^{\circ} 14' East$

7.40 Crnk 25 lbs. wide, course W.

34.00 Crnk 15 lbs. wide course west

70.00 Set a post 4 ft. long, flattened 3 ins.
 wide with marked stone 1 ft. in

64

Subdivision: Township 15 N. Range 9 E.
Gila and Salt River Meridian
Chs.

80.00

the ground for $\frac{1}{4}$ Sec. Cor. marked
 44 ft. and raised ind. of stone 2 ft.
 high around post, from which
 An oak 15 ins. diam. brs. N. 60 E. 13 krs. dist.
 An oak 14 ins. diam. brs. N. 33 W. 16 krs. dist.
 A post 4 ft. long. 4 ins. sq. with
 marked stone 1 ft. in the ground
 for the Cor. to Secs. 17, 18, 19 & 20
 marked and notched, and raised
 ind. of stone 2 ft. high around
 post, from which
 A pine 24 ins. diam. brs. N. 60 E. 37 krs. dist.
 A pine 19 ins. diam. brs. S. 73 E. 63 krs. dist.
 A pine 24 ins. diam. brs. S. 6 W. 114 krs. dist.
 A pine 25 ins. diam. brs. N. 32 W. 71 krs. dist.
 High and rolling soil 3' rate
 Heavy pine timber throughout
 Undergrowth of pine & oak

Subdivision: Township 15 N., Range 9 E.,
Gila and Salt River Meridian

chs.

East on random line bet. Secs. 17 & 20
Var. $14^{\circ} 17'$ East.

- 40.00 Set a temporary $\frac{1}{4}$ Sec. Cor.
57.00 Top of ridge 75 ft. high extending N.
66.50 Rocky gulch 30 fms. wide course N.
81.05 Sub-set the N. & S. line 13 fms. S.
of the Cor. to Secs. 16, 17, 20 & 21
from which I run

S. $89^{\circ} 54'$ W. on true line bet. Secs. 17 & 20
Var. $14^{\circ} 17'$ East

- 40.02 Set a post 4 ft. long, flattened, 3 ins.
wide, with marble stone 1 ft. in
the ground, for $\frac{1}{4}$ Sec. Cor., marked
 $\frac{1}{4}$ S. and raised end of stone
2 ft. high around post, from which
I run 24 ins. diam. brs. N. 40° E. 47 fms. dist.
W. 18 ins. diam. brs. S. 19° E. 80 fms. dist.
81.05 The Cor. to Secs. 17, 18, 19 & 20
Rolling & broken. Soil 3 ft. or heavy pine all along

Subdivision: Township 15 N. Range 9 E.
Gila and Salt River Meridian

Chs.

Wst on random line bet. Secs. 18 & 19
Var. $141^{\circ} 17' E.$

40.00 Set temporary $\frac{1}{4}$ Sec. Cor.

62.00 Dup rocky gulch 100 yds. wide
30 ft. deep. Creek in bottom
Course S. W.

79.00 Improve the W. boundary of the town-
ship 17 yds. S. of the Cor. to Secs
13, 18, 19 & 24, recently set by me
and fully described in my field
notes. True line run
S. $89^{\circ} 53' E.$ on true line bet. Secs. 18 & 19
Var. $141^{\circ} 17' East$

39.00 Set a post 4 ft. long, flattened 3 ins.
wide, with marked stone 1 ft. in
the ground for $\frac{1}{4}$ Sec. Cor. marked
 $\frac{1}{4} S.$ and raised rnd. of stone 2 ft.
high around post, from which
line runs. True line. Var. $146^{\circ} E.$ 6 yds. dist.

Subdivision: Township 15 N. Range 9 E.
Gila and Salt River Meridian

chs.

A pine 16 ins. diam. brs. S. 8° W. 88 lbs. dist.
45.56 An oak 24 ins. diam.

74.00 The corner Secs. 17, 18, 19 & 20

Rolling, rough at broken soil 3 rods
Heavy pine throughout
Undergrowth of pine & oak.

North between Secs. 17 & 18
Cor. 14° 14' E.

40.00 A post 4 ft. long, flattened 3 ins.
wide, with marked stone 1 ft. in
the ground for 1/4 Sec. Cor., marked
1/4 S, and raised mid. of stone
2 ft. high around post, from which
A pine 12 ins. diam. brs. S 37° E. 81 lbs. dist.
A pine 38 ins. diam. brs. N. 33° W. 37 lbs. dist.

60.00

A little valley with creek through
it the latter 50 lbs. wide course S.W.

Subdivision: Township 15 Range 9^o
Gib and St. River Meridian

Chs,
80.00

Set a post 4 ft long, flattened 3 ins,
wide, with marked stone 1 ft in
the ground for the Cor. to Secs.
7, 8, 17 & 18, marked & notched
and raised med. of stone 2 ft. high
around post, from which
A pine 2 ins. diam. brs. N. 33° E. 94 lbs. dist.
A pine 44 ins. diam. brs. S. 62° E. 80 lbs. dist.
A pine 40 ins. diam. brs. S. 33 W. 89 lbs. dist.
A pine 33 ins. diam. brs. N. 43 W. 144 lbs. dist.
Descending S. W. Undulating Soil 3rd rate
Heavy pine timber with under-
growth of pine & oak.

East on random line bet. Secs. 8 & 17

Per, 14° 17' E.

21.00
40.00
79.84

Expense 50 lbs. up de course p. or.
Set a temporary 4 Sec. Cor.
Intersect the N. & S. line 9 lbs.

Subdivision: Township 15 N., Range 9 E.,
Gila and Salt River Meridian
Chs.

S. of the Cor. to Secs. 8, 9, 16 & 17
from which I run
S. 89° 56' W. on true line bet. Secs. 8 & 17
140 1/4' East.

79,92 Set a post 4 ft. long, flattened 3 in.
wide, with marked stone 1 ft. in
the ground for 1/4 Sec. Cor., marked
1/4 S. and raised end of stone
2 ft. high around post, from which
A pine 11 ins. diam. brs. S. 38° E. 83 lbs. dist.,
A pine 24 ins. diam. brs. N. 40 W. 14 lbs. dist.

79,84 The Cor. to Secs. 7, 8, 17 & 18
Undulating. Soil 3rd & 3rd rate
Heavy pine with undergrowth
of pine and oaks.

Subdivision: Township 15 N., R. 9 E.
Gila and Salt River Meridian

- | | |
|-------|--|
| Chs. | Set on random line bet. Secs. 7 & 18
Var. 14° 14' East |
| 40.00 | Set a temporary 1/4 Sec. Cor. |
| 51.00 | Dry wash 37 fms. wide course S. |
| 48.78 | Subsect. the W. boundary of the
township 8 fms. S. of the Cor. to
Secs. 7, 8, 17 & 18, recently set
by me. from which Run
S. 89° 57' E. on true line bet. Secs. 7 & 18.
Var. 140° 14' East. |
| 38.78 | Set a post 4 ft. long, flattened 3 ins.
wide with marked stone 1 ft. in
the ground for 1/4 Sec. Cor. mark
id 1/4 S. and raised end of
stone 2 ft. high around post
from which |
| 48.78 | A pine 20 ins. diam. brs. S. 80° E. 2 1/2 fms. dist.
A pine 20 ins. diam. brs. 216° 57' W. 1 1/2 fms. dist.
the Cor. to Secs. 7, 8, 17 & 18 |

Subdivision: Township 15 N. Range 9 E.
Gila and Salt River Meridian

Chs.

Rolling, & descending S. W.

Soil 3rd rate

Heavy pine timber throughout
Undergrowth of pine & oak,
mum

North between Secs. 7 & 8

Var. $14^{\circ} 17' E$

40.00

Set a post 4 ft. long, flattened
3 ins. wide, with marked stone
1 ft. in the ground, for $\frac{1}{4}$ Sec. Cor.
marked $\frac{1}{4} S.$ and raised ind.
of stone 2 ft. high around post
from which

a post 18 ins. diam. brs. $N. 33^{\circ} E. 88$ kcs. dist.
to pine 16 ins. diam. brs. $N. 18^{\circ} W. 53$ kcs. dist.

49.50

a stream 50 kcs. wide course S. W

80.00

Set a post 4 ft. long, 4 ins. sq.
with marked stone 1 ft. in the

Subdivision: Township 15 N. R. 9 E.
Gila and Salt River Meridian
Chs.

ground, for the Cor. to Secs. 5, 6, 7
& 8 marked and notched and
raised ind. of slope 2 ft. high
around post, from which
A pine 30 ins. diam. brs. $71.5^{\circ} E$. 18 lbs. dist.
A pine 33 ins. diam. brs. $S. 70^{\circ} E$ 64 lbs. dist.
A pine 28 ins. diam. brs. $S. 17^{\circ} W$. 78 lbs. dist.
A pine 25 ins. diam. brs. $71.8^{\circ} W$. 74 lbs. dist.
Descending S. Soil 3rd rate
Heavy pine timber throughout
Oak and pine undergrowth

East on a random line bet. Secs. 5 & 8
Var. $14^{\circ} 14' E$.

- 14.00 Rocky gulch with stream 30 lbs.
width course S.W.
23.50 Rocky wash 25 lbs. wide course S.W.
40.00 Sit a temporary $\frac{1}{4}$ Sec. Cor.

Subdivision: Township 15 N. R. 9 E.
Gila and Salt River Meridian

- chs.
79.81 Intersect the N. & S. line 18 lbs.
S. of the Cor. to Secs. 4, 5, 8 & 9
from which I run
S. $89^{\circ} 52' W.$ on true line bet. Secs. 5 & 8
Var. $14^{\circ} 17'$ East.
- 39.91 Set a post 4 ft. long, flattened 3 ins.
wide, with marked stone 1 ft. in
the ground, for $\frac{1}{4}$ Sec. Cor. mark.
at $\frac{1}{4}$ S. and raised (rad. of stone
2 ft. high around post, from which
a pine 10 ins. diam. brs. $N. 30^{\circ} E.$ 34 lbs. dist.
a pine 11 ins. diam. brs. S. $53^{\circ} W.$ 38 lbs. dist.
- 79.81 The Cor. to Secs. 5, 6, 7 & 8
Broken and ascending N.
Soil 3rd & 4th rate,
Heavy pine with thick under-
growth of pine & oak.

Subdivision: Township 15 N., Range 9 E.,
Gila and Salt River Meridian

Ans.

Post on a random line bet. Secs. 6 & 7
Var. $14^{\circ} 17'$ East.

40.00

Set a temporary $\frac{1}{4}$ Sec. Cor.

48.75

Intersect pt. W. end of the
township 15 ths. S. of the Cor.
to Secs. 1, 6, 7 & 12 recently set
by me, from which I run
S. $89^{\circ} 54' E.$ on true line bet. Secs. 6 & 7
Var. $14^{\circ} 14' E.$

38.75

Set a post 4 ft. long, flattened 3 ins.
wide, with marked stone 1 ft.
in the ground, for $\frac{1}{4}$ Sec. Cor.,
marked $\frac{1}{4}$ S. and raised mid.
of stone 2 ft. high around post
from which

A pine 18 ins. diam. brs. N. $57^{\circ} E.$ 93 ths. dist.

A pine 19 ins. diam. brs. S. $82^{\circ} E.$ 65 ths. dist.

48.75

The Cor. to Secs. 5, 6, 7 & 8

Broken. Soil 3rd 4th rate. Heavy pine timber.

Subdivision: Township 15 N. Range 9 E.
Gila and Salt River Meridian

- Chs. North on a random line bet. Secs. 5 & 6
Var. $14^{\circ} 17' E.$
- 40.00 Set a temporary $\frac{1}{4}$ Sec. Cor.
811.16 Intersect the N. boundary of the
township 19 lks. W. of the cor. to
Secs. 5, 6, 7 & 8, recently set by
me, from which I run
 $S. 0^{\circ} 8' W.$ on true line bet. Secs. 5 & 6
Var. $14^{\circ} 17' East.$
- 40.16 Set a post 4 ft. long, flattened 3 ins.
wide, with marked stone 1 ft. in
the ground, for $\frac{1}{4}$ Sec. Cor. mark-
ed $\frac{1}{4} S.$ and raised ind. of stone
2 ft. high around post, from which
a pine 28 ins. diam. brs. S. $33^{\circ} E.$ 102 lks. dist.
An oak 12 ins. diam. brs. N. $87^{\circ} W.$ 34 lks. dist.
- 811.16 The cor. to Secs. 5, 6, 7 & 8
Ascending N. Soil 3rd rate
Pine timber throughout, with undergrowth
July 16, 1857

Subdivision: Township 15 N. Range 9 E.
Gila and Salt River Meridian

General Description:

Township 15 North Range 9 East has a diverse surface of hill and dale, rolling and undulating. There is some very good land along a creek bottom in the S.E. cor. of the township. Otherwise the land is not valuable for agricultural purposes. But there is abundance ^{of grass} growing over it, furnishing good pasturage, and large bands of sheep and some cattle and horses are grazed here during the summer months. There is fine pine timber over the whole extent of the township and it is easy of access. Water is found in the creek above

Subdivision: Township 15 N. Range 9 E.
Gila and Salt River Meridian

referred to which is the head
of Clear Creek, a branch of
the Verde River.

Theodore H. White
U.S. Deputy Surveyor.

Final Oath of Assistants.

We hereby certify that we assisted Theodore
J. White U. S. Deputy Surveyor, in surveying
 the Subdivision lines of Township
 15 North Range 9 East of
 the Gila and Salt River Meridian
 and Base lines

and that said Survey has been in all respects, to the best of our
 knowledge and belief, well and faithfully executed, and the
 boundary monuments planted according to the instructions
 furnished by the Surveyor-General.

- Chas. Newton Chainman
- A. H. McClure Chainman
- Frank Carpenter Axeman
- Ed. Patchett Flagman
- John Blake
- Hugh Dobbins

Sworn to and subscribed before me, this eight
 day of September 1887

William J. O'Hara
 Notary Public
 Aug 5.

79

Final Oath of Deputy Surveyor.

I, Theodore A. White

United States Deputy Surveyor, do solemnly swear that I have, in my own proper person and with the necessary assistants, well, truly and faithfully executed the survey of

the Subdivision of Township
15 North of Range 9 East, of the
Gila and Salt River Meridian
and Base lines

under my contract with John Wasson, United States Surveyor General for Arizona, bearing date the 5th day of

August 1880; that in making the said Survey I have used only such instruments as were approved by the said Surveyor-General, exercising due care in the preservation of adjustments of the same; that in using the solar compass I have at no time projected established lines depending for alignment upon the magnetic needle; that I have in all respects complied with the laws of the United States governing public-land