

No-179

# Field Notes

OF THE SURVEY OF THE

*SUBDIVISION LINES*

-OF-

179

Township 15 N., Range 10 East.

Gila and Salt River Base and Meridian

*ARIZONA.*

By *Thos. F. White* D. S.

under contract dated *Aug 5-1880.*

Survey commenced *July 16, 1881.*

Survey completed *July 23, 1881.*

No-179

Subdivision: Township 15 N. Range 10 E.

INDEX DIAGRAM.

Township 15 North BOOK 179 1A  
Range 10 East.

6	69	5	57	4	38	3	25	2	12	1
68		67		49		37		24		11
7	66	8	48	9	35	10	22	11	10	12
65		64		47		34		21		9
18	63	17	46	16	33	15	20	14	8	13
62		60		45		32		19		7
19	59	20	44	21	31	22	18	23	6	24
58		57		42		29		16		5
30	56	29	41	28	28	27	15	26	4	25
54		53		40		27		14		3
31	52	32	39	33	26	34	13	35	1	36

Gila and Salt River, Arizona.


ARIZONA.

13

**Preliminary Oaths of Assistants.**

We, Charles Newton  
and J. H. McClure

do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.



Charles Newton  
J. H. McClure

Sworn to and subscribed before me, this 16<sup>th</sup>  
day of June, 1881

William J. Osburn  
Notary Public  
Pima Co., A.T.

We, *John Blake, Hugh Dobbin*<sup>10</sup>  
*and C. H. Patchett*

do solemnly swear that we will well and truly per-  
form the duties of *Axman, Woundman and*  
*Flagman respectively*  
according to instructions given us, and to the best  
of our skill and ability.

*John Blake*  
*Hugh Dobbin*

*C. H. Patchett*

Sworn to and subscribed before me this *11<sup>th</sup>*  
day of *April*, 18*81*

*William J. Osburn*  
Notary Public  
Pima Co. Ariz.



Subdivision Township 15 N. Range 40 E.  
Gilwood Salt River Meridian

Chs.

I start at the Corner Secs. 35 & 36  
1 & 2 on the S. end of the town  
ship which is a post marked  
and notched, in a md. of stone  
with witness tree marked in  
each sec. It was recently estab-  
lished by me and is fully de-  
scribed in my field notes.

Thence I run

North between Secs. 35 & 36

Var.  $14^{\circ} 15'$  East

as per observation with Solar Com-  
pass. This is the same variation ob-  
served on the E. and S. Boundaries.

I use the same instrument in mak-  
ing the subdivision that I used  
in running the exterior, Burt's Solar Compass.

40.00

Set a volcanic rock  $26 \times 13 \times 4$  ins  
20 ins in the ground marked  $\frac{1}{4}$ .

2

mk 179

Subdivision: Township 15 N. Range 10 E.  
Gila and Salt River Meridian

Chs.

and raised ind. of stone 2 ft. high  
alongside, No trees immediately  
around cor. near enough to mark.

75.28 A pine 20 ins. diam.

81.11 Set a volcanic rock 18 x 15 x 12 ins  
13 ins. in the ground for the cor. to  
Secs. 25, 26, 35 & 36, notched, and  
raised ind. of stone 2 ft. high along  
side, from Cor.

A pine 24 ins. diam. br. S. 76 1/2 E. 263 kts. dist.

A pine 16 ins. diam. br. S. 73 W. 107 kts. dist.

No trees near enough to mark in the  
other sections.

Undulating. Soil 3<sup>rd</sup> rate  
Pine timber with occasional grassy  
openings, all along.

~~~~~

Subdivision: Township 15 S., Range 10 E.  
Gila and Salt River Meridian

Chs.

Cast on a random line bet. Secs. 25 & 36  
Cor.  $14^{\circ}15'$  East.

40.00 Set a temporary  $\frac{1}{4}$  Sec. Cor.

80.02 Intersect the E. boundary of the  
township 6 Ws. N. of the Cor. to Secs.  
25, 30, 31 & 36, which was recently  
set by me. Thence I run

$N. 89^{\circ}57' W.$ , on true line bet. Secs. 25 & 36  
Cor.  $14^{\circ}15'$  East.

40.01 Set a post 4 ft. long, flattened 3 ins.  
wide, with marked stone 1 ft. in  
the ground for  $\frac{1}{4}$  Sec. Cor. marked  
 $\frac{1}{4}$  S. and raised end of stone 2 ft.  
high around post, from which  
a pipe 24 ins. diam. brs.  $N. 17^{\circ} E. 199$  Ws. bet.

80.02 The cor. to Secs. 25, 26, 35 & 36  
Undulating. Soil 3<sup>rd</sup> rate.  
Pine timber with grassy openings  
and undergrowth

Subdivision: Township 15 N., Range 10 E  
 Gila and Salt River Meridian

Chs.

North between Secs. 25 & 26

Var.  $14^{\circ}15' E$

40.001

Set a post 4 ft. long, flattened 3 in. wide, with marked stone 1 ft. in the ground, for 4 sec. Cor., marked 4 ft. and raised mid. of stone 2 ft. high around post, from which a pine 36 ins. diam. hrs.  $71^{\circ}42' E$ , 267 lbs. dist. a pine 44 ins. diam. hrs.  $6^{\circ}2' E$  296 lbs. dist.

80.001

Set a volcanic rock  $18 \times 18 \times 8$  ins, 12 in. in the ground, for the cor. to Secs. 23, 24, 25 & 26 marked and raised mid. of stone 2 ft. high alongside. From Cor. a pine 36 ins. diam. hrs.  $S. 53^{\circ} E$ , 457 lbs. dist. This is in a grassy opening. There are no trees in the other secs. near enough to mark. Undulating Soil 3<sup>rd</sup> rate Pine timber all along with grassy spaces.



Subdivision: Township 15 N. Range 10 E.  
Gila and Salt River Meridian

- Chs. East on a random line bet. Secs. 24 & 25  
Cor.  $14^{\circ}15'$  East
- 40.00 Set a temporary  $\frac{1}{4}$  Sec. Cor.  
80.10 Intersect the E. boundary of the  
township 15 Tks. N. of the Cor. to  
Secs. 19, 24, 25 & 30, recently set by  
me. Thence I run  
N.  $89^{\circ}54'W$ . on a true line bet. Secs. 24 & 25  
Cor.  $14^{\circ}15'$  East
- 40.05 Set a post 4 ft. long, flattened 3 ins,  
diag. with marked stone 1 ft. in  
the ground for  $\frac{1}{4}$  Sec. Cor., marked  
 $\frac{1}{4}$  yard raised, rd. of stone 2 ft.  
high around post, from which  
a juniper 15 ins. diam. brs. N.  $60^{\circ}E$ . 72 fms. dist.  
a pine 28 ins. diam. brs. N.  $13^{\circ}W$ . 244 fms. dist.
- 68.80 A pine 33 ins. diam.  
80.10 The Cor. to Secs. 23, 24, 25 & 26  
Undulating. Pine timber & scattering juniper
- July 16, 1881

Subdivision: Township 15 N., Range 10 E.  
Gila and Salt River Meridian

Chs.

North between Secs. 23 & 24  
Cqr. 14<sup>1</sup>/<sub>2</sub> 15<sup>1</sup>/<sub>2</sub> E.

40.00

Set a post 4 ft. long, flattened 3 ins. wide, with marked stone 1 ft. in the ground, for <sup>1</sup>/<sub>4</sub> Sec. Cor. marked <sup>1</sup>/<sub>4</sub> S. and raised end. of stone 2 ft. high around post, from which a pine 1<sup>1</sup>/<sub>2</sub> ins. diam. brs. N. 30<sup>1</sup>/<sub>2</sub> E., 104 fms. dist., a pine 1<sup>1</sup>/<sub>2</sub> ins. diam. brs. N. 53<sup>1</sup>/<sub>2</sub> W. 8<sup>1</sup>/<sub>2</sub> fms. dist.

80.00

Set a post 4 ft. long, 4 ins. sq., with marked stone 1 ft. in the ground, for the cor. to Secs. 13, 14, 23 & 24 marked and notched, and raised end. of stone around post, from this is in a grass opening, there are no trees immediately around post, near enough to mark.

Undulating, Soil 3<sup>rd</sup> rate  
Pine timber all along.

Subdivision: Township 15 N. Range 10 E.  
Gila and Salt River Meridian

Chs.

Cast on a random line bet. Secs. 13 & 24  
Var.  $14^{\circ}15'$  East

140.00

Set a temporary  $\frac{1}{4}$  Sec. Cor.

44.96

Intersect the E. boundary of the  
township  $11$  Mts. S. of the Cor. to  
Secs. 13, 18, 19 & 24, from which I run  
 $S. 89^{\circ}55' W.$  a true line bet. Secs. 13 & 24  
Var.  $14^{\circ}15'$  East.

39.98

Set a post 4 ft. long, flattened 3 ins. wide  
with marked stone 1 ft. in the ground  
for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S. and  
raised end of stone 2 ft. high around  
post, from which

A pine 10 ins. diam. hrs. N. 62 E. 98 Mts. dist.

A juniper 12 ins. diam. hrs. S. 12 E. 100 Mts. dist.

79.96

The Cor. to Secs. 13, 14, 23 & 24

Rolling. Soil 3<sup>rd</sup> rate

Pine timber with some juniper  
and oaks and undergrowth.

Subdivision: Township 15 N, Range 10 E,  
T14 and Salt River Meridian

Chs.

North between Secs. 13 & 14  
Twp. 14<sup>o</sup> 15' E.

40.111

Set a post 4 ft. long, flattened 3 ins. square wide, with marked stone 1 ft. in the ground for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  of  $\frac{1}{4}$  of raised red. of stone 2 ft. high around post from which  
A pine 24 ins. diam. brs. S. 83<sup>o</sup> E. 209 lks. dist.  
A pine 32 ins. diam. brs. N. 70 W 282 lks. dist.

80.111

Set a post 4 ft. long, 4 ins. sq. with marked stone 1 ft. in the ground, for the Cor. to Secs. 11, 12, 13 & 14, marked and notched, and raised red. of stone 2 ft. high around post from which  
A pine 12 ins. diam. brs. N. 116<sup>o</sup> 196 lks. dist.  
A pine 12 ins. diam. brs. S. 7<sup>o</sup> E. 21 lks. dist.  
A pine 8 ins. diam. brs. S. 31<sup>o</sup> W. 160 lks. dist.  
None near N.W.

Rolling, Soil & water Pine timber all along

Subdivision, Township 15 N. Range 10 E.  
 Gilman Salt River Meridian

Chs.

East on random line bet. Secs. 12 & 13  
 Var. 14° 15' East

40,000 Set a temporary  $\frac{1}{4}$  Sec. Cor.

77,84 Subst. of the E. boundary of the  
 township 13 N. S. of the Cor. to  
 Secs. 7, 12, 13 & 18, recently set by  
 me, thence I run  
 S. 89° 54' W. on true line bet. Secs. 12 & 13  
 Var. 14° 15' E.

39,92 Set a post 4 ft. long, flattened Brass,  
 wide, with marked stone 1 ft. in  
 the ground, for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S.  
 and raised ind. of stone 2 ft. high around  
 post, from which

A pine 12 ins. diam. hrs. N. 29° E. 260 yds. dist.

A juniper 10 ins. diam. hrs. S. 68½° E. 134 yds. dist.

77,84 The Cor. to Secs. 11, 12, 13 & 14

High & rolling, Soil 3<sup>rd</sup> rate

Pine timber Some juniper & undergrowth

Subdivision Township 15 N. Range 10 E.  
Gla & Salt River Meridian

Sec.

North between Secs. 11 & 12  
Range 14° 15' E.

40.11

Set a post 4 ft. long, flattened 3 ins. wide  
with marked stone pt. in the ground  
for 4<sup>th</sup> Sec. Co., marked N 45, and raised pd.  
of stone 2 ft. high around post, from which  
Apin 14 ins. diam. brs. N. 57° E. 153 lbs. dist.  
Apin 13 ins. diam. brs. N. 31 W 142 lbs. dist.

50.00

Set a post 4 ft. long, 4 ins. sq. with marked  
stone pt. in the ground, for the Cor.  
to Secs. 12, 11 & 12, marked and notched  
and raised pd. of stone around post  
from which

Apin 10 ins. diam. brs. N. 72° E. 171 lbs. dist.

Apin 30 ins. diam. brs. S. 13° E. 255 lbs. dist.

Apin 38 ins. diam. brs. S. 10 W 279 lbs. dist.

Rolling, descending N. Soil 3<sup>rd</sup> rate  
Pine timber, with scattering juniper  
and undergrowth.

Subdivision: Township 15 N., Range 10 E.,  
Gila and Salt River Meridian

Chs

East on random line bet. Secs 1 & 12  
Var.  $14^{\circ}15'$  East

40.00 Set a temporary  $\frac{1}{4}$  Sec. Cor.

79.86 Intersect the E. boundary of the town-  
ship 19 Sec. S. of the Cor. to Secs.  
1, 6, 7 & 12, recently set by me, then  
I run

S.  $89^{\circ}52'W$ , a true line bet. Secs. 1 & 12  
Var.  $14^{\circ}15'$  East

39.93 Set a post 4 ft. long, flattened 3 ins.  
wide, with marked stone 1 ft. in  
the ground for  $\frac{1}{4}$  Sec. Cor., marked  
 $\frac{1}{4}$  S. and raised rnd. of stone  
2 ft. high around post from which  
Opinifer 40 ins, diam. hrs S.  $62^{\circ}E$ , 341 lbs dist,  
Opinifer 20 ins, diam. hrs.  $41^{\circ}W$ , 208 lbs. dist,

79.86 The cor. to Secs 1, 2, 11 & 12

Hydrulching, Soil 3<sup>rd</sup> rate

Large pine, some juniper & brush

Subdivision: Township 15 N., Range 10 E.  
Gila and Salt River Meridian

Obs.

North and random line bet. Secs 1 & 2  
Var.  $14^{\circ}15'$  E.

40.00

Set a temporary  $\frac{1}{4}$  Sec. Cor.

80.10

Intersect pt. N. boundary of the town-  
ship 15 Ns. E. of the Cor. to Secs.  
1 & 2, 35 & 36, recently set by me,  
thence I run

$50^{\circ}6'$  E. on true line bet. Secs 1 & 2  
Var.  $14^{\circ}15'$  E.

40.10

Set a post  $4\frac{1}{2}$  ft. long, flattened  $3\frac{1}{2}$  ins.  
wide, with marked stone 1 ft. in  
the ground, for  $\frac{1}{4}$  Sec. Cor. marked  
 $\frac{1}{4}$  S. and raised end of stone  
 $2\frac{1}{2}$  ft. high around post, from which  
a juniper 15 ins. diam. brs. N.  $68^{\circ}$  E.  $3\frac{1}{3}$  dist.  
A juniper 16 ins. diam. brs. S.  $33\frac{1}{2}$  W.  $254$  dist.  
The cor. to Secs 1, 2, 11 & 12

80.10

Rolling & descending H. Soil 3 rate  
Pine timber, with some juniper & undergrowth.



Subdivision: Township 15 N. Range 10 E,  
Gila and Salt River Meridian

Cor.

From the cor. to Secs 34 & 35,  
28 & 30 S. boundary of the township  
which is a post marked and notched  
in end of stone, with witness tree  
marked in each sec. and which was  
recently set by me and is fully de-  
scribed in my field notes. From  
this cor. I run

North between Secs. 34 & 35  
Var.  $14^{\circ} 15' E$ .

- 40.00 Set a post 4 ft. long, flattened 3 ins.  
wide, with marked stone 1 ft. in  
the ground, for  $\frac{1}{4}$  Sec. Cor. mark-  
ed  $\frac{1}{4} S$ , and raised end of stone  
around post, from which  
A pine 24 ins. diam. brs.  $58^{\circ} E$ , 133 dist. <sup>W.S.</sup>  
A pine 16 ins. diam. brs.  $N. 74^{\circ} W$ , 147 dist. <sup>W.S.</sup>
- 76.02 A pine 36 ins. diam
- 88.00 Set a post 4 ft. long, 4 ins. sq,

Subdivision, Township 15 N, Range 10 E.  
 Gila and Salt River Meridian

BOOK 779

Chs.

with marked stone 1 ft. in the ground for Cor. to Secs. 26, 27, 34 & 35 - marked and notched and raised mid. of stone 2 ft. high around post, from which

A pine 24 ins. diam. brs. N. 35 E. 176 fms. dist.

A pine 36 ins. diam. brs. S 59 E. 34 fms. dist.

A pine 10 ins. diam. brs. S 48 W. 60 fms. dist.

A pine 12 ins. diam. brs. N. 19 1/2 W. 43 fms. dist.

Rolling and broken soil 3<sup>rd</sup> rate

Heavy pine timber throughout

East on random line bet. Secs. 26 & 35

Var. 14° 15' East

441110

Set a temporary 1/4 Sec. Cor.

4997

Intersect the W. & S. line 15 N. of the cor. to Secs. 25, 26, 35 & 36, from which I run

Subdivision: Township 15 N. Range 10 E.  
Gila and Salt River Meridian

Chs.

N.  $89^{\circ}54'W$ , on true line bet. Secs. 26 & 36  
Twp. 14<sup>15</sup> East

- 39.98 Set a post 4 ft. long, flattened 3 ins wide  
with marked stone 1 ft. in the ground  
for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  ft. and  
raised out. of stone 2 ft. high around  
post, from which 46 has meas.  
79.97 the cor. to Secs. 26, 27, 34 & 35  
Undulating, Soil 3<sup>rd</sup> rated  
Pine timber some juniper & brush

North between Secs. 26 & 27

Twp. 14<sup>15</sup> East

- 40.011 Set a post 4 ft. long, flattened 3 ins.  
wide, with marked stone 1 ft. in  
the ground for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  ft.  
and raised out. of stone 2 ft. high  
around post, from which

Subdivision; Township 15 N, Range 10 E,  
Gila and Salt River Meridian

Ch.

Apine 10 ins. diam. hrs. S 8° E, 25 lbs. dist.

Apine 10 ins. diam. hrs. S. 22 W 18 lbs. dist.

59.75 Apine 18 ins. diam.

80.00 Set a post 4 ft. long, 4 ins. sq. with  
marked stone 1 ft. in the ground  
for the Cor. to Secs. 22, 23, 26 & 27  
marked and notched, and raised  
ring of stone 2 ft. high around post  
from which

Apine 20 ins. diam. hrs. N. 44° E 24 lbs. dist.

Apine 10 ins. diam. hrs. S. 36° E. 138 lbs. dist.

Apine 18 ins. diam. hrs. S. 58° W. 73 lbs. dist.

Apine 31 ins. diam. hrs. N. 45° W. 71 lbs. dist.

Mud flatting. Soil 3<sup>d</sup> rate

Pine lumber throughout.

July 18, 1881

East or random line bet. Secs. 23 & 26

Lat. 14° 15' E.

Subdivision: Township 15 N. Range 10 E,  
Gila and Salt River Meridian

- ch.  
44.00 Set a temporary  $\frac{1}{4}$  Sec. Cor.  
49.89 Subsect the N & S line 10 lks. S,  
of the Cor. to Secs. 23, 24, 25 & 26  
from which I run  
S. 89° 56' W. on true line, bet Secs. 23 & 26  
Var. 14° 15' East
- 36.11 A pine 22 ins diam.
- 39.94 Set a post 4 ft. long, flattened 3 ins.  
wide, with marked stone 1 ft. in  
the ground for  $\frac{1}{4}$  Sec. Cor., marked  
 $\frac{1}{4}$  S. and raised mid of stone  
2 ft. high around post, from which  
a pine 20 ins. diam. bro. S. 54° E. 33 lks. dist.
- 49.89 A pine 26 ins. diam. bro. South 143 lks. dist.  
The cor. to Secs. 22, 23, 26 & 27  
Undulating Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate  
Pine timber through<sup>out</sup> with  
undergrowth

Subdivision Township 15 N. Range 10 E.  
Gila and Salt River Meridian  
Cts.

North between Secs. 22 & 23  
Cor.  $14^{\circ} 15' E.$

21.24 A pine 24 ins. diam.

40.00 A lava volcanic rock 24 x 14 x 10 ins.  
8 ins. in the ground for  $\frac{1}{4}$  Sec 1  
Cor. marked  $\frac{1}{4}$  and raised  
mid. of stone 2 ft. high, alongside  
from the Cor.

A pine 24 ins. diam. brs. S.  $60^{\circ} W$ . 32  $\frac{1}{2}$  lbs. dist.  
none near center E.

80.00 A post 4 ft. long, 4 ins. sq. with  
marked stone 1 ft. in the ground  
for the Cor. to Secs. 14, 15, 22 & 23  
marked and notched and raised  
mid. of stone 2 ft. high around post  
from which

A pine 18 ins. diam. brs. N.  $21^{\circ} E$ . 95 lbs. dist.

A pine 20 ins. diam. brs. S.  $43^{\circ} E$ . 290 lbs. dist.

A juniper 12 ins. diam. brs. N.  $38^{\circ} W$  52 lbs. dist.

Subdivision; Township 15 N, Range 10 E  
 Gila and Salt River Meridian  
 etc

A pine 20 ins diam. brs. S. 17° W. 156<sup>ths</sup> dist.  
 Undulating Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate  
 Pine timber all along. Saw juniper

East on a random line bet. Secs. 14 & 23  
 Var. 14° 15' E.

40.00 Set a temporary  $\frac{1}{4}$  Sec. Cor.  
 80.10 Supposed the N & S line 12 hrs. N.  
 of the cor to Secs. 13, 14, 23 & 24, from  
 which I run

N. 89° 35' W. on true line bet. Secs. 14 & 23  
 Var. 14° 15' E.

40.05 Set a post 4 ft. long, flattened 3 ins.  
 wide, with marked stone 1 ft. in the  
 ground for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S.  
 and raised ring of stone 2 ft. high  
 around post, from which  
 A pine 6 ins. diam. brs. S. 45° E. 22 hrs. dist.

Subdivision: Township 15 N., Range 10 E.  
 Gila and Salt River Meridian

Chs.

57.10 ✓ A juniper 10 in. diam. br. South 250 lbs. dist.  
 The Cor. to Secs. 14, 15, 22 & 23.  
 Rolling, Soil 3<sup>rd</sup> rate  
 Pine Center, some juniper thick undergrowth

North between Secs. 14 & 15  
 Twp. 14<sup>th</sup> 15<sup>th</sup> E.

40.111 Siba post 4 ft. long, flattened 3 in.  
 wide, with marked stone 1 ft. in the  
 ground for 4 sec. Cor. marked 4 S.  
 dug pit and raised ridge of earth  
 2 ft. high around posts, from which  
 Opine 18 in. diam. br. N. 41<sup>st</sup> E. 375 lbs. dist.  
 A little grassy park. 16 ft. near the  
 other, see.

78.111 Top of E. slope of little hill 5 ft. high  
 88.111 Siba post 4 ft. long, 4 in. dia. with  
 marked stone 1 ft. in the ground



Subdivision; Township 15 N. Range 10 E.

Grand Salt River Meridian

chs.

for Cor. to Secs. 10, 11, 14 & 15 marked and notched and raised end, of stone 2 ft. high around post from which

Apine 10 ins. diam. hrs. N. 53° E. 59 lbs. dist.

An oak 6 ins. diam. hrs. S. 25° E. 20 lbs. dist.

Apine 18 ins. diam. hrs. S. 76° W. 56 lbs. dist.

Apine 6 ins. diam. hrs. N. 30° W. 20 lbs. dist.

This is on N. E. slope of little hill  
Hilly Droplung. Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate  
Heavy pine timber some oak  
and undergrowth throughout.

East on random line bet Secs. 11 & 14  
Var. 14° 15' E.

411.00 Set a temporary 1/4 Sec. Cor.

80.12 Intersect the N. & S. line 22 lbs.  
S. of the Cor. to Secs. 11, 12, 13 & 14

Subdivision; Township 15 N., Range 10 E.  
Gila and Salt River Meridian  
Chs.

from which I run  
S. 89° 57' W. 600 feet bet. Secs. 11 & 14  
Var. 14° 15' E.

40.06 Set a post 4 ft. long, flattened 3 ins.  
wide, with marked stone 1 ft. in  
the ground, for  $\frac{1}{4}$  Sec. Cor., marked  
"4 S. and raised wd. of stone 2 ft.  
high around post, from which  
A pine 20 ins. diam. hrs. S. 53° E. 184 lbs. dist.  
A pine 18 ins. diam. hrs. S. 63° W. 150 lbs. dist.

80.12 The cor. to Secs. 10, 11, 14 & 15—  
Undulating and descending E,  
Pine timber throughout, and  
dense oak undergrowth.

North between Secs. 10 & 11  
Var. 14° 15' E.

7.70 A pine 36 ins. diam.

Subdivision: Township 15 N Range 10 E,  
Gila and Salt River Meridian

Chs.

40.00

Set a post 4 ft. long, flattened 3 ins. wide, with marked stone 1 ft. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. and raised mid. of stone 2 ft. high around post, from which  
 A juniper 13 ins. diam. brs. S.  $70^{\circ}$  E. 134 lbs. dist.  
 A juniper 12 ins. diam. brs. S.  $13^{\circ}$  W. 76 lbs. dist.

80.00

Set a post 4 ft. long, 4 ins. sq. with marked stone 1 ft. in the ground for the Cor. to Secs. 2, 3, 10 & 11, marked and notched, and raised mid. of stone 2 ft. high around post, from which  
 An oak 12 ins. diam. brs. N.  $10^{\circ}$  E. 111 lbs. dist.  
 A pine 20 ins. diam. brs. S.  $54^{\circ}$  E. 283 lbs. dist.  
 An oak 10 ins. diam. brs. S.  $84^{\circ}$  W. 130 lbs. dist.  
 A pine 30 ins. diam. brs. N.  $47^{\circ}$  W. 118 lbs. dist.  
 Undulating, Soil 2<sup>nd</sup> rap  
 Heavy pine timber throughout  
 Some oak.

24

BOOK 179

Subdivision, Township 15 N., Range 10 E.,  
Gila and Salt River Meridian

Chs.

Eastern random line bet. Secs. 2 & 11  
Var.  $14^{\circ}15'$  E.

19,95 Dry wash 10 lbs. wide course  $71^{\circ}$  E. around  
40,00 Set temporary  $\frac{1}{4}$  Sec. Cor.

49,94 Inspect the N. & S. line 14 lbs. S. of  
the Cor. to Secs. 1, 2, 11 & 12 from which  
I run  
S.  $89^{\circ}54'$  W. on true line bet. Secs. 2 & 11  
Var.  $14^{\circ}15'$  East.

+  
39,94 Set a post 4 ft. long, flattened 3 ins. wide  
with marked stone 1 ft. in the ground  
for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  D. and raised  
rod of stone around post, from which  
a line 36 ins. diam. brs.  $71,52^{\circ}$  E. 143 lbs. dist.  
A pine 10 ins. diam. brs. S.  $24^{\circ}$  E. 96 lbs. dist.

49,94 The Cor. to Secs. 2, 3, 10 & 11  
Rolling, Soil 2<sup>nd</sup> rate  
Large pine timber with  
thick undergrowth.

Subdivision, Township 15 N, Range 10 E  
 T4a and Salt River Meridian

Cher

North on range line bet. Secs. 2 & 3  
 Var.  $14^{\circ}15' E.$

- 81.00 Ascend from S. slope  
 24.00 Top of higher table land  
 40.00 Set a temporary  $\frac{1}{4}$  Sec. Cor.  
 80.16 Intersect the N. boundary of the town-  
 ship 19 lbs. E. of the Cor. to Secs. 2, 3  
 34 & 35 recently set by me, thence  
 Open

SO  $8' E.$  on true line bet. Secs. 2 & 3  
 Var.  $14^{\circ}15' E.$

- 41.16 Set a volcanic rock  $18 \times 10 \times 8$  ins  
 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor.  
 marked  $\frac{1}{4}$  and raised end of  
 stone 2 ft. high alongside, from Cor.  
 A run per 12 ins. diam. hrs  $9.25 E.$  340 lbs. det.  
 the grassy opening. No tree near in other Sec.  
 80.16 The Cor. to Secs. 2, 3 10 & 11  
 Ascending N. Soil 2" rate Larzapine & juniper.

Subdivision: Township 15 N. Range 10 E.  
Gila and Salt River Meridian

Chs.

From the cor. to Secs. 33 & 34, 3 & 4  
on the S. end of the township  
which is a post marked and notch-  
ed in mid. of stone, with witness  
two marked in each Sec. and  
was recently set by me. and is  
fully described in my field notes  
which I run

North between Secs. 33 & 34  
Lat.  $14^{\circ}15' E.$

- 10.50 Dry wash 30 fms. wide course N. E.  
40.00 Set a post 4 ft. long, flattened, 3 ins.  
wide, with marked stone 1 ft. in  
the ground, for 4 Sec. Cor. marked 4 ft.  
dug pits and raised mid. of earth  
2 ft. high around post, from which  
a pine 36 ins. diam. by N. 80 E. 125 lbs. dist.  
A pine 28 ins. diam. by S. 55 W 25 lbs. dist.  
50.00 Set a post 4 ft. long, 4 ins. sq. with

Subdivision: Township 15<sup>N</sup>, Range 10<sup>E</sup>,

Gila and Salt River Meridian

Chs.

marked stone 1 ft in the ground, for  
the cor. to Secs. 27, 28, 33 & 34, mark-  
ed and notched, and raised out of  
stone 2 ft. high around post, from which  
A pine 20 ins. diam. brs.  $N. 53^{\circ} E. 14 \frac{1}{2}$  mls. dist.,  
A pine 10 ins. diam. brs.  $S. 35^{\circ} E. 122$  mls. dist.,  
A pine 30 ins. diam. brs.  $S. 23^{\circ} W. 34$  mls. dist.,  
A pine 24 ins. diam. brs.  $N. 17^{\circ} W. 68$  mls. dist.,  
Polling. Soil 3<sup>d</sup> rate  
Large pine timber. Some undergrowth

East on a random line bet. Secs. 27 & 34  
Nat.  $140^{\circ} 15' E.$

40.00

50.11

Set a temporary  $\frac{1}{4}$  Sec. Cor.  
Intersect the N & S. line 17 mls.  
S. of the Cor. to Secs. 26, 27, 34 & 35, from  
which I run  
 $S. 89^{\circ} 53' W.$  on true line bet. Secs. 27 & 34

Subdivision; Township 15 N. Range 10 E.  
 6th and Salt River Meridian

Chs.

Var.  $14^{\circ} 15' E.$

- 40.05 Set a post 4 ft. long, statted 3 ins.  
 wide with marked stone 1 ft. in the  
 ground, for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S.  
 dug pits and raised mid. of earth  
 2 ft. high around post, from which  
 a pine 18 ins. diam. br. S.  $66^{\circ} E.$  19 fms. dist.  
 a pine 24 ins. diam. br. N.  $45^{\circ} E.$  34 fms. dist.
- 87.11 The cor. to Secs. 27, 28, 33 & 34  
 undulating. Soil 2 or 3 ft.  
 Large pine timber all along.

North between Secs. 27 & 28

Var.  $14^{\circ} 15' E.$

- 40.10 Set a post 4 ft. long, statted 3 ins.  
 wide with marked stone 1 ft. in  
 the ground for  $\frac{1}{4}$  Sec. Cor. marked  
 $\frac{1}{4}$  S. and raised mid. of stone 2 ft.



Subdivision: Township 15 N., Range 10 E.

Grand Salt River Meridian

Chs.

high around post, from which  
 Opini 18 ins. diam. brs. S.  $34^{\circ} \frac{1}{2} E.$  113/ks. dist.  
 Opini 18 ins. diam. brs. N.  $38 W.$  37/ks. dist.  
 80.00 Set a post 4 ft. long. 4 ins. sq. with  
 pegged stone 1 ft. in the ground for  
 the cor. to Secs 21, 22, 27 & 28 mark-  
 ed and plotted and raised ped. of stone  
 2 ft. high around post, from which  
 Opini 24 ins. diam. brs. N.  $40 E.$  67/ks. dist.  
 Opini 24 ins. diam. brs. S.  $84 E.$  337/ks. dist.  
 No trees near in the other secs.

Undulating, Soil 2<sup>nd</sup> rate  
 Pine timber throughout, some pines  
 July 19, 1881

East on a random line bet Secs. 22 & 27  
 Lat.  $14^{\circ} 15' E.$

As verified by observation with  
 Solar Compass.

Subdivision: Township 15 N. Range 10 E.  
Gda and Salt River Meridian

Chs.

44.00

Set temporary  $\frac{1}{4}$  Sec. Cor.

80.17

Intersect the N. & S. line 13 kcs.  
S. of the Cor. to Secs. 22, 23, 26  
& 27, from which I run  
S. 89° 54' W on true line bet. Secs. 22 & 27  
Cor. 14° 15' E.

44.08

Set a post  $\frac{1}{4}$  ft long, flattened 3 ins  
wide, with marked stone 1 ft in  
the ground for  $\frac{1}{4}$  Sec. Cor. marked  
 $\frac{1}{4}$  E. and raised red. of stone 2 ft  
high around post, from which  
A pine 24 ins. diam. brs. S. 78° E. 83 kcs. dist.  
A pine 30 ins. diam. brs. N. 74° W. 19 kcs. dist.

80.17

The cor. to Secs. 21, 22, 27 & 28  
Rolling & some broken  
Soil 3<sup>rd</sup> rate  
Pine timber throughout.

Subdivision: Township 15 N. Range 10 E.  
Gila and Salt River Meridian

Chs.

North between Secs. 21 & 22.

Mag.  $14^{\circ}15' E.$

+ 40.00

Set a post  $4\frac{1}{2}$  ft. long, flattened 3 ins wide with marked stone  $1\frac{1}{2}$  ft. in the ground, for  $\frac{1}{4}$  Sec. Cor. marked  $4^{\circ} E.$  and raised  $ind.$  of stone 2 ft. high around post from which  
A pine 16 ins. diam. brs.  $91.8^{\circ} E$  57 fms. dist.  
A pine 17 ins. diam. brs.  $S. 81^{\circ} W.$  87 fms. dist.

80.00

Set a post  $4\frac{1}{2}$  ft. long 4 ins. sq. with marked stone  $1\frac{1}{2}$  ft. in the ground for the Cor. to Secs. 15 16 21 & 22, marked and noted and raised  $ind.$  of stone ~~was~~ 2 ft. high around post from which

A pine 18 ins. diam. brs.  $91.8^{\circ} E$  229 fms. dist.  
A pine 23 ins. diam. brs.  $S. 6^{\circ} E.$  283 fms. dist.  
A pine 24 ins. diam. brs.  $S. 37^{\circ} W.$  338 fms. dist.  
A pine 26 ins. diam. brs.  $91.72^{\circ} W.$  164 fms. dist.

Subdivision: Township 5<sup>N</sup>, Range 10<sup>E</sup>,  
 Glacial Salt River Meridian  
 Chs.

Undulating. Soil 2<sup>nd</sup> grade  
 Pine timber throughout.

East on random line bet. Secs. 15 & 22  
 Var.  $14^{\circ}15' E$ .

40.01 A temporary  $\frac{1}{4}$  Sec. Cor.  
 88.07 Intersect the N. & S. line of Sec.  
 S. of the Cor. to Secs. 14, 15, 22 & 23  
 from which I run  
 S.  $89^{\circ}56' W$  on true line bet. Secs. 15 & 22  
 Var.  $14^{\circ}15' E$ .

40.03 Set a post 4 ft. long, flattened 3 ins.  
 wide, with marked stone 1 ft. in  
 the ground, for  $\frac{1}{4}$  Sec. Cor. marked  
 $\frac{1}{4}$  S. and prised out of stone  
 2 ft. high around post, from which  
 a pin 36 ins. diam. brs. S.  $30^{\circ} E$ , 52 lbs. dist.  
 a pin 40 ins. diam. brs. N.  $4\frac{1}{2} W$ , 112 lbs. dist.

Subdivision: Township 15 N. Range 17 E.  
 6th and Salt River Meridian

Chs.

- 69.98 A pine 24 ins. diam.  
 73.70 A pine 30 ins. diam.  
 80.07 The Cor. to Secs. 15, 16, 21 & 22  
 Modulating Soil 2<sup>nd</sup> rate -  
 Large pine timber. Some juniper  
 and oak and undergrowth

North between Secs. 15 & 16

Var. 14° 15' E.

- 80.010 A set a post 4 ft. long, flattened 3 ins.  
 wide, with marked stone 1 ft. in  
 the ground, for  $\frac{1}{4}$  Sec. Cor. marked  
 $\frac{1}{4}$  S. and raised end of stone 2 ft.  
 high around post, from which  
 An oak 12 ins. diam. brs. S. 85° E. 2 1/2 krs. dist.  
 An oak 3 1/4 ins. diam. brs. S. 8 1/2° W. 5 1/2 krs. dist.  
 80.011 A set a post 4 ft. long, 4 ins. sq. with  
 marked stone 1 ft. in the ground.

Subdivision; Township 15. N. Range 10 E,  
Gda and Salt River Meridian

Chs.

for the cor. to Secs. 9, 10, 15 & 16  
marked and notched and raised  
wd. of stone 2 ft. high around  
post, from which  
A pine 24 ins. diam. brs. N. 11° E. 79 lbs. dist.  
A pine 24 ins. diam. brs. S. 31° E. 139 lbs. dist.  
A pine 29 ins. diam. brs. S. 18° W. 54 lbs. dist.  
A pine 28 ins. diam. brs. N. 37° W. 39 lbs. dist.  
Rolling, ascending W. Soil 3/4 to  
heavy pine and oak timber through-  
out with undergrowth

East on a random line bet. Secs. 10 & 15  
Lat. 14° 15' E.

140.00 Suba temporary 1/4 Sec. Cor.,  
50.00 Ascend W. slope of low hill  
65.00 Top of same 100 ft high  
79.81 Culminate the N. & S. line

Subdivision: Township 15 N. Range 10 E.  
 Gila and Salt River Meridian

Chs.

18 lks. S. of the Cor. to Secs. 10, 11  
 14 & 15 from which I run  
 S 89° 52' W. on true line bet. Secs. 10 & 15  
 Cor. 14° 15' E.

39,90 Set a post 4 ft long, flattened 3 ins.  
 wide, with marked stone 1 ft in  
 the ground, for  $\frac{1}{4}$  Sec. Cor. marked  
 $\frac{1}{4}$  S. and raised end of stone 2 ft.  
 high around post, from which  
 an oak 12 ins. diam. brs. S. 43° W. 72 lks. dist.  
 a pine 12 ins. diam. brs. N. 72° 2' W. 34 lks. dist.

39,81 The Cor. to Secs. 9, 10, 15 & 16.  
 Abounding E. hilly soil 3<sup>rd</sup> rate  
 Heavy pine timber throughout  
 Some oak and undergrowth

North between Secs. 9 & 10  
 Cor. 14° 15' E.

Subdivision: Township 15 N. Range 10 E.  
Ma and Salt River Meridian

- Chs.  
40.00 Set a post 4 ft. long, flattened 3 ins. wide, with marked stone 1 ft. in the ground for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S. and raised mid. of stone 2 ft. high around post, from which  
 a pine 10 ins. diam. brs. S.  $34^{\circ}$  E. 16 lbs. dist.  
 a pine 12 ins. diam. brs. S.  $39^{\circ}$  W. 14 lbs. dist.
- 50.00 Set a post 4 ft. long, 4 ins. Sq. with marked stone 1 ft. in the ground for the cor. to Secs. 3, 4, 9 & 10, marked and notched and raised mid. of stone 2 ft. high around post, from which  
 a pine 12 ins. diam. brs. N.  $32^{\circ}$  E. 14 lbs. dist.  
 a pine 8 ins. diam. brs. S.  $58^{\circ}$  E. 3 lbs. dist.  
 a pine 9 ins. diam. brs. S.  $32^{\circ}$  W. 29 lbs. dist.  
 a pine 10 ins. diam. brs. N.  $26^{\circ}$  W. 8 lbs. dist.  
 Rolling descending S.  
 Hard pine with some oak



Subdivision; Township 15 N. Range 10 E.  
 Grand Salt River Meridian

- chs.
- East on a random line bet. Secs. 3 & 10  
 Var.  $14^{\circ}15' E.$
  - 40.00 Set a temporary  $\frac{1}{4}$  Sec. Cor.
  - 80.15 Subj. bet. the  $\frac{1}{4}$  & S. line 13 kcs.  
 N. of the cor. to Secs. 2, 3, 10 & 11  
 from which I run  
 N.  $89^{\circ}54' W.$  on true line bet. Secs. 3 & 10  
 Var.  $14^{\circ}15' E.$
  - 40.00 Set a post 4 ft. long, flattened  
 3 in. wide, with marked stone  
 1 ft. in the ground + for  $\frac{1}{4}$  Sec. Cor.  
 marked  $\frac{1}{4}$  S., and raised 2 in.  
 of stone 2 ft. high around post.  
 from which  
 a pine 18 in. diam. bers.  $N. 37^{\circ} E. 28$  kcs. dist.  
 a pine 18 in. diam. bers.  $S. 12^{\circ} 1/2' W. 183$  kcs. dist.
  - 80.15 The cor. to Secs. 3, 4, 9 & 10  
 Redding. Soil  $\frac{1}{2}$  in. rate  
 thick pine timber all along with undergrowth.

Subdivision: Township 15 N. Range 16 E.  
Gila and Salt River Meridian

- Chs. North on random line bet. Secs. 3 & 4  
Cor.  $14^{\circ}15' E.$
- 40.00 Set a temporary  $\frac{1}{4}$  Sec. Cor.
- 79.90 Inscribed the  $\frac{1}{4}$  boundary of the town-  
ship 16 hrs. W. of the cor. to Secs.  
3, 4, 33 & 34 recently set by  
me, thence I run  
 $S 11^{\circ}7' W.$  on true line bet. Secs. 3 & 4  
Cor.  $14^{\circ}15' E.$
- 39.90 Set a post 4 ft. long, flattened Bricks  
wide, with marked Stone 1 ft in  
the ground, for  $\frac{1}{4}$  Sec. Cor. mark  
ed  $\frac{1}{4}$  S. and raised up of Stone  
2 ft. high around post from which  
an oak 10 ins. diam. hrs.  $N. 80^{\circ} E. 80$  hrs. dist.  
a pine 28 ins. diam. hrs.  $N. 70^{\circ} W. 70$  hrs. dist.
- 79.90 The cor. to Secs. 3, 4, 9 & 10  
According to Soil & grate  
Thick pine some oak & brush

Subdivision: Township 15 N. Range 10 E.  
Gila and Salt River Meridian

Chs.  
Cm

From the Cor. to Secs. 32 & 33  
4 & 5 on the South boundary, re-  
cently set by me and fully  
described in my field notes,  
I run

North between Secs. 32 & 33

Var.  $14^{\circ}15' E$

40.00 Set a post 4 ft. long, flattened 3 ins.  
wide, with marked stone 1 ft. in  
the ground for 4 Sec. Cor., mark-  
ed 48, and raised wd. of stone  
around post, from which  
a pin 28 ins. diam. brs. N.  $71^{\circ} E$   $13^{\circ}$  dist.  
A pin 30 ins. diam. brs. N.  $40^{\circ} W$   $12^{\circ}$  dist.

80.00 Set a post 4 ft. long, 4 ins. sq.  
with marked stone 1 ft. in the  
ground for the Cor. to Secs. 28,  
29, 32 & 33 marked and notched  
and raised wd. of stone 2 ft.

Subdivision: Township 15 N. Range 10 E.  
Gila and Salt River Meridian

Chs.

high around post. from which  
 a pine 30 ins. diam. brs.  $N. 35^{\circ} E. 172$  lbs. dist.  
 a pine 28 ins. diam. brs.  $S 2 E. 137$  lbs. dist.  
 a pine 24 ins. diam. brs.  $S. 58^{\circ} W. 26$  lbs. dist.  
 a pine 36 ins. diam. brs.  $N 50^{\circ} W. 130$  lbs. dist.  
 Descending South Soil & rate  
 The pine center all along

East on a random line bet. Secs. 28 & 33  
 Lat.  $14^{\circ} 15' E.$

- 40.00 Set a temporary  $\frac{1}{4}$  Sec. Cor.  
 80.16 Intersect the N. & S. line 13 lbs. N.  
 of the Cor. to Secs. 27, 28, 33 & 34  
 from which I run  
 $N. 89^{\circ} 54' W.$  on true line bet. Secs. 28 & 33  
 Lat.  $14^{\circ} 15' E.$
- 110.08 Set a post 4 ft. long, flattened  
 3 ins. wide, with marked stone

Subdivision: Township 15 N. Range 10 E.  
 Gila and Salt River Meridian  
 Chs.

1/2 ft. in the ground, for 1/4 Sec. Cor.  
 marked 48, and dug pits and  
 raised wd. of earth 2 ft. high  
 around post, from which  
 a pine 18 ins. diam. brs. S. 45° E. 1 1/2 Mts. dist.  
 a pine 30 ins. diam. brs. N. 1° W. 2 1/2 Mts. dist.  
 8 N. 16 The cor. to Secs. 28, 29, 32 & 33  
 undulating. Soil 2<sup>d</sup> rate  
 Large pine timber with some oak  
 mmm July 21, 1881

North between Secs. 28 & 29  
 Lat. 14° 15' E.

40.00 Set a post 4 ft. long, flattened  
 birch, wide, with marked stone  
 1/2 ft. in the ground for 1/4 Sec. Cor.  
 marked 48, and raised wd.  
 of stone 2 ft. high around post,  
 from which

Subdivision Township 15 N. Range 10 E,  
 Grand Salt River Meridian

Chs.

- 48.73 A pine 10 ins. diam. brs. S. 57° W. 328 <sup>21/2</sup> dist.
- 69.83 A pine 30 ins. diam.
- 81.10 A sap post 4 ft. long, 4 ins. sq. with marked stone 2 ft. in the ground, for the corner Secs 20, 21, 28, & 29 marked and notched and raised 2 ft. of stone 2 ft. high around post, from which
- A pine 30 ins. diam. brs. N. 66 1/2° E. 75 kts. dist.
- A pine 8 ins. diam. brs. S. 42° E. 9 kts. dist.
- An oak 10 ins. diam. brs. S. 45° W. 6 1/4 kts. dist.
- A pine 24 ins. diam. brs. N. 23 1/2° W. 89 kts. dist.
- Descending S. Soil 3' oak  
 Fine pine timber throughout

Eastern random timber Secs 28 & 29  
 Twp. 14° 15' E.

Subdivision: Township 15 N., Range 10 E  
 Gila and Salt River Meridian

- Chs.  
 40.110 Set a temporary  $\frac{1}{4}$  Sec. Cor.  
 80.119 Intersect the N. & S. line 18 kcs.  
 N. of the Cor. to Secs. 21, 22, 27 & 28  
 from which I run  
 N.  $89^{\circ} 52' W$ , on true line bet. Secs. 21 & 28  
 Long  $14^{\circ} 15'$  East
- 40.04 Set a post 4 ft. long, flattened  
 Pine, wide, with marked stone  
 $\frac{1}{4}$  ft. in the ground, for  $\frac{1}{4}$  Sec. Cor.  
 marked  $\frac{1}{4}$  S. and raised end of  
 stone 2 ft. high around post,  
 from which
- + A pine 24 ins. diam. by  $1^{\circ} 12' W$ , 98 kcs. dist.  
 A pine 10 ins. diam. by  $11^{\circ} 16' W$ , 22 kcs. dist.
- 80.09 The cor. to Secs. 20, 21, 28 & 29  
 undulating soil & oate  
 Pine timber throughout.

Subdivision: Township 15 N. Range 10 E,  
 Gila and Salt River Meridian  
 Chs.

North between Secs. 20 & 21  
 Tary,  $14^{\circ} 5'$  E.

40.00 Set a post 4 ft. long, flattened  
 3 ins. wide, with marked stone  
 1 ft. in the ground for  $\frac{1}{4}$  Sec.  
 Cor. and dug pits and rais-  
 ed md. of earth 2 ft. high  
 around post, from which  
 + A pine 24 ins. diam. brs. S  $57^{\circ} \frac{1}{2}$  E 124 lbs. dist.  
 A pine 10 ins. diam. brs. N  $57^{\circ} W$  41 lbs. dist.

80.00 Set a post 4 ft. long, flattened 3 ins  
 wide, with marked stone 1 ft. in  
 the ground, for the Cor. to Secs. 16, 17  
 20 & 21, marked and notched  
 dug pits and raised md. of earth  
 2 ft. high around post, from which  
 An oak 8 ins. diam. brs. N  $26^{\circ} E$  41 lbs. dist.  
 A pine 20 ins. diam. brs. S  $26^{\circ} E$  20 lbs. dist.  
 A pine 20 ins. diam. brs. S.  $80^{\circ} W$ , 45 lbs. dist.



Subdivision: Township 15 N. Range 10 E,  
 Grand Salt River Meridian

Chs.

A pine 24 ins. diam. by. N.  $80^{\circ} \frac{1}{2} W. 57^{\circ}$  <sup>was</sup> dist.  
 fluctuating, this is along the  
 Summit of the mountains (Mo-  
 gollons), Soil 3<sup>rd</sup> rate  
 Pine timber throughout some  
 oak and undergrowth,

~~~~~

East on random line bet. Secs. 16 & 21  
 $Car 114^{\circ} 15' East,$

40.000 Set a temporary  $\frac{1}{4}$  Sec. Cor.  
 79.95 Intersect the N. & S. line of Sec.  
 Top of the cor. to Secs. 15, 16, 21 & 22  
 from which I run

$S. 89^{\circ} 57' W$  on a true line bet. Secs. 16 & 21  
 $Car 114^{\circ} 15' East$

39.97 Set a post 4 ft. long, flattened 3 ins. wide  
 with marked stone 1 ft. in the ground  
 for the  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S. and

Subdivision of Township 15 N., Range 10 E.  
Edward Salt River Meridian

Chs.

raised end of stone 2 ft. high  
around post, from which  
A pine 12 ins. diam. brs. S. 80° E. 256 lbs. dist.

An oak 6 ins. diam. brs. N. 17° W. 109 lbs. dist.

49.95 My cor. to Secs. 16, 17, 20 & 21

Smooth undulating soil & rate  
Pine timber throughout, some oak

North between Secs. 16 & 17

Var. 14° 15' East

30.60 A pine 24 ins. diam.

41.111 Set a post 4 ft. long, flattened 6 ins.  
wide, with marked stone 1 ft. in  
the ground, for  $\frac{1}{4}$  Sec. Cor. mark  
at  $\frac{1}{4}$  S. dug pits and raised end  
of earth 2 ft. high around post  
from which

A pine 28 ins. diam. brs. N. 21° E. 43 lbs. dist.

Subdivision: Township 15 N., Range 10 E.,  
 6th and Salt River Meridian  
 Chs.

57.70 A pine 28 ins. diam. brs. N.  $58^{\circ} 2' W$ , 68 krs. dist,  
 "Mormon Road" from Pine Spring etc  
 to Louts Basin course S.W.

80.00 Set a post 4 ft. long, 4 ins. sq. with  
 marked stone 1 ft. in the ground  
 for the Cor. to Secs. 8, 9, 16 & 17  
 marked and notched, and raised  
 rd. of stone 2 ft. high around  
 post, from which

A pine 24 ins. diam. brs. N.  $53^{\circ} 2' E$ , 74 krs. dist,  
 A pine 20 ins. diam. brs. S.  $84^{\circ} E$ , 76 krs. dist,  
 A pine 16 ins. diam. brs. S.  $78^{\circ} W$ , 67 krs. dist,  
 A pine 12 ins. diam. brs. N.  $36^{\circ} W$ , 152 krs. dist,  
 Rolling and descending N.

Dense pine timber all along

East on random line between Secs. 9 & 16  
 Var.  $14^{\circ} 15' E$

12.00 "Mormon Road" to Louts Basin, course S.  
 40.00 Set a temporary 4 sec. Cor.  
 79.86 Intersect the N. & S. line 2 1/2 hrs. N. of the Cor. to Secs.  
 9, 10, 15 & 16, from which I run  
 N.  $89^{\circ} 57' W$ . on true line bet. Secs. 9 & 16  
 Var.  $14^{\circ} 15' E$ .

Subdivision Township 15 N. Range 10 E.  
Gila and Salt River Meridian

Cor.

39.93 Set a post 4 ft. long, flattened 3 ins.  
wide, with marked stone 1 ft. in  
the ground for  $\frac{1}{4}$  Sec. Cor. mark  
id  $\frac{1}{4}$  S. and raised end of stone  
2 ft. high around post, from which  
a pine 35 ins. diam. brs. N. 63° E 92 kts. dist.  
a pine 40 ins. diam. brs. S. 15° E 103 kts. dist.

79.86

The Cor. to Secs. 8 & 9, 16 & 17  
Rolling and descending W. Soil 3 gate  
Heavy pine timber throughout

North between Secs 8 & 9  
Cor. 14° 15' E.

22.38

A pine 36 ins. diam

40.00

Set a post 4 ft. long, flattened 3 ins.  
wide, with marked stone 1 ft  
in the ground, for  $\frac{1}{4}$  Sec. Cor  
marked  $\frac{1}{4}$  S. and raised

Subdivision: Township 15 N. Range 10 E.  
 Grand Salt River Meridian

Obs

mid. of stone 2 ft. high around  
 post, from which

A pine 40 ins. diam. brs. S.  $43\frac{1}{2}^{\circ}$  E. 76 kts. dist.

A pine 30 ins. diam. brs. N.  $64^{\circ}$  W. 126 kts. dist.

87.111 A stone post 4 ft. long, 4 ins. sq. with  
 marked stone 1 ft. in the ground  
 for the cor. to Secs. 4, 5, 8 & 9

marked and notched and raised  
 mid. of stone 2 ft. high around  
 post, from which

A pine 18 ins. diam. brs. N.  $89^{\circ}$  E. 3 kts. dist.

A pine 19 ins. diam. brs. S.  $46\frac{1}{2}^{\circ}$  E. 65 kts. dist.

A pine 17 ins. diam. brs. S.  $85^{\circ}$  W. 8 kts. dist.

A pine 30 ins. diam. brs. N.  $34\frac{1}{2}^{\circ}$  W. 188 kts. dist.

Undulating. Soil 2<sup>nd</sup> rate

East on random line bet. Secs. 4 & 9  
 Var.  $14^{\circ}$  E.

Subdivision: Township 15 N., Range 10 E.  
 Gilman and Salt River Meridian  
 Cho.

29.25 Mormon Road to Louts Basin  
 Course S. W.

40.00 Set a temporary  $\frac{1}{4}$  Sec. Cor.

79.80 Intersect the N. & S. line 22 Wks.  
 N. of the cor. to Secs. 3, 4, 9 & 10  
 from which I run  
 N  $89^{\circ}57'W$ . on true line bet. Secs. 4 & 9  
 Var.  $14^{\circ}15'$  East

39.90 Set a post 4 ft long, flattened 3 ins.  
 wide, with marked stone 1 ft in  
 the ground for  $\frac{1}{4}$  Sec. Cor. marked  
 $\frac{1}{4}$  S. dug pits and raised pad  
 of earth 2 ft. high around post  
 from which

A pine 12 ins. diam. brs N.  $4^{\circ}E$ . 74 Wks. dist.  
 A pine 3 ins. diam. brs S.  $37^{\circ}E$ . 115 Wks. dist.

49.80 The Cor. to Secs. 4, 5, 8 & 9  
 Smooth undulating soil & rate  
 Heavy pine timber all along.

Subdivision: Township 15 N. Range 10 E.  
Gila and Salt River Meridian

Chs.

North on random line bet. Secs. 4 & 5  
Var.  $14^{\circ}15' E.$

40,00 Set a temporary  $\frac{1}{4}$  Sec. Cor.  
79,85 Intersect the N. boundary, 20 lks.  
E. of the Cor., to Secs. 4, 5, 32 & 33  
recently set by Mr. Homer Inman  
 $S. 0^{\circ}9' E.$  on true line bet. Secs. 4 & 5  
Var.  $14^{\circ}15' E.$

39,85 Set a post 4 ft. long, flattened 3 ins.  
wide, with sharpened stem 1 ft.  
in the ground for  $\frac{1}{4}$  Sec. Cor., marked  
 $\frac{1}{4}$  Sec. and raised red cp. Stone 2 ft.  
high around post, from which  
a pine 28 ins. diam. br.  $N. 37^{\circ} E.$  81 lks. dist.  
A pine 24 ins. diam. br.  $N. 13\frac{1}{2}^{\circ} W.$  81 lks. dist.

79,85 The Cor. to Secs. 4, 5, 8 & 9  
Undulating & ascending a little N.  
Soil 3<sup>d</sup> rate

Heavy pine timber throughout  
July 21, 1881

Subdivision Township 15 N. R. 10 E.  
Gila and Salt River Meridian  
Chs.

From the Cor. to Secs. 31 & 32, 5 & 6,  
on the S. boundary of the township  
which is a post marked and  
notched in mid. of stone, with  
witness tree marked in each sec.  
and which was recently set by  
myself and is fully described in my  
field notes. Thence I run  
North between Secs. 31 & 32  
Cor. 14° 15' E.

- 12.711 a pine 50 ins. diam.,
- 40.000 set a post 4 ft. long, flattened 3 ins.  
wide, with marked stone 1 ft. in the  
ground, for 1/4 Sec. Cor. marked 4 ft.  
and raised mid. of stone 2 ft. high  
around post, from which  
a pine 26 ins. diam. br. S 11 E. 22 lbs. dist.  
a pine 18 ins. diam. br. S 50 W. 34 lbs. dist
- 80.000 set a post 4 ft. long, 4 ins. sq. with



Subdivision: Township 15 N. Range 10 E  
 Gila and Salt River Meridian  
 Chs.

marked stone 1 ft. in the ground for  
 the cor. to Secs. 29, 30, 31 & 32 mark-  
 ed and patched and raised and  
 a stone 2 ft high around post  
 from which

an oak 11 ins. diam. brs. N. 52° E. 62 lbs. dist.

A pine 28 ins. diam. brs. S. 53° E. 95 lbs. dist.

A pine 30 ins. diam. brs. S. 34 W. 106 lbs. dist.

A pine 10 ins. diam. brs. N. 60 W. 74 lbs. dist.

Bounding N. Soil 3<sup>rd</sup> rate  
 Heavy pine timber throughout

East on random line bet. Secs. 29 & 32  
 Var. 14° 15' East

36.96 Mormon Road to Lewis Basin corner.

46.000 Set a temporary 1/4 Sec. Cor.

49.93 Intersect the N. & S. line 4 lbs. S.  
 of the cor. to Secs. 28, 29, 32 & 33

Subdivision: Township 15 N., Range 10 E.  
 1st and Salt River Meridian  
 Obs.

- From which I run  
 $S. 89^{\circ} 58' W.$ , on true line bet. Secs. 29 & 32  
 Cor.  $14^{\circ} 15' E.$   
 39.96 Suba post 4 ft long, flattened 3 ins.  
 wide, with marked stone 1 ft in  
 the ground, for  $\frac{1}{4}$  Sec. Cor. mark-  
 ed  $\frac{1}{4}$  S. and raised ped. of stone  
 2 ft high around post, from which  
 a pin 2 1/2 ins. diam. br.  $S. 7^{\circ} 02' W.$  48 ft. dist.  
 a pin 3 ins. diam. br.  $N. 70^{\circ} W.$  48 ft. dist.  
 39.93 The Cor. to Secs. 29, 30, 31 & 32  
 ascending E. Soil 2<sup>nd</sup> rate  
 heavy pine timber throughout

Weston random line between Secs 30 & 31  
 Cor.  $14^{\circ} 15' E.$

- 40.00 Suba temporary  $\frac{1}{4}$  Sec. Cor.  
 39.15 Subsect the W. boundary of the

Subdivision: Township 15 N. Range 10 E,  
Gila and Salt River Meridian

cls.

township 8ths. S. of the Cor. to Secs. 25  
30, 31 & 36. recently set by me.  
thence I run

$S 89^{\circ} 57' E$ , on true line bet. Secs. 30 & 31  
Lat.  $14^{\circ} 15' E$ ,

29.15 Set a post 4 ft. long, flattened 3 in.  
wide, with marked stone 1 ft. in  
the ground, for  $\frac{1}{4}$  Sec. Cor. marked  
 $\frac{1}{4}$  S and raised ind. of stone 2 ft.  
high around post, from which  
an oak 10 in. diam. by. S.  $3^{\circ} W$ .  $\frac{1}{4}$  m. dist.  
an oak 12 in. diam. by. N.  $75^{\circ} W$ .  $\frac{3}{4}$  m. dist.

29.15 The Cor. to Secs. 29, 30, 31 & 32

Rolling, descending W. Soil 3' red  
heavy fine loam, throughout  
with some oak & undergrowth.

Subdivisions Township 15 N. Range 10 E.  
Gila & Salt River Meridian

Chs.

North between Secs. 29 & 30

Cor.  $14^{\circ} 15' 16''$  E.

40.110 Set a post 4 ft. long, flattened 3 ins. wide, with marked stone 1 ft. in the ground, for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S. and raised mid. of stone 2 ft. high around post, from which a pine 26 ins. diam. br.  $N. 38^{\circ} E. 72$  kts. dist.

A pine 24 ins. diam. br.  $S. 16^{\circ} W. 81$  kts. dist.

80.110 Set a post 4 ft. long, 4 ins. sq., with marked stone 1 ft. in the ground, for the Cor. to Secs. 19, 20, 29 & 30, marked and notched and raised mid. of stone 2 ft. high around post, from which a pine 3 ins. diam. br.  $N. 57^{\circ} E. 130$  kts. dist.

A pine 24 ins. diam. br.  $S. 85^{\circ} E. 142$  kts. dist.

A pine 26 ins. diam. br.  $S. 64^{\circ} W. 119$  kts. dist.

A pine 36 ins. diam. br.  $N. 18^{\circ} W. 135$  kts. dist.

Subdivision: Township 15 N. Range 10 E.  
Gila and Salt River Meridian

Chs.

Pollung descending W. Soil 3' rate  
Heavy pine, some oak

East on a random line bet. Secs. 20 & 29  
Var.  $14^{\circ}15'E$ .

3.24 "Mormon Road" to Tontit Basin course S.

40.00 Set a temporary  $\frac{1}{4}$  Sec. Cor.

49.91 Intersect the N. & S. line 12 kts. S.  
of the Cor. to Secs. 20, 21, 28 & 29  
from which I run

+  $S. 89^{\circ}55'W$ , a true line bet. Secs. 20 & 29  
Var.  $14^{\circ}15'E$ .

39.93 Set a post 4 ft. long, flattened  
3 in. wide, with marked stone  
1 ft in the ground for  $\frac{1}{4}$  Sec.  
Cor. marked  $\frac{1}{4}S$ . and raised  
sq. of stone 2 ft. around post  
from which

Subdivision: Township 15 N. Range 0 E,  
Sida and Salt River Meridian

Chs.

A pine tree, diam. brs.  $N. 39^{\circ} E.$  58 lbs. dist.  
An oak tree, diam. brs South 42 lbs. dist.

79.91

The Cor. to Secs. 19, 20, 29 & 30  
Undulating ascending  $E.$ , along  
summit of the mountains  
Pine timber throughout.

Whose random line bet. Secs. 19 & 30  
 $Cor. 14^{\circ} 15' E.$

40.00 Set a temporary  $\frac{1}{4}$  Sec. Cor.

79.05

Imprsect the W. boundary of  
the township 17 lbs.  $N.$  of the  
Cor. to Secs 19, 24, 25 & 30, re-  
cently set by me, thence I run  
 $N. 59^{\circ} 53' E.$  on true line bet. Secs. 19 & 30  
 $Cor. 14^{\circ} 15' E.$

39.05

Set a post 4 ft. long, flattened  
3 ins wide, with marked stone

Subdivision: Township 15 N., Range 10 E.,  
Gila and Salt River Meridian

Chs.

1 ft in the ground for  $\frac{1}{4}$  Sec. Cor.  
marked  $\frac{1}{4}$  S. and raised end  
of stone 2 ft. high around post,  
from which

A pine 30 ins. diam. hrs. N. 23. E. 75 the dist.  
An oak 8 ins. diam. hrs. S. 59 E. 47 the dist.

79.05 The Cor. to Secs. 19, 20, 29 & 30

Rolling & descending W. Soil 3rd  
Pine timber throughout.

North between Secs. 19 & 20

Var.  $14^{\circ} 15' E.$

10.00 Mormon road to Gout Basin  
course E. of S.

30.20 a pine 20 ins. diam.

40.00 Set a post 4 ft. long, flattened 3 ins.  
wide, with marked stone 1 ft. in  
+ the ground, for  $\frac{1}{4}$  Sec. Cor. marked

Subdivision: Township 15 N, Range 10 E.  
Gila and Salt River Meridian

Sec.

4 S. and raised mid. of stone  
2 ft. high around post, from which  
a pine 29 ins. diam. brs. S. 148° E. 2 1/2 mts. dist.  
A pine 10 ins. diam. brs. S. 87° W 13 1/2 mts. dist.

53.65

Mormon Road course SW

80.00

Set a post 4 ft. long, 4 ins. sq. with  
marked stone for the cor. to Secs.  
17, 18, 19 & 20 marked and notched  
and raised mid. of stone 2 ft. high  
around post, from which  
A pine 18 ins. diam. brs. N. 58 1/2° E. 157 mts. dist.  
A pine 16 ins. diam. brs. S. 6 1/2° E. 50 mts. dist.  
A pine 24 ins. diam. brs. S. 71 1/2° W. 180 mts. dist.  
A pine 12 ins. diam. brs. N. 12 1/2° W 113 mts. dist.

Rolling Soil 3<sup>rd</sup> rate  
Heavy pine timber throughout

East on random line bet. Secs. 17 & 20



Subdivision: Township 15 N. Range 10 E.  
 Gila and Salt River Meridian  
 Chs

Var.  $14^{\circ}15' E.$

36.50  
 40.00  
 79.98

Wormen Road course S. of W.  
~~Set a temporary  $\frac{1}{4}$  p.p. c.c. at~~  
 intersect the N. & S. line 14 kcs. S.  
 of the cor. to Secs. 16, 17, 20 & 21, from  
 which I run

S.  $89^{\circ}54' W.$ , on true line bet. Secs. 17 & 20

Var.  $14^{\circ}15' E.$

39.99

Set a post 4 ft. long, flattened 3 ins.  
 wide, with marked stone 1 ft. in the  
 ground, for  $\frac{1}{4}$  Sec. Cor. marked  
 $\frac{1}{4}$  S. and raised end of stone 2 ft.  
 high around post, from which  
 a pin 38 ins. diam. brs. S.  $58^{\circ} E.$  95 kcs. dist.  
 a pin 36 ins. diam. brs.  $4.8^{\circ} W.$  108 kcs. dist.

79.98

The cor. to Secs. 17, 18, 19 & 20

Rolling, Soil 2<sup>nd</sup> rate

Heavy pine with some oaks  
 and undergrowth.

Subdivision: Township 45 N, Range 10 E,  
Gila & Salt River Meridian

Chs.

West on random line bet. Secs. 18 & 19  
Lat.  $14^{\circ}15' E$

40.00 Set a temporary  $\frac{1}{4}$  Sec. Cor.

68.00 Little Valley 300 lbs. wide water in  
banks along it. Course S. W.

79.00 Intersect the W. boundary of the town-  
ship 7 lbs. S. of the cor. to Secs.  
18, 19 & 24 recently set by one, thence  
S. by

$S. 89^{\circ}57' E$  on true line bet. Secs. 18 & 19  
Lat.  $14^{\circ}15' E$

24.50 A pine 24 ins. diam.

39.00 Set a post 4 ft. long, flattened 3 ins. wide with marked  
stone 1 ft. in the ground for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S. and  
raised mid. of stone around post, from which  
a pine 36 ins. diam. brs.  $S. 43^{\circ} W$ , 83 lbs. dist  
A pine 38 ins. diam. brs  $N. 40^{\circ} W$ , 48 lbs. dist.

79.00 The cor. to Secs. 17, 18, 19 & 20

Rolling. Soil 2<sup>nd</sup> rate good in Valley. Heavy pine timber.

Subdivision: Township 15 N., Range 10 E.  
Gila & Salt River Meridian

Obs.

North between Secs. 17 & 18  
Var.  $14^{\circ} 15' E.$

- 40.000 Set a post 4 ft. long, flattened 3 ins. wide with marked stone 1 ft. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4} S.$  and raised end of stone 2 ft. high around post from which  
 a pine 26 ins. diam. brs.  $N. 36^{\circ} E. 12.5$  lbs. dist.  
 a pine 28 ins. diam. brs.  $S 38^{\circ} W. 22$  lbs. dist.
- 80.000 Set a post 4 ft. long, 4 ins. sq. with marked stone 1 ft. in the ground for the cor. to Secs. 7, 8, 17 & 18, marked and notched dug pits and raised end of earth 2 ft. high around posts from which  
 a pine 30 ins. diam. brs.  $N. 35^{\circ} E. 8$  lbs. dist.  
 a pine 36 ins. diam. brs.  $S. 57^{\circ} E. 13$  lbs. dist.  
 a pine 24 ins. diam. brs.  $S 19^{\circ} W. 26$  lbs. dist.  
 a pine 30 ins. diam. brs.  $N. 44^{\circ} W. 20$  lbs. dist.

Subdivision: Township 45 N. Range 10 E.  
Gda and Salt River Meridian

Chs.

Rolling Soil 3<sup>d</sup> rate  
Heavy pine timber throughout  
mmmm July 22, 1881

East on random line bet. Secs. 8 & 17  
Var.  $14^{\circ}16' E.$

By per observation with Solar  
Compass.

40.011 Set a temporary  $\frac{1}{4}$  Sec. Cor.

80.15 Intersect the N. & S. line 10 kcs. N.  
of the Cor. to Secs. 8, 9, 16 & 17, from  
which I run

N.  $89^{\circ}56' W.$  on true line bet. Secs. 8 & 17  
Var.  $14^{\circ}16' E.$

40.07 Set a post 4 ft. long, flattened 3 ins.  
wide, with marked stone 1 ft. in  
the ground, for  $\frac{1}{4}$  Sec. Cor. marked  
 $\frac{1}{4} S.$  and raised rd. of stone 2 ft.  
high around post, from which

Subdivision: Township 15 N. Range 10 E.  
Gila and Salt River Meridian

Chs.

Apini 3/4 in. diam. brs. N. 17° E, 110 fms. dist.  
Apini 3/4 in. diam. brs. S. 16° W, 187 fms. dist.  
58.15 The Cor. to Secs. 7, 8, 17 & 18  
Rolling. Soil 2<sup>nd</sup> rate  
Heavy pine timber throughout.

West an random line bet. Secs. 7 & 18  
Var. 14° 16' E.

44.00 Set a temporary 1/4 Sec. Cor  
43.00 Little valley 8 chs. wide course S.W.  
78.92 Suprise of the N. boundary of the town-  
ship 14 fms. S. of the Cor. to Secs. 7, 12,  
13 & 18, recently set by me, thence I run  
S. 89° 54' E. on true line bet. Secs. 7 & 18  
Var. 14° 16' E.

38.92 Set a post 4 ft. long, flattened 3 in. wide  
with marked stone 1/4 in. in the ground  
for 1/4 Sec. Cor. marked 1/4 S. and

Subdivision, Township 15 N., Range 10 E,  
Gila and Salt River Meridian  
Chs.

raised curb of stone 2 ft. high around  
post, from which

A pine 26 ins. diam. hrs.  $N. 53^{\circ} E.$  80 lbs. dist.

A pine 14 ins. diam. hrs.  $S. 63\frac{1}{2}^{\circ} W.$  70 lbs. dist.

18.92 The Cor. to Secs. 7, 8, 17 & 18.

Undulating Soil, 2<sup>nd</sup> rate

Heavy pine throughout & undergrowth.

North between Secs. 7 & 8

Var.  $14^{\circ} 16' E.$

40.00 Set a post 4 ft. long, flattened 3 ins.  
wide, with marked stem 1 ft. in  
the ground, for  $\frac{1}{4}$  Sec. Cor. marked  
 $4^{\circ} S.$  and raised curb of stone around  
post, from which

A pine 30 ins. diam. hrs.  $N. 85^{\circ} E.$  135 lbs. dist.

A pine 36 ins. diam. hrs.  $N. 83^{\circ} W.$  77 lbs. dist.

80.00 Set a post 4 ft. long, 4 ins. sq,

Subdivision 1 Township 15 N. Range 10 E.  
Gila and Salt River Meridian

Chs

with marked stone 1 ft. in the ground  
for the cor. to Secs. 5, 6, 7 & 8 mark-  
ed and notched and raised and  
of stone 2 ft. high around post,  
from which

Apine 18 ins. diam. brs.  $N. 19^{\circ} E.$  59 fms. dist.

Apine 24 ins. diam. brs.  $S. 6^{\circ} E.$  189 fms. dist.

Apine 18 ins. diam. brs.  $S. 54^{\circ} W.$  90 fms. dist.

Apine 14 ins. diam. brs.  $N. 44^{\circ} W.$  153 fms. dist.

Undulating, and descending a little S.  
Soil 2<sup>nd</sup> rate. Heavy pine timber

Eastern random line bet. Secs. 5 & 8  
 $Var. 14^{\circ} 16' E.$

40.00 Set a temporary  $\frac{1}{4}$  Sec. Cor.

80.17 Subsect the N. & S. line 15 fms. N.  
of the cor. to Secs. 4, 5, 8 & 9 from which draw  
 $N. 89^{\circ} 54' W.$  on true line bet. Secs. 5 & 8

Subdivision: Township 15 N. Range 10 E.  
Gila and Salt River Meridian

Chs.

- Cor. 14° 16' E.
- 140.118 Set a post 4 ft. long flattened 3 in. wide, with marked stone 1 ft. in the ground for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S. and raised rnd. of stone 2 ft. high around post, from which  
 - A pine 30 in. diam. by S.  $74\frac{1}{2}$  E. 49 kcs. dist.
- 80.174 A pine 28 in. diam. by S.  $77\frac{1}{2}$  W. 37 kcs. dist.  
 The cor. of Secs. 5, 6, 7, 8  
 Undulating, Soil 35 rate  
 Heavy pine timber throughout.

Met on random line bet. Secs. 6 & 7  
 Cor. 14° 16' East

40.00 Set a temporary  $\frac{1}{4}$  Sec. Cor.

56.00 A little valley 500 kcs. wide  
 course S.

78.89 Intersect the W. boundary of the township 23 kcs. S. of the cor.



Subdivision: Township 15 N. Range 10 E.  
Gila and Salt River Meridian

Chs.

to Secs. 1, 6, 7 & 8 from which Town  
S. 89° 50' E. outside line bet. Secs. 6 & 7  
Var. 14° 16' E.

38.89

Set a volcanic rock 15x10x8 ins. 10 ins  
in the ground, for  $\frac{1}{4}$  Sec. Cor., mark-  
ed  $\frac{1}{4}$ , and raised mid. of stone  
2 ft. high alongside, from the Cor.  
a pine 24 ins. diam. br. S. 33° E. 95 lbs. dist.  
A pine 30 ins. diam. br. N. 60 W. 85 lbs. dist.

78.89

The Cor. to Secs. 5, 6, 7 & 8  
Undulating, good soil along little  
valley, otherwise rocky & gravel-  
thick pine timber throughout

North on random line bet. Secs 5 & 6  
Var. 14° 16' E.

40.000

Set a temporary  $\frac{1}{4}$  Sec. Cor.

79.86

Intersect the N. boundary of the

Subdivision: Township 15 N., Range 10 E.  
Gila and Salt River Meridian.

Chs.

Township 17 1/2 W. of the cor.  
to Secs. 5, 6, 31 & 32 recently  
set by me, Thiney Lamm  
S 10° 17' W. on true line bet. Secs. 5 & 6  
Cor. 14° 16' E

- 3986 Set a post 4 ft. long, flattened, 3 ins.  
wide with marked stone 1 ft. in  
the ground, for 1/4 Sec. Cor. mark  
at 1/4 S. end raised end of stone  
2 ft high around post from which  
a pine 33 ins. diam. br. N. 17 1/2 W. 84 W. dist.  
A pine 14 ins. diam. br. N. 44° E. 135 W. dist.  
4986 The cor. to Secs. 5, 6, 7 & 8.  
Undulating, descending S.  
Soil 3<sup>rd</sup> grade  
Heavy pine timber throughout,  
July 23, 1881

Subdivision: Township 15 N. Range 10 E,  
Gla and Salt River Meridian

Chs.

General Description:

Township 15 N. Range 10 E,  
has a rolling and undulating  
surface with an occasional  
hill. It lies along the summit  
of the mountains (Magallowas)  
There is some good land along  
N.W. border of the township  
along little valley. There is  
good grazing throughout the town-  
ship especially in the neighbor-  
hood of the little valley aforesaid  
where there is water. A large  
number of sheep are grazed  
here. There is good pine  
throughout the township and  
very accessibly located.

Theodore H. White

U.S. Deputy Surveyor.

5 72

## List of Names.

*A List of the Names of Individuals employed to assist in running, measuring or marking the lines and corners described in the foregoing Field Notes of the survey of*

*the Subdivision lines of Townships  
15 North of Range 10 East of the  
Gila and Salt River Meridian  
and Base lines*

*Showing the respective capacities in which they acted.*

<i>Charles Newton</i>	<i>Chainman.</i>
<i>J. H. McClure</i>	<i>Chainman.</i>
<i>John Blake</i>	<i>Axeman.</i>
<i>C. H. Patchell</i>	<i>Flagman.</i>
<i>Hugh Dobbins, Moundman</i>	

Final Oath of Assistants.


We hereby certify that we assisted Theodore  
T. White U. S. Deputy Surveyor, in surveying  
 the Subdivision lines of Township  
 15 North of Range 10 East of  
 the Gila and Salt River Meridian  
 and Base

and that said Survey has been in all respects, to the best of our  
 knowledge and belief, well and faithfully executed, and the  
 boundary monuments planted according to the instructions  
 furnished by the Surveyor-General.

Chas. Newton Chainman.  
J. H. McElwain Chainman.  
John Blake Axeman.  
C. H. Patchett Flagman.  
Hugh Robbins Measurer

Sworn to and subscribed before me, this eightth  
 day of September 1881

William J. O'Connell  
 Notary Public  
 Pima Co. A. T.



## Final Oath of Deputy Surveyor.

I, *Theodore J. White*

United States Deputy Surveyor, do solemnly swear that I have, in my own proper person and with the necessary assistants, well, truly and faithfully executed the survey of

*the Subdivision lines of Township 15 North of Range 10 East of the Gila and Salt River Meridian and Base lines.*

under my contract with John Wasson, United States Surveyor General for Arizona, bearing date the *5<sup>th</sup>* day of

*August* 1880; that in making the said Survey I have used only such instruments as were approved by the said Surveyor-General, exercising due care in the preservation of adjustments of the same; that in using the solar compass I have at no time projected established lines depending for alignment upon the magnetic needle; that I have in all respects complied with the laws of the United States governing public-land

75  
surveys, the surveying manual, and such additional instructions as have been furnished me by and through the said Surveyor-General relating to the aforesaid Survey; that I have thoroughly acquainted my assistants in the field with the nature of their duties under the laws and instructions above mentioned; that to the best of my knowledge and belief all assistants so employed have likewise obeyed the aforesaid laws and instructions, and that the annexed field-notes are the original, true, and correct returns of the said Surveys.

Theodore F. White  
Maj. Deputy Surveyor

Subscribed and sworn to before me this 19<sup>th</sup>  
day of September 1881

William J. Osburn  
Notary Public  
P. M. Co. A. T.



# U. S. Surveyor General's Office,

TUCSON, ARIZONA, November 15 - 1891

The foregoing Field Notes of the Survey of the

Subdivisions of Township 15 North  
Range 10 East.

Of the Gila and Salt River Base and Meridian, Arizona, executed by Thos. F. White

Deputy Surveyor, under his contract of the 5<sup>th</sup>  
day of August, 1880, having been  
critically examined and the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

John Masson.  
Surveyor General.