

~~51~~

No 186

4-671

186

FIELD NOTES  
GENERAL LAND OFFICE

*Subdivisions*  
*of*  
*T.14N., R.15E.*

No-186

1

Field Notes  
of the survey of

Subdivisions

of  
Twp. 14 North Range 15 East  
of the  
Gila<sup>and</sup> Salt<sup>and</sup> River Base<sup>and</sup> Meridian

in the  
Territory of Arizona

as surveyed by  
Philip Cortzen

U.S. Deputy Surveyor.

Under his Contract No. 57

Dated July 10, 1893.

Survey Commenced November 27, 93  
Survey Completed December 8, 93

2

(4-674.)

Township 14 N R. 15 E

Index for Books 186 and 160

6	99	5	73	4	56	3	39	2	22	1
97		96		71		54		38		20
7	94	8	70	9	52	10	36	11	18	12
92		91		68		51		34		17
18	89	17	66	16	50	15	33	14	15	13
87		86		64		48		31		13
19	84	20	63	21	47	22	29	23	12	24
82		81		62		45		28		10
30	79	29	61	28	44	27	26	26	9	25
77		76		60		43		25		7
31	74	32	57	33	41	34	23	35	6	36

4

Pages 3 + 4 are Blank

At the cor to secs 35<sup>and</sup> 36 on South  
 boundary of T<sup>h</sup> 14 N. R. 15 E. I observe  
 Polaris at its Eastern elongation at  
 2-47 A.M. Nov. 27, 1893 and find its  
 magnetic bearing to be  $N 15^{\circ} 26' W$

North End of Needle -----  $15^{\circ} 26' E$   
 The azimuth by table in Manual is  $1^{\circ} 33' W$   
 The difference is the Variation -----  $13^{\circ} 54' E$

I lay off the azimuth to the East<sup>and</sup>  
 mark the true meridian so determined  
 by driving a picket 4 chs. north of  
 the corner.

# Subdivisions

BOOK 186

- Trains 7. 5° 1' W ht sec. 35<sup>and</sup> 36.  
 Ca 13° 54' E.  
 Through timber ascend from Wild Cat Canon  
 5.00 Top of West Bank  
 15.00 descend into gulch course E.  
 16.50 bottom<sup>and</sup> ascend joins Wild Cat  
 Canon 5 chs E.  
 19.00 top  
 20.00 descend into gulch course E.  
 22.00 bottom<sup>and</sup> ascend  
 26.00 top  
 40.00 Set a sandstone 18 x 14 x 10 ins 13 ins in  
 the ground for  $\frac{1}{4}$  sec. cor marked  $\frac{1}{4}$   
 on W face, from which  
 A. Pine 8 ins diam br. N 51° 30' W 9 chs  
 set marked  $\frac{1}{4}$  S. B. T.  
 A. Cedar 4 ins diam br. S 12° 30' E. 37 chs  
 set marked  $\frac{1}{4}$  S. B. T.  
 50.00 Set a lime stone 15 x 12 x 4 ins in the  
 ground for cor to sec 35-36-35<sup>and</sup> 36

Sp 14 N.R. 15 East.

Chains marked with notch on S. <sup>and E</sup> edges  
from which

A Pine 8 ins diam br. N 60° E. 62 lks

Dist. marked Sp. 14 N.R. 15 E. S. 35 B.T.

A Cedar 8 ins diam br. S 30° E. 34 lks

Dist. marked Sp. 14 N.R. 15 E. S. 36 B.T.

A Pine 6 ins diam br. S 37° W 58 lks

Dist. marked Sp. 14 N.R. 15 E. S. 36 B.T.

A Pine 8 ins diam br. N 36° W 9 lks

Dist. marked Sp. 14 N.R. 15 E. S. 36 B.T.

Land Rough Rolling

Soil. 3rd rate

80 lks Pine <sup>and</sup> Cedar Timber.

Heavily timbered land 80 lks

N 89° 57' E on a random line to sec 25. <sup>and 36</sup>

to 13° 55' E.

Through Timber

40.00 Set temporary 1/4 sec cor.

80.10 Intersect. E boundary of township 7 lks

# Subdivisions

Chains N of cor to sec. 25-30-31 and 36 as here  
 in before described  
 thence down

W on a true line bet sec. 35 and 36.

Pa.  $3^{\circ}55' E$ .

Through Timber

- 15.00 descend into gulch course S.
- 16.65 bottom and ascent
- 18.15 top
- 22.00 descend into Wild Cat Canon course WNW.
- 27.00 bottom
- 31.00 ascent
- 36.00 top
- 40.05 Set a lime stone  $18 \times 10 \times 4$  ins  $1/2$  ins in the ground for  $1/4$  sec cor marked  $1/4$  on N face from which
  - A Pinon 12 ins diam br.  $N 33^{\circ} W 70$  lks
  - Set marked  $1/4$  S. B. T.
  - A Pinon 4 ins diam br.  $S. 41^{\circ} E. 34$  lks



Chain is dist marked  $\frac{1}{4}$  B.S.

57.00 descend into Gulch. course N N E.

60.40 bottom <sup>and</sup> ascend

66.00 top

80.10 The cor to secs 25-26-35 <sup>and</sup> 36.

Land Rough <sup>and</sup> Broken

Soil & the rate

80.10 chs. Cedar <sup>and</sup> Pinon Timber.

~~Scarcely timbered land 80.10 chs~~

N. 0° 1' Wht secs 25 <sup>and</sup> 36.

Va 3° 56' E.

Through Timber

30.00 descend into Wild Cat Cañon course W

34.00 bottom

37.00 ascend

40.00 A Pinon 12 ins diam which I mark

$\frac{1}{4}$  S. on W side <sup>and</sup> raised a mound  
of stone  $\frac{1}{2}$  ft high 3 ft base alongside

Pit impracticable, for  $\frac{1}{4}$  sec. cor.

## Subdivisions

43.00 top

80.00 This point falling on sandstone in place  $3 \times 2 \times 2$  ft I marked a cross (x) at exact cor point for cor to sec. 23-24-25<sup>and</sup> 26. with 3 notches on S and 1 notch on E. from which

A Pinon ins diam br.  $N 55^{\circ} E$ . 20 lks  
 Dist marked Sp 14 N. R. 15 E. S. 24 B.T.

A Pinon 4 ins diam br.  $S 74^{\circ} E$ . 9 lks  
 Dist marked Sp 14 N. R. 15 E. S. 25 B.T.

A Pinon 5 ins diam br.  $S 48^{\circ} W$  25 lks  
 Dist marked Sp. 14 N. R. 15 E. S. 26 B.T.

A Pinon 13 ins diam br.  $N 30^{\circ} W$  45 lks  
 Dist marked Sp 14 N. R. 15 E. S. 28 B.T.

Land mostly Broken  
 Soil 3rd<sup>and</sup> 4th rate  
 sochs. Pinon and Cedar Timber.  
~~the~~ ~~are~~ ~~ly~~ ~~timbered~~ ~~land~~ ~~sochs~~

On a random line bet sec 24<sup>and</sup> 25

14 N. R. 15 East.

Chams Va.  $13^{\circ}55' E$ .

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.90 Intersect boundary of township  
14 lks N of corts pces 19-24-25<sup>and 30</sup>  
as herein before described  
Thence run

N  $89^{\circ}54' W$  a true line 4 lks<sup>and 55</sup>

Va.  $13^{\circ}55' E$ .

through Timber

1.00 Gulch 100 lks wide, course W. N. W.

1.50 Trail. br. N W

39.95 Set a sandstone  $18 \times 14 \times 10$  ins 12 ins in  
the ground for  $\frac{1}{4}$  sec. cor marked  $\frac{1}{4}$   
on N face, from which

@ Pinon 8 ins diam br. N  $51^{\circ} W$  46 lks  
dist marked  $\frac{1}{4}$  S. B. T.

@ Pinon 4 ins diam br.  $30^{\circ}30' E$  19 lks  
dist marked  $\frac{1}{4}$  S. B. T.

79.90 The corts pces 23-24-25<sup>and 26</sup>.

## Subdivisions

Chains	Land Rolling
	Soil 2 <sup>nd</sup> <sup>and</sup> 3 <sup>rd</sup> rate
	79.90 chs Pinon <sup>and</sup> Cedar Timber.
	<del>Heavily timbered land 79.90 chs.</del>
	N. 0° 1' W 1/4 sec. 2, 3 <sup>and</sup> 24
	Ta 3° 54' E.
	Through Timber
30.00	descend into Gulch course E.
31.20	bottom <sup>and</sup> ascend
32.60	top
40.00	Set a lime stone 15 X 14 X 8 ins in the ground 1/4 sec cor marked 7/4 in W face, from which
	A Pinon 4 ins diam bs. N 33° 30' E. 10 lks
	dist marked 1/4 S. B. T.
	A Pinon 6 ins diam bs. S 23° 30' W 59 lks
	dist marked 1/4 S. B. T.
59.35	Gulch 100 lks wide course S E.
7.300	descend into Wild Cat Cañon course N W.

Apr 14 T. R. 15 East.

77.50 bottom

80.00 This point falling on a lime stone boulder  $13 \times 4 \times 2$  ft. I marked a cross (x) at exact cor point for corts recs 13-4-23 and 24 marked with 3 notches on <sup>face</sup> 1 on E. <sup>was</sup> raised a mound of stone  $1/2$  ft high 3 ft base alongside Pits impracticable.

No trees within limits

Land Rough and Broken

Soil 3rd rate

so cho. Cedar <sup>and</sup> Pinon Timber <sup>under growth</sup> & dense  
~~Heavily timbered land; dense~~  
~~under growth so cho~~ <sup>low</sup> <sup>over</sup> 27, 93

S 89° 54' E on a and on line of sec. 13 <sup>and</sup> 24

Wa. 13° 54' E.

40.00 Set temporary  $1/4$  sec. cor.

80.20 Intersect E boundary of township at corts recs 13-18-19 <sup>and</sup> 24 as herein before described.

# Subdivisions

Chains	Thence down
	N 89° 54' W on a true line bet sees 13 <sup>and</sup> 14 Va. 13° 54' E.
	Through Timber
90	Cattle trail to N. N. E.
22.00	Draw 1 ch wide course N. E.
40.10	Set a Lime stone 18 x 12 x 8 ins 12 ins in the ground for 1/4 sec. cor marked 1/4 on N face, from which
	A Pine 8 ins diam to N. 35° E. 81 lks dist marked 1/4 S. B. T.
	A Pine 6 ins diam to S. 54° W 55 lks dist marked 1/4 S. B. T.
76.80	descend into Wild Cat Cañon course N. W.
79.20	bottom
79.30	Trail to N. W.
80.20	The cor to sees. 13-14-23 <sup>and</sup> 24
	Land Broken
	Sol. Worthless

Chains 80.30 chs Cedar and Pinon Timber.  
~~Heavily timbered land 80.20 chs~~

N. 0° 1' W lat secs. 13 and 14.

Va 13° 54' E.

Through Timber

ascend from Wild Cat Cañon

5.00 top and along bank.

28.50 leave Bank.

40.00 Set a lime stone 18 x 14 x 6 ins 15 ins in the  
 ground for 1/4 sec cor marked 1/4 on W face  
 from which

a Pinon 8 ins diam br. N 17° E. 35 lbs  
 dist marked 1/4 S.B.T.

a Pinon 4 ins diam br. S 5° 30' W 60 lbs.  
 dist marked 1/4 S.B.T.

44.00 Descend into Gilch course W.

45.50 bottom and ascend

49.00 top

49.47 descend into Wild Cat Cañon course N.W.

# Subdivisions

Chains along bank

68.00 leave " and descend into Gulch  
course. W. joins Cañon 150 chs W

68.45 bottom and ascend

70.00 top

80.00 Set a lime stone 18x12x10 in 13 ins in  
the ground for cor tops 11-12-13 and 14  
marked with 4 notches on S. and 1  
notch on E edges from which

A Pinon 4 ins diam br. N 72° 30' E. 13.4 lks  
Sist marked Sp. 14 N. R. 15 E. S. 12 B. J.

A Pinon 4 ins diam br. S. 53° 30' E. 52 lks  
Sist marked Sp. 14 N. R. 15 E. S. 13 B. J.

A Cedar 20 ins diam br. S. 60° W 37 lks  
Sist marked Sp. 14 N. R. 15 E. S. 14 B. J.

A Pinon 12 ins diam br. N 27° 30' W 66 lks  
Sist marked Sp. 14 N. R. 15 E. S. 11 B. J.

Land Rough and Broken  
Soil 4th rate



14 T. 13 East

Chain 80 chs. Cedar <sup>and</sup> Pine Timber  
 Heavily timbered land 80 chs

S. 89° 54' E on a random line bet sec. 12 <sup>and</sup> 13.

Va. 13° 55' E.

Through Timber.

40.00 Set temporary 1/4 sec cor.

80.30 Enter cor. E boundary of township  
 16 chs S of cor to sec. 7-12-13 <sup>and</sup> 18 as  
 herein before described.

Hence run

S. 89° 59' W on a true line bet sec. 12 <sup>and</sup> 13.

Va. 13° 58' E.

Through Timber

1.75 Enter Draw course N N E.

3.25 Trail br. N. N. E.

4.00 Trail br. N. N. E.

4.35 Leave Draw

30.15 Trail br. N. E.

40.15 Set a lime stone 24 x 12 x 3 ins. in the

BOOK '186'  
Subdivisions

Chains grown for  $\frac{1}{4}$  sec. cor marked  $\frac{1}{4}$  on  
N face, from which

A Pinon 4 ins diam to  $N 37^{\circ} 30' W 36$  chs  
dist marked  $\frac{1}{4}$  I. B. T.

A Pinon 4 ins diam to  $S 70^{\circ} E 15$  chs  
dist marked  $\frac{1}{4}$  I. B. T.

46.00 descend into Gulch course N.

47.50 bottom <sup>and</sup> ascend

50.00 top

61.00 descend into Gulch course N.N.W.

63.00 bottom <sup>and</sup> ascend

64.00 top

80.30 The cor to sec. 11-12-13 <sup>and</sup> 14.

Land Broken

Soil Worthless

80.30 chs A Star <sup>and</sup> Pinon.

Heavily timbered land 80.30 chs.

N. 00' W bet sec. 11 <sup>and</sup> 12

to  $13^{\circ} 54' E$ .

- Chains Through Timber
- 16.00 descend into Wild Cat Cañon course N. E.
- 20.00 bottom
- 20.90 trail
- 22.00 ascend
- 26.00 top
- 33.00 descend into Wild cat Cañon course N. W.
- 37.00 bottom
- 38.50 trail
- 39.00 ascend
- 40.00 Set a Lime stone  $21 \times 8 \times 4$  ins 14 ins in the ground for tree marked 14 in W face <sup>and</sup> raised a mound of stone 4 ft high & ft base along side. Pit impracticable.
- 41.00 <sup>top and</sup> descend into Wild Cat Cañon course N. E.
- 42.00 bottom <sup>and</sup> trail
- 46.00 ascend
- 48.30 top
- 80.00 Set a Lime stone  $18 \times 10 \times 3$  ins 13 ins in the

## Subdivisions

Chain ground for cor to sec. 12-11 <sup>and</sup> 12 marked with 5 notches on S. <sup>and</sup> 1 notch on E edges, from which

A Pine 7 ins diam br.  $N 18^{\circ} E$ . 35-els  
Dist marked Sp 14 N. R. 15 E. S. 1 B. 1

A Pinon 4 ins diam br.  $S 5^{\circ} 30' E$ . 32-els  
Dist marked Sp 14 N. R. 15 E. S. 12 B. 1

A Pinon 4 ins diam br.  $S 47^{\circ} W$  22-els  
Dist marked Sp 14 N. R. 15 E. S. 1 B. 1

A Pinon 6 ins diam br.  $N 82^{\circ} W$  33-els  
Dist marked Sp. 14 N. R. 15 E. S. 5 B. 1

Land Rough <sup>and</sup> Broken

Soil 3rd <sup>and</sup> 4th rate

Soils Cedar <sup>and</sup> Pinon.

Heavily timbered land sochs  
Nov. 28. 93.

$N 89^{\circ} 59' E$  on a ranson line hit sec. 1 <sup>and</sup> 12.

$N 13^{\circ} 54' E$ .

40.00 Set temporary 1/4 sec. cor.

80.06 Intersect E boundary of township

Sp. 14 T. 15 East.

- Chains 3 lks. S of cor to secs. 1-6-7 <sup>and 12</sup>  
 as herein before described  
 Thence I run  
 S. 89° 58' W. a true line to secs. 1 <sup>and 12</sup>  
 N. 13° 54' E  
 Through Timber
- 25.50 Small Gulch 30 lks wide course N. E.  
 39.00 descend into Wild Cat Cañon course  
 N. N. W.
- 40.03 Set a lime stone 15 x 15 x 5 ins 10 ins in  
 the ground for  $\frac{1}{4}$  sec cor marked  $\frac{1}{4}$  on  
 N face and raised a mound of stone  
 $\frac{1}{2}$  ft high 2 ft base alongside. Pile  
 impracticable.
- 42.00 bottom  
 42.30 trail <sup>and</sup> ascend  
 45.00 top  
 80.06 The cor to secs. 1-2-11 <sup>and 12</sup>  
 Lands Broken

# Subdivisions

**BOOK 183**

Chain Soil 3rd rate  
 80.06 chs Cedar <sup>and</sup> Pine  
 Heavily timbered land 80.06 chs

---

Nor' W line random line bet sec. 1 <sup>and</sup> 2

Va 13° 58' E.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.20 Interset N boundary of Township 8 E  
 E of cor to sec. 15-35 <sup>and</sup> 36 as herein be

for described. Thence I run

S 0° 4' E in a true line bet sec. 1 <sup>and</sup> 2

Va 13° 55' E.

Through Timber

3.90 Road fr. E <sup>and</sup> W

5.65 Road fr. E

12.00 descend into Cañon course S. E

22.00 bottom

23.50 ascent

34.00 top

40.20 Set a lime stone 15 x 15 x 4 ins 10 ins in the

Sec 14 T. 15 E. 15 East.

- Chains ground for  $\frac{1}{4}$  sec. cor marked  $\frac{1}{4}$  on W  
face from which  
a Pinon + juniper tree br.  $73^{\circ} 38' E$  98 chs  
stick marked  $\frac{1}{4}$  S. B. T.
- a Pinon + juniper tree br.  $85^{\circ} W$  23 chs  
stick marked  $\frac{1}{4}$  S. B. T.
- 44.20 descend into gulch course N.E.
- 47.60 bottom <sup>and</sup> ascend
- 54.00 top
- 52.00 descend into Gulch course N.E.
- 57.00 bottom <sup>and</sup> ascend
- 60.00 top
- 82.20 the cor to sec 1-2-11 <sup>and</sup> 12.
- Land Broken
- Soil 3.25 <sup>and</sup> 4 the rate
- 80.20 the Cedar <sup>and</sup> Pinon
- ~~Heavily timbered land 80.20 chs~~
- 
- N. 0' 1' W 41 p. 34 <sup>and</sup> 35.
- Var.  $13^{\circ} 56' E$

## Subdivisions

## Chains Through Timber

40.00 Set a lime stone  $18 \times 14 \times 7$  ins  $12$  ins in the ground for  $\frac{1}{4}$  sec corner marked  $\frac{1}{4}$  on W face, from which

A Pinon 8 ins diam br.  $N 35^{\circ} 30' W$  73 lks  
Sist marked  $\frac{1}{4}$  S. B. T.

A Pinon 7 ins diam br.  $S 25^{\circ} E$ . 35 lks  
Sist marked  $\frac{1}{4}$  S. B. T.

50.00 Cattle Trail br. N. E.

80.00 Set a sand stone  $15 \times 12 \times 5$  ins  $10$  ins in the ground for cor to sec. 36-27-34<sup>and</sup> 35 marked with 1 notch on S and 2 notches on E. edges from which

A Pinon 8 ins diam br.  $N 22^{\circ} E$ . 117 lks  
Sist marked  $\frac{1}{4}$  N. R. 15 E. S. 36 B. T.

A Pinon 8 ins diam br.  $S 41^{\circ} 30' E$ . 96 lks  
Sist marked  $\frac{1}{4}$  N. R. 15 E. S. 33 B. T.

A Pinon 4 ins diam br.  $S 25^{\circ} 30' W$  7 lks  
Sist marked  $\frac{1}{4}$  N. R. 15 E. S. 34 B. T.



Sp. 14 N. R. 15 East.

Chain A Pinon 8 ins diam to  $N72^{\circ}30'W$  35 lks  
 Dist marked Sp. 14 N. R. 15 E. S. 27 B. T.  
 Land level and somewhat Rolling  
 Soil 2<sup>nd</sup> and 3<sup>rd</sup> rate.

Soils Cedar and Pinon.

Heavily timbered land rocks

$N89^{\circ}07'E$  on a random line bet secs 26<sup>and</sup> 35<sup>-</sup>  
 Va.  $13^{\circ}55'E$ .

40.00 Set temporary  $1/4$  sec. cor.

80.10 Intersect N<sup>and</sup> S line 25 lks S of cor  
 to secs. 25-26-35<sup>and</sup> 36 as herein before  
 described

Thence true

$S89^{\circ}46'W$  on a true line bet secs. 26<sup>and</sup> 35<sup>-</sup>  
 Va.  $13^{\circ}55'E$ .

Through Timber

20.00 Gulch 100 lks wide to N.

40.00 Set a limestone 15 x 12 x 5 ins in the  
 ground for  $1/4$  sec cor marked  $1/4$  on N face,

BOOK 186  
Subdivisions

Chains

from which

A Pinon 10 ins diam hs.  $N 41^{\circ} E$  84 lks  
dist marked  $\frac{1}{4}$  S. B. T.

A Pinon 3 ins diam hs.  $S 14^{\circ} W$  19 lks  
dist marked  $\frac{1}{4}$  S. B. T.

40.50 Gulch  $\frac{1}{2}$  trail 100 ft wide course  $N E$ .

80.10 The cor to sec. 26-27-34 <sup>and 35</sup>

Land Rolling

Soil 2nd <sup>and 4</sup> the rate

80.10 chs. Cedar <sup>and</sup> Pinon.

~~Heavily timbered land 80.10 chs~~

$N 0^{\circ} 1' W$  bet sec. 26 <sup>and</sup> 27

$N a. 13^{\circ} 54' E$

Through Timber

37.00 descent into Gulch course  $S. N E$ .

40.00 Set line, stone 15x12x5 ins 10 ins in the ground  
for  $\frac{1}{4}$  sec. cor marked  $\frac{1}{4}$  on W face, found  
which

A Pinon 1 ins diam hs.  $N 16^{\circ} E$  32 lks dist

Sp 14 N. R. 15 East.

Chains marked 1/4 S. B. T.

A Pinon 5 ins diam. br. S. 34° W 32 lbs  
Submarked 1/4 S. B. T.

41.00 bottom course N. E.

41.50 Trail

42.00 ascent

45.00 top

53.00 Trail br N. E.

80.00 Sela limestone 18x12x12 ins 12 ins in the  
ground for cores, sec. 22-23-26 and 27  
marked 2 notches on S and E edges,  
from which.

A Pinon 4 ins diam br N 27° E. 39 lbs

Submarked Sp 14 N. R. 15 E. S. 23 B. T.

A Pinon 15 ins diam br. S. 12° E. 13 lbs

Submarked Sp 14 N. R. 15 E. S. 26 B. T.

A Pinon 2 ins diam br. S. 54° W 40 lbs

Submarked Sp 14 N. R. 15 E. S. 27 B. T.

A Pinon 3 ins diam br. N 23° W 64 lbs

# Subdivisions

Chain of marked #14 NK 15 E 1/2 B.

Land Rolling

Soil 2nd rate

rocks Cedar and Linnon

~~heavily timbered land rocks.~~  
Nov 29. 93.

N 94° 46' E on a random line to pines 23 and 26.

N 13° 54' E.

40.00 Set temporary 1/4 sec cor.

79.80 Intersect N and line rocks of cor to  
secs. 23-24-25 and 26. as herein de-

scribed

then I run

S 89° 37' W on a true line to pines 23 and 26.

N 13° 54' E.

through Timber.

11.00 Descend into Canon course N

14.60 Bottom and Trail

15.50 ascent.

19.30 top

## Sp 14 N.P. 13 East.

- 23.50 descend into Gulch course N.E.
- 24.90 bottom Course N.E.
- 25.55 Trail
- 26.10 ascent
- 29.00 top
- 39.90 Set a limestone 15 x 12 x 5 ins 10 ins in the ground for  $\frac{1}{4}$  sec. cor marked  $\frac{1}{4}$  on N face from which
- A Pine 4 ins diam br. N  $32^{\circ}$  W 80 lks  
dist. marked  $\frac{1}{4}$  S.B.T.
- A Pine 3 ins diam br. S  $11^{\circ}$  E. 13 lks  
dist. marked  $\frac{1}{4}$  S.B.T.
- 50.50 trail to N.E.
- 79.80 The cor topses 22-23-26<sup>and 27</sup>
- Land Broken
- Soil 2<sup>nd</sup> and 3<sup>rd</sup> rate
- 79.80 chs Cedar<sup>and</sup> Pinon Timber.
- Heavily timbered land 79.80 chs
- 
- N  $0^{\circ}$  1' W lat sec 22<sup>and</sup> 23.

## Subdivisions

Chains Va.  $3^{\circ}55' E$ .

Through Timber

40.00 Set a lime stone  $18 \times 14 \times 8$  ins  $12$  ins in the ground for  $\frac{1}{4}$  sec cormarked  $\frac{1}{4}$  on W face from which

A Pinon 6 ins diam br.  $N 23^{\circ} W$  75 lks  
tick marked  $\frac{1}{4}$  S. B. T.

A Pinon 4 ins diam br.  $S 8^{\circ} E$  65 lks  
tick marked  $\frac{1}{4}$  S. B. T.

08.90 Draw  $\frac{3}{4}$  trail 100 lks wide course  $N E$ .

75.10 Trail br.  $N E$ .

80.00 Set a lime stone  $18 \times 14 \times 5$  ins  $12$  ins in the ground for cormarked sec. 14-15-22 and 23 marked with 3 notches on S and 2 notches on E edges. from which

A Pine 8 ins diam br.  $N 27^{\circ} E$  77 lks  
tick marked  $\frac{1}{4}$  14  $N R. 15^{\circ} E$  S. 14 B. T.

A Pinon 4 ins diam br.  $S 78^{\circ} E$  45 lks  
tick marked  $\frac{1}{4}$  14  $N R. 15^{\circ} E$  S. 23 B. T.

Sp 14 N. R. 15 East.

Chains a Pinon Pine Siam Tr. S.  $72^{\circ} W$  38 lks  
 Dist marked Sp 14 N. R. 15 E. S. 23. B. T.  
 a Pinon Pine Siam Tr. N.  $41^{\circ} W$  19 lks  
 Dist marked Sp. 14 N. R. 15 E. S. 15. B. T.  
 Land Rolling  
 Soil moderate  
 Rocks Cedar <sup>and</sup> Pinon  
 Heavily timbered land rocks

N  $89^{\circ} 37' E$  on a random line to sec. 14 <sup>Q. 53</sup>  
 Va.  $13^{\circ} 56' E$ .

40.00 Set temporary  $\frac{1}{4}$  sec cor.

80.00 Intersect N <sup>and</sup> S line 30 lks. N of cor to  
 sec. 13-14-23 <sup>Q. 54</sup> as herein before describ  
 ed.

Thence run

S  $89^{\circ} 50' W$  on a true line to sec. 14 <sup>Q. 53</sup>  
 Va.  $13^{\circ} 56' E$ .

Through Timber as cend from Wild  
 Cat Cañon

BOOK 186  
Subdivisions

- 5.00 top
- 33.00 Gulch 100 lks wide course S. S. E.
- 40.00 Set a lime stone 15x15x5 ins 10 ins in the ground for 4 sec cor marked 1/4 on N face from which
- a Pine Pinus Stam lrs N. 64° 30' E. 65 lks  
dist marked 1/4 N. B. T.
- A Cedar 10 ins Stam lrs S. 70° W 41 lks  
dist marked 1/4 S. B. T.
- 44.00 Trail lrs N.
- 65.50 descend into Gulch course N. N. E.
- 65.75 bottom <sup>and</sup> ascent
- 70.00 top
- 73.55 Trail lrs N. E.
- 77.10 Trail lrs N. E.
- 80.00 The cutopees 14-15-22 <sup>and</sup> 23.
- Land Broken
- Soil worthless
- Rocks Cedar <sup>and</sup> Pinow.
- Heavily timbered land rocks



R. 14 N. R. 15 East.

Chains  $70^{\circ}11'W$  lat. sec. 14 <sup>and</sup> 15  
 Va.  $13^{\circ}55'E$ .

Through Timber.

33.00 Trail to N.N.E.

40.00 Set a sandstone  $21 \times 8 \times 4$  ins 14 ins in the  
 ground for  $\frac{1}{4}$  sec cor marked  $\frac{1}{4}$  on W face  
 from which.

A Pinon  $\delta$  ins  $\delta$  diam to  $N 82^{\circ} E$ . 25 lks  
 dist marked  $\frac{1}{4}$  S.B.T.

A Cedar  $\delta$  ins  $\delta$  diam to  $S 31^{\circ} W$ . 38 lks  
 dist marked  $\frac{1}{4}$  S.B.T.

69.50 Fork of trail one to E. the other N.N.E.

75.10 Trail to NW

80.00 Set a sandstone  $21 \times 8 \times 4$  ins 14 ins in the  
 ground for cor to sec. 10-11-14 <sup>and</sup> 15 marked  
 with 4 notches on S <sup>and</sup> 2 notches on E  
 edges from which

A Pinon  $\delta$  ins  $\delta$  diam to  $N 50^{\circ} E$ . 133 lks  
 dist marked  $\frac{1}{4}$  R. 15 E S. 11 B.T.

# Subdivisions

Chain A Pine Keinsdam tr. S. 45° E 39 chs

Dist marked Sp. 14 N R. 15 E. S. 140 B.T.

A Pinow 14 in stream tr. S. 69° W 41 chs

Dist marked Sp. 14 N. R. 15 E. S. 15 B.T.

A Pinow 10 in stream tr. N 33° W 30 chs

Dist marked Sp. 14 N R. 15 E. S. 10 B.T.

Land Rolling

Soil moderate

8 chs. Cedar <sup>2</sup>/<sub>5</sub> Pinow Timber.

Heavily timbered land 80 chs

N 89° 58' E on a random line to pccs. 11 <sup>9</sup>/<sub>14</sub>

N. 3° 54' E.

40.00 Set temporary <sup>1</sup>/<sub>4</sub> sec cor

80.10 Intersect N <sup>9</sup>/<sub>14</sub> S line 16 chs N S corner

secs 11-12-13 <sup>9</sup>/<sub>14</sub> 14 as herein before described,

thence S line

S 89° 57' W on a true line to pccs. 11 <sup>9</sup>/<sub>14</sub>

N. 13° 54' E.

Sec 14 N. 15 East.

- Chains Through Timber
- 2.40 descend into Canon course. N.W.W.
- 5.00 bottom
- 5.50 ascend
- 8.00 top
- 30.00 Gulch 2 chs wide course E. E.
- 40.05. Set a lime stone  $15 \times 12 \times 5$  ins in the ground for  $\frac{1}{4}$  sec cor marked  $\frac{1}{4}$  on N face from which
- .. A Pinon burserian br. N.  $67^\circ$  E. 96 els  
Set marked  $\frac{1}{4}$  S. B. T.
- A Pinon sinuatum br. S.  $35^\circ$  W. 140 els  
Set marked  $\frac{1}{4}$  S. B. T.
- 51.55 Trail N. E.
- 70.60 Fence. br. N <sup>and</sup> S.
- 80.10 This cor to accs. 10-11-14 <sup>and</sup> 15.
- Land mostly Broken
- Soil. 3rd <sup>and</sup> 4th rate
- 80.10 closed as <sup>and</sup> Pinon.
- ~~Heavily timbered land 80.10 chs~~  
Nov. 30, 93.

## Subdivisions

- Chains N. 0° 1' W 44 paces 10 <sup>9</sup>/<sub>11</sub>
- Va 13° 5' 4" E.
- Through Timber
- 15.15 Trail to NW
- 25.30 Trail to NE
- 28.00 Trail to NW
- 28.50 Fence to NW and S. E.
- 29.00 Trail to W, N. W.
- 40.00 Set a lime stone 15 x 15 x 8 ins 10 ins in the  
ground for  $\frac{1}{4}$  sec. cor marked  $\frac{1}{4}$  on W face  
from which
- A Pinon 4 ins diam to N 44° 30' E. 64 lks  
    Sist marked  $\frac{1}{4}$  S. B. T.
- A Pinon 8 ins diam to S. 52° W 46 lks  
    Sist marked  $\frac{1}{4}$  S. B. T.
- 50.00 Gulch schs. E. to N. N. W. and along  
    top of Bank
- 63.00 descend into same Gulch
- 66.50 Bottom <sup>and</sup> ascend

Sp 14 N. R. 15 East.

- 67.80 top <sup>and</sup> along E bank of Cañon ls  
N. N.W.
- 68.40 descend into same gulch course N.
- 69.80 bottom and ascend along E bank
- 78.40 descend into same gulch course N. E.
- 80.00 Set a limestone 15 x 14 x 5 inches in the  
ground for cor. to sec. 3-3-10 <sup>and</sup> 11, marked  
with 5 notches on S. <sup>and</sup> 3 notches on  
E edges, and raise a mound of stone  
1/2 ft high 2 ft base along side. It is  
impracticable. from which  
a Pinon 3 ins diam ls s. 34° E. 26 cks  
Dist. marked Sp. 14 N. R. 15 E. S. 11 B. T.  
A Pinon 6 ins diam ls s. 35° W. 19 cks  
Dist. marked Sp. 14 N. R. 15 E. S. 10 B. T.  
No other trees within limits.  
Land Broken.  
Soil Worthless.  
rocks Cedar <sup>and</sup> Pinon,  
~~Heavily timbered land rocks~~

## Subdivisions

Chains  $N 89^{\circ} 57'$  On a ran on line to sec 2 <sup>and 11</sup>  
 Va.  $13^{\circ} 56' E$ .

40.00 Set temporary  $\frac{1}{4}$  sec. cor

80.20 Intersect  $N 2^{\text{nd}}$  line 3 ecks  $N$  of cor to  
 sec. 1-5-11 <sup>and 12</sup> as herein before describ-  
 ed.

Thence I run

$S 89^{\circ} 58' W$  on a true line to sec. 2 <sup>and 11</sup>

Va.  $13^{\circ} 56' E$ .

Through Timber

32.30 Trail to  $N.E.$

35.00 Trail to  $N.E.$

40.10 Set a lime stone  $15 \times 15 \times 5$  ins in the  
 ground for  $\frac{1}{4}$  sec. cor marked  $\frac{1}{4}$  on  $N$  face  
 from which

A Cedar & birch beam to  $N 80^{\circ} W$  33 ecks  
 dist marked  $\frac{1}{4}$  S. B. T.

A Pinon 6 ins beam to  $S 38^{\circ} 30' E$  64 ecks  
 dist marked  $\frac{1}{4}$  S. B. T.

Sp 14 N. R. 15 East.

42.30 Trail to N. <sup>and descend into</sup> Gulch to N.Y.

44.50 bottom <sup>and ascend</sup>

48.00 top

60.00 descend into Gulch course N.N.W.

63.00 bottom <sup>and ascend</sup>

68.00 top

72.00 descend into Gulch NW

76.00 bottom <sup>and ascend</sup>

79.00 top

80.20 The coto secs. 2-3-10 <sup>and 11</sup>

Land Broken

Soil 3rd <sup>and 4th</sup> rate

80.20 chs. Cedar <sup>and</sup> Pinon

Heavily timbered land 80.20 chs

N 0° 1' W on a random line to sec. 2 <sup>and 3</sup>

to. 13° 55' E.

40.00 Set temporary 1/4 sec cor.

79.86 Intersect N boundary of township at cor  
to secs. 2-3-34 <sup>and 35</sup> as herein before described

## Subdivisions

Chains Thence down

$20^{\circ} 1' E$  on a true line to p.c.s. 5 <sup>and 3</sup>  
 Va.  $13^{\circ} 55' E$ .

Through Timber

20.00 Descend into gulch for Chevelon  
 Cañon 20 chs. E.

21.50 Bottom <sup>and</sup> ascent

23.00 top.

39.86 Set a Limestone  $15 \times 15 \times 5$  into 10 ins in the  
 ground for  $\frac{1}{4}$  sec. cor marked  $\frac{1}{4}$  on W  
 face from which

A Pinow 6 ins diam br. N  $27^{\circ} W$  57 chs  
 dist marked  $\frac{1}{4}$  S. B. T.

A Pinow 7 ins diam br. S  $22^{\circ} E$  79 chs  
 dist marked  $\frac{1}{4}$  S. B. T.

43.00 descend into Chevelon Cañon course  
 E.

50.00 Bottom <sup>and</sup> Creek 100 chs wide flows E.

61.00 ascend



60.00 top

72.00 descend into Gulch E. N.E.

78.00 bottom and ascend

79.86 The cor tops 2-3-10<sup>and 11</sup>

Land Broken

Soil 3 rd<sup>and 4</sup> the rate79.86 chs. Cedar<sup>and</sup> Pinon Timbers

Heavily timbered land 79.86 chs

N 0° 2' W bet piers 33<sup>and</sup> 34

Va. 1354' E

Through Timber

40.00 Set a limestone 18 x 10 x 10 ins 12 ins in the  
ground for 1/4 sec. cor marked 1/4 on W face  
from whichA Pinon 4 ins diam br. N 26° E 32 chs  
dist marked 1/4 S. B. T.A Pinon 4 ins diam br. S 21° 30' W 30 chs  
dist marked 1/4 S. B. T.

43.70 Nail br. N.E.

# Subdivisions

- 77.40 Trail N.E.
- 78.00 Trail W.E.
- 78.40 Draw 100 lks wide course N.E.
- 80.00 Set a lime stone 18x12x4 ins 12 ins in the ground for cor. to sec. 27-28-33 <sup>and 34</sup> marked with notch on S. <sup>and 34</sup> corners E edges, from which
  - A Pinon cross beam br. N. 19° 30' E. 24 lks dist marked Sp. 14 N. R. 15 E. S. 27 B. T.
  - A Pinon cross beam br. S. 24° E. 30 lks dist marked Sp. 14 N. R. 15 E. S. 34 B. T.
  - A Pinon cross beam br. S. 46° W. 10 lks dist marked Sp. 14 N. R. 15 E. S. 33 B. T.
  - A Pinon cross beam br. N. 21° 30' W. 20 lks dist marked Sp. 14 N. R. 15 E. S. 28 B. T.
- Land Rolling
- Soil 3rd rate
- Dochs. Cedar <sup>and</sup> Pinon
- ~~Beautifully timbered land each~~

Sp 14 N. E. 15 East.

Chains N 89° 57' E on iron line bet sec 27 <sup>and</sup> 34.  
Va. 73° 53' E.

40.00 Set temporary 1/4 sec cor.

80.10 Intersect N <sup>and</sup> S line at cor to sec 26-27-34 <sup>and</sup> 35 as herein before described  
Thence S 110°

S 89° 57' W on iron line bet sec 27 <sup>and</sup> 34  
Va. 13° 53' E

Through Timber

34.90 Nail to N

28.50 Draw 100 lbs wide to N.

40.05 Set a sand stone 15 x 13 x 10 ins in the ground for 1/4 sec cor marked 1/4 on N face from which.

A Pinon 5 ins diam to N 37° W 77 lbs  
Nest marked 5/4 S.B.T.

A Pinon 10 ins diam to S. 36° E 110 lbs  
Nest marked 1/4 S.B.T.

43.10 Nail to N.N.E.

BOOK 786

## Subdivisions

- 78.80 Draw 150 lks wide course NNE.
- 80.10 The cor to secs. 27-28-33<sup>and</sup> 34  
 Sand Rolling  
 Soil 3 or 4 ft  
 80.10 also Cedar<sup>and</sup> Pinon  
 Heavily timbered land 80.10 chs  
 Nov. 31, 93.
- 
- N. 02° W bet secs. 27<sup>and</sup> 28.  
 Va 13° 54' E.  
 Through Timber
- 40.00 Set a sandstone 15 x 10 x 4 ins 10 ins in the  
 ground for 1/4 sec cor marked 1/4 on W  
 face from which.  
 A Pinon 3 ins diam bet N. 26° W 40 lks  
 Dist marked 1/4 S. B. I, no other trees within limits
- 40.10 Trail to N.E.
- 79.50 Trail to NNE.
- 80.00 Set a limestone 15 x 14 x 6 ins 10 ins in the  
 ground for cor to secs 21-22-27<sup>and</sup> 28 mark-  
 ed with 2 notches on S. <sup>and</sup> 3 notches on E

BOOK 786

# Sp 14 N. R. 15 East.

Chains edges, from which

A Pinon sine diam. br. N 79° 30' E 158 lks  
Dist marked Sp 14 N. R. 15 E. S. 22 B. T.

A Pinon fine diam br S. 34 E. 97 lks  
Dist marked Sp. 14 N. R. 15 E S. 27 B. T.

A Pinon sine diam br. S. 73° 30' W 99 lks  
Dist marked Sp. 14 N. R. 15 E. S. 28 B. T.

A Pinon 6 sine diam br. N 83° W 106 lks  
Dist marked Sp. 14 N. R. 15 E. S. 21 B. T.

Land Rolling

Soil moderate

80 lks Cedar <sup>and</sup> Pinon.

~~Heavily timbered land 80 lks~~

N 90° 57' E on a range line to sec. 22 <sup>and 27</sup>  
Va 13° 53' E.

40.00 Set temporary 1/4 sec cor

80.06 Intersect N <sup>and</sup> S line 14 lks. Sof cor  
to sec. 22-23-26 <sup>and</sup> 27 as herein before  
described.

## Subdivisions

Chains Thence from

S 89° 51' W on true line to spec. 35 <sup>Aug 57</sup>

Va. 13° 55' 6.

Throng Timber

20.55 trail to N

21.20 trail to N

31.60 trail to N.W.

34.50 trail to NW

38.85 trail to NW

40.03 Set a sandstone 15 x 8 x 6 ins 10 ins in the ground for 1/4 sec cor marked 1/4 on N face, from which

A Cedar 14 ins diam to N 31° E. 34 lks  
dist marked 5/4 S.B.T.A Pinon 3 ins diam to S 5° W 53 lks  
dist marked 5/4 S.B.T.

58.50 trail to N.

79.65 " N.N.E.

80.06. The cor to sec 31-32-37 <sup>Aug 58</sup>.

Chains Land Rolling

Soil substrate

80.06 chs Cedar and Pinon Timber.

~~Heavily timbered land 80.06 chs~~

No 2' W h/2 sec 21 and 22

N a 13° 36' E

Through Timber

1.00 Draw 100 lks wide course N.E.

25.00 Trail br. N.E.

40.00 Set a sand stone 18 x 14 x 4 ins inside the ground for 1/4 sec. corner marked 1/4 on N face and from which

A Pinon 4 ins diam br. N 23° W 40 lks  
dist marked 1/4 S.B.T.

A Pinon 4 ins diam br. S 31° E. 31 lks  
dist marked 1/4 S.B.T.

80.00 Set a lime stone 18 x 15 x 4 ins inside the ground for cor to sec 15-16-21 and 22 marked with 3 notches on S and E edges, from which

# Subdivisions

- Chains A Pinon 4 ins diam br N 53° E 150 lks  
 Dist marked Sp 14 N R. 15 E S. 15 B. T.
- A Cedar 15 ins diam br S 70° E 83 lks  
 Dist marked Sp 14 N R. 15 E S. 33 B. T.
- A Pinon 4 ins diam br S 60° W 367 lks  
 Dist marked Sp 14 N R. 15 E S. 21 B. T.
- A Pinon 4 ins diam br N 80° W 96 lks  
 Dist marked Sp. 14 N. R. 15 E. S. 16 B. T.

Land Rolling  
 Soil 2nd rate

80 chs. Cedar and Pinon Timber  
~~Heavily timbered land 80 chs.~~

N 89° 51' E narrow on line br sec 21<sup>and</sup> 22  
 Va 13° 55' E.

- 40.00 Set temporary 1/4 sec. cor
- 80.15 Intersect N and S line 5 lks N of cor to  
 sec 14-15-21<sup>and</sup> 22 as herein before de-  
 scribed  
 Thence Iron



Sp 14 T.R. 15 East.

Chains S89°57'W on a true line between 15 <sup>Aug 22</sup>  
 Va. 13°55'E

Through Timber

17.00 Trail br. N

40.07 Set a lime stone 18 x 14 x 6 ins 15 ins in the  
 ground for 1/4 sec cor marked 1/4 on N face  
 from which

A Pine 4 ins diam br. N. 63°30'W 5-8 lks  
 set marked 1/4 l. B.T.

A Pinon 4 ins diam br. S. 20°30'E 77 lks  
 set marked 1/4 l. B.T.

48.00 Trail br. N

71.00 Trail br. N

73.00 Trail S. N. W.

80.15 The cuts sec. 15-16-21 <sup>Aug 22</sup>

Land Rolling

Soil 1st <sup>and</sup> 2nd rate

80.15 chs. Cedar <sup>and</sup> Pinon

~~Heavily timbered land 80.15 chs~~

## Subdivisions

- Chains No's Wht. rec. 15<sup>and 16</sup>
- Va. 13°54'E  
Through Timber
- 25.30 Trail to NW
- 40.00 Set a lime stone 15 x 10 x 5 ins 10 ins in  
the ground for  $\frac{1}{4}$  sec. cor marked  $\frac{1}{4}$   
on W face, from which  
A Pine 8 ins diam to N 17°30' W 50 lks  
Dist marked  $\frac{1}{4}$  S. B. T.
- A Cedar 8 ins diam to S 57°30' E 61 lks  
Dist marked  $\frac{1}{4}$  S. B. T.
- 63.00 Trail to N.
- 80.00 Set a lime stone 15 x 14 x 5 ins 10 ins in  
the ground for cor to sec. 9-10-15<sup>and 16</sup>  
marked with 4 notches on S<sup>and 3</sup>  
notches on E edges, from which,  
A Pinon 3 ins diam to N 45° E 53 lks  
Dist marked  $\frac{1}{4}$  N R 15 E S. 10 B. T.
- A Pine 12 ins diam to S 10° E 28 lks

Sp 14 N. R. 15 East.

Chains dist marked Sp 14 N. R. 15 E. S. 15 B. T.

A Pinon 4 ins diam to S.  $44^{\circ} W 33$  ebs

Dist marked Sp. 14 N. R. 15 E. S. 16 B. T.

A Pinon 3 ins diam to N.  $80^{\circ} W 49$  ebs

Dist marked Sp. 14 N. R. 15 E. S. 9 B. T.

Land Rolling

Soil 1st <sup>2nd</sup> rate

80 ebs Cedar <sup>2nd</sup> Pinon.

~~Heavily timbered land sochs~~

December 1, 93.

$N 89^{\circ} 57' E$  on a true line to pccs 10 <sup>and</sup> 15.

to 13  $34' E$ .

40.00 Set temporary 1/4 sec. cor.

79.80 Intersect N <sup>and</sup> S line 14 lks N of  
cor to pccs. 10-11-14 <sup>and</sup> 15 as herein before  
described.

Thence I run

$N 89^{\circ} 57' W$  on a true line to pccs 10 <sup>and</sup> 15

to 13  $34' E$ .

Through timber.

## Subdivisions

- 19.00 Draw 50 lks wide course N
- 55.00 Draw 50 lks wide course N
- 39.90 Set a Limestone 10 x 12 x 5 m/10 m in the ground for  $\frac{1}{4}$  sec. cor marked  $\frac{1}{4}$  on N face from which
- A Cedar 20 m/21 m br. N  $63^{\circ}$  W 30 lks dist marked  $\frac{1}{4}$  S. B.T.
- A Pinow 7 m/5 m br. S.  $52^{\circ}$  E. 149 lks dist marked  $\frac{1}{4}$  S. B.T.
- 71.70 Trail br. N E.
- 77.30 Trail " N
- 78.50 descent into Gulch course N E.
- 79.00 bottom <sup>and</sup> ascent
- 79.80 top <sup>and</sup> the cor to pces. 9-10-15 <sup>and</sup> 16
- Land Rolling
- Soil substrate
- 79.80 chs Cedar <sup>and</sup> Pinow. Timber
- ~~heavily timbered~~ land 79.80 chs
- No 2' W br pces 9 <sup>and</sup> 10

## Sp 14 N. L. 15 East

Chains Va  $13^{\circ}53'$  E.

Through Timber

6.00 Gulch 150 lks wide course E. N. E.

32.50 descend into Gulch. course E. N. E.

36.20 bottom <sup>2nd</sup> ascend

40.00 Set a Lime stone  $18 \times 12 \times 4$  ins  $15$  ins in the ground for  $\frac{1}{4}$  sec cor marked  $\frac{1}{4}$  on W face from which

a Pinon 3 ins diam br. N  $30^{\circ}$  E. 26 lks  
51st marked  $\frac{1}{4}$  S. B. T.

a Cedar 14 ins diam br. S  $62^{\circ}$  W 60 lks  
51st marked  $\frac{1}{4}$  S. B. T.

41.00 top

41.20 descend into Canon course N. E.

55.00 bottom

65.00 ascend

76.00 top

80.00 Set a Lime stone  $15 \times 12 \times 12$  ins  $10$  ins in the ground for cor topes 3-4-9<sup>2nd</sup> 10

# Subdivisions

Chains marked with 5 notches on S<sup>and</sup>  
3 notches on E edges, <sup>and</sup> raised  
raised a mound of stone 1/2 ft  
high 2 ft base alongside. Pits  
impracticable.

No trees within limits

Land Broken

Soil 3<sup>rd</sup> <sup>and</sup> 4<sup>th</sup> rate

80 chs Cedar <sup>and</sup> Pinon Timber

~~Heavily timbered land 80 chs~~

N 89° 57' E on a random line bet secs 3 <sup>and</sup> 10

W 13° 56' E.

40.00 Set temporary 1/4 sec cor.

80.30 Intersect N <sup>and</sup> S line 3 lks S of cor to  
secs 2-3-10 <sup>and</sup> 11 as herein before de-  
scribed

Hence Run

N 89° 58' W on a true line bet secs 3 <sup>and</sup> 10

W 13° 56' E.

Rp 14 N. R. 15 East.

Chains

- 1.00 descend into Canon course N.E.
- 3.00 bottom <sup>and</sup> ascend
- 10.50 top
- 38.10 descend into gulch course N.E.
- 40.10 Set a Limestone 18x12x5 ins in the ground for  $\frac{1}{4}$  sec. cor marked  $\frac{1}{4}$  on N face, from which
- a Pinon 6 ins diam br. N 84° W 80 lks  
 dist marked  $\frac{1}{4}$  S. B. T.
- a Pinon 6 ins diam br. S. 48° E. 8 lks  
 dist marked  $\frac{1}{4}$  S. B. T.
- 40.20 bottom <sup>and</sup> ascend
- 43.00 top
- 65.00 descend into gulch. course N.N.E.
- 70.00 bottom <sup>and</sup> ascend
- 75.00 top
- 80.30 The cortosecs. 2-3-10 <sup>and</sup> 11  
 Land Rolling

# Subdivisions

chains. Soil 3<sup>rd</sup> and 4<sup>th</sup> rate  
 80.50 chs Cedar and Linn.  
 Heavily timbered land 80.20 chs

No 5' W on a random line. lat pces 3<sup>rd</sup> and 4<sup>th</sup>  
 Va 13° 55' E.

40.00 Set temporary 1/4 sec cor.

79.90 Interest N boundary of township  
 8 lks W. of cor to pces 3-4-33<sup>rd</sup> and 34, as  
 herein before described.  
 thence S 1/2 mi

S 001' W on a true line lat pces 3<sup>rd</sup> and 4<sup>th</sup>.  
 Va. 13° 55' E.

Through Timber.

6.00 descent into gulch course S.E.

7.50 bottom and ascent

13.00 top

25.50 Gulch 100 lks wide course S.E.

37.00 Gulch 100 lks wide course N.E.

39.90 Set a lime stone 18x10x5 in 12 in in



177K 186

Sp 14 N. R. 15. East.

Chains The ground for 1/4 sec. commarked 1/4 on W face from which

a Pine 12 ins diam br. N 78° 30' W 47 lks  
Dist marked 1/4 S. P. T.

a Pine 12 ins diam br. S 26° E. 43 lks  
Dist marked 1/4 S. P. T.

65.65 descend into Chevelon Cañon course E.

70.00 bottom and Creek 50 lks wide flows E.

71.00 ascend

79.00 top

79.90 The cor to pces 3-4-9 and 10

Land worthless

Soil 3rd and 4th rate

19.90 chs. Cedar and Pinon Timber

Heavily timbered land 79.90 chs

7 0:5' W lat pces 32 and 33.

Va. 13' 5 4' E.

Through Timber

50 line four Pine 30 ins diam marked with

2 woodies on N & S sides

## Subdivisions

- 16.10 Trail br. E.
- 40.00 A Pine 8 ins diam which I marked  
 1/4 S on W side <sup>and</sup> raised a mound  
 of stone 1/2 ft high 2 ft base along  
 side. Pits impracticable for  
 rec. cor.
- 74.00 have Timber
- 80.00 Set a Lime stone 18 x 15 x 10 ins in  
 in the ground for corners 28 29 32 <sup>and</sup>  
 33 marked with 1 notch on S. <sup>and</sup> 4  
 notches on E edges. <sup>and</sup> raised a mound  
 of stone 1/2 ft high 2 ft base along  
 side. Pits impracticable from which  
 A Cedar 14 ins diam br. N 33° E. 111 lks  
 Dist marked Sp. 14 N. R. 15 E. S. 38 B. T.
- A Pinon 4 ins diam br. S. 52° E. 60 lks  
 Dist marked Sp. 14 N. R. 15 E. S. 33 B. T.
- A Cedar 18 ins diam br. N 19° W 91 lks  
 Dist marked Sp. 14 N. R. 15 E. S. 39 B. T.

Chains No other trees within limits

Land Rolling

Soil 3rd rate.

74 chs Cedar <sup>4</sup>/<sub>5</sub> Pine

26 chs heavily timbered land 74 chs  
December 2, 93.

For balance of notes see

Book No. 160.