

T. 15 N. R. 12 E

No-189

Subdivisions

4-671

FIELD NOTES
GENERAL LAND OFFICE

Sp. 15 N. R. 12 E.

No-189

189

No-189 |

Field Notes.

of the Survey of the

Subdivision. Lines.

of

Township 15. N. Range 12. East.

of the

Gila & Salt River Base

And Meridian

in the

Territory of Arizona

as Surveyed by

Daniel Drummond

U. S. Deputy Surveyor

under his Contract No. 28.

Dated February 21, 1893.

Survey Commenced Nov. 14, 1893.

Survey Completed Nov. 27, 1893.

(4-874.)

Township 15. N. R. 12. E.

Index

Books 189 and 190

6	105.	5	72.	4	55.	3	36.	2	18.	1
102.		100.		71.		53.		35.		17.
7	94.	8	69.	9	57.	10	33.	11	15	12
46.		93.		68.		50.		31.		13.
18	92.	17	66.	16	47.	15	30.	14	11.	13
89.		87.		64.		46.		28.		9.
19	86.	20	62.	21	44.	22	26.	23	8.	24
83.		82.		61.		43.		25.		6.
30	80.	29	59.	28	41.	27	23.	26	4.	25
78.		76.		58.		40.		22.		3.
31	74.	32	56.	33	38.	34	20.	35	1.	36

18

Subdivisions T. 15. N. R. 12. E.

chs.	From the Cor. to Secs. 1, 2, 35, & 36. T. 15. N. R. 12. E. heretofore described. I. run.
	N 0° 1' W. bet. Secs. 35 & 36.
	Va. 13° 45' E.
	In heavy Pine & Oak timber
5.75	Bank bars E. N. E. & W. S. W. descend
10.35	Gulch 10 lks wide, runs E. N. E. ascend
15.65	Opposite bank bars E. N. E. & W. S. W.
19.85	Bank bars. N. W. & S. E. descend
23.60	Gulch 20 lks wide, runs S. E. ascend
23.75	Trail bars. N. W. & S. E.
30.35	opposite bank bars N. W. & S. E.
34.15	Bank bars N. W. & S. E. descend
40.00	Sandstone in place 10 x 3 x 1 ft. marked with cross thus + 1/4 for 1/4 Sec Cor. whence A Pine 7 in diam. bars S 32° E 33 lks. dist. marked 1/4 D. B. G. - A Pine 6 in

Subdivisions T, 15. N. R. 12. E.

Chs. diam. brass $S 89^{\circ} W$ 18 lks. dist.
marked $\frac{1}{4}$ S. B.T. -

40.15 Gulch 10 lks. wide. runs S.E. ascend

43.35 Opposite bank, brass. N.W. to S.E. entire mass

80.00 Set a sandstone $18 \times 11 \times 6$ ins. 13 ins in
the ground. for Cor. to Secs. 25, 26, 35.
D 36. Marked with 1 notch on S.
W.E. edges. Whence

A Pine 10 ins. diam. brass

$N 48^{\circ} E$ 79 lks. dist. marked

T. 15. N. R. 12. E. S. 25. B.T. -

A Pine 4 ins. diam. brass

$S 40^{\circ} E$ 64 lks. dist. marked

T. 15. N. R. 12. E. S. 36. B.T.

A Pine 12 ins. diam. brass

$S 28^{\circ} W$ 57 lks. dist. marked

T. 15. N. R. 12. E. S. 35. B.T.

A Pine 8 ins. diam. brass

$N 70^{\circ} W$ 66 lks. dist. marked

Subdivisions.

- Chs. T. 15. N. R 12. E. S. 26. B. T. -
Land. taken,
Soil. gravelly, 2^d + 3^d rate
Timber. Heavy Pine + Oak. 80. chs.
-
- East. on a random line
bet. Secs. 25 + 36.
Va. $13^{\circ}45'E$.
- 40.00 Set. temporary $\frac{1}{4}$ Sec. Cor.
79.86 Int. E. boundary of Tp. at. Cor.
to Secs. 25, 30, 31 + 36. herein -
before described. Thence I run
West. bet. Secs. 26 + 35 on true line
Va. $13^{\circ}45'E$
over level land in heavy Pine and Oak
Timber
- 39.93 Set a Sandstone $18 \times 10 \times 7$ ins 13
ins in the ground. for. $\frac{1}{4}$ Sec Cor.
marked $\frac{1}{4}$ on N. face, where a
A Pine 6 ins. diam. bears $N5^{\circ}E$

Cho. 48 lbs. diet. marked $\frac{1}{4}$ S. B. J. -

A Pine 4 ins. diam. bears $S59^{\circ}E$

14 lbs. diet. marked $\frac{1}{4}$ S. B. J. -

79.86 The Cor. to Secs. 25, 26, 35, & 36.
Land level.

Soil. Sandy & gravelly. 2^d rate

Timber, Pine & Oak. 79.86 Cho.

No. 1' W. bet. Secs. 25, & 26.

Va. $13^{\circ}45'E$.

over level land in heavy Pine & Juniper timber

24.00 Wagon Road to Winslow bears N.E. & S.W.

27.15 Old Wagon Road to Winslow bears N.E. & S.W.

40.00 Set a Sandstone $18 \times 11 \times 5$ ins. 13 ins
in the ground. for $\frac{1}{4}$ Sec. Cor. marked
 $\frac{1}{4}$ on W. face. whence,

A Juniper 6 ins. diam. bears $N34^{\circ}E$

92 lbs. diet. Marked $\frac{1}{4}$ S. B. J. -

A Juniper 13 ins. diam. bears $S38^{\circ}W$

Subdivisions. ^{BICK 189}

Chs.	22 lks. dist. marked $\frac{1}{4}$ S. B.S. -
53.50	Learn Cedars
64.50	Enter Cedars.
67.50	Bank bears N.W. + S.E. descent
71.00	Trail. bears. N.W. + S.E.
71.30	Gulch 10 lks wide runs. N.W.
75.40	Recross Gulch 10 lks wide runs. N.E.
75.60	Trail. bears. N.E. + S.W.
80.00	Set a Sandstone 18x13x6 ins. 13 ins in the ground. for. Cor. to Recs. 23, 24, 25, & 26. marked with 2 notches on S. and 1 notch on E. edges, whence A Juniper 6 ins. diam. bears N 31° E. 134 lks. dist. marked T. 15. N. R. 12. E. S. 24 B.S. - A Pine 7 ins. diam. bears S 58° E. 182 lks. dist. marked T. 15. N. R. 12. E. S. 25. B.S. A Pine 4 ins. diam. bears

J. 15. N. R. 12. E.

chs. S50°W 57 lks. dist. marked
J. 15. N. R. 12. E. S. 26. B. S. -
A Pine 5 ins. diam. bears

N81°30'W 88 lks. dist. marked
J. 15. N. R. 12. E. S. 23. B. S. -
Land. level.

Soil. Sandy & gravelly. 2^d rate
Timber. Pine Cedar & Juniper, 80 chs.

East. on a random line.

bet. Secs. 24 & 25.

Ya. 13°45'E

40.00 bet. temporary 1/4 Sec. Cr.

79.76 Int. E. boundary of Sp. 19 lks.
N. of Cor. to Secs. 19, 24, 25, & 30.

Hereinafter described. Run
N 89°52'W. on a true line

bet. Secs. 24 & 25.

Ya 13°45'E.

Subdivisions.

chs.	
1.85	Old Wagon road trans. N. & S.
32.50	Wagon Road trans. N. N.E. & S. S.W
39.88	Set. a sandstone 18x12x8 ins 13 ins in the ground. for $\frac{1}{4}$ Sec. marked $\frac{1}{4}$ on N. face. Whence A Juniper 15 ins diam. trans S 24° W 220. lks. dist. marked $\frac{1}{4}$ S. B. S. - A Juniper 12 ins. diam trans N 62 $\frac{1}{2}$ ° E 290. lks. dist. marked $\frac{1}{4}$ S. B. S. -
40.75	Wagon road to Winslow trans. N.E. & S.W.
44.65	Entire timber
60.15	Leaves timber
76.30	Gulch 10 lks. wide. runs. N.E. as end
76.65	Drail. trans. N.E. & S.W.
77.76	Bank trans N.E. & S.W.
79.76	The Cor. to Secs. 23. 24. 25 & 26. Land. level. Soil. Sandy & gravelly. 2 ^d rate. Timber. Pine Cedar & Juniper. 15.50 chs

J. 15. N. R. 12. E.

chs. N 0° 1' W. bet. Secs. 23 & 24.

Va 13° 45' E.

- In Pine & Juniper, over level land
- 40.00 Set a Sandstone 18x12x5 ins. 13 in
in the ground, for $\frac{1}{4}$ Sec Cor
marked $\frac{1}{4}$ on N. face. Whence
A Pine 11 ins. diam. bears S 62° E
66 lks. dist. marked $\frac{1}{4}$ S. B. G. —
A Pine 5 ins. diam. bears S 25 $\frac{1}{2}$ ° W
106. lks. dist. marked $\frac{1}{4}$ S. B. G. —
- 64.00 Learn timber.
- 67.00 Enter timber
- 80.00 Set a Malpais Stone 18x15x5 ins. 13
ins. in the ground, for Cr. to Secs.
13, 14, 23 & 24, marked with 3
notches on S. and 1 notch on
E. edges. Whence.
A Pine 13 ins. diam. bears
N 61° E. 198 lks dist. marked

Subdivisions.

- Chs. T. 15. N. R. 12. E. S. 13 B.S. -
 A Pine 5 ins. diam. bears
 S 27° E. 58 lks. dist. marked
 T. 15. N. R. 12. E. S. 24. B.S.
 A Pine 9 ins. diam. bears
 S 3° W 34 lks. dist. marked
 T. 15. N. R. 12. E. S. 23. B.S. -
 A Pine 6 ins. diam. bears
 N 12° W 157 lks. dist. marked
 T. 15. N. R. 12. E. S. 14. B.S. -
 Land level.
 Soil. Sandy & gravelly. 2^d note
 Timber: Pine Juniper & Cedar. 77. chs.

S 89° 52' E. on a random line
 bet. Secs. 13 & 24.
 Vec. 13° 45' E.

- 40.00 Set. temporary 1/4 Sec. Cor.
 80.20 Int. E. boundary of Sp. abt.

BOOK 789

T. 15. N. R. 12. E.

chs. Cor. to Secs. 13, 18, 19 & 24. herein -
before described. Thence I run
N 89° 52' W. on a true line
bet. Secs. 13 & 24,
Ta. 13° 45' E.

- 23.20 Enter timber.
- 33.90 Bank bars. N.N.W. to S.S.E. descend
- 36.80 Gulch 10 lks wide. runs N.N.W. ascend
- 37.20 Trail. bars N.N.W. to S.S.E.
- 40.10 Set a Malpais stone 18x10x6 ins. 13.
ins in the ground. for 1/4 Sec Cor.
marked 1/4 on N. face. whence
A Pine 5. ins. diam. bars N. 33° E
122 lks dist. marked 1/4 S. B. S. -
A Pine 4 ins. diam. bars. S 8° W
77 lks. dist. marked 1/4 S. B. S. -
- 41.00 Opposite bank bars. N.N.W. to S.S.E.
- 63.20 Gulch 20 lks. wide. runs N.E.
- 63.50 Trail bars. N.E. to S.W.

Subdivisions. BOOK 189

chs.	
63.60	Leaves bottom + ascend
64.70	Bank trans. N.E. + S.W.
80.20	The Cor. to Secs. 13, 14, 23 & 24. Land level. Soil. Sandy + gravelly, 2 ^d rate Timber. Pine Cedar + Juniper. 57.00 chs. November 14, 1893.

No 1' W. bet. Secs. 13 & 14.
Va 13° 45' E.

Over level land. In Cedars.

1.50	Leaves Cedars
31.00	Enter Cedars
40.00	Set a Malpais Stone 18x10x6 ins 13. ins in the ground. for 1/4 Sec Cor. marked 1/4 on W. face. Whence A Cedar 10 ins. diam. bears S 40° E 8 kts. dist. marked 1/4. S. B.S. - A Cedar 6 ins. diam. bears S 16° W

T. 15. N. R. 12. E.

- Chs. 80 lks. dist. marked $\frac{1}{4}$ S. B. T. —
- 40.50 Enter bottom land bears. N.E. & SW
- 40.60 Trail. bears N.E. & SW
- 41.60 Leave bottom land bears. N.E. & SW.
- 43.00 Pine 10 ins. diam. on line. marked
with 2 notches on N. & S. Sides.
- 59.30 Leave timber
- 80.00 Set a Malpais Stone $17 \times 10 \times 8$ ins. 12
ins. in the ground. for. Gr. to Seas.
11. 12. 13 & 14. marked with 4
notches on S. and 1 notch on E.
edges. Whence
A Double Pine 14 ins. diam. bears
N 48° W 349 lks. dist. marked
T. 15. N. R. 12. E. S. 11. B. T. —
No other trees within limits.
and raised a mound of Stone
 $1\frac{1}{2}$ ft. high 2 ft. base. alongside
pits impracticable.

Subdivisions.

Chs.	Land. level.
	Soil. Sandy & gravelly. 2 ^d rate.
	Tumber. Pine. Cedar & Juniper. 29. ⁸⁰ chs.
<hr/>	
	S 89° 52' E on a random line bet. Secs. 12 & 13. Va 13° 45' E.
40.00	Set. temporary 1/4 Sec Cor.
80.30	Int. E. boundary of Tp. 5 lks N. of Cor. to Secs. 7, 12, 13 & 18 herein- before described. Thence I run N 89° 50' W on a true line bet. Secs. 12 & 13. Va 13° 45' E
	In dense Cedar: over level land
9.00	Leave Cedar
15.85	Trail bears N.E. & S.W.
18.90	Trail bears N.E. & S.W.
23.00	Enter Cedar & Pinon

T. 15. N. R. 12. E.

- chs.
40.15 Set a Malpais Stone 17x8x6 ins. 12 ins
in the ground. for $\frac{1}{4}$ Sec. Cor.
Marked $\frac{1}{4}$ on N. face whence
A Pine 6 ins. diam. bears $N56\frac{1}{2}^{\circ} W$
24 lks. dist. marked $\frac{1}{4}$ S. B.S. -
A Pine 15 ins. diam bears $N22^{\circ} E$
33. lks. dist. marked $\frac{1}{4}$ S. B.S. -
- 41.30 Banks bears. N.E. & S.W. descend
- 42.70 Enter bottom
- 43.00 Trail. bears N.E. & S.W.
- 43.80 Trail. bears N.E. & S.W.
- 44.75 Leave bottom & ascend
- 49.70 Leave Cedar
- 65.70 Trail. bears. N.E. & S.W.
- 80.30 The Cor. to Secs. 11, 12, 13 & 14.
Land level.
Soil. Sandy & gravelly. 2^d rate.
Timber. Pine. Cedar. & Juniper. 35. 2^d chs.

Subdivisions.

- Chs. No^o 1' W. bet. Secs. 11 & 12.
Va. 13° 45' E.
- Over level land.
- 11.50 Entire Cedar
- 34.40 Trail. bears N.E. & S.W.
- 35.80 Pine 12 ins. diam. on line marked
with 2 notches on N. & S. Sides.
- 40.00 Set a Malpais Stone 18 X 11 X 8 ins. 13 ins
in the ground. for $\frac{1}{4}$ Sec Cor.
marked $\frac{1}{4}$ on W. face. Whence
A Pine 12 ins. diam. bears N 68° E
13 lks. dist. marked $\frac{1}{4}$ S. B. I.
A Pine 7 ins. diam. bears N 84° W
60 lks. dist. marked $\frac{1}{4}$ S. B. I. -
- 49.55 Trail. bears N.E. & S.W.
- 65.60 Pine 18 ins. diam. on line. marked
with 2 notches on N. & S. Sides.
- 80.00 Set a Malpais Stone 20 X 15 X 5 ins. 15 ins
in the ground. for. Cor. to Secs.

BOOK 789

T. 15. N. R. 12. E.

Chs. 1. 2. 11 & 12. marked with 5
 matches on S. & 1 match on E. edges.

Whence A Pine 12 ins. diam. bears

N 77° E 47 lbs. dist. marked

T. 15. N. R. 12. E. S. 1 B. S. -

A Pine 7 ins. diam. bears

S 29° E 73 lbs. dist. marked

T. 15. N. R. 12. E. S. 12 B. S. -

A Pine 6 ins. diam. bears

S 57° W 95 lbs. dist. marked

T. 15. N. R. 12. E. S. 11. B. S.

A Pine 8 ins. diam. bears

N 84° W 44 lbs. dist. marked

T. 15. N. R. 12. E. S. 2 B. S.

Land. level.

Soil. Sandy & gravelly, 2^d rate.

Timber. Pine Cedar & Juniper.
 69.50 chs.

Subdivisions. BOOK 789

chr.	$S 89^{\circ} 50' E$ on a random line ^{but. Recs. 15 & 12.} $Va. 13^{\circ} 45' E.$
40.00	Set temporary $\frac{1}{4}$ Sec. Cor.
80.40	Int. E. boundary of Sp. 7 lks. N. of Cor. to Secs. 1, 6, 7 & 12 hereinbefore described. I run $N 89^{\circ} 47' W.$ on a true line ^{but. Recs. 1 & 12.} $Va. 13^{\circ} 45' E.$
	Over level land, in dense cedar
7.40	Trail bears N.W. & S.E.
15.30	Trail. born N.W. & S.E.
27.10	Enter bottom land bears NE & SW
27.45	Trail bears NE & S.W.
28.00	Leave bottom land bears NE & S.W.
40.20	Set a Malpais Stone $20 \times 12 \times 6$ in 15 ins. in the ground. for $\frac{1}{4}$ Sec Cor. marked $\frac{1}{4}$ on N. face. whence A line 12 ins. diam. bears $S 7^{\circ} E$

T. 15. N. R. 12. E.

- Chs. 11 lks. dist. marked $\frac{1}{4}$ S. B. J. -
 A Pine 5 ins. diam. trans. $N 52^{\circ} E$
 24 lks. dist. marked $\frac{1}{4}$ S. B. J. -
- 54.20 Trail. cross N.E. & S.W.
- 54.70 Gulch 10 lks. wide. runs N.E.
- 80.40 The Cor. to Secs. 1, 2, 11 & 12,
 Land. level.
 Soil. Sandy & gravelly, 2^d rate.
 Timber, dense Pine Cedar & Juniper.
 80.40 chs.

$N 0^{\circ} 1' W.$ on a random line
 bet. Secs. 1 & 2.

Va $13^{\circ} 45' E.$

- 40.00 Set. temporary $\frac{1}{4}$ Sec Cor.
- 79.66 Int. N. boundary of Tp. 12 lks.
 E. of Cor. to Secs. 1, 2, 35 & 36.
 Hereinafter described. Then a run
 $S. 0^{\circ} 6' E.$ on a random line.
 bet. Secs. 1 & 2.

Subdivisions. BOOK 789

chs.

Va. $13^{\circ}45'E$.

In dense Pine & Cedar timber

3.40 Trail, bears N.E. & S.W.

39.66 Set a Malpais Stone $18 \times 14 \times 7$ ins 13.
ins. in the ground - for $\frac{1}{4}$ Sec cor.
marked $\frac{1}{4}$ on N. face. Whence
A Pine 4 ins. diam bears S. 63 E.
46 lks. dist. marked $\frac{1}{4}$ S. 13.7.
A Pine 5 ins. diam. bears S $15\frac{1}{2}$ W
36. lks. dist. marked $\frac{1}{4}$ S. 13.4. -

43.90 Trail, bears N.E. & S.W.

79.66 The Cor. to Secs. 1, 2, 11, & 12.

Land. level.

Soil. Sandy & gravelly, 2^d grade,
Timber, dense Pine Cedar & Juniper
for. 79.66 chs.

November 15, 1893

T. 15. N. R. 12. E.

chs. From the Cor. to Secs. 2, 3, 34 &
35. on S. boundary of Township
heretofore described. Run
N 0° 1' W. bet. Secs. 34 & 35.
Va. 13° 45' E.

In heavy Pine timber.

- 2.05 Wagon road bears N.W. & S.E.
8.35 Trail, bears N.W. & S.E.
18.00 Bank bears N.W. & S.E. descend
21.25 Trail, bears N.W. & S.E.
21.55 Gulch 10 lks wide, runs S.E. ascend
25.00 Opposite bank bears N.W. & S.E.
29.05 Trail, bears N.E. & S.W.
40.00 Set a limestone 16 x 8 x 6 ins. 11 ins
in the ground, for $\frac{1}{4}$ Sec. Cor.
marked $\frac{1}{4}$ on W. face. When a
A Cedar 10 ins. diam. bears N 88° E
58 lks. dist. marked $\frac{1}{4}$ S. D. L. —
A Pine 4 ins. diam. bears N 74 $\frac{1}{2}$ W

Subdivisions. BOOK 189

- Chs. 185 lks. dist. marked $\frac{1}{4}$ S. B.S. -
- 60.30 Trail, bears N.E. & S.W.
- 63.50 Leave heavy Pine & Cedars
- 67.00 Brush Fence bears ~~E.E.~~^{W.} & S.W.
- 67.90 Wagon Road. to Winslow bears E, N.E. & S.W.
- 80.00 Set a Sandstone $20 \times 16 \times 6$ ins 15 ins
in the ground. for Cor. to Secs. 26,
27, 34 & 35, marked with 1 notch
on S. and 2 notches on E. edges, within
A Pine 6 ins. diam. bears
N $54\frac{1}{2}^{\circ}$ E. 90 lks. dist marked
T. 15, N. R. 12, E. S. 26, B.S.
- A Juniper 12 ins. diam. bears
S 55° E 14 lks. dist. marked
T. 15, N. R. 12, E. S. 35, B.S. -
- A Pine 5 ins. diam. bears
S 7° W 9 lks. dist. marked
T. 15, N. R. 12, E. S. 34, B.S.
- A Juniper 6 ins. diam. bears

T. 15. N. R. 12. E.

Chs. N77°W 64 lks. dist. marked
T. 15, N. R. 12, E. S. 27. B.L. -
Land. broken.

Soil. gravelly. 3^d rate.
Timber. Pine Juniper Cedar.
80.00 chs.

East. on a Random line

bet. 26 & 35.

Va. 13°45'E.

40.00 Sect. temporary 1/4 Sec. Cor.

79.86 Int. N.T.S. line 12 lks. N. of Cor.

to Secs. 25, 26, 35 & 36. Thence I run

N89°55'W. on a true line

bet. Secs. 26 & 35.

In heavy Pine, Cedar & Juniper timber

8.20 Pine 14 ins. diam. on line marked

with 2 notches on E. & W. sides

39.93 Sandstone in place 24x15x8

ins. above ground. marked 1/4

Subdivisions. BOOK 789

- Chs. on N. face. whence
 A Pine 4 ins. diam. bears $S 9^{\circ} W$
 26. lks. dist. marked $\frac{1}{4}$ S. B. Y.
 A Pine 4 ins. diam. bears $N 6^{\circ} W$
 65 lks. dist. marked $\frac{1}{4}$ S. B. Y.
- 43.50 Wagon Road. to Wislow bears $E. N. E. + W. S. W.$
- 79.86 The Cor. to Secs. 26, 27, 34, & 35.
 Land. level.
 Soil. gravelly. 3^d rate.
 Timber. Pine Cedar & Juniper. 79.86 chs.

$N 0^{\circ} 1' W.$ bet. Secs. 26 & 27.

- Ya. $13^{\circ} 45' E.$
 by heavy Cedar timber
- 10.50 Leaved Cedars
- 21.00 Erect Cedars.
- 40.00 Set a limestone $16 \times 10 \times 5$ ins. 11 ins
 in the ground. for $\frac{1}{4}$ Sec. Cor.
 marked $\frac{1}{4}$ on N. face. whence
 A Pine 10 ins. diam. bears $S 40^{\circ} W$

J. 15. N. R. 12. E.

- Chs. 20 lbs. dist. marked $\frac{1}{4}$ S. B.S. -
 A Pine 5 ins. diam. bears S66°E
- 17 lbs. dist. marked $\frac{1}{4}$ S. B.S. -
- 80.00 Set a sandstone 18x12x6 ins. 13 ins.
 in the ground. for. Gr. to Res. 22, 23.
 26x27, marked with 2 matches on
 S. N. E. edges. Whence -
 A Pine 4 ins. diam. bears
 N43°E 159 lbs. dist. marked
 J. 15. N. R. 12. E. S. 23. B.S. -
 A Pine 5 ins. diam. bears
 S56 $\frac{1}{2}$ °E 162 lbs. dist. marked
 J. 15. N. R. 12. E. S. 26. B.S. -
 A Pine 10 ins. diam. bears
 N43 $\frac{1}{2}$ °W 73 lbs. dist. marked
 J. 15. N. R. 12. E. S. 27. B.S. -
 A Pine 18 ins. diam. bears
 N45 $\frac{1}{2}$ °W 34 lbs. dist. marked
 J. 15. N. R. 12. E. S. 22. B.S. -

Subdivisions. BOOK 789

chs. Land. level.
 Soil. Sandy & gravelly. 2^d & 3^d rate.
 Timber. Pine Cedar & Juniper. 69.50 chs.

$S 89^{\circ} 55' E$ on a random line.

bet. Secs. 23 & 26.

$\gamma a 13^{\circ} 45' E$.

40.00 Set temporary $\frac{1}{4}$ Sec. Cor. Cor. to
 80.00 Int. N. & S. line 12 lks. S. of Secs
 23, 24, 25 & 26. Thence I run
 West on a true line.
 bet. Secs. 23 & 26.

$\gamma a 13^{\circ} 45' E$.
 15.00 Lay heavy cedar & Piñon timber
 Leave Cedar & Piñon

22.50 Enter Cedar & Piñon

29.30 Leave Cedar & Piñon

40.00 Set a sandstone $18 \times 10 \times 6$ ins 13
 ins. in the ground. for $\frac{1}{4}$ Sec Cor.
 marked $\frac{1}{4}$ on N. face. whence

T. 15. N. R. 12. E.

- Chs. A Pine 14 ins. diam. bears N36°E
30.5 lks. dist. marked 1/4 S. B. T. -
A Pine 10 ins. diam. bears S57½°E
116 lks. dist. marked 1/4 S. B. T. -
46.75 Trail. bears. N.W. + S.E.
61.50 Entire Cedar + Piñon
80.00 The Cor. to Secs. 22, 23, 26 + 27.
Land. level.
Soil. gravelly. 2^d rate.
Timber. Pine Cedar + Juniper.
38.30 chs.

N0°1'W. bet. Secs. 22 + 23.
Va. 13°45'E.

- .25 Gulch. 10 lks. wide. runs. N.E.
3.00 Entire dense Cedar
40.00 Set. a sandstone 16x10x7 ins. 11. in.
in the ground. for 1/4 Sec. Cor.
marked 1/4 on W. face. whence
A Pine 10 ins. diam. bears S63°E

Subdivisions. ^{BOOK} 189

Chs.	63 lks. dist. marked $\frac{1}{4}$ S. B. J. - A Pine 5 ins. diam. bears 861° W
	5 lks. dist. marked $\frac{1}{4}$ S. B. J.
44.60	Entire bottom land bears N.E. + S.W.
45.95	Trail bears N.E. + S.W.
46.60	Leaves bottom land bears N.E. + S.W.
59.50	Leaves Cedar
66.10	Trail bears N.W. + S.E.
74.50	Entire dense Cedar + Piñon
80.00	A Pine 6 ins diam. which I mark I 15 N. S. 14 on N.E. R 12 E. S. 23 on S.E. S. 22 on S.W. and S. 15. on N.W. sides, with 3 notches on S. and 2 notches on E. sides for. Cor. to Accs. 14, 15, 22 x 23. where A Pine 7 ins. diam. bears N 71° E 43 lks. dist. marked I. 15. N. R. 12. E. S. 14, B. J.

T. 15. N. R. 12. E.

Chs. A Pine 10 ins. diam. trans
 S 34° E 40 lks. dist. marked
 T. 15. N. R. 12. E. S. 23. B. T.

A Pine 6 ins. diam. trans.
 S 52° W 38 lks. dist. marked
 T. 15. N. R. 12. E. S. 22 B. T. -

A Pine 6 ins. diam. trans.
 N 25° W 9 lks. dist. marked
 T. 15. N. R. 12. E. S. 15. B. T. -

Land level.

Soil. Sandy & gravelly. 2^d rate.

Timber. Pine Cedar & Juniper.
 62,00 chs.

East, on a random line

bet. Secs. 14 & 23.

Va $13^{\circ}45'$ E.

40.00 Set. Temporary $\frac{1}{4}$ Sec. Cr.

80.00 Int. N. & D. line at Cr. to Secs.
 13. 14. 23 & 24. Thence Iron.

Subdivisions.

- chs. West, on a true line.
 bet. Secs. 14 & 23.
 Va. $13^{\circ}45'E$. \odot
 8.00 In heavy Cedar and Piñon
 Leave Cedar & Piñon
 18.50 Enter Cedar & Piñon
 40.00 Set a Sandstone $18 \times 10 \times 8$ ins, 13
 ins. in the ground. for $\frac{1}{4}$ Sec Cor.
 Marked $\frac{1}{4}$ on N. face, whence
 A Pine 6 ins. diam. bears $N36\frac{1}{2}E$
 35 lks. dist. marked $\frac{1}{4}$ S. B. Y.
 A Pine 6 ins. diam. bears $N66\frac{1}{2}E$
 46 lks. dist. marked $\frac{1}{4}$ S. B. Y.
 40.15 Trail, bears N.E. & S.W.
 40.30 Enter bottom bears. N.E. & S.W.
 41.00 Leave bottom bears. N.E. & S.W. ^{ascend}
 44.65 Bank bears. N.E. & S.W.
 80.00 The Cor. to Secs. 14, 15, 22, & 23.
 Land, rolling.
 Soil, gravelly, 3^d rate.

T. 15, N. R. 12. E.

chs. Timber, Pine, Cedar & Juniper.
69.50 chs. November 16, 1893.

No^o 1' W. bet. Secs. 14 & 15.

Va 13° 45' E.

In dense Cedar & Piñon wood

17.50 Leave Cedar & Piñon

40.00 Set a Malpais Stone 16x10x4 ins. 11 ins.
in the ground. for 1/4 Sec. Gr.

marked 1/4 on W. face. whence

A Pine 7 ins. diam. bears N 38° E

24 lks. dist. marked 1/4 S. B. T.

A Pine 5 ins. diam. bears N 43° W

34 lks. dist. marked 1/4 S. B. T.

40.10 Enter Cedar & Piñon.

67.00 Leave Cedar & Piñon

80.00 Set a Malpais Stone 16x10x5 ins. 11 ins.
in the ground. for Cor to Secs. 10, 11,
14, & 15. marked with 4 notches on ~~W.~~

25

Subdivisions.

chs. and 2 notches on E. edges whenever
 A Cedar 6 ins. diam. bears,
 N65°30'E 511. lks. dist. marked
 T. 15. N. R. 12. E. S. 11. B. S.
 A Cedar 6 ins. diam. bears
 S70°30'E 337. lks. dist. marked
 T. 15. N. R. 12. E. S. 14. B. S. -
 A Cedar 8 ins. diam. bears
 S10°W 224 lks. dist. marked
 T. 15. N. R. 12. E. S. 15. B. S.
 A Pine 10 ins. diam. bears.
 N21°30'W 453 lks. dist. marked
 T. 15. N. R. 12. E. S. 10. B. S.
 Land. rolling.
 Soil, gravelly, 3^d rate,
 Timber, Pinon Cedar & Juniper,
 44.40 chs.

East. on a random line.

bet. Secs. 11, & 14.

BOOK 189

T. 15, N. R. 12, E.

Chs.

Va. $13^{\circ}45'E$.

- 40.00 Set temporary $\frac{1}{4}$ Sec. Cor
 80.06 Int. N. & S. line 14 lks. S. of Cor.
 to Secs. 11, 12, 13 & 14. - Iron
 $S 89^{\circ}54' W$. on a true line
 bet. Secs. 11 & 14.

Va. $13^{\circ}45'E$.

- 15.00 Enter Cedar & Piñon
 25.75 Gulch 10 lks. wide runs N.E.
 26.25 Trail. bears N.E. & S.W.
 40.03 Set a Malpais Stone $18 \times 12 \times 8$ ins. 13 ins
 in the ground for $\frac{1}{4}$ Sec. Cor.
 marked $\frac{1}{4}$ on N. face. whence
 A Pine 6 ins. diam. bears $N 1\frac{1}{2}^{\circ} E$
 186. lks. dist. marked $\frac{1}{4}$ S. B. S.
 A Pine 10 ins. diam. bears $N 89^{\circ} W$
 124 lks. dist. marked $\frac{1}{4}$ S. B. S. -
 62.40 Leave Cedar & Piñon
 68.50 Trail. bears N.E. & S.W.

Subdivisions. BOOK 789

- chs.
 69.85 *Ente Cedar + Piñon*
 73.15 *Learn Cedar + Piñon*
 80.06 *The Cor. to Secs. 10, 11, 14 & 15, -*
Land rolling.
Soil. gravelly. 3^d rate.
Timber. Pine, Cedar + Juniper.
 50.70 chs.
-
- N 0° 1' W. bet. Secs. 10, & 11.
 Va. 13° 45' E.
- 40.00 *Set a sandstone 18x8x7 ins. 13 ins*
in the ground. for. 1/4 Sec. Cor.
marked 1/4 on N. face. whence
A Pine 6 ins. diam. bears N15° W
43 lks. dist. marked 1/4 S. B. S. -
A Cedar 4 ins. diam. bears N77° E
27 lks. dist. marked 1/4 S. B. S.
- 41.00 *Ente Cedar + Piñon*
 43.50 *Trail. bears N.W. + S.E.*
 69.00 *Learn Cedar + Piñon*

T. 15. N. R. 12. E.

cho.
80.00

Set a Malpais Stone 16x12x6 ins. 11 in
in the ground. for. Gr. to Secs. 2, 3,
10 & 11. Marked with 5 notches on

S. and 2 notches on E. edges, whence
A Pine 5 ins. diam. bears

S 25° 30' E 176 lks. dist. marked

T. 15. N. R. 12. E. S. 11. B. T. -

A Pine 6 ins diam. bears.

S 7° W 261 lks. dist. marked

T. 15. N. R. 12. E. S. 10 B. T. -

and raised a mound of stone
1 1/2 ft. high. 2 ft. base alongside
Pits impracticable. no other
trees within limits -

Land rolling.

Soil gravelly. 3^d rate.

Timber. Pinon Cedar & Juniper.

28.00 cho.

Subdivisions.

chs. $N 89^{\circ} 54' E$ on a random line
bet. Secs. 2 & 11.
Va. $13^{\circ} 45' E$.

40.00 Set temporary $\frac{1}{4}$ Sec. Cor.

80.16 Int. N. & S. line 10 lks. 10 N. of
Secs. 1, 2, 11, & 12. Thence I run
 $S 89^{\circ} 58' W$. on a true line
bet. Secs. 2 & 11.
Va. $13^{\circ} 45' E$.

In dense Cedar & Piñon

17.32 Pine 16 ins. diam. on line marked
with 2 notches on E. & W. Sides.

40.08 Set a Malpais Stone $18 \times 10 \times 4$ ins. 13
ins. in the ground. for $\frac{1}{4}$ Sec Cor.
marked $\frac{1}{4}$ on N. face. whence
A Pine 5 ins. diam. bears $N 60^{\circ} E$
3 lks. dist. marked $\frac{1}{4}$ S. B.S.
A Pine 5 ins. diam. bears $S 31^{\circ} W$
13 lks. dist. marked $\frac{1}{4}$ S. B.S.

B7K 789

J. 15. N. R. 12. E.

- 74.20 Leary Cedar & Piñon
 80.16 The Cor. to Secs. 2, 3, 10 & 11.
 Land, rolling.
 Soil, gravelly. 2^d + 3^d rate.
 Timber, Pine Cedar & Juniper. 74.20 chs.

N^o 6' W. on a random line
 bet. Secs. 2 & 3.
 Va. 13° 45' E.

- 40.00 Set temporary 1/4 Sec Cor.
 80.10 Int. N. boundary of Tp. 25 E.
 N. of Cor. to Secs. 2, 3, 34 & 35 as
 hereinbefore described. I run
 S 0° 5' W. on a true line.
 bet. Secs. 2 & 3.
 Va. 13° 45' E.

over level land. in timber

- 40.10 Set a Malpais Stone 18x10x4 ins. 13 ins
 in the ground for 1/4 Sec. Cor.

Subdivisions **BOOK 189**

- Chs. marked $\frac{1}{4}$ on W. face, whence
 A Pine 6 ins. diam. bears $N52^{\circ}E$
 12 lks. dist. marked $\frac{1}{4}$ S. B.T. -
 A Pine 14 ins. diam. bears $S34^{\circ}W$
 54 lks. dist. marked $\frac{1}{4}$ S. B.T.
- 48.00 Bank bears NE & SW , descend
- 50.80 Gulch 20 lks. wide runs NE , ascend
- 51.35 Trail bears NE & SW .
- 51.85 Opposite bank bears NE & SW , Enter mesa
- 65.00 Leaves Cedar & Juniper
- 80.10 The Cor. to Secs. 2, 3, 10 & 11.
 Land, nearly level.
 Soil, gravelly, 3^d rate.
 Timber, Pine Cedar & Juniper. 65.00 chs.
 November 17, 1893

From the Cor. to Secs. 3, 4, 33 &
 34 on S. boundary of the Township
 hereinbefore described. I run

T. 15. N. R. 12. E.

- cho. N^o 2' W. bet. Secs. 33 & 34.
Va. 13° 45' E.
- In heavy Pine & Oak timber ^{descend}
- 5.10 Gulch 16 lks. wide runs S.E. ascend
- 6.00 opposite bank bears N.W. & S.E. -
- 21.00 Enter Cedars.
- 40.00 Set a Sandstone 20x11x6 ins. 15
ins. in the ground. for 1/4 Sec. Cor.
marked 1/4 on W. face. whence
A Pine 14 ins. diam. bears N 64° W
33. lks. dist. marked 1/4 S. B. T.
An Oak 5 ins. diam. bears S 5° E
19 lks. dist. marked 1/4 S. B. T.
- 41.60 Brush fence bears E. & W.
- 51.60 Wagon Road to Winslow bears N.E. & S.W.
- 55.85 Juniper 10 ins. diam. on line, marked
with 2 notches on N. & S. Sides
- 60.60 Wagon Road to Winslow bears N.E. & S.W.
- 80.00 Set a Sandstone 22x12x4 ins. 16.

T. 15. N. R. 12. E.

chs. East, on a random line,
bet. Secs. 27 & 34.
Ya. $13^{\circ}45'E$.

40.00 Set temporary $\frac{1}{4}$ Sec. Cor.

79.90 Int. N. & S. line 18. lks. N. of Cor. to
Secs. 26, 27, 34 & 35. Thence I run
 $N 89^{\circ}52'W$. on a true line,
bet. Secs. 27 & 34.
Ya. $13^{\circ}45'E$.

In Cedar & Piñon,

19.00 Enter Gulch runs N.E.

19.50 Leave Gulch runs N.E.

39.95 Set a Sandstone $18 \times 10 \times 4$ ins. 13 ins
in the ground. for $\frac{1}{4}$ Sec. Cor.
marked $\frac{1}{4}$ on N. face. whence
A Pine 13 ins. diam. bears S.
9 lks. dist. marked $\frac{1}{4}$ S. B.T.
A Pine 4 ins. diam. bears $N 23^{\circ}E$
12 lks. dist. marked $\frac{1}{4}$ S. B.T. -

Subdivisions. BOOK 789

- chs.
48.50 Learn Cedar & Piñon.
- 79.90 The Cor. to Secs. 27, 28, 33, & 34,
Land. level.
Soil. Sandy & gravelly, 2^d rate.
Timber. Pine, Cedar & Juniper.
79.90 chs.
-
- N $6^{\circ}2'$ W. bet. Secs. 27 & 28,
Ta. $13^{\circ}45'$ E.
- In heavy Pine & Oak timber
- 23.20 Pine 24 ins. diam. on line. marked
with 2 notches on N. & S. sides
- 40.00 Set a Sandstone $17 \times 10 \times 5$ ins. 12
ins. in the ground. for $\frac{1}{4}$ Sec Cor.
marked $\frac{1}{4}$ on W. face, whence
A Pine 22 ins. diam. bears
N 77° W 50 lks. dist. marked $\frac{1}{4}$ S. B. S.
A Pine 5 ins. diam. bears S 81° E
56 lks. dist. marked $\frac{1}{4}$ S. B. S. -
- 80.00 Sandstone in place $5 \times 4 \times 1$ ft.

T. 15. N. R. 12. E.

chs. above ground marked with
 Cross thus \times . with 2 notches
 on S. and 3 notches on E sides
 of Cross. for Cor. to Secs. 21, 22
 27 & 28. Whence

A Pine 14 ins. diam. bears

N 42° E 56 lks. dist. marked

T. 15. N. R. 12. E. S. 22 B.S.

A Pine 26 ins. diam. bears

S 39° E 118 lks. dist. marked

T. 15. N. R. 12. E. S. 27 B.S. -

A Pine 6 ins. diam. bears

S 85° W 69 lks. dist. marked

T. 15. N. R. 12. E. S. 28. B.S. -

A Pine 17 ins. diam. bears

N $26\frac{1}{2}^{\circ}$ W. 144 lks. dist. marked

T. 15. N. R. 12. E. S. 21. B.S.

Land. level.

Soil. Sandy & gravelly 2^d rate

Subdivisions.

chs. Timber heavy Pine & Oak, 80 chs

$S 89^{\circ} 52' E$. on a random line.

bet. Secs. 22. & 27.

Va. $13^{\circ} 45' E$.

40.00 Set temporary $\frac{1}{4}$ Sec. Cor.

80.00 Int. N. & S. line 19 lks. S. of Cor
to Secs. 22, 23, 26. & 27. I. run.
West, on a true line.

bet. Secs. 22 & 27.

In heavy $Va. 13^{\circ} 45' E$ Pine and Oak Timber

1.60 Enter bottom trans. N.E. & S.W.

2.00 Trail. trans. N.E. & S.W.

2.35 Leave bottom trans. N.E. & S.W. ascend

6.00 Bank. trans. N.E. & S.W.

37.55 Gulch 10 lks. wide. runs. N.E.

38.00 Trail. trans N.E. & S.W.

40.00 Set a Sandstone $20 \times 14 \times 8$ ins. 15 ins.
in the ground. for. $\frac{1}{4}$ Sec. Cor.

J. 15. N. R. 12. E.

- chs. marked $\frac{1}{4}$ on N. face. whence
 A Pine 8 ins. diam. bears South
 6 lks. dist. marked $\frac{1}{4}$ S. B. J.
 A Pine 5 ins. diam. bears $N30^{\circ}E$
 68 lks. dist. marked $\frac{1}{4}$ S. B. J. -
- 41.50 Bank bears N.E. & S.W. into mesa.
- 80.00 The Cor. to Secs. 21, 22, 27 & 28.
 Land. Nearly level.
 Soil. Sandy & gravelly. 2^d rate.
 Timber. Pine & Oak. 80 chs.

$N0^{\circ}2'W$. bet. Secs. 21 & 22.

Va $13^{\circ}45'E$.

- In heavy Pine & Oak timber
- 40.00 Set a Sandstone $20 \times 11 \times 7$ ins. 15 ins
 in the ground. for $\frac{1}{4}$ Sec. Cor.
 marked $\frac{1}{4}$ on N. face. whence
 A Pine 12 ins. diam. bears $N32^{\circ}E$
 49 lks. dist. marked $\frac{1}{4}$ S. B. J.

Subdivisions.

- Chs. A Pine 14 ins. diam. bears $N 87^{\circ} W$
79 lks. dist. marked $\frac{1}{4}$ S. B.S. -
- 41.70 Pine 26 ins. diam. on line. marked
with 2 notches on N. & S. Sides
- 45.00 Learn dense Cedar & Pinon
- 80.00 Set a Sandstone $20 \times 10 \times 6$ ins. 15 ins.
in the ground. for. Gr. to Aces. 15, 16
 21×22 , marked with 3 notches
on S. N. E. Edges. whence
- A Pine 4 ins. diam. bears
 $N 22^{\circ} 30' E$ 162 lks. dist. marked
S. 15. N. R. 12. E. S. 15. B.S. -
- A Pine 18 ins. diam. bears
 $S 86^{\circ} E$ 152 lks. dist. marked
S. 15. N. R. 12. E. S. 22. B.S. -
- A Pine 17 ins. diam. bears
 $S 28^{\circ} W$ 36 lks. dist. marked
S. 15. N. R. 12. E. S. 21. B.S. -
- A Pine 16 ins. diam. bears

T. 15. N. R. 12. E.

Chs. N41°W 104 lks. dist. marked
T. 15. N. R. 12. E. S. 16 B. T. —
Land level.
Soil. Sandy & gravelly, 2^d rate.
Timber, heavy Pine & Oak. 80 chs.

East on a random line

bet. Secs. 15 & 22.

Va. 13°45'E.

40.00 Set temporary 1/4 Sec Cr.

80.20 Int. N + S line 18 lks. N. of Cor. to
Secs. 14, 15, 22 & 23, thence I run
N89°52'W. on a true line
bet. Secs. 15 & 22.
Va. 13°45'E.

In dense Cedar & Piñon.

2.00 Learn Cedar & Piñon.

14.20 Trail from N.W. to S.E.

22.75 Enter Cedar & Piñon.

Subdivisions ~~BOOK~~ 189.

chs.
40.10 Set a Sandstone 20x14x7 ins. 15 ins
in the ground. for $\frac{1}{4}$ Sec. Cor.
marked $\frac{1}{4}$ on N. face. Whence
A Pine 7 ins. diam. bears $S14\frac{1}{2}^{\circ}E$
65 lks. dist. marked $\frac{1}{4}$ S. B. T.
A Pine 6 ins. diam. bears $N37^{\circ}W$
117 lks. dist. marked $\frac{1}{4}$ S. B. T.

79.10 Entu bottom bears. N.E. & S.W.

79.35 Trail. bears N.E. & S.W.

80.20 The Cor. to Secs. 15, 16, 21 & 22.

Land level,

Soil. Sandy & gravelly, 2^d rate.

Timber, Pine Oak & Cedar ~~57.45~~ chs.

November 18. 1893.

$N0^{\circ}2'W$. bet. Secs. 15 & 16.

$Ta. 13^{\circ}45'E$.

Descrpt. in heavy Pine & Cedar timber.

1.30 Trail bears N.W. & S.E.

T. 15, N. R. 12. E.

chs. 5.50	Gulch 20 lks wide runs N.W. ^{ascend}
9.25	Bank trans. N.W. + S.E. enter mesa
28.50	Same Bank trans N.E. + S.W. descend
31.55	Recross gulch 20 lks. wide runs N.E.
32.75	Trail. trans. N.E. + S.W.
33.55	Leave bottom trans. N.E. + S.W. ascend
35.60	Opposite bank trans N.E. + S.W. enter mesa
40.00	Set a Malpais Stone 16x10x6 ins. 11 ins in the ground. for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ on N. face. whence A Pine 4 ins. diam. bears S38°W 116 lks. dist. marked $\frac{1}{4}$ S. B. T. - A Pine 4 ins. diam. bears S41°E 44 lks. dist. marked $\frac{1}{4}$ S. B. T.
43.15	Enter bottom
43.85	Trail. trans N.E. + S.W.
45.25	Leave bottom
47 40	Trail. trans. N.E. + S.W.
80.00	Set a Malpais Stone 18x10x6 ins. 13 ins.

Subdivisions.

chs. in the ground. for Cor. to Secs.
 9, 10, 15 & 16. marked with 4 notches
 on S. and 3 notches on E. edges.
 whence A Pine 5 ins. diam. bears
 N 12° E 53 lks. dist. marked
 T. 15, N. R. 12, E. S. 10 B.S.
 A Pine 9 ins. diam. bears.
 S 43° E 20 lks. dist. marked
 T. 15, N. R. 12, E. S. 15. B.S.
 A Pine 14 ins. diam. bears
 S 15° W 73 lks. dist. marked
 T. 15, N. R. 12, E. S. 16. B.S. -
 A Pine 8 ins. diam. bears
 N $52^{\circ} \frac{1}{2}$ W 41 lks. dist. marked
 T. 15, N. R. 12, E. S. 9 B.S.
 Land, nearly level,
 Soil, gravelly, 2^d rate.
 Timber. Pine & Cedar 80 chs.

T. 15. N. R. 12. E.

- chs. S $89^{\circ}52'E$ on a random line
bet. Secs. 10 & 15.
Va. $13^{\circ}45'E$.
- 40.00 Set temporary $\frac{1}{4}$ Sec. Cr.
80.32 Int. N. & S. line at Cr. to Secs.
10, 11, 14 & 15. Thence I run
N $89^{\circ}52'W$, on a true line
bet. Secs. 10 & 15.
Va. $13^{\circ}45'E$.
- .25 Trail. bears N, W, & S, E.
- 9.00 Enter Cedar & Piñon.
- 40.16 Set a Malpais Stone $16 \times 10 \times 5$ ins. 11
ins. in the ground. for $\frac{1}{4}$ Sec. Cr.
marked $\frac{1}{4}$ on N. face. Whence
A Pine 7 ins. diam. bears N $34\frac{1}{2}^{\circ}E$
44 lks. dist. marked $\frac{1}{4}$ S. B. S.
A Pine 6 ins. diam. bears S $27^{\circ}E$
25 lks. dist. marked $\frac{1}{4}$ S. B. S.
- 44.50 Leave Cedar & Piñon.

Subdivisions. BOOK 189

chs.	
55.10	Truil. bears. N.W. & S.E.
64.50	Entire Cedar & Piñon
70.00	Leaves Cedar & Piñon
79.00	Entire Cedar & Piñon
80.32	The Cor. to Secs. 9, 10, 15, & 16, Land. level, Soil. Sandy & gravelly. 2 ^d rate, Timber, Pine & Cedar. 42.32. chs.

No^o 2' W. bet. Secs. 9 & 10.

Ya 13° 45' E.

In Pine & Cedar timber

38.20 Leaves Cedar & Piñon

40.00 Set a sandstone 24x14x10 ins 18
ins. in the ground. for 1/4 sec cor.
marked 1/4 on W. face where
A Pine 6 ins. diam. bears N 73° E
255 lks. dist. marked 1/4 S. B. J.
A Pine 5 ins. diam. bears. S 46 1/2 W

T. 15. N. R. 12. E.

- Chs. 142 lks. dist. marked $\frac{1}{4}$ S. B. S.
- 43.20 Trail. brass N.E. + S.W.
- 46.50 Entire Cedar + Piñon
- 52.80 Leave Cedar + Piñon
- 59.50 Entire bottom brass. N.W. + S.E.
- 62.80 Trail brass N.W. + S.E.
- 65.00 Leave bottom brass. N.W. + S.E.
- 68.00 Entire Cedar + Piñon.
- 80.00 Set a Malpais Stone $20 \times 12 \times 5$ ins. 15 ins.
in the ground. for Cor. to Secs. 3, 4.
9 & 10. marked with 5 notches on S.
and 3 notches on E. edges. Whence
A Pine 7 ins. diam. brass
N 38° E 31 lks. dist. marked
T. 15. N. R. 12. E. S. 3 B. S.
A Pine 8 ins. diam. brass
S 36° E 44 lks. dist. marked
T. 15. N. R. 12. E. S. 10. B. S. -
A Pine 5 ins. diam. brass

Subdivisions.

- chs. S27°W 23 lks. dist. marked
 Y. 15. N. R. 12. E. A. 9 B.S.
 A Pine 6 ins. diam. brass
 N2°W 43 lks. dist marked
 Y. 15. N. R. 12. E. A. 4 B.S. -
 Land. rolling.
 Soil. Sandy & gravelly. 2^d rate.
 Timber. Pine & Cedar. 5650 chs.
-

S89°52'E on a random line
 bet. Secs. 3 & 10.
 Va. 13°45'E.

- 40.00 Set temporary 1/4 sec Con
 80.02 Int. N. & S. line. 3 lks. S. of Cor. to
 Secs. 2, 3, 10 & 11. Thence Iron.
 N89°53'W. on a true line
 bet. Secs. 3 & 10.
 Va. 13°45'E.

5.50 Enter bottom brass N.W. & S.E.

T. 15. N. R. 12. E.

- | | |
|--------------|--|
| Chs.
6.65 | Trail. bears N.N.W. + S.S.E. |
| 12.00 | Leaves bottom bears N.W. + S.E. |
| 19.80 | Trail. bears N.E. + S.W. |
| 31.50 | Enter Cedar + Piñon. |
| 35.00 | Leaves Cedar + Piñon. |
| 39.80 | Trail. bears N.E. + S.W. |
| 40.01 | Set a Sandstone 18x11x5 ins. 13 ins.
in the ground. for $\frac{1}{4}$ Sec. Cor.
marked $\frac{1}{4}$ on N. face. whence
A Cedar 20 ins. diam. bears S37 $\frac{1}{2}$ E
110 lks. dist. marked $\frac{1}{4}$ S. B.S. -
A Pine 7 ins. diam. bears N72° W
120 lks. dist. marked $\frac{1}{4}$ S. B.S. |
| 42.50 | Enter Cedar + Piñon. |
| 80.02 | The Cor. to Secs. 3, 4, 9 & 10.
Land. rolling.
Soil. gravelly. 2 ^d + 3 ^d rate.
Timber, Pine + Cedar. 41.02 chs. |

Subdivisions.

- Chs. $N 0^{\circ} 5' E$, on a random line
bet. Secs. 3 & 4.
 $\gamma a. 13^{\circ} 45' E$.
- 40.00 Set temporary $\frac{1}{4}$ Sec. Cor.
- 80.34 Int. N. boundary of Tp. 16 N. E.
of the Cor. to Secs. 3, 4, 33, & 34. as
hereinafore described. Thence I run
 $S 0^{\circ} 2' E$, on a true line.
bet. Secs. 3 & 4.
 $\gamma a. 13^{\circ} 45' E$.
- .50 Descend. Leave Cedar & Piñon.
- 1.00 Enter Park bears E. & W.
- 3.35 Trail bears W. N.W. & E. S.E.
- 8.30 Trail bears W. N.W. & E. S.E.
- 18.95 Wagon Road to Winslow bears E. & W.
- 31.50 Leave Park & enter Piñon bears E. & W.^{ascend}
- 40.34 Set a malpais Stone $20 \times 8 \times 8$ ins. 15
ins. in the ground. for $\frac{1}{4}$ Sec Cor.
marked $\frac{1}{4}$ on N. face. when

J. 15, N. R. 12. E.

Chs. A Pine 8 ins. diam. bears S 64° E
 17 lks. dist. marked $\frac{1}{4}$ A. B. J. -
 A Pine 6 ins. diam bears N 89° W
 29 lks. dist. marked $\frac{1}{4}$ A. B. J. -
 80.34 The Cor. to Secs. 3, 4, 9 & 10.

Land, rolling.

Soil, sandy & gravelly, 1st & 2^d rate.

Timber, dense Pine & Cedar 48^{sq} chs.

November 20, 1893.

From the Cor. to Secs. 4, 5, 32 &
 33, on S. boundary of Township
 hereinbefore described. I run
 N 0° 2' W. bet. Secs 32 & 33.

Va. 13° 45' E.

In heavy Pine & oak timber
 40.00 Set a Sandstone 18x11x8 ins. 13 ins
 in the ground. for $\frac{1}{4}$ Sec. Cor.
 marked $\frac{1}{4}$ on W. face. where

Subdivisions.

- Chs. A Pine 12 ins. diam. bears $N40^{\circ}E$
51 lbs. dist. marked $\frac{1}{4}$ S. B.T. -
- A Pine 24 ins. diam. bears $S36^{\circ}W$
125 lbs. dist. marked $\frac{1}{4}$ S. B.T. -
- 77.15 Old Wagon road. bears. $N.W. + S.E.$
- 80.00 Set. a Sandstone $17 \times 14 \times 6$ ins. 12 in
in the ground. for Cor. to Secs. 28,
29, 32 & 33. marked with 1 notch
on S. and 4 notches E. edges. whence
- A Pine 12 ins. diam. bears
 $N7^{\circ}30'E$ 48 lbs. dist. marked
T. 15. N. R. 12. E. S. 28. B.T. -
- A Pine 13 ins. diam. bears
 $S43^{\circ}E$ 6 lbs. dist. marked
T. 15. N. R. 12. E. S. 33. B.T. -
- A Pine 20 ins. diam. bears
 $S70^{\circ}W$ 101 lbs. dist. marked
T. 15. N. R. 12. E. S. 32. B.T. -
- A Pine 14 ins. diam. bears

J. 15. N. R. 12. E.

chs. N78°W. 72 lks. dist. marked
J. 15. N. R. 12. E. S. 29. B.T. -
Land. level.

Soil. Sandy & gravelly, 2^d rate.
Timber: Heavy Pine & Oak, 80. chs.

East. on a random line

bet. Secs. 28 & 33.

Va. 13°45'E.

40.00 Set. temporary 1/4 Sec Cor.

80.40 Int. N. & S. line, 21 lks. S. of Cor. to
Secs. 27, 28, 33 & 34. Thence I run
S89°51'W. on a true line
bet. Secs. 28 & 33.

27.00 Va. 13°45'E
by heavy Cedar and Oak timber
Learned Cedar & Oak timber

40.20 Set. a sandstone 17x11x6 ins. 12 ins
in the ground. for 1/4 Sec. Cor.
marked 1/4 on N. face. whence

Subdivisions ⁸⁷⁻¹¹ 189.

- Cho. An Oak 4 ins. diam. bears $S69\frac{1}{2}^{\circ}E$
66 lks. dist. marked $\frac{1}{4}$ S. B. I. -
- A Pine 18 ins. diam. bears $N22^{\circ}W$
68 lks. dist. marked $\frac{1}{4}$ S. B. I. -
- 40.50 Entire Cedar & Oak timber.
- 80.40 The Cor. to Secs. 28, 29, 32, & 33.
Land. level.
Soil. Sandy & gravelly. 2^d rate.
Timber. Pine Oak & Cedar. 66.90 cho.
-

$N0^{\circ}2'W$. bet. Secs. 28 & 29.

Va. $13^{\circ}45'E$.

In heavy Pine & Oak timber

- 40.00 Set a Sandstone $18 \times 10 \times 7$ ins 13.
ins. in the ground. for $\frac{1}{4}$ Sec. Cor.
marked $\frac{1}{4}$ on W. face. whence
A Pine 14 ins. diam. bears $S30^{\circ}E$
30 lks. dist. marked $\frac{1}{4}$ S. B. I. -

T. 15. N. R. 12. E.

- Chs. An Oak 4 ins. diam. cross. $S 73^{\circ} W$
43 lks. dist. marked $\frac{1}{4}$ S. B. J. -
- 80.00 Set a sandstone $20 \times 11 \times 4$ ins. 15 ins.
in the ground - for. Cor. to Secs. 20, 21
28 & 29, marked with 2 notches on
S. and 4 notches on E. edges. Whence
- An Oak 5 ins. diam. cross
 $N 22^{\circ} E$. 58 lks. dist. marked
T. 15 N. R. 12. E. S. 21. B. J. -
- A Pine 12 ins. diam. cross
 $S 2^{\circ} E$ 35 lks. dist. marked
T. 15. N. R. 12. E. S. 28. B. J. -
- A Juniper 8 ins. diam. cross
 $S 78^{\circ} W$ 139 lks. dist. marked
T. 15. N. R. 12. E. S. 29. B. J. -
- A Pine 14 ins. diam. cross
 $N 47 \frac{1}{2} W$ 84 lks. dist. marked
T. 15. N. R. 12. E. S. 20. B. J. -
- Land. level.

Subdivisions.

Chs. Soil. Sandy & gravelly 2^d rate
Timber. Pine Cedar & Oak. 80. chs.

N 89° 51' E. on a random line

bet. Secs. 21 & 28.

Va. 13° 45' E

40.00 Set. temporary 1/4 Sec. Cor.

80.20 Int. N. & S. line. 47 lks. N. of Cor.
to Secs. 21, 22, 27 & 28. Thence I run

N 89° 49' W on a true line

bet. Secs. 21 & 28,

Va. 13° 45' E,

In heavy Pine & Oak timber

21.35 Gulch 10 lks wide runs N.E.

37.20 Leave Cedar & Piñon & Little Pine

40.10 Set a Sandstone 16 x 11 x 8 ins. 11
ins. in the ground. for 1/4 Sec. Cor.
marked 1/4 on N. face. whence

J. 15. N. R. 12. E.

- Chs. A Juniper 10 ins. diam. bears N 23° E
38 lks. dist. marked 1/4 S. B. J.
A Pine 8 ins. diam. bears. S 35° W
41 lks. dist. marked 1/4 S. B. J. -
- 49.10 Eaten gulch runs S.E.
- 50.00 Lean gulch runs S.E. ascent
- 55.50 Bank bears. N.W. + S.E.
- 57.40 Trail. from N.E. + S.W.
- 57.75 Recross gulch 10 lks wide runs N.E.
- 80.20 The Cor. to Secs. 20, 21, 28 X, 29.
Land. level.
- Soil. Sandy + gravelly, 2^d rate.
Timber. Pine + Cedar 80. chs.
-
- N 0° 2' W. bet. Secs. 20 + 21.
Va. 13° 45' E.
- In heavy Pine + Oak timber
- 40.00 Set a sandstone 18 X 13 X 5 ins. 13 in
in the ground. for 1/4 Sec. Cor.

BOOK 183

Subdivisions.

- chs. marked $\frac{1}{4}$ on N. face whence
 A Pine 14 ins. diam. bears $N 35^{\circ} E$
 86 lks. dist. marked $\frac{1}{4}$ A. B. J. -
 A Pine 15 ins. diam. bears $S 70^{\circ} W$
 134 lks. dist. marked $\frac{1}{4}$ A. B. J. -
- 80.00 Set a Sandstone $18 \times 14 \times 6$ ins. 13 ins.
 in the ground. for. Cor. to Recs. 16. 17.
 20 + 21. marked with 3 notches on
 S. and 4 notches on E. edges whence
 A Pine 12 ins. diam. bears
 $N 63^{\circ} E$ 104 lks. dist. marked
 T. 15. N. R. 12. E. S. 16. B. J. -
 A Pine 14 ins. diam. bears
 $S 4^{\circ} E$ 109 lks. dist. marked
 T. 15. N. R. 12. E. S. 21. B. J. -
 A Pine 13 ins. diam. bears
 $S 63^{\circ} W$ 149 lks. dist. marked
 T. 15. N. R. 12. E. S. 20. B. J. -
 A Pine 16 ins. diam. bears

FOOK 189

T. 15. N. R. 12. E.

chs. N71°W 212 lks. dist. marked
 T. 15. N. R. 12. E. S. 17. B. L. -
 Land level.
 Soil. gravelly, 2^d + 3^d rate.
 Timber, Pine + Oak. 80. chs.

S 89°49'E. on a random line
 bet. Secs. 16 + 21.

Va. 13°45'E.

40.00 Sect. temporary 1/4 Sec Cor.

80.00 Int. N. + S. line 7 lks. N. of Cor to
 Secs 15, 16, 21 + 22. True line
 N 89°52' W on a true line
 bet. Secs. 16 + 21.

Va. 13°42'E.

10.10 Pine 24 ins. diam on line. marked
 with 2 notches on E + W sides

13.00 Entire Cedar + Pinon

29.00 Leaves Cedar + Pinon

Subdivisions T. 15, N. R. 12, E.

- 36.90 Pine 24 ins. diam. on line marked
with 2 notches on E. & W. sides
- 40.00 Set a limestone 18x12x7 ins. 13 ins
in the ground. for $\frac{1}{4}$ Sec. Cor.
marked $\frac{1}{4}$ on N. face. whence
A Pine 12 ins. diam. from N 66 $\frac{1}{2}$ E
52 lks. dist. marked $\frac{1}{4}$ S. B. T.
A Pine 4 ins. diam. from S 44° W
78 lks. dist. marked $\frac{1}{4}$ S. B. T.
- 54.00 Enter Cedar & Pinon.
- 59.70 Pine 12 ins. diam. on line marked
with 2 notches on E. & W. sides
- 79.15 Trail. from N.W. to S.E.
- 80.00 The Cor. to Secs. 16, 17, 20 & 21.
Land, level.
Soil, gravelly, 3^d rate.
Timber, Pine & Cedar, 42.00 chs.

November 21, 1893