

T 15 R 13 E

No. 191

Subdivisions.

4-671

191

FIELD NOTES
GENERAL LAND OFFICE.

Tp. 15 N. R. 13 E.

No. 191

Field Notes.
of the Survey of the
Subdivision Lines.
of
T. 15. N. R. 13. E.
of the
Gila & Salt River Base.
and Meridian.
in the
Territory of Arizona.
as Surveyed by
Daniel Drummond
U. S. Deputy Surveyor.
under his Contract No. 28.
Dated February 21, 1893.

Survey Commenced Nov. 30. 1893.
Survey Completed. Dec. 16. 1893.

(4-674.)

Township 15. NORTH R. 13. EAST.

Index for Books 191 and 192

6	100.	5	73.	4	54.	3	36.	2	18.	1
98.		97.		72.		52.		35		17.
7	95.	8.	70.	9	51.	10	33.	11	15.	12
93.		92.		69.		49.		31.		13.
18	90.	17	67.	16	48.	15	30.	14	12.	13
89.		87.		65		46.		28.		10.
19	85.	20	63.	21	44.	22	26.	23	9.	24
84.		82.		62.		43.		25.		7.
30	81.	29	59.	28	41.	27	23.	26	6.	25
79.		77.		58.		40.		21.		4.
31	75	32	56.	33	38.	34	20.	35	2	36

G-389

1B

BOOK 191

Subdivisions T. 15. N. R. 13. E.

I set my instrument over the Cor. to Secs. 1, 2, 35, & 36, Tps. 14, & 15, N. R. 13. E. I direct the telescope to Polaris, in Latitude $34^{\circ}39'N$. Long $110^{\circ}55'W$ at $8^{\text{h}} 39^{\text{m}} 30^{\text{s}}$ P.M. local mean solar time. by my watch, which is correct on November 30, 1893.

I observe Polaris at its upper culmination, and find its magnetic bearing to be,

$N 13^{\circ}46' W$.

N. end of needle. $13^{\circ}46' E$

The Va. is therefore $13^{\circ}46' E$.

I now lay off the true meridian so determined, by driving a peg. 5. chs. north of the corner.

November 30, 1893

Subdivisions J. 15th N. R. 13. E.

chs. At 7 am, Dec. 1, 1893. I tested my Transit on the meridian determined last night, and found the Solar apparatus in good adjustment. I also find the Va. to be $13^{\circ}46'E$.—

From the Cor. to Secs. 1, 2, 35, & 36
Tps. 14 & 15, N. R. 13, E, herein before
described. from thence I run
 $N 0^{\circ}1'W$. bet. Secs. 35, & 36.
Va. $13^{\circ}46'E$.

Over level land. in timber

- 37.85 Trail. bears N.E. & S.W.
38.10 Gulch 20 lks. wide. runs N.E.
40.00 Set a Sandstone $20 \times 15 \times 8$ ins. 15
ins. in the ground. for $\frac{1}{4}$ Sec. Cor.
marked $\frac{1}{4}$ on N. face. whence
A Pine 22 ins. diam. bears $N 38^{\circ}E$

Subdivisions. **BOOK 191**

- chs. 7 lks. dist. marked $\frac{1}{4}$ S B.S. -
 A Pine 8 ins. diam. bears S 40° W
- 7 lks. dist. marked $\frac{1}{4}$ S. B.S. -
- 57.10 Enter gulch
- 57.50 Leave gulch Recross ^{ascend} hrs. N.W.
- 57.70 Trail bears N.W. + S.E.
- 60.60 Bank bears N.W. + S.E.
- 80.00 Set a Sandstone $20 \times 10 \times 4$ ins 15
 ins. in the ground. for Cor. to Secs.
 25, 26, 35, + 36. marked with 1 notch
 on S. + E. edges. whence
- A Pine 4 ins diam bears
 N 62° E 8 lks. dist. marked
 T. 15. N. R 13. E. S. 25. B.S. -
- A Pine 8 ins. diam. bears
 S 42° E 22 lks. dist. marked
 T. 15. N. R 13. E. S. 36. B.S.
- A Pine 5 ins. diam. bears
 S 27° W 30 lks. dist. marked

T. 15. N. R. 13. E.

chs. T. 15. N. R. 13. E. S. 35. B. T. —

A Pine 5 ins. diam. bears

N 50° W 15 chs. dist. marked

T. 15. N. R. 13. E. S. 26. B. T. —

Land level.

Soil, gravelly 2^d rate

Timber, Heavy Pine, 80 chs.

N. 89° 53' E on a random line

bet. Secs. 25 & 36.

Ta. 13° 46' E

40.00 Set temporary 1/4 Sec. Cor.

80.04 Int. E. boundary of Tp. 15 chs.

S. of Cor. to Secs. 25, 30, 31 & 36.

A stone firmly set, properly marked
and witnessed. Thence I run.

S 89° 51' W. on a true line

bet. Secs. 25 & 36.

Subdivisions.

Chs.

Va. 13°46'E

In Pine timber.

7.70 Bank bears N.W. + S.E. descend

9.25 Gulch 30 lks wide. runs N.W. ^{as end}

10.00 Trail. bears N.W. + S.E.

24.50 Opposite bank bears N.W. + S.E.

31.50 Bank bears N.E. + S.W. descend

33.50 Enter bottom.

34.30 Leave bottom, ascend

36.40 Opposite bank, bears N.E. + S.W.

40.02 A Pine 9 ins. diam. which I mark
1/4 S. on N. side. for 1/4 Sec. Cor. where

A Pine 7 ins. diam. bears N56°W

35 lks. dist. marked 1/4 S. B.T. -

A Pine 4 ins. diam. bears S57°W

10 lks. dist. marked 1/4 S. B.T. -

80.04 The Cor. to Secs. 25, 26, 35, & 36

Land. level nearly

Soil. gravelly 2^d rate

T. 15. N. R. 13. E.

chs. Timber heavy Pine. 80.04 chs.

N 0° 1' W. bet. Secs. 25 & 26.

Va. 13° 46' E

Over level land. Saw pine timber

40.00 Set a Malpais Stone 16x8x8 ins. 11 ins.

in the ground. for 1/4 Sec. Gr.

marked 1/4 on W. face. whence

A Cedar 4 ins. diam. bears N 89° W

36 lks. dist. marked 1/4. A. B. J. -

A Pine 4 ins. diam. bears S 80° E

36 lks. dist. marked 1/4. A. B. J. -

62.50 Trail. bears N.E. & S.W.

80.00 Set a Malpais Stone 18x12x8 ins. 13 ins

in the ground. for Gr. to Secs. 23,

24, 25 & 26. marked with 2 notches

on S. and 1 notch on E. edges. whence

A Pine 4 ins. diam. bears

N 56° E 5 lks. dist. marked

Subdivisions.

Chs. T. 15, N. R. 13, E. S. 24. B.S. -

A Pine 20 ins. diam. bears
S54°E 5 lks. dist. marked

T. 15, N. R. 13, E. S. 25. B.S.

A Pine 7 ins. diam. bears
S71°W 183 lks. dist. marked

T. 15, N. R. 13, E. S. 26. B.S. -

A Cedar 12 ins. diam. bears
N4°W 13 lks. dist. marked

T. 15, N. R. 13, E. S. 23. B.S.

Land, level.

Soil. Sandy & gravelly 2^d rate

Timber Pine & Cedar 80 chs.

N 89° 51' E, on a random line

bet. Secs. 24 & 25,

va. 13° 46' E,

40.00 Set temporary 1/4 Sec. Cor

80.10 Int. E. boundary of Sp. 10 lks

T. 15. N. R. 13. E.

Ch^o N. of Cor. to Secs. 19, 24, 25 & 30, a
 Stone firmly set, properly marked
 and witnessed. Thence I run
 S 89° 55' W. on a true line.

bet. Secs. 24 & 25.

- 9.35 In heavy pine & cedar timber
 Ga. 13° 46' E.
 Trail, bears N.E. & S.W.
- 40.05 Set a Malpais Stone 18x10x8 ins. 13.
 ins. in the ground. for $\frac{1}{4}$ Sec Cor.
 marked $\frac{1}{4}$ on N. face. Whence
 A Pine 6 ins. diam. bears S 58° E
 112 lks. dist. marked $\frac{1}{4}$ S. B. S.
- A Pine 4 ins. diam. bears N 25 $\frac{1}{2}$ ° E
 237 lks. dist. marked $\frac{1}{4}$ S. B. S.
- 56.50 Trail, bears N.E. & S.W.
- 80.10 The Cor. to Secs. 23, 24, 25 & 26.

Land, level.

Soil sandy & gravelly 2^d rate
 Timber Pine & Cedar. 80.10 chs.

Subdivisions.

- chs. N 0° 1' W. bet. Secs. 23 & 24.
Va. 13° 46' E
- Over level land. in timber
- 28.25 Trail. bears N.E. & S.W.
- 40.00 Set a Sandstone 18x10x10 ins. 13. ins.
in the ground. for $\frac{1}{4}$ Sec. Cor.
marked $\frac{1}{4}$ on W. face. Whence
a Pine 4 ins. diam. bears S 47° E
27 lbs. dist. marked $\frac{1}{4}$ S. B.S.
A Cedar 6 ins. diam. bears S 41° W.
9 lbs. dist. marked $\frac{1}{4}$ S. B.S. -
- 80.00 Set a Malpais Stone 18x12x5 ins 13
ins. in the ground. for. Cor. to Secs.
13. 14. 23 & 24. marked. with 3.
matches on S. and 1 match on
E. edges whence
A Pine 10 ins. diam. bears
N 11 $\frac{1}{2}$ ° E 139 lbs. dist. marked
T. 15. N. R 13. E. A. 13. B.S. -

T. 15. N. R. 13. E.

Chs. A Pine 5 ins. diam. bears
 S 50° E 184 lks. dist. marked
 T. 15. N. R. 13. E. A. 24. B. 1. -

A Pine 6 ins. diam. bears
 S 82 $\frac{1}{4}$ ° W 123 lks. dist. marked
 T. 15. N. R. 13. E. A. 23. B. 1. -

A Pine 7 ins. diam. bears
 N 39 $\frac{1}{4}$ ° W 45 lks. dist. marked
 T. 15. N. R. 13. E. A. 14. B. 1. -

Land level.

Soil. Sandy + gravelly 2^d rate
 Timber Pine + Cedar 80 chs.

N 89° 55' E. on a random line
 bet. Secs. 13 + 24.

Va. 13° 46' E

40.00 Bet. temporary $\frac{1}{4}$ Sec. Cr.
 80.08 Int. E. boundary of Sp. 7 lks. N.
 of Cor. to Secs. 13, 18, 19, + 24.

Subdivisions.

Cho. A stone firmly set, properly
marked & witnessed. True
S $89^{\circ}58'W$ on a true line.

bet. Secs. 13 & 24.

40.04 In heavy ^{13° 46' E.} Pine & Cedar timber
Set a sandstone $18 \times 16 \times 6$ ins. 13.
ins. in the ground for $\frac{1}{4}$ sec cor.
marked $\frac{1}{4}$ on N. face. whener
A Cedar 5 ins. diam bears S $38^{\circ}W$
9 lks. dist. marked $\frac{1}{4}$ S B.S. -
A Cedar 4 ins. diam bears N $78^{\circ}E$
19 lks dist marked $\frac{1}{4}$ S. B.S.

80.08 The Cor. to Secs. 13, 14, 23, & 24.
Land. level.

Soil. Sandy & gravelly 2^d rate
Timber Pine & Cedar 80.08 cho
December 1, 1893.

T. 15. N. R. 13. E.

- chs. N 0° 1' W. bet. Secs. 13 & 14.
- 26.80 In heavy pine and cedar timber
Bank beans. NE. + SW. descend
Dca. 13° 46' E
- 27.40 Drail. beans NE. + SW.
- 27.50 Gulch. 30 lks wide. runs. NE.
- 33.15 Drail. beans. NE. + SW.
- 40.00 Set a Sandstone 17x8x8 ins. 12.
ins. in the ground. for 1/4 Sec Cor.
Marked 1/4 on W. face. whence
A Pine 7 ins. diam beans N 30° E
109 lks. dist. marked 1/4 S. B. T.
A Pine 5 ins. diam. beans. S 30° W
88 lks. dist. marked 1/4 S. B. T.
- 80.00 Set a Sandstone 18x15x10 ins. 13.
ins. in the ground. for Cor. 8, 11, 12, 13, 14
marked with 4 matches on S.
and 1 match on E. edges, whence
A Pine 5 ins. diam. beans.
N 40° E. 87 lks. dist. marked

Subdivisions.

Chs. T. 15, N. R. 13, E. S. 12 B. 1,
 A Pine 6 ins. diam. bears
 S 40° E 70 lks. dist. marked
 T. 15, N. R. 13, E. S. 13, B. 1, -
 A Pine 6 ins. diam. bears
 S 32½ W 52 lks. dist. marked
 T. 15, N. R. 13, E. S. 14 B. 1, -
 A Pine 5 ins. diam. bears
 N 18½ W 58 lks. dist. marked
 T. 15, N. R. 13, E. S. 11, B. 1, -
 Land, level.

Soil, sandy & gravelly 2nd rate
 Timber Pine & Cedar 80. Chs.

N 89° 58' E. on a random line
 bet. Secs. 12 & 13.
 Va. 13° 46' E

40.00 Set. temporary ¼ Sec. Cr.
 80.12 Int. E. boundary of Sp. 10 lks.

BOOK 191

T. 15. N. R. 13. E.

Chs. S. of Cor. to Secs. 7, 12, 13 & 18, a
stone firmly set. properly
marked & witnessed. Iron
S $89^{\circ}54'$ W. on a true line
bet. Secs. 12 & 13.

In Cedar Va. $13^{\circ}06'$ E.
and Pinon

4.30 Leave Cedar & Pinon.

14.40 Trail. bears N.E. & S.W.

21.80 Enter Cedar & Pinon.

36.00 Pinon 8 ins. diam. on line. marked
with 2 notches on E. & W sides

40.06 Set. a Sandstone $18 \times 13 \times 7$ ins. 13, ins.
in the ground. for $\frac{1}{4}$ Sec. Cor.
marked $\frac{1}{4}$ on N. Side. Whence
A Pine 10 ins. diam. bears $N 31^{\circ} \frac{1}{2} E$
50 lks. dist. marked $\frac{1}{4}$ S. B. S.
A Pine 8 ins. diam. bears $S 15^{\circ} E$
159 lks. dist. marked $\frac{1}{4}$ S. B. S.
80.12 The Cor to Secs. 11, 12, 13. & 14.

BOOK 191

Subdivisions.

chs. Land level.
 Soil. Sandy. 2^d rate.
 Timber Pine & Cedar. 62.62 chs

N^o 1' W. bet. Secs. 11. & 12.

- V^o 13° 46' E
- 25.40 In heavy Pine & Cedar timber
 Gulch 20 lks. wide, runs N.E.
- 25.70 Trail. bears N.E. & S.W.
- 40.00 Set a Sandstone 18X8X7 ins 13 ins.
 in the ground. for 1/4 Sec. Cor.
 marked 1/4 on W. face. whence
 A Pine 5 ins. diam. bears S 40° W
 43 lks. dist. marked 1/4 S. B.T.-
 A Cedar 6 ins. diam. bears S 55° E
 5 lks. dist. marked 1/4 S. B.T.-
- 70.30 Gulch 10 lks wide. runs N.E. ascend
- 73.00 Bank bears N.E. & S.W. under mesa
- 80.00 Set a Sandstone 18X8X6 ins. 13
 ins. in the ground. for. Cr. to Secs.

T. 15. N. R. 13. E.

- chs. 1, 2, 11 & 12, marked with 5 notches
 on S. & 1 notch on E. edges. where
 A Pine 9 ins. diam. bears
 N 84 $\frac{1}{2}$ E 37 lks. dist. marked
 T. 15. N. R. 13. E. S. 1. B. S. —
 A Pine 7 ins. diam. bears.
 S 15 $^{\circ}$ E 164 lks. dist. marked
 T. 15. N. R. 13. E. S. 12. B. S. —
 A Pine 6 ins. diam. bears.
 S 18 $\frac{1}{2}$ W 110 lks. dist. marked
 T. 15. N. R. 13. E. S. 11. B. S. —
 A Pine 6 ins. diam. bears
 N 25 $\frac{1}{2}$ W 66 lks. dist. marked
 T. 15. N. R. 13. E. S. 2 B. S.

Land. level.

Sail. Sandy 2 $^{\text{d}}$ rate.

Timber. Pine & Cedar 80. chs.

Subdivisions BOOK 191

- Chs. N 89° 54' E on a random line
bet. Secs. 1 & 12.
Va. 13° 46' E
- 40.00 Set. temporary 1/4 Sec. Cor.
- 80.07 Set. E. boundary of Sp. 7 lks.
N. of Cor. to Secs. 1, 6, 7 & 12. a
stone firmly set. properly marked
& witnessed. Thence I run.
S 89° 57' W. on a true line
bet. Secs. 1 & 12.
Va. 13° 46' E.
- 14.50 In heavy Pine and Cedar timber
Set. bottom bears. N.E. & S.W.
- 15.10 Trail bears. N.E. & S.W.
- 20.00 Leave bottom & ascend
- 23.50 Bank bears N.E. & S.W. extra mesa
- 40.03 A Pine 5 ins. diam. which I
mark 1/4 S. on N. side. for 1/4 Sec
Cor. Whence A Pine 5 ins. diam bears
S 3° W 64 lks. dist. marked 1/4 S. B.S. -

J. 15. N. R. 13. E.

- Chs. A Pine 5 ins. diam. trans. $N47^{\circ}W$
 33. lks. dist. marked $\frac{1}{4}$ S. B. I. —
 73.45 Wagon Road to Winslow. cross. S.E. & N.W.
 80.07 The Cor. to Secs. 1, 2, 11, & 12.
 Land. level.
 Soil. Sandy. 2^d rate.
 Timber. Pine & Cedar, 80.07 chs.
-

$N0^{\circ}1'W$. on a random line

bet. Secs. 1 & 2.

Var. $13^{\circ}46'E$.

- 40.00 Set temporary $\frac{1}{4}$ Sec. Cr.
 79.96 Int. N. boundary of Twp. 9 lks. W.
 of Cor. to Secs. 1, 2, 35 & 36. Herein-
 before described. Thence I run
 $S0^{\circ}3'W$. on a true line.

bet. Secs. 1 & 2.

Var. $13^{\circ}46'E$

- 39.96 In heavy Pine and Cedar timber
 Set a malpais Stone $18 \times 11 \times 4$ ins. 13.

Subdivisions. **BOOK** 191

- Chs. in in the ground. for $\frac{1}{4}$ Sec Cor.
 marked $\frac{1}{4}$ on W. face. Whence
 A Cedar 10 ins. diam. bears S 81° E
 63 lbs. dist. marked $\frac{1}{4}$ S. B.Y. -
 A Pine 9 ins. diam. bears N 72° W
 90 lbs. dist. marked $\frac{1}{4}$ S. B.Y. -
- 61.50 Leave Cedar + Pinon.
 70.50 Trail. bears N.W. + S.E.
 72.00 Wagon Road. to Winslow bears. N.W. + S.E.
 77.50 Enter Cedar + Pinon.
 79.96 The Cor. to Secs. 1, 2, 11, & 12,
 Land. Nearly level.
 Soil. Sandy. 2^d rate
 Timber Pine + Cedar 63.⁹⁶ Chs.

December 2, 1893.

From the Cor. to Secs. 2, 3, 34,
 + 35. on S. boundary of Tp.
 Here in before described. I run.

BOOK 191

T. 15. N. R. 13. E.

Chs. N 0° 1' W. bet. Secs. 34 & 35.

Va. 13° 46' E.

In Pine timber, over level land

40.00 Set a Sandstone 15x8x5 ins. 10. ins.

in the ground, for $\frac{1}{4}$ Sec Cor.marked $\frac{1}{4}$ on W. face, whence

A Pine 7 ins. diam. bears N 64° E

18. lks. dist. marked $\frac{1}{4}$ S. B. T. -

A Cedar 6 ins. diam. bears N 65° W

11 lks. dist. marked $\frac{1}{4}$ S. B. T. -

63.90 Trail. bears N. E. & S. W.

80.00 Set a Sandstone 22x12x10 ins. 16

ins. in the ground, for Cor. to Secs.

26, 27, 34 & 35. marked with 1

natch on S. & 2 natches on E. edges

whence A Pine 7 ins. diam. bears

N 81° E 9 lks. dist. marked

T. 15. N. R. 13. E. S. 26. B. T. -

A Pine 5 ins. diam. bears

Subdivisions.

- chs. S 8° E 56 lks. dist. marked
 S. 15. N. R. 13. E. S. 35. B.S. -
 A Pine 5 ins. diam. bears,
 S 17° W 17 lks. dist. marked
 S. 15. N. R. 13. E. S. 34. B.S. -
 A Pine 6 ins. diam. bears,
 N 27° W 21 lks. dist. marked
 S. 15. N. R. 13 E. S. 27. B.S. -
 Land. level.
 Soil. Sandy & gravelly 2^d rate
 Timber Pine & Cedar 80. chs.

N 89° 53' E, on a random line
 bet. Secs. 26 & 35
 Va. 13° 46' E

- 40.00 Set temporary 1/4 Sec. Cor.
 80.28 Int. N. & S. line 9 lks. N. of Cor.
 to Secs. 25, 26, 35 & 36. Thence I run
 S 89° 57' W on a true line

T. 15. N. R. 13. E.

- | Chs | but. Secs. 26 & 35, |
|-------|--|
| | Pa. 13° 46' E. |
| 15.00 | In heavy Pine timber
Bank bears N.W. + S.E., descend |
| 18.30 | Enter bottom bears. N.W. + S.E., |
| 18.40 | Trail bears. N.W. + S.E., |
| 20.00 | Leave bottom ascend |
| 21.50 | opposite bank bears. N.W. + S.E., |
| 27.00 | Bank bears. N.E. + S.W., |
| 29.30 | Trail bears N.E. + S.W., |
| 29.60 | Gulch 20 lks wide. runs N.E. |
| 40.14 | Set a Malpais Stone 18 X 11 X 6 ins. 13. ins.
in the ground. for 1/4 Sec Cor.
marked 1/4 on N. face. whence
A Pine 6 ins. diam. bears N 74° E
61 lks. dist. marked 1/4 S. B. Y. -
A Pine 8 ins. diam. bears S 8° W
34 lks. dist. marked 1/4 S. B. Y. - |
| 45.50 | Gulch 10 lks. wide. runs N.E. |
| 45.90 | Trail bears N.E. + S.W., |

Subdivisions ^{BOOK 191}

chn.	
57.50	Trail, bears N.E. & S.W.
80.28	The Cor. to Secs. 26, 27, 34, & 35, Land. nearly level. Soil, gravelly 2 ^d rate Timber, Pine. 80.28 chs.
<hr/>	
	N 0° 1' W. bet. Secs. 26 & 27
	In heavy ^{Timber} 13° 46' E Pine timber
11.00	Bank bears N.E. & S.W. descend
18.70	Enter bottom
19.60	Trail, bears N.E. & S.W.
21.40	Leave bottom bears N.E. & S.W. ascend
26.50	Opposite bank bears N.E. & S.W.
40.00	Set a Malpais Stone 6 x 11 x 8 ins 11. ins, in the ground, for 1/4 Sec. Cor. marked 1/4 on W. face, whence A Pine 6 ins. diam. bears S 87° E 40 lks. dist. marked 1/4 S. B.T. A Pine 5 ins. diam. bears S 8° W

BOOK 791 J. 15, N. R. 13. E.

- Chs. 29 lks. dist. marked $\frac{1}{4}$ S. B.S. -
- 69.00 Trail. bears. N.E. + S.W.
- 76.00 Recross trail. bears. N.W. + S.E.
- 80.00 Set a Malpais Stone 20x11x8 ins. 15 ins.
in the ground. for. Cr. to Decr. 22, 23
26 + 27. marked with 2 notches on
S. and E. edges. where
A Pin 10 ins. diam. bears
N $27\frac{1}{2}$ E 176 lks. dist. marked
J. 15, N. R. 13. E. S. 23. B.S. -
A Pin 6 ins. diam. bears
S $1\frac{1}{4}$ E 118 lks. dist. marked
J. 15, N. R. 13. E. S. 26. B.S. -
A Pin 5 ins. diam. bears
S $28\frac{1}{2}$ W 68 lks. dist. marked
J. 15, N. R. 13. E. S. 27. B.S. -
A Pin 7 ins. diam. bears
N $84\frac{1}{2}$ W 89 lks. dist. marked
J. 15, N. R. 13. E. S. 22. B.S. -

Subdivisions, ^{BOOK} 191

chs Land, level.
 Soil, gravelly 2^d rate
 Timber Pine 80. chs.

N 89° 57' E, on a random line
 bet. Secs. 23 & 26,
 Va. 13° 46' E,

- 40.00 Set. temporary 1/4 Sec. Cr.
 80.16 Int. N.T.S. line 3 Mts. S. of Cor.
 - to Secs. 23, 24, 25 & 26. - I. run.
 S 89° 56' W, on a true line
 bet. Secs. 23 & 26,
 Va. 13° 46' E
 In heavy Pine timber
 13.20 Bank beans, N.T.S. descend
 18.00 Entire bottom beans, N.T.S.
 18.95 Trail beans, N.T.S.
 20.50 Leave bottom & ascend
 23.50 Ridge beans N. by E. & S by W. descend
 25.50 Gulch 20 lks wide, run. N.E.

BOOK 191

T. 15. N. R. 13. E.

- chs.
26.10 Trail. bears N.E. + S.W.
- 40.08 Set a Sandstone 20x16x10 ins. 15. ins.
in the ground. for. $\frac{1}{4}$ Sec. Cor.
marked $\frac{1}{4}$ on N. face. whence
A Pine 10 ins. diam. bears N 13° E
77 lks. dist. marked $\frac{1}{4}$ S. B. T. -
A Pine 14 ins. diam. bears S $12\frac{1}{2}$ W
70 lks. dist. marked $\frac{1}{4}$ S. B. T. -
- 80.16 The Cor. to Secs. 22, 23, 26 & 27.
Land level
Soil. gravelly 2^d rate.
Timber Pine. 80.16 chs.

No 1' W. bet. Secs. 22 & 23.

Va. $13^{\circ}46'E$.

In Pine timber.

- 22.50 Bank bears N.E. + S.W. descends
- 27.50 Enter bottom
- 28.60 Trail. bears N.E. + S.W.

Subdivisions. **BOOK 191**

- cha
29.00 Leave bottom beans, N.E. & S.W.
- 40.00 Set a sandstone 20x10x5 ins. 15 ins.
in the ground, for. $\frac{1}{4}$ Sec. Cr.
marked $\frac{1}{4}$ on W. face, whence
A Pine 10 ins. diam. beans N58°W
29 lbs. dist marked $\frac{1}{4}$ S. B. J. -
A Pine 4 ins. diam. beans N62°E
21 lbs. dist, marked $\frac{1}{4}$ S. B. J. -
- 54.70 Gulch 10 lbs. wide, runs N.E. -
72.40 Trail. beans. N.E. & S.W.
80.00 Set a Malpais Stone 24x11x10 ins. 18
ins. in the ground, for. Cr. to Secs.
14, 15, 22 & 23, marked with 2
notches on E. and 3 notches on
S. edges, whence
A Pine 6 ins. diam. beans
N71°E 74 lbs. dist, marked
L. 15, N. R, 13, E, S. 14 B. J. -
A Cedar 5 ins. diam. beans,
S56°E 10.3 lbs. dist, marked

T. 15. N. R. 13. E.

- chs. T. 15 N, R. 13, E, S. 23, B. S. -
 A Pine 4 ins. diam. bears
 S $43^{\circ}\frac{1}{2}$ W 217 lks. dist. marked
 T. 15, N, R. 13, E, S. 22, B. S. -
 A Pine 5 ins. diam. bears
 N 14° W 43 lks. dist. marked
 T. 15, N, R. 13, E, S. 15, B. S. -
 Land level.
 Soil. gravelly 2^d rate.
 Timber. Pine + Cedar 80 chs.

N $89^{\circ}56'$ E. on a random line
 bet. Secs. 14 & 23.

Ya. $13^{\circ}46'$ E

- 40.00 Set. temporary $\frac{1}{4}$ Sec. Cor.
 80.22 Int. N. + S. line 3 lks. S. of Cor.
 to Secs. 13, 14, 23 + 24, I run
 S $89^{\circ}55'$ W on a true line
 bet. Secs. 14 + 23.

Subdivisions.

- Chs. $\text{V}_{45} 13^{\circ} 46' \text{E}$
 12.50 In heavy pine timber
 Bank bears N.E. + S.W. descend
 13.70 Trail. bears. N.E. + S.W.
 14.20 Gulch 30 lks. wide. runs. N.E. ascend
 15.00 Opposite bank bears. N.E. + S.W.
 40.11 Set a Malpais Stone 16x11x5 ins. 11
 ins. in the ground. for $\frac{1}{4}$ Sec. Cor.
 marked $\frac{1}{4}$ on N. face. whenever
 A Pine 6 ins. diam. bears N 32° W
 45 lks. dist. marked $\frac{1}{4}$ S. B.S. -
 A Pine 11 ins. diam. bears S 42° W
 65 lks. dist. marked $\frac{1}{4}$ S. B.S. -
 80.22 The Cor. to Secs. 14, 15, 22, + 23.
 Land. Nearly level
 Soil. gravelly 2^d rate
 Timber. Pine. 80.22 chs.
 December 4. 1893.
-

BOOK 191

T. 15. N. R. 13. E.

- Chs. N 0° 1' W. bet. Secs. 14 & 15.
- Very heavy ^{V₄ 13° 46' E} Pine and Cedar timber
Leaving bottom bars. N.E. & S.W. across
- 15.00 Enter mesa. bars. N.E. & S.W.
- 40.00 Set a Sandstone 18x12x8 ins. 13
ins. in the ground. for $\frac{1}{4}$ Sec. Cr.
Marked $\frac{1}{4}$ on W. face, whence
A Cedar 5 ins. diam. bars N 47° W
19 lks. dist. marked $\frac{1}{4}$ S. B.T.
A Cedar 6 ins. diam. bars N 68° E
20 lks. dist. marked $\frac{1}{4}$ S. B.T.
- 56.50 Trail. bars. N.E. & S.W.
- 58.00 Gulch 30 lks wide runs. N.E.
- 80.00 Set a Malpais Stone 20x11x9 ins. 15
ins. in the ground. for. Cr. to Secs.
10. 11. 14 & 15. marked with 4
notches on S. and 2 notches
on E. edges. whence
A Pine 14 ins. diam. bars

Sub division **BOOK** 191

chs. N 47° 30' E 94 lks. dist. marked
T. 15. N. R. 13. E. S. 11. B. T.

A Pine 6 ins. diam. bears

S 23° E 64 lks. dist. marked

T. 15. N. R. 13. E. S. 14. B. T. -

A Pine 5 ins. diam. bears

S 38° W 119 lks. dist. marked

T. 15. N. R. 13. E. S. 15. B. T. -

A Pine 5 ins. diam. bears

N 89° 45' W 176 lks. dist. marked

T. 15. N. R. 13. E. S. 10. B. T. -

Land level

Sail. Sandy & gravelly 2^d rate.

Timber Pine & Cedar 80. chs.

N 89° 55' E on a random line
bet. Secs. 11 & 14.

Va. 13° 46' E.

40.00 Set temporary 1/4 Sec. Cor.

BOOK 191

T. 15 N. R. 13. E.

- chs.
80.26 Int. N+S. line. 7 lks. S. of Cor. to
Secs. 11, 12, 13 & 14. Thence run
S $89^{\circ}52'W$. on a true line
bet. Secs. 11 & 14.
- 13.00 In heavy timber and cedar timber
Trail. bears N.E. & S.W.
- 40.13 Set a sandstone 16x12x5 ins. 11.
ins. in the ground. for $\frac{1}{4}$ Sec. Cor.
marked $\frac{1}{4}$ on N. face. whence
A Pine 13 ins. diam. bears N $46^{\circ}E$
29 lks. dist. marked $\frac{1}{4}$ S. B.S.
A Pine 9 ins. diam. bears S $25^{\circ}W$
40 lks. dist. marked $\frac{1}{4}$ S. B.S.
- 50.35 Trail. bears. N.E. & S.W.
- 70.00 Bank bears. NNW. & S.S.E. descend
- 72.65 Trail. bears NNW. & S.S.E.
- 73.10 Gulch 30 lks. wide. runs NNW ^{ward}
- 79.30 Opposite bank bears NNW. & S.S.E.
- 80.26 The Cor. to Secs. 10, 11, 14, & 15. —

Subdivisions.

chs.	Land, broken.
	Soil. Sandy & gravelly 2 ^d & 3 ^d rate,
	Timber. Pine & Cedar 80.26 chs.
<hr/>	
	N 0° 1' W. bet. Secs. 10 & 11.
	Va. 13° 46' E.
28.00	In heavy Pine and Cedar timber Bank. bears N. by W. + S. by E. descend
35.00	Trail. bears N.W. + S.E.
35.50	Enter gulch runs N.W.
36.20	Leaves gulch. runs N.W. ascend
37.85	Brush fence bears N.W. + S.E.
40.00	A Cedar 6 ins. diam. which I mark 1/4 S. on W. side. for 1/4 Sec Cor whenever a Pine 5 ins. diam. bears S 15° E 32 lks. dist. marked 1/4 S. B.S. - A Pine 6 ins. diam. bears N 40° W 123 lks. dist. marked 1/4 S. B.S. - S.E. Cor. of House bears N 55° W
40.10	Bank, enter mesa bears N.W. + S.E.
50.00	Leaves timber
59.70	S.E. Cor. House bears S. 89° 20' W

T. 15. N. R. 13. E.

- chs.
66.15 Trail. bears N.E. & S.W.
- 67.75 Wagon Road to Winslow. bears N.E. & S.W.
- 80.00 Set a Malpais Stone 24 X 12 X 10 ins
18 ins. in the ground. for. Co. to Secs.
2, 3, 10 & 11. marked with 5 notches
on S. and 2 notches on E. edges. —
Whence A Pine 4 ins. diam. bears
N 71° 15' E 248 lks. dist. marked
T. 15. N. R. 13. E. S. 2. B.S. —
A Cedar 4 ins. diam. bears
S 52° 15' E 219. lks. dist. marked
T. 15. N. R. 13. E. S. 11. B.S. —
A Pine 5 ins. diam. bears
S 49° 15' W 256 lks. dist. marked
T. 15. N. R. 13. E. S. 10. B.S. —
A Pine 4 ins. diam. bears
N 55° 30' W 182 lks. dist. marked
T. 15. N. R. 13. E. S. 3. B.S. —
Land broken,

Subdivisions.

chs. Soil, gravelly 2^d + 3^d rate.
 Timber Pine & Cedar 50. chs.

N 89° 52' E. on a random line
 bet. Secs. 2 & 11.

Va. 13° 46' E.

40.00 Set temporary 1/4 Sec. Cor.

80.12 Int. N. & S. line 5 lks. S. of Cor to
 Secs. 1, 2, 11 & 12. Thence S run.

S 89° 50' W. on a true line
 bet. Secs. 2 & 11.

Va. 13° 46' E.

40.06 In heavy Pine and Cedar timber
 Set a Malpais Stone 18 x 11 x 6 ins. 13 ins
 in the ground. for 1/4 Sec. Cor.
 marked 1/4 on N. face. Whence
 A Pine 10 ins. diam. bears N 5° E
 60 lks. dist. marked 1/4 S. B. T.
 A Pine 6 ins. diam. bears S 38 1/2° W
 79 lks. dist. marked 1/4 S. B. T. -

T. 15. N. R. 13. E.

chs.	
49.70	Gulch 10 lks wide. runs Northwly ^{about}
50.00	Trail. bears. N. & S.
50.70	Bank bears. N. & S. Enter mesa
62.20	Trail. bears. N. E. & S. W.
70.00	Leave timber
70.15	Wagon Road to Winslow bears N. E. & S. W.
80.12	The Cor to Secs. 2, 3, 10 & 11. - Land. level. Soil. Sandy & gravelly 2 ^d rate. Timber + Cedar + Pine 70. chs.

N^o 3' E. on a random line.

bet. secs. 2 & 3.

Va. 13° 46' E.

40.00 Set. temporary 1/4 Sec. Cr.

80.00 Int. N. boundary of Sp. 5 lks. E.
of Cor. to Secs. 2, 3, 34 & 35, ^{as in before described} runs
S 0° 1' W. on a true line

bet. secs. 2 & 3.

Va. 13° 46' E.

Subdivisions.

chs.	Descend.
7.50	Entire bottom beans. N.E. + S.W.
12.00	Leaved bottom beans. N.E. + S.W. ascend
15.00	Bank beans. N.E. + S.W. Entire mesa
40.00	Set a Malpais Stone 18x14x4 ins. 13. ins. in the ground. for 1/4 Sec Cor. marked 1/4 on N. face. whence A Pine 8 ins. diam. beans. N74 1/2 W 112 lbs. dirt. marked 1/4 S. B. J. - A Pine 9 ins. diam. beans S57 E 135 lbs. dirt. marked 1/4 S. B. J. -
80.00	The Cor. to Secs. 2, 3, 10 & 11. - Land. nearly level, Soil. sandy. 2 ^d rate, Timber. Scattering Cedar.

December 5, 1893

BOOK 91 T. 15. N. R. 13. E.

- Chs. From the Cor. to Secs. 3, 4, 33, & 34, on S. boundary of the Sp. hereinafore described. I run N 0° 2' W. bet Secs. 33 & 34.
- 16.00 ^{Var 13° 46' E} by heavy pine timber trail. bears N. E. & S. W.
- 39.90 Trail. bears N. E. & S. W.
- 40.00 Set a sandstone 18x15x8 ins. 13 ins in the ground. for 1/4 Sec. Cor. marked 1/4 on W. face. whence
A Pine 14 ins. diam. bears S 22° W 75 lks. dist. marked 1/4 S. B. J.
A Pine 6 ins. diam. bears N 55° E 44 lks. dist. marked 1/4 S. B. J. -
- 69.50 Pine 8 ins. diam. on line. marked with 2 notches on N. & S. sides
- 71.00 T. rail. bears N. E. & S. W.
- 80.00 Set a sandstone 17x11x8 ins. 12 ins in the ground. for Cor. to Secs.

Subdivisions.

chs. 27, 28, 33, & 34. marked with
1 notch on N. and 3 notches on
E. edges. Whence

A Pine 6 ins. diam. brass

N 54° E 128 lks. dist. marked

T. 15, N. R. 13, E. S. 27, B. J. -

A Pine 4 ins. diam. brass

S 12½° E 37 lks. dist. marked

T. 15, N. R. 13, E. S. 34, B. J. -

A Pine 8 ins. diam. brass

S 14° W 49 lks. dist. marked

T. 15, N. R. 13, E. S. 33, B. J. -

A Pine 6 ins. diam. brass

N 36° W 55 lks. dist. marked

T. 15, N. R. 13, E. S. 28 B. J.

Land level.

Soil. Sandy & gravelly 2^d rate.

Timber Pine 80. chaus

T. 15. N. R. 13. E.

Chs. N $89^{\circ}53'E$. on a random line
bet Secs. 27 & 34.
Va. $13^{\circ}46'E$.

40.00 Set temporary $\frac{1}{4}$ Sec. Cor.

80.10 Int N. & S. line 12 lks. N. of Cor. to
Secs. 26, 27, 34 & 35. Thence S run.
S $89^{\circ}58'W$. on a true line
bet. Secs. 27 & 34.

15.50 In heavy pine timber
Cut bottom ls. NE. & SW.
Va. $13^{\circ}46'E$.

16.00 Trail bears NE. & SW.

16.30 Leave bottom ls. NE. & SW.

40.05 Set a malpais stone 16x10x6 ins. 11 ins.
in the ground. for $\frac{1}{4}$ Sec. Cor.
marked $\frac{1}{4}$ on N. face. Whence
A Pine 5 ins. diam. bears N $50^{\circ}E$
15 lks. dist. marked $\frac{1}{4}$ A. B. S. -
A Pine 4 ins. diam. bears S $40^{\circ}W$
37 lks. dist. marked $\frac{1}{4}$ A. B. S. -

Subdivisions.

- chs.
64.25 Trail. trans. N. & S.
65.00 Leave bottom.
72.54 Pine 12 ins. diam. on line, marked
with 2 notches on E. & W. sides
80.10 The Cor. to Secs. 27, 28, 33 & 34.
Land level.
Soil. gravelly 2^d rate.
Timber Pine. 80.10 chs.

N 0° 2' W. bet. Secs. 27 & 28,

18.80 ^{V₉ 13° 46' E}
Any heavy Pine timber
Trail. trans. N. E. & S. W.

- 40.00 Set a Malpais Stone 16x10x6 ins, 10
ins. in the ground, for 1/4 Sec. Cor.
marked 1/4 on W. face. Whence
A Pine 5 ins. diam. trans N 52° E
32 lks. dist. marked 1/4 S. B. J. -
A Pine 4 ins. diam. trans S 62° W
159. lks dist. marked 1/4 S. B. J. -

T. 15. N. R. 13. E.

47.75	Trail. brass NW. + S.E.
58.70	Trail brass, N.E. + S.W.
70.00	Trail. brass N.E. + S.W.
80.00	Set. a Sandstone 20x11x3 ins. 15. ins. in the ground. for Cor. to Secs. 21. 22. 27 & 28. marked with 2 notches on S. and 3 notches on E. edges. whence A Pine 4 ins. diam. brass N 32° E 72 lks. dist. marked T. 15. N. R. 13. E. S. 22. B. T. — A Pine 5 ins. diam. brass S 30° 30' W 63 lks. dist. marked T. 15. N. R. 13. E. S. 27. B. T. — A double Pine 13 ins. diam. brass S 25° W 21 lks. dist. marked T. 15. N. R. 13. E. S. 28. B. T. — A Pine 4 ins. diam. brass N 29° W 48 lks. dist. marked T. 15. N. R. 13. E. S. 21. B. T. —

Subdivisions.

Chs. Land level.
 Soil. Sandy & gravelly 2^d rate.
 Timber Pine 80 chs.

N 89° 58' E. on a random line
 bet. Secs. 22 & 27.
 Va. 13° 46' E

40.00 Set temporary 4th Sec. Cor.
 80.00 Int. N. & S. line 19 lks. S. of Cor.
 to Secs. 22, 23, 26 & 27. True
 S 89° 50' W on a true line
 bet. Secs. 22 & 27.

Va. 13° 46' E
 In heavy Pine timber
 17.00 Bank. brans N.E. & S.W. descend
 19.30 Enter bottom
 19.40 Trail. brans N.E. & S.W.
 20.20 Gulch 30 lks. wide. runs N.E. ascend
 22.15 Opposite bank. brans N.E. & S.W.
 40.00 Set a malpais stone 18x11x8 in. 13.

T. 15. N. R. 13. E.

- Chs. ins. in the ground. for $\frac{1}{4}$ Sec. Cr.
 Marked $\frac{1}{4}$ on N. face. whence
 A Pine 4 ins. diam. bears $N 7^{\circ} W$
 41 lbs. dist. marked $\frac{1}{4}$ S. B. Y. -
 A Pine 4 ins. diam. bears $S 40^{\circ} E$
 31 lbs. dist. marked $\frac{1}{4}$ S. B. Y. -
- 68.00 Bank, bears N.E. & S.W. descend
- 69.60 Trail, bears N.E. & S.W.
- 69.70 Gulch 10 lbs wide runs N.E. upward
- 70.60 Opposite bank, bears N.E. & S.W.
- 80.00 The Cor. to Secs. 21, 22, 27, & 28 -
 Land level.
 Soil. Sandy, 2^d rate
 Timber, Pine 80. chans.

$N 0^{\circ} 2' W$. bet. Secs. 21 & 22.

- 8.50 In heavy Pine timber
 Enter bottom ls. N.E. & S.W.
- 9.15 Trail, bears N.E. & S.W.

Subdivisions.

- chs.
9.80 Leaves bottom brass. N.E. + S.W.
- 40.00 Set a Sandstone 18x14x10 ins. 13 ins.
in the ground. for 1/4 Sec. Cr.
marked 1/4 on W. face. whence
A Pine 7 ins. diam. bears N 88 1/2 E
134 lks. dist. marked 1/4 S. B.S. -
A Pine 5 ins. diam. bears S 13 1/2 W
95 lks. dist. marked 1/4 S. B.S. -
- 80.00 Set a malpais Stone 20x11x8 ins. 15
ins. in the ground. for Cor. to Secs.
15, 16, 21 & 22. Marked with 3
matches on S. & E. edges. whence
A Pine 6 ins. diam bears
N 66° E 83. lks. dist. marked
J. 15, N. R. 13. E. S. 15. B.S. -
A Pine 4 ins. diam. bears
S 45 1/2 E 90 lks. dist. marked
J. 15, N. R. 13. E. S. 22. B.S. -
A Pine 5 ins. diam. bears

T. 15. N. R. 13. E.

Chs. S $5^{\circ}30'W$ 111 lks. dist. marked
T. 15. N. R. 13. E. S. 21. B. L.

A Pine 5 ins. diam. trans

N $71^{\circ}30'W$ 79 lks. dist. marked

T. 15. N. R. 13. E. S. 16. B. L. -

Land. level.

Soil. Sandy + gravelly 2^d rate

Timber Pine 80. chs.

N $89^{\circ}50'E$. on a random line

bet. Secs. 15 + 22.

Va. $13^{\circ}46'E$.

40.00 Set. temporary $\frac{1}{4}$. Sec. Cor.

80.00 Int. N.T.S. line 23 lks. N. of Cor.
to Secs. 14, 15, 22. + 23. S. run

West. on a true line

bet. Secs. 15 + 22.

Va. $13^{\circ}46'E$.

In Pine timber

Subdivisions.

- 30 Bank trans. N.E. & S.W. descend
- 31.00 Entu gulch runs N.E.
- 3.80 Learn gulch runs N.E.
- 4.10 Trail, trans. N.E. & S.W.,
- 5.00 Learn bottom & ascend
- 7.00 Opposite bank trans. N.E. & S.W.,
- 24.50 Trail, trans. N. & S.,
- 37.75 Gulch 10 lks. wide, runs N.W.
- 40.00 Set a Malpais Stone 16x10x6 ins. 11 ins.
in the ground. for $\frac{1}{4}$ Sec. Cor,
marked $\frac{1}{4}$ on N. face. whence
A Pine 12 ins. diam. trans N 16° E
52 lks. dist, marked $\frac{1}{4}$ A. B. L. -
A Pine 6 ins. diam. trans. South
46 lks. dist, marked $\frac{1}{4}$ A. B. L. -
- 60.75 Gulch 20 lks. wide, runs N.E.
- 61.00 Trail, trans N.E. & S.W.,
- 77.30 Gulch 20 lks. wide, runs N.N.E.,
- 80.00 The Cor. to Secs. 15, 16, 21, & 22.

chs. Land. level.
Soil. gravelly 2^d rate.
Timber Pine 80. chs.

December. 6. 1893.

N 0° 2' W. bet. Secs. 15. & 16.

An heavy Pine Timber $\text{Pd. } 13^{\circ} 46' \text{ E.}$

10.80 Gulch. 20 lks. wide runs N.W.

29.50 Entire gulch. runs N.E.

30.00 Leave gulch runs N.E. recross

37.00 Entire Sause gulch

37.50 Leave gulch runs N.W.

40.00 Malpais ledge 5 ft. high marked
with cross thrust. $\frac{1}{4}$ for. $\frac{1}{4}$ Sec. Cor.
where a Pine 6 ins. diam. bears $S 85^{\circ} \text{ E}$

148 lks. dist. marked $\frac{1}{4}$ S. B.T. -

A Pine 9 ins. diam. bears $N 60^{\circ} \text{ W}$

13 lks. dist. marked $\frac{1}{4}$ S. B.T.

41.40 Bank bears N.W. & S.E. entire mesa

Subdivisions.

chs.
 68.75 Right bank Clear Creek Cañon. brass. NE & SW ^{dissect}
 75.50 ^{and leave timber} Clear Creek Cañon. 80 lks. wide runs N.E. west
 80.00 Set a Sandstone 22x11x8 ins. 16 ins
 in the ground. for Cor. to Secs. 9,
 10, 15 & 16. marked with 4 notches
 on S. and 3 notches on E. edges. and
 raised a mound of stone 1 1/2 ft.
 high. 2 ft. base, alongside.
 Cito impracticable.
 No trees within limits.
 Land. broken.
 Soil. gravelly 2^d & 3^d rate.
 Timber. Pine. 68.75 chs

East. on a random line
 bet. Secs. 10 & 15.
 Va. 13° 46' E

40.00 Set. temporary 1/4 Sec. Cor.
 80.07 Int. N & S line. 23 lks. S. of
 Cor to Secs. 10, 11, 14 & 15. I run

BOOK 191

T. 15. N. R. 13. E.

- chs. S $89^{\circ}50'W$. on a true line
bet. Secs. 10 & 15.
- In heavy ^{Var. $53^{\circ}46'E$} ~~Some~~ timber
- 33.10 Gulch 30 lks. wide runs N.E.
- 33.50 Trail bears N.E. & S.W.
- 40.03 Set a sandstone $18 \times 11 \times 5$ ins. 13 ins.
in the ground. for $\frac{1}{4}$ Sec. Cor.
marked $\frac{1}{4}$ on N. face, whence
A Pine 8 ins. diam. bears $N72^{\circ}E$
39 lks. dist. marked $\frac{1}{4}$ S. B.S. -
A Pine 7 ins. diam. bears $S88^{\circ}W$
6 lks. dist. marked $\frac{1}{4}$ S. B.S. -
- 44.50 Gulch 10 lks. wide runs N.E.
- 44.70 Trail bears N.E. & S.W.
- 66.75 Right bank Clear Creek Cañon bears N. & S. ^{descend}
old leave timber
- 67.50 Descend abruptly.
- 75.40 Clear Creek Cañon 85 lks wide runs N. ^{descend}
- 80.07 The Cor. to Secs. 9, 10, 15, & 16.
Land broken.

Subdivisions.

chs. Soil, sandy & gravelly 2^d & 3^d rate.
Timber. Pine 66.75 chs.

N 0° 2' W. bet. Secs. 9 & 10,

Va. 13° 46' E

- 4.40 ^{Descend} Clear Creek Cañon 80 lks. wide runs ^{ascend} N.W.
- 13.30 Right bank Clear Creek Cañon bears N.W. & S.E.
^{and enter heavy pine timber}
- 40.00 Set a malpais Stone 16x10x8 ins 11 ins
in the ground for 1/4 Sec. Cor,
marked 1/4 on W. face. whence
A Pine 4 ins. diam. bears S 77° E
86 lks. dist. marked 1/4 S. B.T. -
A Pine 5 ins. diam. bears S 7 1/2° W
76 lks. dist. marked 1/4 S. B.T. -
- 42.20 Right bank Clear Creek Cañon bears ^{ascend} N.N.E. & S.S.W.
^{and leave timber}
- 43.50 Descend abruptly
- 50.40 Clear Creek Cañon 80 lks. wide runs ^{ascend} N.N.E.
- 58.80 along west slope Clear Creek Cañon ^{ascend}
- 69.70 Clear Creek Cañon. 75 lks. wide. runs ^{ascend} Westly

BOOK 191

T. 15. N. R. 13. E.

- 76.10 Clear Creek Cañon 80 yds. wide runs ^{west} Easterly
- 80.00 Set a sandstone 18x11x7 ins. 13 ins in
the ground for Cor. to Secs. 3, 4, 9 & 10,
marked with 5 notches on S. and 3
notches on E. edges, and raised a
mound of stone 1 1/2 ft. high 2 ft.
base, alongside. pits impracticable
no trees within limits.
- Land. Very rough & broken.
- Soil. Stony & rocky 4th & 5th rate
- Timber. Pine. 28⁰⁰ chains
- December 7, 1893.

N 89° 50' E. on a random line
bet. Secs. 3 & 10.

Va. 13° 46' E

- 40.00 Set temporary 1/4 Sec. Cor.
- 80.10 Int. N & S. line at Cor. to Secs.
2, 3, 10 & 11. Thence I run.

Subdivisions.

- chs. S89°50' W. on a true line
bet. Secs. 3 & 10.
- 2525 In heavy ^{V. 3°46'E} pine timber
Trail. bears N.E. & S.W.
- 30.65 Trail bears N.W. & S.E.
- 37.50 Trail. bears. N.W. & S.E.
- 40.05 Set. a Malpais Stone 16x10x8 ins. ¹⁰~~10~~
ins. in the ground. for 1/4 Sec. Cor.
marked 1/4 on N. face. whence
A Pine 8 ins. diam. bears N84°E
18 lks. dist. marked 1/4 S. B.S.
A Pine 7 ins. diam. bears S2°E
35 lks. dist. marked 1/4 S. B.S.
- 45.75 Trail. bears N.W. & S.E.
- 55.50 Right bank Clear Creek Cañon bears
N. by W. & S. by E. descend and leave timber
- 60.20 Clear Creek Cañon 80 lks. wide runs ^{and} N by W
along S. Slope Creek Cañon
- 80.10 The Cor. to Secs. 3, 4, 9 & 10.

B. J. K. 191

S. 15. N. R. 13. E.

chs. Land, level, + broken W. 24.50 chs.
 Soil. sandy + rocky. 2^d + 4th rate
 Timber. Pine 55.50 chs.

N. $0^{\circ} 1' E$ on a random line

bet. Secs. 3 + 4.

Va. $13^{\circ} 46' E$

40.00 Set. temporary $\frac{1}{4}$ Sec. Cor.

80.20 Int. N. boundary of Twp. 3 lks. E. of
 Cor. to Secs. 3, 4, 33 + 34. heretofore
 described. Thence I run
 South, on a true line

bet. Secs. 3 + 4.

Va. $13^{\circ} 46' E$
 In heavy pine timber

2.00 Bank. trans. E. + W. descend

7.20 Gulch 10 lks. wide runs westerly ^{and}

12.00 opposite bank trans. E. + W.

13.65 Right bank Clear Creek Cañon trans. N.W. + S.E. ^{descend}
 and leave timber

17.90 Clear Creek Cañon 80 lks. wide runs N.W.

BOOK 191
 Subdivisions.

chs.	
24.40	Clear Creek Cañon 80 lks. wide runs ^{ascend} N.N.E.
28.00	Right bank Clear Creek Cañon trans. N.N.E. + S.S.W. Enter mesa and heavy <u>Pine</u> timber
33.10	Bank trans. N.W. + S.E. descend
40.20	Set a sandstone 4 x 2 x 2 ft. in place above ground. marked with a cross thus + $\frac{1}{4}$. for $\frac{1}{4}$ Sec. Cor. Whence a Pine 8 ins. diam. trans. S 40° E 27 lks. dist. marked $\frac{1}{4}$ S. B.L. - a Pine 4 ins. diam. trans. N 78° W 37 lks. dist. marked $\frac{1}{4}$ S. B.L.
42.50	Gulch 10 lks. wide. runs. N.W. ascend
49.00	Opposite bank trans. N.W. + S.E.
62.00	Right bank Clear Creek Cañon, trans. N by W + E. S. E. and leave heavy <u>Pine</u> timber. ^{descend}
65.50	Descend abruptly.
71.20	Clear Creek Cañon 80 lks wide runs ^{ascend} E. + N.W.
80.20	The Cor. to Rees. 3. 4. 9. + 10. Land. Very rough + rugged Soil. Stony + rocky 4 th + 5 th rate

T. 15. N. R. 13. E.

Chs. Timber Pine 47. chains.

December 8, 1893.

From the Cor. to Secs. 4, 5, 32, & 33, on S. boundary of Tp. hereinbefore described. Thence I run
 N $0^{\circ}2'$ W. bet. Secs. 32, & 33.

Va. $13^{\circ}46'$ E.

In heavy Pine timber

40.00 Set a malpais Stone $18 \times 11 \times 6$ ins. 13.
 ins. in the ground. for $\frac{1}{4}$ Sec Cor.
 marked $\frac{1}{4}$ on W. face, whence
 A Pine 7 ins. diam. bears N 45° W
 55 lbs. marked $\frac{1}{4}$ S. B. I. —

A Pine 5 ins. diam. bears S 73° E
 41 lbs. dist. marked $\frac{1}{4}$ S. B. I.

80.00 Set a malpais Stone $18 \times 10 \times 5$ ins. 13.
 ins. in the ground. for Cor. to Secs.

Subdivisions.

chs. 28, 29, 32, & 33. marked with
 1 notch on S. and 4 notches on
 E. edges. where
 A Pine 5 ins. diam. bears
 N12°E 39 lks. dist. marked
 I. 15. N. R. 13. E. S. 28. B.S. -
 A Pine 5 ins. diam. bears
 S3°E 12 lks. dist. marked
 I. 15. N. R. 13. E. S. 33. B.S. -
 A Pine 9 ins. diam. bears
 S78°30'W 31 lks. dist. marked
 I. 15. N. R. 13. E. S. ~~29~~³². B.S. -
 A Pine 10 ins. diam. bears
 N47°W 76 lks. dist. marked
 I. 15. N. R. 13. E. S. 32²⁹. B.S.
 Land. level.
 Soil. gravelly. 2^d rate.
 Timber. Pine. 80. chs.

BOOK 191

T. 15. N. R. 13. E.

chs. N $89^{\circ}53'E$. on a random line
bet. Secs. 28 & 33.
Va. $13^{\circ}46'E$

40.00 Set temporary $\frac{1}{4}$ Sec. Cor.

79.86 Int. N. & S. line 16 lks. N. of Cor. to
Secs. 27, 28, 33 & 34. Thence I run
West. on a true line
bet. Secs. 28 & 33.

In heavy pine timber
9.15 Trail bears. N.W. & S.E.
Va. $13^{\circ}46'E$.

30.35 Gulch 10 lks. wide runs N.W.

39.50 Trail bears. N.E. & S.W.

39.93 Set a Sandstone $24 \times 10 \times 4$ ins. 18 ins
in the ground. for $\frac{1}{4}$ Sec. Cor.
marked $\frac{1}{4}$ on N. face, whence
A Pine 12 ins. diam. bears $S62^{\circ}E$
46 lks. dist. marked $\frac{1}{4}$ S. B.S.
A Pine 10 ins. diam. bears $N17^{\circ}W$
36 lks. dist. marked $\frac{1}{4}$ S. B.S. -

Subdivisions. **BOOK 191**

chs.	
56.00	Bank from N.E. to S.W. descend
59.50	Gulch 10 lks wide runs N.E. ascend
59.70	Trail. from N.E. to S.W.
62.00	Ridge from N.E. to S.W. descend
66.10	Gulch 10 lks. wide runs N.E.
69.60	Bank opposite from N.E. to S.W.
79.86	The Cor. to Secs. 28, 29, 32 & 33. Land. nearly level Soil. gravelly. 2 ^d rate Timber Pine. 79.86. chs.

N 0° 2' W. bet. Secs. 28 & 29.

In heavy Pine timber
Va. 13° 46' E

40.00	Set a malpais Stone 19 x 11 x 6 in 14 ins. in the ground for 1/4 sec Cr. marked 1/4 on W. face. whence A Pine 7 ins. diam. bears N 40° W 10 lks. dist. marked 1/4. S. B. T. A Pine 4 ins. diam. bears N 42° E
-------	--

BOOK 191 T. 15. N. R. 13. E.

- Chs. 30 lks. dist. marked $\frac{1}{4}$ S. B.S. -
- 57.50 Bank bears. N.W. & S.E. descent
- 58.10 Pine 7 ins. diam. on line, marked with 2 notches on N. & S. sides
- 72.00 Entrance gulch runs N.W.
- 72.50 Leave gulch runs N. W.
- 75.90 Reenter gulch runs N.E.
- 76.50 Leave gulch runs N.E. ascend
- 80.00 Set a sandstone $18 \times 11 \times 6$ ins. 13 ins. in the ground. for ^{Secs.} Conto T. 20. 21. 28 & 29 marked with 2 notches on S. and 4 notches on E. edges. whence
- A Pine 10 ins. diam. bears N 19° E. 82 lks. dist. marked T. 15. N. R. 13. E. S. ²¹ ~~28~~ B.S. -
- A Pine 5 ins. diam. bears S $75^{\circ} 30'$ E 73 lks. dist. marked T. 15. N. R. 13. E. S. ²⁸ B.S. -
- A Pine 6 ins. diam. bears

Subdivisions. T. 15. N. R. 13. E.

Chs. S 39° W 146 lks. dist marked
 T. 15. N. R. 13. E. S. 32. B. I. -
 A Pine 9 ins. diam. bears
 N 31° W. 172 lks. dist. marked
 T. 15. N. R. 13. E. S. 29. B. I. -
 Land. broken.
 Soil. gravelly 3^d rate.
 Timber. Pine. 80. Chs.
