

J. G.

X

No. 1905

195

Field Notes  
of the  
Subdivision  
Tp 15 N., R 15 E.

Township 15N R. 15E

6	74	5	57	4	46	3	2	1
73		72		56		45		
7	71	8	54	9	45	10	11	12
70		69		55				
18	68	17	54	16	15	14	13	
67		66		53				
19	65	20	51	21	22	23	24	
64		63		50				
30	62	29	49	28	27	26	25	
61		60		78				
31	58	32	47	33	34	35	36	

No 1957

p. 15 N.E. 15 East.

Chain mounds of stone 4 ft high 2 ft  
base along side. It's impractical  
He.

Land Rolling  
Soil 3rd rate  
No Timber.

189050 Con a random line bet sec. 3 and 10  
Va. 13° 43' E.

40.00 Set a temporary 1/4 sec. cor.  
80.20 Intersect N and S line 9 lks N of cor to  
secs. 2-3-10 and 11 as herein before described  
Thence S 1/4 mi

✓ 189054 W on a true line bet sec. 3 and 10  
Va. 13° 43' E.

1.30 Road to N.E.

40.10 Set a lime stone 18x10x4 ins 13 ins in  
the ground for 1/4 sec cor marked 1/4 on N  
face and raised a mound of stone 4 ft

# Subdivisions

Chains high 2 ft. base along side. Pits  
Impracticable.

80.50 The cor to recs. 3-4-9<sup>and</sup> 10  
Lands Level  
Soil substrate  
No Timber

---

N<sup>0</sup> 2' W on a random line to recs. 3<sup>and</sup> 4  
Va. 13° 43' E.

40.00 Set temporary 1/4 sec cor.

80.30 Intersect N boundary of township  
at cor to recs 3-4-33<sup>and</sup> 34 as herein  
before described  
Thence S. 100'

S. 0° 2' E on a true line to recs 3<sup>and</sup> 4  
Va. 13° 43' E.

40 30 Set a limestone 15x14x4 ins 10 ins in  
the ground for 1/4 sec cor marked 1/4  
on W face<sup>and</sup> raised a mound of stone

1895  
P. 15 R. 15 East

Chains 1/4 ft high 2 ft base along side. Pits  
impracticable.

80.30 The cor to secs. 3-4-9<sup>and</sup> 10  
Land Rolling  
Soil 1st<sup>and</sup> 2nd rate  
No Timber.

N 0° 2' W lat secs 32<sup>and</sup> 33  
Va. 13° 45' E.

through Timber

40.00 Set a limestone 15x12x5 ins 10 ins in the  
ground for 1/4 sec. cor marked 1/4 on W face  
from which

a Cedar 18 ins diam br N 34° E 125 lbs  
Sist marked 1/4 S.B.T.

a Cedar 14 ins diam br S. 76° 30' W 160 lbs  
Sist marked 1/4 S.B.T.

52.50 Road br N.E.

80.00 Set a limestone 18x14x4 ins 18 ins in the  
ground for cor to secs. 28-29-32<sup>and</sup> 33 marked

BOOK 195

## Subdivisions

Chains with notch on S <sup>and 4 notches on</sup>  
 E edges <sup>and raised a mound of stone</sup>  
 1/2 ft high 2 ft base along side.

Pits impracticable

Land Rolling

Soil 2<sup>nd</sup> <sup>and 3<sup>rd</sup></sup> rate

Soils Cedar Timber

~~Scarcely timbered~~ land sochs  
 Jan. 2, '94.

N 89° 59' E on a random true line to pccs 28 <sup>and 33</sup>  
 Va. 13° 43' E.

40.00 Set temporary 1/4 sec cor.

8015 Intersect N <sup>and S</sup> line 5 lks S of cor to  
 pccs 27-28-33 <sup>and 34</sup> as herein before  
 described

Thence S 1/4 mi

S 89° 57' W on a true line to pccs 28 <sup>and 33</sup>  
 Va. 13° 43' E.

Through Timber

40.07 Set a sandstone 15 x 3 x 4 ins 10 in in

Sp. 15 N. 15 East.

Chains the ground for  $\frac{1}{4}$  sec cor marked  $\frac{1}{4}$  on N face from which

A Cedar 14 ins diam br. N.  $18^{\circ}$  E. 96 lbs  
Dist marked  $\frac{1}{4}$  S. B. T.

A Pinon 4 ins diam br. S.  $29^{\circ}$  W. 46 lbs  
Dist marked  $\frac{1}{4}$  S. B. T.

64.00 Descend into gulch course N.W.

66.00 bottom and ascend

70.00 top

80.15 The cor to secs. 28-29-32 and 33.

Land Rolling

Soil 2 in strata

80.15 chs Cedar and Pinon Timber

Heavily timbered land 80.15 chs

N.  $0^{\circ}$  S. W. br. secs. 28 and 29.

N.  $3^{\circ}$  45' E.

Through scattering timber

37.00 leave Timber

40.00 Set a Limestone  $18 \times 8 \times 6$  ins  $15$  ins in the

# Subdivisions

Chain ground for 1/4 sec. cor marked 14  
 on W face <sup>and</sup> raised a mound of  
 stone 1/2 ft high 2 ft base alongside  
 Pits impracticable.

8000 Set a lime stone 16x8x6 ins 15 ins in  
 the ground for cor to secs. 20-21-28 <sup>and 29</sup>  
 marked with 2 notches on S. <sup>and</sup> 4  
 notches on E edges <sup>and</sup> raised a mound  
 of stone 1/2 ft high 2 ft base along  
 side. Pits impracticable.

A Pinon 14 ins diam bears S 12° E 138 lbs dist  
 marked 7. 15. 29. R. 13° E S. 28° W. 57 no other trees  
 Land Rolling and Level within limits

Soil moderate

37 chs. Co at 1 miles.

189° 57' Com a random line bet secs <sup>and</sup> 28  
 Va 13° 46' E.

4000 Set temporary 1/4 sec cor.

80.30 Intersect N <sup>and</sup> S line 14 lbs S. of cor to  
 secs. 21-22-27 <sup>and</sup> 28 as herein before

Sp. 15 N.E. 15 East.

Chains described

Hence Iron

S.  $89^{\circ}51'$  W on a true line to pccs 21<sup>and</sup> 28.  
 Va.  $13^{\circ}46'E$ .

Through scattering Timber

10.70 Road br. N.E.

40.15. Set a lime stone 15 x 12 x 4 ins 10 ins in  
 the ground for tree cor marked from N  
 face from which

A Cedar 12 ins diam bears  
 $N 21^{\circ} E$  137 lks dist. marked  $\frac{1}{4}$  S. B. F.  
 a Cedar 10 ins diam bears  $S 30^{\circ} \frac{1}{2} W$   
 48 lks dist. marked  $\frac{1}{4}$  S. B. F.

47.00 Same Road br. S.E.

80.30 The cor to pccs 20-21-28<sup>and</sup> 29.

Land Level

Soil. s rate

80.30 chs scattering Cedar Timber

$N. 0^{\circ} 2' W$  to pccs 30<sup>and</sup> 31

Va.  $13^{\circ} 47' E$ .

BOOK 195  
Subdivisions

- 8.00 Road to E.
- 30.00 Road to N.E.
- 40.00 Set a Post 3 ft long 3 ins square with marked stone 12 ins in the ground for  $\frac{1}{4}$  sec cor marked  $\frac{1}{4}$  S. on N side, dug pits 18 x 18 x 18 ins N and S of post  $5\frac{1}{2}$  ft dist, and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base alongside.
- 80.00 Set a lime stone 15 x 12 x 6 ins 10 ins in the ground for cor to secs. 16-17-20 <sup>and 21</sup> marked with 3 notches on S and 4 notches on E edges and raised a mound of stone  $1\frac{1}{2}$  ft high 2 ft base alongside. Pits impracticable.  
Land Rolling and Level  
Soil 1st and 2nd rate  
No Timber

## Sp. 15 N. L. 15 East.

- Chains N.  $89^{\circ}51' E$  on a random line between <sup>and 21</sup> 16  
 Va.  $13^{\circ}45' E$ .
- 40.00 Set temporary  $\frac{1}{4}$  sec. cor.
- 80.50 Intersect N. <sup>and 21</sup> line 15. lks N of cor to  
 sec. 15-16-21 <sup>and 21</sup> as herein before described  
 thence run  
 $89^{\circ}56' W$  on a true line between 16 <sup>and 21</sup>  
 Va.  $13^{\circ}45' E$ .
- 3.70 Road to N.E.
- 26.50 Road to N.E.
- 40.10 Set a line stone  $15 \times 8 \times 6$  ins in the  
 ground for  $\frac{1}{4}$  sec cor marked  $\frac{1}{4}$  on N face  
 dug pits  $18 \times 18 \times 18$  ins  $E$  and  $W$  of stone  $5\frac{1}{2}$   
 ft dist, <sup>and</sup> raised a mound of earth  $1\frac{1}{2}$  ft  
 high  $3\frac{1}{2}$  ft base along side.
- 80.50 The cor to sec. 16-17-20 <sup>and 21</sup>  
 Land Level  
 Soil 1st <sup>and 2nd</sup> rate.  
 No timber.

BOOK [redacted] BOOK 195  
SURVEYS

Chains N 0° 3' W ht. sees 16<sup>and</sup> 17  
Va. 13° 43' E.

27.00 Enter Limber

40.00 Set a lime stone 18x10x5 ins 12 ins in the  
ground for 1/4 sec cor marked 1/4 on W  
face from which

A Cedar 12 ins diam br. N. 32° 30' W 107 lks.  
Dist marked 1/4 S. B. T.

A Cedar 16 ins diam br. S. 58° E. 140 lks  
Dist marked 1/4 S. B. T.

53.00 leave Limber

80.00 Set a lime stone 21x5x5 ins 14 ins in  
the ground for cor to sees. 5-9-16<sup>and</sup> 17  
marked with 4 notches on S. and E.  
edges <sup>and</sup> raised a mound of stone  
1/2 ft high 2 ft base alongside. Pits  
impracticable.

Land Rolling

Soil 2<sup>nd</sup> <sup>and</sup> 3<sup>rd</sup> rate.

P. 15 ~~195~~ 15 East.

Chains 30 chs Cedar Timber.

~~The newly timbered land 30 chs~~  
Jan'y. 3, 94.

$N 89^{\circ} 56' E$  on a random line bet sees. 9<sup>and</sup> 16.

$Va. 13^{\circ} 43' E.$

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.38 Intersect  $N$   $\frac{1}{2}$  S line 10 chs  $N$  of cor to  
sees. 9-10-15<sup>and</sup> 16 as herein before described  
thence drive

$N.$  on a true line bet sees. 9<sup>and</sup> 16

$Va. 13^{\circ} 43' E.$

40.14 Set a lime stone  $18 \times 6 \times 4$  ins  $12$  ins in the  
ground for  $\frac{1}{4}$  sec cor marked  $\frac{1}{4}$  on N face,  
dug pit  $18 \times 18 \times 12$  ins  $E$ <sup>and</sup>  $W.$  of stone  $5 \frac{1}{2}$   
ft dia, <sup>and</sup> raised a mound of earth  
 $\frac{1}{2}$  ft high  $3 \frac{1}{2}$  ft base along side.

65.00 Gulch 100 chs wide c. br.  $N. E.$

80.58 The cor to sees. 8-9-16<sup>and</sup> 17

Land Rolling

Soil 2<sup>nd</sup> <sup>and</sup> 3<sup>rd</sup> rate

BOOK 195

## Subdivisions

Chains No Timber

N. 0° 2' W lat sec. 8<sup>and 9</sup>

Ta. 13° 43' E.

40.00 Set a Lime stone 16 x 2 x 8 ins 15 ins in the ground for  $\frac{1}{4}$  sec cor. marked  $\frac{1}{4}$  on W face and raised a mound of stone  $\frac{1}{2}$  ft high 2 ft base along side. It's impracticable.

80.00 Set a Lime stone 27 x 8 x 4 ins 15 ins in the ground for cor to sec. 4-5-8<sup>and 9</sup> marked with 5 notches on S and 4 notches on E edges and raised a mound of stone  $\frac{1}{2}$  ft high 2 ft base along side. It's impracticable.

Land Rolling

Soil 2<sup>nd</sup> rate

No Timber.

East on a random line lat sec. 4<sup>and 9</sup>

P. 15 N. 15 East

Chains Va  $13^{\circ} 45' E$ .

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.16 True set N and S line at cor to recs  
3-4-9<sup>and</sup> 10 as here in before described.

Thence True

N. on a true line to recs. 4<sup>and</sup> 9.

Va  $13^{\circ} 45' E$ .

Through Timber

31.00 Leave Timber

40.08 Set a lime stone  $15 \times 12 \times 8$  ins in the  
ground for  $\frac{1}{4}$  sec. cor marked  $\frac{1}{4}$  on N. line  
<sup>and</sup> raised a mound of stone  $1\frac{1}{2}$  ft  
high  $2$  ft base alongside. Ditto in pass-  
ible.

80.16 The cor to recs. 4-5-8<sup>and</sup> 9

Land Rolling

Soil 2<sup>nd</sup> <sup>and</sup> 3<sup>rd</sup> rate.

31. chs Cedar Timber

Beautifully timbered land 31 chs

BOOK 195  
Subdivisions

Chain N. 0° 3' W on a random line  $\frac{1}{4}$  sec. 4  $\frac{1}{4}$  5-

Va. 13° 44' E.

40.00 Set temporary  $\frac{1}{4}$  sec cor.

80.26. Intersect N. boundary of township  
& lke. C of cor to sec. 4-5-33 <sup>and 33</sup> as  
herein before described -

Hence, run.

S. 0° 5' E on a true line  $\frac{1}{4}$  sec. 4  $\frac{1}{4}$  5-

Va. 13° 44' E.

40.26 Set a limestone 15 x 12 x 4 ins in the  
ground for  $\frac{1}{4}$  sec cor marked  $\frac{1}{4}$  on W face,  
<sup>and</sup> raised a mound of stone  $\frac{1}{2}$  ft high  
2 ft base alongside. Ditto impracticable.

80.26 The cor to sec. 4-5-8 <sup>and 9</sup>.

Land Rolling  
Soil moderate

No Timber.

N. 0° 3' W  $\frac{1}{4}$  sec. 31 <sup>and 32</sup>.

Sp. 15 N. R. 15 East

Chains Va.  $3^{\circ} 43' E$ .

through scattering timber

40.00 Set a lime stone  $15 \times 12 \times 4$  ins 10 ins in

The ground for  $\frac{1}{4}$  sec cor marked  $\frac{1}{4}$  on W

See page 78. face and raised a mound of stone  $\frac{1}{2}$  ft high

2 ft base alongside pits impracticable.

68.00 Enter dense timber

80.00 Set a lime stone  $16 \times 12 \times 4$  ins 13 ins in the

ground for cor to recs. 29-30-31 and 32

marked with 1 notch on S. and 5 notches on E edges from which

A Cedar 20 ins diam br. S.  $84^{\circ} 30' E$ . 195 lbs

Sist marked Sp. 15 N. R. 15 E. S. 52 B.T.

A Cedar 15 ins diam br. N.  $20^{\circ} W$  89 lbs

Sist marked Sp. 15 N. R. 15 E. S. 30 B.T.

No other trees within limits

Land Rolling

Soil moderate

rocks scattering Cedar timber

Heavily timbered land 12 chs

BOOK 195

## Subdivisions

- Chains  $789^{\circ}39'$  On a random line trees  $29^{\text{and}} 32$   
 Va.  $13^{\circ}43'E$ .
- 40.00 Set temporary  $\frac{1}{4}$  sec cor.
- 80.50 Intersect  $\frac{1}{4}$  sec line at cor to sec.  
 $28-29-32^{\text{and}} 33$  as herein before described  
 Thence run.
- $89^{\circ}59'$  Run a true line to trees  $29^{\text{and}} 32$   
 Va.  $13^{\circ}43'E$ .
- 1.00 <sup>through Timber</sup>  
 Draw 1ch wide course N.E.
- 40.10 Set a lime stone  $12 \times 12 \times 5$  ins diam in  
 the ground for  $\frac{1}{4}$  sec cor marked  $\frac{1}{4}$   
 on N face from which  
 A Pinon 14 ins diam br.  $786^{\circ}E$  72 lks  
 dist marked  $\frac{1}{4}$  S.B.T.  
 A Pinon 6 ins diam br.  $S 38^{\circ}W$  107 lks  
 dist marked  $\frac{1}{4}$  S.B.T.
- 80.20 The cor to sec.  $29-30-31^{\text{and}} 32$   
 Land Rolling

# Twp. 15 N. R. 15 East

- Chains Soil 2nd rate
- 80.00 chs. Cedar Timber.  
 26 evenly timbered & laid 80.00 chs  
 Jan'y 4. 94.
- 
- 89°59' W on a random line bet sec. 30<sup>and</sup> 31  
 Va. 13°43' E.
- 40.00 Set temporary 1/4 sec cor.
- 85.50 Intersect W boundary of township 5<sup>th</sup> N  
 N of cor to sec. 25-30-31<sup>and</sup> 36 as herein  
 before described  
 Thence I run
- N 89°57' E on a true line bet sec. 30<sup>and</sup> 31  
 Va. 13°43' E.
- Through Timber
- 28.00 Leave Timber
- 45.50 Set a limestone 15x12x10 ins 10 ins in the  
 ground for 1/4 sec cor marked 1/4 on N  
 face and raised a mound of stone 1/4  
 ft high 2 ft base alongside. It is  
 impracticable.

# Subdivisions

85.50 The cor to sec. 29-30-31 and 32

Land Rolling

Soil. 2nd rate

38 chs. Cedar Timber.

~~Heavily timbered land 85.50 chs~~ 28<sup>th</sup>

No 3' Wht sec. 29-30

Pa. 13° 44' E.

Through Timber

4.00 leave Timber

40.00 Set a lime stone 15x8x8 ins 10 ins in the ground for 1/4 sec cor marked 1/4 on W face, dug pit 18x18x12 ins N and S of stone 5 1/2 ft dist, and raised a mound of earth 1 1/2 ft high 3 1/2 ft base along side.

80.00 Set a lime stone 18x8x4 ins 13 ins in the ground for cor to sec. 19-20-29 and 30 marked with 2 notches on S and 5 notches on E edges and raised a

Apr. 15 N. L. 15 East.

Chains mound of stone  $1\frac{1}{2}$  ft high 2 ft base  
along side. Pits impracticable.

Lans Rolling

Soil 2 substrate

4 chs Cedar timber

Severely timbered land 4 chs

$N 89^{\circ} 59' E$  on a random true line bet secs. 20<sup>and</sup> 29  
Va.  $13^{\circ} 45' E$ .

40.00 Set temporary  $\frac{1}{4}$  sec cor.

80.12 Intersect  $N$  and  $S$  line 8 lks S of cor to sec  
20-21-28<sup>and</sup> 29 as herein before described.  
thence  $S$  run

$S 89^{\circ} 56' W$  on a true line bet secs. 20<sup>and</sup> 29  
Va.  $13^{\circ} 45' E$ .

40.06 Set a lime stone  $18 \times 12 \times 6$  ins  $12$  ins in  
the ground for  $\frac{1}{4}$  sec cor marked  $\frac{1}{4}$  on  
 $N$  face, from which  
A Cedar  $15$  ins diam br.  $S 79^{\circ} 30' W$  97 lks  
dist marked  $\frac{1}{4}$  S. P. J.

## Subdivisions

Chains A Cedar 26 ins diam to. N 79° E. 157 lks

tickmarked 1/4 S. B. T.

80.12 The cor. to secs. 19-20-29<sup>and</sup> 30

Land Rolling

Soil. 2nd rate

Timber, scattering Cedar

S 89° 57' W on a true line to secs. 19<sup>and</sup> 30

To 13° 45' 5."

40.00 Set temporary 1/4 sec. cor.

85.30 Intersect W. boundary of township  
14 lks N of cor. to secs. 19-24-35<sup>and</sup> 30

as herein before described

thence I run

N 89° 01' E on a true line to secs. 19<sup>and</sup> 30

To 13° 45' 6."

Through Timber

20.00 leave Timber

32.00 Road plus N. E. & S. W.

45.30 Set a true stone 15 x 10 x 6 ins 10 ins in

Apr 15 N. E. 15 East.

Chains the ground for  $\frac{1}{4}$  sec cor marked  $\frac{1}{4}$  on N face. 5ug pits 18x18x15 ins E and W of stone  $5\frac{1}{2}$  ft dist. and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base along side.

85.30 the cor to sec. 19-20-29 and 30

Land Rolling

Soil. 2nd rate

20 cho ~~scattered~~ Cedar Timber.

N. 0° 3' W ht sec. 19 and 20

Va. 13° 44' E.

1200 Road to E.

4000 Set a lime stone 15x14x12 ins 10 ins in the ground for  $\frac{1}{4}$  sec cor marked  $\frac{1}{4}$  on W face and raised a mound of stone  $1\frac{1}{2}$  ft high 2 ft base alongside. Pits impracticable.

8000 Set a lime stone 15x8x6 ins 10 ins in the

# Subdivisions

BOOK: 195

Chains ground for cor to recs 17-18-19 <sup>and 20</sup>  
marked with 3 notches on <sup>and 5</sup>  
notches on E edges <sup>and raised</sup> a  
mound of stone 1 1/2 ft high  
3 ft base along side. Pils im-  
practicable.

Land Rolling  
Soil 2nd rate

Timber scattering cedar

N 89° 56' E on a random line bet recs. 17 <sup>and 20</sup>  
Va. 13° 43' E.

40.00 Set temporary 1/4 sec cor.

80.06 Intersect N and S line 10 lbs N of cor  
to recs. 16-17-<sup>and 21</sup> as herein before  
described

Hence run

W on a true line bet recs. 17 <sup>and 20</sup>  
Va 13° 43' E.

## Twp 15 N. R. 15 East.

Chains

40.03 Set a line stone 18x12x6 ins in the ground for  $\frac{1}{4}$  sec cor marked  $\frac{1}{4}$  on N face and raised a mound of stone  $1\frac{1}{2}$  ft high 2 ft base alongside. Pits impracticable.

80.06. The cor to secs. 17-18-19<sup>and 20.</sup>

Land Rolling

Soil 2 no rate

No Timber

$S 89^{\circ} 51' W$  on a random line bet secs. 18<sup>and 19</sup>  
Va.  $13^{\circ} 43' E$ .

40.00 Set temporary  $\frac{1}{4}$  sec cor.

85.27 Intersect W boundary of township  
14 lks S of cor to secs. 13-18-19<sup>and 20</sup>  
as herein before described.

Thence True

$N 89^{\circ} 57' E$  on a true line bet secs. 18<sup>and 19</sup>

BOOK 195  
Subdivisions

Chain Va.  $13^{\circ} 43' E$ .

45.27 Set a lime stone  $18 \times 12 \times 4$  ins 12 ins in the ground for  $\frac{1}{4}$  sec cor marked  $\frac{1}{4}$  on N face, dug pits  $18 \times 18 \times 12$  ins E and W of stone  $5\frac{1}{2}$  ft dist, and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base along side.

80.27 The corts sees 17-18-19 and so  
Land Rolling  
Soil 2nd rate  
No Timber.

Jan 5. 94.

N  $73^{\circ} W$  bet sees 17 and 18.

Va.  $13^{\circ} 43' E$ .

Through Timber

25.00 Leave Timber

40.00 - Set a lime stone  $15 \times 8 \times 6$  ins 10 ins in the ground for  $\frac{1}{4}$  sec cor marked  $\frac{1}{4}$  on W face, and raised a mound of stone  $1\frac{1}{2}$  ft

# Twp. 15 N. R. 15 East.

Chains high 2 ft base along side e. Pits impracticable.

80.00 Set a lime stone 18x16x12 ins 12 ins in the ground for cor to sec. 7-8-17<sup>and</sup> 18 marked with 4 notches on S. and 5 notches on E edges, dug pits 18x18x12 ins in each sec. 5 1/2 ft. dist. and raised a mound of earth 2 1/2 ft high 4 1/2 ft base along side.

Land Rolling and Level

Soil 1st and 2nd rate

25 cho Cedar and Pinon Timber.

~~Heavily timbered land 25 cho~~

E. on a random line to trees. 8<sup>and</sup> 17

Va. 13° 44' E.

40.00 Set temporary 1/4 sec cor.

80.28 Intersect N<sup>and</sup> S. line at cor to sec. 8-9

16<sup>and</sup> 17 as herein before described.

Thence I run

# Subdivisions

Chains Won a true line bet rees 8<sup>and</sup> 17  
 Va. 13° 44' E.

40.14 Set a lime stone 15x12x4 in 10 in in  
 the ground for 1/4 sec cor marked 1/4 on  
 N face <sup>and</sup> raised a mound of stone 1 1/2  
 ft high & 3 ft base alongside. Pits im-  
 practicable.

80.28. The cor to rees 7-8-17<sup>and</sup> 18  
 Land Level  
 Soil. 2nd rate  
 No Timber

89° 57' Won a random line bet rees 7<sup>and</sup> 18.  
 Va. 13° 46' E.

40.00 Set temporary 1/4 sec cor.

85.15- Intersect W boundary of townships &  
 the S. of cor to rees 7-12-13<sup>and</sup> 18 as herein  
 before described  
 Hence true.

## Sp. 15 T. 15 East

Chains E on a true line bet rees. 7<sup>and</sup> 18.

Va.  $13^{\circ}46' E$

45.15 Set a lime stone  $15 \times 8 \times 8$  ins in the ground for  $\frac{1}{4}$  sec cor marked  $\frac{1}{4}$  on N face, and raised a mound of stone  $\frac{1}{2}$  ft high 5 ft base alongside. Pl. impracticable.

85.15 The cor to rees. 7-8-17<sup>and</sup> 18.

Land Rolling

Soil. 3 ms rate

No Timber.

7.003 W bet rees. 7<sup>and</sup> 8.

Va.  $13^{\circ}45' E$

40.00 Set a Lime stone  $15 \times 14 \times 4$  ins 10 ins in the ground for  $\frac{1}{4}$  sec cor marked  $\frac{1}{4}$  on W face, Sug pits  $18 \times 18 \times 12$  ins N<sup>and</sup> S of stone  $5 \frac{1}{2}$  ft dist<sup>and</sup> raised a mound of earth  $1 \frac{1}{2}$  ft high  $3 \frac{1}{2}$  ft base alongside.

8000 Set a Lime stone  $18 \times 12 \times 4$  ins 18 ins in the

# Subdivisions

Chains ground for corners 5-6-7<sup>and</sup> 8 marked with 5 notches on S. <sup>and</sup> E edges <sup>and</sup> raised a mound of stone 1/2 ft high 2 ft base alongside. Pils impracticable.

Land Rolling

Soil 2<sup>nd</sup> <sup>and</sup> 3<sup>rd</sup> rate

No Timber.

Con a random line bet rees. 5<sup>and</sup> 8  
 Va. 13° 45' E.

40.00 Set temporary 1/4 sec cor.

80.36. Intersect. N <sup>and</sup> line 3 lks S of cor to rees. 4-5-8<sup>and</sup> 9 as here in before described.

Thence Iron

S 89° 59' W on a true line bet rees. 5<sup>and</sup> 8  
 Va. 13° 45' E.

40.18 Set a lime stone 15x8x8 ins 10 ins in the ground for 1/4 sec cor marked 1/4 on N face

## Twp. 15 N. R. 15 East.

Chains dug pits - 18x18x12 ins E<sup>and</sup> W of stone 5 1/2 ft dist, <sup>and</sup> raised a mound of earth 1 1/2 ft high 3 1/2 ft base alongside.

80.36 The cor to secs. 5-6-7 <sup>and</sup> 8.

Land Level

Soil. 2nd rate

No Timber

Run a random line bet secs. 6 <sup>and</sup> 7.

Pa. 13° 44' E.

40.00 Set temporary 1/4 sec cor.

85.10 Intersect W. boundary of township at cor to secs. 1-6-7 <sup>and</sup> 12 as herein before described.

Thence I run

Some true line bet secs. 6 <sup>and</sup> 7

Pa. 13° 44' E.

40.00 Set a lime stone 21x6x6 ins 14 ins in the ground for 1/4 sec cor marked 1/4 m

Subdivisions

Chain's face <sup>and</sup> raised a mound of stone 1 1/2 ft high 2 ft base along side. Pits impracticable

85.10

Spec cor. to sec's 5-6-7 <sup>W</sup> 8 and Rolling

Soil substrate

limber scattering cedar

N 0° 3' W on a random line bet sec's 5 <sup>and</sup> 6.

Va. 13° 43' E.

40.00 Set temporary 1/4 sec. cor.

80.16 Intersect N. boundary of township 8 lks W of cor to sec's 5-6-31 <sup>and</sup> 38 as herein before described.

Thence I run

S. on true line bet sec's 5 <sup>and</sup> 6.

Va. 13° 43' E.

40.16 Set a lime stone 18x14x6 ins 12 ins in the ground for 1/4 sec. cor marked 1/4 on W face <sup>and</sup> raised a mound of

Tp. 15 N. R. 15 East

Chains stone  $1\frac{1}{2}$  ft high 2 ft base alongside. Cuts impracticable.

80.16 The cor. to secs 5-6-7<sup>2</sup>/<sub>4</sub> 8

Land rolling

Soil 1<sup>st</sup> <sup>2</sup>/<sub>4</sub> 2<sup>nd</sup> rate

No timber

Jan'y 6. '94

17 miles 23 chs and 89 lbs run through heavily timbered land.

### General Description

The greater part of this township is of a rolling nature; the Eastern tier of this township through which Chevelon Cañon runs being the only broken portion. There is water in this

canon throughout  
the year. The timber  
is mostly cedar, is  
<sup>(Towards the N.E. portion</sup>  
very scattered. The  
soil could be of  
advantage for farming  
land if water was  
more accessible. The  
Waters Cattle Company  
has put up some  
improvements to  
the extend of 600 to  
700 Dollars in the S.W.  
 $\frac{1}{4}$  of Sec. 36  $\frac{2}{4}$  N.E.  $\frac{1}{4}$  of  
Sec. 35, consisting of  
a frame building  
and corrals, also  
Messrs Kern & Casber  
have improvements  
consisting of houses

and sheep corrals to the  
the extend of \$800 to \$1000  
in the S. W.  $\frac{1}{4}$  of Sec. 25.  
In the S. W.  $\frac{1}{4}$  of Sec. 35  
down in the Cañon there  
are several houses originally  
belonging to Williams  
but are now abandoned.

Philip Contzen  
U. S. Dep. Sur.

~~Corrections. T. 15 N. R. 15 E.  
Page 59. Inset. From which a  
Pinion 18 ins diam. bears  
N 67° E. 193 lbs. dist. marked  
1/4 S. B. T. - No other  
tree within limits.~~

BOOK 195

U. S. Surveyor-General's Office,

TUCSON, A. T., August 9, 1895-

The foregoing Field Notes of the Surveys of  
the subdivision lines of  
Township 15. North, Range  
15-East of the

Gila and Salt River Meridian  
in Arizona executed by

Philip Coutzen

U. S. Deputy Surveyor, under his contract dated  
February 10, 1893

having been critically examined, the necessary correc-  
tions and explanations made, the said Field Notes and  
the surveys they describe are hereby approved.

L. H. Manning

U. S. Surveyor-General  
for the Territory of Arizona.

Corrections & Alterations  
Contract No 27 - Philip Contzen  
Deputy

T. 15 N. R. 15 E

Page 59. — N. bet.  
secs. 31 and 32, at  
40.00 chs

Insert "From which  
A Pinion 18 ins. diam.  
bears N 67° E. 193 lbs.  
dist., marked 1/4 S.  
B. T. No other trees  
within limits

Territory of Arizona } U.S.  
County of Pima }  
Philip Contzen, U.S.  
Deputy Surveyor  
being first duly

sworn, on oath deposes and says, that the foregoing corrections are made after reference to his original field notes, the errors in said notes having been made by copyist and that the same are now correct.

Philip Contzen  
Subscribed and sworn  
to before me, the 9th  
day of January, A. D.  
1896.

U. S. Surveyor Gen'l