

Book No. 10 BOOK 206
BOOK 206

*Platted
used
copy*

H. Myrick Jr. Deputy Surveyor.

T. *15 N* R. *22 E*

Gila and Salt River Meridian.

No - 206

FIELD NOTES

OF

THE SUBDIVISION LINES OF

Township *15 N* Range *22 E*

Gila and Salt River Meridian.

BY

Henry Myrick Jr. Deputy Surveyor.

Under his Contract of *July 25th 1883*

Survey Commenced *May 10th 1883*

Survey Completed *May 12 1883*

No - 206

*Platted,
Copied for Washington,
Copied for Register,*

206

Edward Denny & Co., Stationers & Printers, S. F. Cal.

Copyright Secured,


Entered according to Act of Congress, in the Clerk's Office of the Librarian of Congress at Washington, D. C., in the year 1880.

BOOK 206

Township 15 N.

Range 22 E. M.

Upper Salt River Mountain



7	0-76	14	3-00	21	7-22	28	14-34
8	0-98	15	3-53	22	7-85	29	15-47
9	1-24	16	4-02	23	8-64	30	15-47
10	1-55	17	4-56	24	9-47	35	22-07

BOOK 206

1A

Henry Myrick Deputy Surveyor.

T. *15* North R. *22* East

Gila and Salt River Meridian.

No. 206
FIELD NOTES

OF

THE SUBDIVISION LINES OF

Township *15 N* Range *22 E*

Gila and Salt River Meridian.

BY

Henry Myrick Deputy Surveyor.

Under his Contract of *July 25* 188*3*

Survey Commenced *May 10* 188*3*

Survey Completed *" 12* 188*3*

*Platted,
Copied for Washington,
Copied for Register,*

13

Township 15 North, Range 22 East,
Gila and Salt River Basins Meridian.

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
53		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

OK

Edward Denny & Co., Stationers & Printers, S. F., Cal.

Copyright Secured,

Entered according to Act of Congress, in the Clerk's Office of the Librarian of Congress at Washington, D. C., in the year 1880.

Township

Range

BOOK 206

10

Meridian.

No-206

For Preliminary Oaths
and description of instrument
see book No 1.

Survey made with Burt's Patent Improved Solar
Compass, nearly new, and in first rate order. Made
by Otto Zennel of Cassel
Germany in 1881

1 Township 15 North - Range 22 E
 (See previous page.) Gila and Salt River Meridian.

Chains

From the corner to Sections 35, 36, 1 and 2 on the South boundary, *of 1/2*

which is a first in
 earth mound with 7 pits
 18 x 18 x 12 inches in each
 Sec. 5 1/2 ft. dist. Post marked
 T/5 N. S 36 on W & R 22 E S. 1 on S E T/4
 N. S 2 on S W & S 35 on W W face notch on
 E & 5 notches on W edges from which Cor Spur
 6' W.

North between sections 35 and 36

Variation 13° 49' East.

Ascend. gradually

24.00 Top of Spur, bears E. and W. and descend.

40.00 Set a post 3 ft. long, 3 ins. diam. with marked stone
 12 ins. in the ground, for 1/2 Sec. Cor., marked 1/2 S. on
 W. face, dug pits, 18 x 18 x 12 ins., E. and W. of
 post 5 1/2 ft. dist., and raised a mound of earth 1 1/2 ft.
 high, 3 1/2 ft. base around post.

80.00 Set a post 4 ft. long, 4 ins. square, with marked stone
 12 ins. in the ground, for Cor. to Secs, 25-26-35 & 36,
 marked T/5 N. S, 25, on N, E, R, 22 E, S. 36
 on S, E, S, 35 on S, W, and S, 26 on N, W, faces
 with | notch on S, and | notch on E, edges,
 dug pits 18 x 18 x 12 ins, in each Sec., 5 1/2 ft. dist.,
 and raised a mound of earth 2 ft. high, 4 1/2 ft. base
 around post.

Land rolling.
 Soil 2nd.
 rate.
 Vegetation Bur oak trees.

Township 15 N. Range 22 E

Gila and Salt River Meridian.

Chains East, on a random line between Sections 25 and 36.
Variation 13° 49' East.*Ascend.*40.00 Set temporary $\frac{1}{2}$ Sec. Cor.

47.00 Top of Spur, bears N. and S., and descend.

80.22 Intersect E. B. of Tp. 77 Ns. S. of cor. to secs.

25-36 - 30 and 31 which is a
deposit of 4 stones and
pits, 15 x 15 x 12 ins in each
section 5 $\frac{1}{2}$ ft dist, a stake
in S E pit marked 15 N & 30 m N E
R 23 E S 31 m S E. R 22 E S 36 m S W
and S 35 m N W face & with mound
of earth 2 ft high 4 $\frac{1}{2}$ ft base
from which corner, I run

S 89° 27' W on a true line, between sections 25 & 36

Variation 13° 49' East.

40.11 Set a Sand stone 10 x 10 x 6 ins., 6 ins.
in the ground, for $\frac{1}{2}$ Sec. Cor., marked $\frac{1}{2}$ on N face,
dug pits 18 x 18 x 12 ins., E and W. of stone 5 $\frac{1}{2}$
ft. dist., and raised a mound of earth 1 $\frac{1}{2}$ ft. high, 8 $\frac{1}{2}$
ft. base alongside.

80.22 The corner to sections 25-26-35 & 36

Land rolling.

Soil 2nd, rate

Vegetation Bunchgrass

Chains

6' W
North, between Sections 25 and 26.

Variation 13° 49' East.

Ascend.

18.00 Top of Spur, bears E. & W. and descend.

40.00 Set a Sand stone 12 x 12 x 6 ins., 8 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on W face, dug pits 18 x 18 x 12 ins., N and S. of stone $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base alongside.

80.00 Set a post 4 ft. long. 4 ins. square, with marked stone 12 ins. in the ground, for Cor. to Secs, 23-24-25 & 26 marked T, 15 N, S. 24, on N, E, R, 22 E, S. 25 on S, E, S, 26 on S, W, and S 23 on N, W, faces with 2 notches on S, and 1 notch on E, edges, dug pits 18 x 18 x 12 ins, in each Sec., $5\frac{1}{2}$ ft, dist,, and raised a mound of earth 2 ft, high, $4\frac{1}{2}$ ft, base around post.

Land rolling.

Soil Ind. rate

Vegetation Bunchgrass.

Township

15 N.

BOOK 206

Range

22 E.

4

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 24 and 25.

Variation $13^{\circ}49'$ East.

Ascend.

14.00 Top of Spur, bears N. & S. and descend.

40.00 Set temporary $\frac{1}{4}$ Sec. Cor.80.49 Intersect \bar{C} , B. of Tp. 101 lks. S. of cor. to secs.

24-25-19 and 30 which is a
 Flint stone, $13 \times 13 \times 4$ ins. Fixed
 in the ground, marked with 2 notches
 on S and 4 notches on N. side
 is with pits $15 \times 15 \times 12$ ins. in
 each $5\frac{1}{2}$ ft. dist. and mound
 of earth 2 ft. high $4\frac{1}{2}$ ft. base
 alongside

from which corner, I run

$589^{\circ}17'W$ on a true line, between sections 24 & 25

Variation $13^{\circ}49'$ East.

40.25 Set a Sand stone $16 \times 8 \times 4$ ins., 11 ins.
 in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on N. face,
 dug pits $18 \times 18 \times 12$ ins., E and W. of stone $5\frac{1}{2}$
 ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$
 ft. base alongside.

80.49 The corner to sections 24-23-26 & 25

Land rolling.

Soil 3rd. rate

Vegetation Bunchgrass.

Chains

6' W
North, between Sections 23 and 24.

Variation 13° 49' East.

Over rolling land.

40.00

Set a post 3 ft. long, 3 ins. diam. with marked stone 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S. on W. face, dug pits, 18 x 18 x 12 ins., N. and S. of post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base around post.

30.00

Set a Sand stone 16 x 12 x 9 ins. 11 ins. in the ground for Cor. to Secs. 13-14-23-24 marked with 3 notches on S. and / notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high, $4\frac{1}{2}$ ft. base. alongside.

Land rolling.

Soil 2ud. rate

Vegetation Bunchgrass.

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 13 and 24.

Variation $130^{\circ}49'$ East.

Ascend.

40.00 Set temporary $\frac{1}{4}$ Sec. Cor.44.00 Top of Hill bears $N. 17^{\circ} W$ and descend.

80.17 Intersect E. B. of Tp. 123 lks. S of cor. to secs. 13-24-18 and 19 which is a frost 4 ft long. 4 in square 12 in in dia. Ground marked. S 15 N S 15 on N E R 23 E S 19 on S E R 22 E S 24 on S W & S 13 on N W face with 3 notches on N & S edges dug pits $15 \times 15 \times 12$ in in each sec $5\frac{1}{2}$ ft dist & with mound of earth 2 ft high $4\frac{1}{2}$ ft base around post from which corner, I run

$S 89^{\circ} 7' W$ on a true line, between sections 13 & 24

Variation $130^{\circ}49'$ East.

40.09 Set a Sand stone $8 \times 9 \times 9$ ins., 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on N face, dug pits $18 \times 18 \times 12$ ins., E and W. of stone $3\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base alongside.

80.17 The corner to sections 13-14-23 & 24

Land hilly.

Soil 3rd. rate

Vegetation Bunchgrass.

Township 15 N.

Range 22 E

Gila and Salt River Meridian.

Chains

6' W
North, between Sections 13 and 14.

Variation 130° 49' East.

Descend.

40.00

Set a Sand stone $6 \times 6 \times 4$ ins., 11 ins. in the ground, for $\frac{1}{2}$ Sec. Cor., marked $\frac{1}{2}$ on W face, dug pits $18 \times 18 \times 12$ ins., N and S. of stone $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base alongside.

44.00

Cross low Sag and ascend.

80.00

Set a Sand stone $28 \times 14 \times 4$ ins. 18 ins. in the ground for Cor. to Secs. 11 - 12 - 13 & 14 marked with 4 notches on S. and 1 notch on E. edges and raised a mound of stone alongside. Pits impracticable.

Land rolling.

Soil 2nd. rate

Vegetation Bunchgrass.

Township

15 N.

Range

22 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 12 and 13.

Variation $13^{\circ}49'$ East.

Ascend.

- 6.30 Top of Ridge, bears $N20^{\circ}W \vee S20^{\circ}E$ and descend.
- 40.00 Set temporary $\frac{1}{2}$ Sec. Cor.
- 80.41 Intersect \odot B. of Tp. 130 lks. S of cor. to secs.

12-13-7 & 18 which is a
Sandstone $17 \times 12 \times 6$ ins. in
in the ground, marked with
noted in Sand 2 on Wedges
with pits $15 \times 15 \times 12$ ins. in each
see $5\frac{1}{2}$ ft. dist. & mound of earth
2 ft. high $4\frac{1}{2}$ ft. base alongside
from which corner, I run

$S89^{\circ}4'$ on a true line, between sections 12 & 13

Variation $13^{\circ}49'$ East.

- 40.21 Set a Sand stone $2 \times 8 \times 8$ ins., 8 ins.
in the ground, for $\frac{1}{2}$ Sec. Cor., marked $\frac{1}{2}$ on N face,
dug pits $18 \times 18 \times 12$ ins., E and W. of stone $5\frac{1}{2}$
ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$
ft. base alongside.

- 80.41 The corner to sections 11-12-13 and 14

Land mountainous.

Soil 2nd. rate

Vegetation Bunchgrass.

6 W

Chains

North, between Sections 11 and 12.

^

Variation 13° 49' East.

Over rolling land.

39.00

Through scattering timber

40.00

Sand stone ^{in place} 12 x 6 x 3 ft. above ground -
 which I now lay out at west or left
 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on W

face, and raised a mound of stone alongside. Pits

impracticable.

50.00

Foot of hill & into river bottom

30.00

Set a Sand stone 24 x 12 x 4 ins. 8 ins.
 in the ground for Cor. to Secs. 1-2-11 & 12 marked
 with 5 notches on S. and 1 notch on E. edges,
 dug pits 18 x 18 x 12 ins. in each Sec., 5 $\frac{1}{2}$ ft. dist. and
 raised a mound of earth 2 ft. high, 4 $\frac{1}{2}$ ft. base. alongside.

Land rolling.

Soil 2nd. rate

Vegetation Bunchgrass

Timber of scattering Juniper

Township

15 N

Range

22 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 1 and 12.

Variation

13° 49'

East.

Over level land

26.23 Cross Road, bears, $N 60^\circ W \vee S 60^\circ E$ 40.00 Set temporary $\frac{1}{4}$ Sec. Cor.52.00 Cross Colorado river course $N 45^\circ W$ 80.55 Intersect $\frac{1}{4}$ B. of Tp. 94 lks. S of cor. to secs.

1-6-7+12 which is a sand stone $20 \times 10 \times 5$ ins 15 ins in the ground marked with 1 notch on N & 5 notches on S edges with pits $18 \times 18 \times 12$ ins in each $5\frac{1}{2}$ ft dist & raised mound of width $2\frac{1}{2}$ ft high & $4\frac{1}{2}$ ft base alongside from which corner, I run

$S 80^\circ 20' W$ on a true line, between sections 1 & 12 229°

Variation $13^\circ 42'$ East.

40.28 Set a Sand stone $16 \times 12 \times 3$ ins., 11 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on N face, dug pits $18 \times 18 \times 12$ ins., E and W . of stone $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base alongside.

80.55 The corner to sections 1-2-11 & 12

Land level.

Soil 2nd & 3rd rate

Vegetation Bunchgrass

Township

15 N

Range

22 E

Gila and Salt River Meridian.

Chains

^{6 1/4}
 North, on a random line between Sections 1 and 2.

Variation

13° 49'

East.

Over level land through thick brush

22.18

Cross Road, bears,

N W & S E

40.00

Set temporary 1/4 Sec. Cor.

50.15

Cross Little Colorado River corner N W

80.08

Intersect N B. of Tp. 124 Wks. E of cor. to secs.

1-2-35 & 36 previously described by me

from which corner, I run

S 53' E on a true line, between sections 1 & 2

Variation

13° 49'

East.

40 08

Set a post 3 ft. long, 3 ins. diam. with marked stone

12 ins. in the ground, for 1/4 Sec. Cor., marked 1/4 S. on

W. face, dug pits, 18 x 18 x 12 ins., N. and S. of

post 5 1/2 ft. dist., and raised a mound of earth 1 1/2 ft.

high, 3 1/2 ft. base around post.

80.08

The corner to sections 1-2-11 & 12

Land level.

Soil 2 & 3rd rate

Vegetation Bunchgrass

I carefully examined the adjustments of my solar
 compass to-day, particularly the latitude and revers-
 ing apparatus, and found them correct.

H Myrick

May 10-1883

Township

15 N.

Range

22 E

Gila and Salt River Meridian.

Chains

From the corner to sections, 34 - 35 - 2 and 3 which is a post 4 ft long 4 ins square 12 ins in the ground marked T 15 N S 35 on N E R 22 E S 2 on S E T 14 S. S 3 on S W. & S 34 on N W faces with 2 notches on E and 4 on W edges with pits 18 x 18 x 12 ins in each Sec 5 1/2 ft dist & mound of earth 2 ft high 4 1/2 base around post. from which a Juniper 15 ins. diam. bears N 44° E 37 kts. dist. marked T. 15 N R. 22 E, S., 35 B. T.
North between sections 34 and 35

Variation 13° 49' East.

Over rolling land.

40.00

Set a post 3 ft. long. 3 ins. diam. with marked stone 12 ins. in the ground, for 1/4 Sec. Cor., marked 1/4 S. on W. face, dug pits, 18 x 18 x 12 ins., N. and S. of post 5 1/2 ft. dist., and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base around post.
Leave Timber,

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for Cor. to Secs, 26 - 27 - 34 & 35 marked T, 15 N. S, 26, on N, E, R, 22 E, S, 35 on S, E, S, 34 on S, W, and S, 27 on N, W, faces with 1 notch on S, and 2 notches on E, edges, dug pits 18 x 18 x 12 ins, in each Sec., 5 1/2 ft. dist., and raised a mound of earth 2 ft, high, 4 1/2 ft, base around post.

Soil Sec. rate
Vegetation
Timber of Juniper

Township

15 N.

Range

22 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 26 and 35.

Variation

13° 49'

East.

Ascend.

8.00

Enter Timber, of Juniper

22.00

Top of Ridge, bears N. & S. and descend.

40.00

Set temporary $\frac{1}{4}$ Sec. Cor.

44.00

Leave Timber,

80.19

Intersect N. & S. line, 93 lks. S. of cor. to secs.

25-26-35 & 36 from which corner, I run

S 89° 20' W. on a true line between sections 26 & 36

Variation

13° 49'

East

40.10

Set a pest 3 ft. long, 3 ins. diam 24 ins. in the ground,
for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S. on N. face; from whichA Juniper 10 ins. diam. bears S. 39° W. 7 lks. dist.
marked $\frac{1}{4}$ S. B. T.A Juniper 8 ins. diam. bears N. 72° W. 16 lks. dist.
marked $\frac{1}{4}$ S. B. T.

80.19

The corner to sections 26-27-34 & 35

Land mountainous

Soil 300 rate

Timber of Juniper scattering

Vegetation. Bunchgrass.

Township

15 N

Range

22 E

Gila and Salt River Meridian.

Chains

North, ^{6 W} between Sections 26 and 27.

Variation

13° 49'

East.

Over level land

36.00 Leave Flat bears E & W and ascend.

40.00 Set a Sand stone 12 x 12 x 4 ins., 5 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on W face, dug pits 18 x 18 x 12 ins., N and S. of stone $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base alongside.

46.00 Enter Flat bears N 65° E

80.00 Set a post 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for Cor. to Secs, 22-23-26 & 27 marked T, 15 N S. 23, on N, E, R, 22 E, S. 26 on S, E, S, 27 on S, W, and S, 22 on N, W, face with 2 notch E on S, and 2 notches on E, edges, dug pits 18 x 18 x 12 ins, in each Sec., $5\frac{1}{2}$ ft, dist., and raised a mound of earth 2 ft, high, $4\frac{1}{2}$ ft, base around post.

Land level. & rolling.

Soil 2 & 3rd rate

Vegetation Brush grass

Township

15 N

Range

22 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 23 and 26.

Variation

13° 49'

East.

Ascend.

9.00 Top of Ridge, bears N + E and descend.

40.00 Set temporary $\frac{1}{4}$ Sec. Cor.

80.12 Intersect N. & S. line, 119 lks. S of cor. to secs.

23-24-25-26 from which corner, I run

S 79° 9' W. on a true line between sections 23 + 26

Variation

13° 49'

East

40.06

Set a sand stone $4 \times 5 \times 4$ ins., 10 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on N face, dug pits $18 \times 18 \times 12$ ins., E and W. of stone $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base alongside.

80.12

The corner to sections 22-23-26 + 27

Land mountainous.

Soil 2 + 3rd rate

Vegetation

Bunchgrass

Township

15 N.

Range

22 E.

Gila and Salt River Meridian.

Chains

6 W
North, between Sections 22 and 23.

Variation 13° 49' East.

Over rolling land.

40.00

Set a Sand stone 18 x 9 x 5 ins., 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on W face, dug pits 18 x 18 x 12 ins., E and W. of stone $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base, alongside.

30.00

Set a Sand stone 18 x 15 x 10 ins. 12 ins. in the ground for Cor. to Secs. 14 15 - 22 & 23 marked with 3 notches on S. and 2 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high, $4\frac{1}{2}$ ft. base. alongside.

Land rolling.

Soil 3rd. rate

Vegetation Bunchgrass.

Township

15 N.

Range

22 E.

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 14 and 23.

Variation

13° 49'

East.

Ascend.

24.00 Top of Ridge, bears N. 20° E and descend.

40.00 Set temporary $\frac{1}{2}$ Sec. Cor.

80.00 Cross low Sag and ascend. N. W.

80.34 Intersect N. & S. line, 84 lks. S. of cor. to secs.
14-13-23 & 24 from which corner, I run

S 89° 26' W. on a true line between sections 14 & 23

Variation 13° 49' East

40.17 Set a SAND stone 22 x 16 x 15 ins., 15 ins.
in the ground, for $\frac{1}{2}$ Sec. Cor., marked $\frac{1}{2}$ on N face,
dug pits 18 x 18 x 12 ins., E and W. of stone 5 $\frac{1}{2}$
ft. dist., and raised a mound of earth 1 $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$
ft. base alongside.

80.34 The corner to sections 14 - 15 - 22 and 23

Land mountainous.

Soil 2nd. rate

Vegetation Bunchgrass.

Township

15 N.

Range

22 E

18

Gila and Salt River Meridian.

Chains

6' W.

North, between Sections 14 and 15.

Variation

13° 49'

East.

Over rolling land.

40.00

Set a Sand stone $10 \times 10 \times 8$ ins., 6 ins. in the ground, for $\frac{1}{2}$ Sec. Cor., marked $\frac{1}{2}$ on W face, dug pits $18 \times 18 \times 12$ ins., N and S. of stone $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base alongside.

30.00

Set a Sand stone $18 \times 12 \times 4$ ins. 12 ins. in the ground for Cor. to Secs. 10-11-14 & 15 marked with 4 notches on S. and 2 notches on E. edges, dug pits $18 \times 18 \times 12$ ins. in each Sec., $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high, $4\frac{1}{2}$ ft. base. alongside.

Land rolling.

Soil Ind. rate

Vegetation Bunchgrass.

Township

15. N.

Range

22 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 11 and 14.

Variation

13° 49'

East.

*Over rolling land.*40.00 Set temporary $\frac{1}{4}$ Sec. Cor.80.21 Intersect N. & S. line, 78 lks. S. of cor. to secs. 11
12-13 & 14 from which corner, I run

S 89° 27' W. on a true line between sections 11 & 14

Variation 13° 49' East

40.11 Set a Sand stone 8 x 12 x 4 ins., 12 ins.
in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on N face,
dug pits 18 x 18 x 12 ins., E and W. of stone 5 $\frac{1}{2}$
ft. dist., and raised a mound of earth 1 $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$
ft. base alongside.

80.21 The corner to sections 10 - 11 - 14 & 15

Land rolling.

Soil 3rd. rate

Vegetation Bunchgrass.

Township

15 N.

Range

22 E

20

Gila and Salt River Meridian.

Chains

6' W.

North, between Sections 10 and 11.

Variation

13° 49'

East.

Over rolling land.

40.00

Set a Sand stone 16 x 16 x 6 ins., 11 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{2}$ on W face, dug pits 18 x 18 x 12 ins., N and S. of stone $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base alongside. and ascend

70.00

Top of Hill bears E. and W. and descend.

80.00

Set a Sand stone 24 x 12 x 4 ins. 18 ins. in the ground for Cor. to Secs. 2-3-10 & 11 marked with 5 notches on S. and 2 notches on E. edges and raised a mound of stone alongside. Pits impracticable.

*Land rolling.**Soil 2nd. rate*

Timber of Scattering Juniper
Vegetation. Bunchgrass.

Township 15 N.

Range 22 E.

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 2 and 11.

Variation $13^{\circ}49'$ East.

Ascend.

- 12.00 Top of Hill bears N. and S. and descend.
- 21.00 Cross low Sag and ascend. course N. E.
- 31.00 Top of Hill bears N.W. & S.E. and descend.
- 33.00 Enter River bottom
- 37.00 Leave Timber, N. and S.
- 40.00 Set temporary $\frac{1}{2}$ Sec. Cor.
- 80.50 Intersect N. & S. line, 130 lks. S. of cor. to secs. 1
2-71 & 12 from which corner, I run
 $S 89^{\circ}4' W.$ on a true line between sections 2 & 11
Variation $13^{\circ}49'$ East
- 40.25 Set a Sand stone $20 \times 12 \times 3$ ins., 15 ins.
in the ground, for $\frac{1}{2}$ Sec. Cor., marked $\frac{1}{2}$ on N. face,
dug pits $18 \times 18 \times 12$ ins., E and W. of stone $5\frac{1}{2}$
ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$
ft. base alongside.
- 80.50 The corner to sections 2 - 3 - 10 and 11
Land hilly.
Soil 3rd. rate
Vegetation Bunchgrass.

Gila and Salt River Meridian.

Chains North, on a random line between Sections 2 and 3.

Descend. gradually Variation $13^{\circ}49'$ East.

Ascend.

24.00 Top of Huff bears E and W and descend40.00 Set temporary $\frac{1}{4}$ Sec. Cor. in~~Pass~~ low Sag and ascend.45.00 Top of Hill bears N W + S E and descend.49.00 Leave Timber, S W E + W 80 24 Intersect N B. of Tp. 245 lks. E of cor. to secs.2-3-34735- from which set by me
from which corner, I run S $10^{\circ}45'$ E on a true line, between sections 2 & 3Variation $13^{\circ}49'$ East.

40 24 Set a sand stone $20 \times 10 \times 3$ ins., 15 ins.
in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on W face,
dug pits $18 \times 18 \times 12$ ins., N and S . of stone $5\frac{1}{2}$
ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$
ft. base alongside.

80 24 The corner to sections 2-3-10 & 11

Land hilly.

Soil 2^d or 3rd rate

Vegetation Bunch grass

I carefully examined the adjustments of my solar
compass to-day, particularly the latitude and revers-
ing apparatus, and found them correct.

G. W. Dorem Compassman

May 10 - 1853

Township 15 N

Range 22 E

Gila and Salt River Meridian.

Chains

From the corner to sections, 3-4-33 & 34 on the South Br. of Sp. which is a post 4 ft long 4 in square 12 in in the ground marked T 15 N S 34 on N E R 22 E @ 3 on S. T 14 N S 4 on S W @ 33 on N W face with 3 notches on E & W edges & pits 18 x 18 in in each Sec 5 1/2 ft dist & mound of earth around post 2 in North ^{6 1/2 ft} between sections 33 & 34

Ascend. Variation 13° 49' East.

25.00 Top of Spur, bears E & W and descend.

32.00 Leave Timber, ^{to} E & W

40.00 Set a post 3 ft. long. 3 ins. diam. with marked stone 12 ins. in the ground, for 1/2 Sec. Cor., marked 1/2 S. on N. face, dug pits, 18 x 18 x 12 ins., N. and S. of post 5 1/2 ft. dist., and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base around post.

80.00 Set a post 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for Cor. to Secs, 26-27-34 & 33 marked T, 15 N S, 27, on N, E, R, 22 E, S. 34 on S, E, S, 33 on S, W, and S, 25 on N, W, face with 1 notch on S, and 3 notches on E, edges, dug pits 18 x 18 x 12 ins, in each Sec., 5 1/2 ft, dist., and raised a mound of earth 2 ft, high, 4 1/2 ft, base around post.

Land rolling.

Soil 2 & 3rd

Vegetation Pines
Timber of Juniper

rate

Township *15 N.* Range *22 E*

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 27 and 34.

Variation *13° 49'* East.*Ascend.**40.00* Set temporary $\frac{1}{4}$ Sec. Cor.*60.00* Top of Ridge, bears *NE.* and *SW.*, and descend.*80.40* Intersect N. & S. line, *48* lks. S, of cor. to secs.*26-35-27-34* from which corner, I run*S 89° 31' W.* on a true line between sections *27* & *34*Variation *13°, 49'* East

40.20 Set a post 3 ft. long. 3 ins. diam. with marked stone
 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S. on
 N. face, dug pits, 18 x 18 x 12 ins., E and W of
 post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft.
 high, $3\frac{1}{2}$ ft. base around post.

80.40 The corner to sections - *28-27-33* & *34*

Land mountainous.

Soil *3rd.* rateVegetation *Bunchgrass.*

25 Township 15 N.

Range 22 E

Gila and Salt River Meridian.

Chains

6¹/₂ W.
North, between Sections 27 and 28.

Variation 130° 49' East.

Over rolling land.

40.00 Set a post 3 ft. long, 3 ins. diam. with marked stone 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S. on W. face, dug pits, 18 x 18 x 12 ins., N. and S. of post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base around post.

80.00 Set a post 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for Cor. to Secs, 21-22-27 & 28 marked T, 15 N. S. 22, on N, E, R, 22 E, S. 27 on S, E, S, 28 on S, W, and S, 21 on N, W, faces with 2 notches on S, and 3 notches on E, edges, dug pits 18 x 18 x 12 ins, in each Sec., $5\frac{1}{2}$ ft. dist., and raised a mound of earth 2 ft. high, $4\frac{1}{2}$ ft. base around post.

Land rolling.

Soil 3rd. rate

Vegetation Bunchgrass.

Township

15 N

Range

22

E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 22 and 27.

Variation

13° 49'

East.

Ascend. *gradually*

40.00

Set temporary $\frac{1}{4}$ Sec. Cor.

80.69

Intersect N. & S. line, 83 lks. S of cor. to secs.

22-23-26+27 from which corner, I run

S 79° 24' W. on a true line between sections 22+27

Variation

13° 49'

East

40.35

Set a post 3 ft. long, 3 ins. diam. with marked stone

12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S. onN. face, dug pits, 18 x 18 x 12 ins., E. and W. of post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft.high, $3\frac{1}{2}$ ft. base around post.

80.69

The corner to sections 22-21-27+25

Land rolling.

Soil

2nd rate

Vegetation

Bunchgrass

Township

15 N

Range

22 E

Gila and Salt River Meridian.

Chains

67
North, between Sections 21 and 22.

Variation

13° 49'

East.

Over rolling land.

40.00

Set a Sand stone $12 \times 12 \times 5$ ins. 5 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on N face, dug pits $18 \times 18 \times 12$ ins., N and S. of stone $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base alongside.

80.00

Set a Sand stone $15 \times 12 \times 5$ ins. 10 ins. in the ground for Cor. to Secs. 15-16-21 & 22 marked with 3 notches on S. and 3 notches on E. edges, dug pits $18 \times 18 \times 12$ ins. in each Sec., $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high, $4\frac{1}{2}$ ft. base. alongside.

Land rolling.

Soil 2^d & 3rd rate

Vegetation Bunchgrass

Township 15 N. Range 22 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 15 and 22.

Variation 13° 49' East.

Ascend.

40.00 Set temporary $\frac{1}{4}$ Sec. Cor.

80.57 Intersect N. & S. line, 100 lks. S. of cor. to secs.

14-15-22 & 23 from which corner, I run

889° 17' W. on a true line between sections 15 & 22

Variation 13° 49' East

40.29 Set a post 3 ft. long. 3 ins. diam. with marked stone
12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S. on
N. face, dug pits, 18 x 18 x 12 ins., E. and W. of
post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft.
high, $3\frac{1}{2}$ ft. base around post.

80.57 The corner to sections 15-16-21 & 22

Land rolling.

Soil 3rd. rate

Vegetation Bunchgrass

Township

15 N.

Range

22 E.

Gila and Salt River Meridian.

Chains

6. W.
North, between Sections 15 and 16.

Variation

13° 49'

East.

Over open flat

35.00 Leave Flat bears N.W. & S.E. and ascend.

46.00 Set a post 3 ft. long. 3 ins. diam. with marked stone 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S. on W. face, dug pits, 18 x 18 x 12 ins., N. and S. of post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base around post.

80.00

Set a Sand stone $14 \times 10 \times 4$ ins. 9 ins. in the ground for Cor. to Secs. 9-10 15 & 16 marked with 4 notches on S. and 3 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high, $4\frac{1}{2}$ ft. base. alongside.

Land rolling. level.

Soil 3rd. rate

Vegetation Bunchgrass.

Township

15 N.

BOOK

206

Range

22 E.

30

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 10 and 15.

Variation $13^{\circ} 49'$ East.

Ascend. gradually

40.00 Set temporary $\frac{1}{4}$ Sec. Cor.

54.00 Top of Spur, bears N. and S. and descend.

80.40 Intersect N. & S. line, 117 lks. S. of cor. to secs.
10-11-14 & 15 from which corner, I run $S 89^{\circ} 10' W.$ on a true line between sections 10 & 15Variation $13^{\circ} 49'$ East40.23 Set a Sand 1 stone $18 \times 6 \times 4$ ins., 12 ins.
in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on N. face,
dug pits $18 \times 18 \times 12$ ins., E and W. of stone $5\frac{1}{2}$
ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$
ft. base alongside.

80.46 The corner to sections 9-10-15 & 16

Land rolling.

Soil 3rd. rate

Vegetation Bunchgrass.

Township 15 N₁

Range 22 E

Gila and Salt River Meridian.

Chains

6^W
North, between Sections 9 and 10.

Variation 13° 49' East.

Ascend. gradually

15.00 Top of Spur, bears E. and W, and descend.

40.00 Set a Sand stone 12 x 6 x 6 ins., 8 ins. in the ground, for $\frac{1}{2}$ Sec. Cor., marked $\frac{1}{2}$ on W face, dug pits 18 x 18 x 12 ins., N and S. of stone 5 $\frac{1}{2}$ ft. dist., and raised a mound of earth 1 $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$ ft. base alongside.30.00 Set a Sand stone 18 x 12 x 3 ins. 12 ins. in the ground for Cor. to Secs. 3-4-9 & 10 marked with F notches on S. and S notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high, 4 $\frac{1}{2}$ ft. base. alongside.

Land rolling.

Soil 3rd. rate

Vegetation Bunch grass.

Township

15 N

Range

22

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 3 and 10.

Variation $13^{\circ} 49'$ East.*Ascend.*40.00 Set temporary $\frac{1}{2}$ Sec. Cor.

60.00 Enter Timber, of scattering Juniper

80.79 Intersect N. & S. line, 73 lks. \odot of cor. to secs.

2-3-10+11 from which corner, I run

 $\odot 89^{\circ} 29'$ W. on a true line between sections 3 + 10Variation $13^{\circ} 49'$ East40.40 Set a Sand stone $18 \times 6 \times 6$ ins., 12 ins.in the ground, for $\frac{1}{2}$ Sec. Cor., marked $\frac{1}{2}$ on N face,dug pits $18 \times 18 \times 12$ ins., E and W. of stone $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$

ft. base alongside.

80.79 The corner to sections 3-4-9+10

Land rolling.

Soil 2nd rate

Vegetation Bunchgrass

Timber of Juniper

Township

15 A

Range

22 E

Gila and Salt River Meridian.

Chains

North, on a random line between Sections 3 and 4.

Variation

13° 49' East.

Ascend.

13.50 Top of Hill bears *E + W* and descend.16.00 Enter Flat bears *E + W*40.00 Set temporary $\frac{1}{4}$ Sec. Cor.52.73 Cross Road, bears, *NE + SW*79.88 Intersect N B. of Tp. 316 $\frac{1}{2}$ m. E of cor. to secs.
34-4-38 + 34 *previously described by me*
from which corner, I run $S 2^{\circ} 16' E$ on a true line, between sections 3 + 4

Variation 13° 49' East.

39.88 Set a sand stone 2 x 12 x 6 ins., 8 ins.
in the ground, for $\frac{1}{4}$ Sec. Cor. ~~marked~~ $\frac{1}{4}$ on W face,
dug pits 18 x 18 x 12 ins., N and S. of stone $5\frac{1}{2}$
ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$
ft. base alongside.

79.88 The corner to sections 3-4-9+10

Land hilly.

Soil 2nd rate

Vegetation Bunch grass

I carefully examined the adjustments of my solar
compass to-day, particularly the latitude and revers-
ing apparatus, and found them correct.H Myrick
May 11 - 1858

Township

15 N.

Range

22 E

Gila and Salt River Meridian.

Chains

From the corner to sections, 4 - 5 - 32 and 33
 on South Boundary ^{of the} which
 is a post 4 ft long 4 ins square
 12 ins in the ground marked T 15 W S 33
 on W & R 22 E S 4 on S. E. T 14 W S 3 on
 W & S 32 on N W face with 7 notches on E
 and 2 on W edges pit 18 x 18 x 12 ins in each sec 5 1/2
 ft dist & earth mound 2 ft high 4 1/2 ft base around post

North between sections 32 and 33

Variation 13° 49' East.

Over rolling land.

38.77 Cross Road bears N 8° W. and S. 8° E

40.00 Set a Sand stone 16 x 14 x 3 ins., 11 ins.
 in the ground, for 1/4 Sec. Cor., marked 1/4 on W face,
 dug pits 18 x 18 x 12 ins., N and S . of stone 5 1/2
 ft. dist., and raised a mound of earth 1 1/2 ft. high, 3 1/2
 ft. base alongside.

63.00 Enter Flat bears A. E.

50.00 Set a post 4 ft. long, 4 ins. square, with marked stone
 12 ins. in the ground, for Cor. to Secs, 28-29-32 & 33
 marked T 15 W - S. 28. , on N, E, R, 22 E, S. 33
 on S, E, S, 32 on S, W, and S, 29 on N, W, faces
 with 1 notch on S, and 4 notches on E, edges,
 dug pits 18 x 18 x 12 ins, in each Sec., 5 1/2 ft, dist.,
 and raised a mound of earth 2 ft, high, 4 1/2 ft, base
 around post.

Land rolling.

Soil 3rd. rate

Vegetation Bush & grass.

Township 15 N.

Range 22 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 28 and 33.

Variation $13^{\circ} 49'$ East.*Over flat surface*

8.00 Leave Flat bears N. and S. and ascend.

14.00 Top of Spur, bears N. and S. and descend.

40.00 Set temporary $\frac{1}{2}$ Sec. Cor.

42.00 Enter Flat bears N. and S.

50.00 Leave Flat bears N. & S. and ascend.

80.54 Intersect N. & S. line, 89 lks. S. of cor. to secs.

27-28 - 33 34 from which corner, I run

S 89° , 22' W. on a true line between sections 28 & 33Variation $13^{\circ} 49'$ East

40.27 Set a post 3 ft. long, 3 ins. diam. with marked stone

12 ins. in the ground, for $\frac{1}{2}$ Sec. Cor., marked $\frac{1}{2}$ S. on

N. face, dug pits, 18 x 18 x 12 ins., E. and W. of

post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft.high, $3\frac{1}{2}$ ft. base around post.

80.54 The corner to sections 28 - 29 - 32 & 33

Land mountainous. level.

Soil 3rd. rate

Vegetation Bunchgrass.

Township

15 N

Range

22 E

Gila and Salt River Meridian.

Chains

6^W
North, between Sections 28 and 29.

Variation

13° 49'

East.

Over Flat

- 15.00 Leave Flat bears N E + S W and ascend.
- 18.00 Cross Road, bears, N 15° E + S 15° W
- 40.00 Set a Sand stone 36 x 18 x 4 ins., 27 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on W face, dug pits 18 x 18 x 12 ins., N and S. of stone 5 $\frac{1}{2}$ ft. dist., and raised a mound of earth 1 $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$ ft. base alongside.
- 30.00 Set a Sand stone 36 x 12 x 8 ins., 27 ins. in the ground for Cor. to Secs. 20-21-28+29 marked with 2 notch *sw* on S. and 4 notch *ew* on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high, 4 $\frac{1}{2}$ ft. base. alongside.

Land rolling and level.

Soil 2^d or 3^d rate

Vegetation Bunchgrass

Township

15 N

Range

22 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 21 and 28.

Variation $13^{\circ} 49'$ East.

Descend gradually

2.47 Cross Road, (Halls) bears $N 3^{\circ} W + S 3^{\circ} E$ 35.00 Enter Flat bears $N \text{ \& } S$ 40.00 Set temporary $\frac{1}{2}$ Sec. Cor.63.00 Leave Flat bears $N \text{ \& } S$ and ascend.80.14 Intersect N. & S. line, 97 lks. S of cor. to secs.

21-22-27 & 28 from which corner, I run

 $S 89^{\circ} 18' W$ on a true line between sections 21 & 28Variation $13^{\circ} 49'$ East

40.07 Set a post 3 ft. long, 3 ins. diam. with marked stone
12 ins. in the ground, for $\frac{1}{2}$ Sec. Cor., marked $\frac{1}{2}$ S. on
N. face, dug pits, 18 x 18 x 12 ins., E. and W. of
post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft.
high, $3\frac{1}{2}$ ft. base around post.

80.14 The corner to sections 20-21-25 & 29

Land rolling. ∇ level.Soil 2nd & 3rd rate

Vegetation Bunch grass

Township

15 N.

Range

22 E

Gila and Salt River Meridian.

Chains

6' W.

North, between Sections 20 and 21.

Variation

13° 49'

East.

Over Prairie

40.00 Set a Sand stone $12 \times 8 \times 6$ ins., 8 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on W. face, dug pits $18 \times 18 \times 12$ ins., N, and S, of stone $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base. alongside.

Ascend. gradually.

50.00 Top of Spur, bears E. and W., and descend.

72.00 Enter Flat bears N. 15° E

80.00 Set a Sand stone $10 \times 8 \times 5$ ins. 6 ins. in the ground for Cor. to Secs. 16-17-20 & 21 marked with 3 notches on S. and 4 notches on E. edges, dug pits $18 \times 18 \times 12$ ins. in each Sec., $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high, $4\frac{1}{2}$ ft. base. alongside.

Land rolling. - level.

Soil 3rd. rate

Vegetation Bunchgrass.

Township 15 N.

Range 22 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 16 and 21.

Variation $13^{\circ} 49'$ East.*Over rolling land.*

9.65 Cross Road, (Halbrooks) bears N. & S.

40.00 Set temporary $\frac{1}{4}$ Sec. Cor.

54.00 Enter Flat bears N.E. and S.W.

80.75 Intersect N. & S. line, 63 lks. S. of cor. to secs.

 $15-16-21 \& 22$ from which corner, I run $S 89^{\circ} 33' W.$ on a true line between sections 16 & 21Variation $13^{\circ} 49'$ East

40.38 Set a Sand stone $12 \times 8 \times 8$ ins., 8
ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on N
face, and raised a mound of stone alongside. Pits
impracticable.

80.75 The corner to sections 16-17-20 & 21.

Land rolling. level.

Soil 3rd. rate

Vegetation Bunchgrass.

Township

15 N.

Range

22 E.

Gila and Salt River Meridian.

Chains

6^{W.}
North, between Sections 16 and 17.

Variation

130° 49'

East.

Over rolling land.

40.00

Set a Sand stone $10 \times 8 \times 6$ ins., 6 ins. in the ground, for $\frac{1}{2}$ Sec. Cor., marked $\frac{1}{2}$ on W face, dug pits $18 \times 18 \times 12$ ins., N and S. of stone $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base alongside.

80.00

Set a Sand stone $30 \times 18 \times 10$ ins. $2\frac{1}{4}$ ins. in the ground for Cor. to Secs. 8 - 9 - 16 & 17 marked with 4 notches on S. and 4 notches on E. edges and raised a mound of stone alongside. Pits impracticable.

Land rolling.

Soil 3rd. rate

Vegetation Bunchgrass.

Chains East, on a random line between Sections 9 and 16.
Variation 13° 49' East.

Ascend. gradually

16.00 Top of Spur, bears N. and S. and descend.

37.75 Cross Road bears N. 12' E

40.00 Enter Flat bears N. W.

40.00 Set temporary 1/4 Sec. Cor.

80.32 Intersect N. & S. line, 105 lks. S. of cor. to secs.
9-10-15 & 16 from which corner, I run

S 89° 15' W. on a true line between sections 9 & 16
Variation 13° 49' East

40.16 Set a Sand stone 10 x 8 x 8 ins., 6 ins.
in the ground, for 1/4 Sec. Cor., marked 1/4 on N face,
dug pits 18 x 18 x 12 ins., E and W. of stone 5 1/2
ft. dist., and raised a mound of earth 1 1/2 ft. high, 3 1/2
ft. base alongside.

80.32 The corner to sections 8-9-16 & 17

Land rolling.

Soil Bd. rate

Vegetation Bunchgrass.

Township

15 N.

Range

22 E

Gila and Salt River Meridian.

6' W.

Chains

North, between Sections 8 and 9.

Variation

13° 49'

East.

Over rolling land.

40.00

Set a Sand stone $14 \times 10 \times 6$ ins., 9 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on W. face, dug pits $18 \times 18 \times 12$ ins., N and S. of stone $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base, alongside.

80.00

Set a Sand stone $10 \times 10 \times 6$ ins. 6 ins. in the ground for Cor. to Secs. 4-5-8-9 marked with 5 notches on S. and 4 notches on E. edges, dug pits $18 \times 18 \times 12$ ins. in each Sec., $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high, $4\frac{1}{2}$ ft. base, alongside.

Land rolling.

Soil 3rd. rate

Vegetation Bunchgrass.

Township

15. N.

Range

22 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 4 and 9.

Variation $13^{\circ} 49'$ East.*Over rolling land.*20.00 *Cross low Sag and ascend.*40.00 *Set temporary $\frac{1}{4}$ Sec. Cor.*53.84 *Cross Road bears S. 12° W and N. 12° E,*80.48 *Intersect N. & S. line, 92 lks. S. of cor. to secs.**3-4-9 & 10 from which corner, I run**S $89^{\circ} 21'$ W. on a true line between sections 4 & 9**Variation $13^{\circ} 49'$ East*

40.24 *Set a Sand stone $16 \times 10 \times 3$ ins., 11 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on N face, dug pits $18 \times 18 \times 12$ ins., E and W. of stone $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base alongside.*

80.48 *The corner to sections 4 - 5 - 8 and 9**Land rolling.**Soil 3rd. rate**Vegetation Bunchgrass.*

Township

BOOK
15 N

206

Range

22 E

44

Gila and Salt River Meridian.

Chains

6W
North, on a random line between Sections 4 and 5.

Variation 13° 49' East.

Descend.

19.00 Cross low Sag and ascend.

29.00 Top of Spur, bears E + N and descend.

40.00 Set temporary $\frac{1}{4}$ Sec. Cor.80.02 Intersect N. B. of Tp. 734 N. S. E. of cor. to secs.
4-5-32 + 33 from which corner, I runS 3° 7' E on a true line, between sections 4 + 5
Variation 13° 49' East.40 P. 2 Set a Sand stone 36 x 25 x 6 ins., 30 ins.
in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on N face,
dug pits 18 x 18 x 12 ins., N and S. of stone 5 $\frac{1}{2}$
ft. dist., and raised a mound of earth 1 $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$
ft. base alongside.

80, 02 The corner to sections 4-5-5 + 9

Land rolling.

Soil 2 $\frac{1}{2}$ 3 $\frac{1}{2}$ rate

Vegetation Bunchgrass

I carefully examined the adjustments of my solar
compass to-day, particularly the latitude and revers-
ing apparatus, and found them correct.G. W. Parnum
Compassman
May 11-1853

Township

15 N

Range

22 E

Gila and Salt River Meridian.

Chains

From the corner to sections 31 & 32 on South Bay, which is a post 4 ft long 4 in square 12 in in the ground marked 5 N 32 m N E R 22 E S 5 m S E T 1 N 31 m S W & S 31 on N W face with 1 notch on N & 5 notches on E edges with pits 15 x 12 in in each sec & earth mound 2 ft high 4 ft base around post 31 & 32

Variation 13° 49' East.

Over rolling land.

40.00

Set a sand stone 15 x 12 x 4 ins., 10 ins. in the ground, for 1/4 Sec. Cor., marked 1/4 on N face, dug pits 18 x 18 x 12 ins., N and S. of stone 5 1/2 ft. dist., and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base alongside.

74.00
80.00

Enter Timber, bears N 80° E
Set a post 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for Cor. to Secs, 29-30-31 & 32 marked T, 15 N S, S 29, on N, E, R, 22 E, S. 32 on S, E, S, 31 on S, W, and S, 30 on N, W, face with 1 notch on S, and 5 notch on E, edges, dug pits 18 x 18 x 12 ins, in each Sec., 5 1/2 ft. dist., and raised a mound of earth 2 ft. high, 4 1/2 ft. base around post.

1 Juniper 7 ins. diam. bears N 45° E 105 from which marked T. 15 N R. 22 E S., 29 B. T. lks. dist. No other trees within limits.

Land rolling.
Soil 2 & 3rd rate
Vegetation Birch, Spruce
Timber of Juniper

Township

15 N.

Range

22 E.

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 29 and 32.

Variation $13^{\circ}49'$ East.

Over rolling land.

40.00 Set temporary $\frac{1}{2}$ Sec. Cor.

76.15 Cross Road, bears N. and S.

80.75 Intersect N. & S. line, 1.12 lks. S. of cor. to secs. 28

29-32 & 33 from which corner, I run

S $89^{\circ}12'$ W. on a true line between sections 29 & 32Variation $13^{\circ}49'$ East

40.38 Set a Sand stone $18 \times 16 \times 5$ ins., 12 ins. in the ground, for $\frac{1}{2}$ Sec. Cor., marked $\frac{1}{2}$ on N. face, dug pits $18 \times 18 \times 12$ ins., E and W. of stone $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base alongside.

80.75 The corner to sections 29-30-31 and 32

Land rolling.

Soil 3rd, rate

Vegetation Bunchgrass.

Henry Myrick Jr.

May 12-1883

Township

15 N.

Range

22 E

Gila and Salt River Meridian.

Chains

West, on a random line between Sections 30 and 31.

Variation $13^{\circ}46'$ East.*Over broken surface*39.00 Enter Silver Creek Canon corner N. $87^{\circ}46'$ 40.00 Set temporary $\frac{1}{4}$ Sec. Cor.42.00 Cross Creek 30 lks. wide, Course N. $88^{\circ} E$.

45.00 Leave Silver Creek Canon

87.00 Intersect W. B. of Tp. 73 lks. N. of cor. to secs. 25-
36 - 30 & 31 ^{unnisly described by m-} from which corner, I runN $89^{\circ} 31' E$ on a true line, between sections 30 & 31Variation $13^{\circ}49'$ East.47.00 Set a post 3 ft. long, 3 ins. diam. with marked stone,
12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S. on
N face, and raised a mound of stone $1\frac{1}{2}$ ft. high,
 $3\frac{1}{2}$ ft. base around post. Pits impracticable.

87.00 The corner to sections 30 - 29 - 31 & 32

Land mountainous.

Soil 3rd. rate

Vegetation Bunch grass.

Geo W Pearson

Compassman

May 12 - 1883

Township 15 N Range 22 E

Gila and Salt River Meridian.

Chains

⁶⁷ North, between Sections 29 and 30.

Variation

13° 46'

East.

Descend.

3.90 Cross Creek 20 lks. wide, Course N 89° E ⁹⁴

Leave Canyon

40.00 Set a Sand stone 24 x 15 x 6 ins., 18 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on N face, dug pits 18 x 18 x 12 ins., N and S. of stone $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base alongside.

from which

A Juniper $8\frac{1}{2}$ ins. diam. bears N 25° W 27 lks. dist. marked $\frac{1}{4}$ S. B. T.

A Juniper $1\frac{1}{4}$ ins. diam. bears S 42° E 197 lks. dist. marked $\frac{1}{4}$ S. B. T.

61.00 Enter Silver Creek Canyon

63.00 Leave same course N 22° W

80.00 Set a Sand stone 25 x 15 x 4 ins. 15 ins.

in the ground for Cor. to Secs. 19-20-29 & 30 marked with 2 notches on S. and 5 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high, $4\frac{1}{2}$ ft. base alongside.

from which

A Juniper 8 ins. diam. bears N 37 $\frac{1}{2}$ ° W 36 lks. dist. marked T. 15° N R. 22° E S., 19 B. T.

A Juniper $1\frac{1}{2}$ ins. diam. bears S 16 $\frac{1}{2}$ ° W 217 lks. dist. marked T. 15° N R. 22° E S., 30 B. T.

A Juniper $9\frac{1}{2}$ ins. diam. bears N 44° E 187 lks. dist. marked T. 15° N R. 22° E S., 20 B. T.

No other trees within limits.

Land rolling.

Soil 2^d 3rd rate

Vegetation Bunchgrass

Timber of Juniper

Chains

East, on a random line between Sections 20 and 29.

Variation $13^{\circ} 49'$ East.

Over rolling land.

15.00

Leave Timber, ^{to} N 7 E

40.00

Set temporary $\frac{1}{4}$ Sec. Cor.

80.47

Intersect N. & S. line, 126 lks. S of cor. to secs.

20-21-25+29 from which corner, I run

S $89^{\circ} 6'$ W. on a true line between sections 20+29Variation $13^{\circ} 49'$ East

40.24

Set a post 3 ft. long. 3 ins. diam. with marked stone

12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S. on

N. face, dug pits, 18 x 18 x 12 ins., E. and W. of

post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft.high, $3\frac{1}{2}$ ft. base around post.

80.47

The corner to sections 20-19-29+30

Land rolling.

Soil 2+3rd rate

Vegetation Bunchgrass

Timber of

Juniper

Township

15 N.

Range

22 E

Gila and Salt River Meridian.

Chains

West, on a random line between Sections 19 and 30.

Variation

13° 49'

East.

Descend.

17.00 Enter Silver Creek Canon

18.50 Cross Creek 27 lks. wide, Course N. 40° W.

21.30 Leave Creek Canon

40.00 Set temporary $\frac{1}{2}$ Sec. Cor.

68.00 Leave Timber, bears N. 40° E

88.13 Intersect W. B. of Tp. 74 lks. N. of cor. to secs. 19
30-24 & 25 ^{measured} described by me
from which corner, I run

N 89° 39' E on a true line, between sections 19 & 30

Variation 13° 49' East.

48.13 Set a post 3 ft. long, 3 ins. diam. with marked stone
12 ins. in the ground, for $\frac{1}{2}$ Sec. Cor., marked $\frac{1}{2}$ S. on
N. face, dug pits, 18 x 18 x 12 ins., N. and S. of
post 5 $\frac{1}{2}$ ft. dist., and raised a mound of earth 1 $\frac{1}{2}$ ft.
high, 3 $\frac{1}{2}$ ft. base around post.

88.13 The corner to sections 19 - 20 - 29 & 30.

Land rolling.

Soil 3rd. rate

Timber of Juniper

Vegetation. Bunchgrass

Geo W. Carson Comptroller

May 12-1853

Township

15 N

Range

22 E

Gila and Salt River Meridian.

Chains

6^W
North, between Sections 19 and 20.

Variation

13° 46'

East.

- 34.65 Descend. into Cañon
Silver
- 36.00 Cross [^]Creek 12 lks. wide, Course N E.
- 39.60 Leave Silver Creek Cañon
- 40.00 Set a post 3 ft. long, 3 ins. diam. with marked stone.
12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S. on
W. face, and raised a mound of stone $1\frac{1}{2}$ ft. high,
 $3\frac{1}{2}$ ft. base around post. Pits impracticable.
- 52.00 Leave Timber, and ascend E. Y W
- 58.60 Top of Spur, bears N 70° E and descend.
- 67.30 Cross low Sag and ascend. N. 68° E
- 80.00 Set a post 4 ft. long, 4 ins. square, with marked stone
12 ins. in the ground, for Cor. to Secs, 17-18-19 Y 20
marked T, 15 N S, 17, on N, E, R, 22 E, S. 20
on S, E, S, 19 on S, W, and S, 18 on N, W, face
with 3 notches on S, and 5 notch on E, edges,
aug. pits 18 x 18 x 12 ins, in each Sec., $5\frac{1}{2}$ ft. dist.,
and raised a mound of earth 2 ft. high, $4\frac{1}{2}$ ft. base
around post.

Lana rolling.

Soil 3rd. rate

Timber of Juniper
Vegetation. Bunchgrass.

Gila and Salt River Meridian.

Chains	East, on a random line between Sections 17 and 20.
	Variation 13° 46' East.
	Descend.
30.00	Enter Timber,
40.00	Set temporary 1/2 Sec. Cor.
51.00	Descend. into Cañon
52.40	Cross Creek 1 1/2 lks. wide, Course N,
54.00	Leave Cañon absolutely and ascend
65.00	Leave Timber, bears N. & S.
69.00	Top of Spur, bears N. & S. and descend.
71.00	Cross low Sag and ascend. N.
75.00	Top of Spur, bears N. 16° E and descend.
80.18	Intersect N. & S. line, 72 lks. S, of cor. to secs. 16 17-20 & 21 from which corner, I run S 89° 21' W. on a true line between sections 17 & 20 Variation: 13° 46' East
40.69	Set a Sand stone 12 x 10 x 8 ins., 8 ins. in the ground, for 1/2 Sec. Cor., marked 1/2 on N face, dug pits 18 x 18 x 12 ins., E and W. of stone 5 1/2 ft. dist., and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base alongside.
80.18	The corner to sections 17-18-19 & 20 Land mountainous Soil 3rd. rate Timber of Juniper Vegetation. Bunchgrass. <i>H. Myrsine</i> May 12-1883

Township 15 N. Range 22 E

Gila and Salt River Meridian.

Chains

West, on a random line between Sections 18 and 19.

Variation $13^{\circ} 46'$ East.

Descend.

40.00 Set temporary $\frac{1}{4}$ Sec. Cor.88.70 Intersect W. B. of Tp. 27 N. of cor. to secs. 18
19-13 & 24 ^{previously described & run} from which corner, I run

N 89° 30' E on a true line, between sections 18 & 19

Variation $13^{\circ} 49'$ East.48.70 Set a Sand stone $18 \times 15 \times 8$ ins., 12 ins.
in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on N. face,
dug pits $18 \times 18 \times 12$ ins., E and W. of stone $5\frac{1}{2}$
ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$
ft. base alongside.

88.70 The corner to sections 17-18-19 & 20

Land rolling.

Soil 3rd. rate

Vegetation Bunchgrass.

Geo W. Pearson Comptroller
May 12 - 1853

Township

15 N.

BOOK 206

Range

22 E

54

Gila and Salt River Meridian.

Chains

6' W.
North, between Sections 17 and 18.

Variation 130° 46' East.

Over rolling land.

40.00 Set a Sand stone 18 x 12 x 4 ins., 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on W face, and raised a mound of stone alongside. Pits impracticable.

80.00 Set a Sand stone 22 x 8 x 4 ins. 16 ins. in the ground for Cor. to Secs. 7-8-17-18 marked with 4 notches on S. and 5 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high, 4 $\frac{1}{2}$ ft. base. alongside.

Land rolling.

Soil 3rd. rate

Vegetation Bunchgrass.

Township 15 N.

Range 22 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 8 and 17.

Variation 13° 46' East.

Ascend.

- 14.00 Top of Spur, bears N 9 S and descend.
- 15.20 Enter Timber, bears N 13 1/2° W.
- 21.00 Cross low Sag and ascend. S. 15° E, course
- 30.00 Top of Spur, bears N. Y S, and descend.
- 35.00 Leave Timber, brs N. Y S,
- 40.00 Set temporary 1/2 Sec. Cor.
- 47.00 Descend. ^{into} Canon
Silver
- 49.17 Cross Creek 60 lks. wide, Course N.
- 70.00 Blue South of this point is Fylers Ranch
- 80.50 Intersect N. & S. line, 80 lks. S. of cor. to secs. 8
7-16 & 17 from which corner, I run
S 90° 25' W. on a true line between sections 48 & 17
Variation 13° 46' East
- 40.25 Set a Sand stone 22 x 8 x 3 ins., 16 ins.
in the ground, for 1/2 Sec. Cor., marked 1/2 on N face,
dug pits 18 x 18 x 12 ins., E and W. of stone 5 1/2
ft. dist., and raised a mound of earth 1 1/2 ft. high, 3 1/2
ft. base alongside.
- 80.50 The corner to sections 7-8-17 & 18

Land rolling.

Soil 3rd, rate

Vegetation Bunch grass

Timber of Juniper. H. Myrick Jr
May 12 - 1880

Chains

West, on a random line between Sections 7 and 18.

Variation $13^{\circ} 46'$ East.

Over rolling land.

40.00 Set temporary $\frac{1}{4}$ Sec. Cor.53.00 Cross low Sag and ascend. N. 67° E. course69.00 Top of Spur, bears N. 67° E and descend.89.45 Intersect W. B. of Tp. 104 Ns. N. of cor. to secs.
7-18-12 \vee 13 ^{previously described by me}
from which corner, I runN $89^{\circ} 20'$ E on a true line, between sections 7 \vee 18Variation $13^{\circ} 49'$ East.49.45 Deposited quartz gravel 12 ins. in the ground, for
 $\frac{1}{4}$ sec. cor., dug pits 18x18x12 ins. E and W of
post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft.
high, $3\frac{1}{2}$ ft. base over it. In E pit drove a stake 2
ft. long, 2 in. square, 12 ins. in the ground, marked $\frac{1}{4}$
s. on N face.89.45 The corner to sections 7-8-17 \vee 18

Land rolling.

Soil 3rd. rate

Vegetation Bunchgrass.

Geo. W. Pearson

Compassman

May 12 1853

Township 15. N.

Range 22 E.

Gila and Salt River Meridian.

Chains

6¹/₂
North, between Sections 7 and 8.

Variation 13° 49' East.

Ascend. over rolling land

- 22.00 Top of Spur, bears N 42° E 75 4/2° W and descend.
- 29.00 Cross low Sag and ascend. S. 40° E. course
- 34.00 Top of Hill bears N 45° E Y and descend.
- 40.00 Set a Sand stone 1/4 x 12 x 6 ins., 9 ins. in the ground, for 1/2 Sec. Cor., marked 1/2 on W face, dug pits 18 x 18 x 12 ins., N and S. of stone 5 1/2 ft. dist., and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base alongside.
- 80.00 Deposited 6 coll'd stones 12 ins. in the ground. for cor. i secs. 5-6-7 Y 8, dug pits 18x18x12 ins. in each sec. 5 1/2 ft. dist., and raised a mound of earth 2 ft. high, 4 1/2 ft. base over it. In S. E. pit drove a stake 2 ins. square, 2 ft. long, 12 ins; in the ground, marked T, 15 N, S. 5 on N. E. R. 22 E S. 8 on S. E. S. 7 on S. W and S. 6 on N. W faces, S with 5 notches on S. and 5 notches on E. edges.

Land rolling.

Soil 2nd. rate

Vegetation Bunchgrass.

Township 15 N. Range 22 E

Gila and Salt River Meridian.

Chains East, on a random line between Sections 5 and 8.
Variation $13^{\circ} 49'$ East.

Descend.

21.00 Cross low Sag and ascend. *course S. E*

40.00 Set temporary $\frac{1}{4}$ Sec. Cor.

53.00 Enter Timber, *bears N. and S.*

55.00 Top of Spur, bears *N. E.* and descend.

61.00 Enter Canon, ~~100~~ *100* ~~lbs. wide.~~ *Course N. E.*

64.00 Cross Creek *14* ~~14~~ *lbs. wide.* *and ascend*

67.20 Leave *Canon* & ascend

74.00 Leave Timber, *bears N. & S.* and ascend

80.67 Intersect N. & S. line. *61* ~~61~~ *lbs. S.* of cor. to secs. 4
5-8 & 9 from which corner, I run

$88^{\circ} 34'$ W. on a true line between sections *5 & 8*

Variation $13^{\circ} 49'$ East

40.34 Set a post 3 ft. long. $\frac{3}{8}$ ins. diam. with marked stone
12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S. on
N. face, dug pits, $18 \times 18 \times 12$ ins., E and W of
post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft.
high, $3\frac{1}{2}$ ft. base around post.

80.67 The corner to sections *5-6-7 & 8*

Land mountainous.

Soil *3rd. rate*

Vegetation *Bunchgrass.*

Timber of *Juniper*

I carefully examined the adjustments of my solar
compass to-day, particularly the latitude and revers-

ing apparatus, and found them correct. *H. Myrick, Jr. May 12th 1883*

Township 15 N. Range 22 E

Gila and Salt River Meridian.

Chains

West, on a random line between Sections 6 and 7.

Variation $13^{\circ} 48'$ East.

Ascend.

19.00 Top of Spur, bears N. γ S. and descend.

40.00 Set temporary $\frac{1}{2}$ Sec. Cor.

47.00 Ascend. spur. $17^{\circ} 10'$

53.00 Top of Spur, bears $N7^{\circ}E \gamma S7^{\circ}W$, and descend.

90.50 Intersect W. B. of Tp. 18 Ws. N. of cor. to secs.

6-7-1 ^{approximately described by me} from which corner, I run

$N89^{\circ}15'6''$ on a true line, between sections 6 γ 7

Variation $13^{\circ} 49'$ East.

80.50 Deposit part of gravel, 12 ins. in the ground, for

$\frac{1}{2}$ sec. cor., dug pits 18x18x12 ins. E²; and W of

post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft.

high, $3\frac{1}{2}$ ft. base over it. In W. pit drove a stake 2

ft. long, 2 in. square, 12 ins. in the ground, marked $\frac{1}{2}$

90.50 ^{on N face} The corner to sections 5-6-7 & 8

Land rolling.

Soil 3rd. rate

Vegetation Bunchgrass.

I carefully examined the adjustments of my solar compass to-day, particularly the latitude and reversing apparatus, and found them correct.

J. W. Pearson

Compassman

May 12-1853

Township

15 N

BOOK 206

Range

22 E

60

Gila and Salt River Meridian.

Chains

North, on a random line between Sections 5 and 6.

Variation

13° 45'

East.

Ascend.

2.00 Top of Spur, bears N 64° E and descend.

12.00 Enter Flat bears N E

40.00 Set temporary $\frac{1}{4}$ Sec. Cor.

52.00 Ascend. Bluff bears N 43° E + S 43° W

59.00 Top of Spur, bears N 43° E and descend.

69.00 Enter Flat bears N 8° E

80 27 Intersect N B. of Tp. 572 lks. E of cor. to secs.
5-6-3/4-32 previously described 67 m
from which corner, I run

S 4° 5' E on a true line, between sections 5 & 6

Variation

13° 48'

East.

40 27

Deposit of 6 cobbles ^{stones} 12 ins. in the ground, for
 $\frac{1}{4}$ sec. cor., dug pits 18x18x12 ins. N and S of
Cur post 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 1 $\frac{1}{2}$ ft.
high, 3 $\frac{1}{2}$ ft. base over it. In N pit drove a stake 2
ft. long, 2 in. square, 12 ins. in the ground, marked $\frac{1}{4}$
s. on W face.

80 27

The corner to sections 5-6-7 & 8

Land rolling. ∇ level.Soil 2nd & 3rd rate

Vegetation Brumbgrass

G. W. Peterson

Compassman

May 12 - 1883.

GENERAL DESCRIPTION.

This Tp is composed of rolling and level land
The Soil is generally 2nd
& 3rd rate.

Considerable 1st rate soil
is found in the meadow
and bottom lands of the
numerous streams.

The Tp is watered by the
Little Colorado River & Silver
creek and numerous
smaller streams.

There is considerable Tim-
ber to be found here and
the Township is covered
with an abundant growth
of bunch grass which affords
good grazing.

Tyler's Ranch is in Sec 17
Several roads in the
Township. Hallbrook Road crosses
the Tp from N. to S.

For final details see Book 19

U. S. Surveyor General's Office,

Tucson, Arizona,

July 5, 1884

The foregoing Field Notes of the Survey of the

Subdivision Lines of
Township 15 North
Range 22 East

Of the Gila and Salt River Base and Meridian, Arizona, execu-

ted by

Henry Merrick

Deputy Surveyor, under his contract of the

28th

day of

July

, 1884, having been

critically examined and the necessary corrections and explana-

tions made, the said Field Notes and the surveys they describe

are hereby approved

Robert Johnson
Surveyor General.