

No-211

Field Notes

OF THE SURVEY OF THE

SUBDIVISION LINES

-OF-

Township 15 N. Range 5 E.*Gila and Salt River Base and Meridian***ARIZONA.**By E. Denton Foster, D. S.under contract dated Oct. 11, 1876.Survey commenced May 16, 1877.Survey completed May 16 1877.

No-211

211

ctional

ship

15. North, R. 5. East

Gila and Salt River Meridian.

	5	4	3	2	1
	8	9	10	11	12
8	17	16	15	14	13
	20	21	22	23	24
				6	3
	29	28	27	5	2
			8	4	1
	32	33	7	34	4
				35	1
					36

1A

PRELIMINARY OATHS OF ASSISTANTS.

W.E. *Amos S. Shinkle*

and *Richard Shrope*

do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

Amos S. Shinkle
Richard Shrope

Sworn to and subscribed before me, this 17
March, 1877

William Foster
day of

William Foster
Notary Public



H.E. I Paul Butschke

I
do solemnly swear that ~~we~~ I will well and truly per-
form the duties of Exeman

we
according to instructions given ~~us~~ me, and to the best
of ~~our~~ my skill and ability.

Paul Butschke

Sworn to and subscribed before me this 17th
day of March 187

William C. Foster
Notary Public

William C. Foster

Field Notes
of the

No. 100
211 (a) b.

Subdivision Lines

of

Sectional Township 15N. Range 5 East.
Gila and Salt River Meridian

Territory of Arizona.

Surveyed by
C. Paulson Foster
U.S. Deputy Surveyor

Under his Contract of
October 11th 1876.

Survey Commenced May 16th 1877.
" Completed 16th 1877

Fractional T₁₅ N. Range 5 E.
Gila and Salt River Meridian
Chs

Begin at Cor to sees 25th and 26, on S.
boundary of Sp. from which Cor I run
North between sees 25th and 26,
ca 140 15' East

Asper Rurto Improved Solar Compass.

- 14.70 Road to Campbellville, bears E and W
40.00 set a post marked $\frac{1}{4}$ S. $\frac{1}{4}$ ft long flattened
Zinc pipe, 1 ft in the ground, drive charred stake
and build mound of earth 2 ft high with pipe
 $2 \times 1 \times 1$ ft for $\frac{1}{4}$ sec Cor. No trees near
80.00 set a limestone $1 \frac{1}{2} \times 1 \frac{1}{2} \times 6$ ins. properly notched
set $\frac{2}{3}$ in the ground, and on N side, build
Mound of stone 2 ft high, for Cor to sees
25, 26, 35th and 26. No trees near
Land level and gently rolling,
soil 1st and 2^d rate,
Timber, an occasional cedar

East on random line
between sees 25th and 26

Fractional Sp 15 North Range East.
Gila and Salt River Meridian

ch

va 140 15' East

- 25.20 Road bears N. and S.
40.00 set a stone for temporary 1/4 sec. cor.
65.95 Old road bears S. and N.E.
80.00 Intersect E. boundary of Sp. at corner
secs 25 and 26. from which cor. I can
locate true line between secs 25 and 26.

va 140 15' East

- 40.00 set a granite stone 12 x 12 x 12 ins marked 1/4, set
2/3 in the ground, and build mound of stone 2 ft
high for 1/4 sec cor. No trees near
80.00 The corner sec 25, 26, 35 and 36.
Rain greatly rolling. Soil 10' and 2' water
timber, an occasional cedar

North between Secs 25 and 26.

va 140 15' East

- 40.00 set a limestone 14 x 14 x 3 ins marked 1/4, set 2/3
in the ground and build mound of stone 2 ft
high for 1/4 sec cor. No trees near

3

Tractional N 137. Range 5 E.
Gila and Salt River Meridian.

chs

8000 Set a limestone 12 x 10 x 10 ins. Properly notched
set 4/3 in the ground and on N side build mound
of stone 2 ft high for corners 24, 25, 26 from which
a cedar / Juniper bears S. 16 W. 94 lks dist.
No other trees near
Land rolling & sloping S. Soil red & shale
Timber scattering cedar

East on random line between sees 24^{and} 25.
Va 14015 East

12.90 Gulch 25 lks wide flows S.

23.12 " 20 " " " S.

4000 Set a stone for temporary 1/4 sec. Cor.

5.340 Road bears N and S.

80.12 Intersect ~~Edge~~ of Sp. 14 lks N. of Cor. to
sees 24^{and} 25. From which Cor. Iron

N. 89.05 of W. on true line

between sees 24^{and} 25.

Va 14015 East.

4006 Set a limestone 15 x 10 x 10 ins marked 1/4

Fractional T₁ S₁ N. Range 5 E.
Gila and Salt River Meridian

8012 set $\frac{1}{2}$ in the ground, and build mound of stone $\frac{1}{2}$ ft high for $\frac{1}{4}$ sec cor. No trees near
Layd rolling and sloping E.
Soil 2d and 3d rate.
Timber, a few scrub cedars.

North between lines 3 & 4
00140151 East

8000 set a limestone 12x10x10. ins. marked $\frac{1}{4}$ set
 $\frac{1}{2}$ in the ground, and build mound of stone
 $\frac{1}{2}$ ft high for $\frac{1}{4}$ sec cor. No trees near

8000 set a limestone 20x15x10. ins. properly notched
set $\frac{3}{4}$ in the ground, and on N. side build
mound of stone $\frac{1}{2}$ ft high, for cor. lines
26, 27, 34, & 35. No trees near
Layd gently rolling, soil 1st and 2d rate
No timber or undergrowth

East on random line between lines 26 & 35,

Fractional ~~1/4~~ ^{1/2} Sec. 7, Range 5, E.,
 T₁₄S and Salt River Meridian

per 14015' East

4000 set stone for temporary 1/4 sec cor
 8000 Intersect N. and S. line 7 lks S. of cor to
 Secs 25, 26, 35, and 36, from which Cor from
 S. 89° 57' W. on true line
 between Secs 26 and 35.

per 14015' East

4000 set limestone 15x10x5 ins, marked 1/4 set 1/3
 in the ground, and build mound of stone
 1/2 high for 1/4 sec cor, Notrus near.
 8000 the cor to Secs 26, 27, 34, and 35.
 Land gently slopes. Soil 10th and 20th rate
 timber, a few cedars.

North between Secs. 26 and 27.
 per 14015' East.

0.40 Wash 75 lks wide, flows SW.
 4000 set limestone 10x10x8 ins marked 1/4 set 1/3
 in the ground, for 1/4 sec cor. From which
 a Cedar 10 ins dia. bears S 45° E. 17 lks dist.
 " " 10 " " " 7.63° E. 104 " "

Fractional T. 15 N. Range 5 E.
Gila and Salt River Meridian

80.00 set apart: marked and notched 4 ft long, 3
ins square, 1 ft in the ground, deposit stone
marked +, and build mound of earth 2 ft
high, with pits 24 x 1 ft for corners.
27. 23. 26 and 27. No trees near
land rolling, soil 2d rate.
No timber or undergrowth

East on random line between Secs 23rd & 26.
on 140 15' East

40.00 set a stone for temporary 1/4 sec cor.

53.20 gulch 25 lks wide flows S.

80.00 intersect N. and S. line 12 lks N of cor
to Secs 23, 24, 25, and 26. from which to draw
N. 89° 55' ^W on true line between Secs 23rd & 26
on 140 15' East

40.00 set a limestone 14 x 8 x 6 ins. marked 1/4 in
3/4 in the ground, and build mound of
stone 2 ft high for 1/4 sec cor. N. & S. near

80.00 The cor to Secs 27, 23, 26 and 27.

Fractional T15N. Range 5 E.
Gila and Salt River Meridian

No.

Land rolling and sloping S.
Soil. 7d and 3d rate.
Timber. a few scrub oaks.

North between sees 33 and 34
W 1/4 of 5th East.

- 27.00 Begin descent of bluff bears N.W.,
and S.E.
- 35.00 Foot of bluff bears N.W. & S.E.
- 37.40 Dry bed of north fork of Beaver Creek
20 ft wide, flows S.E.
- 40.00 Set a granite stone 12 x 10 x 10 ins. marked 1/4.
set 2/3 in the ground, and built mound of
stone 2 ft high for 1/4 sec Cor. No true near.
- 43.00 Begin ascent of bluff bears N.W. and S.E.
- 63.00 Summit of bluff, and enter rolling mesa
- 80.00 Set a limestone 10 x 10 x 10 ins. properly
notched, set 2/3 in the ground and on N
side built mound of stone 2 ft high for Cor to
sees 27, 28, 33, and 34. No true near

8
 Fractional T¹⁵ N. Range 5 E.
 Gila and Salt River Meridian
 Ariz.

Land rolling mesa.

Soil 3/4 rye, except in S half of sec 34
 Timber, a few Cottonwoods along creek

Cash on random line
 between sees 27^{and} 34.
 Va 140 15' East

- 33.00 Gulch 35 lks wide, flows S.
 40.00 Subapost for temporary 1/4 section
 7870 Wash 80 lks wide, flows SW.
 80.10 Intersect N. and S. line, 18 lks. N. of con-
 to sec 26, 27, 34 & 35. from which con-
 town

N. 89° 57' W. on town line
 between sees 27^{and} 34.
 Va 140 15' East

- 40.05 Subapost marked 1/4. 4 ft long, flathead
 3 ins wide, 1 ft in the ground, and
 deposit stone marked + and build
 mound a foot h 2 ft high with pits

Fractional Twp. 15. N. Range 5. E.
Gila and Salt River Meridian

do

So. 10 2414 ft. forty, sec. cor. Notrus near
the cor. to sec 27, 28, 33. & 34.
Land rolling and sloping S.
Soil sd and 3 drate
Timber, a few scrub cedars.
May 16th 1877.

General Description.

The S. E. on surveyal portion
of this Township contains all
the land fit for use in this
Township, and contains some
good farming and grazing lands.

The timber consists of some
ash and Sycamore of a good
quality, and some Cottonwoods
and willows along the creek
bottoms: also scrub cedars
on the mesas.

Fractional T¹⁵.N. Range 5^E.
Gila and Salt River Meridian

Beaver Creek flows through
the southern portion of
Sec. 36.

The North fork of Beaver
Creek flows through the
S.W. portion of Sec 34, above
which the channel is generally
dry.

Al Burton Foster
U.S. Surveyor

List of Names.

A List of the Names of Individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the survey of *The Subdivision*

*Lines of Archaic Township
T5 North Range 5 East Gila
and Salt River Meridian*

Showing the respective capacities in which they acted.

Alvin S. Smith Chairman.

Richard Shope Chainman,

Paul Braschke Axeman.

..... Flagman.



tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

W. Dutton Foster

Deputy Surveyor.

Sworn to and subscribed before me, this ~~31st~~ ^{31st} day of *May*, 187*7*

William Clatter

William Clatter
Notary Public



BOOK 211

BOOK 211

115

U. S. Surveyor General's Office,

TUCSON ARIZONA.

December 27, 1877.

The foregoing Field Notes of the Survey of the

Subdivision Lines of
Township 15 North
Range 5 East.

Of the Gila and Salt River Base and Meridian, Arizona, executed by L. Benton Foster,

Deputy Surveyor, under his contract of the 11th
day of October, 1876 having been
critically examined and the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

John Mason.
Surveyor General.