

SUBDIVISIONS

T.18 N. R. 6 E.

MAY 4 1904

No 239  
~~No 2.~~

Book H.

BOOK 239

4-671

---

FIELD NOTES  
GENERAL LAND OFFICE.

239

No 239

Indexed, Book 238.

Notes copied by amt 5/9/04  
" Comp. " amt + Taylor 5/11/09

accts ikd by amt 6/29/04

Township 18N R. 6E

58<sup>th</sup>

6	5	80	4	68	3	2	1
			79	83			
7	8	77	9	66	10	11	12
			75	65			
18	17	73	16	63	15	14	13
				61			
19	20	71	21	59	22	23	24
				58			
30	29	70	28	27	26	25	
31	32	33	34	35	36		

No - 239

Subdivisions of Apr 18 N. R. 66.

E. on a random line  
bet. secs. 22 and 27.

Over mountainous lands.  
Through dense brush.

40.00 Set temp. 1/4 sec. cor.

80.14 Intersect N and S line  
16 lks S. of cor. of secs. 22, 23,  
26, and 27. thence I run  
S 89° 53' N. on a true line  
bet secs. 22 and 27.

25.60 Edge of bluff of side cañon.  
600 ft. deep. bears S. and  
N. E. Descend abruptly.

32.00 Bottom of cañon. to S.  
N. ascend abruptly.

40.07 Pt. for 1/4 sec. cor. comes  
on steep slope of cañon.

41.60 Top of bluff of mesa, near  
point. bears N. E. and S. N.

## Subdivisions of

Set a malpais  $20 \times 16 \times 8$  ins  
 in a md. of stone for <sup>W.C. to</sup>  $\frac{1}{4}$   
 sec. cor. marked  $\frac{1}{4}$  M.C. on  
 N. face, and built a md.  
 of stone  $2\frac{1}{2}$  ft. base and  
 $1\frac{1}{2}$  ft. high N. of cor.

No trees in distance

Pits impracticable.

51.65

Edge of bluff of mesa bears  
 N.  $15^\circ$  W. and S.  $15^\circ$  E.

Descend abruptly.

80.14

The cor. of secs. 21, 22, 27<sup>E</sup> & 28.

Land mountainous 80.14 chs.

Dense brush. 80.14 chs

Soil rocky, 4<sup>th</sup> rate.

N.  $0^\circ 01'$  N. bet. secs. 21 and 22.

Ascending steep slope of  
 mesa diagonally.

- 40.00 Pt. for  $\frac{1}{4}$  sec. cor. on steep slope.
- 45.50 Foot of precipitous bluff.
- 50.35 Top of bluff. bears N.  $15^{\circ}$  W. and S.  $15^{\circ}$  E.

Set a malpais  $16 \times 10 \times 5$  ins. in a md. of stone for N. E. to  $\frac{1}{4}$  sec. cor. marked N. E.  $\frac{1}{4}$  on N. face, and built a md. of stone 3 ft. base,  $1\frac{1}{2}$  ft high N. of cor.

No trees in distance  
Pits impracticable.

- 80.00 Set a malpais  $18 \times 12 \times 10$  ins in a md. of stone for cor. to secs. 15, 16, 21 and 22, marked with 3 notches on E. and 3 notches on S. sides.  
Built a md. of stone

T. 18 N., R. 6 E.

61.

## Subdivisions of

3 ft base and  $2\frac{1}{2}$  ft. high  
 N. of corner. No trees in dist.  
 Pits impracticable.

Land mountainous 80.00 chs  
 Dense brush 80.00 chs  
 Soil rocky. 4<sup>th</sup> rate.

N.  $89^{\circ}53'$  E. on a random  
 line bet. secs. 15 and 22.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.02 Intersect N. and S. line  
 12 lks. N. of cor of secs.  
 14, 15, 22, and 23.

Thence I run.

S.  $89^{\circ}58'$  W. on a true line  
 bet. secs. 15 and 22.

40.01 Set a malpais  $18 \times 14 \times 6$  ins  
 in a md. of stone for  $\frac{1}{4}$  sec.  
 cor. marked  $\frac{1}{4}$  on N. face

Tp. 18 N. R. 6 E. BOOK 239 62

BOOK 239

from which

A pine 30 ins. diam. bears  
 N.  $89^{\circ}$  N. 176 lbs. dist. marked.  
 $\frac{1}{4}$  S. 15 B. T.

A pine 26 ins. diam. bears  
 S.  $66^{\circ}$  N. 115 lbs. dist. marked.  
 $\frac{1}{4}$  S. 22 B. T.

80.02 The cor. of secs. 15, 16, 21<sup>E</sup> & 22.  
 Land mountainous 80.02 chs.  
 Dense brush 80.02 chs.  
 Soil rocky. 4<sup>th</sup> rate.  
 Jan. 12<sup>th</sup> 1904.

Jan. 13: At 9 a.m. l.m.t. I  
 set off  $21^{\circ}36'$  S. on the decl. arc;  
 $34^{\circ}57'$  N. on the lat. arc; and  
 determine a true meridian  
 with the solar at the cor. of  
 secs. 15, 16, 21 and 22.

## Subdivisions of

Thence I run.

N. 0. 01' N. on a true line  
bet. secs. 15 and 16.

4.00 Over mountainous lands  
Through dense brush.

40.00 Set a malpais 18x10x10 ins.  
in a md. of stone for  $\frac{1}{4}$   
sec. cor. marked  $\frac{1}{4}$  ~~1~~ on  
N. side, from which  
An oak 6 ins. diam. bears  
N. 50° E. 41 lks. dist. marked  
 $\frac{1}{4}$  S. 15 B. T.

An oak 6 ins. diam. bears  
S. 75° 30' N. 138 lks. dist.  
marked  $\frac{1}{4}$  S. 16 B. T.

54.50 Gulch to S. 70° N.

80.00 Set a malpais 24x10x6 ins  
in a md. of stone for cor.  
to secs. 9, 10, 15 and 16. marked  
with 3 notches on E and 4 notches on S.



Tp. 18 N. R. 6 E. 64

BOOK

239

From which

A pine 24 ins. diam. bears.

S. 21° N. 158 lks. dist. marked.

T. 18 N. R. 6 E. S. 16 B. T.

A pine 6 ins. diam. bears.

S. 34° E. 52 lks. dist. marked.

T. 18 N. R. 6 E. S. 15 B. T.

A juniper 12 ins. diam. bears

N. 17° N. 111 lks. dist. marked.

T. 18 N. R. 6 E. S. 9 B. T.

No other trees in distance

Build a 2nd. of stone 2 1/2

ft. base. 2 ft. high N. of cor.

Pits impracticable

Land mountainous 8000 chs.

Dense brush 8000 chs.

Pine and oak timber 80.00 chs.

Soil rocky. 4<sup>th</sup> rate.

T. 18 N., R. 6 E.

N.  $89^{\circ}58'$  E. on a random  
line bet. secs. 10 and 15.

40.00 Set temp  $\frac{1}{4}$  sec. cor.

79.96 Intersect N. and S. line 5  
lks. N. of cor. of secs. 10, 11,  
14 and 15. thence I run  
N. on a true line bet.  
secs. 10 and 15.

Over rolling mesa.

Through dense pine & oaks.

39.98 Set a malpais. 24 x 12 x 5 ins.  
in a md. of stone for  $\frac{1}{4}$  sec.  
cor. marked  $\frac{1}{4}$  on N. face  
from which.

a pine 18 ins. diam. bears  
S.  $16^{\circ}30'$  N. 33 lks. dist. marked  
 $\frac{1}{4}$  S. 15 B. T.

A pine 10 ins. diam. bears  
N.  $2^{\circ}30'$  N. 34 lks. dist. marked

T. 18 N. R. 6 E.

 $\frac{1}{4}$  S. 10 B. T.

79.96 The cor. of secs. 9, 10, 15 and 16.  
 Land rolling mesa. 79.96 chs  
 Dense pine and oaks. 79.96 chs  
 Soil rocky. 4<sup>th</sup> rate.

N. 0° 01' N. bet. secs. 9 and 10.

40.00 Set a malpais 16 x 12 x 12 ins.  
 in a md. of stone for  $\frac{1}{4}$  sec.  
 cor. marked  $\frac{1}{4}$  on N. face  
 from which.

An oak. 6 ins. diam. bears  
 S. 45° N. 1 lk. dist. marked.

 $\frac{1}{4}$  S. 9 B. T.

An oak. 10 ins. diam. bears  
 N. 70° E. 40 lks. dist. marked.

 $\frac{1}{4}$  S. 10 B. T.

80.00 Set a malpais 20 x 14 x 5 ins.  
 in a md. of stone for cor. of

T. 18 N., R. 6 E.

secs, 3, 4, 9 and 10. marked  
with 3 notches on E. and  
5 notches on S. edges.

from which.

A pine 18 ins. diam. bears  
S. 29° N. 55 lks. dist. marked  
T. 18 N. R. 6 E. S. 9 B. T.

A pine 20 ins. diam. bears  
S. 81° E. 111 lks. dist. marked  
T. 18 N. R. 6 E. S. 10 B. T.

A pine 22 ins. diam. bears  
N. 8° E. 124 lks. dist. marked  
T. 18 N. R. 6 E. S. 3 B. T.

A pine 14 ins. diam. bears  
N. 34° N. 140 lks. dist. marked  
T. 18 N. R. 6 E. S. 4 B. T.

Land rolling mesa 80 cks.  
These pines + oaks. 80.00 cks.  
Soil rocky. 4<sup>th</sup> rate.

T. 18 N., R. 6 E.

— N. 0° 01' N. on a true line  
bet. secs. 3 and 4.

✓ Over rolling mesa.

Through dense pine and oaks.

40.00 Set a malpais 18 x 14 x 6 ins  
in a md. of stone for 1/4 sec.  
cor. marked 1/4 on N. face.  
from which.

A pine 26 ins diam. bears.

N. 31° E. 71 lks. dist. marked.

1/4 S. 3 B. T.

A pine 26 ins diam. bears.

N. 33° N. 122 lks. dist. marked.

1/4 S. 4 B. T.

79.70 Intersect N. bay. Tp. 34.60 chs.

N. 89° 32' N. of 1/4 sec. cor on S.  
bay. sec. 34.

Set a malpais 22 x 12 x 6 ins.  
in a md. of stone for C. C.

## Subdivisions of

of secs. 3 and 4. marked  
with 3 notches on E. and  
W. edges, and C. C. on S.  
side. from which

A pine 16 ins. diam. bears  
S.  $41^{\circ}$  W. 87 lks. dist. marked  
T. 18 N. R. 6 E. S. 4 C. C. B. T.

A pine 18 ins. diam. bears  
S.  $41^{\circ}$  E. 16 lks. dist. marked  
T. 18 N. R. 6 E. S. 3 C. C. B. T.

Jan. 13<sup>th</sup> 1904.

Jan. 14: At 9 a.m. l.m.t. I  
set off  $21^{\circ} 26'$  S. on the decl. arc;  
 $34^{\circ} 55'$  N. on the latitude arc; and  
determined true meridian with the  
solar at the <sup>W.C.</sup> of secs. 28, 29, 32 and  
33 thence I run  
N.  $0^{\circ} 02'$  N. from cor. pt., bet.

Land rolling mesa. 79.70.  
Dense pines and oak. 79.70.  
Soil rocky, 4<sup>th</sup> rate.

Tp 18 N. R. 6 E. 70

BOOK

239

secs. 28 and 29.

Over mountainous lands  
Through dense brush.40.00 Set a malpais 18 x 10 x 6 ins.  
in a md. of stone for  $\frac{1}{4}$  sec.  
cov. marked  $\frac{1}{4}$  on N. face.

from which

A pine 30 ins diam. bears  
S.  $70^{\circ}$  N. 67 lbs. dist. marked  
 $\frac{1}{4}$  S. 29 B. T.A pine 8 ins. diam. bears.  
N.  $30^{\circ}$  E. 106 lbs. dist. marked.  
 $\frac{1}{4}$  S. 28 B. T.48.30 Edge of bluff of side cañon  
bears E + N. descend. E.

52.00 Bottom of cañon course. E.

57.00 Top of pt. bluff, N. side bears  
E and N.59.00 Edge of bluff, bears N.  $80^{\circ}$  N.  
and S.  $80^{\circ}$  E. descend.

71

T. 18 N., R. 6 E.

80.00 abruptly over jagged pts.  
 Set a sandstone 22 x 16 x 5 ins  
 in a md. of stone for cor.  
 to secs. 20, 21, 28 and 29.  
 marked with 4 notches on  
 E. and 2 notches on S. edges.  
 Built a md. of stone 3 ft.  
 base 1½ ft. high, N. of cor.  
 No trees in distance

Pits impracticable.  
 Land mountainous 80.00 chs.  
 Dense brush 80.00 "  
 Soil rocky. 410 hets.

It is impossible to run  
 either E. or N. from the  
 last described cor.

I therefore run  
 N. 0° or N. on a true line  
 bet. secs. 20 and 21.

Over mountainous lands  
 Through dense brush.



T. 18 N., R. 6 E.

- 40.00 Set a sandstone  $18 \times 14 \times 4$  ins.  
in a md. of stone for  $\frac{1}{4}$  sec.  
cor. marked  $\frac{1}{4}$  on N. face  
and built a md. of stone  
 $2\frac{1}{2}$  ft. base  $1\frac{1}{2}$  ft. high N. of  
cor. No trees in distance  
Pits impracticable.
- 61.00 Gulch, course N.E.
- 80.00 Set a sandstone  $24 \times 15 \times 6$  ins.  
in a md. of stone for cor. to  
secs. 16, 17, 20, 21. marked  
with 4 notches on E. and  
3 notches on S. sides.  
Build a md. of stone 3 ft.  
base,  $1\frac{1}{2}$  ft high W. of cor.  
No trees in limits  
Pits impracticable  
Land mountainous 8000 chs.  
Dense brush 80.00 chs.  
Land rocky, 4<sup>th</sup> rate.

73

T. 18 N., R. 6 E.

Because of the rugged nature of the country, I am unable to run either E. or N. from the last described cor.

I therefore run  
<sup>0° or N<sub>1</sub></sup>  
 N. <sub>1</sub> but sees 16 and 17  
 Over mountainous lands  
 Through dense brush.

- 20.00 Descend to Oak Creek.
- 36.50 Oak Creek 75 lks. wide  
 course S. 30° E.
- 40.00 Set a malpais 20 x 12 x 5 ins  
 in a ma. of stone for  $\frac{1}{4}$   
 sec. cor. marked  $\frac{1}{4}$  on N.  
 face. from which  
 An oak 14 ins diam. bears  
 N. 62° E. 32 lks. dist. marked  
 $\frac{1}{4}$  S. 16 B. T.

T. 18 N., R. 6 E.

All oak, 12 ins. diam. bears  
N.  $81^{\circ}30'$  W. 15 lks. dist. marked  
 $\frac{1}{4}$  S. 17 B. T.

Ascend steep slope of mesa.  
80.00 Pt. for sec. cor. at this  
point is on steep slope  
of mesa and unsafe, I  
continue N. and at.

86.50 Top of mesa, bears N.  $10^{\circ}$  W.  
and S.  $10^{\circ}$  E.

Set a malpais  $18 \times 12 \times 6$  ins  
in a md. of stone for W. C.  
to sec. 8, 9, 16 and 17. marked  
W.C.  
with 4 notches on E. and  
4 notches on S. edges.

Build a md. of stone 3 ft.  
base  $2\frac{1}{2}$  ft high W. of cor.  
stone. No trees in distance

Pits impracticable

75

T. 18 N., R. 6 E.

Land mountainous 86.50 ch.  
 Dense brush 86.50 ch.  
 Soil rocky, 4<sup>th</sup> rate.

I now return to proper  
 point for sec. cor. <sup>2<sup>nd</sup></sup> run  
 E. on a random line  
 between 9 and 16.

Over rolling mesa.  
 Through pine and juniper

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.16 Intersect N. and S. line  
 16 lks. S. of cor. of secs.  
 9, 10, 15, and 16, thence I run  
 S. 89.53 N. on a true line  
 bet. secs. 9 and 16.

40.08 Set a malpais 16x12x6 ins.  
 in a md. of stone for  $\frac{1}{4}$   
 sec. cor. marked  $\frac{1}{4}$  on N. face

T. 18 N., R. 6 E.

from which.

A pine 16 ins diam. bears  
N.  $28^{\circ} 30'$  E. 115 lks. dist. marked  
 $\frac{1}{4}$  S. 9 B. T.

A pine 12 ins diam. bears.  
S.  $77^{\circ}$  E. 34 lks. dist. marked.  
 $\frac{1}{4}$  S. 16 B. T.

79.40 Edge of bluff of mesa, bears.  
N.  $10^{\circ}$  W. and S.  $10^{\circ}$  E.

Set a malpais  $24 \times 12 \times 6$  ins.  
in a md. of stone for N. C.  
to secs. 8, 9, 16, and 17. marked.  
N. C. with 4 notches on E  
and S sides, from which

A juniper 30 ins diam.  
bears. S.  $48^{\circ}$  E. 75 lks. dist. Marked  
N. C. T. 18 N. R. 6 E. S. 16 B. T.

No other trees in distance  
Build a md. of stone  $2\frac{1}{2}$

77.

T. 18 N. R. 6 E.

Sand mountainous 7946  
 Blue Pines + Juniper 7946  
 Soil rocky, 4th rate.

ft. base and  $1\frac{1}{2}$  ft. high  
 n. of pt. for W. c.

Pits impracticable.

Jan. 14<sup>th</sup> 1904.

Jan. 15<sup>th</sup>: At 9 a.m. l.m.t.

I set off  $21^{\circ}16'$  on the decl. arc;  
~~at~~  $34^{\circ}58'$  N. on the lat. arc; and  
 determine a true meridian  
 with the solar at the <sup>W.</sup> cor. of  
 secs. 8, 9, 16 and 17. thence I run,  
 from the W. c. last described,  
 $N. 0^{\circ}02' N.$

44.00 I run N. 76 E. to the  
 line bet. secs. 8 and 9.  
 Edge of bluff of mesa  
 bears N. and S. E.

As proper hor. pt. comes  
 in unsafe place on

T. 18 N. R. 6 E.

steep slope of mesa I set  
 a malpais  $24 \times 10 \times 6$  ins. in  
 a md. of stone for N. C. to  
 $\frac{1}{4}$  sec. cor. marked N. C.  $\frac{1}{4}$   
 on N. side. from which  
 a juniper 20 ins. diam.  
 bears N.  $22^\circ$  E. 112 lks. dist.  
 marked N. C.  $\frac{1}{4}$  S. 9 B. T.

No other trees in distance.  
 Build a md. of stone  $2\frac{1}{2}$  ft.  
 base  $1\frac{1}{2}$  ft. high N. of N. C.  
 Pits impracticable.

From the N. C. I continue  
 N.  $0^\circ 02'$  N. bet. 8 and 9

56.30 Edge of mesa, bears N. E.  
 and S.  $10^\circ$  N.

Descend abruptly.

80.00 Set a malpais  $21 \times 16 \times 4$  ins.  
 in a md. of stone for cor.

Land mountainous 80.00ch  
 Dense brush 80.00ch  
 Soil rocky. 4th rate.

# Subdivisions of

to sec. 8, 9, 4 and 5. marked with 4 notches on E. and 5 notches on S. edges.

Build a md. of rock 2 ft. high, 3 ft. base. on N. of cor.

No trees in limits

Pits impracticable

N.  $89^{\circ}53'$  E. on a random line bet <sup>sec</sup> 4 and 9.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.08 Intersect N and S. line

9 lks. N. of cor. of secs.

3, 4, 9 and 10, thence S run.

S.  $89^{\circ}57'$  N. on a true line bet. secs. 4 and 9.

40.04 Set a malpais  $24 \times 12 \times 6$  in in a md. of stone for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  on N. face



Sp. 18 N. P. 6 E.

from which.

A pine 24 ins. diam. bears  
N. 2° E. 11 lks. dist. marked.

$\frac{1}{4}$  S. 4 B. T.

An oak 6 ins. diam. bears.  
S. 68° E. 109 lks. dist. marked.

$\frac{1}{4}$  S. 9 B. T.

56.00 Rim of mesa bears N. E.  
and S. W. Descend abruptly.

80.08 The cor. of secs. 4, 5, 8<sup>th</sup> & 9.  
Land rolling mesa 80.00 chs.  
Dense pines and oaks. 80.00 chs.  
Soil rocky, 4<sup>th</sup> rate.

N. 0'02' N. on a true line  
bet. secs. 4 and 5.

Over mountainous lands  
Through dense brush. sec.

40.00 Set a malpais 18x9x4 ins

T. 18 N R 6 E  
 Subdivisions of

in a md. of stone for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  on N face, from which there are no trees in limits.

Build a md. of stone 3 ft. base and  $1\frac{1}{2}$  ft high N. of cor.

Pits impracticable.

75.00 Oak Creek 50 lbs. wide course S.  $20^{\circ}$  N.

80.40 Intersect N. bay. Tp. 37.00  
 S.  $89^{\circ} 34'$  E. of cor. of secs. 33 and 34 markings of which I change to refer to N. secs. only.

Set a limestone  $20 \times 10 \times 6$  in in a md. of stone for C.C. of secs. 4 and 5. marked with 4 notches on E end.

Tp. 18 N. R. 6 E.

2 notches on N edges.  
with C. C. on S. face.  
from which

A pine 30 ins diam. bears  
S. 80° E. 196 lks. dist. marked.

T. 18 N. R. 6 E. S. 4 C. C. B. T.

A pine 20 ins. diam. bears  
S. 41° 30' N. 87 lks. dist. marked

T. 18 N. R. 6 E. S. 5 C. C. B. T.

Land mountainous 80.40  
Dense brush 80.40 Cks.  
Soil rock. 4<sup>th</sup> rate.

Jan 15<sup>th</sup> 1904

In prosecuting this sur-  
vey I have destroyed all trace  
of corr. previously set by me.

Subdivision of  
E. on a random line bet.  
secs. 3 and 10

40.00 Set temp  $\frac{1}{4}$  sec. cor.

80.00 Intersect N. and S. line  
10 lks. N. of cor. of secs.  
2, 3, 10 and 11.

Thence I run  $\frac{1}{4}$

N.  $89^{\circ}56'$  N on a true line  
bet secs. 3 and 10;

40.00 Set a malpais  $16 \times 12 \times 4$  ins  
in a md. of stone for  $\frac{1}{4}$  sec  
cor. marked  $\frac{1}{4}$  on N. face  
from which

A pine 6 ins diam. bears  
N.  $40^{\circ}$  N. 56 lks dist. marked  
 $\frac{1}{4}$  S 3 B. J.

An oak 5 ins diam. bears  
S.  $29^{\circ}$  N. 49 lks. dist. marked  
 $\frac{1}{4}$  S. 10 B. J.

Tp. 18 N. R. 6 E.

8000 The cor. of secs. 3, 4, 9 and 10.  
 Land rolling. 80.00 chs.  
 Dense pines & oak. 80.00 chs.  
 Soil rocky 4<sup>th</sup> rate.

Last mile was executed,  
 Jan. 13, 1904

85-BOOK 239

*17*  
Subdivisions of

Tp. 18 N. R. 6 E.

### General Description

This township is extremely rough and mountainous. Oak Creek cañon cuts the township from north to south its entire length, and with its many tributaries, is from 1000 ft. to 2500 ft. deep.

Oak Creek is a swift mountain stream of pure water from 50 to 100 links wide.

The mesa land is well covered with a good growth of pine timber; also a large quantity of oak and juniper.

On the S. W.  $\frac{1}{4}$  of

section 27 is the ranch of  
J. J. Thompson, he being  
the only settler in the  
township.

W. Oscar L. Cor,  
U.S. Deputy Surveyor,

Because of the impassable  
nature of the country I found  
it impossible to survey the last  
two tiers of secs. on W. side of  
this Tp.

Neither was I able to survey  
the West boundary for the  
same reason.

W. Oscar L. Cor.  
U.S. Deputy Surveyor



T. 18 N R 6 E.

88

With regard to the portions of this township which I did not survey I will state that the attendant danger to life <sup>and</sup> limb is too great to be ignored, <sup>and</sup> as much as I deplore the necessity, I must call the same unsurveyable.

W. Oscar Lee.  
U.S. Deputy Surveyor.

# LIST OF NAMES.

89

A list of the names of the individuals employed by.....

*N. Oscar Decor*


United States Deputy Surveyor, to assist in running, measuring, and marking the lines and corners described in the foregoing field notes of the survey of the

*Exterior and Subdivisions of Tp. 17 N. R. 5 E. and Tp. 18 N. R. 6 E.*

**BOOK 239**

of the Gila and Salt River Base and Meridian, in the Territory of Arizona, showing the respective capacities in which they acted.

- A. G. Johnson*....., Chainman. ✓
- F. W. Lockwood*....., Chainman. ✓
- ....., Chainman.
- ....., Chainman.
- C. J. Schwartz*....., Axman. ✓
- ....., Axman.
- H. K. Ward*....., Flagman. ✓



*W. O. Secor*

We hereby certify that we assisted United States Deputy Surveyor, in surveying all those parts or portions of the

*Exterior and Subdivisions of Tp. 17 N, R. 5 E, and Tp. 18 N, R. 6 E.*

BOOK 239

of the Gila and Salt River Base and Meridian, in the Territory of Arizona, as are represented in the foregoing field notes as having been surveyed by him and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established according to the instructions furnished by the United States Surveyor-General for Arizona.

- W. Johnson*....., Chainman.
- J. M. Lockwood*....., Chainman.
- W. J. Schwarz*....., Axman.
- H. H. Hand*....., Flagman.

Subscribed and sworn to before me this *7<sup>th</sup>* day of *February*, 190*4*

[SEAL.]



*E. M. Aubrey*  
 Notary Public.  
 Subscribed and sworn to before me this 17 day of July 1904 as to *Wm Lockwood and H. H. Hand* with *H. H. Hand* County Clerk by *J. P. Stutz*

I, W. C. Secor, United States Deputy Surveyor, do solemnly swear that in pursuance of a contract received from Hugh H. Price, United States Surveyor-General for Arizona, bearing date of the 30<sup>th</sup>

day of June, 1902, I have well, faithfully, and truly, (in my own proper person, and in strict conformity with the instructions furnished by the United States Surveyor-General for Arizona, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of the Exterior

and Subdivisions of T<sup>ps</sup>. 17 N. R 5 E, and T<sup>ps</sup> 18 N. R 6 E.

BOOK 239



of the Gila and Salt River Base and Meridian, in the Territory of Arizona, as are represented in the foregoing field notes as having been surveyed by me and under my direction; and I do further solemnly swear that all the corners of said survey have been established and perpetu-

ated in strict accordance with the Manual of Surveying Instructions, the special instructions of the United States Surveyor-General for Arizona, and in the specific manner described in the field notes, and that the foregoing are the TRUE field notes of such survey; and should any fraud be detected I will suffer the penalty of perjury, under the provisions of an act of Congress approved August 8, 1846.

Woscawson.  
U. S. Deputy Surveyor.

Subscribed and sworn to before me this 23<sup>d</sup> day  
of Feb, 1904

E. M. Hulburt  
Notary Public in and for  
Los Angeles Co. California

4890b150-8-02

Woscawson.  
H. Hunt

BOOK 250

Subscribed and Sworn to before me this

26th day of Feb, 1904

C. C. KEYES, Clerk,

By [Signature] Deputy.

