

*Henry C. Coe* Deputy Surveyor.

**T.** *16 North* **R.** *26 East*

Gila and Salt River Meridian.

*No-252*  
**FIELD NOTES**

OF

THE SUBDIVISION LINES OF

Township *16 North* Range *26 East*

Gila and Salt River Meridian.

BY

*Henry C. Coe* Deputy Surveyor.

Under his Contract of *July 21<sup>st</sup>* 188*2*

Survey Commenced *Nov. 14<sup>th</sup>* 188*2*

Survey Completed *Nov. 17<sup>th</sup>* 188*2*

*Platted,  
Copied for Washington,  
Copied for Register,*

1A

Township 16 North, Range 26 East,

Gila and Salt River Meridian.

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

*OK.*

Edward Denny & Co., Stationers & Printers, S. F., Cal.

*Copyright Secured,*

Entered according to Act of Congress, in the Clerk's Office of the Librarian of Congress at Washington, D. C., in the year 1880.

Township

Range

Meridian.

For Preliminary  
 oaths see book "a"  
 Survey of the 4<sup>th</sup>  
 standard parallel -  
 Survey commenced  
 Nov 4<sup>th</sup> 1882

No-252

Survey made with Burt's Patent Improved Solar  
 Compass, nearly new, and in first rate order. Made  
 by John Roach of San Francisco  
 Cal. in 1879

<sup>1</sup> Township 16 N. Range 26 E  
 (See previous page.) Gila and Salt River Meridian.

Chains

From the corner to Sections 35, 36, 1 and 2 on the South boundary,  
 of Sp. - which is a sand stone  
 10 x 6 ins set firmly in the  
 ground - marked with 1  
 notch on E & 5 notches on W  
 edges & pits & mounds in  
 each Sec 5 1/2 ft. dist.

North between sections 35 & 36  
 Variation 14° 28' East.

Descend.

16.00  
 110.00

Enter Valley, bears, E & W.  
**Set a sand** stone 12 x 10 x 8 ins., 8  
 ins. in the ground, for 1/4 Sec. Cor., marked 1/4 on W.  
 face, dug pits, 18 x 18 x 12 ins., N. and S. of stone  
 5 1/2 ft. dist., and raised a mound of earth 1 1/2 ft. high,  
 3 1/2 ft. base. alongside

80.00

**Set a post** 4 ft. long, 4 ins. square, with marked stone.  
 12 ins. in the ground, for Cor. to Secs. 25, 26, 35 & 36  
 marked T. 16 N.S. 25, on N. E., R 26 E, S. 36  
 on S. E. S. 35 on S. W. and S. 26 on N. W. face,  
 with 1 notch on S. and 1 notch on E. edges;  
 dug pits, 18 x 18 x 12 ins. in each Sec., 5 1/2 ft. dist.,  
 and raised a mound of earth 2 ft. high, 4 1/2 ft. base  
 around post.  
 Land mountainous. and level.

Soil 2nd. rate  
 Vegetation bunchgrass



Township 16 N. Range 26 E

Gila and Salt River Meridian.

Chains

North, between Sections 25 and 26.

Variation  $14^{\circ} 28'$  East.

Descend.

~~Cross Wash, 15 kts. wide, Course and ascend.~~

40.00

Set a post 3 ft. long, 3 ins. diam. with marked stone.  
 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on  
 W. face, dug pits, 18 x 18 x 12 ins., N and S. of  
 post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
 high,  $3\frac{1}{2}$  ft. base around post.

59.50

Cross Wash, 15 kts. wide, Course S and W ascend.

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone.  
 12 ins. in the ground, for Cor. to Secs. 25, 24, 23, 22  
 marked T. 16 N. S. 24, on N. E., R 26 E, S. 25  
 on S. E., S. 26 on S. W. and S. 25 on N. W. face,  
 with 2 notches on S. and 1 notch on E. edges;  
 dug pits, 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist.,  
 and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base  
 around post.

Land rolling.

Soil 2nd, rate

Vegetation bunchgrass

Township 16 N. Range 26 E<sup>4</sup>

Gila and Salt River Meridian.

Chains *N. 24* East, on a random line between Sections 24 and 25.Variation  $14^{\circ} 08'$  East.

Descend.

34.10 Cross Wash, 30 lks. wide, Course *S 33° W* and ascend.40.00 Set temporary  $\frac{1}{2}$  sec. cor.

79.92 Intersect E. B. of Tp. 12 lks. North of cor. to secs.

19. 24. 25 &amp; 30

*recently established by me*  
Which is a~~post 4 ft. long, 4 ins. square, with marked stone.~~~~12 ins. in the ground, for Cor. to Secs. 19. 24. 25 & 30~~~~marked T. 16 N.S. 19, on N. E., R. 27 E., S. 30~~~~on S. E., S. 25 on S. W. and S. 24 on N. W. face,~~~~with 2 notches on S. and 4 notches on *W* edges;~~~~dug pits, 18 x 18 x 12 ins. in each Sec., 5½ ft. dist.,~~~~and raised a mound of earth 2 ft. high, 4½ ft. base~~~~around post.~~

From which corner I run.

*S 54° 5'* Upon a true line between sections 24 & 25Va.  $14^{\circ} 25'$  East.

39.96 Set a sand stone 10 x 10 x 6 ins., 6

ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  on *N.*face, dug pits, 18 x 18 x 12 ins., *E.* and *W.* of stone

5½ ft. dist., and raised a mound of earth 1½ ft. high,

3½ ft. base. alongside

79.92 The corner to sections 23. 24. 25 &amp; 26

Land rolling.

Soil *2nd* rateVegetation *bunchgrass*

Township

16

N. Range

26

E

Gila and Salt River

Meridian.

Chains

North, between Sections 23 and 24.

Variation

14° 08'

East.

Descend.

8.15' Cross Wash, 10 lks. wide, Course  $S 60^{\circ} W$ 

40.00

Set a post 3 ft. long, 3 ins. diam. with marked stone.  
12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on  
N. face, dug pits, 18 x 18 x 12 ins., N. and S. of  
post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
high,  $3\frac{1}{2}$  ft. base around post.

44.00

Leave Valley, bears E. &amp; N. and ascend.

63.00

Top of Ridge, bears E. &amp; N. and descend.

80.00

Set a sand stone  $12 \times 8 \times 8$  ins. 8 ins. in  
the ground for Cor. to Secs. 13, 14, 23 & 24 marked  
with  $\int$  notches on S. and 1 notch on E. edges, dug pits  
18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist., and raised a  
mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base. alongside

Land level. and mountainous.

Soil 2nd, &amp; 3rd. rate

Vegetation bunchgrass

Township 16 N. Range 26 E

Gila and Salt River Meridian.

Chains *Ch. 1st* East, on a random line between Sections 13 and 24.Variation  $14^{\circ}08'$  East.

Descend.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.80.48 Intersect *E.B.* of Tp. 19 1ks. South of cor. to secs.13, 18, 19 & 24 *recently established by me*

Which is a ~~stone x x ins. ins. in the ground for Cor. to Secs. 13, 18, 19 & 24 marked with  $\int$  notches on S. and  $\int$  notches on N. wedges, dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist., and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base. alongside~~

From which corner I run.

*S. 23*  $\frac{1}{2}$  W. on a true line between sections 13 & 24Va.  $14^{\circ}28'$  East.

40.24 Set a sand stone 10 x 8 x 8 ins., 6 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on *N.* face, dug pits, 18 x 18 x 12 ins., *E.* and *N.* of stone  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base. alongside

80.48 The corner to sections 13, 14, 23 &amp; 24

Land mountainous.

Soil 3rd. rate

Vegetation bunchgrass

Township 16 N Range 26 E

Gila and Salt River Meridian.

Chains

North, between Sections 13 and 14.

Variation  $14^{\circ} 08'$  East.*Over rolling land.*

40.00 *Set a sand stone 10 x 10 x 6 ins., 6 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N. face, dug pits, 18 x 18 x 12 ins., N. and S. of stone  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base. alongside*

80.00 *Set a sand stone 13 x 8 x 6 ins. 8 ins. in the ground for Cor. to Secs. 11, 12, 13 & 14 marked with 4 notches on S. and 1 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist., and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base. alongside*

*Land rolling.**Soil 3rd. rate**Vegetation bunchgrass*

*I carefully examined the adjustments of my solar compass to-day, particularly the latitude and reversing apparatus, and found them correct.*

Township 16 Range 26 E<sup>s</sup>.

Gila and Salt River Meridian.

Chains *North* East, on a random line between Sections 12 and 13.Variation 14° 08' East.

Ascend.

15.00 Enter Timber, *N. & S.*  
 40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
 80.31 Intersect  $\odot$  B. of Tp. 27 *1/2* mls. South of cor. to secs.

7. 12. 13 &amp; 18

*recently established by me*  
Which is a

post 4 ft. long, 4 ins. square, with marked stone.

12 ins. in the ground, for Cor. to Secs. 7, 12, 13 &amp; 18

marked T.  $\frac{1}{4}$  N.S. 7, on N. E., R. 27  $\odot$ , S. 18

on S. E., S. 13 on S. W. and S. 12 on N. W. face,

with 4 notches on S. and 2 notches on *Wedges*;dug pits, 18 x 18 x 12 ins. in each Sec., 5 $\frac{1}{2}$  ft. dist.,and raised a mound of earth 2 ft. high, 4 $\frac{1}{2}$  ft. base

around post.

From which corner I run.

S. 83° 18' W. on a true line between sections 12 &amp; 13

Va. 14° 08' East.

40.16 Set a post 3 ft. long, 3 ins. diam. with marked stone.  
 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on  
*N.* face, dug pits, 18 x 18 x 12 ins.,  $\odot$  and *N.* of  
 post 5 $\frac{1}{2}$  ft. dist., and raised a mound of earth 1 $\frac{1}{2}$  ft.  
 high, 3 $\frac{1}{2}$  ft. base around post.

80.31 The corner to sections 11, 12, 13 & 14  
 Land mountainous

Soil *Ind.* rate.

Timber of Cedar

Vegetation bunchgrass

Township

16

N. Range

26

Gila and Salt River

Meridian.

Chains

North, between Sections 11 and 12.

Variation  $14^{\circ}08'$ 

East.

Descend.

40.00

Set a Sand stone  $1\frac{1}{2} \times 1\frac{1}{2} \times 7$  ins., 7 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N. face, dug pits,  $18 \times 18 \times 12$  ins., N. and S. of stone  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base. alongside

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone, 12 ins. in the ground, for Cor. to Secs. 1, 2, 11 & 12 marked T. 16 N. S. 1, on N. E., R 26 E., S. 12 on S. E., S. 11 on S. W. and S. 2 on N. W. face, with  $\sigma$  notches on S. and / notch on E. edges; dug pits,  $18 \times 18 \times 12$  ins. in each Sec.,  $5\frac{1}{2}$  ft. dist., and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base around post.

Land mountainous

Soil 2nd. rate.

Timber of Cedar

Vegetation bunchgrass

Township 16 N. Range 26 E

Gila and Salt River Meridian.

Chains *Ch. 1* East, on a random line between Sections 1 and 12.

Variation  $14^{\circ} 25'$  East.

Ascend.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

44.00 Enter Timber, N. E. & S. W.

79.75 Intersect *E. B.* of Tp. 20 *1*ks. South of cor. to secs.

1.6. 7 & 12 *recently established by me* Which is a

post 4 ft. long, 4 ins. square, with marked stone,  
 12 ins. in the ground, for Cor. to Secs. 1.6. 7 & 12  
 marked T. 16 N. S. 6 on N. E., R. 27 E., S. 7  
 on S. E., S. 12 on S. W. and S. 1 on N. W. face,  
 with 5 notches on S. and 1 notch on *W* edges;  
 dug pits, 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist.,  
 and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base  
 around post.

From which corner I run.

*S. 33° 31' W.* on a true line between sections 1 & 12

Va.  $14^{\circ} 28'$  East.

79.89 Set a Sand stone  $14 \times 11 \times 9$  ins.,  
 9 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N.  
 face, dug pits, 18 x 18 x 12 ins., *E.* and *W.* of stone  
 $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  
 $3\frac{1}{2}$  ft. base. alongside

79.78 The corner to sections 1, 2, 11 & 12  
 Land mountainous

Soil 2nd. rate.

Timber of Cedar  
 Vegetation bunchgrass

Township 16 N Range 26 E

Gila and Salt River Meridian.

Chains

North, on a ~~random~~ <sup>true</sup> line between Sections 1 and 2.

Variation 14° 08' East.

Descend.

13.47 Intersect the 4<sup>th</sup> Standard North at a point 2.11 chs. West of the Standard Cor. to Secs. 35 and 36. T. 17 N. R. 26 E.

~~Which is a sand stone 14 x 11 x 6 ins. 10 ins. in the ground for Standard Cor. to Secs. 35 and 36 marked S. C., with 1 notch on E. and 5 notches on W. edges, dug pits 18 x 18 x 12 ins. N., E. and W. of stone, 5 1/2 ft. dist., and raised mound of earth 2 ft. high 4 1/2 ft. base alongside road of intersection~~

Set a sand stone 14 x 10 x 8 ins. 10 ins. in the ground for Closing Cor. to Secs. 1 and 2 marked C. C. with 1 notch on E. and 5 notches on W. edges, dug pits 18 x 18 x 12 ins. S. E., and W. of stone, 5 1/2 ft. dist., and raised a mound of earth 2 ft. high, 4 1/2 ft. base. alongside

Land rolling.

Soil 2nd. rate

Vegetation bunchgrass

Henry A. Coe

Nov. 4, 1882

Township 16 N. Range 26 E. 12

Gila and Salt River Meridian.

Chains From the corner to sections, 2, 3, 34 & 35 on S. By of Sp  
 which is a sand stone  
 9 x 6 ins set firmly in the  
 ground marked with 2  
 notches on E & 4 notches on W  
 edges & pits & mounds in  
 each Sec 5 1/2 ft. dist.

North between sections 34 & 35

Variation 14° 08' East.

Descend.

40.00 Set a post 3 ft. long, 3 ins. diam. with marked stone.  
 12 ins. in the ground, for 1/4 Sec. Cor., marked 1/4 S. on  
 N. face, dug pits, 18 x 18 x 12 ins., N. and S. of  
 post 5 1/2 ft. dist., and raised a mound of earth 1 1/2 ft.

high, 3 1/2 ft. base around post.

46.00 Enter Valley, bears, N. E. & S. W.

63.20 Cross Wash, 10 lks. wide, Course S. W. and ascend.

80.00 Set a post 4 ft. long, 4 ins. square, with marked stone.  
 12 ins. in the ground, for Cor. to Secs. 26, 27, 34 & 35  
 marked T. 16 N. S. 26, on N. E., R 26 E., S. 35  
 on S. E., S. 34 on S. W. and S. 27 on N. W. face,  
 with 1 notch on S. and 2 notches on E. edges;  
 dug pits, 18 x 18 x 12 ins. in each Sec., 5 1/2 ft. dist.,  
 and raised a mound of earth 2 ft. high, 4 1/2 ft. base  
 around post.  
 Land rolling.

Soil 2nd rate

Vegetation brush ground

Township

16

N. Range

26

E

Gila and Salt River

Meridian.

Chains *N. 74* East, on a random line between Sections 26 and 35.Variation  $14^{\circ} 08'$  East.*Descend.*

- 21.60 Cross Wash, 15 lks. wide, Course  $S 3^{\circ} 3'$  and ascend.
- 40.00 Set temporary  $\frac{1}{4}$  sec. cor.
- 80.22 Intersect N. & S. line, 19 lks. South of cor. to secs. 26, 27, 34 & 35 from which corner, I run  $S 89^{\circ} 52'$  W. on a true line between sections 26 & 35  
Variation  $14^{\circ} 08'$  East.
- 40.11 Set a post 3 ft. long, 3 ins. diam. with marked stone, 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on N. face, dug pits, 18 x 18 x 12 ins., E. and W. of post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post.
- 80.22 The corner to sections 26, 27, 34 & 35  
Land rolling.  
Soil *2nd. rate*  
Vegetation *timbergrass*

Township 16

BOOK 252  
N Range

26

E<sup>14</sup>

Gila and Salt River Meridian.

Chains

North, between Sections 26 and 27.

Variation  $11^{\circ}08'$  East.*Ascend.*

40.00

Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on N. face, dug pits, 18 x 18 x 12 ins., E. and W. of post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post.

60.00

Leave Valley, bears E. &amp; W. and ascend.

80.00

Set a sand stone  $4 \times 4 \times 8$  ins. 10 ins. in the ground for Cor. to Secs. 22, 23, 26 & 27 marked with 2 notches on S. and 2 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist., and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base. alongside

Land level. and mountainous.

Soil sand. rate

Vegetation bunchgrass

Township

16

N. Range

26

E.

Gila and Salt River

Meridian

Chains

N. <sup>o</sup> East, on a random line between Sections 23 and 26.Variation  $14^{\circ}08'$  East.

Ascend.

10.00 Top of Ridge, bears N. <sup>o</sup> & S. <sup>o</sup> W. and descend.40.00 Set temporary  $\frac{1}{4}$  sec. cor.56.00 Cross Wash, 20 lks. wide, Course S. <sup>o</sup> W. and ascend.

80.33 Intersect N. &amp; S. line, 40 lks. North of cor. to secs.

23. 24. 25 &amp; 26 from which corner, I run

S  $84^{\circ}17'$  W. on a true line between sections 23 & 26Variation  $14^{\circ}08'$  East.

40 18 Set a post 3 ft. long, 3 ins. diam. with marked stone.  
 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on  
 N. face, dug pits, 18 x 18 x 12 ins., E. and W. of  
 post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
 high,  $3\frac{1}{2}$  ft. base around post.

80.33 The corner to sections 22. 23. 26 &amp; 27

Land mountainous.

Soil 2nd. rate

Vegetation bunchgrass

Township

16

N. Range

26

E 16

Gila and Salt River

Meridian.

Chains

North, between Sections 22 and 23.

Variation

14° 08'

East.

*Ascend.*

40.00

Set a sand stone 10 x 8 x 8 ins., 6 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N. face, dug pits, 18 x 18 x 12 ins., N. and S. of stone  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base. alongside

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone. 12 ins. in the ground, for Cor. to Secs. 14, 15, 22, 23 marked T. 16 N.S. 14, on N. E., R. 26 E., S. 23 on S. E., S. 22 on S. W. and S. 15 on N. W. face, with 3 notches on S. and 2 notches on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist., and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base around post.

*Land mountainous.**Soil 2nd. rate**Vegetation bunchgrass*

Township 16 Range 26

Gila and Salt River

Meridian

Chains *North* East, on a random line between Sections 14 and 23.Variation  $14^{\circ} 08'$  East.*Descend.*40.00 *Set temporary  $\frac{1}{4}$  sec. cor.*80.03 *Intersect N. & S. line, 14 *lks.* South of cor. to secs.**13, 14, 23 & 24 from which corner, I run* *$83^{\circ} 54'$  W. on a true line between sections 14 & 23**Variation  $14^{\circ} 08'$  East.*40.02 *Set a post 3 ft. long, 3 ins. diam. with marked stone.**12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on**N. face, dug pits, 18 x 18 x 12 ins., E. and W. of**post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.**high,  $3\frac{1}{2}$  ft. base around post.*80.03 *The corner to sections 14, 13, 22 & 23**Land mountainous.**Soil *3rd.* rate**Vegetation bunchgrass*

Township 16 N. Range 26 E

Gila and Salt River Meridian.

Chains

North, between Sections 14 and 15.

Variation  $11^{\circ} 08'$  East.

Descend.

30.20 Cross Wash, 10 lks. wide, Course West and ascend.

40.00 Set a sand stone  $10 \times 10 \times 6$  ins., 6 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on W. face, dug pits,  $18 \times 18 \times 12$  ins., N. and S. of stone  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base. alongside

51.00 Top of Ridge, bears E. &amp; W. and descend.

74.06 Cross Wash, 12 lks. wide, Course S.W. and ascend.

80.00 Set a sand stone  $14 \times 14 \times 4$  ins. 10 ins. in the ground for Cor. to Secs. 10, 11, 14 & 15 marked with 4 notches on S. and 2 notches on E. edges, dug pits  $18 \times 18 \times 12$  ins. in each Sec.,  $5\frac{1}{2}$  ft. dist., and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base. alongside

Land mountainous.

Soil 3rd. rate

Vegetation bunchgrass

Township

16

N. Range

26

Gila and Salt River

Meridian.

Chains *N. of* East, on a random line between Sections 11 and 14.Variation  $14^{\circ}08'$  East.*Ascend.*40.00 Set temporary  $\frac{1}{4}$  sec. cor.79.74 Intersect N. & S. line, 42 *lks. South* of cor. to secs.

11, 12, 13 &amp; 14 from which corner, I run

 $S. 83^{\circ}42' W.$  on a true line between sections 11 & 14Variation  $14^{\circ}08'$  East.

39.87 Set a post 3 ft. long, 3 ins. diam. with marked stone.

12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on*N.* face, dug pits, 18 x 18 x 12 ins., *E.* and *W.* ofpost  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.high,  $3\frac{1}{2}$  ft. base around post.

79.74 The corner to sections 10, 11, 14 &amp; 15

Land mountainous.

Soil *red* rate

Vegetation bunchgrass

Township 16 N Range 26 E

Gila and Salt River Meridian.

Chains

North, between Sections 10 and 11.

Variation 14° 08' East.

Ascend.

40.00 Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for 1/4 Sec. Cor., marked 1/2 S. on N. face, dug pits, 18 x 18 x 12 ins., N. and S. of post 5 1/2 ft. dist., and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base around post.

51.00 Edge of Mesa, bear N. 50° E. & S. 50° W.

80.00 Set a sand stone 4 x 11 x 9 ins. 10 ins. in the ground for Cor. to Secs. 2, 3, 10 & 11 marked with notches on S. and 2 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5 1/2 ft. dist., and raised a mound of earth 2 ft. high 4 1/2 ft. base. alongside

Land rolling.

Soil 2nd rate

Vegetation bunchgrass

Township 16 N. Range 26 E.

Gila and Salt River Meridian

Chains *N. 1/2* East, on a random line between Sections 2 and 11.Variation  $14^{\circ}08'$  East.*Ascend.*40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.85 Intersect N. &amp; S. line, 15' Nks. North of cor. to secs.

1. 2. 11 &amp; 12 from which corner, I run

x S.  $84^{\circ}06'$  W. on a true line between sections 2 & 11Variation  $14^{\circ}08'$  East.

79.93 Set a sand stone  $20 \times 18 \times 8$  ins., 18 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N. face, dug pits,  $18 \times 18 \times 12$  ins., E. and W. of stone  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base. alongside

79.85 The corner to sections 2, 10 &amp; 11.

Land mountainous.

Soil 2nd. rate

Vegetation bunchgrass

Township 16 N. Range 26 E

Gila and Salt River Meridian.

Chains

North, on a <sup>true.</sup> random line between Sections 2 and 3.

Variation  $14^{\circ}18'$  East.

Descend.

6.41 Cross Wash, 30 lks. wide, Course West and ascend.

22.17 Intersect the 4<sup>th</sup> Standard North at a point 2.08 chs. West of the Standard Cor. to

Secs. 34 and 35 T17 N. R26 E. at <sup>at</sup> ~~subint~~

~~Which is a sand stone 11 x 9 x 9 ins. 8 ins. in the ground for Standard Cor. to Secs. 34 and 35~~

~~marked S. C., with 2 notches on E. and 4 notches on~~

~~W. edges, dug pits 18 x 18 x 12 ins. N., S. and~~

~~W. of stone, 5 1/2 ft. dist., and raised mound of~~

~~earth 2 ft. high 4 1/2 ft. base. alongside and~~

Set a sand ~~stone 11 x 11 x 8 ins. 10 ins. in~~ <sup>point of interchain</sup>

the ground for Closing Cor. to Secs. 2 and 3

marked C. C. with 2 notches on E. and 4 notches on

W. edges, dug pits 18 x 18 x 12 ins. S. E., and W. of

stone, 5 1/2 ft. dist., and raised a mound of earth 2 ft.

high, 4 1/2 ft. base. alongside

Land rolling.

Soil <sup>rate</sup> 2nd

Vegetation bunchgrass

M. M. Barlow, compassman

Nov. 4<sup>th</sup> 1882

Township 16 N. Range 26 E  
Gila and Salt River Meridian.

Chains From the corner to sections, 33 & 34 on S By of Sp  
which is a piece of petrified wood  
10 x 6 ins set firmly in the ground -  
marked with 3 notches on E  
& W edges & pits & mounds  
in each Sec 5 1/2 ft  
dist.

North between sections 33 & 34  
Variation 14' 28" East.

Descend.

12.00 Cross Wash, 50 lks. wide, Course S. 60' W and ascend.

40.00 Set a sand stone 12 x 9 x 6 ins., 8  
ins. in the ground, for 1/2 Sec. Cor., marked 1/2 on N.  
face, dug pits, 18 x 18 x 12 ins., N. and S. of stone  
5 1/2 ft. dist., and raised a mound of earth 1 1/2 ft. high,  
3 1/2 ft. base. alongside

80.00 Set a post 4 ft. long, 4 ins. square, with marked stone.  
12 ins. in the ground, for Cor. to Secs. 27, 28, 33 & 34  
marked T. 16 N. S. 27, on N. E., R 26 E., S. 34  
on S. E. S. 33 on S. W. and S. 28 on N. W. face,  
with 1 notch on S. and 3 notches on E. edges;  
dug pits, 18 x 18 x 12 ins. in each Sec., 5 1/2 ft. dist.,  
and raised a mound of earth 2 ft. high, 4 1/2 ft. base  
around post.  
Land rolling.

Soil Ind. rate  
Vegetation bunchgrass

Township

16

N. Range

26

E. 24

Gila and Salt River

Meridian.

Chains *N. 81* East, on a random line between Sections 27 and 34.Variation  $14^{\circ}18'$  East.*Ascend.*14.50 Top of Spur, bears *N.*  $\vee$  *S.* and descend.40.00 Set temporary  $\frac{1}{4}$  sec. cor.79.86 Intersect N. & S. line, 12 *lks.* South of cor. to secs. $26. 27. 34 \vee 35$  from which corner, I run $S. 83^{\circ} 35'$  W. on a true line between sections  $27 \vee 34$ Variation  $14^{\circ}08'$  East.

79.92 Set a post 3 ft. long, 3 ins. diam. with marked stone.

12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on*N.* face, dug pits, 18 x 18 x 12 ins., *E.* and *W.* ofpost  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.high,  $3\frac{1}{2}$  ft. base around post.79.83 The corner to sections  $27. 28, 33 \vee 34$ **Land** rolling.Soil *brn* *rate*Vegetation *bunchgrass*

Township

16

N. Range

26

Gila and Salt River

Meridian

Chains

North, between Sections 27 and 28.

Variation

14° 18'

East.

*Descend.*

40.00

Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on W. face, dug pits, 18 x 18 x 12 ins., N. and S. of post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post.

66.10

Cross Wash, 16 lks. wide, Course SW and ascend.

80.00

Set a sand stone  $2 \times 9 \times 6$  ins. 8 ins. in the ground for Cor. to Secs. 21. 22. 27 & 28 marked with 2 notches on S. and 2 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist., and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base. alongside

*Land rolling.**Soil 2nd.**gate**Vegetation bunchgrass*

Township 16 N. Range 20 E

Gila and Salt River Meridian.

Chains *Ch* East, on a random line between Sections 22 and 27.Variation  $14^{\circ} 08'$  East.

Over level land

30.00 Leave Valley, bears N. E. &amp; S. W. and ascend.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.79.58 Intersect N. & S. line, 28 *lks.* South of cor. to secs.

22. 23. 26 &amp; 27 from which corner, I run

S.  $80^{\circ} 48'$  W. on a true line between sections 22 & 27Variation  $14^{\circ} 08'$  East.

39.79 Set a sand stone  $12 \times 8 \times 6$  ins., 8 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N. face, dug pits,  $18 \times 18 \times 12$  ins., E. and W. of stone  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base. alongside

79.58 The corner to sections 21. 22. 27 &amp; 28

Land level. and mountainous.

Soil *Und.* rateVegetation *lunchgrass*

Township 16 N. Range 26 E.

Gila and Salt River Meridian.

Chains North, between Sections 21 and 22.  
Variation  $14^{\circ} 08'$  East.

*Ascend.*

40.00 Set a post 3 ft. long, 3 ins. diam. with marked stone,  
12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on  
N. face, dug pits, 18 x 18 x 12 ins., N. and S. of  
post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
high,  $3\frac{1}{2}$  ft. base around post.

66.50 Top of Ridge, bears N. E. & S. W. and descend.

80.00 Set a post 4 ft. long, 4 ins. square, with marked stone.  
12 ins. in the ground, for Cor. to Secs. 15, 16, 21 & 22  
marked T. 16 N.S. 15, on N. E., R. 26 E., S. 22  
on S. E. S. 21 on S. W. and S. 16 on N. W. face,  
with 3 notches on S. and 3 notches on E. edges;  
dug pits, 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist.,  
and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base  
around post.

*Land rolling.*

Soil 3rd. rate

Vegetation bunchgrass

I carefully examined the adjustments of my solar  
compass to-day, particularly the latitude and revers-  
ing apparatus, and found them correct.

Township 16 N. Range 26 E  
 Gila and Salt River Meridian.

Chains *148* East, on a random line between Sections 15 and 22.

Variation *14° 18'* East.

*Ascend.*

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.06 Intersect N. & S. line, 6 *lks.* South of cor. to secs.  
*15, 16, 21 & 22* from which corner, I run

*S. 89° 57' W.* on a true line between sections *15 & 22*

Variation *14° 18'* East.

10.03 Set a sand stone *23 x 12 x 6* ins., 8  
 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on *N.*  
 face, dug pits, *18 x 18 x 12* ins., *E.* and *W.* of stone  
*5½* ft. dist., and raised a mound of earth *1½* ft. high,  
*3½* ft. base. alongside

80.06 The corner to sections *15, 16, 21 & 22*

*Land rolling.*

*Soil 3rd. rate*

*Vegetation bunchgrass*

Township 16 Range 26 E

Gila and Salt River Meridian.

Chains

North, between Sections 15 and 16.

Variation

14° 08'

East.

Descend.

- 36.40 Cross Wash, 40 lks. wide, Course S. x W and ascend.
- 40.00 Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{2}$  S. on N. face, dug pits, 18 x 18 x 12 ins., N. and S. of post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post.
- 70.41 Top of Spur, bears N. E. & S. W. and descend.
- 80.00 Set a sand stone 12 x 10 x 9 ins. 8 ins. in the ground for Cor. to Secs. 9, 10, 15 & 16 marked with 4 notches on S. and 3 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist., and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base alongside

Land mountainous.

Soil 2nd. rate

Vegetation bunchgrass

Township 16 N. Range 26 E. <sup>30</sup>

Gila and Salt River Meridian.

Chains Ch. 84 East, on a random line between Sections 10 and 15.Variation 14° 08' East.

Ascend.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.80.49 Intersect N. & S. line, 23 lks. North of cor. to secs.10, 11, 14 & 15 from which corner, I runS. 84° 10' W. on a true line between sections 10 & 15Variation 14° 08' East.

40.25 Set a sand stone 14 x 8 x 6 ins., 10  
 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N.  
 face, dug pits, 18 x 18 x 12 ins., E. and W. of stone  
5 $\frac{1}{2}$  ft. dist., and raised a mound of earth 1 $\frac{1}{2}$  ft. high,  
3 $\frac{1}{2}$  ft. base. alongside

80.49 The corner to sections 9, 10, 15 & 16

Land mountainous.

Soil 2nd rateVegetation brushgrass

Township 16

N. Range 26

E.

Gila and Salt River

Meridian.

Chains

North, between Sections 9 and 10.

Variation  $14^{\circ} 18'$  East.*Over rolling land.*

40.00 **Set a sand** stone  $10 \times 10 \times 8$  ins., 6 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on W. face, dug pits,  $18 \times 18 \times 12$  ins., N. and S. of stone  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base. alongside

84.13 Cross Wash, 50 fks. wide, Course South

80.00 **Set a sand** stone  $15 \times 10 \times 8$  ins., 10 ins. in the ground for Cor. to Secs. 8, 9 & 10 marked with 8 notches on S. and 3 notches on E. edges, dug pits  $18 \times 18 \times 12$  ins. in each Sec.,  $5\frac{1}{2}$  ft. dist., and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base. alongside

*Land rolling.**Soil 2nd. rate**Vegetation bunchgrass*

Township 16 N. Range 26 E. 32

Gila and Salt River Meridian.

Chains *N. 84°* East, on a random line between Sections 3 and 10.

Variation  $14^{\circ}08'$  East.

Over rolling land.

17.60 Cross Wash, 30 lks. wide, Course  $S 64^{\circ} W$ .

20.00 A House on line

29.00 <sup>same</sup> Cross, Wash, 30 lks. wide, Course  $N. 70^{\circ} W$ .

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

62.00 <sup>same</sup> Cross, Wash, 30 lks. wide, Course  $S 89^{\circ} W$ .

80.23 Intersect N. & S. line, 31 lks South of cor. to secs.

2, 3, 10 & 11 from which corner, I run

~~S. 89°~~  $47'$  W. on a true line between sections 3 & 10

Variation  $14^{\circ}08'$  East.

40.12 Set a sand stone 16 x 15 x 11 ins., 10 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N. face, dug pits, 18 x 18 x 12 ins., E. and W. of stone  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base. alongside

80.23 The corner to sections 3, 4, 9 & 10

Land rolling.

Soil 2nd. rate

Vegetation bunchgrass

x  
83

Township 16 N. Range 26 E.

Gila and Salt River

Meridian.

Chains

North, on a ~~random~~<sup>true.</sup> line between Sections 3 and 4.

Variation 14° 08' East.

Over level land

30.80 Intersect the 4<sup>th</sup> Standard North at a point 2.03 chs. West of the Standard Cor. to Secs. 33 and 34. T. 17 N. R. 26 E. at

~~Which is a sand stone 4 x 10 x 4 ins. 10 ins. in the ground for Standard Cor. to Secs. 33 and 34 marked S. C., with 3 notches on E. and 3 notches on W. edges, dug pits 18 x 18 x 12 ins. N., E. and W. of stone, 5 1/2 ft. dist., and raised mound of earth, 2 ft. high 4 1/2 ft. base. alongside and~~

intersections.

~~Set~~<sup>free</sup> petrified wood 11 x 8 x 8 ins. 8 ins. in the ground for Closing Cor. to Secs. 3 and 4 marked C. C. with 3 notches on E. and 3 notches on W. edges, dug pits 18 x 18 x 12 ins. S. E., and W. of stone, 5 1/2 ft. dist., and raised a mound of earth 2 ft. high, 4 1/2 ft. base. alongside  
Land level.

Soil 2nd. rate

Vegetation bunchgrass

Henry A. Cox.  
Nov. 6. 1882

Township 16 N. Range 26 E

Gila and Salt River Meridian.

Chains' From the corner to sections, 28, 29, 32 & 33 on S. By of Sp. - which is a sand stone 18 x 12 ins set firmly in the ground - marked with 4 notches on E & 2 notches on W wedges & with piles & mounds of in each Sec 5 1/2 ft. dist.

North between sections 32 & 33

Variation 14° 28' East.

Ascend.

40.00 Set a sand stone 12 x 6 x 6 ins., 8 ins. in the ground, for 1/4 Sec. Cor., marked 1/4 on N. face, dug pits, 18 x 18 x 12 ins., N. and S. of stone 5 1/2 ft. dist., and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base. alongside

80.00 Set a sand stone 14 x 12 x 6 ins., 10 ins. in the ground for Cor. to Secs. 28, 29, 32 & 33 marked with 1 notch on S. and 4 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5 1/2 ft. dist., and raised a mound of earth 2 ft. high 4 1/2 ft. base. alongside

Land rolling.

Soil 2nd. rate

Vegetation bunchgrass

Township

16

N. Range

26

E

Gila and Salt River

Meridian.

Chains *Ch. 88* East, on a random line between Sections 28 and 33.

Variation

 $14^{\circ} 8'$ 

East.

Descend.

30.70

Cross Wash, 1/5 lks. wide, Course *S. 33° N.* and ascend,

40.00

Set temporary  $\frac{1}{4}$  sec. cor.

79.69

Intersect N. &amp; S. line, 25 lks. North of cor. to secs.

27, 28, 33 &amp; 34 from which corner, I run

*S.*  $84^{\circ} 11'$  W. on a true line between sections 28 & 33Variation  $14^{\circ} 8'$  East.

39.85

Set a sand stone  $14 \times 10 \times 4$  ins., 10ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N.face, dug pits,  $18 \times 18 \times 12$  ins., *E.* and *W.* of stone $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high, $3\frac{1}{2}$  ft. base along side.

79.69

The corner to sections 28, 29, 32 &amp; 33

Land rolling.

Soil *2nd.* rateVegetation *brushgrass*

Township 16 N. Range 26 E

Gila and Salt River Meridian.

Chains North, between Sections 28 and 29.

Variation  $14^{\circ} 08'$  East.

Ascend.

40.00 Set a sand stone  $12 \times 12 \times 5$  ins., 8 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{4}$  on W. face, dug pits,  $18 \times 18 \times 12$  ins., N. and S. of stone  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base. *alongside.*

80.00 Set a quartz stone  $16 \times 8 \times 6$  ins. 16 ins. in the ground for Cor. to Secs. 20. 21. 28 & 29 marked with 2 notches on S. and 4 notches on E. edges, dug pits  $18 \times 18 \times 12$  ins. in each Sec.,  $5\frac{1}{2}$  ft. dist., and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base. *alongside.*

Land mountainous.

Soil sand, rate

Vegetation bunchgrass

Township 16 N. Range 26 E

Gila and Salt River Meridian.

Chains *N. 81°* East, on a random line between Sections 21 and 28.Variation  $14^{\circ} 08'$  East.*Ascend.*40.00 Set temporary  $\frac{1}{4}$  sec. cor.80.13 Intersect N. & S. line, 14 lks. South of cor. to secs.  
21, 22, 27 & 28 from which corner, I run $S 83^{\circ} 54' W.$  on a true line between sections 21 & 28  
Variation  $14^{\circ} 08'$  East.40.07 Set a sand stone 16 x 10 x 4 ins., 10  
ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N.  
face, dug pits, 18 x 18 x 12 ins., E. and W. of stone  
 $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  
 $3\frac{1}{2}$  ft. base. alongside

80.13 The corner to sections 20, 21, 28 &amp; 29

Land rolling.

Soil 2nd.

Vegetation bunchgrass <sup>gate</sup>

Township 16 N. Range 28 E

Gila and Salt River Meridian.

Chains

North, between Sections 20 and 21.

Variation 14° 08' East.

*Ascend.*

- 11.50 Top of Ridge, bears E & W. and descend.
- 30.00 Enter Valley, bears, E & W.
- 40.00 Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for 1/4 Sec. Cor., marked 1/4 S. on N. face, dug pits, 18 x 18 x 12 ins., N and S. of post 5 1/2 ft. dist., and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base around post.
- 77.52 Cross Wash, 30 lks. wide, Course S 75° W and ascend.
- 80.00 Set a post 4 ft. long, 4 ins. square, with marked stone. 12 ins. in the ground, for Cor. to Secs. 16, 17, 20 & 21 marked T. 16 N. S. 16 on N. E., R 26 E, S. 21 on S. E., S. 20 on S. W. and S. 17 on N. W. face, with 3 notches on S. and 4 notches on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 5 1/2 ft. dist., and raised a mound of earth 2 ft. high, 4 1/2 ft. base around post.

Land rolling and hilly  
 Soil 2nd. rate  
 Vegetation bunchgrass

Township 10 N Range 20 E

Gila and Salt River Meridian.

Chains *N. 84° East*, on a random line between Sections 16 and 21.Variation  $14^{\circ} 08'$  East.

Ascend.

- 57.63 Cross Wash, 30 lks. wide, Course *S. W.*
- 40.00 Set temporary  $\frac{1}{2}$  sec. cor.
- 60.00 Leave Valley, bears *N. & S.*
- 79.78 Intersect *N. & S.* line, 32 lks. *North* of cor. to secs. 16, 17, 20 & 21 from which corner, I run *S. 54° 14' W.* on a true line between sections 16 & 21  
Variation  $14^{\circ} 08'$  East.
- 39.89 Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  S. on *N.* face, dug pits, 18 x 18 x 12 ins., *E.* and *W.* of post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post.
- 79.78 The corner to sections 16, 17, 20 & 21  
Land level. and hilly  
Soil *snd.*, rate  
Vegetation *brushgrass*  
I carefully examined the adjustments of my solar compass to-day, particularly the latitude and reversing apparatus, and found them correct.

Township 16 N. Range 26 E.  
Gila and Salt River Meridian.

Chains

North, between Sections 16 and 17.

Variation  $14^{\circ} 08'$  East.*Ascend.*34.50 Top of Ridge, bears  $N. 60^{\circ} E.$  &  $S. 60^{\circ} W.$  and descend.

40.00 Set a post 3 ft. long, 3 ins. diam. with marked stone.  
12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on  
W. face, dug pits, 18 x 18 x 12 ins., N. and S. of  
post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
high,  $3\frac{1}{2}$  ft. base around post.

80.00 Set a sand stone  $13 \times 10 \times 6$  ins. 8 ins. in  
the ground for Cor. to Secs. 8, 9, 16 & 17 marked  
with 4 notches on S. and 4 notches on E. edges, dug pits  
18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist., and raised a  
mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base. alongside

Land mountainous.

Soil *2nd.* rate

Vegetation bunchgrass

Township 16 N. Range 26 E.  
Gila and Salt River Meridian.

Chains S. & East, on a random line between Sections 9 and 16.

Variation 14° 08' East.

*Ascend.*

- 40.00 Set temporary  $\frac{1}{2}$  sec. cor.
- 79.91 Intersect N. & S. line, 8 lks North of cor. to secs.  
9, 10, 15 & 16 from which corner, I run  
S. 84° 03' W. on a true line between sections 9 & 16  
Variation 14° 08' East.
- 69.96 Set a sand stone 13 x 11 x 6 ins., 8  
ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  on N.  
face, dug pits, 18 x 18 x 12 ins., E. and W. of stone  
5½ ft. dist., and raised a mound of earth 1½ ft. high,  
3½ ft. base. alongside
- 79.91 The corner to sections 8, 9, 16 & 17.  
Land rolling.  
Soil 2nd rate  
Vegetation timbergrass

Township 16 N Range 26 E 42

Gila and Salt River Meridian.

Chains

North, between Sections 8 and 9.

Variation  $14^{\circ} 08'$  East.*Ascend.*

40.00 Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on W. face, dug pits, 18 x 18 x 12 ins., N. and S. of post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post.

80.00 Set a sand stone  $14 \times 10 \times 9$  ins. 10 ins. in the ground for Cor. to Secs. 4, 5, 8 & 9 marked with S notches on S. and N notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist., and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base. alongside

*Land rolling.**Soil 2nd. rate**Vegetation bunchgrass*

Township 16

N Range 26

E

Gila and Salt River

Meridian.

Chains *N. 83° 51'* East, on a random line between Sections 4 and 9.Variation *14° 08'* East.*Over rolling land.*40.00 Set temporary  $\frac{1}{4}$  sec. cor.43.58 Cross Wash, 40 lks. wide, Course *N. 58° W.*

79.43 Intersect N. &amp; S. line, 20 lks. South of cor. to secs.

*S. 4, 9 & 10 from which corner, I run**N. 83° 51' W. on a true line between sections 4 & 9*Variation *14° 08'* East.

59.72 Set a sand stone *12 x 10 x 10 ins., 8*  
*ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N.*  
*face, dug pits, 18 x 18 x 12 ins., E. and W. of stone*  
*5 $\frac{1}{2}$  ft. dist., and raised a mound of earth 1 $\frac{1}{2}$  ft. high,*  
*3 $\frac{1}{2}$  ft. base. alongside*

79.43 The corner to sections 4, 5, 8 &amp; 9

*Land rolling.**Soil 2nd. rate**Vegetation bunchgrass*

Township 16 N Range 26 E

Gila and Salt River Meridian.

Chains North, on a <sup>true.</sup> ~~random~~ line between Sections 4 and 5.  
Variation 14° 08' East.

Ascend.

11.70 Cross Wash, 50 lks. wide, Course S 50° W.  
39.76 Intersect the 4<sup>th</sup> Standard North at a point 1.46 chs. West of the Standard Cor. to Secs. 32 and 33 T. 17 N. R. 26 E. ~~which recently established by me~~  
~~Which is a sand stone 11 x 10 x 7 ins. 8 ins. in the ground for Standard Cor. to Secs. 32 and 33 marked S. C., with 4 notches on E. and 2 notches on W. edges, dug pits 18 x 18 x 12 ins. N., E. and W. of stone, 5½ ft. dist., and raised mound of earth 2 ft. high 4½ ft. base. alongside and~~  
~~at Point of intersection~~ <sup>with marked stone</sup> ~~Set a post, 4 ft. long, 4 ins. square, 12 ins. in the ground, for~~ <sup>Closing</sup> Cor. to Secs. 4 and 5 marked C. C. T. 16 N. R. 26 E., on S. S. 4 on E and S. 5 on W. faces, with 4 notches on E and 2 notches on W. faces, dug pits 18 x 18 x 12 ins. S. E. & W. of post, 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base around post.

Land rolling.

Soil Ind. rate

Vegetation bunchgrass

M. M. Harlan

comprosecutor

Nov. 6. 1882

Township

16

N. Range

26

E

Gila and Salt River

Meridian.

Chains

From the corner to sections, S. 6. 31 & 32 on  
S. By of Sp. which is a sand  
stone 9 x 7 ins set firmly in  
the ground marked with 5  
notches on E & 1 notch on W  
edges & pits & mounds in  
each Sec 5 1/2 ft. dist.

Run  
North between sections 31 & 32

Variation 14° 25' East.

Ascend.

40.00

Set a sand stone 10 x 10 x 5 ins., 6  
ins. in the ground, for 1/4 Sec. Cor., marked 1/4 on W.  
face, dug pits, 18 x 18 x 12 ins., N. and S. of stone  
5 1/2 ft. dist., and raised a mound of earth 1 1/2 ft. high,  
3 1/2 ft. base. alongside

44.00

Top of Spur, bears N. E. & S. W. and descend.

80.00

Set <sup>piece</sup> petrified wood 12 x 8 x 8 ins. 8 ins. in  
the ground for Cor. to Secs. 29 30 31 & 32 marked  
with 1 notch on S. and 5 notches on E. edges, dug pits  
18 x 18 x 12 ins. in each Sec., 5 1/2 ft. dist., and raised a  
mound of earth 2 ft. high 4 1/2 ft. base. alongside

Land mountainous.

Soil 2nd rate

Vegetation bunchgrass

Township

16

Range

26

E

Gila and Salt River

Meridian.

Chains ~~Ch~~ East, on a random line between Sections 29 and 32.

Variation

4° 08'

East.

Descend.

40.00 Set temporary 1/2 sec. cor.

50.39 Intersect N. & S. line, 2 1/2 lks. South of cor. to secs. 29, 30, 31 & 32 from which corner, I run

Ch 0° 45' W. on a true line between sections 29 & 32

Variation 11° 08' East.

40.20 Set a sand stone 10 x 8 x 7 ins., 6 ins. in the ground, for 1/2 sec. Cor. marked 1/2 on N. face, dug pits, 18 x 12 x 2 ins., E. and W. of stone 5 1/2 ft. dist., and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base. alongside

80.39 The corner to sections 29, 30, 31 & 32

Land hilly

Soil end. rate

Vegetation bunchgrass

Henry Ct. Coe

Nov. 6. 1882

Township 16 N Range 26 E

Gila and Salt River Meridian.

Chains *N 84°* West, on a random line between Sections 30 and 31.Variation  $14^{\circ}08'$  East.*Ascend.*40.00 Set temporary  $\frac{1}{4}$  sec. cor.62.13 Cross Wash, 140 lks. wide, Course  $S 10^{\circ} W$ 

114.97 Intersect W.B. of Tp. 18 lks. North of cor. to secs.

*recently established by me*  
29.30.31 & 36 from which corner, I run*N 83° 55' E* on a true line, between sections 30 & 31Variation  $14^{\circ}08'$  East.

74.97 Set a sand stone  $14 \times 6 \times 6$  ins., 6 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on *N*. face, dug pits,  $18 \times 18 \times 12$  ins., *E*. and *W*. of stone  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base. alongside

114.97 The corner to sections 29.30.31 &amp; 32

Land rolling.

Soil *2nd.* rate

Vegetation bunchgrass

M. M. Harlan, compassman

Nov. 7. 1882

Township 16 N. Range 20 E 48

Gila and Salt River Meridian.

Chains

North, between Sections 29 and 30.

Variation  $14^{\circ} 08'$  East.*Ascend.*

40.00 Set a sand stone  $12 \times 10 \times 8$  ins., 8 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on W. face, dug pits,  $18 \times 18 \times 12$  ins., N. and S. of stone  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base. alongside

59.00 Top of Ridge, bears E & N. and descend.

80.00 Set a sand stone  $10 \times 10 \times 9$  ins. 6 ins. in the ground for Cor. to Secs. 19. 20. 29 & 30 marked with 2 notches on S. and 1 notch on E. edges, dug pits  $18 \times 18 \times 12$  ins. in each Sec.,  $5\frac{1}{2}$  ft. dist., and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base. alongside

Land mountainous.

Soil 2nd. rate

Vegetation bunchgrass

Township 16 N. Range 26 E.  
Gila and Salt River Meridian.

Chains *N. 87° East*, on a random line between Sections 20 and 29.  
Variation  $14^{\circ}08'$  East.

*Ascend.*

40.00 Set temporary  $\frac{1}{2}$  sec. cor.

62.40 Top of Ridge, bears *N. E. & S. W.* and descend.

79.98 Intersect *N. & S. line*, 7 *ks. North* of cor. to secs.

20, 21, 28 & 29 from which corner, I run

$S. 54^{\circ}03'$  W. on a true line between sections 20 & 29

Variation  $14^{\circ}08'$  East.

89.99 Set a sand stone  $10 \times 10 \times 7$  ins., 6  
ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  on *N.*  
face, dug pits,  $18 \times 18 \times 12$  ins., *E.* and *W.* of stone  
 $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  
 $3\frac{1}{2}$  ft. base. alongside

79.98 The corner to sections 19, 20, 29 & 30

Land mountainous.

Soil *2nd.* rate

Vegetation *bunchgrass*

I carefully examined the adjustments of my solar  
compass to-day, particularly the latitude and revers-  
ing apparatus, and found them correct.

Henry A. Coe

Nov. 7. 1852

Township 16 Range 26 E 50

Gila and Salt River Meridian.

Chains  $S 84^{\circ}$  West, on a random line between Sections 19 and 30.Variation  $14^{\circ} 08'$  East.

Descend.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.44.27 Cross Wash, 140 lks. wide, Course  $S 10^{\circ} W$  and ascend.

114.33 Intersect W.B. of Tp. 30 lks. North of cor. to secs.

19, 24, 28 &amp; 30 from which corner, I run

 $N 83^{\circ} E$  on a true line, between sections 19 & 30Variation  $14^{\circ} 08'$  East.

74.33 Set a sand stone  $12 \times 11 \times 10$  ins., 8 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N. face, dug pits,  $18 \times 18 \times 12$  ins., E. and W. of stone  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base. alongside

114.33 The corner to sections 19, 20, 29 &amp; 30

Land rolling.

Soil 2nd. rate

Vegetation bunchgrass

M. M. Harlan, compassman  
Nov. 7, 1852

Township 16 N Range 20 E

Gila and Salt River

Meridian.

Chains

North, between Sections 19 and 20.

Variation  $14^{\circ} 08'$  East.

Descend.

40.00 Set a sand stone  $10 \times 10 \times 8$  ins., 6 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N. face, dug pits,  $18 \times 18 \times 12$  ins., N. and S. of stone  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base. alongside

61.00 Cross Wash, 140 lks. wide, Course West and ascend.

80.00 Set a sand stone  $10 \times 9 \times 9$  ins. 6 ins. in the ground for Cor. to Secs. 17, 18, 19 & 20 marked with  $\int$  notch on S. and  $\int$  notch on E. edges, dug pits  $18 \times 18 \times 12$  ins. in each Sec.,  $5\frac{1}{2}$  ft. dist., and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base. alongside

Land rolling.

Soil 2nd. rate

Vegetation bunchgrass

Township 16 N. Range 26 E

Gila and Salt River Meridian.

Chains 184<sup>0</sup> East, on a random line between Sections 17 and 20.Variation 14<sup>0</sup>08' East.*Ascend.*40.00 Set temporary  $\frac{1}{4}$  sec. cor.79.86 Intersect N. & S. line, 34 lks. North of cor. to secs.

16 17. 20 &amp; 21 from which corner, I run

S. 84<sup>0</sup>15' W. on a true line between sections 17 & 20Variation 14<sup>0</sup>08' East.

79.93 Set a post 3 ft. long, 3 ins. diam. with marked stone.

12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. onN. face, dug pits, 18 x 18 x 12 ins., E. and W. of post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.high,  $3\frac{1}{2}$  ft. base around post.

79.86 The corner to sections 17. 18. 19 &amp; 20

Land rolling.

Soil 2nd rate

Vegetation bunchgrass

Henry A. Coe

Nov. 7. 1882

Township 16 N. Range 26 E  
 Gila and Salt River Meridian.

Chains 184' West, on a random line between Sections 18 and 19.

Variation 14° 08' East.

*Ascend.*

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

113.70 Intersect W. B. of Tp. 43 Nks. North of cor. to secs.  
~~recently established by me~~  
 13, 18, 19 & 24 from which corner, I run  
 N. 63° 46' E on a true line, between sections 18 & 19

Variation 14° 08' East.

73.78 Set a sand stone 10 x 10 x 6 ins., 6  
 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N.  
 face, dug pits, 18 x 18 x 12 ins., E. and W. of stone  
 5 $\frac{1}{2}$  ft. dist., and raised a mound of earth 1 $\frac{1}{2}$  ft. high,  
 3 $\frac{1}{2}$  ft. base. alongside

113.70 The corner to sections 17, 18, 19 & 20

Land rolling.

Soil 2nd. rate

Vegetation bunchgrass

M. M. Harlan, commissioner

Nov. 7, 1892

Township 16

BOOK 252  
N. Range 26

E 54

Gila and Salt River Meridian.

Chains

North, between Sections 17 and 18.

Variation 14° 08' East.

Ascend.

38.00 Top of Ridge, bears N. W. & S. E. and descend.

40.00 Set a sand stone 14 x 11 x 9 ins., 10 ins. in the ground, for 1/4 Sec. Cor., marked 1/4 on N. face, dug pits, 18 x 18 x 12 ins., N. and S. of stone 5 1/2 ft. dist., and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base. alongside

80.00 Set a sand stone 10 x 10 x 5 ins. 6 ins. in the ground for Cor. to Secs. 7, 8, 17 & 18 marked with 4 notches on S. and 5 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5 1/2 ft. dist., and raised a mound of earth 2 ft. high 4 1/2 ft. base. alongside

Land mountainous.

Soil 2nd. rate

Vegetation bunchgrass

Township

10

N Range

26

E

Gila and Salt River

Meridian.

Chains

N. 87° East, on a random line between Sections 8 and 17.

Variation

14° 08'

East.

Over rolling land.

40.00

Set temporary  $\frac{1}{4}$  sec. cor.

80.15

Intersect N. & S. line, 19 *lks.* South of cor. to secs.

7. 8. 16 &amp; 17 from which corner, I run

S. 63° 52' W. on a true line between sections 8 &amp; 17

Variation 14° 08' East.

40.08

Set petrified wood 12 x 12 x 8 ins., 8  
 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N.  
 face, dug pits, 18 x 18 x 12 ins., E. and W. of stone  
 5 $\frac{1}{2}$  ft. dist., and raised a mound of earth 1 $\frac{1}{2}$  ft. high,  
 3 $\frac{1}{2}$  ft. base. alongside

80.15

The corner to sections 7. 8. 17 &amp; 18

Land rolling.

Soil 2nd. rate

Vegetation bunchgrass

Henry C. Coe

Nov. 4. 1882

Township 16 Range 28 E 56

Gila and Salt River Meridian.

Chains 844 West, on a random line between Sections 7 and 18.

Variation 14° 08' East.

Ascend.

40.00 Set temporary 1/4 sec. cor.

66.60 Top of Ridge, bears N. W. & S. E. and descend.

112.98 Intersect W. B. of Tp. 8 1/2 m. North of cor. to secs.

7. 12. 13 & 18 from which corner, I run

N. 23° 58' on a true line, between sections 7 & 18

Variation 14° 08' East.

72.98 Set a sand stone 10 x 8 x 8 ins., 6 ins. in the ground, for 1/4 Sec. Cor., marked 1/4 on N. face, dug pits, 18 x 18 x 12 ins., E. and W. of stone 5 1/2 ft. dist., and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base. alongside

112.98 The corner to sections 7. 8. 17 & 18

Land mountainous.

Soil sand, rate

Vegetation bunchgrass

I carefully examined the adjustments of my solar compass to-day, particularly the latitude and reversing apparatus, and found them correct.

M. M. Barlow, compassman  
Nov. 7. 1882

Township 16 Range 26 E  
Gila and Salt River Meridian.

Chains

North, between Sections 7 and 8.

Variation  $14^{\circ}08'$  East.

Descend.

40.00 Set a sand stone  $10 \times 10 \times 7$  ins., 6 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on W. face, dug pits,  $18 \times 18 \times 12$  ins., N. and S. of stone  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base. alongside

44.00 Cross Wash, 80 lks. wide, Course  $N 10^{\circ} W$  and ascend.

80.00 Set a sand stone  $14 \times 13 \times 7$  ins. 10 ins. in the ground for Cor. to Secs. 6, 7 & 8 marked with J notch on S. and J notched on E. edges, dug pits  $18 \times 18 \times 12$  ins. in each Sec.,  $5\frac{1}{2}$  ft. dist., and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base. alongside

Land rolling.

Soil. 2nd. rate

Vegetation bunchgrass

Township 10 N. Range 26 E 58

Gila and Salt River Meridian.

Chains *Ch. 87* East, on a random line between Sections 5 and 8.

Variation  $14^{\circ}08'$  East.

Ascend.

- 20.00 Top of Ridge, bears N. & S. and descend.
- 40.00 Set temporary  $\frac{1}{2}$  sec. cor.
- 66.95 Cross Wash, 40 lks. wide, Course S. & W. and ascend.
- 79.61 Intersect N. & S. line, 8 lks. North of cor. to secs.  
4, 5, 8 & 9 from which corner, I run  
S.  $84^{\circ}03'$  W. on a true line between sections 5 & 8  
Variation  $14^{\circ}08'$  East.
- 99.81 Set a sand stone  $18 \times 10 \times 14$  ins., 12  
ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  on N.  
face, dug pits,  $18 \times 18 \times 12$  ins., E. and W. of stone  
 $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  
 $3\frac{1}{2}$  ft. base. alongside
- 79.61 The corner to sections 5, 6, 7 & 8

Land mountainous.

Soil sand, rate

Vegetation bunchgrass.

Henry C. Coe

Nov. 7, 1882

Township 16 N. Range 26 E

Gila and Salt River Meridian.

Chains *S. 84°* West, on a random line between Sections 6 and 7.Variation  $14^{\circ}08'$  East.

Descend.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.87.08 Cross Wash, 60 yds. wide, Course *N. 20° W.* and ascend.108.68 Top of Spur, bears *N. E.* & *S. W.* and descend.112.31 Intersect *W. B.* of Tp.  $5^{\circ}$  yds. North of cor. to secs.*resemble established by me*  
16.7 & 12, from which corner, I run*N. 83° 45'* on a true line, between sections 6 & 7Variation  $14^{\circ}08'$  East.

72.31 Set a sand stone  $16 \times 14 \times 10$  ins., 10 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on *N.* face, dug pits,  $18 \times 18 \times 12$  ins., *E.* and *W.* of stone  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base. alongside

112.31 The corner to sections *S. 6. 7 & 8*

Land mountainous.

Soil *ind.* rate

Vegetation bunchgrass

Township 16 N. Range 26 E.

Gila and Salt River Meridian.

Chains <sup>true.</sup> North, on a ~~random~~ line between Sections 5 and 6.  
Variation  $14^{\circ}08'$  East.

Ascend.

40.00 **Set a** sand stone  $16 \times 14 \times 10$  ins., 10 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on W. face, dug pits,  $18 \times 18 \times 12$  ins., N. and S. of stone  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base. alongside

48.76 Intersect the 4<sup>th</sup> Standard North at a point 1.06 chs. West of the Standard Cor. to Secs. 31 and 32. T. 17 N. R. 26 E. ~~recently established by me~~  
~~Which is a sand stone  $12 \times 10 \times 6$  ins. 8 ins. in the ground for Standard Cor. to Secs. 31 and 32 marked S. C., with  $\sigma$  notches on E. and 1 notch on W. edges, dug pits  $18 \times 18 \times 12$  ins. N., E. and W. of stone,  $5\frac{1}{2}$  ft. dist., and raised mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base. alongside and~~

~~at point of curve~~  
Set a sand stone  $12 \times 10 \times 6$  ins. 8 ins. in the ground for Closing Cor. to Secs. 5 and 6 marked C. C. with  $\sigma$  notches on E. and 1 notch on W. edges, dug pits  $18 \times 18 \times 12$  ins. S. E., and W. of stone,  $5\frac{1}{2}$  ft. dist., and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base. alongside  
Land rolling.

Soil 2nd. rate

Vegetation bunchgrass

M. M. Harlan, compassman Nov. 5, 1882

## GENERAL DESCRIPTION.

The land in this Township is rolling.

It is covered with a growth of scrub cedar also an abundance of nutritious grasses which affords fine grazing.

The soil is a sandy loam and can be classed as 2nd. rate.

There is a house, barn and corral in section 10 Value \$200

For Final Data  
See Book - No 13 -

## U. S. Surveyor General's Office,

TUCSON, ARIZONA,

July 31, 1883

The foregoing Field Notes of the Survey of the

Subdivision lines of  
Township 16 North, Range 26 East

Of the Gila and Salt River Base and Meridian, Arizona, execu-  
ted by Henry A. Coe

Deputy Surveyor, under his contract of the 20th,

day of July, 1852 having been

critically examined and the necessary corrections and explana-  
tions made, the said Field Notes and the surveys they describe  
are hereby approved.

J. W. Robinson  
Surveyor General.